

OMRON PVPR 2023

Catalog Description	Short Item Number	Item Long Description	List Price ES
OS32C-ECBL-02M	349182	OS32C Cable configuración 2m	191,00
OS32C-ECBL-05M	349183	OS32C Cable configuración 5m	253,60
OS32C-ECBL-15M	349184	OS32C Cable configuración 15m	360,40
FQ-WN002	337805	Cable Ethernet FQ 2m	83,95
FQ-WN010	337806	Cable Ethernet FQ 10m.	179,90
FQ-WN020	337807	Cable robótico Ethernet FQ 20m	299,60
FQ-MWNL005	355882	Cable FQ-M Ethercat y/o Ethernet acodado M12-RJ45 5m	410,00
FQ-MWNL010	355883	Cable FQ-M Ethercat y/o Ethernet acodado M12-RJ45 10m	497,20
FQ-MWNE005	355884	Cable FQ-M Ethercat recto M12-M12 5m	410,00
FQ-MWNE010	355885	Cable FQ-M Ethercat recto M12-M12 10m	497,20
FQ-MWNE005	355886	Cable FQ-M Ethercat acodado M12-M12 5m	410,00
FQ-MWNE010	355887	Cable FQ-M Ethercat acodado M12-M12 10m	497,20
FQ-WN010-E	360741	Cable Ethernet FQ 10m	179,90
FQ-WN015-E	360742	Cable Ethernet FQ 15m	239,60
FQ-WN001-E	360743	Cable Ethernet FQ 1m	59,95
FQ-WN002-E	360744	Cable Ethernet FQ 2m	83,95
FQ-WN003-E	360745	Cable Ethernet FQ 3m	95,90
FQ-WN005-E	360746	Cable Ethernet FQ 5m	119,90
XS5W-T421-AMD-K	357507	Cable Ethernet Cat. 5. Conector RJ45-RJ45. 0.3m	100,70
XS5W-T421-BMD-K	357508	Cable Ethernet Cat. 5. Conector RJ45-RJ45. 0.5m	104,60
XS5W-T421-CMD-K	357509	Cable Ethernet Cat. 5. Conector RJ45-RJ45. 1m	108,50
XS5W-T421-DMD-K	357510	Cable Ethernet Cat. 5. Conector RJ45-RJ45. 2m	113,90
XS5W-T421-EMD-K	357511	Cable Ethernet Cat. 5. Conector RJ45-RJ45. 3m	119,10
XS5W-T421-GMD-K	357512	Cable Ethernet Cat. 5. Conector RJ45-RJ45. 5m	139,00
XS5W-T421-JMD-K	357513	Cable Ethernet Cat. 5. Conector RJ45-RJ45. 10m	191,90
XS5W-T421-KMD-K	357514	Cable Ethernet Cat. 5. Conector RJ45-RJ45. 15m	225,00
XS6W-6LSZH8SS20CM-Y	374578	Cable Ethernet F/UTP Cat. 6, Recubrimiento LSZH, Amarillo, 0,2m	8,09
XS6W-6LSZH8SS30CM-Y	374579	Cable Ethernet F/UTP Cat. 6, Recubrimiento LSZH, Amarillo, 0,3m	8,77
XS6W-6LSZH8SS50CM-Y	374580	Cable Ethernet F/UTP Cat. 6, Recubrimiento LSZH, Amarillo, 0,5m	8,77
XS6W-6LSZH8SS100CM-Y	374581	Cable Ethernet F/UTP Cat. 6, Recubrimiento LSZH, Amarillo, 1m	10,87
XS6W-6LSZH8SS150CM-Y	374582	Cable Ethernet F/UTP Cat. 6, Recubrimiento LSZH, Amarillo, 1,5m	12,18

OMRON PVPR 2023

XS6W-6LSZH8SS200CM-Y	374583	Cable Ethernet F/UTP Cat. 6, Recubrimiento LSZH, Amarillo, 2m	14,17
XS6W-6LSZH8SS300CM-Y	374584	Cable Ethernet F/UTP Cat. 6, Recubrimiento LSZH, Amarillo, 3m	18,27
XS6W-6LSZH8SS500CM-Y	374585	Cable Ethernet F/UTP Cat. 6, Recubrimiento LSZH, Amarillo, 5m	25,53
XS6W-6LSZH8SS750CM-Y	374586	Cable Ethernet F/UTP Cat. 6, Recubrimiento LSZH, Amarillo, 7,5m	34,90
XS6W-6LSZH8SS1000CM-Y	374587	Cable Ethernet F/UTP Cat. 6, Recubrimiento LSZH, Amarillo, 10m	44,28
XS6W-6LSZH8SS1500CM-Y	374588	Cable Ethernet F/UTP Cat. 6, Recubrimiento LSZH, Amarillo, 15m	61,85
XS6W-6LSZH8SS2000CM-Y	374589	Cable Ethernet F/UTP Cat. 6, Recubrimiento LSZH, Amarillo, 20m	83,40
XS6W-5PUR8SS50CM-G	374590	Cable Ethernet S/FTP Cat. 5, Recubrimiento PUR, Verde, 0,5m	14,17
XS6W-5PUR8SS100CM-G	374591	Cable Ethernet S/FTP Cat. 5, Recubrimiento PUR, Verde, 1m	16,81
XS6W-5PUR8SS150CM-G	374592	Cable Ethernet S/FTP Cat. 5, Recubrimiento PUR, Verde, 1,5m	19,60
XS6W-5PUR8SS200CM-G	374593	Cable Ethernet S/FTP Cat. 5, Recubrimiento PUR, Verde, 2m	22,89
XS6W-5PUR8SS300CM-G	374594	Cable Ethernet S/FTP Cat. 5, Recubrimiento PUR, Verde, 3m	28,30
XS6W-5PUR8SS500CM-G	374595	Cable Ethernet S/FTP Cat. 5, Recubrimiento PUR, Verde, 5m	40,31
XS6W-5PUR8SS750CM-G	374596	Cable Ethernet S/FTP Cat. 5, Recubrimiento PUR, Verde, 7,5m	56,45
XS6W-5PUR8SS1000CM-G	374597	Cable Ethernet S/FTP Cat. 5, Recubrimiento PUR, Verde, 10m	70,20
XS6W-5PUR8SS1500CM-G	374598	Cable Ethernet S/FTP Cat. 5, Recubrimiento PUR, Verde, 15m	100,70
XS6W-5PUR8SS2000CM-G	374599	Cable Ethernet S/FTP Cat. 5, Recubrimiento PUR, Verde, 20m	127,20
XS6W-6LSZH8SS20CM-B	374600	Cable Ethernet F/UTP Cat. 6, Recubrimiento LSZH, Azul, 0,2m	8,09
XS6W-6LSZH8SS30CM-B	374601	Cable Ethernet F/UTP Cat. 6, Recubrimiento LSZH, Azul, 0,3m	8,77
XS6W-6LSZH8SS50CM-B	374602	Cable Ethernet F/UTP Cat. 6, Recubrimiento LSZH, Azul, 0,5m	8,77
XS6W-6LSZH8SS100CM-B	374603	Cable Ethernet F/UTP Cat. 6, Recubrimiento LSZH, Azul, 1m	10,87
XS6W-6LSZH8SS150CM-B	374604	Cable Ethernet F/UTP Cat. 6, Recubrimiento LSZH, Azul, 1,5m	12,18
XS6W-6LSZH8SS200CM-B	374605	Cable Ethernet F/UTP Cat. 6, Recubrimiento LSZH, Azul, 2m	14,17
XS6W-6LSZH8SS300CM-B	374606	Cable Ethernet F/UTP Cat. 6, Recubrimiento LSZH, Azul, 3m	18,27
XS6W-6LSZH8SS500CM-B	374607	Cable Ethernet F/UTP Cat. 6, Recubrimiento LSZH, Azul, 5m	25,53
XS6W-6LSZH8SS750CM-B	374608	Cable Ethernet F/UTP Cat. 6, Recubrimiento LSZH, Azul, 7,5m	34,90
XS6W-6LSZH8SS1000CM-B	374609	Cable Ethernet F/UTP Cat. 6, Recubrimiento LSZH, Azul, 10m	44,28
XS6W-6LSZH8SS1500CM-B	374610	Cable Ethernet F/UTP Cat. 6, Recubrimiento LSZH, Azul, 15m	61,85
XS6W-6LSZH8SS2000CM-B	374611	Cable Ethernet F/UTP Cat. 6, Recubrimiento LSZH, Azul, 20m	83,40
XS6W-6LSZH8SS20CM-G	374612	Cable Ethernet F/UTP Cat. 6, Recubrimiento LSZH, Verde, 0,2m	8,09
XS6W-6LSZH8SS30CM-G	374613	Cable Ethernet F/UTP Cat. 6, Recubrimiento LSZH, Verde, 0,3m	8,77
XS6W-6LSZH8SS50CM-G	374614	Cable Ethernet F/UTP Cat. 6, Recubrimiento LSZH, Verde, 0,5m	8,77
XS6W-6LSZH8SS100CM-G	374615	Cable Ethernet F/UTP Cat. 6, Recubrimiento LSZH, Verde, 1m	10,87

OMRON PVPR 2023

XS6W-6LSZH8SS150CM-G	374616	Cable Ethernet F/UTP Cat. 6, Recubrimiento LSZH, Verde, 1,5m	12,18
XS6W-6LSZH8SS200CM-G	374617	Cable Ethernet F/UTP Cat. 6, Recubrimiento LSZH, Verde, 2m	14,17
XS6W-6LSZH8SS300CM-G	374618	Cable Ethernet F/UTP Cat. 6, Recubrimiento LSZH, Verde, 3m	18,27
XS6W-6LSZH8SS500CM-G	374619	Cable Ethernet F/UTP Cat. 6, Recubrimiento LSZH, Verde, 5m	25,53
XS6W-6LSZH8SS750CM-G	374620	Cable Ethernet F/UTP Cat. 6, Recubrimiento LSZH, Verde, 7,5m	34,90
XS6W-6LSZH8SS1000CM-G	374621	Cable Ethernet F/UTP Cat. 6, Recubrimiento LSZH, Verde, 10m	44,28
XS6W-6LSZH8SS1500CM-G	374622	Cable Ethernet F/UTP Cat. 6, Recubrimiento LSZH, Verde, 15m	61,85
XS6W-6LSZH8SS2000CM-G	374623	Cable Ethernet F/UTP Cat. 6, Recubrimiento LSZH, Verde, 20m	83,40
XS5W-T421-DMC-K	375712	Cable Ethernet Cat. 5. Conector M12 Recto a RJ45. 2m	74,15
XS5W-T421-GMC-K	375713	Cable Ethernet Cat. 5. Conector M12 Recto a RJ45. 5m	101,90
XS5W-T421-KMC-K	375714	Cable Ethernet Cat. 5. Conector M12 Recto a RJ45. 15m	174,80
XS5W-T421-BM2-K	375715	Cable Ethernet Cat. 5. Conector M12 Recto a M12 Recto. 0.5m	50,35
XS5W-T421-CM2-K	375716	Cable Ethernet Cat. 5. Conector M12 Recto a M12 Recto. 1m	53,65
XS5W-T421-DM2-K	375717	Cable Ethernet Cat. 5. 2m, conector M12 en ambos lados	67,60
XS5W-T421-EM2-K	375718	Cable Ethernet Cat. 5. Conector M12 Recto a M12 Recto. 3m	83,40
XS5W-T421-GM2-K	375719	Cable Ethernet Cat. 5. Conector M12 Recto a M12 Recto. 5m	101,90
XS5W-T421-JM2-K	375720	Cable Ethernet Cat. 5. Conector M12 Recto a M12 Recto. 10m	148,30
XS5W-T421-KM2-K	375721	Cable Ethernet Cat. 5. Conector M12 Recto a M12 Recto. 15m	199,80
XS5W-T421-AMC-K	375722	Cable Ethernet Cat. 5. Conector M12 Recto a RJ45. 0.3m	60,45
XS5W-T421-BMC-K	375723	Cable Ethernet Cat. 5. Conector M12 Recto a RJ45. 0.5m	64,60
XS5W-T421-CMC-K	375724	Cable Ethernet Cat. 5. Conector M12 Recto a RJ45. 1m	70,20
XS5W-T421-EMC-K	375725	Cable Ethernet Cat. 5. Conector M12 Recto a RJ45. 3m	92,65
XS5W-T421-JMC-K	375726	Cable Ethernet Cat. 5. Conector M12 Recto a RJ45. 10m	135,20
XS5W-T422-AMC-K	375727	Cable Ethernet Cat.5. Conector M12 Ángulo Recto a RJ45. 0.3m	60,45
XS5W-T422-BMC-K	375728	Cable Ethernet Cat.5. Conector M12 Ángulo Recto a RJ45. 0.5m	64,60
XS5W-T422-CMC-K	375729	Cable Ethernet Cat.5. Conector M12 Ángulo Recto a RJ45. 1m	70,20
XS5W-T422-DMC-K	375730	Cable Ethernet Cat.5. Conector M12 Ángulo Recto a RJ45. 2m	74,15
XS5W-T422-EMC-K	375731	Cable Ethernet Cat. 5. Conector M12 Ángulo Recto a RJ45. 3m	87,40
XS5W-T422-GMC-K	375732	Cable Ethernet Cat.5. Conector M12 Ángulo Recto a RJ45. 5m	101,90
XS5W-T422-JMC-K	375733	Cable Ethernet Cat.5. Conector M12 Ángulo Recto a RJ45. 10m	135,20
XS5W-T422-KMC-K	375734	Cable Ethernet Cat.5. Conector M12 Ángulo Recto a RJ45. 15m	174,80
XS5W-T422-BM2-K	378008	Cable Ethernet 0.5m, conector M12 en ambos lados (en ángulo recto)	50,35
XS5W-T422-CM2-K	378009	Cable Ethernet 1m, conector M12 en ambos lados (en ángulo recto)	53,65

OMRON PVPR 2023

XS5W-T422-DM2-K	378010	Cable Ethernet 2m, conector M12 en ambos lados (en ángulo recto)	67,60
XS5W-T422-EM2-K	378011	Cable Ethernet 3m, conector M12 en ambos lados (en ángulo recto)	80,75
XS5W-T422-GM2-K	378012	Cable Ethernet 5m, conector M12 en ambos lados (en ángulo recto)	101,90
XS5W-T422-JM2-K	378013	Cable Ethernet 10m, conector M12 en ambos lados (en ángulo recto)	148,30
XS5W-T422-KM2-K	378014	Cable Ethernet 15m, conector M12 en ambos lados (en ángulo recto)	199,80
XS5W-T421-DM1-KR	399282	Cable Eth Cat. 5 Conector M12 macho - M12 hembra, 2m (Robotizado)	80,75
XS5W-T421-EM1-KR	399283	Ethernet Cat.5 extension cable, PVC, robotic, M12 straight plug/M12 straight socket	119,10
XS5W-T421-KMD-KR	419005	Ethernet Cat.5 cable, PVC, robotic, RJ45/RJ45, 15 m	220,50
FQ-WN005	679127	Cable Ethernet FQ 5m Resistente	119,90
XS5W-T421-DMD-KR	658918	Ethernet Cat.5 cable, PVC, robotic, RJ45/RJ45, 2 m	125,30
XS5W-T421-EM1-K	685787	Ethernet Cat.5 extension cable, PVC, M12 straight socket / M12 straight plug, 3 m	99,70
XS5W-T421-GM1-K	685786	Ethernet Cat.5 extension cable, PVC, M12 straight socket / M12 straight plug, 5 m	124,40
XS5W-T421-CMC-KR	682288	Ethernet Cat.5 cable, PVC, robotic, M12 straight plug / RJ45 plug, 1 m	91,50
XS5W-T421-EMD-KR	658920	Ethernet Cat.5 cable, PVC, robotic, RJ45/RJ45, 3 m	140,00
XS5W-T421-CM2-KR	685785	Ethernet Cat.5 cable, PVC, robotic, M12 straight plug / M12 straight plug, 1 m	86,00
XS5W-T421-DMC-KR	682289	Ethernet Cat.5 cable, PVC, robotic, M12 straight plug / RJ45 plug, 2 m	100,50
XS5W-T421-BMC-KR	682290	Ethernet Cat.5 cable, PVC, robotic, M12 straight plug / RJ45 plug, 0.5 m	78,85
XS5W-T421-DME-K	677929	Ethernet Cat.5 extension cable, PVC, M12 straight socket / RJ45 plug, 2 m	146,20
XS5W-T421-GMD-KR	658921	Ethernet Cat.5 cable, PVC, robotic, RJ45/RJ45, 5 m	168,50
XS5W-T421-CM1-K	685784	Ethernet Cat.5 extension cable, PVC, M12 straight socket / M12 straight plug, 1 m	72,05
XS5W-T421-DM3-K	690786	Ethernet Cat.5 cable, PVC, M12 straight socket / M12 straight socket, 2 m	78,20
XS5W-T421-BM1-K	685783	Ethernet Cat.5 extension cable, PVC, M12 straight socket / M12 straight plug, 0.5 m	65,35
XS5W-T421-DM1-K	685782	Ethernet Cat.5 extension cable, PVC, M12 straight socket / M12 straight plug, 2 m	86,40
XS5W-T421-JM1-K	685781	Ethernet Cat.5 extension cable, PVC, M12 straight socket / M12 straight plug, 10 m	206,40
XS5W-T421-CM3-K	690785	Ethernet Cat.5 cable, PVC, M12 straight socket / M12 straight socket, 1 m	86,10
XS5W-T421-JM2-KR	685780	Ethernet Cat.5 cable, PVC, robotic, M12 straight plug / M12 straight plug, 10 m	238,10
XS5W-T421-BM2-KR	685779	Ethernet Cat.5 cable, PVC, robotic, M12 straight plug / M12 straight plug, 0.5 m	74,80
XS5W-T421-JMD-KR	658922	Cable ETH Cat.5 Conector RJ45-RJ45 10m (Robotizado)	178,60
XS5W-T421-JMC-KR	680055	Ethernet Cat.5 cable, PVC, robotic, M12 straight plug / RJ45 plug, 10 m	272,10
XS5W-T421-EMC-KR	682291	Ethernet Cat.5 cable, PVC, robotic, M12 straight plug / RJ45 plug, 3 m	109,30
XS5W-T421-KMC-KR	682292	Ethernet Cat.5 cable, PVC, robotic, M12 straight plug / RJ45 plug, 15 m	211,10
XS5W-T421-DM2-KR	685778	Ethernet Cat.5 cable, PVC, robotic, M12 straight plug / M12 straight plug, 2 m	94,10
XS5W-T421-EM2-KR	685777	Ethernet Cat.5 cable, PVC, robotic, M12 straight plug / M12 straight plug, 3 m	113,60

OMRON PVPR 2023

XS5W-T421-GMC-KR	668865	Ethernet Cat.5 cable, PVC, Robotic, M12 straight plug/RJ45, 5m	201,00
XS5W-T421-KM2-KR	685776	Cable Ethernet Cat.5, PVC, robótico, conector macho recto M12 / conector macho RJ45, 2 m	269,20
XS5W-T421-KM1-K	685775	Ethernet Cat.5 extension cable, PVC, M12 straight socket / M12 straight plug, 15 m	241,90
XS5W-T421-GM2-KR	685774	Ethernet Cat.5 cable, PVC, robotic, M12 straight plug / M12 straight plug, 5 m	146,80
XS5W-T421-BM2-SS	671201	Cable Ethernet Cat. 5. Apantallamiento reforzado. Conector M12 Recto a M12 Recto, 2 m	64,90
XS5W-T421-GM2-SS	671202	Cable Ethernet Cat. 5. Apantallamiento reforzado. Conector M12 Recto a M12 Recto, 5 m	123,30
XS5W-T421-CMC-SS	671203	Cable Ethernet Cat. 5. Apantallamiento reforzado. Conector M12 Recto a RJ45. 1 m	103,70
XS5W-T421-DMC-SS	671204	Cable Ethernet Cat. 5. Apantallamiento reforzado. Conector M12 Recto a RJ45. 2 m	116,70
XS5W-T421-CM2-SS	671205	Cable Ethernet Cat. 5. Apantallamiento reforzado. Conector M12 Recto a M12 Recto, 1 m	71,40
XS5W-T421-DM2-SS	671206	Cable Ethernet Cat. 5. Apantallamiento reforzado. Conector M12 Recto a M12 Recto, 2 m	84,30
XS5W-T421-GMC-SS	671207	Cable Ethernet Cat. 5. Apantallamiento reforzado. Conector M12 Recto a RJ45. 5 m	155,60
XS5W-T421-EM2-SS	671208	Cable Ethernet Cat. 5. Apantallamiento reforzado. Conector M12 Recto a M12 Recto, 2 m	97,20
XS5W-T421-JM2-SS	671209	Cable Ethernet Cat. 5. Apantallamiento reforzado. Conector M12 Recto a M12 Recto, 2 m	188,00
XS5W-T421-BMC-SS	671210	Cable Ethernet Cat. 5. Apantallamiento reforzado. Conector M12 Recto a RJ45. 0 m	97,20
XS5W-T421-EMC-SS	671211	Cable Ethernet Cat. 5. Apantallamiento reforzado. Conector M12 Recto a RJ45. 3 m	129,80
XS5W-T421-JMC-SS	671212	Cable Ethernet Cat. 5. Apantallamiento reforzado. Conector M12 Recto a RJ45. 1 m	220,50
61-9000134-03	682141	Cable, HAWK 4000 Ethernet, X-Code/RJ45 Cat 6A, 5 m	262,70
98-000133-01	703469	Cat 6 Ethernet cable, jack screws to RJ45, high flex, 2 m	112,80
98-000134-02	703470	Cat 6 Ethernet cable, jack screws to RJ45, high flex, 7 m	201,40
61-9000134-02	682067	Cable Ethernet HAWK 4000, X-Code/RJ45, categoría 6A, 3 m	239,20
61-000163-03	682064	Cable QX, host, Ethernet, M12 8 pines (atornillado) a RJ45, 3 m	129,00
98-000134-01	682022	Cable Ethernet de categoría 6, conector macho enroscable en RJ45, alta flexibilidad, 2 m	156,20
XS5W-T421-BMD-YR	685773	Ethernet Cat.5 cable, PVC, robotic, RJ45 plug / RJ45 plug, 0.5 m, yellow	110,90
XS5W-T421-CMD-YR	685772	Ethernet Cat.5 cable, PVC, robotic, RJ45 plug / RJ45 plug, 1 m, yellow	113,10
XS5W-T421-DMD-YR	685771	Ethernet Cat.5 cable, PVC, robotic, RJ45 plug / RJ45 plug, 2 m, yellow	125,30
XS5W-T421-EMD-YR	685770	Ethernet Cat.5 cable, PVC, robotic, RJ45 plug / RJ45 plug, 3 m, yellow	139,60
XS5W-T421-GMD-YR	685769	Ethernet Cat.5 cable, PVC, robotic, RJ45 plug / RJ45 plug, 5 m, yellow	165,30
XS5W-T421-AM2-Y	685768	Ethernet Cat.5 cable, PVC, M12 straight plug / M12 straight plug, 0.3 m, yellow	44,85
XS5W-T421-BM2-Y	685767	Ethernet Cat.5 cable, PVC, M12 straight plug / M12 straight plug, 0.5 m, yellow	45,22
XS5W-T421-CM2-Y	685766	Ethernet Cat.5 cable, PVC, M12 straight plug / M12 straight plug, 1 m, yellow	51,30
XS5W-T421-DM2-Y	685765	Ethernet Cat.5 cable, PVC, M12 straight plug / M12 straight plug, 2 m, yellow	61,55
XS5W-T421-EM2-Y	685764	Ethernet Cat.5 cable, PVC, M12 straight plug / M12 straight plug, 3 m, yellow	69,70
XS5W-T421-GM2-Y	685763	Ethernet Cat.5 cable, PVC, M12 straight plug / M12 straight plug, 5 m, yellow	90,60

OMRON PVPR 2023

XS5W-T421-AMC-Y	685788	Ethernet Cat.5 cable, PVC, M12 straight plug / RJ45 plug, 0.3 m, yellow	70,50
XS5W-T421-BMC-Y	685789	Ethernet Cat.5 cable, PVC, M12 straight plug / RJ45 plug, 0,5 m, yellow	73,70
XS5W-T421-CMC-Y	685790	Ethernet Cat.5 cable, PVC, M12 straight plug / RJ45 plug, 1 m, yellow	77,25
XS5W-T421-DMC-Y	685791	Cable Ethernet Cat.5, PVC, macho recto M12 / macho RJ45, 2 m, amarillo	88,70
XS5W-T421-EMC-Y	685792	Ethernet Cat.5 cable, PVC, M12 straight plug / RJ45 plug, 3 m, yellow	99,20
XS5W-T421-GMC-Y	685793	Ethernet Cat.5 cable, PVC, M12 straight plug / RJ45 plug, 5 m, yellow	118,50
XS5W-T421-DM2-YR	685762	Ethernet Cat.5 cable, PVC, robotic, M12 straight plug / M12 straight plug, 2 m, y	94,10
XS6W-6PUR8SS30CM-YH	682426	Ethernet patch cable, Cat.6, PUR 0.3 m	15,27
XS6W-6PUR8SS50CM-YH	682427	Ethernet patch cable, Cat.6, PUR 0.5 m	16,53
XS6W-6PUR8SS100CM-YH	682428	Ethernet patch cable, Cat.6, PUR 1 m	20,33
V430-WE-3M	683087	Cable V430, host, Ethernet, M12 8 pines (atornillado) a RJ45, 3 m, recto	129,00
V430-WE-5M	683091	Cable V430, host, Ethernet, M12 8 pines (atornillado) a RJ45, 5 m, recto	161,30
V430-WELD-3M	683094	Cable V430, host, Ethernet, M12 8 pines (atornillado) a RJ45, 3 m, ángulo recto	129,00
FHV-VNB 2M	685291	FHV7 Ethernet cable, Recto 2 m, M12 Conector	175,90
FHV-VNB 3M	685292	FHV7 Ethernet cable, Recto 3 m, M12 Conector	217,50
FHV-VNB 5M	685293	FHV7 Ethernet cable, Recto 5 m, M12 Conector	281,00
FHV-VNB 10M	685294	FHV7 Ethernet cable, Recto 10 m, M12 Conector	438,60
FHV-VNB 20M	685380	FHV7 Ethernet cable, Recto 20 m, M12 Conector	840,50
FHV-VNLB 2M	685295	FHV7 Ethernet cable, Derecha Angulo 2 m, M12 Conector	175,90
FHV-VNLB 3M	685296	FHV7 Ethernet cable, Derecha Angulo 3 m, M12 Conector	217,50
FHV-VNLB 5M	685297	FHV7 Ethernet cable, Derecha Angulo 5 m, M12 Conector	281,00
FHV-VNLB 10M	685298	FHV7 Ethernet cable, Derecha Angulo 10 m, M12 Conector	438,60
FHV-VNLB 20M	685381	FHV7 Ethernet cable, Derecha Angulo 20 m, M12 Conector	840,50
FHV-VNBX 2M	690887	FHV7 Ethernet cable, straight, super bend resistant, 2 m, M12 connector	598,00
FHV-VNBX 3M	690888	FHV7 Ethernet cable, straight, super bend resistant, 3 m, M12 connector	769,50
FHV-VNBX 5M	690889	FHV7 Ethernet cable, straight, super bend resistant, 5 m, M12 connector	1 083,00
FHV-VNBX 10M	690890	FHV7 Ethernet cable, straight, super bend resistant, 10 m, M12 connector	1 867,00
FHV-VNLBX 2M	690891	FHV7 Ethernet cable, right angle, super bend resistant, 2 m, M12 connector	598,00
FHV-VNLBX 3M	690892	FHV7 Ethernet cable, right angle, super bend resistant, 3 m, M12 connector	769,50
FHV-VNLBX 5M	690893	FHV7 Ethernet cable, right angle, super bend resistant, 5 m, M12 connector	1 083,00
FHV-VNLBX 10M	690894	FHV7 Ethernet cable, right angle, 10 m, super bend resistant, M12 connector	1 867,00
FHV-VUBX 2M	690903	Smart Camera data unit cable, super bend resistant, 2 m	636,50
FHV-VUBX 3M	690904	Smart Camera data unit cable, super bend resistant, 3 m	801,50

OMRON PVPR 2023

FHV-VUBX 5M	690905	Smart Camera data unit cable, super bend resistant, 5 m	1 099,00
FHV-VUBX 10M	690906	Smart Camera data unit cable, super bend resistant, 10 m	1 845,00
FHV-VULBX 2M	690907	Smart Camera data unit cable, super bend resistant, right angle, 2 m	636,50
FHV-VULBX 3M	690908	Smart Camera data unit cable, super bend resistant, right angle, 3 m	801,50
FHV-VULBX 5M	690909	Smart Camera data unit cable, super bend resistant, right angle, 5 m	1 099,00
FHV-VULBX 10M	690910	Smart Camera data unit cable, super bend resistant, right angle, 10 m	1 845,00
72MDm4Rm4005K	696233	Cable Ethernet, PVC, conector M12 (codificación D, macho) a RJ45, 0.5 m, verde	104,30
72MDm4Rm4010K	696261	Cable Ethernet, PVC, enchufe M12 (codificación D, macho) a RJ45, 1 m, verde	126,70
72MDm4Rm4020K	696260	Cable Ethernet, PVC, enchufe M12 (codificación D, macho) a RJ45, 2 m, verde	171,20
72MDm4Rm4030K	696259	Cable Ethernet, PVC, enchufe M12 (codificación D, macho) a RJ45, 3 m, verde	215,60
72MDm4Rm4050K	696258	Cable Ethernet, PVC, enchufe M12 (codificación D, macho) a RJ45, 5 m, verde	304,80
72MDm4Rm4100K	696257	Cable Ethernet, PVC, enchufe M12 (codificación D, macho) a RJ45, 10 m, verde	349,20
72MDm4MDm4005K	696256	Cable Ethernet, PVC, conector M12 (codificación D, macho) a conector M12 (cod	113,60
72MDm4MDm4010K	696255	Cable Ethernet, PVC, enchufe M12 (codificación D, macho) a M12, 1 m, verde	135,70
72MDm4MDm4020K	696254	Cable Ethernet, PVC, enchufe M12 (codificación D, macho) a M12, 2 m, verde	180,30
72MDm4MDm4030K	696253	Cable Ethernet, PVC, enchufe M12 (codificación D, macho) a M12, 3 m, verde	224,90
72MDm4MDm4050K	696252	Cable Ethernet, PVC, enchufe M12 (codificación D, macho) a M12, 5 m, verde	313,80
72MDm4MDm4100K	696251	Cable Ethernet, PVC, enchufe M12 (codificación D, macho) a M12, 10 m, verde	358,40
V430-WE-1M	698190	Cable Ethernet V/F 430-F, conector macho M12 en cámara para conector RJ45,	112,40
XS6W-6PUR8SS20CM-YF	702414	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 0.2 m	9,67
XS6W-6PUR8SS30CM-YF	702415	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 0.3 m	14,50
XS6W-6PUR8SS50CM-YF	702416	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 0.5 m	15,71
XS6W-6PUR8SS100CM-YF	702417	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 1 m	19,34
XS6W-6PUR8SS150CM-YF	702418	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 1.5 m	22,95
XS6W-6PUR8SS200CM-YF	702419	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 2 m	24,16
XS6W-6PUR8SS300CM-YF	702420	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 3 m	25,37
XS6W-6PUR8SS500CM-YF	702421	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 5 m	35,64
XS6W-6PUR8SS750CM-YF	702422	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 7.5 m	48,93
XS6W-6PUR8SS1000CM-YF	702423	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 10 m	63,45
XS6W-6PUR8SS1500CM-YF	702424	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 15 m	92,45
XS6W-6PUR8SS2000CM-YF	702425	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 20 m	119,70
V430-WE-15M-E	707101	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, 15 m	218,60
V430-WELU-20M-E	707129	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, Right angle up	235,90

OMRON PVPR 2023

V430-WE-10M-E	707100	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, 10 m	189,90
V430-WE-20M-E	707099	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, 20 m	235,90
V430-WELU-10M-E	707131	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, Right angle up	189,90
V430-WELD-10M-E	707132	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, right angle do	189,90
V430-WELU-15M-E	707133	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, right angle up	218,60
V430-WELD-15M-E	707134	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, right angle do	218,60
V430-WELD-20M-E	707142	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, right angle do	235,90
V430-WELU-1M-E	707143	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, right angle up	112,40
V430-WELD-1M-E	707144	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, right angle do	112,40
V430-WELU-5M-E	707145	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, right angle up	161,30
V430-WELD-5M-E	707146	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, right angle do	161,30
FHV-VNB-5M-E	707306	FHV7 Ethernet cable, straight 5 m, M12 connector	281,00
FHV-VNB-10M-E	707307	FHV7 Ethernet cable, straight 10 m, M12 connector	438,60
FHV-VNB-3M-E	707308	FHV7 Ethernet cable, straight 3 m, M12 connector	217,50
FHV-VNB-2M-E	707586	FHV7 Ethernet cable, straight 2 m, M12 connector	175,90
FHV-VNB-20M-E	707585	FHV7 Ethernet cable, straight 20 m, M12 connector	840,50
FHV-VNLB-2M-E	707666	FHV7 Ethernet cable, right angle, 2 m, M12 connector	175,90
FHV-VNLB-3M-E	707665	FHV7 Ethernet cable, right angle, 3 m, M12 connector	217,50
FHV-VNLB-5M-E	707664	FHV7 Ethernet cable, right angle, 5 m, M12 connector	281,00
FHV-VNLB-10M-E	707663	FHV7 Ethernet cable, right angle, 10 m, M12 connector	438,60
FHV-VNLB-20M-E	707662	FHV7 Ethernet cable, right angle, 20 m, M12 connector	840,50
V430-WE-3M	709104	Cable V430, host, Ethernet, M12 8 pines (atornillado) a RJ45, 3 m, recto	129,00
V430-WE-5M	709107	Cable V430, host, Ethernet, M12 8 pines (atornillado) a RJ45, 5 m, recto	161,30
V430-WELD-3M	709110	Cable V430, host, Ethernet, M12 8 pines (atornillado) a RJ45, 3 m, ángulo recto	129,00
V430-WELU-3M	709111	Cable V430, host, Ethernet, M12 8 pines (atornillado) a RJ45, 3 m, ángulo recto	129,00
DCA1-5CN01F1	103344	Cable IP67 1m Conector Hembra y Punteras	69,70
DCA1-5CN03W1	105602	Cable IP67 3m Conector en ambos extremos	171,20
DCA1-5CN02H1	133588	Cable IP67 2m Conector Macho y Punteras	102,60
DCA1-5CN03H1	133589	Cable IP67 3m Conector Macho y Punteras	139,80
DCA1-5CN05H1	133590	Cable IP67 5m Conector Macho y Punteras	185,50
DCA1-5CNC5F1	133591	Cable IP67 0.5m Conector Hembra y Punteras	69,70
DCA1-5CN02F1	133592	Cable IP67 2m Conector Hembra y Punteras	102,60
DCA1-5CN03F1	133593	Cable IP67 3m Conector Hembra y Punteras	139,80

OMRON PVPR 2023

DCA1-5CN01W1	133594	Cable IP67 1m Conector en ambos extremos	139,80
DCA1-5CN02W1	133595	Cable IP67 2m Conector en ambos extremos	171,20
DCA1-5CN05W1	133596	Cable IP67 5m Conector en ambos extremos	246,80
DCA1-5CN10F1	133597	Cable IP67 10m Conector Hembra y Punteras	333,70
DCA1-5CN10W1	133598	Cable IP67 10m Conector en ambos extremos	376,30
DCA1-5CN01H1	133683	Cable IP67 1m Conector Macho y Punteras	69,70
DCA1-5CNC5H1	143326	Cable IP67 0.5m Conector Macho y Punteras	69,70
DCA1-5CN10H1	143327	Cable IP67 10m Conector Macho y Punteras	333,70
DCA1-5CNC5W1	146629	Cable IP67 0.5m Conector en ambos extremos	117,10
DCA1-5CN05F1	153117	Cable IP67 5m Conector Hembra y Punteras	185,50
DCA1-5CN05W5	164709	Cable IP67 5m Conector en ambos extremos	171,20
DCA1-5CN10W5	164710	Cable IP67 10m Conector en ambos extremos	283,80
DCA2-5CN01W1	164714	Cable Grueso IP67 1m Conector en ambos extremos	85,60
DCA2-5CN05W1	164716	Cable Grueso IP67 5m Conector en ambos extremos	171,20
DCA2-5CN10W1	164717	Cable Grueso IP67 10m Conector en ambos extremos	283,80
JEPMC-W6003-01-E-G5	382709	Cable Mechatrolink II 1m	244,00
JEPMC-W6003-03-E-G5	382710	Cable Mechatrolink II 3m	230,00
JEPMC-W6003-05-E-G5	382711	Cable Mechatrolink II 5m	290,60
JEPMC-W6003-10-E-G5	382712	Cable Mechatrolink II 10m	326,20
JEPMC-W6003-20-E-G5	382713	Cable Mechatrolink II 20m	476,70
JEPMC-W6003-30-E-G5	382714	Cable Mechatrolink II 30m	548,00
JEPMC-W6003-A5-E-G5	382715	Cable Mechatrolink II 0.5m	244,00
XW2Z-200T	105353	Cable PLC a HMI 2m	210,40
XW2Z-500S-CV	107512	Cable CS/CJ a PC 5m Antiestático	210,40
XW2Z-200T2	107522	Cable PLC a HMI 2m	256,90
XW2Z-200S-CV	147534	Cable CS/CJ a PC 2m Antiestático	167,80
XW2Z-200S-V	149609	Cable CS/CJ a PC 2m	154,90
XW2Z-500T	155978	Cable PLC a HMI 5m	223,20
XW2Z-500S-V	155980	Cable, RS-232C, 5 m, for programming PLC or HMI 9-pin port from PC 9-pin port	210,40
CS1W-CN224	224468	Cable consola C200H 2m	129,80
CPM2C-CN111	224547	Cable Periféricos	158,90
CS1W-CN226	224557	Cable PC 2m	156,20
CS1W-CN626	224558	Cable PC 6m	221,00

OMRON PVPR 2023

CS1W-CN118	224559	Cable PC 10cm	129,80
CS1W-CN114	224561	Cable consola CQM1	129,80
CV500-CN224	323717	Cable Consola CV 2 m.	476,20
AX-CUSBM002-E	322128	Cable PC para servo Accurax G5/variador MX2 (mini USB)	62,85
NSH5-422CW-10M	213205	Cable NSH5 conexión RS422 (conector 9 pines + cable a punteras)	673,00
NSH5-232UL-10M	226939	Cable RS232 10M para Terminal de mano NSH5	997,00
NSH5-232UL-3M	226940	Cable RS232 3M para Terminal de mano NSH5	738,50
NSH5-232CN-3M	233995	NSH5 Cable para caja de conexiones	613,50
NSH5-232CN-10M	233996	NSH5 Cable para caja de conexiones 10 m	940,50
NV-TOL-3M	334097	Cable de programación para NV3W	216,10
NB-RSEXT-2M	364948	Cable NB-PLC vía RS-422/485 (2m)	80,00
A1000-CAVPC232-EE	241953	Cable comunicación RS232C PC (V7/E7/F7/L7/G7/V1000)	24,54
ZW-XRS2	365159	Cable ZW RS232-PC 2m	190,70
JZSP-CVS06-02-E	251939	Sigma V, cable de conector mini USB	175,30
R88A-CCM001P5-E	241824	Cable divisor puertos serie 0 y 1 (R88A-MCW151)	117,20
R88A-CCM002P4-E	321832	Cable PC para MC402 / MCW151 (2m)	80,50
XW2Z-200PP-1	410309	Cable 2m RS232 pantalla táctil FH-MT	140,30
XW2Z-500PP-1	410310	Cable 5m RS232 pantalla táctil FH-MT	273,40
XW2Z-010PP-1	410311	Cable 10m RS232 pantalla táctil FH-MT	410,60
FH-VUAB 2M	410315	Cable 2m USB pantalla táctil FH-MT	68,85
FH-VUAB 5M	410316	Cable 5m USB pantalla táctil FH-MT	103,80
R88A-CCEA002P2-E	656885	Cable de programación Integrated Motor 2m	91,40
R88A-CCSE002P2-E	658934	Cable de programación Fuente de Alimentación Integrated Motor 2m	78,30
XW2Z-S002-NL	659674	Cable 2 metros para conexión PC - NS/PLC	94,70
CP1W-CN221	676856	Cable Programación USB A-B 1,8m	15,96
ZS-XRS3	680914	Cable RS-232C de 2 m de longitud, para conexión con PC	205,90
ZS-XPT3	684151	RS-232C cable, 2 m cable length, for PLC/PT connection (for controllers produce	249,20
CBL-PD203MBS-2MS	681386	Cable USB 2.0, USB A a USB mini B con tornillos de bloqueo en el extremo del e	14,25
CBL-PD203MBS-3MS	681411	Cable USB 2.0, USB A a USB mini B con tornillos de bloqueo en el extremo del e	20,71
CBL-PD203MBS-5MS	681392	USB 2.0 Cable, USB A para USB Mini B con Cierre Tornillos en Micro B Plug End, 5	31,05
CBL-PD302MBS-1M	681393	Cable USB 3.0, USB A a USB micro B con tornillos de bloqueo en el extremo del e	38,83
CBL-PD302MBS-2M	681403	Cable USB 3.0, USB A a USB micro B con tornillos de bloqueo en el extremo del e	41,41
CBL-PD302MBS-3M	681408	Cable USB 3.0, USB A a USB micro B con tornillos de bloqueo en el extremo del e	51,80

OMRON PVPR 2023

CBL-PD302MBS-4M	681409	USB 3.0 Cable, USB A para USB Micro B con Cierre Tornillos en Micro B Plug End	64,80
CBL-PD302MBSWB-5M	681416	Cable USB 3.0, USB A a USB micro B con tornillos de bloqueo en ambos extremo	72,55
CBL-D302MBS-5M	681406	USB 3.0 Cable, USB A para USB Micro B con Cierre Tornillos en Micro B Plug End	127,20
CBL-D302MBS-10M	681388	USB 3.0 Active Cable, USB A para USB Micro B con Cierre Tornillos en Micro B Pl	207,10
CBL-D302MBS-15M	681397	USB 3.0 Active Cable, USB A para USB Micro B con Cierre Tornillos en Micro B Pl	216,30
CBL-D302MBS-20M	681412	Cable USB 3.0 activo, USB A a USB micro B con tornillos de bloqueo en el extrem	469,70
CBL-D302MBS-30M	681414	USB 3.0 Active Cable, USB A para USB Micro B con Cierre Tornillos en Micro B Pl	754,50
61-000151-01	682051	Cable, Mini USB, I/O Fuga, Libres Cables, 1.8 m	48,43
98-9000103-01	683327	Kit, CAB0605-CAB USB 2.0 A-B con Ferrita Núcleo	48,30
60-000031-01	682516	Cable, 3.6m, Recto, USB Interfaz	105,50
61-9000034-01	683534	Cable, USB A Macho para Micro USB B Macho, 1.8 m	27,25
98-CAB0620	682706	USB 2.0 Cable, 3 m . para LVS-958x	67,00
61-9000045-01	683531	Cable, USB A Macho para Micro USB B Macho, 1.8 m	27,25
98-CAB0605	682702	USB 2.0 Cable, 1.8 m, para LVS-9510	24,79
98-9000102-01	683391	Kit Cab0770-Cab USB 2.0 A-B con Ferrita Núcleo	48,30
98-CAB0631	682698	USB 2.0 Cable, 1.8 m para LVS-9570 (con Tornillos)	67,00
12-9000943-01	682183	Cable, USB, apantallado, 4,6 m, alimentación externa 12V, familia HDS-3600 ***	79,50
12-9000946-01	682189	Cable, USB, apantallado, 2 m, familia HDS-3600	55,05
12-9000947-01	682201	Cable, USB, apantallado, 4,6 m, familia HDS-3600	79,50
XW2Z-S010	684815	Cable de conversión para C200H-ID215	304,80
XW2Z-S011	684814	Conversion cable for C200H-OD215	304,80
98-9000162-01	700893	USB 2.0 Cable, 2 m . for LVS-958x	59,15
V410-WUB-2M	699316	Cable, estilo 3 USB, conector macho de montaje en cable, 2 m	51,25
V410-WR-2M	699315	Cable, RS-232, DB9F, TXD-2, 2 m	51,25
R88A-CCG002P2	700317	Cable PC para programación de servos SS2 y Serie-G	219,40
V410-WUB-2M	709096	Cable, estilo 3 USB, conector macho de montaje en cable, 2 m	51,25
V410-WR-2M	709097	Cable, RS-232, DB9F, TXD-2, 2 m	51,25
12-9000943-01	709167	Cable, USB, apantallado, 4,6 m, alimentación externa 12V, familia HDS-3600 ***	79,50
12-9000946-01	709168	Cable, USB, apantallado, 2 m, familia HDS-3600	55,05
12-9000947-01	709169	Cable, USB, apantallado, 4,6 m, familia HDS-3600	79,50
ZX0-XC10R	359063	Cable extension ZX1 10m para modelos cable+conector	177,70
ZX0-XC20R	359064	Cable extension ZX1 20m para modelos cable+conector	237,90
EE-1010 2M	127848	Conector para fotomicrosensor cable 2m	17,77

OMRON PVPR 2023

EE-1010-R 2M	127849	Conector para fotomicrosensor cable robot 2m	38,52
EE-1013 1M	127850	Conector con cable 1m para EE-SPX74_/84_	12,86
EE-1006 3M	127851	Conector para fotomicrosensor cable 3m	17,40
EE-1006 2M	149189	Conector para fotomicrosensor cable 2m	15,60
EE-1003	154581	Conector para fotomicrosensor 1m	6,90
EE-1006 1M	158029	Conector para fotomicrosensor cable 1m	11,22
EE-1016-R 2M	225449	Conector para EE-SX91 cable robot 2m	22,20
EE-1017 3M	335077	Conector para EE-SX97 cable 3m	21,16
EE-1017-R 1M	335078	Accessory photomicro sensor EE-SX97 series, robotic cable connector, 1M	15,09
EE-1017-R 3M	335079	Conector robot. para EE-SX97 cable 3m	32,16
EE-1017 1M	335084	Conector para EE-SX97 cable 1m	10,26
F39-JJ3N	230519	Cable 0.3m para indicador externo F3SJ-A	81,80
XS3F-M421-405-A	105016	Con cable Recto 4 hilos 5m M8	32,50
XS3F-M421-402-A	107537	Con cable Recto 4 hilos 2m M8	25,95
XS3F-M422-402-A	107538	Con cable Acodado 4 hilos 2m M8	25,95
XS3F-M421-410-A	107539	Con cable Recto 4 hilos 10m M8	44,66
XS3F-M422-410-A	107540	Con cable Acodado 4 hilos 10m M8	44,66
XS3W-M421-401-R	107542	Cable M8 recto/recto 4hilos 1m robotizado	46,34
XS3W-M421-402-R	107543	Cable M8 recto/recto 4hilos 2m robotizado	49,10
XS3W-M421-405-R	107544	Cable M8 recto/recto 4hilos 5m robotizado	56,20
XS2W-D421-B81-F	107603	Cable M12 Recto/recto 4h 0.5m M12 Robot Retardante	32,20
XS2W-D421-D81-F	107608	Cable M12 Recto/recto 4h 2m M12 Robot Retardante	42,43
XS2W-D421-G81-F	107609	Cable M12 Recto/recto 4h 5m M12 Robot Retardante	57,80
XS3F-M421-405-R	107621	Con cable Recto 4 hilos 5m M8 Robotizado	34,58
XS3F-M422-402-R	107622	Con cable Acodado 4 hilos 2m M8 Robotizado	26,46
XS3F-M422-405-R	107623	Con cable Acodado 4 hilos 5m M8 Robotizado	34,58
XS2H-D421-D80-F	107645	M12 Macho - Punteras Recto CC 4 hilos 2m Retardante fuego Robótico	27,37
XS2H-D421-A80-F	107646	M12 Macho - Punteras Recto CC 4 hilos 0,3m Retardante fuego Robótico	20,71
XS2H-D421-B80-F	107647	M12 Macho - Punteras Recto CC 4 hilos 0,5m Retardante fuego Robótico	21,89
XS2F-D421-D80-F	107677	Con cable Recto 4 hilos 2m M12 Retard. Fuego	35,10
XS2F-D421-G80-F	107678	Con cable Recto 4 hilos 5m M12 Retard. Fuego	55,55
XS2F-D421-J80-F	107680	Con cable Recto 4 hilos 10m M12 Retard. Fuego	68,30
XS2F-D522-GG0-A	107715	Con cable Acodado 5 hilos 5m M12	54,60

OMRON PVPR 2023

XS2F-D522-DG0-A	107716	Con cable Acodado 5 hilos 2m M12	39,67
XS2F-A421-GB0-TR	107717	Con cable Recto CA 2 hilos 5m M12 Robotizado	45,09
XS2F-A422-GB0-TR	107718	Con cable Acodado CA 2 hilos 5m M12 Robotizado	45,63
XS2F-D422-DC0-TR	107762	Sensor cable, M12 right-angle socket (female), 4-poles, 3-wires (1 - 3 - 4), A code	35,20
XS2F-D521-GG0-A	107769	Con cable Recto 5 hilos 5m M12	54,60
XS3F-M422-405-A	141967	Con cable Acodado 4 hilos 5m M8	32,50
XS2W-D421-J81-F	146350	Cable M12 Recto/recto 4h 10m M12 Robot Retardante	78,65
XS2W-D421-E81-F	149267	Cable M12 Recto/recto 4h 3m M12 Robot Retardante	47,64
XS2W-D421-C81-F	149606	Cable M12 Recto/recto 4h 1m M12 Robot Retardante	35,48
XS2F-D521-DG0-A	150307	Con cable Recto 5 hilos 2m M12	38,91
XS2H-D421-C80-F	152598	M12 Macho - Punteras Recto CC 4 hilos 1m Retardante fuego Robótico	25,28
XS3F-M421-402-R	156301	Con cable Recto 4 hilos 2m M8 Robotizado	27,23
XS2H-D421-G80-F	167683	M12 Macho - Punteras Recto CC 4 hilos 5m Retardante fuego Robótico	44,23
XS2W-D421-L81-F	180834	Cable M12 Recto/recto 4h 20m M12 Robot Retardante	112,30
F39-JJR15L	189901	Cables para conexión serie de 2u. F3SJ-A 0,15m	158,60
F39-JJR3W	189902	Cables para conexión serie de 2u. F3S-J	158,60
Y92E-M08PUR3A2MLED-L	206324	Con cable acodado 3hilos 2m PUR M8 led	31,48
Y92E-M08PUR4A2M-L	206538	Con cable Acodado 4hilos 2m PUR M8	18,44
Y92E-M08PUR4A5M-L	206543	Con cable Acodado 4 hilos 5m PUR M8	24,69
Y92E-M08PUR4S2M-L	206550	Con cable Recto 4hilos 2m PUR M8	18,44
Y92E-M08PUR4S5M-L	206551	Con cable Recto 4 hilos 5m PUR M8	24,69
Y92E-M12PUR4A5M-L	206552	Con cable Acodado 4 hilos 5m PUR M12	24,69
Y92E-M12PUR4S5M-L	206553	Con cable Recto 4 hilos 5m PUR M12	24,69
Y92E-M12PVC5S2M-L	206554	Con cable Recto 5hilos 2m M12	18,44
Y92E-M12PVC3A2MLED-L	206568	Sensor cable, M12 right-angle socket (female), 3-poles, PVC cable, with LED 2 m	32,36
Y92E-M12PUR3A5MLED-L	206569	Con cable acodado 3hilos 5m PUR M12 led PNP	36,74
Y92E-M12PUR4A10M-L	206571	Con cable Acodado 4 hilos 10m PUR M12	34,38
Y92E-M12PUR4A2M-L	206572	Con cable Acodado 4 hilos 2m PUR M12	18,44
Y92E-M12PUR4S10M-L	206573	Con cable Recto 4 hilos 10m PUR M12	34,38
Y92E-M12PVC3A5MLED-L	206574	Con cable Acodado LED PNP 3 hilos 5m M12	36,74
Y92E-M12PUR4S2M-L	206575	Con cable Recto 4 hilos 2m PUR M12	18,44
Y92E-M08PVC4S5M-L	206597	Con cable Recto 4 hilos 5m M8	24,69
XS2H-D521-CG0-A	213830	Macho con cable Recto 5 hilos 1m M12	29,52

OMRON PVPR 2023

Y92E-S12PVC4S2M-L	224781	Con cable Recto 4 hilos 2m M12 F&B IP69K	29,82
Y92E-S12PVC4A2M-L	224782	Con cable Acodado 4 hilos 2m M12 F&B IP69K	29,82
Y92E-S12PVC4S5M-L	224783	Con cable Recto 4 hilos 5m M12 F&B IP69K	35,22
Y92E-S12PVC4A5M-L	224784	Con cable Acodado 4 hilos 5m M12 F&B IP69K	35,22
Y92E-S08PVC4S2M-L	224785	Con cable Recto 4 hilos 2m M8 F&B IP69K	29,82
Y92E-S08PVC4A2M-L	224786	Con cable Acodado 4 hilos 2m M8 F&B IP69K	29,82
Y92E-S08PVC4S5M-L	224787	Con cable Recto 4 hilos 5m M8 F&B IP69K	35,22
Y92E-S08PVC4A5M-L	224788	Con cable Acodado 4 hilos 5m M8 F&B IP69K	35,22
XS2F-E421-D80-E	237191	Con cable Recto 4 hilos 2m M12 IP69K Resist. Calor	69,50
XS2F-E421-G80-E	237192	Con cable Recto 4 hilos 5m M12 IP69K Resist. Calor	107,50
XS2F-E422-D80-E	237193	Con cable Acodado 4 hilos 2m M12 IP69K Resist. Calor	69,50
XS2F-E422-G80-E	237194	Con cable Acodado 4 hilos 5m M12 IP69K Resist. Calor	107,50
XS5F-D421-C80-F	237197	Cable M12 4h recto robot Smart click 1m	27,50
XS5F-D421-E80-F	237198	Cable M12 4h recto robot Smart click 3m	35,74
XS5H-D421-G80-F	237205	Sensor cable, Smartclick M12 straight plug (male), 4-poles, A coded, PVC fire-ret	35,26
XS5W-D421-C81-F	237220	Cable Snap-In Recto/recto 4hilos 1m Robótico M12	39,75
XS5W-D421-E81-F	237221	Cable Snap-In Recto/recto 4hilos 3m Robotico M12	56,30
XS5F-D421-D80-F	237228	Cable M12 4h recto robot Smart click 2m	30,26
XS5F-D421-G80-F	237229	Cable M12 4h recto robot Smart click 5m	44,23
XS5F-D421-J80-F	237230	Cable M12 4h recto robot Smart click 10m	68,30
XS5H-D421-D80-F	237232	Cable M12 4h recto Resist. Robot Smart click 2m	29,62
XS5W-D421-D81-F	237236	Cable Snap-In Recto/recto 4hilos 2m Robótico M12	49,49
XS5W-D421-G81-F	237237	Latiguillo Snap-In Recto/recto 4hilos 5m Robotico M12	65,80
XS5W-D421-J81-F	237238	Latiguillo Snap-In Recto/recto 4hilos 10m Robotico M12	83,95
XS5H-D421-D80-P	237243	Cable M12 4h recto Resist. Aceite Smart click 2m	64,50
Y92E-S08PVC4S10M-L	242625	Con cable recto 4hilos 10m PVC M8 F&B IP69K	54,25
Y92E-S12PVC4S10M-L	242626	Con cable recto 4 hilos 10m M12 F&B IP69K	43,12
Y92E-S12PVC4A10M-L	244005	Con cable Acodado 4 hilos 10m M12 F&B IP69K	37,71
F39-JJR06L	247101	Cables para conexión serie de 2u. F3SJ-A 0,6m	157,10
F39-TGR-CT-B-E	249194	Sin cable conector M12 4pines hembra F3S-TGR-CL	14,17
XS3F-E421-402-A	250787	M8 con cable Recto 3 hilos 2m Conect. SUS316L	41,75
XS3F-E421-405-A	250788	M8 de 4 pines, conector SUS hembra recto, IP69K, PVC, 5 m	51,10
XS3F-E422-402-A	250789	M8 con cable Acodado3 hilos 2m Conect. SUS316L	41,75

OMRON PVPR 2023

XS3H-M421-4C3-R	250797	M8 Macho con cable robótico Recto 4 hilos 0,3m	20,19
XS3H-M421-401-R	250798	M8 Macho con cable robótico Recto 4 hilos 1m	22,27
XS3H-M422-4C3-R	250799	M8 Macho con cable robótico Acodado 4 hilos 0,3m	20,99
XS3H-M422-401-R	250800	M8 Macho con cable robótico Acodado 4 hilos 1m	22,65
XS3H-M422-402-R	250801	M8 Macho con cable robótico Acodado 4 hilos 2m	27,65
XS3H-M422-405-R	250802	M8 Macho con cable robótico Acodado 4 hilos 5m	36,31
XS3H-M421-405-R	250804	M8 Macho con cable robótico Recto 4 hilos 5m	35,90
XS3H-S421-401-R	250806	M8 Snap-In Macho con cable robótico Recto 4 hilos 1m	26,05
XS3W-M422-402-R	250811	Cable M8 acodado/acodado 4hilos 2m robotizado	47,23
XS3W-M422-405-R	250812	Cable M8 acodado/acodado 4hilos 5m robotizado	57,25
XS3W-M423-402-R	250813	Cable M8 recto/acodado 4hilos 2m robotizado	50,05
XS3W-M423-405-R	250814	Cable M8 recto/acodado 4hilos 5m robotizado	57,25
XS3W-M424-402-R	250815	Cable M8 acodado/recto 4hilos 2m robotizado	50,05
XS3W-M424-405-R	250816	Cable M8 acodado/recto 4hilos 5m robotizado	57,25
XS3W-S421-401-R	250817	Cable Snap-In Recto/recto 4hilos 1m M8	36,43
XS3W-S421-402-R	250818	Cable Snap-In Recto/recto 4hilos 2m M8	37,77
XS3W-S421-405-R	250819	Cable Snap-In Recto/recto 4hilos 5m M8	44,44
XS3W-S422-402-R	250820	Cable M8 Snap-In acodado/acodado 4hilos 2m robotizado	51,55
XS3W-S422-405-R	250821	Cable M8 Snap-In acodado/acodado 4hilos 5m robotizado	58,65
XS3W-S423-402-R	250822	Cable M8 Snap-In recto/acodado 4hilos 2m robotizado	51,55
XS3W-S423-405-R	250823	Cable M8 Snap-In recto/acodado 4hilos 5m robotizado	58,65
XS3W-S424-402-R	250824	Cable M8 Snap-In acodado/recto 4hilos 2m robotizado	51,55
XS3W-S424-405-R	250825	Cable M8 Snap-In acodado/recto 4hilos 5m robotizado	58,65
XS2H-D821-CH0-C	254442	M12 Macho - Punteras Recto 8 hilos 1m	65,80
XS2F-D421-310	256433	Con cable Recto 2 hilos 2m M12 Standard	26,70
XS2F-D421-410	256434	Con cable Recto 2 hilos 5m M12 Standard	33,00
XS2H-D521-AG0-A	256459	M12 Macho - Punteras Recto CC 5 hilos 0,3m	26,05
XS2H-D821-AH0-C	256460	M12 Macho - Punteras Recto 8 hilos 0,3m	53,15
XS2H-D821-GH0-C	256461	M12 Macho - Punteras Recto 8 hilos 5m	108,30
XS2H-D821-DH0-C	256462	M12 Macho - Punteras Recto 8 hilos 2m	74,90
XS5F-D422-C80-F	269040	Cable M12 4h acodado robot Smart click 1m	34,45
XS5F-D422-D80-F	269041	Cable M12 4h acodado robot Smart click 2m	41,23
XS5F-D422-E80-F	269042	Cable M12 4h acodado robot Smart click 3m	50,45

OMRON PVPR 2023

XS5F-D422-G80-F	269043	Cable M12 4h acodado robot Smart click 5m	66,95
XS5F-D422-J80-F	269044	Cable M12 4h acodado robot Smart click 10m	94,35
F39-TGR-CVL-B-15-R	284041	Cable para F3S-TGR 15m Receptor	227,30
Y92E-S12PVC4A15M-L	285222	Con cable Acodado 4 hilos 15m M12 F&B IP69K	46,30
Y92E-S12PVC4S20M-L	301877	Con cable recto 4 hilos 20m M12 F&B IP69K	62,95
Y92E-M12PVC4S5MLED-L	323210	Con cable recto 4hilos 5m PVC M12 led PNP	36,74
Y92E-M12PUR4A5MLED-L	323212	Con cable acodado 4hilos 5m PUR M12 led PNP	36,74
Y92E-M12PURSH8S2M-L	341546	Cable para F3S-TGR 2m Receptor	42,00
Y92E-M12PURSH8S5M-L	341547	Cable para F3S-TGR 5m Receptor	59,90
Y92E-M12PURSH8S10M-L	341548	Cable para F3S-TGR 10m Receptor	87,40
Y92E-M12PURSH8S25M-L	341549	Cable para F3S-TGR 25m Receptor	180,40
Y92E-M12PURSH4S2M-L	341550	Cable para F3S-TGR 2m Emisor	36,60
Y92E-M12PURSH4S5M-L	341551	Cable para F3S-TGR 5m Emisor	50,70
Y92E-M12PURSH4S10M-L	341552	Cable para F3S-TGR 10m Emisor	74,90
Y92E-M12PURSH4S25M-L	341553	Cable para F3S-TGR 25m Emisor	146,00
Y92E-M12FSM12MSPURSH806M-L	341554	Cable conexión F3S-TGR y F39-TGR-MSB-L060 Receptor	62,70
Y92E-M12FSM12MSPURSH82M-L	341555	Cable receptor F3S-TGR/W-lbox* 2m	62,70
Y92E-M12FSM12MSPURSH85M-L	341556	Cable receptor F3S-TGR/W-lbox* 5m	80,55
Y92E-M12FSM12MSPURSH810M-L	341557	Cable receptor F3S-TGR/W-lbox* 10m	112,50
Y92E-M12FSM12MSPURSH42M-L	341559	Cable emisor F3S-TGR/W-lbox* 2m	48,37
Y92E-M12FSM12MSPURSH410M-L	341561	Cable emisor F3S-TGR/W-lbox* 10m	86,05
OS32C-CBL-03M	349178	OS32C Cable E-S Alimentación 3m	127,10
OS32C-CBL-10M	349179	OS32C Cable E-S Alimentacion 10m	173,70
OS32C-CBL-20M	349180	OS32C Cable E-S Alimentacion 20m	256,30
OS32C-CBL-30M	349181	OS32C Cable E-S Alimentacion 30m	333,80
Y92E-M12PURSH4S15M-L	353463	Cable para F3S-TGR 15m Emisor	87,90
Y92E-M08FSM08MSPUR45M-L	353468	Con cable recto 4h macho M8- recto 4h hembra M8 5m	38,25
XS2W-D521-KG1-A	354392	Cable M12 Recto/recto 5h 15m M12	117,70
XS2W-D521-JG1-A	354393	Cable M12 Recto/recto 5h 10m M12	100,20
XS2W-D521-GG1-A	354394	Cable M12 Recto/recto 5h 5m M12	77,45
XS2W-D521-DG1-A	354395	Cable M12 Recto/recto 5h 2m M12	61,60
XS2W-D521-LG1-A	354396	Cable M12 Recto/recto 5h 20m M12	132,50
XS3W-M321-305-R	355020	Cable M8 recto/recto 3hilos 5m robotizado	54,80

OMRON PVPR 2023

XS2F-D422-G80-F	355663	Con cable Acodado 4 hilos 5m M12 Retard. Fuego	55,55
XS2F-D422-D80-F	355664	Con cable Acodado 4 hilos 2m M12 Retard. Fuego	35,10
F39-JD3A	356811	Cable de conexión para F3SJ-B/A 3m	185,20
F39-JD7A	356812	Cable de conexión para F3SJ-B/A 7m	272,50
F39-JD10A	356813	Cable de conexión para F3SJ-B/A 10m	330,40
F39-JD15A	356814	Cable de conexión para F3SJ-B/A 15m	444,80
F39-JD20A	356815	Cable de conexión para F3SJ-B/A 20m	559,00
Y92E-M12MSM8FSPUR42M-L	357809	Latiguillo M12 Macho recto - M8 Hembra recto PUR 2m	35,36
Y92E-M12MSM8FSPUR45M-L	357810	Latiguillo M12 Macho recto - M8 Hembra recto PUR 5m	42,69
Y92E-M12PVC3S10M-E	358062	Con cable Recto 3 hilos 10m M12 CONSULTAR - Crimpado	39,50
XS2F-LM12PVC3A2M	358068	M12 PVC con cable Acodado 3 hilos 2m Lite	10,18
XS2F-LM12PVC3A5M	358069	M12 PVC con cable Acodado 3 hilos 5m Lite	12,98
XS2F-LM12PVC3S2M	358070	M12 PVC con cable Recto 3 hilos 2m Lite	9,78
XS2F-LM12PVC3S5M	358071	M12 PVC con cable Recto 3 hilos 5m Lite	12,60
XS2F-LM12PVC4A2M	358072	M12 PVC con cable Acodado 4 hilos 2m Lite	10,97
XS2F-LM12PVC4A5M	358073	M12 PVC con cable Acodado 4 hilos 5m Lite	13,92
XS2F-LM12PVC4S2M	358074	M12 PVC con cable Recto 4 hilos 2m Lite	10,46
XS2F-LM12PVC4S5M	358075	M12 PVC con cable Recto 4 hilos 5m Lite	13,52
XS3F-LM8PVC3A2M	358076	M8 PVC con cable Acodado 3 hilos 2m Lite	9,51
XS3F-LM8PVC3A5M	358077	M8 PVC con cable Acodado 3 hilos 5m Lite	12,46
XS3F-LM8PVC3S2M	358078	M8 PVC con cable Recto 3 hilos 2m Lite	8,98
XS3F-LM8PVC3S5M	358079	M8 PVC con cable Recto 3 hilos 5m Lite	11,92
XS3F-LM8PVC4A2M	358080	M8 PVC con cable Acodado 4 hilos 2m Lite	9,78
XS3F-LM8PVC4A5M	358081	M8 PVC con cable Acodado 4 hilos 5m Lite	12,85
XS3F-LM8PVC4S2M	358082	M8 PVC con cable Recto 4 hilos 2m Lite	9,37
XS3F-LM8PVC4S5M	358083	M8 PVC con cable Recto 4 hilos 5m Lite	12,46
F39-JDR5B	359019	Cable de conexión entre F3SJ-B/A y F3SP-B1P 0,5m	158,60
XS2F-D422-J80-F	359239	Con cable Acodado 4 hilos 10m M12 Retard. Fuego	85,35
XS2F-LM12PVC4A10M	361128	M12 PVC con cable Acodado 4 hilos 10m Lite	19,24
XS2F-LM12PVC4S10M	361129	M12 PVC con cable Recto 4 hilos 10m Lite	18,85
XS2F-LM12PVC3A10M	361130	M12 PVC con Cable acodado 3 hilos 10m Lite	17,77
XS2F-LM12PVC3S10M	361131	M12 PVC con cable Recto 3 hilos 10m Lite	17,38
Y92E-M08PUR4S2M-R	362683	Con cable Recto 4hilos 2m PUR M8 Robotizado	23,73

OMRON PVPR 2023

Y92E-M08PUR4S5M-R	362684	Con cable Recto 4 hilos 5m PUR M8 Robotizado	31,48
Y92E-M08PUR4A5M-R	362686	M8 4-pin Angled female connector, Robot cable, PUR, 5m	31,48
Y92E-M12PUR4A2M-R	362689	Con cable Acodado 4 hilos 2m PUR M12 Robotizado	26,05
Y92E-M12PUR4A5M-R	362690	Sensor cable, M12 right-angle socket (female), 4-poles, PUR robot cable, 5 m	33,60
XS2W-D421-E81-SA	365177	Cable M12 Recto/recto 4h 3m M12 Resist. Salpicaduras	76,25
XS2W-D421-B81-SA	367772	Cable M12 Recto/recto 4h 0.5m M12 Resist. Salpicaduras	59,70
XS3F-M321-302-R	372022	Sensor cable, M8 straight socket (female), 3-poles, PVC robot cable, IP67, 2 m	17,20
XS3F-M321-305-R	372023	Conector para sensor, hembra, M8, PVC, 3 contactos, recto, ignífugo, cable robo	23,20
XS3F-M322-302-R	372024	Con cable Acodado 3 hilos 2m M8 Standard	17,19
XS3F-M322-305-R	372025	Con cable Acodado 3 hilos 5m M8 Standard	23,20
XS2F-LM12PVC3A3M	372334	M12 PVC con cable Acodado 3 hilos 3m Lite	11,79
XS2W-D421-A81-SA	372743	Cable M12 Recto/recto 4h 0.3m M12 Resist. Salpicaduras	56,10
XS2W-D421-J81-SA	372744	Cable M12 Recto/recto 4h 10m M12 Resist. Salpicaduras	108,30
XS2F-A421-DB0-F	372801	Con cable Recto CA 2hilos 2m M12 Retard. Fuego	21,63
XS2F-A421-D90-F	372875	Con cable Recto CA 4hilos 2m M12 Retard. Fuego	21,63
XS2W-D421-H81-F	373177	Cable M12 Recto/recto 4h 7m M12 Robot Retardante	66,95
XS2F-A422-GB0-F	373179	M12 Macho - Punteras Acodado CA 2 hilos 5m Retardante fuego Robótico	42,81
XS2W-D421-F81-F	373180	Cable M12 Recto/recto 4h 4m M12 Robot Retardante	52,90
F39-JD3B	374270	Cable de conexión entre F3SJ-B/A y F3SP-B1P 3m	188,10
F39-JD7B	374271	Cable de conexión entre F3SJ-B/A y F3SP-B1P 7m	251,50
F39-JD10B	374272	Cable de conexión entre F3SJ-B/A y F3SP-B1P 10m	292,60
F39-JD1B	374273	Cable de conexión entre F3SJ-B/A y F3SP-B1P 1m	165,40
F39-JD5B	374274	Cable de conexión entre F3SJ-B/A y F3SP-B1P 5m	220,50
F39-JD20B	374275	Cable de conexión entre F3SJ-B/A y F3SP-B1P 20m	518,50
F39-JD15B	374276	Cable de conexión entre F3SJ-B/A y F3SP-B1P 15m	388,40
XS2F-A421-G90-F	374459	M12 con cable Recto CA 4hilos 5m Retard. Fuego	37,32
XS2F-A422-JB0-F	374460	M12 con cable Acodado CA 2hilos 10m Retard. Fuego	42,57
XS2F-D421-GC0-F	374507	Cable socket, M12 4-pin, straight, 3-wire (1,3,4), PVC fire retardant, robotic, cab	44,82
XS2W-D424-D81-F	374848	Cable M12 Acodado/recto 4h 2m M12 Robot Retardante	42,43
XS2F-M12PVC3A2MNLED	378097	M12 PVC con cable Acodado 3 hilos 2m uL LED NPN	23,65
XS2F-M12PVC3A5MNLED	378098	M12 PVC con cable Acodado 3 hilos 5m uL LED NPN	38,98
XS2F-M12PVC3A10MNLED	378099	M12 PVC con cable Acodado 3 hilos 10m uL LED NPN	35,80
XS2F-M12PVC3A2MPLED	378100	M12 PVC con cable Acodado 3 hilos 2m uL LED PNP	23,20

OMRON PVPR 2023

XS2F-M12PVC3A5MPLED	378101	M12 PVC con cable Acodado 3 hilos 5m uL LED PNP	27,77
XS2F-M12PVC3A10MPLED	378102	M12 PVC con cable Acodado 3 hilos 10m uL LED PNP	35,80
XS2F-M12PVC4A2MPLED	378103	M12 PVC con cable Acodado 4 hilos 2m uL LED PNP	23,84
XS2F-M12PVC4A5MPLED	378104	M12 PVC con cable Acodado 4 hilos 5m uL LED PNP	38,23
XS2F-M12PVC4A10MPLED	378105	M12 PVC con cable Acodado 4 hilos 10m uL LED PNP	36,31
XS2F-M12PUR3A2MPLED	378106	M12 PUR con cable Acodado 3 hilos 2m uL LED PNP	25,10
XS2F-M12PUR3A5MPLED	378107	M12 PUR con cable Acodado 3 hilos 5m uL LED PNP	30,17
XS2F-M12PUR3A10MPLED	378108	M12 PUR con cable Acodado 3 hilos 10m uL LED PNP	39,67
XS2F-M12PUR4A2MPLED	378109	M12 PUR con cable Acodado 4 hilos 2m uL LED PNP	25,91
XS2F-M12PUR4A5MPLED	378110	M12 PUR con cable Acodado 4 hilos 5m uL LED PNP	58,70
XS2F-M12PUR4A10MPLED	378111	M12 PUR con cable Acodado 4 hilos 10m uL LED PNP	40,32
XS2F-A421-GB0-F	379143	M12 Macho - Punteras Recto CA 2 hilos 5m Retardante fuego Robótico	42,81
XS3W-M321-301-R	387058	Cable M8 recto/recto 3hilos 1m robotizado	48,56
XS3W-M321-302-R	387059	Cable M8 recto/recto 3hilos 2m robotizado	49,88
XS2H-D421-CC0-F	393413	M12 Macho - Punteras Recto CC 3 hilos 1m Retardante fuego Robótico	24,30
XS3H-M321-301-R	393414	M8 Macho con cable robótico Recto 3 hilos 1mm	7,65
Y92E-S08PP3A 15M	393689	Cable Higiénico ECOLAB M8 3h acodado 15m	70,80
Y92E-S08PP3A 20M	393690	Cable Higiénico ECOLAB M8 3h acodado 20m	94,35
Y92E-S08PP3A 25M	393691	Cable Higiénico ECOLAB M8 3h acodado 25m	105,40
Y92E-S08PP3A 2M	393692	Cable Higiénico ECOLAB M8 3h acodado 2m	37,85
Y92E-S08PP3A 5M	393693	Cable Higiénico ECOLAB M8 3h acodado 5m	40,74
Y92E-S08PP3S 10M	393694	Cable Higiénico ECOLAB M8 3h recto 10m	58,25
Y92E-S08PP3S 15M	393695	Cable Higiénico ECOLAB M8 3h recto 15m	70,80
Y92E-S08PP3S 20M	393696	Cable Higiénico ECOLAB M8 3h recto 20m	94,35
Y92E-S08PP3S 25M	393697	Cable Higiénico ECOLAB M8 3h recto 25m	105,40
Y92E-S08PP3S 5M	393699	Cable Higiénico ECOLAB M8 3h recto 5m	40,74
Y92E-S08PP4A 15M	393701	Cable Higiénico ECOLAB M8 4h acodado 15m	81,90
Y92E-S08PP4A 20M	393702	Cable Higiénico ECOLAB M8 4h acodado 20m	99,90
Y92E-S08PP4A 25M	393703	Cable Higiénico ECOLAB M8 4h acodado 25m	116,50
Y92E-S08PP4A 2M	393704	Cable Higiénico ECOLAB M8 4h acodado 2m	40,74
Y92E-S08PP4A 5M	393705	Cable Higiénico ECOLAB M8 4h acodado 5m	46,56
Y92E-S08PP4S 10M	393706	Cable Higiénico ECOLAB M8 4h recto 10m	64,25
Y92E-S08PP4S 20M	393708	Cable Higiénico ECOLAB M8 4h recto 20m	99,90

OMRON PVPR 2023

Y92E-S08PP4S 25M	393709	Cable Higiénico ECOLAB M8 4h recto 25m	116,50
Y92E-S08PP4S 2M	393710	Cable Higiénico ECOLAB M8 4h recto 2m	40,74
Y92E-S08PP4S 5M	393711	Cable Higiénico ECOLAB M8 4h recto 5m	46,56
Y92E-S12PP4A 10M	393712	Cable Higiénico ECOLAB M12 4h acodado 10m	46,56
Y92E-S12PP4A 20M	393714	Cable Higiénico ECOLAB M12 4h acodado 20m	87,40
Y92E-S12PP4A 25M	393715	Cable Higiénico ECOLAB M12 4h acodado 25m	105,40
Y92E-S12PP4A 2M	393716	Cable Higiénico ECOLAB M12 4h acodado 2m	26,23
Y92E-S12PP4A 5M	393717	Cable Higiénico ECOLAB M12 4h acodado 5m	34,93
Y92E-S12PP4S 10M	393718	Cable Higiénico ECOLAB M12 4h recto 10m	52,40
Y92E-S12PP4S 15M	393719	Cable Higiénico ECOLAB M12 4h recto 15m	70,80
Y92E-S12PP4S 20M	393720	Cable Higiénico ECOLAB M12 4h recto 20m	87,40
Y92E-S12PP4S 25M	393721	Cable Higiénico ECOLAB M12 4h recto 25m	105,40
Y92E-S12PP4S 2M	393722	Cable Higiénico ECOLAB M12 4h recto 2m	26,23
Y92E-S12PP4S 5M	393723	Cable Higiénico ECOLAB M12 4h recto 5m	37,85
Y92E-S12PP5A 10M	393724	Cable Higiénico ECOLAB M12 5h acodado 10m	64,25
Y92E-S12PP5A 2M	393725	Cable Higiénico ECOLAB M12 5h acodado 2m	29,13
Y92E-S12PP5A 5M	393726	Cable Higiénico ECOLAB M12 5h acodado 5m	43,67
Y92E-S12PP5S 10M	393727	Cable Higiénico ECOLAB M12 5h recto 10m	58,25
Y92E-S12PP5S 2M	393728	Cable Higiénico ECOLAB M12 5h recto 2m	29,13
F39-JBR2W	357833	Cable extensión F3SJ-B Conexión Serie 0.2m	147,30
XS2F-M12PUR3A10M	419155	M12 PUR con cable Acodado 3 hilos 10m	30,42
XS2F-M12PUR3A2M	419156	M12 PUR con cable Acodado 3 hilos 2m	16,17
XS2F-M12PUR3A5M	419157	M12 PUR con cable Acodado 3 hilos 5m	21,12
XS2F-M12PUR3S10M	419158	M12 PUR con cable Recto 3 hilos 10m	30,05
XS2F-M12PUR3S2M	419159	M12 PUR con cable Recto 3 hilos 2m	15,79
XS2F-M12PUR3S5M	419160	M12 PUR con cable Recto 3 hilos 5m	20,70
XS2F-M12PUR4A10M	419161	Con cable acodado 4hilos 10m PUR M12	31,92
XS2F-M12PUR4A15M	419162	Con cable acodado 4hilos 15m PUR M12	41,11
XS2F-M12PUR4A20M	419163	Con cable acodado 4hilos 20m PUR M12	49,92
XS2F-M12PUR4A2M	419164	Con cable acodado 4hilos 2m PUR M12	16,84
XS2F-M12PUR4A5M	419165	Con cable acodado 4hilos 5m PUR M12	22,32
XS2F-M12PUR4S10M	419166	Con cable recto 4hilos 15m PUR M12	31,50
XS2F-M12PUR4S15M	419167	Con cable recto 4hilos 15m PUR M12	40,72

OMRON PVPR 2023

XS2F-M12PUR4S20M	419168	Con cable recto 4hilos 20m PUR M12	49,50
XS2F-M12PUR4S2M	419169	Con cable recto 4hilos 2m PUR M12	16,43
XS2F-M12PUR4S5M	419170	Con cable recto 4hilos 5m PUR M12	21,91
XS2F-M12PUR5A2M	419171	Con cable acodado 5hilos 2m PUR M12	18,46
XS2F-M12PUR5A5M	419172	M12 PUR con cable Acodado 5 hilos 5m	23,91
XS2F-M12PUR5S10M	419173	M12 PUR con cable Recto 5 hilos 10m	33,92
XS2F-M12PUR5S15M	419174	M12 PUR con cable Recto 5 hilos 15m	43,11
XS2F-M12PUR5S2M	419175	M12 PUR con cable Recto 5 hilos 2m	18,03
XS2F-M12PUR5S5M	419176	M12 PUR con cable Recto 5 hilos 5m	23,52
XS2F-M12PVC3A10M	419177	M12 PVC con cable Acodado 3 hilos 10m	26,70
XS2F-M12PVC3A2M	419178	Con cable acodado 3hilos 2m PVC M12	14,57
XS2F-M12PVC3A5M	419179	Con cable acodado 3hilos 5m PVC M12	19,11
XS2F-M12PVC3S10M	419180	M12 PVC con cable Recto 3 hilos 10m	26,70
XS2F-M12PVC3S2M	419181	M12 PVC con cable Recto 3 hilos 2m	14,04
XS2F-M12PVC3S5M	419182	M12 PVC con cable Recto 3 hilos 5m	18,70
XS2F-M12PVC4A10M	419183	M12 PVC con cable Acodado 4 hilos 10m	27,38
XS2F-M12PVC4A15M	419184	M12 PVC con cable Acodado 4 hilos 15m	34,96
XS2F-M12PVC4A20M	419185	M12 PVC con cable Acodado 4 hilos 20m	42,44
XS2F-M12PVC4A2M	419186	M12 PVC con cable Acodado 4 hilos 2m	15,50
XS2F-M12PVC4A5M	419187	M12 PVC con cable Acodado 4 hilos 5m	19,92
XS2F-M12PVC4S10M	419188	M12 PVC con cable Recto 4 hilos 10m	26,84
XS2F-M12PVC4S15M	419189	M12 PVC con cable Recto 4 hilos 15m	34,72
XS2F-M12PVC4S20M	419190	M12 PVC con cable Recto 4 hilos 20m	42,03
XS2F-M12PVC4S2M	419191	M12 PVC con cable Recto 4 hilos 2m	14,84
XS2F-M12PVC4S3M	419192	M12 PVC con cable Recto 4 hilos 3m	16,43
XS2F-M12PVC4S5M	419193	M12 PVC con cable Recto 4 hilos 5m	19,38
XS2F-M12PVC5A10M	419194	M12 PVC con cable Acodado 5 hilos 10m	29,52
XS2F-M12PVC5A2M	419195	M12 PVC con cable Acodado 5 hilos 2m	16,71
XS2F-M12PVC5A5M	419196	M12 PVC con cable Acodado 5 hilos 5m	21,65
XS2F-M12PVC5S10M	419197	M12 PVC con cable Recto 5 hilos 10m	29,11
XS2F-M12PVC5S15M	419198	M12 PVC con cable Recto 5 hilos 15m	37,11
XS2F-M12PVC5S2M	419199	M12 PVC con cable Recto 5 hilos 2m	16,32
XS2F-M12PVC5S5M	419200	M12 PVC con cable Recto 5 hilos 5m	21,12

OMRON PVPR 2023

XS2F-M12PUR3A15M	419201	M12 PUR con cable Acodado 3 hilos 15m	38,70
XS2F-M12PUR3A20M	419202	M12 PUR con cable Acodado 3 hilos 20m	47,91
XS2F-M12PUR3S15M	419203	M12 PUR con cable Recto 3 hilos 15m	38,56
XS2F-M12PUR3S20M	419204	M12 PUR con cable Recto 3 hilos 20m	47,38
XS2F-M12PUR5A10M	419205	M12 PUR con cable Acodado 5 hilos 10m	34,31
XS2F-M12PUR5A15M	419206	M12 PUR con cable Acodado 5 hilos 15m	43,51
XS2F-M12PUR5A20M	419207	M12 PUR con cable Acodado 5 hilos 20m	52,85
XS2F-M12PUR5S20M	419208	M12 PUR con cable Recto 5 hilos 20m	52,45
XS2F-M12PVC3A15M	419209	M12 PVC con cable Acodado 3 hilos 15m	33,51
XS2F-M12PVC3A20M	419210	M12 PVC con cable Acodado 3 hilos 20m	40,44
XS2F-M12PVC3S15M	419211	M12 PVC con cable Recto 3 hilos 15m	32,98
XS2F-M12PVC3S20M	419212	M12 PVC con cable Recto 3 hilos 20m	40,03
XS2F-M12PVC4A25M	419213	M12 PVC con cable Acodado 4 hilos 25m	49,76
XS2F-M12PVC5A15M	419214	M12 PVC con cable Acodado 5 hilos 15m	37,50
XS2F-M12PVC5A20M	419215	M12 PVC con cable Acodado 5 hilos 20m	45,38
XS2F-M12PVC5S20M	419216	M12 PVC con cable Recto 5 hilos 20m	44,73
XS3F-M8PUR3A10M	419217	M8 PUR con cable Acodado 3 hilos 10m	29,24
XS3F-M8PUR3A15M	419218	M8 PUR con cable Acodado 3 hilos 15m	37,25
XS3F-M8PUR3A20M	419219	M8 PUR con cable Acodado 3 hilos 20m	45,90
XS3F-M8PUR3A2M	419220	M8 PUR con cable Acodado 3 hilos 2m	14,84
XS3F-M8PUR3A5M	419221	M8 PUR con cable Acodado 3 hilos 5m	20,04
XS3F-M8PUR3S10M	419222	M8 PUR con cable Recto 3 hilos 10m	28,83
XS3F-M8PUR3S15M	419223	M8 PUR con cable Recto 3 hilos 15m	36,84
XS3F-M8PUR3S20M	419224	M8 PUR con cable Recto 3 hilos 20m	45,38
XS3F-M8PUR3S2M	419225	M8 PUR con cable Recto 3 hilos 2m	14,44
XS3F-M8PUR3S5M	419226	M8 PUR con cable Recto 3 hilos 5m	19,51
XS3F-M8PUR4A10M	419227	M8 PUR con cable Acodado 4 hilos 10m	30,05
XS3F-M8PUR4A15M	419228	M8 PUR con cable Acodado 4 hilos 15m	38,84
XS3F-M8PUR4A20M	419229	M8 PUR con cable Acodado 4 hilos 20m	48,18
XS3F-M8PUR4A2M	419230	M8 PUR con cable Acodado 4 hilos 2m	15,79
XS3F-M8PUR4A5M	419231	M8 PUR con cable Acodado 4 hilos 5m	20,99
XS3F-M8PUR4S10M	419232	M8 PUR con cable Recto 4 hilos 10m	29,64
XS3F-M8PUR4S15M	419233	M8 PUR con cable Recto 4 hilos 15m	38,45

OMRON PVPR 2023

XS3F-M8PUR4S20M	419234	M8 PUR con cable Recto 4 hilos 20m	47,65
XS3F-M8PUR4S2M	419235	M8 PUR con cable Recto 4 hilos 2m	15,25
XS3F-M8PUR4S5M	419236	M8 PUR con cable Recto 4 hilos 5m	20,58
XS3F-M8PVC3A10M	419237	M8 PVC con cable Acodado 3 hilos 10m	26,05
XS3F-M8PVC3A15M	419238	M8 PVC con cable Acodado 3 hilos 15m	32,45
XS3F-M8PVC3A20M	419239	M8 PVC con cable Acodado 3 hilos 20m	39,91
XS3F-M8PVC3A2M	419240	M8 PVC con cable Acodado 3 hilos 2m	13,77
XS3F-M8PVC3A5M	419241	M8 PVC con cable Acodado 3 hilos 5m	17,51
XS3F-M8PVC3S10M	419242	M8 PVC con cable Recto 3 hilos 10m	25,65
XS3F-M8PVC3S15M	419243	M8 PVC con cable Recto 3 hilos 15m	31,92
XS3F-M8PVC3S20M	419244	M8 PVC con cable Recto 3 hilos 20m	39,10
XS3F-M8PVC3S2M	419245	M8 PVC con cable Recto 3 hilos 2m	13,38
XS3F-M8PVC3S5M	419246	M8 PVC con cable Recto 3 hilos 5m	17,11
XS3F-M8PVC4A10M	419247	M8 PVC con cable Acodado 4 hilos 10m	26,30
XS3F-M8PVC4A15M	419248	M8 PVC con cable Acodado 4 hilos 15m	34,04
XS3F-M8PVC4A20M	419249	M8 PVC con cable Acodado 4 hilos 20m	41,23
XS3F-M8PVC4A2M	419250	M8 PVC con cable Acodado 4 hilos 2m	14,04
XS3F-M8PVC4A5M	419251	M8 PVC con cable Acodado 4 hilos 5m	18,70
XS3F-M8PVC4S10M	419252	M8 PVC con cable Recto 4 hilos 10m	25,91
XS3F-M8PVC4S15M	419253	M8 PVC con cable Recto 4 hilos 15m	33,38
XS3F-M8PVC4S20M	419254	M8 PVC con cable Recto 4 hilos 20m	40,85
XS3F-M8PVC4S2M	419255	M8 PVC con cable Recto 4 hilos 2m	13,66
XS3F-M8PVC4S5M	419256	M8 PVC con cable Recto 4 hilos 5m	18,33
F39-JD3B-L	708306	Safety Light Curtain Accessory, F3SJ Series, emitter extension cable M12 8-pin, n	91,80
F39-JD0503BA	668913	Cable 5m emisor M12-M12 Cable Receptor 3m M12-Hilos F3SJ-A	268,30
EE-1010 1M	688839	Accessory Photomicrosensor EE-SPX_03, cable connector, PVC, 1 m	6,23
XS2F-M12PVC4A3M	658975	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PVC fire-retard	24,30
XS5W-D424-G81-F	688112	Cable with connectors on both cable ends, Smartclick M12 right-angle socket (fe	83,95
XS5F-D421-L80-F	669139	Cable M12 4h recto robot Smart click 20m	118,00
XS5W-D424-D81-F	688111	Cable de E/S de sensor (4 hilos), conector Smartclick en ambos extremos (conec	66,95
XS2F-M12PUR4S3M	658976	M12 de 4 contactos, conector hembra acodado, PVC, 3 m	19,46
XS3H-M421-402-PR	695605	Cable de sensor, conector macho recto M8, 4 polos, cable robot PUR resistente	18,31
XS2F-D521-KG0-A	695513	Cable de sensor, conector hembra recto M12, 5 polos, codificado A, cable están	124,70

OMRON PVPR 2023

XS3F-M421-402-PR	695604	Cable de sensor, conector hembra recto M8 (hembra), 4 polos, cable robot PUR	15,87
XS3F-M522-502-A	693959	Sensor cable, M8 right-angle socket (female), 5-poles, PVC standard cable, IP67,	27,31
XS2F-D521-LG0-A	695514	Cable de sensor, conector hembra recto M12, 5 polos, codificado A, cable estándar	166,60
XS5W-D422-G81-F	690006	Cable with connectors on both cable ends, Smartclick M12 right-angle socket (fe	48,30
XS2H-D421-J80-F	679412	Sensor cable, M12 straight plug (male), 4-poles, A coded, PVC fire-retardant rob	42,75
XS2H-D421-AA0-F	693953	Sensor cable, M12 straight plug (male), 4-poles, 2-wires (1 - 4), A coded, PVC fire	9,96
XS3W-M42C-4C2-A	674688	Cable con conectores en ambos extremos de cable, conector hembra recto M8 (	78,15
XS2F-D521-JG0-A	695391	Cable de sensor, conector hembra recto M12, 5 polos, codificado A, cable estándar	31,42
XS3W-M8PVC3SA2M	700890	Cable with connectors on both cable ends, M8 right-angle socket (female), M8 s	13,02
XS3W-M42D-4C2-A	674686	Cable with connectors on both cable ends, Smartclick M12 straight socket (fema	77,25
XS5F-D421-K80-F	688934	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC fire	115,40
XS5W-D421-L81-F	669140	Latiguillo Snap-In Recto/recto 4hilos 20m Robotico M12	147,10
XS2F-D422-GC0-F	680532	Sensor cable, M12 right-angle socket (female), 4-poles, 3-wires (1 - 3 - 4), A code	38,13
XS2F-D421-K80-F	699126	Cable de sensor, conector hembra recto M12, 4 polos, codificado A, cable de rob	41,90
XS2F-D422-E80-F	693786	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PVC fire-retard	31,12
F39-JGR2W	667568	Cables conexión serie F3SG-R 0.2m	56,00
F39-JG3A-L	667598	Cable de conexión F3SG-R Emisor 3m	26,04
F39-JG3A-D	667599	Cable de conexión F3SG-R Receptor 3m	35,15
F39-JG15A-D	667600	Cable de conexión F3SG-R Receptor 15m	92,55
F39-JG5B-D	667601	Cable extensión M12 F3SG-R Receptor 5m	60,00
F39-JG15B-D	667602	Cable extensión M12 F3SG-R Receptor 15m	114,70
F39-JGR5B-L	667611	Cable extensión M12 F3SG-R Emisor 0.5m	26,04
F39-JG7A-L	667625	Cable de conexión F3SG-R Emisor 7m	40,36
F39-JG15A-L	667626	Cable de conexión F3SG-R Emisor 15m	67,85
F39-JG7A-D	667627	Cable de conexión F3SG-R Receptor 7m	54,75
F39-JG10A-D	667628	Cable de conexión F3SG-R Receptor 10m	69,25
F39-JG7B-D	667629	Cable extensión M12 F3SG-R Receptor 7m	70,45
F39-JG10A-L	667630	Cable de conexión F3SG-R Emisor 10m	50,75
F39-JG1B-L	667631	Cable extensión M12 F3SG-R Emisor 1m	28,65
F39-JG7B-L	667632	Cable extensión M12 F3SG-R Emisor 7m	52,10
F39-JG20A-D	667633	Cable de conexión F3SG-R Receptor 20m	116,00
F39-JG1B-D	667634	Cable extensión M12 F3SG-R Receptor 1m	37,75
F39-JG10B-D	667635	Cable extensión M12 F3SG-R Receptor 10m	87,35

OMRON PVPR 2023

F39-JG5B-L	667636	Cable extensión M12 F3SG-R Emisor 5m	44,26
F39-JG15B-L	667637	Cable extensión M12 F3SG-R Emisor 15m	82,15
F39-JG3B-L	667639	Cable extensión M12 F3SG-R Emisor 3m	36,44
F39-JG20B-L	667640	Cable extensión M12 F3SG-R Emisor 20m	100,30
F39-JGR5B-D	667641	Cable extensión M12 F3SG-R Receptor 0.5m	35,15
F39-JG20B-D	667642	Cable extensión M12 F3SG-R Receptor 20m	140,90
F39-JG20A-L	667644	Cable de conexión F3SG-R Emisor 20m	83,45
F39-JG10B-L	667645	Cable extensión M12 F3SG-R Emisor 10m	63,90
F39-JG3B-D	667646	Cable extensión M12 F3SG-R Receptor 3m	49,47
F39-JGR3M-C48-L	669126	Cable conversor F3SJ-A/-B a F3SG-RE emisor	30,59
F39-JGR3M-B88-D	669123	Safety Sensor Accessory, Adapter Cable, Receiver, Cable conversor F3SJ-A/-B a F	35,42
F39-JGR3M-C48-D	669125	Cable conversor F3SJ-A/-B a F3SG-RE receptor	30,59
F39-JGR3M-B58-L	669124	Cable conversor F3SJ-A/-B a F3SG-RA emisor	30,59
XS2W-D423-G81-F	698785	Cable con conectores en ambos extremos de cable, conector hembra recto M12	25,95
XS2F-D421-KC0-F	693785	Sensor cable, M12 straight socket (female), 4-poles, 3-wires (1 - 3 - 4), A coded,	62,35
XS2W-D421-K81-F	696448	Cable with connectors on both cable ends, M12 straight socket (female), M12 st	112,80
XS3W-M421-410-R	701360	Cable with connectors on both cable ends, M8 straight socket (female), M8 stra	67,65
XS3F-M321-310-R	701359	Sensor cable, M8 straight socket (female), 3-poles, PVC robot cable, IP67, 10 m	30,20
XS5F-D42B-G80-PR	700693	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PUR oil	31,41
XS2F-D422-C80-F	693952	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PVC fire-retard	21,92
XS3W-M321-310-R	701412	Cable with connectors on both cable ends, M8 straight socket (female), M8 stra	105,10
D40ML-CBL-M12-10M	670948	Cable D40ML 8 pines M12 PVC 10m	96,40
D40ML-CBL-M12-5M	670947	Cable D40ML 8 pines M12 PVC 5m	81,05
F39-JGR2WTS	679503	Cables conexión serie F3SG-4RA____-25-01TS, M12 (8-pin)	90,00
XS5WR-D425-G81-RB1	674765	Cable M12 4h hembra recto/recto PUR Resistente aceite 5m	120,40
XS5FR-D423-J80-RB1	674774	Cable M12 4h hembra recto PUR Resistente aceite 10m	106,90
XS5WR-D425-J81-RB1	674780	Cable M12 4h hembra recto/recto PUR Resistente aceite 10m	163,60
XS5FR-D423-G80-RB1	674791	Cable M12 4h hembra recto PUR Resistente aceite 5m	66,80
XS5FR-D423-D80-RB1	674785	Cable M12 4h hembra recto PUR Resistente aceite 2m	40,04
XS5WR-D425-D81-RB1	674798	Cable M12 4h hembra recto/recto PUR Resistente aceite 2m	53,40
XS3W-M423-401-PR	693810	Cable con conectores en ambos extremos de cable, conector hembra recto M8 (	57,35
XS3W-M422-402-PR	693809	Conector de montaje roscado, M8, 4 polos, cable para robot PUR resistente a la	61,05
XS3W-M424-401-PR	693808	Conector de montaje roscado, M8, 4 polos, cable para robot PUR resistente a la	57,35

OMRON PVPR 2023

XS3W-M424-402-PR	693807	Conector de montaje roscado, M8, 4 polos, cable para robot PUR resistente a la	61,05
XS3W-M421-401-PR	693806	Conector de montaje roscado, M8, 4 polos, cable para robot PUR resistente a la	56,30
XS3W-M422-405-PR	693805	Cable with connectors on both cable ends, M8 right-angle socket (female), M8 r	72,05
XS3W-M422-401-PR	693804	Cable with connectors on both cable ends, M8 right-angle socket (female), M8 r	57,35
XS3W-M423-402-PR	693803	Conector de montaje roscado, M8, 4 polos, cable para robot PUR resistente a la	61,05
XS3W-M424-405-PR	693802	Cable with connectors on both cable ends, M8 right-angle socket (female), M8 s	72,05
XS3W-M423-405-PR	693801	Cable with connectors on both cable ends, M8 straight socket (female), M8 right	72,05
UMA-CBL-3PFF-M8-0.15M	680245	M8, 3-pin male to male extension cable , 0.15 m, to connect the connector plugs	36,25
UMA-CBL-3PMF-M8-02M	680244	Extension cable 2 m to connect a 2-cable mat (UMMA-2) to a controller. M8, 3-P	46,59
UMA-CBL-3PMF-M8-10M	680362	Extension cable 10 m to connect a 2-cable mat (UMMA-2) to a controller. M8, 3	60,90
UMA-CBL-3PCF-M8-10M	678245	Cable de 10 m de conector único para conectar una alfombrilla de 2 cables (UM	54,50
UMA-CBL-3PMF-M8-05M	678242	Cable alargador de 5 m para conectar una alfombrilla de 2 cables (UMMA-2) a u	57,20
UMA-CBL-4PMF-M8-05M	680369	Extension cable 5 m to connect a 1-cable mat (UMMA-1) to a controller. M8, 4-P	68,85
UMA-CBL-4PMF-M8-10M	680384	Extension cable 10 m to connect a 1-cable mat (UMMA-1) to a controller. M8, 4	86,90
UMA-CBL-3PCF-M8-02M	680360	Cable de 2 m para conectar una alfombrilla de 2 cables (UMMA-2) a un controla	40,12
UMA-CBL-4PCF-M8-05M	679436	Cable punteras 4 polos 1-cable alfombras seguridad UMA 5m	54,40
UMA-CBL-4PCF-M8-10M	677814	Single connector 10m cable to connect a 1-cable mat,(UMMA-1) to a controller,	72,80
UMA-CBL-3PMM-M8-0.15M	678243	M8, cable de extensión macho-macho 3 pines, 0,15 m, para unir dos alfombras d	37,44
UMA-CBL-3PCF-M8-05M	678244	Cable de 5 m para conectar una alfombrilla de 2 cables (UMMA-2) a un controla	46,70
UMA-CBL-4PCF-M8-02M	678339	Cable punteras 4 polos 1-cable alfombras seguridad UMA 2m	44,02
UMA-CBL-4PMF-M8-02M	680385	Extension cable 2 m to connect a 1-cable mat (UMMA-1) to a controller. M8, 4-P	53,10
XS5W-D421-D81-X	690502	Cable de conector para sensor Smartclick, M12 de 4 contactos, PVC, conectores	40,11
XS5W-D421-J81-X	690503	Cable with connectors on both cable ends, Smartclick M12 straight socket (fema	52,30
XS5F-D421-C80-X	690504	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-	19,46
XS5F-D421-J80-X	690505	Cable de conector para sensor Smartclick, M12 de 4 contactos, PVC, conector he	34,04
XS5W-D421-G81-X	690506	Cable de conector para sensor Smartclick, M12 de 4 contactos, PVC, conectores	43,74
XS5F-D421-D80-X	690507	Cable de conector para sensor Smartclick, M12 de 4 contactos, PVC, conector he	21,89
XS5F-D421-G80-X	690508	Cable de conector para sensor Smartclick, M12 de 4 contactos, PVC, conector he	25,54
XS5W-D421-E81-X	690509	Cable with connectors on both cable ends, Smartclick M12 straight socket (fema	41,31
XS5F-D421-E80-X	690510	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-	23,11
XS5W-D421-C81-X	690511	Cable de conector para sensor Smartclick, M12 de 4 contactos, PVC, conectores	37,68
XS3W-M421-402-PR	693800	Conector de montaje roscado, M8, 4 polos, cable para robot PUR resistente a la	61,05
XS3W-M421-405-PR	693799	Cable con conectores en ambos extremos de cable, conector hembra recto M8 (	72,05

OMRON PVPR 2023

XS5F-D521-DJ0-IL	690088	IO-Link cable, Smartclick M12 straight socket (female), 5-poles, A coded, PVC, IP	54,75
F39-JG3C	688668	Juego de cables de terminación única de 3 m para F3SG-SR (2 cables por juego c	61,85
F39-JGR3K	690025	Cable Root-Plug para juego ampliado de 0,3 m de F3SG-4SR (2 cables por juego	45,49
F39-JGR3W	688669	Cascading cable for extended set 0.3 m for F3SG-4SR (2 cables per set, for emitt	103,40
F39-JGR3K-RE-L	690301	Root-Plug cable for extended set 0.3 m for Conversion with F3SG-RA/ RE (cable t	27,53
F39-JGR3K-RE-D	690300	Root-Plug cable for extended set 0.3 m for Conversion with F3SG-RA/ RE (cable t	31,12
F39-JGR3K-RE	690299	Root-Plug cable for extended set 0.3 m for conversion F3SG-RE (2 cables per set)	57,50
F39-JGR3K-SJ-L	690354	Root-Plug cable for extended set 0.3 m for Conversion with F3SJ/ SN (cable for e	27,53
F39-JGR3K-SJ-D	690355	Root-Plug cable for extended set 0.3 m for Conversion with F3SJ/ SN (cable for r	31,12
F39-JGR3K-SJ	690356	Root-Plug cable for extended set 0.3 m for conversion F3SJ/ SN/ SR (2 cables per	57,50
F39-JGR3K-MS-L	701185	Root-Plug cable for extended set 0.3 m for Conversion with MS (cable for emitte	32,77
F39-JGR3K-MS-D	701184	Root-Plug cable for extended set 0.3 m for Conversion with MS (cable for receiv	37,45
F39-JGR3K-MS	701183	Root-Plug cable for extended set 0.3 m for conversion MS (2 cables per set, for e	70,35
XS5F-D421-C80-XR	690512	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-	24,32
XS5F-D421-D80-XR	690513	Cable de conector para sensor Smartclick, M12 de 4 contactos, PVC, conector he	30,39
XS5F-D421-E80-XR	690514	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-	36,45
XS5F-D421-G80-XR	690515	Cable de conector para sensor Smartclick, M12 de 4 contactos, PVC, conector he	48,60
XS5F-D421-J80-XR	690516	Cable de conector para sensor Smartclick, M12 de 4 contactos, PVC, conector he	79,15
XS5W-D421-C81-XR	690517	Cable de conector para sensor Smartclick, M12 de 4 contactos, PVC, conectores	42,54
XS5W-D421-D81-XR	690518	Cable de conector para sensor Smartclick, M12 de 4 contactos, PVC, conectores	48,60
XS5W-D421-E81-XR	690519	Cable with connectors on both cable ends, Smartclick M12 straight socket (fema	54,75
XS5W-D421-G81-XR	690520	Cable de conector para sensor Smartclick, M12 de 4 contactos, PVC, conectores	66,95
XS5W-D421-J81-XR	690521	Cable with connectors on both cable ends, Smartclick M12 straight socket (fema	97,30
F39-JG3C-L	690033	Cable Root-straight de 3 m para F3SG-SR (cable para emisor con conector espec	17,97
F39-JG3C-D	690027	Cable Root-straight de 3 m para F3SG-SR (cable para recepción con conector esp	21,55
F39-JG7C-L	690357	Cable Root-straight de 7 m para F3SG-SR (cable para emisor con conector espec	26,34
F39-JG7C-D	690358	Cable Root-straight de 7 m para F3SG-SR (cable para recepción con conector esp	29,93
F39-JG10C-L	690359	Cable recto de 10 m para F3SG-SR (Cable para emisor con conector dedicado - G	29,93
F39-JG10C-D	690360	Cable Root-straight de 10 m para F3SG-SR (cable para recepción con conector es	39,50
F39-JGR3K-L	690028	Cable Root-Plug para juego ampliado de 0,3 m de F3SG-4SR (cable para emisor,)	20,35
F39-JGR3K-D	690029	Cable Root-Plug para juego ampliado de 0,3 m de F3SG-4SR (cable para receptor	23,95
F39-JGR12L	688922	Juego cable tipo cascada con montaje lado con lado de 0,12 m para F3SG-4SR (2	103,40
XS5F-D423-D80-S	702747	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC fire	10,08

OMRON PVPR 2023

XS5F-D423-G80-S	702746	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC fire	15,96
D41D-8P5-CFM8-702M	701299	Female cable connector for D41D, straight, screw type M8, 8 poles, PUR, cable l	40,61
D41D-8P5-CFM8-705M	701298	Female cable connector for D41D, straight, screw type M8, 8 poles, PUR, cable l	54,15
D41D-8P5-CFM8-710M	701297	Female cable connector for D41D, straight, screw type M8, 8 poles, PUR, cable l	76,30
D41L-8P5-CFM12-905M	701296	Female cable connector for D41L, straight, screw type M12, 8 poles, PUR, cable	70,80
D41L-8P5-CFM12-910M	701295	Female cable connector for D41L, straight, screw type M12, 8 poles, PUR, cable	106,30
R88L-EP-CB-0010-0033	354950	Accurax linear motor axis spare part, power cable, drive side Intercontec connec	506,00
R88L-EP-CB-0010-0015	370922	Spare Part Motor Lineal Accurax G5 R88LEPCB00100015	372,20
R88L-EP-CB-0010-0009	392262		340,30
R88A-CAWH020S-E	103756	Cable potencia Sigma II 400V (7.5/11kW) 20m	1 095,00
R88A-CAWK015S-DE	104588	Cable potencia Sigma II 400V Interconectron 15m	457,20
R88A-CAWK005S-DE	138782	Cable potencia Sigma II 400V Interconectron 5m	266,10
R88A-CAWK010S-DE	138784	Cable potencia Sigma II 400V Interconectron 10m	340,90
R88A-CAWK020S-DE	138787	Cable potencia Sigma II 400V Interconectron 20m	578,00
R88A-CAWF003S-E	138833	Cable potencia Sigma II 400V (5.5kW) 3m	464,40
R88A-CAWG005S-E	138835	Cable potencia Sigma II 400V (4.4kW) 5m	407,90
R88A-CAWF005S-E	138836	Cable potencia Sigma II 400V (5.5kW) 5m	519,50
R88A-CAWG015S-E	138838	Cable potencia Sigma II 400V (4.4kW) 15m	672,00
R88A-CAWF015S-E	138839	Cable potencia Sigma II 400V (5.5kW) 15m	724,50
R88A-CAWH015S-E	138840	Cable potencia Sigma II 400V (7.5/11kW) 15m	870,00
R88A-CAWG020S-E	138842	Cable potencia Sigma II 400V (4.4kW) 20m	777,00
R88A-CAWF020S-E	138843	Cable potencia Sigma-II 400V (5.5Kw) 20m	856,00
R88A-CAWB003S-DE	139204	Cable potencia Sigma II 220V Interc.(<gt;/>=1.5kW) 3m	237,10
R88A-CAWB005S-DE	139205	Cable potencia Sigma II 220V Interconectron(<gt;/>=1.5kW) 5m	296,60
R88A-CAWB010S-DE	139206	Cable potencia Sigma II 220V Interconectron(<gt;/>=1.5kW) 10m	429,50
R88A-CAWB020S-DE	139208	Cable potencia Sigma II 220V Interc.(<gt;/>=1.5kW) 20m	651,50
R88A-CAWA010S-DE	139295	Serie G/SS2 cable de potencia 10m, sin freno, Conector Hypertac	223,30
R88A-CAWC003S-E	139430	Cable potencia Sigma II 400V (<lt;/>2kW) 3m	281,70
R88A-CAWC005S-E	139431	Cable potencia Sigma II 400V (<lt;/>2kW) 5m	323,70
R88A-CAWC015S-E	139432	Cable potencia Sigma II 400V (<lt;/>2kW) 15m	464,40
R88A-CAWC020S-E	139433	Cable potencia Sigma II 400V (<lt;/>2kW) 20m	533,00
R88A-CAWD003S-E	139437	Cable potencia Sigma II 400V (<gt;/>2kW) 3m	323,70
R88A-CAWD010S-E	139438	Cable potencia Sigma II 400V (<gt;/>2Kw) 10m	434,20

OMRON PVPR 2023

R88A-CAWD015S-E	139439	Cable potencia Sigma II 400V (<gt/>2kW) 15m	505,00
R88A-CAWH003S-E	142693	Cable potencia Sigma II 400V (7.5/11Kw) 3m	477,40
R88A-CAWC010S-E	142781	Cable potencia Sigma II 400V (<lt/>2kW) 10m	393,50
R88A-CAWA020S-DE	146112	Serie G/SS2 cable de potencia 20m, sin freno, Conector Hypertac	369,90
R88A-CAWH005S-E	148062	Cable potencia Sigma II 400V (7.5/11kW) 5m	562,00
R88A-CAWG003S-E	150202	Cable potencia Sigma II 400V (4.4kW) 3m	336,80
R88A-CAWF010S-E	151433	Cable potencia Sigma II 400V (5.5kW) 10m	647,50
R88A-CAWD005S-E	152680	Cable potencia Sigma II 400V (<gt/>2kW) 5m	365,70
R88A-CAWD020S-E	154919	Cable potencia Sigma II 400V (<gt/>2kW) 20m	591,00
R88A-CAWA015S-DE	155691	Serie G/SS2 cable de potencia 15m, sin freno, Conector Hypertac	303,50
R88A-CAWG010S-E	156912	Cable potencia Sigma II 400V (4.4kW) 10m	533,00
R88A-CAWA003S-DE	157422	Serie G/SS2 cable de potencia 3m, sin freno, Conector Hypertac	129,10
R88A-CAWK003S-DE	158042	Cable potencia Sigma II 400V Interconectron 3m	214,80
R88A-CAWH010S-E	158096	Cable potencia Sigma II 400V (7.5/11kW) 10m	751,50
R88A-CAWC030S-E	232749	Cable potencia Sigma II (<lt/>2Kw) 30m	672,00
R88A-CAWD030S-E 1	237485	Cable potencia Sigma II 400V (<gt/>2Kw) 30m	751,50
R88A-CAWA025S-DE	245962	Cable potencia Sigma II 220V Interc.<lt/>=750W) 25m	578,00
R88A-CAWA030S-DE	246974	Cable potencia Sigma II 220V Interc.<lt/>=750W) 30m	762,50
R88A-CAWA001-5S-DE	247778	Serie G/SS2 cable de potencia 1.5m, sin freno, Conector Hypertac	158,70
R88A-CAWH030S-E	298165	Cable potencia Sigma II 400V (7.5/11kW) 30m	4 889,00
R88A-CAWA035S-DE	332599	Cable potencia Sigma II 220V Interc.<lt/>=750W) 35m	873,50
JZSP-CSM21-03-E-E	340769	Cable potencia Sigma-5 SGMAV/SGMJV 50-150W 3m FLEX	260,70
JZSP-CSM21-05-E-E	340770	Cable potencia Sigma-5 SGMAV/SGMJV 50-150W 5m FLEX	365,70
JZSP-CSM21-10-E-E	340771	Cable potencia Sigma-5 SGMAV/SGMJV 50-150W 10m FLEX	618,50
JZSP-CSM22-03-E-E	340781	Cable potencia Sigma-5 SGMAV/SGMJV 200-550W 3m FLEX	365,70
JZSP-CSM22-05-E-E	340782	Cable potencia Sigma-5 SGMAV/SGMJV 200-550W 5m FLEX	365,70
JZSP-CSM22-10-E-E	340783	Cable potencia Sigma-5 SGMAV/SGMJV 200-550W 10m FLEX	618,50
JZSP-CSM22-15-E-E	340784	Cable potencia Sigma-5 SGMAV/SGMJV 200-550W 15m FLEX	870,00
JZSP-CSM32-03-E-E	340787	Cable potencia Sigma-5 SGMAV/SGMJV 200-550W 3m FLEX con freno	231,80
JZSP-CSM32-15-E-E	340790	Cable potencia Sigma-5 SGMAV/SGMJV 200-550W 15m FLEX con freno	777,00
JZSP-CSM32-20-E-E	340791	Cable potencia Sigma-5 SGMAV/SGMJV 200-550W 20m FLEX con freno	1 001,00
JZSP-CSM23-01-5E-E	340792	Cable potencia Sigma-5 SGMAV/SGMJV 750W 1.5m FLEX	326,90
JZSP-CSM23-03-E-E	340793	Cable potencia Sigma-5 SGMAV/SGMJV 750W 3m FLEX	351,30

OMRON PVPR 2023

JZSP-CSM23-05-E-E	340794	Cable potencia Sigma-5 SGMAV/SGMJV 750W 5m FLEX	491,90
JZSP-CSM23-10-E-E	340795	Cable potencia Sigma-5 SGMAV/SGMJV 750W 10m FLEX	856,00
JZSP-CSM23-15-E-E	340796	Cable potencia Sigma-5 SGMAV/SGMJV 750W 15m FLEX	1 252,00
JZSP-CSM23-20-E-E	340797	Cable potencia Sigma-5 SGMAV/SGMJV 750W 20m FLEX	1 608,00
JZSP-CSM33-05-E-E	340800	Cable potencia Sigma-5 SGMAV/SGMJV ·1Kw 5m FLEX con freno	477,40
JZSP-CSM33-15-E-E	340802	Cable potencia Sigma-5 SGMAV/SGMJV ?1Kw 15m FLEX con freno	870,00
JZSP-CSM33-20-E-E	340803	Cable potencia Sigma-5 SGMAV/SGMJV ?1Kw 20m FLEX con freno	1 095,00
R88A-CAWK001-5S-DE	355665	Cable potencia Sigma II 400V Interconectron 1.5m	162,30
JZSP-CSM22-30-E-E	390646	Cable potencia Sigma-5 SGMAV/SGMJV 200-550W 30m FLEX	1 106,00
JZSP-CSM21-30-E-E	390647	Cable potencia Sigma-5 SGMAV/SGMJV 50-150W 30m FLEX	1 173,00
R88A-CAWL003S-DE	171439	Cable de alimentación lineal, 3 m, 400 V, para SGLFW/TW	199,00
R88A-CAWL005S-DE	171446	Cable potencia motor lineal 400V <lt/> 1k0W 5m	223,30
R88A-CAWL010S-DE	171449	Cable potencia motor lineal 400V bobina320/380 10m	281,50
R88A-CAWL015S-DE	171450	Cable potencia motor lineal 400V bobina 320/380 15m	887,50
R88A-CAWL020S-DE	171451	Cable potencia motor lineal 400V bobina 320/380 20	578,00
R7A-CAA010S-FE	175769	Cable potencia servo SmarStep 10m flexible	289,70
JZSP-CHM000-01-5E	231439	Cable de potencia servo Junma 1.5m FLEX	121,30
JZSP-CHM000-03-E	231440	Cable de potencia servo Junma 3m FLEX	134,40
JZSP-CHM000-05-E	231441	Cable de potencia servo Junma 5m FLEX	197,70
JZSP-CHM000-10-E	231442	Cable de potencia servo Junma 10m FLEX	212,10
JZSP-CHM000-15-E	231443	Cable de potencia servo Junma 15m FLEX	351,30
JZSP-CHM000-20-E	231444	Cable de potencia servo Junma 20m FLEX	420,80
JZSP-CHM000-05-ME	247394	Cable de potencia servo Junma 5m FLEX conector metálico	225,20
R7A-CAB001-5SR-E	281391	SS2, Cable potencia servomotor, flexible/apantallado, 1.5m (para CNB)	67,20
R7A-CAB003SR-E	281392	SS2, Cable potencia servomotor, flexible/apantallado, 3m (para CNB)	75,15
R7A-CAB005SR-E	281393	SS2, Cable potencia servomotor, flexible/apantallado, 5m (para CNB)	84,30
R7A-CAB010SR-E	281394	SS2, Cable potencia servomotor, flexible/apantallado, 10m (para CNB)	113,20
R7A-CAB015SR-E	281395	SS2, Cable potencia servomotor, flexible/apantallado, 15m (para CNB)	141,00
R7A-CAB020SR-E	281396	SS2, Cable potencia servomotor, flexible/apantallado, 20m (para CNB)	168,60
R88A-CAGA001-5SR-E	294069	SerieG/SS2 cable de potencia servomotor, 1.5m, sin freno, 50-750W	63,40
R88A-CAGA003SR-E	294070	SerieG/SS2 cable de potencia servomotor, 3m, sin freno, 50-750W	71,20
R88A-CAGA005SR-E	294071	SerieG/SS2 cable de potencia servomotor, 5m, sin freno, 50-750W	82,95
R88A-CAGA010SR-E	294072	SerieG/SS2 cable de potencia servomotor, 10m, sin freno, 50-750W	113,20

OMRON PVPR 2023

R88A-CAGA015SR-E	294073	SerieG/SS2 cable de potencia servomotor, 15m, sin freno, 50-750W	141,00
R88A-CAGA020SR-E	294074	SerieG/SS2 cable de potencia servomotor, 20m, sin freno, 50-750W	168,60
R88A-CAGB001-5SR-E	294081	Accurax G5/Serie G, Cable potencia motor 200V, 1.5m, , 900W-1.5KW	160,80
R88A-CAGB003SR-E	294082	Accurax G5/Serie G, Cable de potencia servomotor 200V, 3m, , 900W-1.5KW	190,90
R88A-CAGB005SR-E	294083	Accurax G5/Serie G, Cable de potencia servomotor 200V, 5m, , 900W-1.5KW	218,70
R88A-CAGB010SR-E	294084	Accurax G5/Serie G, Cable potencia motor 200V, 10m, , 900W-1.5KW	294,80
R88A-CAGB015SR-E	294085	Accurax G5/Serie G, Cable potencia motor 200V, 15m, , 900W-1.5KW	380,30
R88A-CAGB020SR-E	294086	Accurax G5/Serie G, Cable potencia motor 200V, 20m, , 900W-1.5KW	464,40
R88A-CAKA001-5SR-E	298273	Accurax G5, Cable de potencia servomotor 200V, 1.5m, , 50-750W	204,10
R88A-CAKA003SR-E	298274	Accurax G5, Cable de potencia servomotor 200V, 3m, , 50-750W	225,20
R88A-CAKA005SR-E	298275	Accurax G5, Cable de potencia servomotor 200V, 5m, , 50-750W	252,70
R88A-CAKA010SR-E	298276	Accurax G5, Cable de potencia servomotor 200V, 10m, , 50-750W	310,40
R88A-CAKA015SR-E	298277	Accurax G5, Cable de potencia servomotor 200V, 15m, , 50-750W	365,70
R88A-CAKA020SR-E	298278	Accurax G5, Cable de potencia servomotor 200V, 20m, , 50-750W	420,80
R88A-CAGD001-5SR-E	298279	Accurax G5, Cable de potencia servomotor 400V, 1.5m, 3-5KW	176,50
R88A-CAGD003SR-E	298280	Accurax G5, Cable de potencia servomotor 400V, 3m, 3-5KW	204,10
R88A-CAGD005SR-E	298281	Accurax G5, Cable de potencia servomotor 400V, 5m, 3-5KW	246,30
R88A-CAGD010SR-E	298282	Accurax G5, Cable de potencia servomotor 400V, 10m, 3-5KW	351,30
R88A-CAGD015SR-E	298283	Accurax G5, Cable de potencia servomotor 400V, 15m, 3-5KW	464,40
R88A-CAGD020SR-E	298284	Accurax G5, Cable de potencia servomotor 400V, 20m, 3-5KW	562,00
R88A-CAGA030SR-E	333800	Cable de potencia sin freno Serie-G 30m	239,70
R88A-CAKA030SR-E	347158	Accurax G5, Cable de potencia servomotor, 30m, sin freno, 50-750W	533,00
R88A-CAKA040SR-E	347159	Accurax G5, Cable de potencia servomotor, 40m, sin freno, 50-750W	647,50
R88A-CAGD030SR-E	347167	Accurax G5, Cable de potencia servomotor, 30m, sin freno, 3-5KW	777,00
R88A-CAGD040SR-E	347168	Accurax G5, Cable de potencia servomotor, 40m, sin freno, 3-5KW	988,50
R88A-CAGD050SR-E	347169	Accurax G5, Cable de potencia servomotor, 50m, sin freno, 3-5KW	1 199,00
R88A-CAGB040SR-E	347172	AccuraxG5/SerieG, Cable potencia motor, 40m, sin freno, 900W-1.5KW	738,50
R88A-CAGB050SR-E	347173	AccuraxG5/SerieG, Cable potencia motor, 50m, sin freno, 900W-1.5KW	843,00
R88A-CAGB030SR-E	347177	AccuraxG5/SerieG, Cable potencia motor, 30m, sin freno, 900W-1.5KW	618,50
R88A-CAGA040SR-E	347182	Cable de potencia sin freno Serie-G 40m	267,20
R88A-CAKE003SR-E	355769	Accurax G5, Cable de potencia motor 400V, 3m, 6-7.5KW	323,70
R88A-CAKE005SR-E	355770	Accurax G5, Cable de potencia motor 400V, 5m, 6-7.5KW	365,70
R88A-CAKE010SR-E	355771	Accurax G5, Cable de potencia motor 400V, 10m, 6-7.5KW	491,90

OMRON PVPR 2023

R88A-CAKE015SR-E	355772	Accurax G5, Cable de potencia motor 400V, 15m, 6-7.5KW	634,00
R88A-CAKE020SR-E	355773	Accurax G5, Cable de potencia motor 400V, 20m, 6-7.5KW	764,50
R88A-CAKG003SR-E	355775	Accurax G5, Cable de potencia motor 400V, 3m, 11-15KW	365,70
R88A-CAKG005SR-E	355776	Accurax G5, Cable de potencia motor 400V, 5m, 11-15KW	434,20
R88A-CAKG010SR-E	355777	Accurax G5, Cable de potencia motor 400V, 10m, 11-15KW	647,50
R88A-CAKG015SR-E	355778	Accurax G5, Cable de potencia motor 400V, 15m, 11-15KW	843,00
R88A-CAKG020SR-E	355779	Accurax G5, Cable de potencia motor 400V, 20m, 11-15KW	1 068,00
R88A-CAKA007SR-E	357991	Accurax G5, Cable de potencia servomotor 200V, 7m, , 50-750W	281,70
R88A-CAKE030SR-E	371597	Accurax G5, Cable de potencia motor 400V, 30m, 6-7.5KW	1 041,00
R7A-CAB001-5SR-DE	377684	SS2, Cable potencia motor Hypertac (<lt/>=400W), 1.5m (CNB)	107,90
R7A-CAB003SR-DE	377685	SS2, Cable potencia motor Hypertac (<lt/>=400W), 3m (CNB)	117,30
R7A-CAB005SR-DE	377686	SS2, Cable potencia motor Hypertac (<lt/>=400W), 5m (CNB)	126,60
R7A-CAB010SR-DE	377687	SS2, Cable potencia motor Hypertac (<lt/>=400W), 10m (CNB)	152,90
R7A-CAB015SR-DE	377688	SS2, Cable potencia motor Hypertac (<lt/>=400W), 15m (CNB)	183,20
R7A-CAB020SR-DE	377689	SS2, Cable potencia motor Hypertac (<lt/>=400W), 20m (CNB)	210,50
R7A-CAB030SR-E	392700	SS2, Cable potencia servomotor, flexible/apantallado, 30m CNB)	286,90
R88A-CAKC003SR-E	393032	Accurax G5, Cable de potencia servomotor, 3m, sin freno, H2KW	192,60
R88A-CAKC005SR-E	393033	Accurax G5, Cable de potencia servomotor, 5m, sin freno, H2KW	234,40
R88A-CAKC010SR-E	393034	Accurax G5, Cable de potencia servomotor, 10m, sin freno, H2KW	284,50
R88A-CAWA005S-DE	139294	Serie G/SS2 cable de potencia 5m, sin freno, Conector Hypertac	157,00
R88A-CAWA007S-DE	190084	Serie G/SS2 cable de potencia 7.5m, sin freno, Conector Hypertac	193,60
JZSP-CSM21-15-E-E	340772	Cable potencia Sigma-5 SGMAV/SGMJV 50-150W 15m FLEX	870,00
JZSP-CSM21-20-E-E	340773	Sigma 5 servo power cable, AV series, 20 m	1 095,00
JZSP-CSM22-20-E-E	340785	Cable potencia Sigma-5 SGMAV/SGMJV 200-550W 20m FLEX	1 132,00
JZSP-CSM32-10-E-E	340789	Flexible Power + Brake cable (10 m) for SGMAV/JV (0.20 to 0.55 kW)	366,90
JZSP-CVMCA11-05-E-G5	378090	Cable potencia Sigma-5 SGMGV09D/SGMSV10D 5m FLEX	720,00
JZSP-CVMCA11-15-E-G5	378092	Sigma-5 Alta Potencia - Cable del ventilador	675,00
R88A-CAKA050SR-E	347160	Accurax G5, Cable de potencia servomotor, 50m, sin freno, 50-750W	718,00
R88A-CAGA050SR-E	347183	Cable de potencia sin freno Serie-G 50m	331,50
R88A-CDEA020-E	656891	Integrated Motor Cable de potencia conector recto 20m	534,50
R88A-CDEA003-E	656887	Integrated Motor Cable de potencia conector recto 3m	182,80
R88A-CDEA001-5-E	656888	Integrated Motor Cable de potencia conector recto 1.5m	156,60
R88A-CDEA015-E	656893	Integrated Motor Cable de potencia conector recto 15m	429,80

OMRON PVPR 2023

R88A-CDEA010-E	656894	Integrated Motor Cable de potencia conector recto 10m	325,60
R88A-CDEA005-E	656892	Integrated Motor Cable de potencia conector recto 5m	221,90
R88A-CAWG030S-E	659545	Cable potencia Sigma II 400V (4.4kW) 30m	1 026,00
JZSP-CSM22-05-E-G5	668342	Cable potencia Sigma-5 SGMJV/SGMJV 200-550W 5m FLE	394,90
R88L-EP-CB-0010-0069	669077	Spare Part Cable Motor Lineal para IPTE	618,50
R88A-CA1C020SF-E	670641	1S servo, cable de potencia, 20m, sin freno, 230V: 900W-1.5kW, 400V: 400W-1.	416,90
R88A-CA1C003SF-E	670683	1S servo, cable de potencia, 3m, sin freno, 230V: 900W-1.5kW, 400V: 400W-1.5	192,60
R88A-CA1E020SF-E	670680	1S servo, cable de potencia, 20m, sin freno, 400V: 2kW(1000rpm) & 3kW	468,30
R88A-CA1E005SF-E	670674	1S servo, cable de potencia, 5m, sin freno, 400V: 2kW(1000rpm) & 3kW	250,30
R88A-CA1C005SF-E	670640	1S servo, cable de potencia, 5m, sin freno, 230V: 900W-1.5kW, 400V: 400W-1.5	211,80
R88A-CA1A001-5SF-E	670658	1S servo, cable de potencia, 1.5m, 230V: 100-750W	173,40
R88A-CA1A030SF-E	670655	1S servo, cable de potencia, 30m, 230V: 100-750W	353,00
R88A-CA1E015SF-E	670644	1S servo, cable de potencia, 15m, sin freno, 400V: 2kW(1000rpm) & 3kW	397,70
R88A-CA1C030SF-E	670669	1S servo, cable de potencia, 30m, sin freno, 230V: 900W-1.5kW, 400V: 400W-1.	539,00
R88A-CA1A040SF-E	670667	1S servo, cable de potencia, 40m, 230V: 100-750W	416,90
R88A-CA1C001-5SF-E	670664	1S servo, cable de potencia, 1.5m, sin freno, 230V: 900W-1.5kW, 400V: 400W-1	186,20
R88A-CA1A015SF-E	670643	1S servo, cable de potencia, 15m, 230V: 100-750W	282,50
R88A-CA1C010SF-E	670659	1S servo, cable de potencia, 10m, sin freno, 230V: 900W-1.5kW, 400V: 400W-1.	256,80
R88A-CA1A005SF-E	670672	1S servo, cable de potencia, 5m, 230V: 100-750W	192,60
R88A-CA1E040SF-E	670646	1S servo, cable de potencia, 40m, sin freno, 400V: 2kW(1000rpm) & 3kW	784,50
R88A-CA1E030SF-E	670665	1S servo, cable de potencia, 30m, sin freno, 400V: 2kW(1000rpm) & 3kW	624,00
R88A-CA1E010SF-E	670642	1S servo, cable de potencia, 10m, sin freno, 400V: 2kW(1000rpm) & 3kW	320,90
R88A-CA1E003SF-E	670648	1S servo, cable de potencia, 3m, sin freno, 400V: 2kW(1000rpm) & 3kW	224,70
R88A-CA1A020SF-E	670653	1S servo, cable de potencia, 20m, 230V: 100-750W	288,80
R88A-CA1E050SF-E	670654	1S servo, cable de potencia, 50m, sin freno, 400V: 2kW(1000rpm) & 3kW	937,50
R88A-CA1C040SF-E	670675	1S servo, cable de potencia, 40m, sin freno, 230V: 900W-1.5kW, 400V: 400W-1.	662,50
R88A-CA1A003SF-E	670671	1S servo, cable de potencia, 3m, 230V: 100-750W	179,80
R88A-CA1C015SF-E	670679	1S servo, cable de potencia, 15m, sin freno, 230V: 900W-1.5kW, 400V: 400W-1.	301,50
R88A-CA1A050SF-E	670652	1S servo, cable de potencia, 50m, 230V: 100-750W	474,80
R88A-CA1E001-5SF-E	670670	1S servo, cable de potencia, 1.5m, sin freno, 400V: 2kW(1000rpm) & 3kW	205,50
R88A-CA1A010SF-E	670676	1S servo, cable de potencia, 10m, 230V: 100-750W	224,70
R88A-CA1C050SF-E	670661	1S servo, cable de potencia, 50m, sin freno, 230V: 900W-1.5kW, 400V: 400W-1.	784,50
R88A-CAGB007-5SR-E	673713	Accurax G5/Serie G, Cable potencia motor 200V, 7.5m, 900W-1.5KW	250,30

OMRON PVPR 2023

R88A-CA1C007SF-E	680413	Cable de alimentación del servomotor de la serie 1S, 7 m, sin freno, 230 V: 900 W	231,20
R88A-CA1E007SF-E	680414	1S series servo motor power cable, 7 m, non braked, 400 V: 2 k W (1000 rpm) &	282,50
R88A-CA1C012SF-E	682311	1S servo, cable de potencia, 12m, sin freno, 230V: 900W-1.5kW, 400V: 400W-1.	199,00
R88A-CA1C017SF-E	682312	1S servo, cable de potencia, 17m, sin freno, 230V: 900W-1.5kW, 400V: 400W-1.	229,00
R88A-CA1E012SF-E	682313	1S servo, cable de potencia, 12m, sin freno, 400V: 2kW (1000rpm) & 3 kW	246,70
R88A-CA1E017SF-E	682314	1S servo, cable de potencia, 17m, sin freno, 400 V: 2 k W (1000 rpm) & 3 kW	300,60
R88A-CA1A007SF-E	682470	Cable de alimentación de servomotor serie 1S, 7 m, 230 V: de 100 a 750 W	205,10
R88A-CA1A003SFR	685015	1S series servo motor flexible power cable, 3 m, 230 V: 50 to 750 W, reverse/no	114,50
R88A-CA1A005SFR	685013	1S series servo motor flexible power cable, 5 m, 230 V: 50 to 750 W, reverse/no	253,50
R88A-CA1A010SFR	685016	1S series servo motor flexible power cable, 10 m, 230 V: 50 to 750 W, reverse/n	232,50
R88A-CA1A015SFR	685017	1S series servo motor flexible power cable, 15 m, 230 V: 50 to 750 W, reverse/n	337,00
R88A-CAGA001-5SR-E-UL	684483	SmartStep 2/G-Series power cable 1.5 m, 50-750 W, UL compliant	70,55
R88A-CA1G003SF	689536	Cable de alimentación de servomotor serie 1S, 3 m, sin freno, 400 V: de 4 a 5,5 k	273,70
R88A-CA1G005SF	689538	Cable de alimentación de servomotor serie 1S, 5 m, sin freno, 400 V: de 4 a 5,5 k	304,40
R88A-CA1G010SF	689540	Cable de alimentación de servomotor serie 1S, 10 m, sin freno, 400 V: de 4 a 5,5	392,60
R88A-CA1G015SF	689542	Cable de alimentación de servomotor serie 1S, 15 m, sin freno, 400 V: de 4 a 5,5	476,20
R88A-CA1G020SF	689544	Cable de alimentación de servomotor serie 1S, 20 m, sin freno, 400 V: de 4 a 5,5	564,50
R88A-CA1GE10BF	689545	1S series servo motor EXTENSION power cable, 10 m, 400 V: 4 kW to 5.5 kW	550,00
R88A-CA1GE20BF	689546	1S series servo motor EXTENSION power cable, 20 m, 400 V: 4 kW to 5.5 kW	784,00
R88A-CA1H003SF	689548	Cable de alimentación de servomotor serie 1S, 3 m, sin freno, 400 V: 7,5 kW	362,00
R88A-CA1H005SF	689550	Cable de alimentación de servomotor serie 1S, 5 m, sin freno, 400 V: 7,5 kW	441,70
R88A-CA1H010SF	689552	Cable de alimentación de servomotor serie 1S, 10 m, sin freno, 400 V: 7,5 kW	631,00
R88A-CA1H015SF	689554	Cable de alimentación de servomotor serie 1S, 15 m, sin freno, 400 V: 7,5 kW	827,00
R88A-CA1H020SF	689556	Cable de alimentación de servomotor serie 1S, 20 m, sin freno, 400 V: 7,5 kW	1 016,00
R88A-CA1HE10BF	689557	1S series servo motor EXTENSION power cable, 10 m, 400 V: 7.5 kW	692,00
R88A-CA1HE20BF	689558	1S series servo motor EXTENSION power cable, 20 m, 400 V: 7.5 kW	1 077,00
R88A-CA1J003BF	689863	Cable de alimentación de servomotor serie 1S, 3 m, con freno, 400 V: de 11 y 15	501,00
R88A-CA1J003SF	689864	Cable de alimentación de servomotor serie 1S, 3 m, sin freno, 400 V: de 11 y 15	501,00
R88A-CA1J005BF	689865	Cable de alimentación de servomotor serie 1S, 5 m, con freno, 400 V: de 11 y 15	599,50
R88A-CA1J005SF	689866	Cable de alimentación de servomotor serie 1S, 5 m, sin freno, 400 V: de 11 y 15	568,50
R88A-CA1J010BF	689867	Cable de alimentación de servomotor serie 1S, 10 m, con freno, 400 V: de 11 y 1	845,00
R88A-CA1J010SF	689868	Cable de alimentación de servomotor serie 1S, 10 m, sin freno, 400 V: de 11 y 15	845,00
R88A-CA1J015BF	689869	Cable de alimentación de servomotor serie 1S, 15 m, con freno, 400 V: de 11 y 1	1 093,00

OMRON PVPR 2023

R88A-CA1J015SF	689870	Cable de alimentación de servomotor serie 1S, 15 m, sin freno, 400 V: de 11 y 15 kW	1 093,00
R88A-CA1J020BF	689871	Cable de alimentación de servomotor serie 1S, 20 m, con freno, 400 V: de 11 y 15 kW	1 343,00
R88A-CA1J020SF	689872	Cable de alimentación de servomotor serie 1S, 20 m, sin freno, 400 V: de 11 y 15 kW	1 340,00
R88A-CA1JE10BF	689873	1S series servo motor EXTENSION power cable, 10 m, 400 V: 11 kW & 15 kW	1 044,00
R88A-CA1JE20BF	689874	1S series servo motor EXTENSION power cable, 20 m, 400 V: 11 kW & 15 kW	1 545,00
R88A-CA1A000-7SF-E	689998	1S series servo motor power cable, 0.7 m, 230 V: 100 to 750 W	170,30
R88L-EP-CB-0010-0042	690698	Accurax linear motor axis spare part, power cable, drive side Intercontec connector	488,10
R88L-EP-CB-0010-0045	695519	Accurax linear motor axis spare part, power cable, drive side Intercontec connector	480,80
R88L-EP-CB-0010-0066	695518	Accurax linear motor axis spare part, power cable, drive side Intercontec connector	564,00
R88L-EP-CB-0010-0054	699551	Accurax linear motor axis spare part, power cable, drive side Intercontec connector	516,50
R88A-CA1A020SFR	707320	1S series servo motor flexible power cable, 20 m, 230 V: 50 to 750 W, reverse/normal	893,00
R88A-CA1A005SF	707825	1S servo, cable de potencia, 5m, sin freno, 230V: 100-750W. Japón	237,60
R88L-EP-CB-0021-0036	709072	Accurax linear motor axis spare part, encoder cable, drive side Intercontec connector	561,00
R88L-EP-CB-0011-0051	709071	Accurax linear motor axis spare part, power cable, drive side Intercontec connector	410,80
XS4H-D421-105-A	103642	Cable IP67 5m de Alimentación Conector 7/8" Macho y Punteras	116,50
XS4F-D421-102-A	107546	Cable IP67 2m de Alimentación Conector 7/8" Hembra y Punteras	86,65
XS4H-D421-102-A	107549	Cable IP67 2m de Alimentación Conector 7/8" Macho y Punteras	86,65
XS4W-D421-102-A	107553	Cable IP67 2m de Alimentación Conector 7/8" en ambos extremos	116,50
XS4W-D421-105-A	107554	Cable IP67 5m de Alimentación Conector 7/8" en ambos extremos	153,50
XS4F-D421-105-A	142514	Cable IP67 5m de Alimentación Conector 7/8" Hembra y Punteras	116,50
72MNf4010	696250	Cable de alimentación, PVC, toma de 7/8 pulgadas (hembra) a cable discreto, recto, 2 m	188,80
72MNf4020	696249	Power cable, PVC, 7/8 inch socket (female) to discrete wire, straight, 2 m	198,70
72MNf4050	696248	Power cable, PVC, 7/8 inch socket (female) to discrete wire, straight, 5 m	228,00
72MNf4100	696247	Power cable, PVC, 7/8 inch socket (female) to discrete wire, straight, 10 m	277,20
72MNfL4010	696246	Power cable, PVC, 7/8 inch socket (female) to discrete wire, right angle, 1 m	210,00
72MNfL4020	696245	Power cable, PVC, 7/8 inch socket (female) to discrete wire, right angle, 2 m	219,90
72MNfL4050	696244	Power cable, PVC, 7/8 inch socket (female) to discrete wire, right angle, 5 m	249,30
72MNfL4100	696243	Power cable, PVC, 7/8 inch socket (female) to discrete wire, right angle, 10 m	298,50
72MNf4MNM4010	696242	Cable de alimentación, PVC, conector hembra de 7/8 pulg. (Hembra) a conector macho, 2 m	245,40
72MNf4MNM4020	696241	Power cable, PVC, 7/8 inch socket (female) to 7/8 inch plug (male), straight, 2 m	255,40
72MNf4MNM4050	696240	Power cable, PVC, 7/8 inch socket (female) to 7/8 inch plug (male), straight, 5 m	284,70
72MNf4MNM4100	696239	Power cable, PVC, 7/8 inch socket (female) to 7/8 inch plug (male), straight, 10 m	333,80
72MNfL4MNM4010	696238	Power cable, PVC, 7/8 inch socket (female) to 7/8 inch plug (male), right angle, 1 m	288,00

OMRON PVPR 2023

72MNfL4MNMl4020	696237	Power cable, PVC, 7/8 inch socket (female) to 7/8 inch plug (male), right angle, 2	297,80
72MNfL4MNMl4050	696236	Power cable, PVC, 7/8 inch socket (female) to 7/8 inch plug (male), right angle, 5	327,30
72MNfL4MNMl4100	696235	Power cable, PVC, 7/8 inch socket (female) to 7/8 inch plug (male), right angle, 1	376,30
R88A-CAWK020B-DE	138780	Cable potencia y freno Sigma II 400V Interconector	518,00
R88A-CAWK010B-DE	138785	Cable potencia y freno Sigma II 400V Interconector	400,50
R88A-CAWK015B-DE	138786	Cable potencia y freno Sigma II 400V Interconector	503,00
R88A-CAWB003B-DE	139209	Cable potencia/freno Sigma II 220V Interc.($\geq$ 1.5kW) 3m	237,10
R88A-CAWB005B-DE	139210	Cable potencia/freno Sigma II 220V Interc.($\geq$ 1.5kW) 5m	296,60
R88A-CAWA003B-DE	139296	Serie G/SS2 cable de potencia 3m, con freno, Conector Hypertac	147,10
R88A-CAWA005B-DE	139297	Serie G/SS2 cable de potencia 5m, con freno, Conector Hypertac	177,50
R88A-CAWA010B-DE	139298	Serie G/SS2 cable de potencia 10m, con freno, Conector Hypertac	266,10
R88A-CAWA020B-DE	139299	Serie G/SS2 cable de potencia 20m, con freno, Conector Hypertac	400,50
R88A-CAWB010B-DE	149306	Cable potencia/freno Sigma II 220V Interc.($\geq$ 1.5kW) 10m	429,50
R88A-CAWA015B-DE	153730	Serie G/SS2 cable de potencia 15m, con freno, Conector Hypertac	327,00
JZSP-CSM31-05-E-E	340776	Cable potencia y freno Sigma-5 SGMJV/SGMJV 50-150W 5m FLEX	260,70
R7A-CAA005B-FE	175773	Cable potencia/freno servo SmarStep 5m flexible	223,30
R7A-CAA010BFE	175774	Cable potencia/freno servo SmarStep 10m flexible	385,20
JZSP-CHM030-01-5E	231445	Cable de potencia freno servo Junma 1.5m FLEX	134,40
JZSP-CHM030-05-E	231447	Cable de potencia freno servo Junma 5m FLEX	184,40
JZSP-CHM030-10-E	231448	Cable de potencia freno servo Junma 10m FLEX	267,20
JZSP-CHM030-20-E	231450	Cable de potencia freno servo Junma 20m FLEX	491,90
JZSP-CHM030-01-5ME	247398	Cable de potencia y freno servo Junma 1.5m FLEX conector metálico	197,70
JZSP-CHM030-10-ME	247401	Cable de potencia y freno servo Junma 10m FLEX conector metálico	323,70
JZSP-CHM030-15-ME	247402	Cable de potencia y freno servo Junma 15m FLEX conector metálico	434,20
JZSP-CHM030-20-ME	247403	Cable de potencia y freno servo Junma 20m FLEX conector metálico	549,00
R88A-CAGB001-5BR-E	294087	AccuraxG5/SerieG,Cable potencia y freno motor 200V,1.5m,900W-1.5KW	184,40
R88A-CAGB003BR-E	294088	Accurax G5/Serie G,Cable potencia y freno motor 200V,3m,900W-1.5KW	212,10
R88A-CAGB005BR-E	294089	Accurax G5/Serie G,Cable potencia y freno motor 200V,5m,900W-1.5KW	246,30
R88A-CAGB010BR-E	294090	AccuraxG5/SerieG, Cable potencia y freno motor 200V,10m,900W-1.5KW	336,80
R88A-CAGB015BR-E	294091	AccuraxG5/SerieG,Cable potencia y freno motor 200V,15m, 900W-1.5KW	434,20
R88A-CAGB020BR-E	294092	AccuraxG5/Serie G,Cable potencia y freno motor 200V,20m,900W-1.5KW	549,00
R88A-CAKF001-5BR-E	298285	Accurax G5, Cable de potencia y freno servomotor 400V 1.5m, hasta 2KW	260,70
R88A-CAKF003BR-E	298286	Accurax G5, Cable de potencia y freno servomotor 400V 3m, hasta 2KW	281,70

OMRON PVPR 2023

R88A-CAKF005BR-E	298287	Accurax G5, Cable de potencia y freno servomotor 400V 5m,hasta 2KW	310,40
R88A-CAKF010BR-E	298288	Accurax G5, Cable de potencia y freno servomotor 400V 10m, hasta 2KW	393,50
R88A-CAKF015BR-E	298289	Accurax G5, Cable de potencia y freno servomotor 400V 15m, hasta 2KW	464,40
R88A-CAKF020BR-E	298290	Accurax G5, Cable de potencia y freno servomotor 400V 20m, hasta 2KW	549,00
R88A-CAGD003BR-E	298292	Accurax G5, Cable de potencia y freno servomotor 400V, 3m, 3-5KW	310,40
R88A-CAGD005BR-E	298293	Accurax G5, Cable de potencia y freno servomotor 400V, 5m, 3-5KW	365,70
R88A-CAGD010BR-E	298294	Accurax G5, Cable de potencia y freno servomotor 400V, 10m, 3-5KW	491,90
R88A-CAGD020BR-E	298296	Accurax G5, Cable de potencia y freno servomotor 400V, 20m, 3-5KW	764,50
R88A-CAGD001-5BR-E	301012	Accurax G5, Cable de potencia y freno servomotor 400V 400V, 1.5m, 3-5KW	275,00
R88A-CAGD015BR-E	301013	Accurax G5, Cable de potencia y freno servomotor 400V, 15m, 3-5KW	618,50
R88A-CAGD030BR-E	341859	Accurax G5, Cable de potencia y freno motor 400V, 30m, 3-5KW	1 041,00
R88A-CAKF030BR-E	347161	Accurax G5, Cable de potencia y freno servomotor 400V 30m, hasta 2KW	712,00
R88A-CAKF040BR-E	347162	Accurax G5, Cable de potencia y freno servomotor 400V 40m, hasta 2KW	843,00
R88A-CAGD040BR-E	347170	Accurax G5, Cable de potencia motor, 40m, freno, 3-5KW	1 279,00
R88A-CAGD050BR-E	347171	Accurax G5, Cable de potencia motor, 50m, freno, 3-5KW	1 529,00
R88A-CAGB030BR-E	347174	Accurax G5/Serie G, Cable potencia motor, 30m, freno, 900W-1.5KW	634,00
R7A-CAB001-5BR-DE	377690	SS2, Cable potencia y freno motor Hypertac (<lt/>=400W), 1.5m (CNB)	124,00
R7A-CAB003BR-DE	377691	SS2, Cable potencia y freno motor Hypertac (<lt/>=400W), 3m (CNB)	133,30
R7A-CAB005BR-DE	377692	SS2, Cable potencia y freno motor Hypertac (<lt/>=400W), 5m (CNB)	143,70
R7A-CAB010BR-DE	377693	SS2, Cable potencia y freno motor Hypertac (<lt/>=400W), 10m (CNB)	172,60
R7A-CAB015BR-DE	377694	SS2, Cable potencia y freno motor Hypertac (<lt/>=400W), 15m (CNB)	202,80
R7A-CAB020BR-DE	377695	SS2, Cable potencia y freno motor Hypertac (<lt/>=400W), 20m (CNB)	230,40
JZSP-CSM31-20-E-E	340779	Cable potencia y freno Sigma-5 SGMAV/SGMJV 50-150W 20m FLEX	843,00
R88A-CAKF050BR-E	347163	Accurax G5, Cable de potencia y freno servomotor 400V 50m, hasta 2KW	1 001,00
R88A-CA1C010BF-E	670668	1S servo, cable de potencia, 10m, con freno, 230V: 900W-1.5kW	333,70
R88A-CA1E050BF-E	670657	1S servo, cable de potencia, 50m, con freno, 400V: 400W-3kW	1 176,00
R88A-CA1C003BF-E	670650	1S servo, cable de potencia, 3m, con freno, 230V: 900W-1.5kW	243,90
R88A-CA1C005BF-E	670645	1S servo, cable de potencia, 5m, con freno, 230V: 900W-1.5kW	269,60
R88A-CA1E015BF-E	670666	1S servo, cable de potencia, 15m, con freno, 400V: 400W-3kW	487,50
R88A-CA1C030BF-E	670651	1S servo, cable de potencia, 30m, con freno, 230V: 900W-1.5kW	630,50
R88A-CA1E003BF-E	670639	1S servo, cable de potencia, 3m, con freno, 400V: 400W-3kW	288,80
R88A-CA1C040BF-E	670681	1S servo, cable de potencia, 40m, con freno, 230V: 900W-1.5kW	771,00
R88A-CA1C020BF-E	670647	1S servo, cable de potencia, 20m, con freno, 230V: 900W-1.5kW	481,00

OMRON PVPR 2023

R88A-CA1E005BF-E	670660	1S servo, cable de potencia, 5m, con freno, 400V: 400W-3kW	320,90
R88A-CA1E040BF-E	670649	1S servo, cable de potencia, 40m, con freno, 400V: 400W-3kW	983,50
R88A-CA1E030BF-E	670682	1S servo, cable de potencia, 30m, con freno, 400V: 400W-3kW	765,00
R88A-CA1E010BF-E	670678	1S servo, cable de potencia, 10m, con freno, 400V: 400W-3kW	397,70
R88A-CA1C015BF-E	670663	1S servo, cable de potencia, 15m, con freno, 230V: 900W-1.5kW	391,30
R88A-CA1C050BF-E	670656	1S servo, cable de potencia, 50m, con freno, 230V: 900W-1.5kW	906,00
R88A-CA1E001-5BF-E	670673	1S servo, cable de potencia, 1.5m, con freno, 400V: 400W-3kW	263,10
R88A-CA1C001-5BF-E	670677	1S servo, cable de potencia, 1.5m, con freno, 230V: 900W-1.5kW	231,20
R88A-CA1E020BF-E	670662	1S servo, cable de potencia, 20m, con freno, 400V: 400W-3kW	571,00
R88A-CA1C025BF-E	688382	1S series servo motor power cable, 25 m, with brake, 230 V: 900 W to 1.5 kW	596,00
R88A-CA1G003BF	689535	Cable de alimentación de servomotor serie 1S, 3 m, con freno, 400 V: de 4 a 5,5	316,60
R88A-CA1G005BF	689537	Cable de alimentación de servomotor serie 1S, 5 m, con freno, 400 V: de 4 a 5,5	349,60
R88A-CA1G010BF	689539	Cable de alimentación de servomotor serie 1S, 10 m, con freno, 400 V: de 4 a 5,5	460,10
R88A-CA1G015BF	689541	Cable de alimentación de servomotor serie 1S, 15 m, con freno, 400 V: de 4 a 5,5	580,50
R88A-CA1G020BF	689543	Cable de alimentación de servomotor serie 1S, 20 m, con freno, 400 V: de 4 a 5,5	694,00
R88A-CA1H003BF	689547	Cable de alimentación de servomotor serie 1S, 3 m, con freno, 400 V: 7,5 kW	392,60
R88A-CA1H005BF	689549	Cable de alimentación de servomotor serie 1S, 5 m, con freno, 400 V: 7,5 kW	501,00
R88A-CA1H010BF	689551	Cable de alimentación de servomotor serie 1S, 10 m, con freno, 400 V: 7,5 kW	657,50
R88A-CA1H015BF	689553	Cable de alimentación de servomotor serie 1S, 15 m, con freno, 400 V: 7,5 kW	833,00
R88A-CA1H020BF	689555	Cable de alimentación de servomotor serie 1S, 20 m, con freno, 400 V: 7,5 kW	1 025,00
R88A-CA1E007BF-E	689896	1S series servo motor power cable, 7 m, with brake, 400 V: 400 W to 3 kW	354,40
R88A-CAWC003B-E	139434	Cable freno Sigma II 400V 3m	197,70
R88A-CAWC015B-E	139435	Cable freno Sigma II 400V 15m	281,70
R88A-CAWC020B-E	139436	Cable freno Sigma II 400V 20m	323,70
R88A-CAWC005B-E	143871	Cable freno Sigma II 400V 5m	212,10
R88A-CAWC010B-E	147180	Cable freno Sigma II 400V 10m	252,70
R88A-CAWC030B-E	247118	Cable freno Sigma II 400V 30m	380,30
JZSP-CVB12-03-E-E	340817	Sigma 5 motor separate brake cable, 3 m	109,50
JZSP-CVB12-05-E-E	340818	Cable de freno independiente para motor Sigma 5, 5 m	115,70
JZSP-CVB12-10-E-E	340819	Brake cable 400V SGMSV brake (10/15/20/25/30/40/50)D 10m	130,40
JZSP-CVB12-15-E-E	340820	Brake cable 400V SGMSV brake (10/15/20/25/30/40/50)D 15m	143,70
JZSP-CVB12-20-E-E	340821	Brake cable 400V SGMSV brake (10/15/20/25/30/40/50)D 20m	254,20
R88A-CAGA001-5BR-E	281403	SerieG/SS2 cable freno motor, flexible/apantallado,1.5m (para CNB)	59,80

OMRON PVPR 2023

R88A-CAGA003BR-E	281404	SerieG/SS2 cable freno motor, flexible/apantallado, 3m (para CNB)	67,20
R88A-CAGA005BR-E	281405	SerieG/SS2 cable freno motor, flexible/apantallado, 5m (para CNB)	76,45
R88A-CAGA010BR-E	281406	SerieG/SS2 cable freno motor, flexible/apantallado, 10m (para CNB)	98,85
R88A-CAGA015BR-E	281407	SerieG/SS2 cable freno motor, flexible/apantallado, 15m (para CNB)	121,30
R88A-CAGA020BR-E	281408	SerieG/SS2 cable freno motor, flexible/apantallado, 20m (para CNB)	141,00
R88A-CAKA001-5BR-E	298297	Accurax G5, Cable de freno servomotor 200V 1.5m, 50-750W	141,00
R88A-CAKA003BR-E	298298	Accurax G5, Cable de freno servomotor 200V 3m, 50-750W	147,70
R88A-CAKA005BR-E	298299	Accurax G5, Cable de freno servomotor 200V 5m, 50-750W	154,20
R88A-CAKA010BR-E	298300	Accurax G5, Cable de freno servomotor 200V 10m, 50-750W	176,50
R88A-CAKA015BR-E	298301	Accurax G5, Cable de freno servomotor 200V 15m, 50-750W	197,70
R88A-CAKA020BR-E	298302	Accurax G5, Cable de freno servomotor 200V 20m, 50-750W	218,70
R88A-CAGA030BR-E	333801	Cable de potencia con freno Serie-G 30m	184,40
R88A-CAKA030BR-E	347164	Accurax G5, Cable de freno servomotor 30m, 50-750W	260,70
R88A-CAGE003BR-E	355781	Accurax G5, Cable de freno servomotor 400V 3m, 6-15KW	127,90
R88A-CAGE005BR-E	355782	Accurax G5, Cable de freno servomotor 400V 5m, 6-15KW	141,00
R88A-CAGE010BR-E	355783	Accurax G5, Cable de freno servomotor 400V 10m, 6-15KW	168,60
R88A-CAGE015BR-E	355784	Accurax G5, Cable de freno servomotor 400V 15m, 6-15KW	197,70
R88A-CAGE020BR-E	355785	Accurax G5, Cable de freno servomotor 400V 20m, 6-15KW	225,20
R88A-CAGE030BR-E	371595	Accurax G5, Cable de freno servomotor 400V 30m, 6-15K	289,50
R88A-CAKA040BR-E	347165	Accurax G5, Cable de freno servomotor 40m, 50-750W	310,40
R88A-CAGA050BR-E	347181	Cable de potencia con freno Serie-G 50m	263,10
JZSP-CVB12-30-E-E	659544	Brake cable 400V SGMSV brake (10/15/20/25/30/40/50)D 30m	375,00
R88A-CA1A003BF-E	670632	1S servo, cable de freno, 3m, 230V: 100-750W	115,70
R88A-CA1A030BF-E	670631	1S servo, cable de freno, 30m, 230V: 100-750W	211,80
R88A-CA1A001-5BF-E	670638	1S servo, cable de freno, 1.5m, 230V: 100-750W	115,70
R88A-CA1A040BF-E	670630	1S servo, cable de freno, 40m, 230V: 100-750W	250,30
R88A-CA1A005BF-E	670637	1S servo, cable de freno, 5m, 230V: 100-750W	122,10
R88A-CA1A015BF-E	670633	1S servo, cable de freno, 15m, 230V: 100-750W	154,20
R88A-CA1A050BF-E	670636	1S servo, cable de freno, 50m, 230V: 100-750W	282,50
R88A-CA1A010BF-E	670634	1S servo, cable de freno, 10m, 230V: 100-750W	141,40
R88A-CA1A020BF-E	670635	1S servo, cable de freno, 20m, 230V: 100-750W	179,80
R88A-CA1A003BFR	685019	1S series servo flexible brake cable, 3 m, 230 V: 50 to 750 W, reverse/non-load r	67,90
R88A-CA1A010BFR	685020	1S series servo flexible brake cable, 10 m, 230 V: 50 to 750 W, reverse/non-load	154,50

OMRON PVPR 2023

R88A-CA1A015BFR	685021	1S series servo flexible brake cable, 15 m, 230 V: 50 to 750 W, reverse/non-load	523,00
R88A-CA1A020BFR	685022	1S series servo flexible brake cable, 20 m, 230 V: 50 to 750 W, reverse/non-load	767,50
R88A-CA1A025BF-E	692809	1S series servo brake cable, 25 m, 230 V: 100 to 750 W	196,30
JZSP-CVB12Y-03-E-G5	695544	Flexible Angled Connector Brake cable (3m) for SGMGV/SGMSV	207,30
FCB-2	215884	Extension cable for CCS 24 V lighting, 2 m	33,72
FCB-3	215885	Extension cable for CCS 24 V lighting, 3 m	39,86
FCB-5	215886	Extension cable for CCS 24V lighting, 5m.	45,98
QADC-01	237455	Adaptor cable for CCS 24V power supply	59,80
FL-XC1	354137	Cable extensión iluminación Omron 1m	78,25
FL-XC2	354138	Cable extensión iluminación Omron 2m	82,45
FL-XC3	354139	Cable extensión iluminación Omron 3m	102,30
FL-XC5	354140	Cable extensión iluminación Omron 5m	145,20
FL-XC10	354141	Cable extensión iluminación Omron 10m	348,70
FL-XC5R	354146	Cable extensión iluminación Omron 5m Flexible	205,90
FLV-XC5	378515	Cable de extensión de 5 m para iluminación estándar	62,90
FLV-XC1	378590	Extension cable 1m for standard lighting	34,87
FLV-XC2	378591	Extension cable 2m for standard lighting	41,87
FLV-XC3	378592	Extension cable 3m for standard lighting	48,88
FLV-XC2S2	378594	Branch cable 2m	55,85
FLV-XC3S2	378595	Branch cable 3m	62,90
FLV-XC5S2	378596	Branch cable 5m	76,90
FLV-XC1EP	378597	Extension cable 1m for spot lighting	34,87
FLV-XC2EP	378598	Extension cable 2m for spot lighting	41,87
FLV-XC3EP	378599	Extension cable 3m for spot lighting	48,88
FLV-XC5EP	378600	Extension cable 5m for spot lighting	62,90
C-M8-3P-5M	329828	Cable, straight M8 connector, 3 pin, 5 m	27,30
VCC030	411794	Power cable, 3 cores, 3 meter for: PLC, PRC, SAR, iBluedrive models	61,35
VCC100	411796	Power cable, 3 cores, 10 meters, for: PLC, PRC, SAR, iBluedrive models	75,20
FCB-10-HSL-SM	679288	Extension cable for CCS 24 V lighting, 10 m	184,00
61-000218-01	682076	QX Cables, Smart series luz para QX-1, strobe, NPN	177,40
61-000204-01	681999	QX Cables, Smart Series luz para QX-1, Continua Potencia	277,50
FCB-3-M12	682696	Illumination cable for HLDR-IP67	62,95
FL-XC05PS	684306	Cable para iluminador FL-PS, 0,5 m	424,10

OMRON PVPR 2023

FL-XC1PS	684305	Cable para iluminador FL-PS, 1 m	424,10
VCB030	684052	Power cable, 2 cores, 3 meters for: ALD, ALS, ALU, ALW, BKC, BKL, BKN, PLD, PLU	50,60
VCB018	684118	Cable de alimentación, 2 núcleos, 1,8 metros para ALD, ALS, ALU, ALW, BKC, BKL	45,98
VCB050	684119	Cable de alimentación, 2 núcleos, 5 metros para ALD, ALS, ALU, ALW, BKC, BKL	53,65
VCB100	684120	Cable de alimentación, 2 núcleos, 10 metros para ALD, ALS, ALU, ALW, BKC, BKL	61,35
VCC018	684121	Cable de alimentación, 3 núcleos, 1,8 metros, para modelos PLC, PRC, SAR y iBlu	53,65
VCC050	684122	Cable de alimentación, 3 núcleos, 5 metros, para modelos PLC, PRC, SAR y iBlued	65,95
C-M12-8P-3M	684517	Straight M12 Cable, 8 Contacts, 3 m	61,90
C-M12-5P-2M	684516	Straight M12 Cable, 5 Contacts, 2 m	50,80
C-M8-3P-2M	685423	Cable, straight M8 connector, 3 pin, 2 m	33,11
C-M12-5P-5M	685454	Cable, Straight M12, 5 pin, 5 m	64,10
C-M12-5P-10M	686977	Cable, Straight M12, 5 pin, 10 m	70,00
C-M12-4P-T-2M	688185	M12 male T-POWER 4 pins cable, 2 m	47,82
FCB-W-1	688573	2-branch cable, 24 V input LED Light Units, 24 V output Control Unit 1 m, 3-pin S	50,60
VCB050-AC1	688856	Power cable for LED Illuminators, 2 cores, Right angle, 5 m	61,35
C-M12-4P-2M	688861	M12 male, 4 pins cable, 2 m	29,43
C-M12-C-4P-T-2M	688953	High power cable, right-angle M12 connectors, 4 contacts, 2 m	55,20
HPRING-850-10-DT	690226	Ring light, 12 high power LED, inner dia 58 mm, outer dia 112 mm, 10° angle, IR,	1 087,00
VCC018/M01	691069	Power cable for chains, 3 cores, 1.8 m, for: PLC, PRC, SAR, iBluedrivels	67,50
VCC050/M01	691068	Power cable for chains, 3 cores, 5 meters, for: PLC, PRC, SAR, iBluedrivels	87,15
BMOUNT	692877	Mount for TPL Bar Lights	56,45
C-M12-4P-5M	693812	Straight M12 cable, 4 contacts, 5 m	34,95
C-M12-C-5P-5M	693850	Cable, 90° bend, M12, 5 pin, 5 m	47,82
C-M12-C-4P-5M	693878	Power Cable, bended, M12, 4 contacts, 5 m	34,95
3Z4S-LT IC-MIL-20-1	695318	External on/off cables for digital lighting controllers LT-IDGB series, 1 m	53,55
3Z4S-LT IC-MIL-20-2	695317	External on/off cables for digital lighting controllers LT-IDGB series, 2 m	71,50
3Z4S-LT IC-MIL-20-3	695316	External on/off cables for digital lighting controllers LT-IDGB series, 3 m	89,35
3Z4S-LT IC-MIL-20-5	695315	External on/off cables for digital lighting controllers LT-IDGB series, 5 m	131,40
3Z4S-LT IC-MIL-20-10	695314	External on/off cables for digital lighting controllers LT-IDGB series, 10 m	222,60
3Z4S-LT IC-MIL-26-1	695313	Light control cables for digital lighting controllers LT-IDGB series, 1m	64,75
3Z4S-LT IC-MIL-26-2	695311	Light control cables for digital lighting controllers LT-IDGB series, 2 m	80,40
3Z4S-LT IC-MIL-26-3	695310	Light control cables for digital lighting controllers LT-IDGB series, 3 m	95,95
3Z4S-LT IC-MIL-26-5	695309	Light control cables for digital lighting controllers LT-IDGB series, 5 m	134,90

OMRON PVPR 2023

3Z4S-LT IC-MIL-26-10	695306	Light control cables for digital lighting controllers LT-IDGB series, 10 m	218,90
VCC150	695884	Power cable, 3 cores, 15 meters for: PLC, PRC, SAR, iBlueDrive models	82,85
C-M12-8P-5M	698574	Straight M12 Cable, 8 Contacts, 5 m	88,35
C-INTERBRICK-250MM	699193	Brick to brick cable for LED bricks, 250 mm	12,03
FCB-5-PF	699596	Extension Cable, PF Series, EL connector, 4-pin	100,70
FCB-3-PF-EL9	699941	Illumination extension cable for PF series, EL connector, 3 m	105,70
VCU07A001	700677	LED illumination cable to power 2 devices, 10 cm	111,80
VCC100/M01	700738	Power cable for chains, 10 cores, 5 meters, for: PLC, PRC, SAR, iBlueDrive models	98,70
FECB-3-M12-5F	700854	Extension cable for LDLB series, M12, 5 Pin, flying leads, 3 m length	151,80
VCB030-AC2	701293	Power cable for LED Illuminators, 2 cores, 3 m	57,75
C-M8-3P-10M	701358	Cable, straight M8 connector, 3 pin, 10 m	47,34
M039.001.1	702703	Inspection system for connectors	789,50
M039.002.5	702702	Accessory for M039.001 inspection unit	157,90
VCB040	702701	Power cable, 2 cores, 4 meters for: ALD, ALS, ALU, ALW, BKC, BKL, BKN, PLD, PLU	51,60
FECB-5-M12-5F	702889	Extension cable for LDLB series, M12, 5 Pin, flying leads, 5 m length	166,40
FECB-0.6-M12-5M-5F	702888	Extension cable for LDLB series, M12, 5 Pin, socket-plug connectors, 0.6 m length	182,10
RA-M12-FM-5P-2M	702969	Double-ended cordset, 5 pin female M12, 12 pin male M12, 2 m	51,00
EXCB2-M10-3-MM	706968	External control cable (parallel communication) for PD3 power supply, 10-pin M	36,81
C-M12-8P-10M	707386	M12 cable, straight connector, 8 poles, 10 m	239,30
ECB-P-10-FL	707672	Extension cable, Flying leads, Power connector, 10 m	130,70
VCB030-AC1	707797	Power cable, 2 cores, right angle, 3 m	54,25
CB244P1500L	708066	Power cable, side 1 M8 connector angled, side 2 cable end, 2 m, type 1 labels	38,88
C-M12-4P-10M	708172	Straight M12 cable, 4 contacts, 10 m	55,20
C-M12-C-4P-10M	708718	M12 cable, 4 poles, 90 degree connector, 10 m	72,40
C-M8-C-3P-10M	708717	M8 cable, 3 pole, 90 degree connector, 10 m	94,00
C-M5-4P-5M	708996	Straight M5 cable 4 contacts 5 m	92,05
R88A-CMX001-S-E	139369	Cable Breakout box (MC402)-(E/S)	849,00
R88A-CMX001-J1-E	139370	Cable Breakout box (MC402)-(ejes)	883,00
R88A-CTW001N	245941	Cable para bloque terminal universal XW2B-50G5	310,40
XW2Z-500K	103604	Conector MIL a módulo XW2x 1:1 (5m)	222,30
XW2Z-500-H1	105018	Conector Fujitsu 60 vías a módulo XW2x 1:1	236,10
XW2Z-100K	107448	Conector MIL a módulo XW2x 1:1 (1m)	154,90
XW2Z-150K	107449	Conector MIL a módulo XW2x 1:1 (1,5m)	118,80

OMRON PVPR 2023

XW2Z-300K	107450	Conector MIL a módulo XW2x 1:1 (3m)	178,10
XW2Z-200K	107451	Conector MIL a módulo XW2x 1:1 (2m)	167,80
XW2Z-100A	107454	Conector Fujitsu a módulo XW2x 1:1 (1m)	100,70
XW2Z-300A	107456	Conector Fujitsu para módulo XW2x 1:1 (3m)	118,80
XW2Z-100B	107457	Conector Fujitsu a módulo XW2x 1:1 (1m)	108,50
XW2Z-300B	107458	Conector Fujitsu a módulo XW2x 1:1 (3m)	162,60
XW2Z-050B	107459	Conector Fujitsu a Módulo XW2x 1:1 (50cm)	100,70
XW2Z-150B	107460	Conector Fujitsu a Módulo XW2x 1:1 (1,5m)	121,40
XW2Z-200C	107463	Conector MIL a módulo XW2x 1:1 (2m)	154,90
XW2Z-150D	107486	Conector Fujitsu a módulo XW2x 1:2 (1,5m)	121,40
XW2Z-200F	107490	I/O connection cable, MIL20 to fork terminals, 2 m	118,80
XW2Z-300-H1	107510	Conector Fujitsu 60 vías a módulo XW2x 1:1	197,40
XW2Z-200A	143062	Conector Fujitsu a módulo XW2x 1:1 (2m)	108,50
XW2Z-050A	149608	Conector Fujitsu a módulo XW2x 1:1 (50cm)	86,55
XW2Z-200-H1	150409	Conector Fujitsu 60 vías a módulo XW2x 1:1	184,70
XW2Z-500B	150731	Conector Fujitsu a módulo XW2x 1:1 (5m)	184,70
XW2Z-200B	151789	Conector Fujitsu a Módulo XW2x 1:1 (2m)	167,80
XW2Z-200-H3	154841	Conector Fujitsu 60 vías a módulo XW2x 1:3	205,00
XW2Z-100N	167714	Conector MIL a módulo XW2x 1:2 (1m)	105,80
XW2Z-150N	167715	I/O connection cable, MIL40 to 2 x MIL20, 1.5 m, cross-wired	91,50
XW2Z-200N	167716	I/O connection cable, MIL40 to 2 x MIL20, 2 m, cross-wired.	96,60
XW2Z-300N	167717	Conector MIL a módulo XW2x 1:1 (3m)	167,80
XW2Z-500N	167718	Conector MIL a módulo XW2x 1:1 (5m)	194,90
XW2Z-100X	300889	Cable de conexión de E/S, CJ1W-NCx14/x34 al bloque de terminales XW2B-20G4	110,60
XW2Z-200X	300890	Cable bloque de terminales a señales externas CJ1WNCxx3 1m	150,10
XW2Z-0100AD-L	377596	Cable conexión E/S, FCN24 a MIL20, L = 100 cm	95,55
XW2Z-0050AD-L	377597	Cable conexión E/S, FCN24 a MIL20, L = 50 cm	81,30
XW2Z-0200AD-L	377598	Cable conexión E/S, FCN24 a MIL20, L = 200 cm	103,20
XW2Z-0300AD-L	377599	Cable conexión E/S, FCN24 a MIL20, L = 300 cm	116,30
XW2Z-0100AL-L	377600	Cable conexión E/S, FCN24 a punteras, L = 100 cm	116,30
XW2Z-0200AL-L	377601	Cable conexión E/S, FCN24 a punteras, L = 200 cm	121,40
XW2Z-0300AL-L	377602	Cable conexión E/S, FCN24 a punteras, L = 300 cm	134,30
XW2Z-0100BH-L01	377603	Cable conexión E/S, FCN40 a MIL20x2, L = 100 cm	108,50

OMRON PVPR 2023

XW2Z-0150BH-L01	377604	Cable conexión E/S, FCN40 a MIL20x2, L = 150 cm	116,30
XW2Z-0200BH-L01	377605	Cable conexión E/S, FCN40 a MIL20x2, L = 200 cm	121,40
XW2Z-0300BH-L01	377606	Cable conexión E/S, FCN40 a MIL20x2, L = 300 cm	134,30
XW2Z-0400BH-L01	377607	Cable conexión E/S, FCN40 a MIL20x2, L = 400 cm	176,80
XW2Z-0500BH-L01	377608	Cable conexión E/S, FCN40 a MIL20x2, L = 500 cm	202,50
XW2Z-0100BH-L02	377609	Cable conexión E/S, FCN40 a MIL20x2, L = 100 cm	121,40
XW2Z-0150BH-L02	377610	Cable conexión E/S, FCN40 a MIL20x2, L = 150 cm	129,10
XW2Z-0200BH-L02	377611	Cable conexión E/S, FCN40 a MIL20x2, L = 200 cm	134,30
XW2Z-0300BH-L02	377612	Cable conexión E/S, FCN40 a MIL20x2, L = 300 cm	149,80
XW2Z-0400BH-L02	377613	Cable conexión E/S, FCN40 a MIL20x2, L = 400 cm	189,80
XW2Z-0500BH-L02	377614	Cable conexión E/S, FCN40 a MIL20x2, L = 500 cm	215,60
XW2Z-0050BF-L	377615	Cable conexión E/S, FCN40 a MIL40, L = 50 cm	95,55
XW2Z-0100BF-L	377616	Cable conexión E/S, FCN40 a MIL40, L = 100 cm	103,20
XW2Z-0150BF-L	377617	Cable conexión E/S, FCN40 a MIL40, L = 150 cm	116,30
XW2Z-0200BF-L	377618	Cable conexión E/S, FCN40 a MIL40, L = 200 cm	149,80
XW2Z-0300BF-L	377619	Cable conexión E/S, FCN40 a MIL40, L = 300 cm	154,90
XW2Z-0500BF-L	377620	Cable conexión E/S, FCN40 a MIL40, L = 500 cm	176,80
XW2Z-0100BN-L	377621	Cable conexión E/S, FCN40 a punteras, L = 100 cm	182,00
XW2Z-0200BN-L	377622	Cable conexión E/S, FCN40 a punteras, L = 200 cm	194,90
XW2Z-0300BN-L	377623	Cable conexión E/S, FCN40 a punteras, L = 300 cm	223,20
XW2Z-0500BN-L	377624	Cable conexión E/S, FCN40 a punteras, L = 500 cm	248,90
XW2Z-0150CJ-L01	377625	Cable conexión E/S, FCN56 a MIL20x3, L = 150 cm	182,00
XW2Z-0200CJ-L01	377626	Cable conexión E/S, FCN56 a MIL20x3, L = 200 cm	194,90
XW2Z-0300CJ-L01	377627	Cable conexión E/S, FCN56 a MIL20x3, L = 300 cm	215,60
XW2Z-0150CJ-L02	377628	Cable conexión E/S, FCN56 a MIL20x3, L = 150 cm	182,00
XW2Z-0200CJ-L02	377629	Cable conexión E/S, FCN56 a MIL20x3, L = 200 cm	194,90
XW2Z-0300CJ-L02	377630	Cable conexión E/S, FCN56 a MIL20x3, L = 300 cm	215,60
XW2Z-0150CK-L01	377631	Cable conexión E/S, FCN56 a MIL20+MIL40, L = 150 cm	182,00
XW2Z-0150CK-L02	377632	Cable conexión E/S, FCN56 a MIL20+MIL40, L = 150 cm	182,00
XW2Z-0200CK-L01	377633	Cable conexión E/S, FCN56 a MIL20+MIL40, L = 200 cm	194,90
XW2Z-0200CK-L02	377634	Cable conexión E/S, FCN56 a MIL20+MIL40, L = 200 cm	194,90
XW2Z-0100CG-L	377635	Cable conexión E/S, FCN56 a MIL60, L = 100 cm	167,80
XW2Z-0200CG-L	377636	Cable conexión E/S, FCN56 a MIL60, L = 200 cm	176,80

OMRON PVPR 2023

XW2Z-0300CG-L	377637	Cable conexión E/S, FCN56 a MIL60, L = 300 cm	189,80
XW2Z-0050DD-L	377638	Cable conexión E/S, MIL20 a MIL20, L = 50 cm	47,18
XW2Z-0100DD-L	377639	Cable conexión E/S, MIL20 a MIL20, L = 100 cm	47,18
XW2Z-0200DD-L	377640	Cable conexión E/S, MIL20 a MIL20, L = 200 cm	60,30
XW2Z-0050DL-L	377641	Cable conexión E/S, MIL20 a punteras, L = 50 cm	60,30
XW2Z-0100DL-L	377642	Cable conexión E/S, MIL20 a punteras, L = 100 cm	60,30
XW2Z-0150DL-L	377643	Cable conexión E/S, MIL20 a punteras, L = 150 cm	68,45
XW2Z-0200DL-L	377644	Cable conexión E/S, MIL20 a punteras, L = 200 cm	76,10
XW2Z-0300DL-L	377645	Cable conexión E/S, MIL20 a punteras, L = 300 cm	90,25
XW2Z-0500DL-L	377646	Cable conexión E/S, MIL20 a punteras, L = 500 cm	103,20
XW2Z-0050DM-L	377647	Cable conexión E/S, MIL20 a terminales de horquilla, L = 50 cm	81,30
XW2Z-0100DM-L	377648	Cable conexión E/S, MIL20 a terminales de horquilla, L = 100 cm	81,30
XW2Z-0150DM-L	377649	Cable conexión E/S, MIL20 a terminales de horquilla, L = 150 cm	95,55
XW2Z-0200DM-L	377650	Cable conexión E/S, MIL20 a terminales de horquilla, L = 200 cm	103,20
XW2Z-0300DM-L	377651	Cable conexión E/S, MIL20 a terminales de horquilla, L = 300 cm	108,50
XW2Z-0500DM-L	377652	Cable conexión E/S, MIL20 a terminales de horquilla, L = 500 cm	116,30
XW2Z-0200EE-L	377653	Cable conexión E/S, MIL34 a MIL34, L = 200 cm	103,20
XW2Z-0075FH-L01	377654	Cable conexión E/S, MIL40 a MIL20x2, L = 75 cm	60,30
XW2Z-0100FH-L01	377655	Cable conexión E/S, MIL40 a MIL20x2, L = 100 cm	60,30
XW2Z-0200FH-L01	377656	Cable conexión E/S, MIL40 a MIL20x2, L = 200 cm	81,30
XW2Z-0300FH-L01	377657	Cable conexión E/S, MIL40 a MIL20x2, L = 300 cm	95,55
XW2Z-0500FH-L01	377658	Cable conexión E/S, MIL40 a MIL20x2, L = 500 cm	121,40
XW2Z-0075FH-L02	377659	Cable conexión E/S, MIL40 a MIL20x2, L = 75 cm	60,30
XW2Z-0100FH-L02	377660	Cable conexión E/S, MIL40 a MIL20x2, L = 100 cm	60,30
XW2Z-0200FH-L02	377661	Cable conexión E/S, MIL40 a MIL20x2, L = 200 cm	81,30
XW2Z-0300FH-L02	377662	Cable conexión E/S, MIL40 a MIL20x2, L = 300 cm	95,55
XW2Z-0500FH-L02	377663	Cable conexión E/S, MIL40 a MIL20x2, L = 500 cm	121,40
XW2Z-0030FF-L	377664	Cable conexión E/S, MIL40 a MIL40, L = 30 cm	47,18
XW2Z-0050FF-L	377665	Cable conexión E/S, MIL40 a MIL40, L = 50 cm	47,18
XW2Z-0100FF-L	377666	Cable conexión E/S, MIL40 a MIL40, L = 100 cm	60,30
XW2Z-0150FF-L	377667	Cable conexión E/S, MIL40 a MIL40, L = 150 cm	68,45
XW2Z-0200FF-L	377668	Cable conexión E/S, MIL40 a MIL40, L = 200 cm	81,30
XW2Z-0300FF-L	377669	Cable conexión E/S, MIL40 a MIL40, L = 300 cm	95,55

OMRON PVPR 2023

XW2Z-0500FF-L	377670	Cable conexión E/S, MIL40 a MIL40, L = 500 cm	134,30
XW2Z-0100FN-L	377671	Cable conexión E/S, MIL40 a punteras, L = 100 cm	90,25
XW2Z-0150FN-L	377672	Cable conexión E/S, MIL40 a punteras, L = 150 cm	95,55
XW2Z-0200FN-L	377673	Cable conexión E/S, MIL40 a punteras, L = 200 cm	103,20
XW2Z-0250FN-L	377674	Cable conexión E/S, MIL40 a punteras, L = 250 cm	108,50
XW2Z-0300FN-L	377675	Cable conexión E/S, MIL40 a punteras, L = 300 cm	116,30
XW2Z-0500FN-L	377676	Cable conexión E/S, MIL40 a punteras, L = 500 cm	142,10
P2RV-200C-SIM S7/300	227720	Cable 32 puntos G2RV S7-300 2m	412,90
P2RV-4-100C	379395	Cable P2RVC-8-OF CJ1W-OD232 1m	115,50
P2RV-4-200C	379396	Cable P2RVC-8-OF CJ1W-OD232 2m	147,70
P2RV-4-300C	379397	Cable P2RVC-8-IF CJ1W-ID233/ID262 3m	175,80
P2RV-4-500C	379398	G2RV interface cable for use between CJ1W-OD232/OD262 and 4 P2RV-8-O-F m	192,10
P2RV-4-100IMC	379399	Cable de entrdas P2RVC-8-IF 1m	113,10
P2RV-4-200IMC	379400	Cable de entrdas P2RVC-8-IF 2m	144,80
P2RV-4-300IMC	379401	Cable P2RVC-8-IF CJ1W-ID233/ID262 3m	172,30
P2RV-4-500IMC	379402	Cable de entrdas P2RVC-8-IF 5m	192,10
P2RV-A100C	379407	Cable P2RVC-8-O-F a 1m	30,75
P2RV-A200C	379408	Cable P2RVC-8-O-F a 2m	34,15
P2RV-A300C	379409	Cable P2RVC-8-O-F a 3m	37,19
P2RV-A500C	379410	Cable P2RVC-8-O-F a 5m	42,97
P2RV-A050C-OMR GRT1	379411	Cable P2RVC-8-O-F a GRT 0.5m	39,95
P2RV-A100C-OMR GRT1	379412	Cable P2RVC-8-O-F a GRT 1m	48,87
P2RV-A050C-OMR NX	379415	Cable P2RVC-8-O-F a NX 0.5m	39,95
P2RV-A100C-OMR NX	379416	Cable P2RVC-8-O-F a NX 1m	48,87
R88A-CPGB001S-E	349412	Cable de propósito general de 1m para servo serie G	141,00
R88A-CPGB002S-E	349413	Cable de propósito general de 2m para servo serie G	147,70
R88A-CPKB001S-E	349414	Cable propósito general de 1m para servo Accurax G5 ML2 y EtherCAT	127,90
R88A-CPKB002S-E	349415	Cable propósito general de 2m para servo Accurax G5 ML2 y EtherCAT	134,40
FZ-VPX 2M	342348	Cable de E/S paralelo Tipo conector	301,50
FZ-VPX 5M	342349	Cable de E/S paralelo Tipo conector 5m	389,90
FZ-VP 2M	348112	Cable de E/S paralelo	186,70
FZ-VP 5M	348113	Cable de E/S paralelo 5m	327,80
FQ-VP1005	372155	Cable paralelo para FQ-SDU1 5m	138,80

OMRON PVPR 2023

FQ-VP1010	372156	Cable paralelo para FQ-SDU1 10m	219,30
FQ-VP1002	372160	Cable paralelo para FQ-SDU1 2m	80,50
FQ-VP2005	372161	Cable paralelo para FQ-SDU2 5m	138,80
FQ-VP2010	372162	Cable paralelo para FQ-SDU2 10m	219,30
FQ-VP2002	372163	Cable paralelo para FQ-SDU2 2m	80,50
XW2Z-S013-2	377508	Cable paralelo E/S para FH 2m	215,50
XW2Z-S013-5	377509	Cable paralelo E/S para FH 5m	356,70
XW2Z-050EE	385122	Cable E/S paralelo para terminal XW2R- _34G-T 0,5m	200,80
XW2Z-100EE	385123	Cable E/S paralelo para terminal XW2R- _34G-T 1m	110,00
XW2Z-200EE	385125	Cable E/S paralelo para terminal XW2R- _34G-T 2m	202,30
XW2Z-300EE	385126	Cable E/S paralelo para terminal XW2R- _34G-T 3m	262,60
FQ-WD010	337795	Cable de E/S FQ 10m	384,10
R88A-CSK003S-E	413679	Accurax G5, cable de seguridad 3 metros [para CN8]	55,55
R88A-CPEA005S-E	656886	Integrated Motor Cable de E/S conector recto 5m	169,60
R88A-CPEA001S-E	656889	Integrated Motor Cable de E/S conector recto 1m	130,40
R88A-CPEA002S-E	656890	Integrated Motor Cable de E/S conector recto 2m	143,60
FH-VPX-FZL	669772	Conversor cable paralelo FZ-L Series a FH. Alimentación COM.	488,20
FH-VPX-FZ	669771	Conversor cable paralelo FZ Series a FH.	488,20
XW2Z-RA200C	670323	Cable Bloque Relés G79 Punteras 2m	165,30
XW2Z-RI200C-175	670310	Conector Fujitsu a módulo G7xx (2m)	167,80
XW2Z-RY100C	670328	G7TC-punteras (1m)	86,55
XW2Z-RI300C-275	670314	Conector Fujitsu a módulo G7xx (3m)	194,90
XW2Z-RO75-50-D1	670326	Cable de conexión de E/S protegido, MIL40 a 2 x MIL20 para G70V-ZOC16-3, 0,7	97,55
XW2Z-RY200C	670307	G7TC-punteras (2m)	108,20
XW2Z-RO200C-150	670324	Conector Fujitsu a módulo G7xx (2m)	165,30
XW2Z-RY300C	670309	G7TC-punteras (3m)	103,90
XW2Z-R200C	670317	Cable G7TC Módulo PLC (2m)	126,60
XW2Z-R500C	670322	Cable G7TC Módulo PLC (5m)	152,20
XW2Z-RI500C-475	670330	Conector Fujitsu a módulo G7xx (5m)	241,30
XW2Z-RO100C-75	670320	Conector Fujitsu a módulo G7xx (1m)	152,20
XW2Z-RI50C	670305	I/O connection cable, MIL20 to MIL20, 0.5 m.	131,70
XW2Z-RI100C-75	670333	Conector Fujitsu a módulo G7xx (1m)	118,80
XW2Z-RO150C-125	670325	Conector Fujitsu a módulo G7xx (1,5m)	165,30

OMRON PVPR 2023

XW2Z-R150C	670319	I/O connection cable, with shield connection, FCN24 to MIL20 for G70A-ZOC16-3	117,90
XW2Z-RO200C-175	670315	Cable conexión E/S, FCN40 a MIL20x2, 2m	134,30
XW2Z-RY150C	670316	Módulo PLC-punteras (1.5m) para G79	111,00
XW2Z-RY500C	670311	I/O connection cable, with shield connection, MIL20 to fork terminals, 5 m.	136,10
XW2Z-R300C	670313	Cable G7TC Módulo PLC (3m)	139,50
XW2Z-R300C-275-250	670308	I/O connection cable, with shield connection, FCN56 to 3 x MIL20 for G70A-ZOC	305,10
XW2Z-RO50C	670335	Conector MIL a módulo G7xx y XW2x (50cm)	131,70
XW2Z-RO300C-275	670329	Conector Fujitsu a módulo G7xx (3m)	200,20
XW2Z-0700EE-L	699942	I/O connection cable, unshielded, MIL34 to MIL34, 7 m	87,00
XW2Z-RO50-25-D1	679467	I/O connection cable, with shield connection, MIL40 to 2 x MIL20 for G70V-ZOC	87,45
XW2Z-RA500C	694004	I/O connection cable, with shield connection, MIL20 to open ends, 5 m	240,50
XW2Z-RI50-25-D1	679466	Cable with MIL connectors (1:2) PNP 32 Input Points, 500 mm and 250 mm leng	169,50
XW2Z-RO300-275-D1	695724	Cable de conexión de E/S, protegido, MIL40 a 2 x MIL20 para G70V-ZOC16-3, 1,5	121,90
XW2Z-RO100-75-D1	688652	Cable de conexión de E/S protegido, MIL40 a 2 x MIL20 para G70V-ZOC16-3, 1 m	104,20
XW2Z-RO150-125-D1	680975	Cable de conexión de E/S, protegido, MIL40 a 2 x MIL20 para G70V-ZOC16-3, 1,5	121,90
XW2Z-RO200-175-D1	680946	Cable de conexión de E/S protegido, MIL40 a 2 x MIL20 para G70V-ZOC16-3, 2 m	135,90
R88A-CMK001S	678728	Cable de monitor analógico, 1 m	38,51
XW2Z-S013-15	696352	Parallel I/O cable, 15 m, for FH series only	405,30
FH-VSDX-BX 3M	701196	3D FH Camera IO cable, straight connector, 3 m	381,40
FH-VSDX-BX 5M	701191	3D FH Camera IO cable, straight connector, 5 m	467,50
FH-VSDX-BX 10M	701192	3D FH Camera IO cable, straight connector, 10 m	591,00
FH-VSDX-LBX 3M	701197	3D FH camera IO cable, right angle connector, 3 m	381,40
FH-VSDX-LBX 5M	701198	3D FH camera IO cable, right angle connector, 5 m	467,50
FH-VSDX-LBX 10M	701193	3D FH Camera IO cable, Right angle connector, 10 m	591,00
XW2Z-100X-R	702464	I/O connection cable, NX-OD5256-5 and XW2R-P16GD-C3-COM, 1 m	84,60
R88A-CPU001-S	243829	Cable de propósito general CPU servo U 1m	575,00
R88A-CPU002-S	244353	Cable control servo Smart Step 2m	549,00
R88A-CPG001S	292048	Cable de propósito general de 1m para servo con CN1 de 50 pines	176,70
R88A-CPG002S	292049	Cable de propósito general de 2m para servo con CN1 de 50 pines	213,10
R88A-CPG002M1	292051	Cable de control para 1 eje G5 A/P (CS1W-MC221, CS1W-MC421), 2m	226,40
XW2Z-100J-B1	103110	Cable Terminal pasivo servos U 1m	218,00
XW2Z-100J-A17	103762	Cable CJ1WNC213/413-XW2B40J62B SmartStep 1m	350,90
XW2Z-100J-A8	105017	Cable C200HW/CS1WNC1x3 - XW2B20J61B SmartStep 1m	297,00

OMRON PVPR 2023

XW2Z-100J-A19	107438	ACCESORIO PARA SERVOMOTOR	390,30
XW2Z-100J-A26	107453	Cable CJ1M-CPU22/23 a Terminal pasivo SmartStep 1m	283,00
XW2Z-100J-A1	107495	Cable C200HNC112 - XW2B20J61B SmartStep 1m	203,80
XW2Z-100J-F1	107499	Cable MCx21 a Terminal pasivo (E/S) 1m	315,60
XW2Z-100J-B4	107500	Cable Terminal pasivo Sigma II 1m	163,00
XW2Z-200J-B4	107501	Cable XW2B_OJ6_B a Servo Sigma II	218,00
XW2Z-200J-F1	107504	Cable MCx21 a Terminal pasivo (E/S) 2m	326,90
XW2Z-100J-A6	107506	Cable C200HW/CS1WNC1x3 - XW2B20J61B Sigma II 1m	297,00
XW2Z-100J-A9	107507	Cable C200HW/CS1WNC2x3/NC4x3 - XW2B40J62B/4A 1m	342,40
XW2Z-100J-A14	107526	Cable CJ1WNC113-XW2B20J61B Sigma II 1m	314,00
XW2Z-100J-A15	107528	Cable CJ1WNC213/413-XW2B40J62B Sigma II 1m	350,90
XW2Z-100J-A16	107529	Cable CJ1WNC113-XW2B20J61B SmartStep 1m	326,90
XW2Z-200J-B1	143061	Cable Terminal pasivo servos U 2m	234,90
XW2Z-100J-A7	152950	Cable C200HW/CS1WNC2x3/NC4x3 - XW2B40J62B 1m	278,80
XW2Z-050J-A9	154109	Cable C200HW/CS1WNC2x3/NC4x3 - XW2B40J62B/4A 0.5m	264,60
XW2Z-100J-A27	156855	Cable CJ1M-CPU22/23 a Terminal pasivo Sigma II 1m	342,40
XW2Z-100J-B17	231790	Cable XW2B-xxJE-Xa a Junma 1m	163,00
XW2Z-200J-B17	231791	Cable XW2B-xxJE-Xa a Junma 2m	187,00
XW2Z-100J-B19	231792	Cable terminal pasivo genérico Junma 1m	174,30
XW2Z-200J-B19	231793	Cable terminal pasivo genérico Junma 2m	203,80
XW2Z-100J-A33	281447	Cable CJ1M-CPU21/22/23 a Terminal pasivo Serie G 1m	218,00
XW2Z-100J-B28	292067	Cable de propósito general Servo Smartstep2 100w-400W	212,10
XW2Z-100J-B29	292069	Cable terminal pasivo a servodrive SS2 1m	228,10
XW2Z-200J-B29	292070	Cable terminal pasivo a servodrive SS2 2m	240,20
XW2Z-100J-B32	292071	Cable terminal pasivo a servodrive SS2 (100-400w) 1m	184,10
XW2Z-200J-B32	292072	Cable terminal pasivo a servodrive SS2 (100-400w) 2m	203,30
XW2Z-100J-B24	294103	Cable terminal pasivo a servodrive SS2-750w y Accurax G5 A/P 1m	315,50
XW2Z-200J-B24	294104	Cable terminal pasivo a servodrive SS2-750w y Accurax G5 A/P 2m	322,00
XW2Z-100J-B25	294105	Cable terminal pasivo a drive G5 (NCs, CQM1HPLB21, CQM1CPU43) 1m	178,10
XW2Z-200J-B25	294106	Cable terminal pasivo a drive G5 (NCs, CQM1HPLB21, CQM1CPU43) 2m	213,20
XW2Z-100J-B31	294107	Cable terminal pasivo a servodrive Accurax G5 (CJ1MCP21/22/23) 1m	192,80
XW2Z-200J-B31	294108	Cable terminal pasivo a servodrive Accurax G5 (CJ1MCP21/22/23) 1m	213,20
XW2Z-100J-B33	294109	Cable terminal pasivo a servodrive Serie G 1m	178,10

OMRON PVPR 2023

XW2Z-200J-B33	294110	Cable terminal pasivo a servodrive Serie G 2m	208,60
XW2Z-100J-B34	323497	Accurax G5 Cable E/S de propósito general 1m (para CN1)	164,90
XW2Z-200J-B34	323498	Accurax G5 Cable E/S de propósito general 2m (para CN1)	178,10
E69-DF10	357358	Cable alagador 10m Absoluto	340,10
E69-DF15	357359	Extension cable for E6C2-A/E6C3-A/E6CP/E6F encoders, 15m	454,50
E69-DF20	357361	Cable alargador 20m Absoluto	477,20
E69-DF5	357364	Cable alargador 5m Absoluto	278,90
AX-ABS-CNSW45-EE	355869	Cable encoder LX 45cm punteras	60,40
AX-ABS-CNDB45-EE	355872	Cable encoder LX 45cm conector DB15	69,20
AX-ABS-CNDB60-EE	355873	Cable encoder LX 60cm conector DB15	69,20
AX-ABS-CNHD30-EE	355874	Cable encoder LX 30cm conector HD15	69,20
AX-ABS-CNHD45-EE	355875	Cable encoder LX 45cm conector HD15	69,20
AX-ABS-CNHD60-EE	355876	Cable encoder LX 60cm conector HD15	69,20
3F88L-CR010C	408464	Extension cable for 3F88L-RS17 resolver, 10m	494,40
3F88L-CR002C	409078		262,20
3F88L-CR005C	409081	Cable extensión 5 metros resolver RS17/17T	469,20
R88L-EP-CB-0021-0015	370921	Spare Part Motor Lineal Accurax G5 R88LEPCB00210015	392,30
R88L-EP-CB-0021-0009	392263		338,40
JZSP-CVP27-15-G5	392418	Cable de encoder absoluto Sigma-5 SGMGV/SGMSV 15m FLEX	805,00
JZSP-CVP27-20-E-G5	392419	Cable de encoder absoluto Sigma-5 SGMGV/SGMSV 20m FLEX	867,50
R88A-CRWA003C-DE	139213	Cable de encoder 3m servomotor Serie G/SS2, Conector Hypertac	185,90
R88A-CRWA005C-DE	139214	Cable de encoder 5m servomotor Serie G/SS2, Conector Hypertac	223,30
R88A-CRWA010C-DE	139215	Cable de encoder 10m servomotor Serie G/SS2, Conector Hypertac	266,10
R88A-CRWA015C-DE	139216	Cable de encoder 15m servomotor Serie G/SS2, Conector Hypertac	340,90
R88A-CRWA020C-DE	139217	Cable de encoder 20m servomotor Serie G/SS2, Conector Hypertac	400,50
R88A-CRWB005N-E	139427	Cable encoder Sigma II 400V 5m	380,30
R88A-CRWB015N-E	139428	Cable encoder Sigma II 400V 15m	477,40
R88A-CRWB020N-E	139429	Cable encoder Sigma II 400V 20m	549,00
R88A-CRWB003N-E	155713	Cable encoder Sigma II 400V 3m	365,70
R88A-CRWB010N-E	157478	Cable encoder Sigma II 400V 10m	434,20
XD-CRA010-DE	163031	Cable encoder Xtradrive-SmartStep Intercon. 10m	266,10
XD-CRWB005-NE	163469	Cable encoder Xtradrive-Sigma II 400V 5m	267,20
XD-CRA005-DE	163588	Cable encoder Xtradrive-SmartStep Intercon. 5m	274,40

OMRON PVPR 2023

XD-CRWB003-NE	163589	XtraDrive to SGMGH/SGMSH/SGMUH motor encoder cable, 3m	147,90
JZSP-CLL10-03-E	171458	Cable Sen.Hall-Convertidor serie motor lineal 3m	189,20
R7A-CRA003F-DE	175760	Smart Step high-flex encoder cable (use with R88A-CAWA****-DE motor cable),	238,20
R7A-CRA005F-DE	175761	Cable encoder servo SmartStep Interc. 5m flexible	429,50
R7A-CRA010F-DE	175762	Cable encoder SmartStep 10m Interconectron Flexibl	385,20
R7A-CRA015F-DE	175763	Cable encoder SmartStep 15m Interconectron Flexibl	518,00
R7A-CRA020F-DE	175764	Cable encoder SmartStep 20m Interconectron Flexibl	623,00
R7A-CRA005-FE	175778	Cable encoder servo SmarStep 5m flexible	385,20
R7A-CRA010-FE	175779	Cable encoder servo SmarStep 10m flexible	457,20
R7A-CRA015F-E	175780	Cable encoder servo SmarStep 15m flexible	561,50
JZSP-CHP800-01-5E	231451	Cable de encoder servo Junma 1.5m FLEX	147,70
JZSP-CHP800-05-E	231453	Cable de encoder servo Junma 5m FLEX	246,30
JZSP-CHP800-10-E	231454	Cable de encoder servo Junma 10m FLEX	294,80
JZSP-CHP800-15-E	231455	Cable de encoder servo Junma 15m FLEX	336,80
JZSP-CHP800-20-E	231456	Cable de encoder servo Junma 20m FLEX	393,50
R88A-CRWB030N-E	232750	Cable encoder Sigma II 400V 30m	724,50
JZSP-CHP800-03-ME	247405	Cable de encoder servo Junma 3m FLEX conector metálico	294,80
JZSP-CHP800-05-ME	247406	Cable de encoder servo Junma 5m FLEX conector metálico	323,70
JZSP-CHP800-10-ME	247407	Cable de encoder servo Junma 10m FLEX conector metálico	365,70
JZSP-CHP800-15-ME	247408	Cable de encoder servo Junma 15m FLEX conector metálico	420,80
R88A-CRWA001-5C-DE	247776	Cable de encoder 3m servomotor Serie G/SS2, Conector Hypertac	229,10
R88A-CRGB001-5CR-E	281397	SmartStep 2 cable encoder servomotor, flexible/apantallado, 1.5m (para CN2)	127,90
R88A-CRGB003CR-E	281398	SmartStep 2 cable encoder servomotor, flexible/apantallado, 3m (para CN2)	141,00
R88A-CRGB005CR-E	281399	SmartStep 2 cable encoder servomotor, flexible/apantallado, 5m (para CN2)	160,80
R88A-CRGB010CR-E	281400	SmartStep 2 cable encoder servomotor, flexible/apantallado, 10m (para CN2)	212,10
R88A-CRGB015CR-E	281401	SmartStep 2 cable encoder servomotor, flexible/apantallado, 15m (para CN2)	260,70
R88A-CRGB020CR-E	281402	SmartStep 2 cable encoder servomotor, flexible/apantallado, 20m (para CN2)	310,40
R88A-CRGA001-5CR-E	294075	Cable de encoder absoluto servomotor SmartStep 2, 1.5m, 50-750W	147,70
R88A-CRGA003CR-E	294076	Cable de encoder absoluto servomotor SmartStep 2, 3m, 50-750W	168,60
R88A-CRGA005CR-E	294077	Cable de encoder absoluto servomotor SmartStep 2, 5m, 50-750W	184,40
R88A-CRGA010CR-E	294078	Cable de encoder absoluto servomotor SmartStep 2, 10m, 50-750W	225,20
R88A-CRGA015CR-E	294079	Cable de encoder absoluto servomotor SmartStep 2, 15m, 50-750W	281,70
R88A-CRGA020CR-E	294080	Cable de encoder absoluto servomotor SmartStep 2, 20m, 50-750W	336,80

OMRON PVPR 2023

R88A-CRKA001-5CR-E	298261	Accurax G5, Cable de encoder servomotor, 1.5m, 50-750W	134,40
R88A-CRKA003CR-E	298262	Accurax G5, Cable de encoder servomotor, 3m, 50-750W	147,70
R88A-CRKA010CR-E	298264	Accurax G5, Cable de encoder servomotor, 10m, 50-750W	212,10
R88A-CRKA015CR-E	298265	Accurax G5, Cable de encoder servomotor, 15m, 50-750W	260,70
R88A-CRKA020CR-E	298266	Accurax G5, Cable de encoder servomotor, 20m, 50-750W	310,40
R88A-CRKC005NR-E	298269	Accurax G5, Cable de encoder servomotor, 5m, 1-5KW	197,70
R88A-CRKC010NR-E	298270	Accurax G5, Cable de encoder servomotor, 10m, 1-5KW	246,30
R88A-CRKC015NR-E	298271	Accurax G5, Cable de encoder servomotor, 15m, 1-5KW	294,80
R88A-CRKC020NR-E	298272	Accurax G5, Cable de encoder servomotor, 20m, 1-5KW	351,30
R88A-CRKC001-5NR-E	301010	Accurax G5, Cable de encoder servomotor, 1.5m, 1-5KW	160,80
R88A-CRKC003NR-E	301011	Accurax G5, Cable de encoder servomotor, 3m, 1-5KW	176,50
R88A-CRKA005CR-E	301748	Accurax G5, Cable de encoder servomotor, 5m, 50-750W	168,60
R88A-CRGC010NR-E	301752	Cable de encoder absoluto servomotor SmartStep 2, 10m, 900W-1.5kW	252,70
R88A-CRWA035C-DE	332600	Cable encoder Sigma II 220V Interc.($\leq$ 750W) 35m	998,00
R88A-CRGA030CR-E	333802	Cable de encoder absoluto servomotor SmartStep 2, 30m, 50-750W	420,80
JZSP-CSP21-05-E-E	334080	Cable encoder incremental Sigma-5 SGMJV/SGMJV 5m F	246,30
JZSP-CSP21-03-E-E	340758	Cable encoder incremental Sigma-5 SGMJV/SGMJV 3m F	184,40
JZSP-CSP21-10-E-E	340759	Cable encoder incremental Sigma-5 SGMJV/SGMJV 10m	407,90
JZSP-CSP21-15-E-E	340760	Cable encoder incremental Sigma-5 SGMJV/SGMJV 15m	562,00
JZSP-CVP12-03-E-E	340763	Cable de encoder incremental Sigma-5 SGMGV/SGMSV 3m FLEX	260,70
JZSP-CVP12-05-E-E	340764	Cable de encoder incremental Sigma-5 SGMGV/SGMSV 5m FLEX	323,70
JZSP-CVP12-10-E-E	340765	Cable de encoder incremental Sigma-5 SGMGV/SGMSV 10m FLEX	519,50
JZSP-CVP12-15-E-E	340766	Cable de encoder incremental Sigma-5 SGMGV/SGMSV 15m FLEX	712,00
JZSP-CVP12-20-E-E	340767	Cable de encoder incremental Sigma-5 SGMGV/SGMSV 20m	870,00
R88A-CRKC030NR-E	341857	Accurax G5, Cable de encoder servomotor, 30m, 1-5KW	434,20
R88A-CRKA030CR-E	347145	Accurax G5, Cable de encoder servomotor, 30m, 50-750W	451,20
R88A-CRKA040CR-E	347146	Accurax G5, Cable de encoder servomotor, 40m, 50-750W	549,00
R88A-CRKC040NR-E	347148	Accurax G5, Cable de encoder servomotor, 40m, 1-5KW	533,00
R88A-CRKC050NR-E	347149	Accurax G5, Cable de encoder servomotor, 50m, 1-5KW	634,00
R88A-CRGB030CR-E	347155	Cable de encoder Serie-G 30m	407,90
R88A-CRGB040CR-E	347156	Cable de encoder Serie-G 40m	505,00
R88A-CRKM005SR-E	349416	Accurax G5, cable para encoder externo 5m (para CN4)	168,60
R88A-CRKM010SR-E	349417	Accurax G5, cable para encoder externo 10m (para CN4)	225,20

OMRON PVPR 2023

R88A-CRKM020SR-E	349418	Accurax G5, cable para encoder externo 20m (para CN4)	323,70
R88A-CRKN001-5CR-E	354065	Accurax G5 Lineal: Cable del serial converter al drive, 1.5m	168,60
R88A-CRKN003CR-E	354066	Accurax G5 Lineal: Cable del serial converter al drive, 3m	168,60
R88A-CRKN005CR-E	354067	Accurax G5 Lineal: Cable del serial converter al drive, 5m	190,90
R88A-CRKN010CR-E	354068	Accurax G5 Lineal: Cable del serial converter al drive, 10m	231,80
R88A-CRKN015CR-E	354069	Accurax G5 Lineal: Cable del serial converter al drive, 15m	275,00
R88A-CFKB003CR-E	354072	Accurax G5: Cable Sensor Hall y Temperatura a Serial Converter	154,20
R88A-CFKB005CR-E	354073	Accurax G5: Cable Sensor Hall y Temperatura a Serial Converter	168,60
R88A-CFKB010CR-E	354074	Accurax G5: Cable Sensor Hall y Temperatura a Serial Converter 10m	234,40
R88A-CFKA005CR-E	354078	Cable extensión encoder lineal Numerik Jena a SC 5m	176,50
R88A-CFKA010CR-E	354079	Cable extensión encoder lineal Numerik Jena a SC 10m	212,10
R88A-CFKA015CR-E	354080	Cable extensión encoder lineal Numerik Jena a SC 15m	303,20
R88A-CRKA007CR-E	357990	Accurax G5, Cable de encoder servomotor, 7m, 50-750W	195,00
JZSP-CSP25-03-E-G5	366415	Cable encoder ABSOLUTO Sigma-5 SGMV/SGMJV 3m FLEX	308,80
JZSP-CSP25-05-E-G5	367439	Cable encoder ABSOLUTO Sigma-5 SGMV/SGMJV 5m FLEX	407,50
JZSP-CSP25-10-E-G5	367440		555,50
JZSP-CSP25-15-E-G5	375016	Cable encoder ABSOLUTO Sigma-5 SGMV/SGMJV 15m FLEX	763,00
R88A-CFKC003CR-E	375382	Accurax G5: Cable de Encoder Lineal Renishaw a Serial Converter 3m	141,00
JZSP-CVP27-10-G5	391921	Cable de encoder absoluto Sigma-5 SGMGV/SGMSV 10m FLEX	595,00
R88A-CRWA025C-DE	245963	Cable encoder Sigma II 220V Intec.(≤750W) 25m	667,50
R88A-CRWA030C-DE	246973	Cable encoder Sigma II 220V Intec.(≤750W) 30m	833,00
R88A-CRGD0R3C	292058	Cable para batería de encoder absoluto [batería no incluida]	123,40
R88A-CRGD0R3C-BS	292064	Cable de batería de encoder absoluto [Batería R88A-BAT01G incluida]	256,00
R88A-CRWA007C-DE	190086	Cable de encoder 5m servomotor Serie G/SS2, Conector Hypertac	246,50
JZSP-CSP21-20-E-E	340761	Cable encoder incremental Sigma-5 SGMV/SGMJV 20m	712,00
R88A-CRKA050CR-E	347147	Accurax G5, Cable de encoder servomotor, 50m, 50-750W	672,00
R88A-CRGA050CR-E	347157	Cable de encoder Serie-G 50m	582,00
XD-CRWA020-DE	100154	CONVERTIDORES DE FRECUENCIA	414,30
R88A-CRKC025NR-E	416953	G5 series servo encoder cable, 25 m, 200 V: 1 to 1.5 kW, 400 V: 400 W to 5 kW	427,60
R88A-CFKC0015CR-E	659465	Accurax G5: Cable Encoder Lineal Renishaw a Serial Converter 1.5m	141,00
JZSP-CVP12-30-E-E	659546	Cable encoder incremental Sigma-5 SGMGV/SGMSV 30m	1 516,00
JZSP-CSP25-20-E-G5	668573	Cable encoder ABSOLUTO Sigma-5 SGMV/SGMJV 20m FLE	916,50
R88L-EP-CB-0021-0069	669078	Spare Part Cable Motor Lineal para IPTE	654,00

OMRON PVPR 2023

JZSP-CMP12-15-E	670054	Sigma-5 Alta Potencia - Cable de encoder 15m	589,50
R88A-CR1A020CF-E	670613	1S servo, cable de encoder, 20m, 230V: 50-750W	224,70
R88A-CR1A040CF-E	670614	1S servo, cable de encoder, 40m, 230V: 50-750W	372,10
R88A-CR1B050NF-E	670627	1S servo, cable de encoder, 50m, 230V: 900W-1.5kW, 400V: 400W-15kW	552,00
R88A-CR1A030CF-E	670615	1S servo, cable de encoder, 30m, 230V: 50-750W	295,20
R88A-CR1B030NF-E	670629	1S servo, cable de encoder, 30m, 230V: 900W-1.5kW, 400V: 400W-15kW	340,10
R88A-CR1B003NF-E	670616	1S servo, cable de encoder, 3m, 230V: 900W-1.5kW, 400V: 400W-15kW	154,20
R88A-CR1A050CF-E	670617	1S servo, cable de encoder, 50m, 230V: 50-750W	449,10
R88A-CR1B020NF-E	670626	1S servo, cable de encoder, 20m, 230V: 900W-1.5kW, 400V: 400W-15kW	263,10
R88A-CR1B005NF-E	670618	1S servo, cable de encoder, 5m, 230V: 900W-1.5kW, 400V: 400W-15kW	167,00
R88A-CR1A001-5CF-E	670619	1S servo, cable de encoder, 1.5m, 230V: 50-750W	128,50
R88A-CR1A010CF-E	670620	1S servo, cable de encoder, 10m, 230V: 100-750W	167,00
R88A-CR1B001-5NF-E	670621	1S servo, cable de encoder, 1.5m, 230V: 900W-1.5kW, 400V: 400W-15kW	147,90
R88A-CR1A003CF-E	670612	1S servo, cable de encoder, 3m, 230V: 50-750W	135,00
R88A-CR1B040NF-E	670628	1S servo, cable de encoder, 40m, 230V: 900W-1.5kW, 400V: 400W-15kW	429,80
R88A-CR1B010NF-E	670622	1S servo, cable de encoder, 10m, 230V: 900W-1.5kW, 400V: 400W-15kW	192,60
R88A-CR1B015NF-E	670625	1S servo, cable de encoder, 15m, 230V: 900W-1.5kW, 400V: 400W-15kW	224,70
R88A-CR1A005CF-E	670623	1S servo, cable de encoder, 5m, 230V: 50-750W	141,40
R88A-CR1A015CF-E	670624	1S servo, cable de encoder, 15m, 230V: 50-750W	192,60
R88A-CRKC007-5NR-E	670971	Accurax G5, Cable de encoder servomotor, 7.5m, 1-5KW	217,00
R88A-CR1B007NF-E	680425	Cable de encoder para servomotor de la serie 1S, 7 m, 230 V: 900 W a 1,5 kW, 4	178,50
R88A-CR1B012NF-E	682315	1S servo, cable de encoder, 12m, 230V: 900W-1.5kW, 400V: 400W-3kW	158,80
R88A-CR1B017NF-E	682316	1S servo, cable de encoder, 17m, 230V: 900W-1.5kW, 400V: 400W-3kW	181,30
R88A-CR1A007CF-E	682471	Cable de servoencoder serie 1S, 7 m, 230 V: 50-750 W	153,60
R88L-EP-CB-0021-0051	684432	Accurax linear motor axis spare part, encoder cable, drive side Intercontec conn	749,50
R88A-CR1B025NF-E	688383	1S series servo encoder cable, 25m, 230V: 900W-1.5kW, 400V: 400W-3kW	294,60
R88L-EP-CB-0021-0042	690699	Accurax linear motor axis spare part, encoder cable, drive side Intercontec conn	529,00
R88L-EP-CB-0021-0027	690998	Accurax linear motor axis spare part, encoder cable, drive side Intercontec conn	439,10
R88L-EP-CB-0021-0039	691000	Accurax linear motor axis spare part, encoder cable, drive side Intercontec conn	495,40
R88L-EP-CB-0021-0048	691002	Accurax linear motor axis spare part, encoder cable, drive side Intercontec conn	539,00
R88L-EP-CB-0021-0057	691004	Accurax linear motor axis spare part, encoder cable, drive side Intercontec conn	580,50
JZSP-CLP70-03-E-G5	691194	Cable Sigma II-Convertidor serie motor lineal 3m	237,70
JZSP-CLP70-05-E-G5	691196	Cable Sigma II - Convertidor serie motor lineal 5	290,30

OMRON PVPR 2023

JZSP-CLP70-10-E-G5	691195	Cable Sigma II-Convertidor serie motor lineal 10m	444,30
R88L-EP-CB-0021-0045	695522	Accurax linear motor axis spare part, encoder cable, drive side Intercontec conn	523,00
R88L-EP-CB-0021-0066	695520	Accurax linear motor axis spare part, encoder cable, drive side Intercontec conn	622,00
R88L-EP-CB-0021-0033	695975	Accurax linear motor axis spare part, encoder cable, drive side Intercontec conn	544,50
TB30N	699502	Moving Coil TB30N, fn = 1900 N, vmax = 2.5 m/s	5 005,00
R88L-EP-CB-0021-0054	699552	Accurax linear motor axis spare part, encoder cable, drive side Intercontec conn	660,50
JZSP-CSP12-E-G5	706814	Sigma V 0.3 m absolute encoder cable extension with a battery case (still require	378,00
V509-W016 5M	109082	Cable conexión PLC 5m	304,80
V509-W011 0.8M	109083	Cable conexión PLC 0.8m	240,30
FZ-VM 2M	235826	Cable para monitor color 2m	145,50
FZ-VSJ	241486	Unidad de extensión de cable Xpectia.	1 549,00
V509-W016D 5M	246031	Cable conexión PC 5m	251,70
V509-W011D	246032	Cable conexión PC 0.8m	201,70
FQ-WD020	337796	Cable de E/S FQ 20m	608,50
FJ-VSG 3M	355494	Cable Camara FJ Gig-E 3m	281,80
FJ-VSG 5M	355507	Cable Camara FJ Gig-E 5m	329,60
FJ-VSG 10M	355508	Cable Camara FJ Gig-E 10m	475,80
FJ-VSG 20M	355509	Cable de interfaz de cámara FJ Gig-E, 20 m.	755,00
FJ-VSG 40M	355510	FJ Gig-E camera interface cable, 40m	1 124,00
FQ-MWD005	355888	Cable FQ-M E/S recto 5m	497,20
FQ-MWD010	355889	Cable FQ-M E/S recto 10m	580,50
FQ-MWDL005	355890	Cable FQ-M E/S acodado 5m	777,00
FQ-MWDL010	355891	Cable FQ-M E/S acodado 10m	957,00
FQ-WU010	372154	Cable robótico FQ a FQ-SDU 10m	501,50
FQ-WU002	372157	Cable robótico FQ a FQ-SDU 2m	246,80
FQ-WU005	372158	Cable robótico FQ a FQ-SDU 5m	344,90
FQ-WU020	372159	Cable robótico FQ a FQ-SDU 20m	833,00
FH-VR 1.5M	377547	Cable de encoder driver de linea para FH	335,70
FH-VMRGB	377548	Conector conversor de DVI-I a RGB para FH	135,20
FZ-VS3 2M	393351	Cable de cámara 2M	366,30
FZ-VS3 3M	393352	Accesorio de visión, FH y FZ, cable de cámara estándar, 3 m	417,90
FZ-VS3 5M	393353	Cable de cámara 5m	543,50
FZ-VS3 10M	393354	Cable de cámara 10m	676,00

OMRON PVPR 2023

FZ-VS4 15M	393355	Cable de cámara 15m	1 721,00
FZ-VSL3 2M	393356	Cable de camara acodado 2m	548,50
FZ-VSL3 3M	393357	Accesorio de visión, FH y FZ, cable de cámara, estándar, conector en ángulo recto	614,00
FZ-VSL3 5M	393358	Cable de camara acodado 5m	715,50
FZ-VSL3 10M	393359	Cable de camara acodado 10m	784,50
FZ-VSLB3 5M	393367	Cable de camara robotizado acodado 5m	645,00
FZ-VSLB3 10M	393368	Accessory vision, FH and FZ, camera cable, bend resistant, right angled connector	895,50
FQ-WD005	409003	Cable de E/S FQ 5m	244,60
FH-VM DA 2M	410312	Cable conversor 2m DVI-Analógico RGB pantalla táctil FH-MT	137,70
FH-VM DA 5M	410313	Cable conversor 5m DVI-Analógico RGB pantalla táctil FH-MT	273,40
FH-VM DA 10M	410314	Cable conversor 10m DVI-Analógico RGB pantalla táctil FH-MT	410,60
FQ-WD003-E	678183	Cable de E/S FQ, 3 m	141,60
FQ-WD002-E	678182	Cable de E/S FQ, 2 m	206,60
FQ-WD005-E	678184	Cable de E/S FQ, 5 m	191,40
FQ-WD010-E	678185	Cable de E/S FQ, 10 m	289,60
FZ-VSB3 10M	682708	Accesorio, FH y FZ, cable de cámara, resistente a torsión, 10 m	980,00
12W-2P	681410	Cable de alimentación Hirose de 12 contactos con clavijas de alimentación, 2 m	67,35
12W-3P	681394	12 Pin Hirose Cable de Potencia con Potencia Picas, 3 m	81,65
CAB-CL10M-MINI	681389	Cámara Link Cable, Conectores: Estándar en F.G. Lateral & Mini en Cámara Lateral	346,80
CAB-CL2M-MINI	681395	Cámara Link Cable, Conectores: Estándar en F.G. Lateral & Mini en Cámara Lateral	265,40
CAB-CL3M-MINI	681413	Cámara Link Cable, Conectores: Estándar en F.G. Lateral & Mini en Cámara Lateral	271,90
CAB-CL5M-MINI	681401	Cámara Link Cable, Conectores: Estándar en F.G. Lateral & Mini en Cámara Lateral	292,60
CAB-CL7M-MINI	681402	Cámara Link Cable, Conectores: Estándar en F.G. Lateral & Mini en Cámara Lateral	313,50
HRS6-AV-6-3M	681391	Cable Hirose hembra de 6 contactos con conexión de 6 conductores. Para cámara	85,50
HRS6-AV-6-5M	681390	Cable Hirose hembra de 6 contactos con conexión de 6 conductores. Para cámara	116,60
HRS6-AV-6-7M	681400	Hembra 6-pin Hirose Cable con 6 Conductor Fuga. para GigE, USB y 6 Pin compatible	119,30
HDMI-A/HDMI-A 1.8M	681405	HDMI Cable, 1.8 m	11,67
HDMI-A/HDMI-A 3.0M	681399	HDMI Cable, 3.0 m	12,96
HDMI-A/HDMI-A 4.5M	681398	HDMI Cable, 4.5 m	14,25
FZ-VSB3 5M	684803	Accesorio de visión, FH y FZ, cable de cámara, resistente a torsión, 5 m	645,00
61-000148-04	698838	Cordset, M12 12 Pin Plug to M12 12 Pin Socket, Right Angel Up, 3M	135,00
61-9000132-01	682147	Cable, Adaptador, HAWK 4000 para Accesorio Cables/Fuente de Alimentación (v	119,80
61-9000135-01	682056	Y Cable, HAWK 4000 Adaptor para Smart luz y QX-1, Potencia, 1 m	389,00

OMRON PVPR 2023

61-9000137-01	682109	Y Cable, HAWK 4000 Adaptor para Smart luz y QX-1, Strobe, 1 m	389,00
61-9000151-01	682007	Cable, HAWK 4000 M12 a cables a punteras, 3 m (no requiere adaptador)	145,00
61-000186-01	682601	Cable, M12 5-Pin Base-a-Libres Cables, 3 m.	96,70
61-000185-01	684431	Cable, M12 5-Pin Plug-a-M12 5-Pin Base, 3 m., Apantallado (para Daisy Cadena)	101,70
61-000187-01	682006	Cable, M12 5 pines a cable a cable a punteras, 5 m	169,80
61-000148-03	698837	Cordset, M12 12 Pin Plug to M12 12 Pin Socket, Right Angel Down, 3M	135,00
61-9000147-01	682124	Cable, HAWK 4000 M12 para VGA & USB, 1 m	63,30
61-9000143-01	682072	Cable, HAWK 4000 M12 para USB Hembra, 1 m	33,57
61-9000043-01	682392	Cable, DB15 a USB, MicroHAWK-30	88,80
V430-W8-3M	683088	Cable V430, M12 12 pines (atornillado) a cable a punteras, 3 m	152,80
V430-W2-3M	683089	Cable QX, host, Ethernet, M12 12 pines (atornillado) a DB-9, 3 m	273,90
V430-W8-5M	683090	Cable V430, M12 12 pines a cable a punteras, alta flexibilidad, 5 m	161,30
FHV-VDB 2M	685299	FHV7 Potencia / IO Cable, Recto 2 m, M12 Conector	185,00
FHV-VDB 3M	685300	FHV7 Potencia / IO Cable, Recto 3 m, M12 Conector	237,50
FHV-VDB 5M	685301	FHV7 Potencia / IO Cable, Recto 5 m, M12 Conector	346,20
FHV-VDB 10M	685302	FHV7 Potencia / IO Cable, Recto 10 m, M12 Conector	609,00
FHV-VDB 20M	685227	FHV7 Potencia / IO Cable, Recto 20 m, M12 Conector	1 009,00
FHV-VDLB 2M	685303	FHV7 Potencia / IO Cable, Derecha Angulo 2 m, M12 Conector	185,00
FHV-VDLB 3M	685304	FHV7 Potencia / IO Cable, Derecha Angulo 3 m, M12 Conector	237,50
FHV-VDLB 5M	685305	FHV7 Potencia / IO Cable, Derecha Angulo 5 m, M12 Conector	346,20
FHV-VDLB 10M	685306	FHV7 Potencia / IO Cable, Derecha Angulo 10 m, M12 Conector	609,00
FHV-VDLB 20M	685228	FHV7 Potencia / IO Cable, Derecha Angulo 20 m, M12 Conector	1 009,00
98-9000235-01	708941	Kit, Servicio, 6" Video Cable, LVS7500	96,70
98-9000237-01	708940	Kit, Servicio, 8" Video Cable, LVS7500	96,70
98-9000240-01	707744	LVS 7510 cable for 5" sensor	116,70
12-9000953-01	690151	Cable, RS-232, DB9 hembra, 2 m, recto, familia HDS-3600	50,80
98-9000239-01	692740	QX-1 Field-Wireable M12 4 Pin Plug for any Trigger Source or Photo Sensor	47,58
10415001/R82/L15	687756	Accessory Y-Cable for VHP Illuminator	49,05
61-9000192-01	690418	Cordset, M12 12-pin Socket to Flying Leads, High Flex, 15 m	229,20
FHV-VUB 2M	688774	Cable de unidad de datos de cámara inteligente, resistente a dobleces, 2 m	228,30
FHV-VUB 3M	688775	Cable de unidad de datos de cámara inteligente, resistente a dobleces, 3 m	291,80
FHV-VUB 5M	688776	Cable de unidad de datos de cámara inteligente, resistente a dobleces, 5 m	412,20
FHV-VUB 10M	688777	Cable de unidad de datos de cámara inteligente, resistente a dobleces, 10 m	786,50

OMRON PVPR 2023

FHV-VUB 20M	688778	Cable de unidad de datos de cámara inteligente, resistente a dobleces, 20 m	1 308,00
FHV-VULB 2M	688779	Cable de unidad de datos de cámara inteligente, resistente a dobleces, ángulo re	228,30
FHV-VULB 3M	688780	Cable de unidad de datos de cámara inteligente, resistente a dobleces, ángulo re	291,80
FHV-VULB 5M	688781	Cable de unidad de datos de cámara inteligente, resistente a dobleces, ángulo re	412,20
FHV-VULB 10M	688782	Cable de unidad de datos de cámara inteligente, resistente a dobleces, ángulo re	786,50
FHV-VULB 20M	688783	Cable de unidad de datos de cámara inteligente, resistente a dobleces, ángulo re	1 308,00
FHV-VFLX-GD	688784	Cable de conversión de luz externa para luz MDMC	190,30
FHV-VDBX 2M	690895	FHV7 Power / IO Cable, straight, super bend resistant, 2 m, M12 connector	512,50
FHV-VDBX 3M	690896	FHV7 Power / IO Cable, straight, super bend resistant, 3 m, M12 connector	657,50
FHV-VDBX 5M	690897	FHV7 Power / IO Cable, straight, super bend resistant, 5 m, M12 connector	905,00
FHV-VDBX 10M	690898	FHV7 Power / IO Cable, straight, super bend resistant, 10 m, M12 connector	1 516,00
FHV-VDLBX 2M	690899	FHV7 Power / IO Cable, right angle, super bend resistant, 2 m, M12 connector	512,50
FHV-VDLBX 3M	690900	FHV7 Power / IO Cable, right angle, super bend resistant, 3 m, M12 connector	657,50
FHV-VDLBX 5M	690901	FHV7 Power / IO Cable, right angle, super bend resistant, 5 m, M12 connector	905,00
FHV-VDLBX 10M	690902	FHV7 Power / IO Cable, right angle, super bend resistant, 10 m, M12 connector	1 516,00
FJ-VSP2 3M	694954	Cable de E/S y alimentación FJ Gig-E, 3 m	234,80
FJ-VSP2 5M	694955	FJ Gig-E power and I/O cable, 5 m	273,50
FJ-VSP2 10M	694956	FJ Gig-E power and I/O cable, 10 m	379,70
CAB-USB3-02-RB	698601	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, robot cable,	100,20
CAB-USB3-03-RB	698600	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, robot cable,	124,70
CAB-USB3-05-RB	698599	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, robot cable,	183,10
CAB-USB3-07-RB	698598	Cable USB 3.0, USB3.0 Micro-B, lado de la cámara con tornillos de fijación, cable	305,10
CAB-USB3-02	698597	Cable USB 3.0, USB3.0 Micro-B, lado de la cámara con tornillos de fijación, 2 m	42,71
CAB-USB3-03	698596	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, 3 m	51,25
CAB-USB3-05	698595	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, 5 m	59,85
CAB-USB3-07	698594	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, 7 m	128,40
CAB-USB3-10	698593	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, 10 m	231,80
V320-WRX-2M	697541	Cable V/F 320-F, RJ50 a RS232 y alimentación externa, recto, 2 m	244,00
V320-WR-1M	697542	Cable V/F 320-F, conector hembra RJ50 a DB15, recto, 1 m	183,10
V320-W8-3M	697543	Cable V/F 320-F, RJ50 a cable aéreo, recto, 3 m	73,25
V420-WUB-1M	697904	Cable V/F 420-F, módulo USB, 1 m	82,10
V420-WUX-1M	697905	Cable V/F 420-F, módulo USB con entrada de alimentación externa, 1 m	100,80
V420-WRX-1M	697906	Cable V/F 420-F, módulo RS-232 (DB-15) y entrada de alimentación externa, 1 m	246,70

OMRON PVPR 2023

V420-WU8X-1M	697907	Cable V/F 420-F, módulo USB, E/S y de alimentación, 1 m	195,30
V420-WRU8X-1M	697908	Cable V/F 420-F, RS-232, módulo USB, E/S y de alimentación, 1 m	213,70
V430-W8F-3M	700860	V/F 430-F M12 to Flying Leads Cable, with power filter, 3 m	288,80
V430-W8F-5M	700859	V/F 430-F M12 to Flying Leads Cable, with power filter, 5 m	303,30
V430-W8LDF-3M	700858	V/F 430-F M12 to Flying Leads Cable, right angle down, with power filter, 3 m	293,60
V430-W8LUF-3M	700857	V/F 430-F M12 to Flying Leads Cable, right angle up, with power filter, 3 m	293,60
V430-WR-1M	698184	Cable V/F 430-F, conector hembra M12 a conector hembra RS-232 DB9, 1 m	121,90
V430-WR-3M	698185	Cable V/F 430-F, conector hembra M12 a conector hembra RS-232 DB9, 3 m	127,10
V430-WQ-1M	698186	Cable de interconexión de cámara V/F 430-F a QX-1, conector hembra M12 a co	121,90
V430-WQ-3M	698187	Cable de interconexión de cámara V/F 430-F a QX-1, conector hembra M12 a co	152,80
V430-WQ-5M	698188	Cable de interconexión de cámara V/F 430-F a QX-1, conector hembra M12 a co	183,10
V430-WQK-3M	698189	Cable de interconexión de cámara V/F 430-F a QX-1 con módulo keyboard wedg	549,50
CAB-IOH12-02	706967	12-pin IO cable for GigE vision line scan cameras, 2 m	101,30
COE-6P-OPEN1-030	703070	Cable for area scan camera, 6-pin/open end cable, 3 m	82,90
V430-W8-10M-E	707102	V/F 430-F M12 to Flying Leads Cable, 10 m	189,90
V430-W8-15M-E	707110	V/F 430-F M12 to flying leads cable, 15 m	218,60
V430-W8-20M-E	707103	V/F 430-F M12 to Flying Leads Cable, 20 m	235,90
V430-W8LU-10M-E	707154	V/F 430-F M12 to flying leads cable, right angle up, 10 m	189,90
V430-W8LD-10M-E	707150	V/F 430-F M12 to flying leads cable, right angle down, 10 m	189,90
V430-W8LU-15M-E	707153	V/F 430-F M12 to flying feads cable, right angle up, 15 m	218,60
V430-W8LD-15M-E	707149	V/F 430-F M12 to flying leads cable, right angle down, 15 m	218,60
V430-W8LU-20M-E	707152	V/F 430-F M12 to flying leads cable, right angle up, 20 m	235,90
V430-W8LD-20M-E	707148	V/F 430-F M12 to flying leads cable, right angle down, 20 m	235,90
V430-W8LU-5M-E	707151	V/F 430-F M12 to flying leads cable, right angle up, 5 m	161,30
V430-W8LD-5M-E	707147	V/F 430-F M12 to flying leads cable, right angle down, 5 m	161,30
FJ-VSP2-10M-E	707661	Gig-E power and I/O cable, 10 m	379,70
FJ-VSP2-5M-E	707660	Gig-E power and I/O cable, 5 m	273,50
FJ-VSP2-3M-E	707659	Gig-E camera power and I/O cable, 3 m	234,80
FJ-VSG-3M-E	707658	Gig-E camera CAT6 interface cable,RJ45 to jack screws, 3m	247,60
FJ-VSG-5M-E	707657	Gig-E camera CAT6 interface cable,RJ45 to jack screws, 5m	293,80
FJ-VSG-10M-E	707656	Gig-E camera CAT6 interface cable,RJ45 to jack screws, 10m	419,70
FJ-VSG-20M-E	707655	Gig-E camera CAT6 interface cable,RJ45 to jack screws, 20m	656,00
FJ-VSG-40M-E	707654	Gig-E camera CAT6 interface cable,RJ45 to jack screws, 40m	1 124,00

OMRON PVPR 2023

FJ-VSP2-20M-E	707676	Gig-E camera power and I/O cable, 20 m	594,00
FJ-VSP2-7.5M-M12-E	707675	Gig-E camera power and I/O cable, 6 pin Hirose to M12, 7.5 m	404,00
V430-W8-3M	709105	Cable V430, M12 12 pines (atornillado) a cable a punteras, 3 m	152,80
V430-W8-5M	709106	Cable V430, M12 12 pines a cable a punteras, alta flexibilidad, 5 m	161,30
V430-W8LD-3M	709108	Cable V430, M12 12 pines a cable a punteras, ángulo recto hacia abajo, 3 m	165,00
V430-W8LU-3M	709109	Cable V430, M12 12 pines a cable a punteras, ángulo recto hacia arriba, 3 m	165,00
V430-WQR-3M	709125	Cable de interconexión de cámara V/F 430-F a QX-1 con módulo RS-232, 2,7 m	305,10
61-000010-02	709141	Cable, Comunicación, DB-9 Base-a--DB-9 Base, 6 ft.	48,30
61-000159-04	709142	QX Cables, M12 12-Pin Base-a--IB-131, RS-232/RS-485, 2 m	244,00
61-000166-02	709143	QX Cables, M12 12-Pin Plug (Tornillo-On)-a-Libres Cables, 3 m	129,00
61-100029-03	709144	Cable, Daisy Cadena, IB-131	48,43
61-300026-03	709145	Cable, Comunicación, DB-25 Plug para DB-9 Base, 1.8 m	48,43
61-9000102-01	709077	Cable, DB15 para USB/RS232, Triggered, MicroHAWK-30 (Cable solo)	519,00
12-9000953-01	709174	Cable, RS-232, DB9 hembra, 2 m, recto, familia HDS-3600	50,80
TJ2-KC01M	372417	Cable Interface G5 A/P y TJ2KS02 1m	104,60
TJ2-KC03M	372418	Cable Interface G5 A/P y TJ2KS02 3m	119,70
CP1W-CN811	209406	Cable Expansión de E/S para CP1	143,60
CS1W-CN133	224537	Cable CS1-CS1 10m	591,00
CS1W-CN133-B2	224538	Cable CS1-CS1 12m	683,50
CS1W-CN321	224539	Cable CS1-C200H 3m	296,30
CS1W-CN521	224540	Cable CS1-C200H 5m	330,90
CS1W-CN131	224541	Cable CS1-C200H 10m	591,00
CS1W-CN313	224548	Cable CS1-CS1 30cm	136,00
CS1W-CN713	224549	Cable CS1-CS1 70cm	195,40
CS1W-CN223	224550	Cable CS1-CS1 2m	253,40
CS1W-CN323	224551	Cable CS1-CS1 3m	344,90
CS1W-CN523	224552	Cable CS1-CS1 5m	387,70
CS1W-CN311	224553	Cable CS1-C200H 30cm	136,00
CS1W-CN711	224554	Cable CS1-C200H 70cm	177,40
CS1W-CN221	224555	Cable CS1-C200H 2m	253,40
C200H-CN222	224567	Cable consola programación 2m	187,40
C200H-CN422	224568	Cable consola programación 4m	265,10
CV500-CN122	249325	Cable Rack de Expansión Larga Distancia 1m	1 067,00

OMRON PVPR 2023

CV500-CN132	323715	Cable Rack de Expansión Larga Distancia 10m	1 939,00
CV500-CN312	323719	Cable Exp Rack CV 30 cm.	800,50
CV500-CN232	323730	Cable Rack de Expansión Larga Distancia 20m	2 970,00
CV500-CN432	323731	Cable Rack de Expansión Larga Distancia 40m	4 939,00
CK3W-CAES03A	684969	CK3W Dedicated cable for Serial Encoder (3.0 m)	291,90
CK3W-CAEW03A	684968	CK3W Dedicated cable for "Digital Quadrature Encoder + UVW Signal" or "Digital	607,50
CK3W-CAED03A	684967	CK3W Dedicated cable for Digital Quadrature Encoder (3.0 m)	337,10
CK3W-CAA03A	684966	CK3W Dedicated cable for amplifier connection (3.0 m)	521,00
CK3W-CAAD036A	689325	CK3W DirectPWM Cable (3.6 m)	741,00
CK3W-CAAD018A	689326	Cable DirectPWM CK3W (1.8 m)	558,50
CK3W-CAAD009A	689327	Cable DirectPWM CK3W (0.9 m)	567,00
CK3W-CAEA03A	689328	Cable encoder sinusoidal CK3W (3.0 m)	484,80
CK3W-CAEAW03A	689329	CK3W Sinusoidal Encoder+Serial or UVW Cable (3.0 m)	653,00
CK3W-CAX003A	689330	CK3W Expansion Cable (0.3 m)	796,00
3G3AX-CAJOP300-EE	324009	Cable extensión operador digital 3m	23,89
R7A-CPZ001S	231783	Cable propósito general CPU Junma 1m	212,10
R7A-CPB001S	292039	Cable de propósito general de 1m para servo con CN1 de 26 pines	134,30
R7A-CPB002S	292040	Cable de propósito general de 2m para servo con CN1 de 26 pines	154,50
R88A-CX1A003BF	693618	Cable híbrido servo serie 1SA, 3 m, con freno, 230 V: 200-750W	468,90
R88A-CX1A005BF	693619	Cable híbrido servo serie 1SA, 5 m, con freno, 230 V: 200-750W	529,50
R88A-CX1A010BF	693620	Cable híbrido servo serie 1SA, 10 m, con freno, 230 V: 200-750W	621,00
R88A-CX1A015BF	693621	Cable híbrido servo serie 1SA, 15 m, con freno, 230 V: 200-750W	741,50
R88A-CX1A020BF	693622	Cable híbrido servo serie 1SA, 20 m, con freno, 230 V: 200-750W	892,50
R88A-CX1A003SF	693623	Cable híbrido servo serie 1SA, 3 m, sin freno, 230 V: 200-750W	362,60
R88A-CX1A005SF	693624	Cable híbrido servo serie 1SA, 5 m, sin freno, 230 V: 200-750W	423,10
R88A-CX1A010SF	693625	Cable híbrido servo serie 1SA, 10 m, sin freno, 230 V: 200-750W	514,00
R88A-CX1A015SF	693626	Cable híbrido servo serie 1SA, 15 m, sin freno, 230 V: 200-750W	635,50
R88A-CX1A020SF	693627	Cable híbrido servo serie 1SA, 20 m, sin freno, 230 V: 200-750W	786,00
R88A-CX1AE10BF	693628	1SA series servo EXTENSION hybrid cable, 10 m, 230V: 200-750W	569,50
R88A-CX1C003SF	695512	Cable híbrido servo serie 1SA, 3 m, sin freno, 230 V: 1 kW a 1.5 kW, 400 V: 750 V	408,50
R88A-CX1C005SF	695511	Cable híbrido servo serie 1SA, 5 m, sin freno, 230 V: 1 kW a 1.5 kW, 400 V: 750 V	468,90
R88A-CX1C010SF	695510	Cable híbrido servo serie 1SA, 10 m, sin freno, 230 V: 1 kW a 1.5 kW, 400 V: 750 V	560,00
R88A-CX1C015SF	695509	Cable híbrido servo serie 1SA, 15 m, sin freno, 230 V: 1 kW a 1.5 kW, 400 V: 750 V	681,00

OMRON PVPR 2023

R88A-CX1C020SF	695508	Cable híbrido servo serie 1SA, 20 m, sin freno, 230 V: 1 kW a 1.5 kW, 400 V: 750	832,00
R88A-CX1C003BF	695507	Cable híbrido servo serie 1SA, 3 m, con freno, 230 V: 1 kW a 1.5 kW, 400 V: 750	514,00
R88A-CX1C005BF	695506	Cable híbrido servo serie 1SA, 5 m, con freno, 230 V: 1 kW a 1.5 kW, 400 V: 750	574,50
R88A-CX1C010BF	695505	Cable híbrido servo serie 1SA, 10 m, con freno, 230 V: 1 kW a 1.5 kW, 400 V: 750	665,50
R88A-CX1C015BF	695504	Cable híbrido servo serie 1SA, 15 m, con freno, 230 V: 1 kW a 1.5 kW, 400 V: 750	786,00
R88A-CX1C020BF	695503	Cable híbrido servo serie 1SA, 20 m, con freno, 230 V: 1 kW a 1.5 kW, 400 V: 750	937,00
R88A-CX1BE10BF	695502	Cable híbrido DE EXTENSIÓN de servo serie 1SA, 10 m, 230 V: 1 kW a 1.5 kW, 400	681,00
R88A-CX1BE20BF	695501	Cable híbrido DE EXTENSIÓN de servo serie 1SA, 20 m, 230 V: 1 kW a 1.5 kW, 400	967,50
B70006E-500m	324085	Cable PROFINET 70006E Belden Sólido PVC 500m	1 206,00
B70007E-500m	324086	Cable PROFINET 70007E Belden Trenzado PVC 500m	1 286,00
SCA1-4F10	111794	Cable plano Compobus/S (100 m)	463,20
DCA4-4F10	226110	Cable Componet Plano 4 Hilos IP20 (100m.)	441,80
DCA5-4F10	226111	Cable Componet Plano 4 Hilos IP54 (100m.)	828,50
B3082A-152M	280123	Cable DeviceNet Grueso 3082A Belden 152m	2 592,00
B3082A-305M	280124	Cable DeviceNet Grueso 3082A Belden 305m	4 799,00
B3084A-152M	280125	Cable DeviceNet Fino 3084A Belden 152m	1 191,00
B3084A-305M	280126	Cable DeviceNet Fino 3084A Belden 305m	2 196,00
B3084F-305M	280127	Cable DeviceNet Fino Flexible 3084F Belden 305m	5 580,00
B8489-305M	280131	Cable CompoNet 4 Hilos 305m	1 615,00
B9207-152M	280132	Cable Controller Link 152m	1 165,00
B9207-305M	280133	Cable Controller Link 305m	1 893,00
B9409-152M	280134	Cable CompoNet 2 Hilos 152m	676,00
B9409-305M	280135	Cable CompoNet 2 Hilos 305m	1 232,00
DCA2-5C10-B	702722	DeviceNet thick cable, blue, 100 m	1 111,00
CJ1W-EIP21	258403	Módulo Ethernet/IP	1 598,00
CJ1W-FLN22	258829	Unidad FL-Net	970,50
CJ1W-ETN21	258832	Módulo Ethernet 10/100BaseT Conector RJ45	1 598,00
CJ1W-PNT21	291927	Módulo Controlador PROFINET-IO	1 185,00
CJ1W-ECT21	659361	Módulo esclavo de EtherCAT	1 056,00
CP1W-EIP61	365009	Interface Ethernet/IP para CP1	484,30
CP1W-MODTCP61	365010	Interface Modbus TCP para CP1	467,70
CP1W-CIF41	673349	Interface Ethernet para CP1	412,00
CS1D-ETN21D	168048	Módulo Ethernet Redundante 10/100BASE-T Conector RJ45	2 643,00

OMRON PVPR 2023

CS1W-ETN21	296515	Módulo Ethernet 10/100 BaseT RJ45	2 431,00
CS1W-EIP21	296519	Módulo Ethernet/IP	2 431,00
CS1W-PNT21	343249	Módulo Controlador PROFINET-IO	1 258,00
NX-ECT101	708433	NX-series EtherCAT® Slave Unit. High-speed data exchange based on EtherCAT.	755,50
CJ1W-PRT21	136031	Módulo Esclavo Profibus DP	894,50
CJ1W-PRM21	168022	Módulo Maestro Profibus DP	1 294,00
CJ1W-CORT21	172669	Módulo CAN Bus	1 037,00
CJ1W-DRM21	258836	Módulo Maestro/Esclavo DeviceNet	894,50
CJ1W-SRM21	258837	Módulo Maestro Compobus/S	473,70
CJ1W-CRM21	315606	Módulo Maestro de CompoNet	637,50
CP1W-SRT21	250196	Módulo Expansión Esclavo Compobus/S	299,60
CS1W-PRM21	168023	Módulo Maestro Profibus DP	1 470,00
CS1W-CORT21	270792	Módulo CAN Bus	1 147,00
CS1W-CRM21	296522	Módulo Maestro de Componet	692,50
CS1W-DRM21-V1	296523	Módulo Maestro /Esclavo DeviceNet	1 583,00
TJ1-ML16	223975	Trajexia - Módulo maestro Mechatrolink II - 16 ejes	3 620,00
TJ1-ML04	234751	Trajexia - Módulo maestro Mechatrolink II - 4 ejes	2 329,00
TJ1-CORT	239632	TrajeXia Módulo Can Open Master	912,00
CJ1W-B7A04	104292	Módulo B7A 64 Salidas	678,00
CJ1W-B7A14	136021	Módulo B7A 64 Entradas	678,00
CJ1W-B7A22	136022	Módulo B7A 32 Entradas / 32 Salidas	692,00
CS1W-SLK21	296508	Módulo Sysmac Link Cable Coaxial	2 669,00
CS1W-B7A02	679829	B7A Interface Unit	724,00
CS1W-B7A12	679828	B7A Interface Unit: 32 inputs	753,00
CJ1W-SCU21-V1	258830	Módulo 2 RS232	732,00
CJ1W-SCU41-V1	258831	Módulo 1 RS232 + 1 RS422/485	732,00
CJ1W-CLK23	258834	Módulo Controller Link cable par trenzado	894,50
CJ1W-SCU31-V1	258835	Módulo 2 RS422/485	785,50
CJ1W-SCU22	323397	Módulo 2 RS232 de alta velocidad	732,00
CJ1W-SCU32	323398	Módulo 2 RS422/485 de alta velocidad	785,50
CJ1W-SCU42	323399	Módulo 1 RS232 + 1 RS422/485 de alta velocidad	732,00
CPM2C-CIF11	297703	Módulo Expansión Adaptador RS232 + RS422/485	355,50
CPM2C-CIF21	297720	Módulo Expansión RS232 + RS422/485 Protocolo Control Temp.	541,00

OMRON PVPR 2023

CPM2C-CIF01-V1	297749	Módulo Expansión Adaptador Periféricos + RS232C	226,50
CP1W-CIF01	672569	Interface RS-232C para CP1	91,75
CP1W-CIF11	672570	Interface RS-422/485 para CP1	91,75
CP1W-CIF12-V1	688375	Tarjeta opcional de comunicación en serie CP1 RS422/485 (aislado de máx. 500	148,10
CP2W-CIFD1	689944	Tarjeta opcional para comunicaciones en serie CP2, 2 puertos RS-232	85,45
CP2W-CIFD2	689945	Tarjeta opcional para comunicaciones en serie CP2 1 puerto RS-232, 1 puerto RS	85,45
CP2W-CIFD3	689946	Tarjeta opcional para comunicaciones en serie CP2, 2 puertos RS-485	85,45
CS1W-SCB21-V1	296510	Tarjeta 2 RS232C	607,00
CS1W-SCB41-V1	296511	Tarjeta 1 RS232C + 1 RS422	840,00
CS1W-SCU21-V1	296512	Módulo 2 RS232C	1 245,00
CS1W-CLK13	296517	Unidad Controller Link, Fibra óptica, 2 x conectores HPCF	2 087,00
CS1W-SCU31-V1	296518	Módulo 2 RS422/485	1 303,00
CS1W-CLK23	296520	Módulo Controller Link Cable Par Trenzado	1 217,00
ZEN-CIF01	240969	Cable conexión ordenador	243,90
NX-CIF105	656497	Unidad NX - Unidad de comunicación serie 1xRS422A/485	471,90
NX-CIF101	656498	Unidad NX - Unidad de comunicación serie 1xRS232	471,90
NX-CIF210	656499	Unidad NX - Unidad de comunicación serie 2xRS232	551,00
NX1W-CIF11	672502	Módulo opcional NX1P - Comunicación serie RS422/485 (50m máx.), screwless	91,30
NX1W-CIF12	672503	Módulo opcional NX1P - Comunicación serie RS422/485 (aislado, 500m máx.), sc	172,30
NX1W-CIF01	672505	Módulo opcional NX1P - Comunicación serie RS232 (15m máx.), screwless	91,30
E3NW-DS	375782	Unidad dispersión para N-Smart	148,30
E3NW-ECT	375785	Unidad comunicaciones Ethercat para N-Smart	523,50
DRT1-COM	133630	Interface DeviceNet para módulos GT1	563,50
GRT1-DRT	211521	Unidad SmartSlice de Comunicaciones para DeviceNet	374,20
GRT1-PRT	230167	Unidad SmartSlice de Comunicaciones para Profibus	456,40
GRT1-ML2	239859	Unidad SmartSlice para Mechatrolink 2	524,00
GRT1-CRT	248724	Unidad SmartSlice de Comunicaciones para CompoNet	329,90
GRT1-PNT	258404	Unidad SmartSlice de Comunicaciones para ProfiNet	681,50
GRT1-ECT	350103	Unidad SmartSlice de Comuncaciones para EtherCAT	561,00
NX-ECC201	375658	Cabecera NX - EtherCAT, 250µs	312,90
NX-ECC202	380148	Cabecera NX - EtherCAT 10A Bus E/S, 250µs	312,90
E3NW-CCL	397060	Unidad comunicaciones CC-Link para N-Smart	523,50
E3NW-CRT	397061	Unidad comunicaciones Componet para N-Smart	523,50

OMRON PVPR 2023

NX-EIC202	399449	Unidad NX - EtherNet/IP 2 Puertos 10A Bus E/S	466,10
NX-ECC203	419154	Unidad NX - EtherCAT 10A Bus E/S, 125µs	312,90
NX-PNC202	701999	NX-series PROFINET Coupler, 2 ports, 63 I/O units, max I/O current 10 A, screwle	553,00
NX-ECC201	708619	Cabecera NX - EtherCAT, 250µs	312,90
NX-ECC202	708618	Cabecera NX - EtherCAT 10A Bus E/S, 250µs	312,90
NX-ECC203	708617	Unidad NX - EtherCAT 10A Bus E/S, 125µs	312,90
NX-EIC202	708616	Unidad NX - EtherNet/IP 2 Puertos 10A Bus E/S	466,10
SYS-SCU02-OEEI	186964	Serial converter, RS232-C - RS422A/RS485, 24 VDC. DIN-rail mount	301,90
NX-CSG320	684732	Gateway de seguridad para seguridad CIP, ranura para tarjetas SD, conexión iBu	1 694,00
CS1W-RPT01	163034	Repetidor Controller Link Cable <lt/>-<gt/> Cable	691,00
CS1W-RPT03	163570	Repetidor Controller Link Cable <lt/>-<gt/> Fibra Óptica	1 613,00
CRS1-RPT01	226092	Repetidor de Component	235,10
CS1W-LCB01	135568	Módulo control de Lazos 50 Bloques	3 272,00
CS1W-LCB05	135571	Módulo Control de Lazos 500 Bloques	5 290,00
CS1W-LCB05-GTC	228796	Módulo Control de Lazos 500 Bloques GTC	5 760,00
CJ1W-TC001	135989	Módulo Control Temperatura 4 lazos Termopar NPN	1 037,00
CJ1W-TC003	135990	Módulo Control Temperatura 2 Lazos Termopar NPN Rotura	908,00
CJ1W-TC103	135991	Módulo Control Temperatura 2 Lazos Pt100 NPN Rotura	908,00
CJ1W-TC104	135992	Módulo Control Temperatura 2 Lazos Pt100 PNP Rotura	908,00
CJ1W-TC002	142660	Módulo Control Temperatura 4 lazos Termopar PNP	1 037,00
CJ1W-TC102	143742	Módulo Control Temperatura 4 Lazos Pt100 PNP	1 037,00
CJ1W-TC101	151404	Módulo Control Temperatura 4 Lazos Pt100 NPN	1 037,00
CJ1W-TC004	155601	Módulo Control Temperatura 2 Lazos Termopar PNP Rotura	908,00
NX-TC2405	680545	2 lazos, entrada Pt100/termopar, 2 salidas digitales PNP 24 Vcc, 21 mA/punto, c	501,50
NX-TC2407	680542	2 lazos, entrada Pt100/termopar, 4 salidas digitales PNP 24 Vcc, 21 mA/punto, c	472,00
NX-TC2408	680541	2 lazos, entrada Pt100/termopar, 2 salidas analógicas, 4 - 20 mA, resolución 1:10	537,00
NX-TC3406	680544	4 lazos, entrada Pt100/termopar, 4 salidas digitales PNP 24 Vcc, 21 mA/punto, c	716,00
NX-TC2406	680937	2 lazos, entrada Pt100/termopar, 2 salidas digitales PNP 24 Vcc, 21 mA/punto, c	459,30
NX-TC3405	680543	4 lazos, entrada Pt100/termopar, 4 salidas digitales PNP 24 Vcc, 21 mA/punto, c	799,00
NX-TC3408	680936	4 lazos, entrada de termopar/Pt100, 4 salidas analógicas, 4 - 20 mA, resolución 1	690,00
NX-TC3407	680935	4 lazos, entrada Pt100/termopar, 8 salidas digitales PNP 24 V CC, 21 mA/punto,	733,50
CPM2C-10CDT1C-D	297695	CPU 6/4 E/S Salidas PNP	499,80
CPM2C-20CDT1C-D	297696	CPU 12/8 E/S Salidas PNP	687,00

OMRON PVPR 2023

CPM2C-10C1DTC-D	297697	CPU 6/4 E/S Salidas NPN Reloj	588,00
CPM2C-10C1DT1C-D	297698	CPU 6/4 E/S Salidas PNP Reloj	588,00
CPM2C-20C1DT1C-D	297699	CPU 12/8 E/S Salidas PNP Reloj	806,00
CPM2C-10C1DR-D	297700	CPU 6/4 E/S Salidas relé Reloj	629,00
CPM2C-20C1DR-D	297704	CPU 12/8 E/S Salidas relé Reloj	866,00
CPM2C-32CDT1C-D	297705	CPU 16/16 E/S Salidas PNP	897,50
CPM2C-32CDT1M-D	297706	CPU 16/16 E/S Salidas PNP MIL	897,50
CPM2C-10CDT1M-D	297709	CPU 6/4 E/S Salidas PNP MIL	499,80
CPM2C-10C1DT1M-D	297711	CPU 6/4 E/S Salidas PNP Reloj MIL	588,00
CPM2C-20CDT1M-D	297712	CPU 12/8 E/S Salidas PNP MIL	703,00
CPM2C-20C1DT1M-D	297714	CPU 12/8 E/S Salidas PNP Reloj MIL	806,00
CPM2C-10CDTC-D	297725	CPU 6/4 E/S Salidas NPN	499,80
CPM2C-20CDTC-D	297726	CPU 12/8 E/S Salidas NPN	703,00
CPM2C-10CDR-D	297727	CPU 6/4 E/S Salidas relé	541,00
CPM2C-20C1DTC-D	297728	CPU 12/8 E/S Salidas NPN Reloj	806,00
CPM2C-20CDR-D	297738	CPU 12/8 E/S Salidas relé	735,00
CPM2C-32CDTC-D	297739	CPU 16/16 E/S Salidas NPN	897,50
CPM2C-32CDTM-D	297740	CPU 16/16 E/S Salidas NPN MIL	897,50
CPM2C-10CDTM-D	297744	CPU 6/4 E/S Salidas NPN MIL	499,80
CPM2C-20CDTM-D	297745	CPU 12/8 E/S Salidas NPN MIL	703,00
CP1H-XA40DR-A	209397	CPU 24/16 E/S AC Salidas relé 4EA 2SA	2 021,00
CP1H-XA40DT-D	209398	CPU 24/16 E/S DC Salidas NPN 4EA 2SA	2 021,00
CP1H-XA40DT1-D	209399	CPU 24/16 E/S DC Salidas PNP 4EA 2SA	2 021,00
CP1H-X40DR-A	209400	CPU 24/16 E/S AC Salidas relé	1 423,00
CP1H-X40DT-D	209401	CPU 24/16 E/S DC Salidas NPN	1 423,00
CP1H-X40DT1-D	209402	CPU 24/16 E/S DC Salidas PNP	1 423,00
CP1H-Y20DT-D	227443	CPU 12/8 E/S Salidas NPN Controladores 1 MHz	1 736,00
CP1E-N20DR-A	279799	CPU 12/8 E/S AC Salidas Relé 8K Programa 8K Datos	476,30
CP1E-N30DR-A	279800	CPU 18/12 E/S AC Salidas Relé 8K Programa 8K Datos	587,00
CP1E-N40DR-A	279801	CPU 24/16 E/S AC Salidas Relé 8K Programa 8K Datos	706,00
CP1E-E30DR-A	279803	CPU 18/12 E/S AC Salidas Relé 2K Programa 2K Datos	491,70
CP1E-E40DR-A	279804	CPU 24/16 E/S AC Salidas Relé 2K Programa 2K Datos	572,00
CP1E-N40DT1-A	298936	CPU 24/16 E/S AC Salidas Transistor PNP 8K Programa 8K Datos	706,00

OMRON PVPR 2023

CP1E-N20DT1-D	298937	CPU 12/8 E/S DC Salidas Transistor PNP 8K Programa 8K Datos	476,30
CP1E-N30DT1-D	298938	CPU 18/12 E/S DC Salidas Transistor PNP 8K Programa 8K Datos	587,00
CP1E-N40DT1-D	298939	CPU 24/16 E/S DC Salidas Transistor PNP 8K Programa 8K Datos	706,00
CP1E-N20DR-D	298943	CPU 12/8 E/S DC Salidas Relé 8K Programa 8K Datos	476,30
CP1E-N30DR-D	298945	CPU 18/12 E/S DC Salidas Relé 8K Programa 8K Datos	587,00
CP1E-N40DR-D	298947	CPU 24/16 E/S DC Salidas Relé 8K Programa 8K Datos	706,00
CP1E-NA20DR-A	328738	CPU 12/8 E/S AC Salidas Relé 2/1 E/S Analógicas	969,50
CP1E-NA20DT-D	328739	CPU 12/8 E/S DC Salidas NPN 2/1 E/S Analógicas	969,50
CP1E-NA20DT1-D	328740	CPU 12/8 E/S DC Salidas PNP 2/1 E/S Analógicas	969,50
CP1E-E10DR-A	333280	CPU 6/4 E/S AC Salidas Relé 2K Programa 2K Datos	257,90
CP1E-E10DT-A	333281	CPU 6/4 E/S AC Salidas Transistor NPN 2K Programa 2K Datos	257,90
CP1E-E10DT1-A	333282	CPU 6/4 E/S AC Salidas Transistor PNP 2K Programa 2K Datos	257,90
CP1E-E10DR-D	333283	CPU 6/4 E/S CC Salidas Relé 2K Programa 2K Datos	257,90
CP1E-E10DT-D	333284	CPU 6/4 E/S CC Salidas Transistor NPN 2K Programa 2K Datos	257,90
CP1E-E10DT1-D	333285	CPU 6/4 E/S CC Salidas Transistor PNP 2K Programa 2K Datos	257,90
CP1E-N14DT-D	333291	CPU 8/6 E/S CC Salidas Transistor NPN 8K Programa 8K Datos	388,90
CP1E-N14DT1-D	333292	CPU 8/6 E/S CC Salidas Transistor PNP 8K Programa 8K Datos	388,90
CP1E-N60DR-A	333293	CPU 36/24 E/S AC Salidas Relé 8K Programa 8K Datos	969,50
CP1E-N60DR-D	333296	CPU 36/24 E/S CC Salidas Relé 8K Programa 8K Datos	969,50
CP1E-N60DT1-D	333298	CPU 36/24 E/S CC Salidas Transistor PNP 8K Programa 8K Datos	969,50
CP1E-E30SDR-A	377330	CPU S 18/12 E/S AC Salidas Relé 2K + 2K	476,30
CP1E-N30S1DR-A	377333	CPU S1 18/12 E/S AC Salidas Relé RS-232c + RS-485 8K + 8K	587,00
CP1E-N30S1DT-D	377334	CPU S1 18/12 E/S DC Salidas NPN RS-232c + RS-485 8K + 8K	587,00
CP1E-N30S1DT1-D	377335	CPU S1 18/12 E/S DC Salidas PNP RS-232c + RS-485 8K + 8K	587,00
CP1E-N40S1DT1-D	377337	CPU S1 24/16 E/S DC Salidas PNP RS-232c + RS-485 8K + 8K	706,00
CP1E-N60S1DR-A	377338	CPU S1 36/24 E/S AC Salidas Relé RS-232c + RS-485 8K + 8K	892,50
CP1E-N60S1DT1-D	377340	CPU S1 36/24 E/S DC Salidas PNP RS-232c + RS-485 8K + 8K	892,50
CP1L-EL20DT-D	667986	CPU Ethernet - 12/8 E/S DC Salidas NPN	556,50
CP1L-EM40DR-D	667987	CPU Ethernet - 24/16 E/S DC Salidas relé	801,50
CP1L-EM30DT-D	667988	CPU Ethernet - 18/12 E/S DC Salidas NPN	682,00
CP1L-EM40DT-D	667989	CPU Ethernet - 24/16 E/S DC Salidas NPN	801,50
CP1L-EM30DT1-D	667990	CPU Ethernet - 18/12 E/S DC Salidas PNP	682,00
CP1L-EM40DT1-D	667991	CPU Ethernet - 24/16 E/S DC Salidas PNP	801,50

OMRON PVPR 2023

CP1L-EM30DR-D	667992	CPU Ethernet - 18/12 E/S DC Salidas relé	682,00
CP1L-EL20DR-D	667993	CPU Ethernet - 12/8 E/S DC Salidas relé	556,50
CP1L-EL20DT1-D	667994	CPU Ethernet - 12/8 E/S DC Salidas PNP	556,50
CP1L-J20DR-D	668691	CPU 12/8 E/S DC Salidas Relé Básico	406,80
CP1L-L10DT-D	668680	CPU 6/4 E/S DC Salidas NPN	292,10
CP1L-L10DT1-D	668671	CPU 6/4 E/S DC Salidas PNP	292,10
CP1L-L10DR-D	668679	CPU 6/4 E/S DC Salidas relé	292,10
CP1L-L14DR-A	668670	CPU 8/6 E/S AC Salidas relé	433,40
CP1L-L14DT1-D	668660	CPU 8/6 E/S DC Salidas PNP	433,40
CP1L-J14DT1-D	668677	CPU 8/6 E/S DC Salidas PNP Básico	318,80
CP1L-M30DR-D	668668	CPU 18/12 E/S DC Salidas relé	682,00
CP1L-M40DT1-D	668678	CPU 24/16 E/S DC Salidas PNP	801,50
CP1L-L14DT-A	668684	CPU 8/6 E/S AC Salidas NPN	433,40
CP1L-J14DR-D	668687	CPU 8/6 E/S DC Salidas Relé Básico	318,80
CP1L-M30DR-A	668695	CPU 18/12 E/S AC Salidas relé	682,00
CP1L-L14DR-D	668663	CPU 8/6 E/S DC Salidas relé	433,40
CP1L-M40DR-D	668689	CPU 24/16 E/S DC Salidas relé	801,50
CP1L-M40DT-D	668674	CPU 24/16 E/S DC Salidas NPN	801,50
CP1L-L20DT1-D	668690	CPU 12/8 E/S DC Salidas PNP	556,50
CP1L-L20DT-A	668675	CPU 12/8 E/S AC Salidas NPN	556,50
CP1L-M60DR-A	668661	CPU 36/24 E/S AC Salidas relé	1 002,00
CP1L-M60DR-D	668676	CPU 36/24 E/S DC Salidas relé	1 002,00
CP1L-L14DT-D	668666	CPU 8/6 E/S DC Salidas NPN	433,40
CP1L-M30DT1-D	668688	CPU 18/12 E/S DC Salidas PNP	682,00
CP1L-M30DT-A	668683	CPU 18/12 E/S AC Salidas NPN	682,00
CP1L-J20DR-A	668667	CPU 12/8 E/S AC Salidas Relé Básico	406,80
CP1L-M30DT-D	668662	CPU 18/12 E/S DC Salidas NPN	682,00
CP1L-J14DR-A	668664	CPU 8/6 E/S AC Salidas Relé Básico	318,80
CP1L-M40DT-A	668685	CPU 24/16 E/S AC Salidas NPN	801,50
CP1L-M60DT-A	668669	CPU 36/24 E/S AC Salidas NPN	1 002,00
CP1L-M60DT1-D	668665	CPU 36/24 E/S DC Salidas PNP	1 002,00
CP1L-M40DR-A	668686	CPU 24/16 E/S AC Salidas relé	801,50
CP1L-L20DR-D	668692	CPU 12/8 E/S DC Salidas relé	556,50

OMRON PVPR 2023

CP1L-M60DT-D	668672	CPU 36/24 E/S DC Salidas NPN	1 002,00
CP1L-J20DT1-D	668693	CPU 12/8 E/S DC Salidas PNP Básico	406,80
CP1L-L20DR-A	668673	CPU 12/8 E/S AC Salidas relé	556,50
CP1L-L20DT-D	668694	CPU 12/8 E/S DC Salidas NPN	556,50
CP1L-L10DR-A	668681	CPU 6/4 E/S AC Salidas relé	292,10
CP1L-L10DT-A	668682	CPU 6/4 E/S AC Salidas NPN	292,10
CP2E-N14DR-A	689981	PLC tipo red compacto de la serie CP2E, 8 entradas, 6 salidas digitales; salida a relé	429,00
CP2E-N20DR-A	689980	PLC tipo red compacto de la serie CP2E, 12 entradas, 8 salidas digitales; salida a relé	495,30
CP2E-N30DR-A	689979	PLC tipo red compacto de la serie CP2E, 18 entradas, 12 salidas digitales; salida a relé	598,00
CP2E-N40DR-A	689978	PLC tipo red compacto de la serie CP2E, 24 entradas, 16 salidas digitales; salida a relé	745,00
CP2E-N60DR-A	689977	PLC tipo red compacto de la serie CP2E, 36 entradas digitales, 220 salidas digitales; salida a relé	946,00
CP2E-N14DR-D	689976	PLC tipo red compacto de la serie CP2E, 8 entradas digitales, 6 salidas digitales; salida a relé	429,00
CP2E-N20DR-D	689975	PLC tipo red compacto de la serie CP2E, 12 entradas, 8 salidas digitales; salida a relé	495,30
CP2E-N30DR-D	689974	PLC tipo red compacto de la serie CP2E, 18 entradas, 12 salidas digitales; salida a relé	598,00
CP2E-N40DR-D	689973	PLC tipo red compacto de la serie CP2E, 24 entradas, 16 salidas digitales; salida a relé	745,00
CP2E-N60DR-D	689972	PLC tipo red compacto de la serie CP2E, 36 entradas, 24 salidas digitales; salida a relé	946,00
CP2E-N14DT-A	689971	CP2E series compact PLC - Network type; 8 DI, 6DO; NPN output; Power supply 24VDC	429,00
CP2E-N20DT-A	689970	CP2E series compact PLC - Network type; 12 DI, 8DO; NPN output; Power supply 24VDC	495,30
CP2E-N30DT-A	689917	CP2E series compact PLC - Network type; 18 DI, 12DO; NPN output; Power supply 24VDC	598,00
CP2E-N40DT-A	689919	CP2E series compact PLC - Network type; 24 DI, 16 DO; NPN output; Power supply 24VDC	745,00
CP2E-N60DT-A	689918	CP2E series compact PLC - Network type; 36 DI, 24DO; NPN output; Power supply 24VDC	946,00
CP2E-N14DT-D	689920	PLC compacto de la serie CP2E - Tipo de red; 8 DI, 6DO; salida NPN; fuente de alimentación 24VDC	429,00
CP2E-N20DT-D	689921	CP2E series compact PLC - Network type; 12 DI, 8DO; NPN output; Power supply 24VDC	495,30
CP2E-N30DT-D	689922	PLC tipo red compacto de la serie CP2E, 18 entradas, 12 salidas digitales; salida a relé	598,00
CP2E-N40DT-D	689923	PLC tipo red compacto de la serie CP2E, 24 entradas, 16 salidas digitales; salida a relé	745,00
CP2E-N60DT-D	689924	PLC tipo red compacto de la serie CP2E, 36 entradas digitales, 24 salidas digitales; salida a relé	946,00
CP2E-N14DT1-D	689925	PLC tipo red compacto de la serie CP2E, 8 entradas, 6 salidas digitales; salida PNP	429,00
CP2E-N20DT1-D	689926	PLC tipo red compacto de la serie CP2E, 12 entradas, 8 salidas digitales; salida PNP	495,30
CP2E-N30DT1-D	689927	PLC tipo red compacto de la serie CP2E, 18 entradas, 12 salidas digitales; salida PNP	598,00
CP2E-N40DT1-D	689928	PLC tipo red compacto de la serie CP2E, 24 entradas, 16 salidas digitales; salida PNP	745,00
CP2E-N60DT1-D	689929	PLC tipo red compacto de la serie CP2E, 36 entradas, 24 salidas digitales; salida PNP	946,00
CP2E-S30DR-A	689930	PLC tipo estándar compacto de la serie CP2E, 18 entradas, 12 salidas digitales; salida a relé	495,30
CP2E-S40DR-A	689931	PLC tipo estándar compacto de la serie CP2E, 24 entradas, 16 salidas digitales; salida a relé	598,00

OMRON PVPR 2023

CP2E-S60DR-A	689932	PLC tipo estándar compacto de la serie CP2E, 36 entradas, 24 salidas digitales; sa	745,00
CP2E-S30DT-D	689933	PLC tipo estándar compacto de la serie CP2E, 18 entradas, 12 salidas digitales; sa	495,30
CP2E-S40DT-D	689934	CP2E series compact PLC - Standard Type; 24 DI, 16 DO; NPN output; Power sup	598,00
CP2E-S60DT-D	689935	PLC tipo estándar compacto de la serie CP2E, 36 entradas, 24 salidas digitales; sa	745,00
CP2E-S30DT1-D	689936	PLC tipo estándar compacto de la serie CP2E, 18 entradas, 12 salidas digitales; sa	495,30
CP2E-S40DT1-D	689937	PLC tipo estándar compacto de la serie CP2E, 24 entradas, 16 salidas digitales; sa	598,00
CP2E-S60DT1-D	689938	PLC tipo estándar compacto de la serie CP2E, 36 entradas, 24 salidas digitales; sa	745,00
CP2E-E14DR-A	689939	PLC tipo Essential compacto de la serie CP2E, 8 entradas, 6 salidas digitales; salid	294,00
CP2E-E20DR-A	689940	PLC tipo Essential compacto de la serie CP2E, 12 entradas, 8 salidas digitales; sal	315,30
CP2E-E30DR-A	689941	PLC tipo Essential compacto de la serie CP2E, 18 entradas, 12 salidas digitales; sa	429,00
CP2E-E40DR-A	689942	PLC tipo Essential compacto de la serie CP2E, 24 entradas, 16 salidas digitales; sa	495,30
CP2E-E60DR-A	689943	PLC tipo Essential compacto de la serie CP2E, 36 entradas digitales, 24 salidas di	598,00
NX1P2-9024DT1	672498	NX1P Machine Controller, 14/10 E/S Transistor (PNP), 4 ejes PTP	1 028,00
NX1P2-1040DT	672500	NX1P Machine Controller, 24/16 E/S Transistor (NPN), 2 ejes sincronizados + 4 e	1 542,00
NX1P2-1140DT1	672501	NX1P Machine Controller, 24/16 E/S Transistor (PNP), 4 ejes sincronizados + 4 ej	2 055,00
NX1P2-1040DT1	672504	NX1P Machine Controller, 24/16 E/S Transistor (PNP), 2 ejes sincronizados + 4 ej	1 542,00
NX1P2-9024DT	672509	NX1P Machine Controller, 14/10 E/S Transistor (NPN), 4 ejes PTP	1 028,00
NX1P2-1140DT	672510	NX1P Machine Controller, 24/16 E/S Transistor (NPN), 4 ejes sincronizados + 4 ej	2 055,00
NX1P2-9B24DT	689915	CPU Sysmac NX1P con 24 E/S de transistor digitales (NPN), 1 MB de memoria, Et	691,50
NX1P2-9B24DT1	689914	CPU Sysmac NX1P con 24 E/S de transistor digitales (PNP), 1 MB de memoria, Et	691,50
NX1P2-9B40DT	689913	CPU Sysmac NX1P con 40 E/S de transistor digitales (NPN), 1 MB de memoria, Et	873,50
NX1P2-9B40DT1	689912	CPU Sysmac NX1P con 40 E/S de transistor digitales (PNP), 1 MB de memoria, Et	873,50
CJ1G-CPU42P	177120	CPU 960 E/S 10 Kpasos 64 KW Datos 50 Bloques Procesos	4 311,00
CJ1G-CPU43P	177121	CPU 960 E/S 20 Kpasos 64 KW Datos 300 Bloques Procesos	5 645,00
CJ1G-CPU44P	177122	CPU con funciones de control de lazo, programa de 30 000 pasos, memoria de d	4 244,00
CJ1G-CPU45P	177123	CPU 1280 E/S 60 Kpasos 128 KW Datos 300 Bloques Procesos	7 400,00
CJ1G-CPU45P-GTC	228795	CPU 1280 E/S 60K pasos 128 KW Datos 300 Bloques Procesos GTC	9 415,00
CJ2H-CPU64-EIP	249799	CPU 2560 E/S 50 Kpasos 160 Kw Datos Ethernet/IP	2 734,00
CJ2H-CPU65-EIP	249800	CPU 2560 E/S 100 Kpasos 160 Kw Datos Ethernet/IP	3 202,00
CJ2H-CPU66-EIP	249801	CPU 2560 E/S 150 Kpasos 352 Kw Datos Ethernet/IP	4 237,00
CJ2H-CPU67-EIP	249802	CPU 2560 E/S 250 Kpasos 512 Kw Datos Ethernet/IP	5 600,00
CJ2H-CPU68-EIP	249803	CPU 2560 E/S 400 Kpasos 832 Kw Datos Ethernet/IP	6 985,00
CJ2H-CPU64	268696	CPU 2560 E/S 50 Kpasos 160 Kw Datos	2 284,00

OMRON PVPR 2023

CJ2H-CPU65	268697	CPU 2560 E/S 100 Kpasos 160 Kw Datos	2 734,00
CJ2H-CPU66	268698	CPU 2560 E/S 150 Kpasos 352 Kw Datos	3 797,00
CJ2H-CPU67	268699	CPU 2560 E/S 250 Kpasos 512 Kw Datos	5 155,00
CJ2H-CPU68	268700	CPU 2560 E/S 400 Kpasos 832 Kw Datos	6 525,00
CJ2M-CPU11	392391	CPU RS232C 5K pasos	623,00
CJ2M-CPU12	392392	CPU RS232C 10K pasos	894,50
CJ2M-CPU13	392393	CPU RS232C 20K pasos	1 254,00
CJ2M-CPU14	392394	CPU RS232C 30K pasos	1 722,00
CJ2M-CPU15	392395	CPU RS232C 60K pasos	2 243,00
CJ2M-CPU31	392396	CPU Ethernet 5K pasos	1 159,00
CJ2M-CPU32	392397	CPU Ethernet 10K pasos	1 437,00
CJ2M-CPU33	392398	CPU Ethernet 20K pasos	1 789,00
CJ2M-CPU34	392399	CPU Ethernet 30K pasos	2 243,00
CJ2M-CPU35	392400	CPU Ethernet 60K pasos	2 748,00
CS1D-CPU65P	105727	CS1D-CPU65H plus CS1D-LCB05D Loop Control Board	11 790,00
CS1G-CPU42H	135641	CPU 960 E/S 10KW 64KW Datos	1 680,00
CS1G-CPU44H	135642	CPU 1280 E/S 30KW 64KW Datos RS232C	2 307,00
CS1H-CPU63H	135643	CPU 5120 E/S 20KW 64KW Datos RS232C	2 515,00
CS1H-CPU65H	135644	CPU 5120 E/S 60KW 128KW Datos RS232C	3 537,00
CS1H-CPU67H	135645	CPU 5120 E/S 250KW 448KW Datos RS232C	8 050,00
CS1D-CPU67H	135745	CPU Dúplex 5120 E/S 250 KW Programa 448 KW Datos	11 160,00
CS1H-CPU66H	144821	CPU 5120 E/S 120KW 256KW Datos RS232C	4 780,00
CS1G-CPU43H	147099	CPU 960 E/S 20KW 64KW Datos RS232C	1 847,00
CS1G-CPU45H	153562	CPU 5120 E/S 60KW 128KW Datos RS232C	2 908,00
CS1H-CPU64H	153563	CPU 5120 E/S 30KW 64KW Datos RS232C	3 117,00
CS1D-CPU65H	155442	CPU Dúplex 5120 E/S 60KW Programa 128KW Datos	5 590,00
CS1D-CPU68HA	686278	CPU for duplex system, 400K steps program, 800K words data memory, 7 duplex	10 700,00
CS1D-CPU67HA	686277	CPU for duplex system, 250K steps program, 448K words data memory, 7 duplex	9 815,00
CS1D-CPU67SA	686276	Duplex CPU, 250K steps program / 448K words data memory. FB and ST program	7 830,00
CS1D-CPU44SA	686275	Duplex CPU, 30K steps program / 64K words data memory. FB and ST program	3 388,00
NJ501-1300	355309	NJ501 Machine Controller 16 Ejes	5 590,00
NJ501-1400	355310	NJ501 Machine Controller 32 Ejes	6 950,00
NJ501-1500	355311	NJ501 Machine Controller 64 Ejes	8 330,00

OMRON PVPR 2023

NJ301-1100	363842	NJ301 Machine Controller 4 Ejes	3 556,00
NJ301-1200	363924	NJ301 Machine Controller 8 Ejes	4 207,00
NJ501-4300	368567	NJ501 Machine Controller + Robotics 16 Ejes	6 260,00
NJ501-4400	368568	NJ501 Machine Controller + Robotics 32 Ejes	7 620,00
NJ501-4500	368569	NJ501 Machine Controller + Robotics 64 Ejes	8 975,00
NJ501-4310	374968	NJ501 Machine Controller + 1 Robot - 16 Ejes	6 000,00
NJ501-1320	375708	NJ501 Machine Controller + Cliente SQL 16 Ejes	6 260,00
NJ501-1420	375709	NJ501 Machine Controller + Cliente SQL 32 Ejes	7 620,00
NJ501-1520	375710	NJ501 Machine Controller + Cliente SQL 64 Ejes	8 975,00
NJ501-4320	392998	NJ501 Machine Controller + Robotics + Cliente SQL 16 Ejes	6 920,00
NJ501-1340	401630	Sysmac NJ5 CPU with SECS/GEM communication, 20MB memory, built-in EtherCAT	14 100,00
NJ101-1000	413717	NJ101 Machine Controller 2 Ejes	2 646,00
NJ101-9000	413718	NJ101 Machine Controller 0 Ejes	2 256,00
NJ101-9020	668371	NJ101 Machine Controller + Cliente SQL 0 Ejes	3 256,00
NJ101-1020	668370	NJ101 Machine Controller + Cliente SQL 2 Ejes	3 648,00
NJ501-5300	679768	NJ501 Machine Controller + CNC	8 505,00
NJ501-R300	695880	Controlador con Robótica Integrada NJ5: 8 robots y 16 servoejes	7 780,00
NJ501-R400	695879	Controlador con Robótica Integrada NJ5: 8 robots y 32 servoejes	8 975,00
NJ501-R500	695878	Controlador con Robótica Integrada NJ5: 8 robots y 64 servoejes	10 170,00
NJ501-R320	699956	Robotic Integrated Controller NJ5: 8 robots and 16 servo axes, SQL client	8 380,00
NJ501-R420	699957	Robotic Integrated Controller NJ5: 8 robots and 32 servo axes, SQL client	9 575,00
NJ501-R520	699958	Controlador robótico integrado NJ5: 8 robots y 64 servoejes, cliente SQL	10 770,00
NJ501-5300-1	702310	Sysmac NJ5 CNC CPU, 20MB memory, built-in EtherCAT (16 servo axes, in total 1	6 830,00
NX701-1600	418668	NX7 Machine Controller 128 Ejes	9 530,00
NX701-1700	418669	NX7 Machine Controller 256 Ejes	10 860,00
NX701-1620	680732	NX7 Machine Controller (SQL), 80 MB de memoria, EtherCAT (128 ejes, 512 nod	10 290,00
NX701-1720	680733	Sysmac CPU NX7 con conectividad a bases de datos, 80 MB de memoria, puerto	11 630,00
NX102-9000	682579	NX102 Machine controller, modular, 5 MB de programa y 33,5 MB de memoria	1 984,00
NX102-1000	682580	NX102 Machine controller, modular, 5 MB de programa y 33,5 MB de memoria	2 643,00
NX102-1100	682581	NX102 Machine controller, modular, 5 MB de programa y 33,5 MB de memoria	3 303,00
NX102-1200	682578	NX102 Machine controller, modular, 5 MB de programa y 33,5 MB de memoria	4 491,00
NX102-9020	683382	CPU modular Sysmac NX1 con conectividad a bases de datos, 5 MB de programa	2 774,00
NX102-1020	683383	CPU modular Sysmac NX1 con conectividad a bases de datos, 5 MB de programa	3 435,00

OMRON PVPR 2023

NX102-1120	683381	CPU modular Sysmac NX1 con conectividad a bases de datos, 5 MB de programa	4 095,00
NX102-1220	683384	CPU modular Sysmac NX1 con conectividad a bases de datos, 5 MB de programa	5 285,00
NX701-Z600	685577	Sysmac NX7 AI Controller, 80 MB de memoria, EtherCAT (128 ejes, 512 nodos Et	13 230,00
NX701-Z700	685578	Sysmac NX7 AI Controller, 80 MB de memoria, EtherCAT (256 ejes, 512 nodos Et	13 600,00
NX701-1620-DH	703204	Sysmac NX7 CPU with Time Series Data Collection, 80MB memory, built-in Ether	12 360,00
NX701-1720-DH	703205	Sysmac NX7 CPU with Time Series Data Collection, 80MB memory, built-in Ether	13 950,00
NX102-9020-DH	703206	Sysmac NX1 Modular CPU with Time Series Data Collection, 5MB program and 3	3 330,00
NX102-1020-DH	703207	Sysmac NX1 Modular CPU with Time Series Data Collection, 5MB program and 3	4 121,00
NX102-1120-DH	703208	Sysmac NX1 Modular CPU with Time Series Data Collection, 5MB program and 3	4 913,00
NX102-1220-DH	703209	Sysmac NX1 Modular CPU with Time Series Data Collection, 5MB program and 3	6 345,00
VMK-U-MP26A01R001	392415	Motion Control MP2600iec Yaskawa	4 488,00
PBL8-AE0077-1100BB00	700922	POWER BRICK LV DRIVE, 8 AXIS AMP, 1020 ARM CPU, 2GB RAM, 4GB FLASH, AX	10 110,00
TJ1-MC16	223974	Trajexia - Unidad Motion Control - 16 ejes	5 070,00
TJ1-MC04	234750	TrajeXia - Unidad Motion Control - 4 ejes	3 177,00
CK3M-CPU100	682495	CPU CK3M, 1 GB de RAM, 1 GB de memoria extraíble, sin ECAT, se pueden cone	2 343,00
CK3M-CPU101	684965	CPU CK3M, 1 GB de RAM, 1 GB de Flash, sin EtherCAT. Se pueden conectar hasta	2 343,00
CK3M-CPU111	684964	CPU CK3M, 1 GB de RAM, 1 GB de Flash, 4 ejes EtherCAT. Se pueden conectar ha	4 050,00
CK3M-CPU121	684963	CPU CK3M, 1 GB de RAM, 1 GB de memoria extraíble, 8 ejes EtherCAT, se puede	5 475,00
CK3E-1210	700996	Serie CK3E, controlador de movimiento multi-eje uPower PMAC, 8 ejes	4 534,00
CK3E-1310	700995	Serie CK3E, controlador de movimiento multi-eje uPower PMAC, 16 ejes	5 965,00
CK3E-1410	700994	Serie CK3E, controlador de movimiento multi-eje uPower PMAC, 32 ejes	7 920,00
AF8-0-C3-1100-010000	677049	ADV500U 8 Axes 80 MHz, 1Mx24SRAM, 4 MB Flash	6 920,00
3-4020H0-2200-B00000	677183	UMAC_PWR_PMAC_CPU	5 180,00
3-3766F3-2415-R00000	680845	UMAC_TURBO_CPU_Opt5F3_Opt2B_Opt16A_Opt8A 240 MHz, 512Kx24SRAM, D	6 760,00
3-3437A-00-A000-B100	694377	UMAC_ACC_5E Black	720,00
3-3494A-00-0000-B200	694386	UMAC_ACC_59E Black	1 073,00
3-3576A-00-0000-B200	694390	UMAC_ACC_66E Black	692,50
3-3577A-00-0000-B200	694392	UMAC_ACC_67E Black	692,50
3-3766C0-2014-B00000	694394	UMAC Turbo CPU 80 MHz	2 926,00
3-3766C0-2015-B00000	694395	UMAC_TURBO_CPU_Opt5C0_Opt2B, 80 MHz-128Kx24 SRAM, DPRAM 32K x 16k	3 302,00
3-3766C0-2214-B00000	694396	UMAC_TURBO_CPU Black_Opt5C0_Opt16A,80 Mhz,32Kx24 SRAM battery-backe	2 688,00
3-3766C0-2215-B00000	694397	UMAC_TURBO_CPU_Opt5C0_Opt16A_Opt2B 80 MHz, 32Kx24 SRAM battery-ba	3 011,00
3-3766C0-2216-B00000	694398	UMAC_TURBO_CPU_Opt5C0_Opt16A_Opt15 Black	3 310,00

OMRON PVPR 2023

3-3766C3-2014-B00000	694399	UMAC_TURBO_CPU_Opt5C3	4 155,00
3-3766E0-2015-B00000	703180	UMAC_TURBO_CPU_OptE0_Opt2B, 160 MHz-128Kx24 SRAM, DPRAM 32K x 16K	4 815,00
3-3766E3-2015-B00000	695357	UMAC Turbo CPU 160 MHz Dual Port RAM	5 765,00
3-3766F0-2015-B00000	694144	UMAC_TURBO_CPU_Opt5C0_Opt2B, 240 MHz-128Kx24 SRAM, DPRAM 32K x 16K	4 756,00
3-3766F3-2014-B00000	694400	UMAC Turbo CPU 240 MHz	5 995,00
3-3766F3-2015-B00000	694401	UMAC_TURBO_CPU_Opt5F3_Opt2B_OptR0	6 375,00
3-3766F3-2215-B10000	695268	UMAC Turbo CPU 240 MHz	6 610,00
4-3871C0-2004-000000	694444	PMAC2_TURBO_CLIPPER_Opt5C0	1 443,00
4-3871C0-2004-010000	694445	PMAC2_TURBO_CLIPPER_Opt5C0_Opt12	1 557,00
4-3871C0-2004-510000	694446	PMAC2_TURBO_CLIPPER_Opt5C0_OptC4_Opt.12	1 769,00
4-3871C0-2006-000000	694451	PMAC2_TURBO_CLIPPER_Opt5C0_Opt15F	1 600,00
4-3871C0-2006-010000	694452	PMAC2_TURBO_CLIPPER_Opt5C0_Opt15F_Opt12	1 716,00
4-3871C0-2007-010000	694454	Clipper Controller (Turbo PMAC2-Eth-Lite) Base Opt-C0 (80 MHz DSP56303 CPU)	2 008,00
4-3871C3-2004-510000	694455	PMAC2_TURBO_CLIPPER_Opt5C3_OptEX_OptC3_Opt12, 80 MHz, 512Kx24 SRAM	2 555,00
4-3871C3-2005-510000	694456	PMAC2_TURBO_CLIPPER_Opt5C3_Opt2_OptEX_OptC3_Opt12 80 MHz, 512Kx24	3 288,00
4-3871F3-2005-510000	694459	PMAC2_TURBO_CLIPPER_Opt5F3_Opt2_OptEX_OptC3_Opt12, 240 MHz, 512Kx	3 896,00
4-4050JD0-000-000000	694460	Power PMAC Clipper Duale-Core Power'465, 1 GHz 2 GB RAM & 1 GB Flash	2 421,00
3-4050000-000-010000	694483	ACC-24S3 Power Clipper 4 Axes	1 054,00
GBD8-C0-442-10000000	694509	Geo Brick LV 8 Axes PMAC, 80 MHz, 256 kB, 1 MB Flash, 5/15 A	5 430,00
GBL4-C0-500-00000000	694512	Geo Brick 4 Axes PMAC, 80 MHz, 8 kB int, 256 kB SRAM, 1 MB Flash	4 700,00
GBL4-C0-500-00E00000	694514	GEO BRICK DRIVE, 80 MHz, 4 Axes 8KX24 INT, 256X24 SRAM, 1 MB FLASH, 5 A C	4 616,00
3-3625C0-2015-A00000	694562	CUMAC_TURBO_Opt5C0_Opt2	3 624,00
3-3625E0-2015-A00000	694563	Compact - UMAC Turbo CPU Board 160 MHz	4 668,00
3-3625E0-2215-A00000	694564	CUMAC_TURBO_Opt5E0_Opt2_Opt16A	5 085,00
3-3625F0-2015-A00000	694565	CUMAC_TURBO_Opt5F0_Opt2	5 460,00
3-3719C0-0A03-B00000	694569	Macro CPU for 16 Axes, Black	2 124,00
3-3766F3-2019-B10000	694570	UMAC_TURBO_CPU_Opt5F3_Opt2B_OptA_OptB1	5 495,00
4-4050JD0-000-500000	694583	Power PMAC Clipper Base Unit With Power PC EP465EX Dual-Core Power™465,	2 392,00
BC8-C0-FF2-100-00000	694596	Brick Controller, 8 ejes, 80 MHz, 256 kB SRAM, 1 MB Flash, PWM	4 844,00
BC8-C3-AA2-240-4C320	694598	BrickController, 8 Axes, 80 MHz, 1Mx24SRAM 4 MB FI, TrDAC, 8 Enc. 12-24 V flg	7 895,00
BC8-F3-AA2-040-8A000	701638	8 Axes Brick Controller, 240 Mhz, 1M RAM, 4MB Flash, DAC outputs 16-bit reso	9 695,00
GBD8-C0-422-0004A000	707058	GEO BRICK LV DRIVE, 80 MHz, 8 AXES, 8KX 24 INT, AXES 1-4 5A/15A AND AXES 5	6 520,00
GBD8-C0-447-0008C300	694626	Geo Brick LV 8 axis PMAC, 80 MHz, 256K, 1M Flash, 5/15 A	6 425,00

OMRON PVPR 2023

GBD8-C0-447-0008C600	694628	Geo Brick LV 8-axis PMAC, 80 MHz, 256K, 1M Flash, 5/15 A	6 425,00
GBL4-C0-800-03000000	694647	Geo Brick 4 Axes PMAC, 80 MHz, 8 kB int, 256 kB SRAM, 1 MB Flash	5 705,00
GBL4-C3-500-00D4D400	706832	GEO BRICK DRIVE ,80 MHZ,4 AXIS 8KX24 INT, 1MX24 SRAM,4MB FLASH,5A CON	8 145,00
GBL8-C0-552-10000000	695928	Geo Brick 8-Axis PMAC, 80Mhz, 8Kx24 Internal, 256Kx24SRAM, 1MB Flash, Expa	7 835,00
GBL8-C0-552-10D8C630	694658	Geo Brick 8-Axis PMAC, 80 MHz, 8K int, 256K SRAM, 1M Flash	9 725,00
GMH032F11000	694670	Geo Macro Drive, 480 V, 2Axes, 3/9 A, SingleWidth, Optic	3 366,00
TCD4-C0-400-001-0100	695925	TurboClipperDrive Turbo PMAC2-Eth-Lite, 80 MHz CPU, OPT-11A	3 794,00
TCD4-C0-400-001-0400	694691	TurboClipperDrive Turbo PMAC2-Eth-Lite, 80 MHz CPU	3 794,00
3-4112AAU-200-B00000	694694	POWER UMAC ARM 2 CORE CPU CONFIGURATION WITH 2 ETHERNET PORTS, 1 C	2 616,00
3-4112AAU-210-B00000	694695	POWER UMAC ARM 2 CORE CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT	2 727,00
3-4112AAU-220-B00000	694696	POWER UMAC ARM 2 CORE CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT	3 039,00
3-4112AAU-230-B00000	694697	POWER UMAC ARM 2 CORE CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT	3 356,00
3-4112AAU-250-B00000	694698	POWER UMAC ARM 2 CORE CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT	3 983,00
3-4112AAU-290-B00000	694699	POWER UMAC ARM 2 CORE CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT	5 060,00
3-4112AAU-400-B00000	694700	POWER UMAC ARM 2 CORE CPU CONFIGURATION WITH 2 ETHERNET & PCIE PO	2 732,00
3-4112AAU-410-B00000	694701	POWER UMAC ARM 2 CORE CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT	2 841,00
3-4112AAU-420-B00000	694702	POWER UMAC ARM 2 CORE CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT	3 156,00
3-4112AAU-430-B00000	694703	POWER UMAC ARM 2 CORE CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT	3 472,00
3-4112AAU-450-B00000	694704	POWER UMAC ARM 2 CORE CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT	4 097,00
3-4112AAU-490-B00000	694705	POWER UMAC ARM 2 CORE CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT	5 175,00
3-4112AEU-200-B00000	694706	POWER UMAC ARM 2 CORE CPU CONFIGURATION WITH 2 ETHERNET PORTS, 4 C	3 100,00
3-4112AEU-210-B00000	694707	POWER UMAC ARM 2 CORE CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT	3 209,00
3-4112AEU-220-B00000	694711	POWER UMAC ARM 2 CORE CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT	3 523,00
3-4112AEU-230-B00000	694712	POWER UMAC ARM 2 CORE CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT	3 836,00
3-4112AEU-250-B00000	694713	POWER UMAC ARM 2 CORE CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT	4 467,00
3-4112AEU-290-B00000	694714	POWER UMAC ARM 2 CORE CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT	5 540,00
3-4112AEU-400-B00000	694715	POWER UMAC ARM 2 CORE CPU CONFIGURATION WITH 2 ETHERNET & PCIE PO	3 215,00
3-4112AEU-410-B00000	694716	POWER UMAC ARM 2 CORE CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT	3 327,00
3-4112AEU-420-B00000	694717	POWER UMAC ARM 2 CORE CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT	3 638,00
3-4112AEU-430-B00000	694718	POWER UMAC ARM 2 CORE CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT	3 954,00
3-4112AEU-450-B00000	694719	POWER UMAC ARM 2 CORE CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT	4 582,00
3-4112AEU-490-B00000	694720	POWER UMAC ARM 2 CORE CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT	5 665,00
3-3766F3-2217-B00000	694722	UMAC_TURBO_CPU_Opt5F3_Opt2B_Opt16A_Opt15F_BLACK, 240MHz-512Kx24	5 765,00

OMRON PVPR 2023

GBL4-C0-502-04000000	694724	Geo Brick 4 Axes PMAC, 80 MHz 8K int 256K SRAM, 1M Flash, 5 A/10 A peak, +4	5 830,00
PBL4-AA205A-11SA0010	703128	POWER BRICK LV DRIVE, 4 AXIS AMP, 1020 ARM CPU, 1GB RAM, 1GB FLASH, EC	11 810,00
PBL4-AA0050-00000000	700972	POWER BRICK LV DRIVE, 4 AXIS AMP, 1020 ARM CPU, 1GB RAM, 1GB FLASH, AX	6 030,00
PBL8-AA0055-00000000	700971	POWER BRICK LV DRIVE, 8 AXIS AMP, 1020 ARM CPU, 1GB RAM, 1GB FLASH, AX	7 370,00
GBD8-C0-227-00M00000	694738	GEO BRICK LV, 80 MHZ, 8 AXES 8KX 24 INT, AXES 1-8 1A/3A 4 PHASE SERVO/STE	4 454,00
GBD8-C0-227-00M4C200	694739	GEO BRICK LV, 80 MHZ, 8 AXES 8KX 24 INT, AXES 1-8 1A/3A 4 PHASE SERVO/STE	5 245,00
GBD8-C0-427-00M00000	694740	GEO BRICK LV, 80 MHZ, 8 AXES 8KX 24 INT, AXES 1-4 5A/15A & 5-8 1A/3A 4 PHA	4 454,00
PBL4-JD0-100-5301000	694742	POWER BRICK LV DRIVE, 4 AXIS 465CPU 1GHZ, 2GB RAM, 1GB FLASH, 5A/10A, 8	6 895,00
PEL3-G21-451-0000000	694743	POWER PMAC ETHERLITE 800MHZ CPU, 2GB RAM, 1GB FLASH 2 PORT ETHERCA	6 320,00
3-3766E0-2017-B00000	695263	UMAC Turbo CPU 160 MHz	4 692,00
3-3766C3-2017-B00000	700375	UMAC Turbo CPU 80 MHz - Black Plates	4 620,00
3-3766C3-2214-B00000	694744	UMAC_TURBO_CPU_Opt5C3 Opt. 16A, 80MHz-512Kx24 SRAM, battery-backed,	3 737,00
3-3766C3-2216-B00000	694745	UMAC_Turbo_CPU_Opt-C3_Opt-16A_Opt-15F	3 871,00
3-3269A-00-C000-B000	695253	ACC-E1, AC INPUT POWER SUPPLY, 100 to 240 VAC IN, OUT 14 A @ +5 V, 1.5 A @	624,50
PBL4-AA1050-00000000	696037	POWER BRICK LV DRIVE, 4 AXIS AMP, 2 CORE ARM CPU, 1GB RAM, 1GB FLASH, A	5 905,00
PBL8-G21-000-5500000	694772	PowerBrickLV, 8 Axes, 800 MHz, 2 GB RAM, 1 GB Flash, 5A/15A, 8 Enc.and Flag I	5 910,00
GBL4-C0-500-06S00000	694143	GEO BRICK DRIVE, 80 MHz, 4 Axes 8KX24 INT, 256X24 SRAM, 1 MB FLASH, 5 A C	5 275,00
PBL4-AA005A-00AS0000	695985	POWER BRICK LV DRIVE, 4 AXIS AMP, 2 CORE ARM CPU, 1GB RAM, 1GB FLASH, A	9 395,00
PBL4-AA105A-00AS0000	695984	POWER BRICK LV DRIVE, 4 AXIS AMP, 2 CORE ARM CPU, 1GB RAM, 1GB FLASH, B	9 530,00
PBL8-AA2055-1100BB10	701167	POWER BRICK LV DRIVE, 8 AXIS AMP, 2 CORE ARM CPU, 1GB RAM, 1GB FLASH, A	10 710,00
PBL4-AA205A-01000000	706833	POWER BRICK LV DRIVE, 4 AXIS AMP, POWER PMAC 1020 CPU, 1GB RAM, 1GB F	7 475,00
PBL8-AA0055-0B00BB00	699021	POWER BRICK LV DRIVE, 8 AXIS AMP, 2 CORE ARM CPU, 1GB RAM, 1GB FLASH, A	10 290,00
PBL8-AA2055-1100BB20	700698	POWER BRICK LV DRIVE, 8 AXIS AMP, 1020 ARM CPU, 1GB RAM, 1GB FLASH, EC	11 400,00
PBA4-AA005A-0100EG00	700417	POWER BRICK AC DRIVE, 1020 ARM CPU, 4 AXES, 1GB RAM, 1GB FLASH, AXES (1	10 190,00
PBL4-AA1050-00S00000	707751	POWER BRICK LV DRIVE, 4 AXIS AMP, 1020 ARM CPU, 1GB RAM, 1GB FLASH, AX	7 110,00
3-4241BEU-200-B00000	700969	POWER PMAC 1040 CPU CONFIGURATION WITH 2 ETHERNET PORTS, 4GB FLASH	3 971,00
3-4241BEU-210-B00000	700968	POWER PMAC 1040 CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT I/O POR	4 091,00
3-4241BEU-250-B00000	700967	POWER PMAC 1040 CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT 16 SERV	5 455,00
3-4241BEU-290-B00000	700966	POWER PMAC 1040 CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT 32 SERV	6 625,00
3-4241BEU-2J0-B00000	700965	POWER PMAC 1040 CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT 64 SERV	8 745,00
3-4241BEU-400-B00000	700964	POWER PMAC 1040 CPU CONFIGURATION WITH 2 ETHERNET & PCIE PORTS, 4G	4 216,00
3-4241BEU-410-B00000	700963	POWER PMAC 1040 CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT I/O POR	4 335,00
3-4241BEU-450-B00000	700962	POWER PMAC 1040 CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT 16 SERV	5 705,00

OMRON PVPR 2023

3-4241BEU-490-B00000	700961	POWER PMAC 1040 CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT 32 SERV	6 880,00
3-4241BEU-4J0-B00000	700960	POWER PMAC 1040 CPU CONFIGURATION WITH 1 ETHERNET & 1 ECAT 64 SERV	8 990,00
PBL4-AA0050-0000B000	701168	POWER BRICK LV DRIVE, 4 AXIS AMP, 1020 ARM CPU, 1GB RAM, 1GB FLASH, AX	6 690,00
PBL8-AA0077-1100BB20	700924	POWER BRICK LV DRIVE, 8 AXIS AMP, 1020 ARM CPU, 1GB RAM, 1GB FLASH, AX	10 860,00
PBL8-AE0077-1100BB20	700923	POWER BRICK LV DRIVE, 8 AXIS AMP, 1020 ARM CPU, 2GB RAM, 4GB FLASH, AX	11 470,00
PBL8-AA0077-1100BB00	700921	POWER BRICK LV DRIVE, 8 AXIS AMP, 1020 ARM CPU, 1GB RAM, 1GB FLASH, AX	9 500,00
PBL8-AA0055-0000BB00	700920	POWER BRICK LV DRIVE, 8 AXIS AMP, 1020 ARM CPU, 1GB RAM, 1GB FLASH, AX	8 705,00
PBL4-AA007A-00002040	701047	POWER BRICK LV DRIVE, 4 AXIS AMP, 1020 ARM CPU, 1GB RAM, 1GB FLASH, AX	8 330,00
PBL8-AA0055-000RB000	701169	POWER BRICK LV DRIVE, 8 AXIS AMP, 1020 ARM CPU, 1GB RAM, 1GB FLASH, AX	9 110,00
PBA4-AA0050-00000010	702862	POWER BRICK AC DRIVE, 1020 ARM CPU, 4 AXES, 1GB RAM, 1GB FLASH, AXES (1	8 640,00
PBA4-AA208A-01003020	708859	POWER BRICK AC DRIVE, 4 AXES AMP, POWER PMAC 1020 CPU, 1GB RAM, 1GB	12 350,00
PBL8-AA0055-01000000	702749	POWER BRICK LV DRIVE, 8 AXIS AMP, POWER PMAC 1020 CPU, 1GB RAM, 1GB F	7 760,00
PBL4-AA005A-11000050	701228	POWER BRICK LV DRIVE, 4 AXIS AMP, POWER PMAC 1020 CPU, 1GB RAM, 1GB F	9 135,00
PBA8-AA0088-10RR0020	701229	POWER BRICK AC DRIVE, POWER PMAC 1020 CPU, 8 AXES, 1GB RAM, 1GB FLASH	16 970,00
PBA8-AA3085-11RR0020	701230	POWER BRICK AC DRIVE, POWER PMAC 1020 CPU, 8 AXES, 1GB RAM, 1GB FLASH	18 180,00
PBL8-AA1055-00S00000	702161	POWER BRICK LV DRIVE, 8 AXIS AMP, POWER PMAC 1020 CPU, 1GB RAM, 1GB F	8 460,00
PBA4-AE0080-0000B000	701311	POWER BRICK AC DRIVE, POWER PMAC 1020 CPU, 4 AXES, 2GB RAM, 4GB FLASH	9 910,00
PBA8-AE0088-0000BB00	701309	POWER BRICK AC DRIVE, POWER PMAC 1020 CPU, 8 AXES, 2GB RAM, 4GB FLASH	14 990,00
PBL8-AE2057-00000010	701432	POWER BRICK LV DRIVE, 8 AXIS AMP, POWER PMAC 1020 CPU, 2GB RAM, 4GB F	9 535,00
PBL8-AE2057-00S00010	701431	POWER BRICK LV DRIVE, 8 AXIS AMP, POWER PMAC 1020 CPU, 2GB RAM, 4GB F	10 480,00
PBA4-AA005A-01000010	702165	POWER BRICK AC DRIVE, POWER PMAC 1020 CPU, 4 AXES, 1GB RAM, 1GB FLASH	9 550,00
PBL4-AA105A-01A00020	702166	POWER BRICK LV DRIVE, 4 AXIS AMP, POWER PMAC 1020 CPU, 1GB RAM, 1GB F	10 750,00
PBL4-AE005A-01S00020	702405	POWER BRICK LV DRIVE, 4 AXIS AMP, POWER PMAC 1020 CPU, 2GB RAM, 4GB F	9 865,00
PBL8-AA0055-00SS0000	702404	POWER BRICK LV DRIVE, 8 AXIS AMP, POWER PMAC 1020 CPU, 1GB RAM, 1GB F	9 265,00
PBL8-AA0055-00SS0010	702462	POWER BRICK LV DRIVE, 8 AXIS AMP, POWER PMAC 1020 CPU, 1GB RAM, 1GB F	9 950,00
PBL4-AA005A-00SS0010	702461	POWER BRICK LV DRIVE, 4 AXIS AMP, POWER PMAC 1020 CPU, 1GB RAM, 1GB F	9 135,00
PBA4-AE2080-00000010	702863	POWER BRICK AC DRIVE, POWER PMAC1020 CPU, 4 AXES, 2GB RAM, 4GB FLASH	10 470,00
PBL4-AA107A-01008000	702955	POWER BRICK LV DRIVE, 4 AXIS AMP, 1020 ARM CPU, 1GB RAM, 1GB FLASH, AX	7 755,00
PBL4-AA0050-00003000	703553	POWER BRICK LV DRIVE, 4 AXIS AMP, POWER PMAC 1020 CPU, 1GB RAM, 1GB F	6 690,00
PBL4-AA0050-00S03000	703552	POWER BRICK LV DRIVE, 4 AXIS AMP, POWER PMAC 1020 CPU, 1GB RAM, 1GB F	7 640,00
3-4256BEC-200-A00000	707868	POWER PMAC CPCI, POWER PMAC 1040 CPU, 2GB RAM, 4GB FLASH, 2 ETHERNE	5 280,00
3-4256BEC-210-A00000	707867	POWER PMAC CPCI, POWER PMAC 1040 CPU, 2GB RAM, 4GB FLASH, 1 ETHERNE	5 425,00
3-4256BEC-250-A00000	707866	POWER PMAC CPCI, POWER PMAC 1040 CPU, 2GB RAM, 4GB FLASH, 1 ETHERNE	7 120,00

OMRON PVPR 2023

3-4256BEC-290-A00000	707865	POWER PMAC CPCI, POWER PMAC 1040 CPU, 2GB RAM, 4GB FLASH, 1 ETHERNET	8 570,00
3-4256BEC-2J0-A00000	707864	POWER PMAC CPCI, POWER PMAC 1040 CPU, 2GB RAM, 4GB FLASH, 1 ETHERNET	11 200,00
PBL4-AA005A-01000000	706970	POWER BRICK LV DRIVE, 4 AXIS AMP, 1020 ARM CPU, 1GB RAM, 1GB FLASH, AX	6 945,00
PBL4-AA2050-00000000	706834	POWER BRICK LV DRIVE, 4 AXIS AMP, 1020 ARM CPU, 1GB RAM, 1GB FLASH, AX	6 560,00
PBA4-AA2050-00000000	706835	POWER BRICK AC DRIVE, 4 AXES AMP, POWER PMAC 1020 CPU, 1GB RAM, 1GB	8 470,00
PBA4-AA205A-01000000	706836	POWER BRICK AC DRIVE, 4 AXES AMP, POWER PMAC 1020 CPU, 1GB RAM, 1GB	9 390,00
PBL8-AA0055-01SS0010	706898	POWER BRICK LV DRIVE, 8 AXIS AMP, POWER PMAC 1020 CPU, 1GB RAM, 1GB F	10 330,00
PBL8-AA0055-01SS0020	706899	POWER BRICK LV DRIVE, 8 AXIS AMP, POWER PMAC 1020 CPU, 1GB RAM, 1GB F	11 010,00
PBL8-AA1055-01SS0000	706900	POWER BRICK LV DRIVE, 8 AXIS AMP, POWER PMAC 1020 CPU, 1GB RAM, 1GB F	9 775,00
PBL4-AA0050-00000010	706896	POWER BRICK LV DRIVE, 4 AXIS AMP, POWER PMAC 1020 CPU, 1GB RAM, 1GB F	6 710,00
PBL8-AE1078-0JSS0000	706954	POWER BRICK LV DRIVE, 8 AXIS AMP, POWER PMAC 1020 CPU, 2GB RAM, 4GB F	12 190,00
PBL8-AA1055-01SS0020	707064	POWER BRICK LV DRIVE, 8 AXIS AMP, POWER PMAC 1020 CPU, 1GB RAM, 1GB F	11 150,00
3-4241BEU-201-B00000	709269	POWER PMAC 1040 CPU CONFIGURATION WITH ECAT SLAVE, 2 ETHERNET PORT	5 325,00
PBL4-AA005A-01A00020	707377	POWER BRICK LV DRIVE, 4 AXIS AMP, POWER PMAC 1020 CPU, 1GB RAM, 1GB F	10 620,00
PBL8-AA0057-00S00000	707738	POWER BRICK LV DRIVE, 8 AXIS AMP, POWER PMAC 1020 CPU, 1GB RAM, 1GB F	8 655,00
PBA4-AA005A-00000040	708858	POWER BRICK AC DRIVE, 4 AXES AMP, POWER PMAC 1020 CPU, 1GB RAM, 1GB	9 745,00
ZEN-10C1AR-A-V2	240972	CPU 6/4 Ent. AC Sal. relé LCD RTC 240 AC	305,80
ZEN-10C2AR-A-V2	240973	CPU 6/4 Ent. AC Sal. relé 240 AC	259,30
ZEN-10C1DR-D-V2	240974	CPU 6/4 Ent. DC Sal. relé LCD RTC 24 DC	305,80
ZEN-10C2DR-D-V2	240975	CPU 6/4 Ent. DC Sal. relé 24 DC	259,30
ZEN-10C1DT-D-V2	240979	CPU 6/4 Ent. DC Sal. TRT LCD RTC 24 DC	287,90
ZEN-10C2DT-D-V2	240980	CPU 6/4 Ent. DC Sal. TRT 24 DC	228,80
ZEN-10C3AR-A-V2	240983	CPU 6/4 Ent. AC Sal. relé LCD RTC No exp 240 AC	277,00
ZEN-10C3DR-D-V2	240984	CPU 6/4 Ent. DC Sal. relé LCD RTC No exp 24DC	277,00
ZEN-20C3AR-A-V2	240985	CPU 12/8 Ent. AC Sal. relé LCD RTC No exp 240AC	344,80
ZEN-20C3DR-D-V2	240986	CPU 12/8 Ent. DC Sal. relé LCD RTC No exp 24DC	344,80
ZEN-10C4AR-A-V2	240987	CPU 6/3 Ent. AC Sal. relé LCD RTC RS485 240 AC	382,50
ZEN-10C4DR-D-V2	240988	CPU 6/3 Ent. DC Sal. relé LCD RTC RS485 12-24 DC	382,50
ZEN-20C1AR-A-V2	240989	CPU 12/8 Ent. AC Sal. relé LCD RTC 240 AC	382,50
ZEN-20C2AR-A-V2	240990	CPU 12/8 Ent. AC Sal. relé RTC 240AC	344,80
ZEN-20C1DR-D-V2	240991	CPU 12/8 Ent. DC Sal. relé LCD RTC 24DC	382,50
ZEN-20C2DR-D-V2	240992	CPU 12/8 Ent. DC Sal. relé RTC 24DC	344,80
ZEN-20C1DT-D-V2	240993	CPU 12/8 Ent. DC Sal. TRT LCD RTC 24DC	344,80

OMRON PVPR 2023

ZEN-20C2DT-D-V2	240994	CPU 12/8 Ent. DC Sal. TRT RTC 24DC	305,80
NX-SL3300	393736	Controlador de Seguridad NX - Hasta 32 Unidades ó 256 Puntos 512 KB	453,60
NX-SL3500	393737	Controlador de Seguridad NX - Hasta 128 Unidades o 1024 Puntos. 2048 KB	1 177,00
NX-SL5700	684734	Controlador de seguridad, CIP-S y EtherCAT, 254 conexiones maestras de seguridad	1 924,00
NX-SL5500	684733	Controlador de seguridad, CIP-S y EtherCAT, 128 conexiones maestras de seguridad	1 411,00
NX-SL3300	708739	Controlador de Seguridad NX - Hasta 32 Unidades ó 256 Puntos 512 KB	453,60
NX-SL3500	708740	Controlador de Seguridad NX - Hasta 128 Unidades o 1024 Puntos. 2048 KB	1 177,00
CS1PC-PCI01H-DRM	224352	CS1 PCI Board con Maestro DeviceNet	5 310,00
F3S-TGR-NLPC-20-02	231368	Interruptor Seg. PLe Largo Plast. Codif. 2NC LED Cable 2m	99,75
F3S-TGR-NLPC-20-05	231369	Interruptor Seg. PLe Largo Plast. Codif. 2NC LED Cable 5m	101,10
F3S-TGR-NLPC-20-10	231370	Interruptor Seg. PLe Largo Plast. Codif. 2NC LED Cable 10m	109,80
F3S-TGR-NLPC-20-M1J8	231371	Interruptor Seg. PLe Largo Plast. Codif. 2NC LED M12-8pin	129,70
F3S-TGR-NLPC-21-02	231372	Interruptor Seg. PLe Largo Plast. Codif. 2NC+1NA LED Cable 2m	105,50
F3S-TGR-NLPC-21-05	231373	Interruptor Seg. PLe Largo Plast. Codif. 2NC+1NA LED Cable 5m	108,40
F3S-TGR-NLPC-21-10	231374	Interruptor Seg. PLe Largo Plast. Codif. 2NC+1NA LED Cable 10m	116,80
F3S-TGR-NLPC-21-M1J8	231375	Interruptor Seg. PLe Largo Plast. Codif. 2NC+1NA LED M12-8pin	134,00
F3S-TGR-NSMC-20-02	231376	Interruptor Seg. PLe Pequeño Metal Codif. 2NC LED Cable 2m	178,70
F3S-TGR-NSMC-20-05	231377	Interruptor Seg. PLe Pequeño Metal Codif. 2NC LED Cable 5m	185,80
F3S-TGR-NSMC-20-10	231378	Interruptor Seg. PLe Pequeño Metal Codif. 2NC LED Cable 10m	194,30
F3S-TGR-NSMC-20-M1J8	231379	Interruptor Seg. PLe Pequeño Metal Codif. 2NC LED M12-8pin	211,40
F3S-TGR-NSMC-21-02	231380	Interruptor Seg. PLe Pequeño Metal Codif. 2NC+1NA LED Cable 2m	183,20
F3S-TGR-NSMC-21-05	231381	Interruptor Seg. PLe Pequeño Metal Codif. 2NC+1NA LED Cable 5M	190,10
F3S-TGR-NSMC-21-10	231382	Interruptor Seg. PLe Pequeño Metal Codif. 2NC+1NA LED Cable 10m	197,10
F3S-TGR-NSMC-21-M1J8	231383	Interruptor Seg. PLe Pequeño Metal Codif. 2NC+1NA LED M12-8pin	215,40
F3S-TGR-NLPR-20-02	231384	Interruptor Seg. PLe Plast. Largo Reed 2NC Cable 2m	131,20
F3S-TGR-NLPR-20-05	231385	Interruptor Seg. PLe Plast. Largo Reed 2NC Cable 5m	141,20
F3S-TGR-NLPR-20-10	231386	Interruptor Seg. PLe Plast. Largo Reed 2NC Cable 10m	149,90
F3S-TGR-NLPR-20-M1J8	231387	Interruptor Seg. PLe Plast. Largo Reed 2NC M12-8pin	156,80
F3S-TGR-NLPR-21-02	231388	Interruptor Seg. PLe Plast. Largo Reed 2NC+1NA Cable 2m	135,50
F3S-TGR-NLPR-21-05	231389	Interruptor Seg. PLe Plast. Largo Reed 2NC+1NA Cable 5m	144,10
F3S-TGR-NLPR-21-10	231390	Interruptor Seg. PLe Plast. Largo Reed 2NC+1NA Cable 10m	154,00
F3S-TGR-NLPR-21-M1J8	231391	Interruptor Seg. PLe Plast. Largo Reed 2NC+1NA M12-8pin	168,20
F3S-TGR-NSMR-20-02	231392	Interruptor Seg. PLe Pequeño Metal Reed 2NC Cable 2m	206,80

OMRON PVPR 2023

F3S-TGR-NSMR-20-05	231393	Interruptor Seg. PLe Pequeño Metal Reed 2NC Cable 5m	211,40
F3S-TGR-NSMR-20-10	231394	Interruptor Seg. PLe Pequeño Metal Reed 2NC Cable 10m	212,70
F3S-TGR-NSMR-20-M1J8	231395	Interruptor Seg. PLe Pequeño Metal Reed 2NC Cable M12-8pin	219,90
F3S-TGR-NSMR-21-02	231396	Interruptor Seg. PLe Pequeño Metal Reed 2NC+1NA Cable 2m	202,90
F3S-TGR-NSMR-21-05	231397	Interruptor Seg. PLe Pequeño Metal Reed 2NC+1NA Cable 5m	219,90
F3S-TGR-NSMR-21-10	231398	Interruptor Seg. PLe Pequeño Metal Reed 2NC+1NA Cable 10m	226,80
F3S-TGR-NSMR-21-M1J8	231399	Interruptor Seg. PLe Pequeño Metal Reed 2NC+1NA M12-8pin	226,80
F3S-TGR-NSPC-20-02	237347	Interruptor Seg. PLe Pequeño Plast. Codif. 2NC LED Cable 2m	106,90
F3S-TGR-NSPC-20-M1J8	237350	Interruptor Seg. PLe Pequeño Plast. Codif. 2NC LED M12-8pin	131,20
F3S-TGR-NMPR-20-02	252047	Interruptor Seg. PLe Miniatura Plast. Reed 2NC Cable 2m	95,05
F3S-TGR-NMPR-20-05	252048	Interruptor Seg. PLe Miniatura Plast. Reed 2NC Cable 5m	105,00
F3S-TGR-NMPR-20-10	252049	Interruptor Seg. PLe Miniatura Plast. Reed 2NC Cable 10m	119,20
F3S-TGR-NMPR-20-M1J8	252050	Interruptor Seg. PLe Miniatura Plast. Reed 2NC M12-8pin	127,50
F3S-TGR-NMPR-21-02	252051	Interruptor Seg. PLe Miniatura Plast. Reed 2NC+1NA Cable 5m	109,20
F3S-TGR-NMPR-21-05	252052	Interruptor Seg. PLe Miniatura Plast. Reed 2NC+1NA Cable 5m	117,70
F3S-TGR-NMPR-21-10	252053	Interruptor Seg. PLe Miniatura Plast. Reed 2NC+1NA Cable 10m	129,10
F3S-TGR-NMPR-21-M1J8	252054	Interruptor Seg. PLe Miniatura Plast. Reed 2NC+1NA M12-8pin	140,50
F3S-TGR-NMPC-20-02	252056	Interruptor Seg. PLe Miniatura Plast. Codif 2NC LED Cable 2m	93,65
F3S-TGR-NMPC-20-05	252057	Interruptor Seg. PLe Miniatura Plast. Codif 2NC LED Cable 5m	103,40
F3S-TGR-NMPC-20-10	252058	Interruptor Seg. PLe Miniatura Plast. Codif 2NC LED Cable 10m	120,60
F3S-TGR-NMPC-20-M1J8	252059	Interruptor Seg. PLe Miniatura Plast. Codif 2NC LED M12-8pin	130,60
F3S-TGR-NMPC-21-02	252060	Interruptor Seg. PLe Mini. Plast. Codif 2NC+1NA LED Cable 2m	105,00
F3S-TGR-NMPC-21-05	252061	Interruptor Seg. PLe Mini. Plast. Codif 2NC+1NA LED Cable 5m	114,90
F3S-TGR-NMPC-21-10	252062	Interruptor Seg. PLe Mini. Plast. Codif 2NC+1NA LED Cable 10m	132,00
F3S-TGR-NMPC-21-M1J8	252063	Interruptor Seg. PLe Mini. Plast. Codif. 2NC LED M12-8pin	143,50
F3S-TGR-NMPR-20-M8-WN	295581	Interruptor de puerta sin contacto, láminas, miniatura de plástico, 2 NC, conectado	64,90
F3S-TGR-NSPR-21-05	330847	Interruptor Seg. PLe Pequeño Plast. Reed 2NC+1NA Cable 5m	174,40
F3S-TGR-NSPR-21-10	330848	Interruptor Seg. PLe Pequeño Plast. Reed 2NC+1NA Cable 10m	192,90
F3S-TGR-NSPR-21-M1J8	330849	Interruptor Seg. PLe Pequeño Plast. Reed 2NC+1NA M12-8pin	198,70
F3S-TGR-NSPC-21-05	330850	Interruptor Seg. PLe Pequeño Plast. Codif. 2NC+1NA LED Cable 5m	113,50
F3S-TGR-NSPC-21-10	330851	Interruptor Seg. PLe Pequeño Plast. Codif. 2NC+1NA LED Cable 10m	127,50
F3S-TGR-NSPC-21-M1J8	330852	Interruptor Seg. PLe Pequeño Plast. Codif. 2NC+1NA LED M12-8pin	134,90
F3S-TGR-NCPR-21-05	330853	Interruptor Seg. PLe Compacto Plast. Reed 2NC+1NO Cable 5m	170,30

OMRON PVPR 2023

F3S-TGR-NCPR-21-10	330854	Interruptor Seg. PLe Compacto Plast. Reed 2NC+1NO Cable 10m	183,20
F3S-TGR-NWPR-21-05	330855	Interruptor Seg. PLe Ancho Plást. Reed 2NC+1NA LED 5m	156,10
F3S-TGR-NSMC-20-10-CS	341345	Interruptor de puerta sin contacto, codificado, sensor pequeño de 10 m, acero i	194,30
D40A-1C2	353674	Interruptor puerta E. Hall 1 Aux PNP NA Cable 2m	112,90
D40A-1C5	353675	Interruptor puerta E. Hall 1 Aux PNP NA Cable 5m	126,10
D40A-1C015-F	355125	Interruptor puerta E. Hall 1 Aux PNP NA Cable 0,15m + M12	172,70
D40Z-1C2	356424	Magnético Plast. Codif. LED Cat4/Ple Sal Aux Cable 2m	282,70
D40Z-1C5	356425	Magnético Plast. Codif. LED Cat4/Ple Sal Aux Cable 5m	304,80
D40Z-1C2-S	356439	Sensor D40Z 2m sin actuador	255,70
D40Z-1C5-S	356440	Sensor D40Z 5m sin actuador	276,40
F3S-TGR-NMPC-21-M1J8-R	375134	Interruptor Seg. PLe Mini. Plast. Codif. 2NC LED M12-8pin Dch	143,50
F3S-TGR-NMPR-21-05-R	378088	Interruptor Seg. PLe Mini. Plast. Reed 2NC+1NA Cable 5m Dcha	120,60
F3S-TGR-NLPU-21-M1J8	378256	Interruptor Seg. PLe Largo Plast. RFID Unico 2NC+1NA LED M12-8pin	200,50
F3S-TGR-NLPM-21-M1J8	378257	Interruptor Seg. PLe Largo Plast. RFID Maestro 2NC+1NA LED M12-8p	172,00
F3S-TGR-NSPM-21-M1J8	383763	Interruptor Seg. PLe Pequeño Plast RFID Maestro 2NC+1NA LED M12-8p	214,80
F3S-TGR-NMPC-21-05-R	387853	Interruptor Seg. PLe Mini. Plast. Codif. 2NC+1NA LED 5m Dcha	114,90
F3S-TGR-NMPC-21-10-R	387854	Interruptor Seg. PLe Mini. Plast. Codif. 2NC+1NA LED 10m Dcha	132,00
F3S-TGR-NMHC-21-05-R	387855	Interruptor Seg. PLe Mini. Higiénico Codif. 2NC+1NA LED 5m Dcha	184,40
F3S-TGR-NMHC-21-M1J8-R	387857	Interruptor Seg. PLe Mini. Higiénico Codif. 2NC+1NA LED M12-8p Dch	205,50
F3S-TGR-NMHC-21-05	387858	Interruptor Seg. PLe Miniatura Higiénico Codif. 2NC+1NA LED 5m	184,40
F3S-TGR-NMHC-21-10	387859	Interruptor Seg. PLe Miniatura Higiénico Codif. 2NC+1NA LED 10m	198,70
F3S-TGR-NMHC-21-M1J8	387860	Interruptor Seg. PLe Mini. Higiénico Codif. 2NC+1NA LED M12-8pin	205,50
F3S-TGR-NSHC-21-05	387861	Interruptor Seg. PLe Pequeño Higiénico Codif. 2NC+1NA LED 5m	191,40
F3S-TGR-NSHC-21-10	387862	Interruptor Seg. PLe Pequeño Higiénico Codif. 2NC+1NA LED 10m	205,50
F3S-TGR-NSHC-21-M1J8	387863	Interruptor Seg. PLe Pequeño Higiénico Codif. 2NC+1NA LED M12-8pin	212,70
F3S-TGR-NSFC-21-05	387864	Interruptor Seg. PLe Pequeño Alimentación Codif. 2NC+1NA LED 5m	198,70
F3S-TGR-NSFC-21-10	387865	Interruptor Seg. PLe Pequeño Alimentación Codif. 2NC+1NA LED 10m	212,70
F3S-TGR-NSFC-21-M1J8	387866	Interruptor Seg. PLe Pequeño Alimentación Codif 2NC+1NA LED M12-8p	219,90
F3S-TGR-NLMC-21-05	387867	Interruptor Seg. PLe Largo Metal Codif. LED 2NC+1NA 5m	198,70
F3S-TGR-NLMC-21-10	387868	Interruptor Seg. PLe Largo Metal Codif. LED 2NC+1NA 10m	212,70
F3S-TGR-NLMC-21-M1J8	387869	Interruptor Seg. PLe Largo Metal Codif. LED 2NC+1NA M12-8pin	219,90
F3S-TGR-NBPC-21-05	387870	Interruptor Seg. PLe Cilíndrico M30 Plast. Codif. 2NC+1NA LED 5m	113,50
F3S-TGR-NBPC-21-10	387871	Interruptor Seg. PLe Cilíndrico M30 Plast. Codif. 2NC+1NA LED 10m	127,50

OMRON PVPR 2023

F3S-TGR-NBPC-21-M1J8	387872	Interruptor Seg. PLe Cilínd. M30 Plast. Codif. 2NC+1NA LED M12-8p	134,90
F3S-TGR-NBMC-21-05	387873	Interruptor Seg. PLe Cilíndrico M30 Metal Codif. 2NC+1NA LED 5m	198,70
F3S-TGR-NBMC-21-10	387874	Interruptor Seg. PLe Cilíndrico M30 Metal Codif. 2NC+1NA LED 10m	212,70
F3S-TGR-NBMC-21-M1J8	387875	Interruptor Seg. PLe Cilínd. M30 Metal Codif. 2NC+1NA LED M12-8p	219,90
F3S-TGR-NMPR-21-M1J8-R	387883	Interruptor Seg. PLe Mini. Plast. Reed 2NC+1NA M12-8pin Dcha	140,50
F3S-TGR-NMPR-20-08-R10	387884	Interruptor Seg. PLe Miniatura Plast. Reed 2NC M8-4pin Derecha	127,50
F3S-TGR-NMPR-20-08-L10	387885	Interruptor Seg. PLe Miniatura Plast. Reed 2NC M8-4pin Izquierda	127,50
F3S-TGR-NMPR-11-08-R10	387886	Non-contact door switch, reed, miniature plastic, 1NC+1NO, M8 connector right	127,50
F3S-TGR-NMPR-11-08-L10	387887	Non-contact door switch, reed, miniature plastic, 1NC+1NO, M8 connector left s	127,50
F3S-TGR-NMHR-21-05-R	387888	Interruptor Seg. PLe Miniatura Higiénico Reed 2NC+1NA 5m Dcha	184,40
F3S-TGR-NMHR-21-10-R	387889	Interruptor Seg. PLe Miniatura Higiénico Reed 2NC+1NA 10m Dcha	198,70
F3S-TGR-NMHR-21-M1J8-R	387890	Interruptor Seg. PLe Miniatura Higiénico Reed 2NC+1NA M12-8p Dcha	205,50
F3S-TGR-NMHR-21-05	387891	Interruptor Seg. PLe Miniatura Higiénico Reed 2NC+1NA 5m	184,40
F3S-TGR-NMHR-21-10	387892	Interruptor Seg. PLe Miniatura Higiénico Reed 2NC+1NA 10m	198,70
F3S-TGR-NMHR-21-M1J8	387893	Interruptor Seg. PLe Miniatura Higiénico Reed 2NC+1NA M12-8pin	205,50
F3S-TGR-NSHR-21-05	387894	Interruptor Seg. PLe Pequeño Higiénico Reed 2NC+1NA 5m	205,50
F3S-TGR-NSHR-21-M1J8	387895	Interruptor Seg. PLe Pequeño Higiénico Reed 2NC+1NA M12-8pin	219,90
F3S-TGR-NSFR-21-05	387896	Interruptor Seg. PLe Pequeño Alimentación Reed 2NC+1NA LED 5m	212,70
F3S-TGR-NSFR-21-M1J8	387897	Interruptor Seg. PLe Pequeño Alimentación Reed 2NC+1NA LED M12-8p	233,80
F3S-TGR-NLMR-21-05	387898	Interruptor Seg. PLe Largo Metal Reed 2NC+1NA 5m	226,80
F3S-TGR-NLMR-21-10	387899	Interruptor Seg. PLe Largo Metal Reed 2NC+1NA 10m	233,80
F3S-TGR-NLMR-21-M1J8	387900	Interruptor Seg. PLe Largo Metal Reed 2NC+1NA M12-8pin	241,10
F3S-TGR-NBPR-21-05	387901	Interruptor Seg. PLe Cilíndrico M30 Plast. Reed 2NC+1NA 5m	170,30
F3S-TGR-NBPR-21-10	387902	Interruptor Seg. PLe Cilíndrico M30 Plast. Reed 2NC+1NA 10m	184,40
F3S-TGR-NBPR-21-M1J8	387903	Interruptor Seg. PLe Cilíndrico M30 Plast. Reed 2NC+1NA M12-8p	191,40
F3S-TGR-NBMR-21-05	387904	Interruptor Seg. PLe Cilíndrico M30 Metal Reed 2NC+1NA LED 5m	226,80
F3S-TGR-NBMR-21-10	387905	Interruptor Seg. PLe Cilíndrico M30 Metal Reed 2NC+1NA LED 10m	233,80
F3S-TGR-NBMR-21-M1J8	387906	Interruptor Seg. PLe Cilíndrico M30 Metal Reed 2NC+1NA LED M12-8p	241,10
F3S-TGR-NSPU-21-05	387916	Interruptor Seg. PLe Pequeño Plast. RFID Unico 2NC+1NA LED 5m	172,00
F3S-TGR-NSPU-21-10	387917	Interruptor Seg. PLe Pequeño Plast. RFID Unico 2NC+1NA LED 10m	179,10
F3S-TGR-NSPU-21-M1J8	387918	Interruptor Seg. PLe Pequeño Plast. RFID Unico 2NC+1NA LED M12-8p	186,30
F3S-TGR-NSPM-21-05	387919	Interruptor Seg. PLe Pequeño Plast. RFID Maestro 2NC+1NA LED 5m	200,50
F3S-TGR-NSPM-21-10	387920	Interruptor Seg. PLe Pequeño Plast. RFID Maestro 2NC+1NA LED 10m	207,60

OMRON PVPR 2023

F3S-TGR-NLPU-21-05	387921	Interruptor Seg. PLe Largo Plast. RFID Unico 2NC+1NA LED 5m	186,30
F3S-TGR-NLPU-21-10	387922	Interruptor Seg. PLe Largo Plast. RFID Unico 2NC+1NA LED 10m	193,30
F3S-TGR-NLPM-21-05	387923	Interruptor Seg. PLe Largo Plast. RFID Maestro 2NC+1NA LED 5m	157,70
F3S-TGR-NLPM-21-10	387924	Interruptor Seg. PLe Largo Plast. RFID Maestro 2NC+1NA LED 10m	164,80
F3S-TGR-SPSA-05	387927	Interruptor Seg. PLe Independiente Plast. 1 sensor 2NC+1NA LED 5m	244,50
F3S-TGR-SPSD-M1J8	387932	Interruptor Seg. PLe Independ. Plast. Doble sen 2NC+1NA LED M12-8p	305,50
F3S-TGR-SMSA-05	387933	Interruptor Seg. PLe Independiente Metal 1 sensor 2NC+1NA LED 5m	304,70
F3S-TGR-SMSA-10	387934	Interruptor Seg. PLe Independiente Metal 1 sensor 2NC+1NA LED 10m	320,90
F3S-TGR-SMSA-M1J8	387935	Interruptor Seg. PLe Independ. Metal 1 sensor 2NC+1NA LED M12-8p	308,00
F3S-TGR-SMSD-05	387936	Interruptor Seg. PLe Independiente Metal Doble sen. 2NC+1NA LED 5m	351,40
F3S-TGR-SMSD-10	387937	Interruptor Seg. PLe Independ. Metal Doble sen. 2NC+1NA LED 10m	366,60
F3S-TGR-NLMX-21-05	387941	Interruptor Seg. PLe Largo Metal ATEX 2NC+1NA 5m	395,60
F3S-TGR-NLMX-21-10	387942	Interruptor Seg. PLe Largo Metal ATEX 2NC+1NA 10m	435,30
F3S-TGR-NBMX-21-05	387943	Interruptor Seg. PLe Cilíndrico M30 Metal ATEX 2NC+1NA 5m	395,60
F3S-TGR-NBMX-21-10	387944	Interruptor Seg. PLe Cilíndrico M30 Metal ATEX 2NC+1NA 10m	435,30
F3S-TGR-NMPR-21-10-R	388163	Interruptor Seg. PLe Mini. Plast. Reed 2NC+1NA Cable 10m Dcha	129,10
F3S-TGR-NSHR-21-10	388164	Interruptor Seg. PLe Pequeño Higiénico Reed 2NC+1NA 10m	212,70
F3S-TGR-NSFR-21-10	388165	Interruptor Seg. PLe Pequeño Alimentación Reed 2NC+1NA LED 10m	226,80
D41D-1CD-N1	701115	Non-contact Interlock Switch, RFID High-coded, PNP, Test Pulse, Connector plug	227,00
D41D-2CD-025N2	701114	Non-contact Interlock Switch, RFID High-coded, PNP, Test Pulse, Pigtail with M12	251,20
D40ML-M2-U-M12	669719	Interruptor Bloqueo Magnético PLe RFID Único Metal Fund. 900N M12	657,00
D40ML-M1-U-M12	669707	Interruptor Bloqueo Magnético PLe RFID Único Metal Fund. 1500N M12	788,50
D40ML-SS1-U-10M	669717	Interruptor Bloqueo Magnético PLe RFID Único Inox. IP69K 950N cable 10m	936,50
D40ML-SS1-U-M12	669703	Interruptor Bloqueo Magnético PLe RFID Único Inox. IP69K 950N M12	946,00
D40ML-M2-B-10M	669737	Interruptor Bloqueo Magnético PLe RFID Básico Metal Fund. 900N cable 10m	595,00
D40ML-M2-B-5M	669736	Interruptor Bloqueo Magnético PLe RFID Básico Metal Fund. 900N cable 5m	574,00
D40ML-SS2-U-M12	669716	Interruptor Bloqueo Magnético PLe RFID Único Inox. IP69K 600N M12	804,00
D40ML-P1-B-10M	669700	Interruptor Bloqueo Magnético PLe RFID Básico Plástico 1500N cable 10m	686,50
D40ML-P1-U-M12	669712	Interruptor Bloqueo Magnético PLe RFID Único Plástico 1500N M12	751,00
D40ML-P2-B-10M	669725	Interruptor Bloqueo Magnético PLe RFID Básico Plástico 900N cable 10m	558,00
D40ML-P1-B-M12	669702	Interruptor Bloqueo Magnético PLe RFID Básico Plástico 1500N M12	694,50
D40ML-SS1-B-5M	669711	Interruptor Bloqueo Magnético PLe RFID Básico Inox. IP69K 950N cable 5m	851,50
D40ML-SS2-B-5M	669713	Interruptor Bloqueo Magnético PLe RFID Básico Inox. IP69K 600N cable 5m	714,00

OMRON PVPR 2023

D40ML-P1-U-5M	669728	Interruptor Bloqueo Magnético PLe RFID Único Plástico 1500N cable 5m	718,50
D40ML-SS2-U-5M	669715	Interruptor Bloqueo Magnético PLe RFID Único Inox. IP69K 600N cable 5m	771,50
D40ML-P2-U-10M	669722	Interruptor Bloqueo Magnético PLe RFID Único Plástico 900N cable 10m	608,50
D40ML-P1-U-10M	669697	Interruptor Bloqueo Magnético PLe RFID Único Plástico 1500N cable 10m	741,00
D40ML-M2-B-M12	669710	Interruptor Bloqueo Magnético PLe RFID Básico Metal Fund. 900N M12	604,50
D40ML-SS2-B-M12	669731	Interruptor Bloqueo Magnético PLe RFID Básico Inox. IP69K 600N M12	745,00
D40ML-M1-B-10M	669724	Interruptor Bloqueo Magnético PLe RFID Básico Metal Fund. 1500N cable 10m	723,50
D40ML-SS1-B-10M	669699	Interruptor Bloqueo Magnético PLe RFID Básico Inox. IP69K 950N cable 10m	872,50
D40ML-P2-U-5M	669714	Interruptor Bloqueo Magnético PLe RFID Único Plástico 900N cable 5m	586,50
D40ML-SS2-B-10M	669698	Interruptor Bloqueo Magnético PLe RFID Básico Inox. IP69K 600N cable 10m	737,00
D40ML-M2-U-10M	669704	Interruptor Bloqueo Magnético PLe RFID Único Metal Fund. 900N cable 10m	647,00
D40ML-SS2-U-10M	669718	Interruptor Bloqueo Magnético PLe RFID Único Inox. IP69K 600N cable 10m	793,50
D40ML-P1-B-5M	669738	Interruptor Bloqueo Magnético PLe RFID Básico Plástico 1500N cable 5m	664,00
D40ML-M1-U-5M	669720	Interruptor Bloqueo Magnético PLe RFID Único Metal Fund. 1500N cable 5m	756,00
D40ML-P2-U-M12	669709	Interruptor Bloqueo Magnético PLe RFID Único Plástico 900N M12	618,50
D40ML-M1-B-5M	669734	Interruptor Bloqueo Magnético PLe RFID Básico Metal Fund. 1500N cable 5m	701,00
D40ML-SS1-U-5M	669705	Interruptor Bloqueo Magnético PLe RFID Único Inox. IP69K 950N cable 5m	914,50
D40ML-M2-U-5M	669733	Interruptor Bloqueo Magnético PLe RFID Único Metal Fund. 900N cable 5m	624,00
D40ML-SS1-B-M12	669721	Interruptor Bloqueo Magnético PLe RFID Básico Inox. IP69K 950N M12	882,50
D40ML-M1-B-M12	669730	Interruptor Bloqueo Magnético PLe RFID Básico Metal Fund. 1500N M12	730,50
D40ML-M1-U-10M	669727	Interruptor Bloqueo Magnético PLe RFID Único Metal Fund. 1500N cable 10m	778,50
D40ML-P2-B-M12	669708	Interruptor Bloqueo Magnético PLe RFID Básico Plástico 900N M12	568,50
D40ML-P2-B-5M	669735	Interruptor Bloqueo Magnético PLe RFID Básico Plástico 900N cable 5m	537,50
D40ML-P2-B-5M-PR	679684	Interruptor de seguridad de bloqueo magnético con tecnología RFID, plástico, 90	537,50
D40ML-P2-U-5M-PR	679685	Interruptor de seguridad de bloqueo magnético con tecnología RFID, plástico, 90	586,50
E4PA-LS50-M1-N	185057	Ultrasonidos cilíndrico 50-500mm CC 5 hilos	1 691,00
E4PA-LS200-M1-N	185058	Ultrasonidos cilíndrico 2000mm cc 5h	1 890,00
E4PA-LS400-M1-N	185059	Ultrasonidos cilíndrico 4000mm cc 5h	2 047,00
E4PA-LS600-M1-N	185060	Ultrasonidos cilíndrico 6000mm cc 5h	2 301,00
E4C-DS30	224790	Ultrasonidos cilíndrico M18 Reflex 30cm	1 269,00
E4C-DS30L	224791	Ultrasonidos cilíndrico M18 Reflex 30cm Lateral	1 269,00
E4C-DS80	224792	Ultrasonidos cilíndrico M18 Reflex 80cm	1 386,00
E4C-DS100	224794	Microrruptor miniatura	2 165,00

OMRON PVPR 2023

E4E2-TS50C1 2M	329619	Ultrasonidos compacto barrera 500mm NPN NA	882,00
E4E2-TS50C2 2M	329620	Ultrasonidos compacto barrera 500mm NPN NC	882,00
ZN-A4105D	240790	Unidad de limpieza de aire, 410 x 410 mm, 24 VCC, sin adaptador de CA	1 739,00
ZN-J41A	240793	Ionizador, para filtro de aire de 410 x 410 mm	1 487,00
ZN-A6112	368300	Air cleaning unit, 610 x 610 mm, 24 VDC, no AC adaptor	3 468,00
ZN-A6112P	368301	Air cleaning unit, 610 x 610 mm, 24 VDC, no AC adaptor, with clog detection fur	2 932,00
ZJ-SD100	235680	Cabeza sensor electrostático 5-100mm	1 880,00
ZJ-SDA11	235681	Amplificador sensor electrostático	1 521,00
ZJ-BAS050	250523	Ionizador 500-370mm	2 561,00
ZJ-BAS058	250524	Ionizador de barra 580-450mm	2 667,00
ZJ-BAS074	250525	Ionizador de barra 740-610mm	2 950,00
ZJ-BAS090	250526	Ionizador de barra 900-770mm	3 143,00
ZJ-BAS130	250527	Ionizador de barra 1300-1170mm	3 528,00
ZJ-BAS154	250528	Ionizador 1540-1410mm	4 140,00
ZJ-BAS-MC05A	250533	Cable alimentación ionizador 1conector 5m	95,45
ZJ-BAS-MC10A	250534	Cable alimentación ionizador ZJ-BAS 1 conector 10m	156,50
ZJ-BAS050S	326587	Ionizador de barra 500-370mm Conector de polisilicona	4 346,00
ZJ-BAS058S	326588	Ionizador de barra 580-450mm Conector de polisilicona	4 646,00
ZJ-BAS074S	326589	Ionizador de barra 740-610mm Conector de polisilicona	5 375,00
ZJ-BAS090S	326590	Ionizador de barra 900-770mm Conector de polisilicona	5 885,00
ZJ-BAS130S	326591	Ionizador de barra 1300-1170mm Conector de polisilicona	7 370,00
ZJ-BAS154S	326592	Ionizador de barra 1540-1410mm Conector de polisilicona	8 660,00
ZJ-FW013	377873	Ionizador tipo ventilador, tamaño: 130 mm, alta velocidad, estructura ligera, cor	716,50
ZJ-FW029	377874	Ionizador tipo ventilador, tamaño: 290 mm, alta velocidad, estructura ligera, cor	1 003,00
ZJ-FW053	377875	Fan type ioniser, size 530mm, high speed, lightweigt body, easy configuration	1 577,00
KS1-AA1T	236156	Base ionizador de boquilla	2 235,00
ZJ-FA20-E KADW	672460	Ionizador tipo ventilador (con alimentador EU)	917,00
ZN-PD03	240795	Sensor de particulas (0,3 -1 micra) en aire	2 312,00
ZN-PDA11 2M	240796	Amplificador para ZN-PD03 24Vcc	1 719,00
ZN-PDA12 2M	240797	Amplificador para ZN-PD03 (alimentación desde sensor)	1 719,00
ZN-THS17-S	373965	Sensor ZN-THX11 Temp 60°C / Hum 85% Acodado	447,70
ZN-THS11-S	373966	Sensor ZN-THX11 Temp 60°C / Hum 99% Cert calibración Cable 1,5m	469,40
ZN-THX11-SA	373967	Consola capturadora de datos ZN-TH Temp/Hum Bat/24Vcc	1 032,00

OMRON PVPR 2023

ZN-THX21-SA	373968	Consola capturadora de datos ZN-TH Temp/Hum 24Vcc	1 032,00
ZN-PD50-SA	376251	Sensor independiente de partículas (polvo 5-50 micras) en aire	14 650,00
ZN-PD03-SA	377995	Air particle sensor, particle measurement type (0.3, 0.5, or 1.0 µm min.), without	10 070,00
ZN-PD50C-SA	668496	Air Particle Sensor, Dust measurement type, 50 µm min. with the calibration ce	11 050,00
KM50-OPT-ED1	380511	Accesorio KM50-E1 para montaje en carril DIN	93,00
KE1-CTD8E	380512	Medidor de energía, Expansión para CT	204,00
KM50-OPT-EM1	380514	Accesorio KM50-E1 para montaje con imán	93,00
KM50-C1-FLK	380515	Dispositivos de monitorización de energía, Dispositivos inteligentes de monitoriz	504,50
KM1-EMU8A-FLK	380516	Medidor de energía, Expansión para Temperatura y Entrada pulsos	474,70
KM1-PMU2A-FLK	380517	Medidor de energía maestro Sistema dual Monofásico 2hilos Trifásico 4hilos	692,00
KM1-PMU1A-FLK	380518	Medidor de energía maestro Sistema único Trifásico 4 hilos	692,00
KM50-E1-FLK	380520	Medidor de energía on-panel Display LED Monofásico 2hilos Trifásico 3_4hilos 4	890,00
KM50-OPT-CD1	380521	Mounting form for KM50 C-version (DIN rail mounting type)	37,15
D6FZ-FGS1000	392021	Sensor de caudal de aire hasta 1.000L/min	2 981,00
D6FZ-FGS1000-S	392023	Kit de Sensor de caudal FGS1000 + Estación FGX21 + T + cable	3 772,00
D6FZ-FGT200	392228	Sensor de caudal de aire hasta 200L/min	700,50
D6FZ-FGT500	392229	Sensor de caudal de aire hasta 500L/min	778,00
KE1-DRT-FLK	659497	Módulo de comunicaciones DeviceNet para KM1	204,00
KM-N2-FLK	669418	Medidor de energía Multicircuito Display LED Push-in+	331,90
KM-N3-FLK	672546	Medidor de energía Multicircuito Display LED Push-in+ 96x96	314,70
CJ1W-SPU01-V2	239898	SYSMAC SPU Storage and Processing Unit	3 728,00
NX-V680C1	685617	Unidad de comunicación RFID serie NX, 1 puerto de antena	1 644,00
NX-V680C2	685616	NX series RFID communication unit, 2 antenna ports	2 656,00
CJ1W-V680C11	244991	Módulo RFID para CJ1 1 Antena 13.56MHz	1 557,00
CJ1W-V680C12	244992	Módulo RFID para CJ1 2 Antenas 13.56MHz	2 033,00
CJ1W-V600C11	108924	Modulo identificación flexible para serie CJ1	1 727,00
CJ1W-V600C12	148904	Modulo Identificación flexible para CJ1 2 cabezas	2 440,00
CS1W-V600C12	108923	Modulo identificación flexible para CS1 2 cabezas	2 697,00
NSH5-SQR10B	250160	Serie NS - Handy 5.7" TFT Color (Negro)	4 174,00
NSH5-SQG10B	250161	Terminal programable portátil (HMI), 5.7 pulgadas, STN, 256 colores (4,096 colo	4 956,00
NB10W-TW01B	392035	Terminal NB de 10.1" TFT Color, 800 x 480, Ethernet, USB maestro	1 639,00
NB3Q-TW00B	392036	Terminal NB de 3.5" TFT Color, 320 x 240	446,20
NB3Q-TW01B	392037	Terminal NB de 3.5" TFT Color, 320 x 240, Ethernet, USB maestro	565,50

OMRON PVPR 2023

NB5Q-TW00B	392038	Terminal NB de 5.6" TFT Color, 320 x 234	546,00
NB5Q-TW01B	392039	Terminal NB de 5.6" TFT Color, 320 x 234, Ethernet, USB maestro	669,50
NB7W-TW00B	392040	Terminal NB de 7" TFT Color, 800 x 480	734,00
NB7W-TW01B	392041	Terminal NB de 7" TFT Color, 800 x 480, Ethernet, USB maestro	851,50
NSJ5-TQ11B-G5D	328952	Sysmac One 5.7" TFT, DNET, ETHERNET, CJ1G45H (Negro)	9 000,00
NS12-TS00-V2	204265	Serie NS - TFT 12.1" Color (Beige)	8 210,00
NS12-TS00B-V2	204266	Serie NS - TFT 12.1" Color (Negro)	8 210,00
NS12-TS01-V2	204267	Serie NS - TFT 12.1" Color Ethernet (Beige)	8 985,00
NS12-TS01B-V2	204268	Serie NS - TFT 12.1" Color Ethernet (Negro)	8 985,00
NS8-TV00-V2	209576	Serie NS - TFT 8.4" Color (Beige)	5 095,00
NS8-TV00B-V2	209577	Serie NS - TFT 8.4" Color (Negro)	5 095,00
NS8-TV01-V2	209578	Serie NS - TFT 8.4" Color Ethernet (Beige)	5 615,00
NS8-TV01B-V2	209579	Serie NS - TFT 8.4" Color Ethernet (Negro)	5 615,00
NS10-TV00-V2	209580	Serie NS - TFT 10.4" Color (Beige)	6 815,00
NS10-TV00B-V2	209581	Serie NS - TFT 10.4" Color (Negro)	6 815,00
NS10-TV01-V2	209582	Serie NS - TFT 10.4" Color Ethernet (Beige)	7 560,00
NS10-TV01B-V2	209583	Serie NS - TFT 10.4" Color Ethernet (Negro)	7 560,00
NS5-SQ10-V2	250152	Serie NS - TFT 5.7" Color (Beige)	2 873,00
NS5-SQ10B-V2	250153	Serie NS - TFT 5.7" Color (Negro)	2 873,00
NS5-SQ11-V2	250154	Serie NS - TFT 5.7" Color Ethernet (Beige)	3 275,00
NS5-SQ11B-V2	250155	Serie NS - TFT 5.7" Color Ethernet (Negro)	3 275,00
NS5-TQ10-V2	250156	Serie NS - TFT Alto contraste 5.7" Color (Beige)	3 895,00
NS5-TQ10B-V2	250157	Serie NS - TFT Alto contraste 5.7" Color (Negro)	3 895,00
NS5-TQ11-V2	250158	Serie NS - TFT Alto contraste 5.7" Color Ethernet (Beige)	4 247,00
NS5-TQ11B-V2	250159	Serie NS - TFT Alto contraste 5.7" Color Ethernet (Negro)	4 247,00
NT631C-ST153-EV3	237001	NT631, TFT Color 10.4" (Beige)	8 745,00
NV3W-MR20L	659074	HMI de pantalla táctil, LED STN mono de 3,8 pulg. (blanco/rosa/rojo), RS232C, 5V	443,20
NV3W-MG40	659075	NV - STN 3.1" Monocromo, LED verde, naranja, rojo, RS422/485, 24V	432,90
NV3W-MG20L	659076	NV - STN 3.1" Monocromo, LED verde, naranja, rojo, RS232C, 5V	432,90
NV3W-MR20	659077	NV - STN 3.1" Monocromo, LED blanco, rosa, rojo, RS232C, 24V	450,60
NV3W-MR40	659078	Touch screen HMI, 3.8 inch STN Mono LED: White/Pink/Red, RS422A/485, 24V	545,50
NV3W-MG20	659080	NV - STN 3.1" Monocromo, LED verde, naranja, rojo, RS232C, 24V	450,60
NA5-7W001S-V1	693980	HMI de pantalla táctil, pantalla panorámica de 7 pulgadas, LCD TFT, color de 24"	2 055,00

OMRON PVPR 2023

NA5-7W001B-V1	693979	HMI de pantalla táctil, pantalla panorámica de 7 pulgadas, LCD TFT, color de 24	2 055,00
NA5-9W001S-V1	693978	HMI de pantalla táctil, pantalla panorámica de 9 pulgadas, LCD TFT, color de 24	3 209,00
NA5-9W001B-V1	693977	HMI de pantalla táctil, pantalla panorámica de 9 pulgadas, LCD TFT, color de 24	3 209,00
NA5-12W101S-V1	693976	HMI de pantalla táctil, pantalla panorámica de 12,1 pulgadas, LCD TFT, color de	3 850,00
NA5-12W101B-V1	693975	HMI de pantalla táctil, pantalla panorámica de 12,1 pulgadas, LCD TFT, color de	3 850,00
NA5-15W101S-V1	693974	HMI de pantalla táctil, pantalla panorámica de 15,4 pulgadas, LCD TFT, color de	4 875,00
NA5-15W101B-V1	693973	HMI de pantalla táctil, pantalla panorámica de 15,4 pulgadas, LCD TFT, color de	4 875,00
NA5-12W101B-V1-EU	707541	Touch screen HMI, 12.1 inch wide screen, TFT LCD, 24bit color, 1280x800 resolu	6 870,00
NA5-12W101S-V1-EU	707542	Touch screen HMI, 12.1 inch wide screen, TFT LCD, 24bit color, 1280x800 resolu	6 870,00
NA5-15W101B-V1-EU	707543	Touch screen HMI, 15.4 inch wide screen, TFT LCD, 24bit color, 1280x800 resolu	8 485,00
NA5-15W101S-V1-EU	707544	Touch screen HMI, 15.4 inch wide screen, TFT LCD, 24bit color, 1280x800 resolu	8 485,00
NA5-7W001B-V1-EU	707545	Touch screen HMI, 7 inch wide screen, TFT LCD, 24bit color, 800x480 resolution,	6 390,00
NA5-7W001S-V1-EU	707546	Touch screen HMI, 7 inch wide screen, TFT LCD, 24bit color, 800x480 resolution,	6 390,00
NA5-9W001B-V1-EU	707547	Touch screen HMI, 9 inch wide screen, TFT LCD, 24bit color, 800x480 resolution,	6 745,00
NA5-9W001S-V1-EU	707548	Touch screen HMI, 9 inch wide screen, TFT LCD, 24bit color, 800x480 resolution,	6 745,00
NYE2A-20S11-07WR1300	708980	Touch screen HMI Panel PC with NS Runtime, Windows 10 IOT 2021, Intel Atom	2 592,00
NYE2A-20S11-07WR1200	708979	Touch screen HMI Panel PC with NS Runtime, Windows 10 IOT 2021, Intel Atom	2 592,00
NYE2A-20S11-09WR1300	708978	Touch screen HMI Panel PC with NS Runtime, Windows 10 IOT 2021, Intel Atom	2 916,00
NYE2A-20S11-09WR1200	708977	Touch screen HMI Panel PC with NS Runtime, Windows 10 IOT 2021, Intel Atom	2 916,00
NYE2A-20S11-12WR1300	708976	Touch screen HMI Panel PC with NS Runtime, Windows 10 IOT 2021, Intel Atom	4 644,00
NYE2A-20S11-12WR1200	708975	Touch screen HMI Panel PC with NS Runtime, Windows 10 IOT 2021, Intel Atom	4 644,00
NYE2A-20S11-15WR1300	708974	Touch screen HMI Panel PC with NS Runtime, Windows 10 IOT 2021, Intel Atom	5 080,00
NYE2A-20S11-15WR1200	708973	Touch screen HMI Panel PC with NS Runtime, Windows 10 IOT 2021, Intel Atom	5 080,00
CJ1W-DA041	104446	Módulo 4 Salidas analógicas	919,50
CJ1W-AD081-V1	136032	Módulo 8 Entradas analógicas 1/8000	972,50
CJ1W-AD041-V1	136033	Módulo 4 Entradas analógicas 1/8000	765,50
CJ1W-DA021	151233	Módulo 2 Salidas analógicas	699,00
CJ1W-TS561	168013	Módulo 6 Entradas Termopar	672,00
CJ1W-TS562	168014	Módulo 6 Entradas Pt100/Pt1000	672,00
CJ1W-PTS51	168518	Módulo 4 Entradas Termopar Aisladas	886,50
CJ1W-PTS52	168519	Módulo 4 Entradas RTD Aisladas	886,50
CJ1W-MAD42	171895	Módulo Analógico mixto 4 Entradas / 2 Salidas	845,50
CJ1W-DA08V	171896	Módulo 8 Salidas Analógicas Tensión 1/8000	1 242,00

OMRON PVPR 2023

CJ1W-DA08C	171897	Módulo 8 Salidas Analógicas Corriente 1/8000	1 242,00
CJ1W-AD041-V1(SL)	171999	Módulo 4 Entradas analógicas 1/8000 Screwless	765,50
CJ1W-AD081-V1(SL)	172000	Módulo 8 Entradas analógicas 1/8000 Screwless	972,50
CJ1W-DA021(SL)	172001	Módulo 2 Salidas analógicas Screwless	699,00
CJ1W-DA041(SL)	172002	Módulo 4 Salidas analógicas Screwless	919,50
CJ1W-DA08C(SL)	172003	Módulo 8 Salidas Analógicas Corriente 1/8000 Screwless	1 242,00
CJ1W-DA08V(SL)	172004	Módulo 8 Salidas Analógicas Tensión 1/8000 Screwless	1 242,00
CJ1W-MAD42(SL)	172005	Módulo Analógico mixto 4 Entradas / 2 Salidas Screwless	845,50
CJ1W-TS562(SL)	172733	Módulo 6 Entradas Pt100/Pt1000 Screwless	672,00
CJ1W-TS561(SL)	180447	Módulo 6 Entradas Termopar Screwless	672,00
CJ1W-PDC15	183665	Módulo 2 Entradas Analógicas Aisladas 16 bits	1 081,00
CJ1W-AD04U	235350	Módulo 4 Entradas Analógicas Universal 1/12000	765,50
CJ1W-AD04U(SL)	235351	Módulo 4 Entradas Analógicas Universal 1/12000 Screwless	765,50
CJ1W-PH41U	247114	Módulo 4 Entradas Analógicas Universales Aisladas	1 398,00
CJ1W-AD042	318067	Módulo 4 Entradas Analógicas Alta Velocidad	1 189,00
CJ1W-DA042V	318068	Módulo 4 Salidas Analógicas Alta Velocidad	1 189,00
SRT2-AD04	111528	Módulo analógico 4 Entradas Compobus/S	1 008,00
SRT2-DA02	111529	Módulo analógico 2 Salidas Compobus/S	1 008,00
CRT1-AD04	226107	Unidad Componet 4 Entradas Analógicas IP20	624,50
CRT1-DA02	226108	Unidad Componet 2 Salidas Analógicas IP20	624,50
CRT1-TS04T	256106	Unidad Componet 4 Entradas Termopar IP20	654,00
CRT1-TS04P	256107	Unidad Componet 4 Entradas Pt100 IP20	654,00
CPM2C-TS101	297721	Módulo Expansión 2 Entradas Pt100	735,00
CPM2C-MAD11	297737	Módulo Expansión 2/1 E/S analógicas 12 bits	897,50
CPM2C-TS001	297750	Módulo Expansión 2 Entradas Termopar	735,00
CP1W-MAB221	364429	Módulo Expansión 2 entradas analógicas, 0-10V, 0-20mA & 2 salidas, 0-10V	280,10
CP1W-ADB21	364430	2 entradas analógicas, 0-10V, 0-20mA	160,00
CP1W-DAB21V	364431	Módulo Expansión 2 salidas analógicas, 0-10V	160,00
CP1W-TS004	401523	Módulo Expansión 12 Entradas Termopar	1 140,00
CP1W-AD042	671144	Módulo Expansión 4 Entradas Analogía 1/12000	431,60
CP1W-AD041	671145	Módulo Expansión 4 Entradas Analógicas 12 bits	565,50
CP1W-DA042	671146	Módulo Expansión 4 Salidas Analogía 1/12000	465,50
CP1W-DA021	671147	Módulo Expansión 2 Salidas Analógicas 12 bits	424,90

OMRON PVPR 2023

CP1W-DA041	671148	Módulo Expansión 4 Salidas Analógicas 12 bits	565,50
CP1W-MAD11	671149	Módulo Expansión 2/1 E/S Analógicas 12 bits	578,50
CP1W-MAD44	671150	Módulo Expansión 4 Entradas + 4 Salidas Analogía 1/12000	734,00
CP1W-MAD42	671151	Módulo Expansión 4 Entradas + 2 Salidas Analogía 1/12000	565,50
CP1W-TS101	672572	Módulo Expansión 2 Entradas Pt100	478,60
CP1W-TS102	672573	Módulo Expansión 4 Entradas Pt100	633,00
CP1W-TS001	673348	Módulo Expansión 2 Entradas Termopar	478,60
CP1W-TS002	673347	Módulo Expansión 4 Entradas Termopar	633,00
CP1W-TS003	674253	Módulo Expansión 4 Entradas Termopar/Analogía (4/0 ó 2/2)	598,00
CS1W-PTS12	105743	Módulo 4 Entradas Pt100/JPt100 Aislamiento Galvánico Alta Res.	1 828,00
CS1W-PDC11	135574	Módulo 4 Entradas DC Aislamiento galvánico	1 870,00
CS1W-PTW01	135605	Módulo 4 Entradas Transmisor 2 Hilos Aislamiento galvánico	2 231,00
CS1W-PMV01	135606	Módulo 4 Salidas Analógicas Aislamiento galvánico	2 231,00
CS1W-PTS03	135608	Módulo 4 Entradas RTD Ni508.4 Aislamiento galvánico	2 231,00
CS1W-PTR02	135609	Módulo 8 Entradas Analógicas (100mV)	2 231,00
CS1W-DA041	135612	Módulo 4 Salidas analógicas V/I 1/4000	1 661,00
CS1W-AD081-V1	135647	Módulo 8 Entradas analógicas	1 810,00
CS1W-MAD44	135688	Módulo 4/4 E/S Analógicas	1 828,00
CS1W-DA08-V	142228	Módulo 8 Salidas analógicas V 1/4000	1 481,00
CS1W-AD041-V1	143686	Módulo 4 Entradas analógicas	1 449,00
CS1W-DA08-C	144480	Módulo 8 Salidas analógicas I 1/4000	1 481,00
CS1W-PTS51	168520	Módulo 4 Entradas Termopar Aislamiento galvánico	1 344,00
CS1W-PTS52	168521	Módulo 4 Entradas Pt100/JPt100 Aislamiento galvánico	1 344,00
CS1W-PTS55	172047	Módulo 8 Entradas Termopar Aislamiento galvánico	1 870,00
CS1W-PTS56	172048	Módulo 8 Entradas Pt100/JPt100 Aislamiento galvánico	1 870,00
CS1W-PDC55	172049	Módulo 8 Entradas Analógicas V/I Aislamiento galvánico	1 870,00
CS1W-AD161	181856	Módulo 16 Entradas analógicas	1 991,00
DRT2-TS04P	175514	Módulo 4 Entradas Pt100	745,00
DRT2-TS04T	175515	Módulo 4 Entradas Termopar	789,00
DRT2-AD04H	175516	Módulo 4 Entradas Analógicas Aisladas Alta Resolución	833,00
GX-AD0471	343327	Módulo EtherCAT 4 Entradas Analógicas	868,50
GX-DA0271	343328	Módulo EtherCAT 2 Salidas Analógicas	868,50
GT1-AD04	121025	Módulo 4 Entradas analógicas Tornillo	876,50

OMRON PVPR 2023

GT1-TS04T	121027	4 entradas Temperatura Termopar	950,00
GT1-AD08MX	121108	8 Entradas analógicas Molex	978,50
GT1-DA04MX	121109	Módulo 4 Salidas analógicas Molex	978,50
GT1-TS04P	147179	Módulo 4 entradas Temperatura Termorresistencia	950,00
GT1-DA04	150827	Módulo 4 Salidas analógicas Tornillo	1 096,00
NX-AD2604	375618	Unidad NX - 2 Entradas de Analogía +/-10V Diferencial 1/8000 250µs	273,80
NX-AD2608	375619	Unidad NX - 2 Entradas de Analogía +/-10V Diferencial 1/30000 10µs	352,00
NX-AD3604	375621	Unidad NX - 4 Entradas de Analogía +/-10V Diferencial 1/8000 250µs	312,90
NX-AD3608	375622	Unidad NX - 4 Entradas de Analogía +/-10V Diferencial 1/30000 10µs	479,00
NX-AD4603	375623	Unidad NX - 8 Entradas de Analogía +/-10V Común 1/8000 250µs	431,90
NX-AD4604	375624	Unidad NX - 8 Entradas de Analogía +/-10V Diferencial 1/8000 250µs	431,90
NX-AD4608	375625	Unidad NX - 8 Entradas de Analogía +/-10V Diferencial 1/30000 10µs	626,50
NX-AD2204	375627	Unidad NX - 2 Entradas de Analogía 4-20mA Diferencial 1/8000 250µs	273,80
NX-AD2208	375628	Unidad NX - 2 Entradas de Analogía 4-20mA Diferencial 1/30000 10µs	352,00
NX-AD3208	375631	Unidad NX - 4 Entradas de Analogía 4-20mA Diferencial 1/30000 10µs	479,00
NX-AD4208	375634	Unidad NX - 8 Entradas de Analogía 4-20mA Diferencial 1/30000 10µs	626,50
NX-DA2605	375636	Unidad NX - 2 Salidas de Analogía +/-10V 1/30000 10µs	379,80
NX-DA3605	375638	Unidad NX - 4 Salidas de Analogía +/-10V 1/30000 10µs	505,50
NX-DA2203	375639	Unidad NX - 2 Salidas de Analogía 4-20mA 1/8000 250µs	300,00
NX-DA2205	375640	Unidad NX - 2 Salidas de Analogía 4-20mA 1/30000 10µs	379,80
NX-DA3205	375642	Unidad NX - 4 Salidas de Analogía 4-20mA 1/30000 10µs	505,50
NX-TS2201	375643	Unidad NX - 2 Entradas RTD 0.1 °C 200 ms	366,60
NX-TS3201	375644	Unidad NX - 4 Entradas RTD 0.1 °C 200 ms	466,10
NX-TS2101	377373	Unidad NX - 2 Entradas Termopar 0.1 °C 200 ms	366,60
NX-TS3101	377374	Unidad NX - 4 Entradas Termopar 0.1 °C 200 ms	466,10
NX-TS2104	380134	Unidad NX - 2 Entradas de Sensor de Temperatura, K, J, T, E, L, U, N, R, S, WRe5-	548,50
NX-TS3102	380135	Unidad NX - 4 Entradas de Sensor de Temperatura, K, J, T, E, L, U, N, R, S, WRe5-	711,00
NX-TS2202	380136	Unidad NX - 2 Entradas RTD 0.01 °C 10 ms	565,50
NX-TS2204	380137	Unidad NX - 2 Entradas Pt100 (3 hilos), 0.001°C máx., 60 ms/un	565,50
NX-TS3202	380138	Unidad NX - 4 Entradas Pt100 (3 hilos) 0.01°C máx. 10 ms	721,00
NX-TS3204	380139	Unidad NX - 4 Entradas de Sensor de Temperatura, Pt100 (tres hilos), resolución	721,00
NX-TS2102	380149	Unidad NX - 2 Entradas de Sensor de Temperatura, K, J, T, E, L, U, N, R, S, WRe5-	548,50
NX-TS3104	380150	Unidad NX - 4 Entradas de Sensor de Temperatura, K, J, T, E, L, U, N, R, S, WRe5-	711,00

OMRON PVPR 2023

NX-RS1201	670275	Unidad NX - 1 Entrada de Célula de carga	639,50
NX1W-ADB21	672499	Módulo opcional NX1P - 2 entradas analógicas (0-10V 1:4000 ó 0-20mA 1:2000)	159,50
NX1W-DAB21V	672506	Módulo opcional NX1P - 2 salidas analógicas (0-10V 1:4000), screwless	159,50
NX1W-MAB221	672507	Módulo opcional NX1P - 2 entradas analógicas (0-10V 1:4000 ó 0-20mA 1:2000)	278,80
NX-RS1201-K	674186	Unidad NX - 1 Entrada de Célula de carga (con certificado de calibración)	935,00
NX-HAD402	682695	Unidad NX - 4 entradas analógicas de alta velocidad, -10 a 10 V, -5 a 5 V, 0 a 10 V	986,50
NX-AD2203	686016	Unidad NX - 2 Entradas de Analogía 4-20mA Común 1/8000 250µs	273,80
NX-AD2603	686017	Unidad NX - 2 Entradas de Analogía +/-10V Común 1/8000 250µs	273,80
NX-AD3203	686018	Unidad NX - 4 Entradas de Analogía 4-20mA Común 1/8000 250µs	312,90
NX-AD3204	686019	Unidad NX - 4 Entradas de Analogía 4-20mA Diferencial 1/8000 250µs	312,90
NX-AD4203	686020	Unidad NX - 8 Entradas de Analogía 4-20mA Común 1/8000 250µs	431,90
NX-AD4204	686021	Unidad NX - 8 Entradas de Analogía 4-20mA Diferencial 1/8000 250µs	431,90
NX-DA2603	686022	Unidad NX - 2 Salidas de Analogía +/-10V 1/8000 250µs	300,00
NX-DA3203	686023	Unidad NX - 4 Salidas de Analogía 4-20mA 1/8000 250µs	345,80
NX-DA3603	686024	Unidad NX - 4 Salidas de Analogía +/-10V 1/8000 250µs	345,80
NX-AD3603	708622	Unidad NX - 4 Entradas de Analogía +/-10V Común 1/8000 250µs	312,90
NX-TS3101	708970	Unidad NX - 4 Entradas Termopar 0.1 °C 200 ms	466,10
GRT1-AD2	224393	Unidad SmartSlice de 2 Entradas Analógicas	307,90
GRT1-DA2C	224394	Unidad SmartSlice de 2 Salidas Analógicas de Corriente	307,90
GRT1-DA2V	224395	Unidad SmartSlice de 2 Salidas Analógicas de Tensión	307,90
GRT1-TS2P	238319	Unidad Smartslice de 2 Entradas Pt100	359,30
GRT1-TS2PK	243555	Unidad SmartSlice de 2 Entradas Pt1000	322,50
GRT1-TS2T	246039	Unidad SmartSlice de 2 Entradas Termopar	359,30
CK3W-AD3100	689321	Entradas analogicas CK3W, 8 puntos, +/-10 V, 16 bits (escala completa)	1 758,00
CK3W-AD2100	689322	Entradas analogicas CK3W, 4 puntos, +/-10 V, 16 bits (escala completa)	1 428,00
B7A-T10M2	137142	2 hilos 10E emisor	106,10
B7A-R10MC	137143	2 hilos 10E receptor	159,20
B7A-T10S3	137144	2 hilos 10E emisor	207,80
B7A-T6D2	137149	2 hilos 16E emisor 19.2ms TTL	106,10
B7A-T6D7	137150	B7A link terminal, modular type, 16 x inputs, PNP(TTL)	106,10
B7A-T6E8	137157	2 hilos 16E.emisor 3ms NPN	191,80
B7A-T3E3	137158	2 hilos 32E NPN Emisor 19.2ms	293,10
B7A-R6C31	137159	2 hilos 16S receptor 19.2ms NPN LOFF	456,40

OMRON PVPR 2023

B7A-R6G31	137160	2 hilos 16S receptor 19.2ms PNP LOFF	456,40
B7A-R6G36	137163	2 hilos 16S receptor 3ms PNP LOFF	456,40
B7A-R6A33	137164	2 hilos 16S receptor 19.2ms NPN LOAD OFF	207,80
B7A-R3A13	137166	2 hilos 32S receptor E/S 19.2ms NPN HOLD	293,10
B7AM-8B31	137174	2 hilos 8E/8S E/S 19.2ms NPN	441,80
B7A-R3A33	153478	2 hilos 32S receptor 19.2ms NPN	293,10
B7A-R10SC01	154608	2 hilos 10S receptor	269,50
B7A-R6A13	156709	2 hilos 16 Salidas NPN Receptor 19.2ms HOLD 50mA/p	207,80
B7A-R6A52	158010	2 hilos 16S receptor 19.2ms NPN HOLD/LOFF	106,10
B7A-R3A38-M	168243	2 hilos 32S NPN Receptor 3ms Load OFF Mitsubishi I/O	561,00
B7AS-T6B1	169687	2 hilos 16E NPN receptor 19.2ms	374,20
B7A-T6B6	169695	16 Points For Input, Screw Terminal, High Speed, +/- Common	293,10
B7A-R6B11	169696	2 hilos 16S NPN receptor receptor 19.2ms HOLD	255,00
B7A-R6B31	169698	2 hilos 16S NPN receptor 19.2ms LOFF	255,00
B7A-R6B36	169699	2 hilos 16S NPN receptor 3ms LOFF	293,10
B7A-R6F11	169700	2 hilos 16S PNP receptor 19.2ms HOLD	255,00
B7A-R6F31	169702	2 hilos 16 Salidas PNP Receptor 19.2ms LOFF	255,00
B7A-R6F36	169703	2 hilos 16S PNP receptor 3ms LOFF	315,30
B7AS-R6B31	169712	2 hilos 16S NPN receptor 3ms LOFF	404,80
B7A-T6C6	177580	2 hilos 16E emisor 3ms PNP	293,10
B7A-T6C1	184203	2 hilos 16E emisor 19.2ms PNP+/-común	293,10
CJ1W-MD231	104549	Módulo 16/16 E/S Salidas NPN Fujitsu	495,90
CJ1W-MD233	136023	Módulo 16/16 E/S Salidas NPN MIL	495,90
CJ1W-MD261	136024	Módulo 32/32 E/S Salidas NPN Fujitsu	872,00
CJ1W-OD262	136029	Módulo 64 Salidas PNP MIL	819,50
CJ1W-OD203	143440	Módulo 8 Salidas NPN 0,5A Term.	234,80
CJ1W-MD563	151272	Módulo 32/32 E/S TTL 5Vdc MIL	872,00
CJ1W-MD232	156708	Módulo 16/16 E/S Salidas PNP MIL	536,00
CJ1W-MD263	156856	Módulo 32/32 E/S Salidas NPN MIL	872,00
CJ1W-ID211(SL)	171731	Módulo 16 Entradas 24 Vcc Screwless	234,80
CJ1W-OC201(SL)	171732	Módulo 8 Salidas relé Screwless	248,10
CJ1W-OC211(SL)	171733	Módulo 16 Salidas relé Screwless	315,20
CJ1W-OD211(SL)	171734	Módulo 16 Salidas NPN Screwless	261,50

OMRON PVPR 2023

CJ1W-OD212(SL)	171735	Módulo 16 Salidas PNP Screwless	274,90
CJ1W-ID231	177393	Módulo 32 Entradas 24Vcc Fujitsu	422,30
CJ1W-ID232	177394	Módulo 32 Entradas 24Vcc MIL	422,30
CJ1W-ID261	177395	Módulo 64 Entradas 24Vcc Fujitsu	672,00
CJ1W-ID262	177396	Módulo 64 Entradas 24 Vcc MIL	672,00
CJ1W-OD231	177398	Módulo 32 Salidas NPN Fujitsu	435,60
CJ1W-OD232	177399	Módulo 32 Salidas PNP MIL	550,00
CJ1W-OD233	177400	Módulo 32 Salidas NPN MIL	435,60
CJ1W-OD261	177401	Módulo 64 Salidas NPN Fujitsu	819,50
CJ1W-OD263	177402	Módulo 64 Salidas NPN MIL	819,50
CJ1W-ID233	270545	Módulo 32 Entradas Alta Velocidad MIL	449,00
CJ1W-OD234	270546	Módulo 32 Salidas NPN Alta Velocidad MIL	482,50
CJ1W-OD213	270548	Módulo 16 Salidas NPN Alta Velocidad Screwless	315,20
CJ1W-INT01	315596	Módulo 16 Entradas Interrupción Term.	509,50
CJ1W-IA111	315597	Módulo 16 Entradas 100-120Vac Term.	288,50
CJ1W-IA201	315598	Módulo 8 Entradas 200-240Vac Term.	261,50
CJ1W-OA201	315599	Módulo 8 Salidas Triac Term.	288,50
CJ1W-OD201	315600	Módulo 8 Salidas NPN Term.	274,90
CJ1W-OD202	315601	Módulo 8 Salidas PNP Term.	274,90
CJ1W-IDP01	315602	Módulo 16 Entradas de Respuesta Rápida	495,90
CJ1W-OD204	315603	Módulo 8 Salidas PNP 0.5A Term.	234,80
CJ1W-ID201	382928	Módulo 8 Entradas 24Vcc - Conector M3	201,40
CJ1W-ID211	382929	Módulo 16 Entradas 24Vcc Term.	234,80
CJ1W-ID212	382930	Módulo 16 Entradas Alta Velocidad - Conector M3	274,90
CJ1W-OC201	382931	Módulo 8 Salidas Relé - Conector M3	248,10
CJ1W-OC211	382932	Módulo 16 Salidas Relé - Conector M3	315,20
CJ1W-OD211	382933	Módulo 16 Salidas NPN - Conector M3	261,50
CJ1W-OD212	382934	Módulo 16 Salidas PNP Term.	274,90
SRT2-ID04	226517	Módulo 4 Entradas NPN Compobus/S	257,80
SRT2-ID08-1	226518	Módulo 8 Entradas PNP Compobus/S	278,20
SRT2-ID16-1	226519	Módulo 16 Entradas PNP Compobus/S	382,20
SRT2-OD04	226520	Módulo 4 Salidas NPN Compobus/S	257,80
SRT2-OD08-1	226521	Módulo 8 Salidas PNP Compobus/S	278,20

OMRON PVPR 2023

SRT2-ID04-1	226528	Módulo 4 entradas PNP Compobus/S	257,80
SRT2-ID08	226529	Módulo 8 Entradas NPN Compobus/S	278,20
SRT2-ID16	226530	Módulo 16 Entradas NPN Compobus/S	382,20
SRT2-OD04-1	226531	Módulo 4 Salidas PNP Compobus/S	257,80
SRT2-OD08	226532	Módulo 8 Salidas NPN Compobus/S	278,20
SRT2-OD16	226533	Módulo 16 Salidas NPN Compobus/S	382,20
SRT2-OD16-1	226534	Módulo 16 Salidas PNP Compobus/S	382,20
SRT2-ROC08	226535	Módulo 8 Salidas relé Compobus/S	503,50
SRT2-ROC16	226536	Módulo 16 Salidas relé Compobus/S	694,50
SRT2-ROF08	226537	Módulo 8 Salidas Relé MOSFET Compobus/S	712,50
SRT2-ROF16	226538	Módulo 16 Salidas Relé MOSFET Compobus/S	1 093,00
SRT2-VID16ML	338269	Módulo 16 Entradas NPN MIL Compobus/S	441,90
SRT2-VID16ML-1	338270	Módulo 16 Entradas PNP MIL Compobus/S	441,90
SRT2-ID16T	338273	Módulo 16 Entradas NPN Compobus/S Comunes Independientes	458,90
SRT2-MD16T	338275	Módulo 8/8 E/S Salidas NPN Compobus/S Comunes Independientes	503,50
SRT2-ID16T-1	338276	Módulo 16 Entradas PNP Compobus/S Comunes Independientes	469,20
SRT2-OD16T-1	338277	Módulo 16 Salidas PNP Compobus/S Comunes Independientes	503,50
SRT2-MD16T-1	338278	Módulo 8/8 E/S Salidas PNP Compobus/S Comunes Independientes	503,50
SRT2-MD32ML	338279	CompoBus/S digital I/O terminal, 16x 24 VDC inputs, 16x transistor outputs, NPN	533,00
SRT2-ID08CL	338282	Módulo 8 Entradas NPN IP67 Compobus/S	441,90
SRT2-ID08CL-1	338283	Módulo 8 Entradas PNP IP67 Compobus/S	469,20
SRT2-OD04CL-1	338285	Módulo 4 Salidas PNP IP67 Compobus/S	416,30
SRT2-OD08CL	338286	CompoBus/S IP67 digital output terminal, 8x 24 VDC outputs, NPN	520,50
SRT2-OD08CL-1	338287	Módulo 8 Salidas PNP IP67 Compobus/S	520,50
SRT2-ID16P	338291	Módulo 16 Entradas PCB Compobus/S	278,20
SRT2-OD16P	338292	Módulo 16 Salidas PCB Compobus/S	278,20
SRT2-ID04CL-1	338296	Módulo 4 Entradas PNP IP67 Compobus/S	416,30
CRT1B-ID02S	226095	Unidad Componet 2 Entradas NPN eCON IP20	149,00
CRT1B-OD02S	226096	Unidad Componet 2 Salidas NPN eCON IP20	157,80
CRT1-ID16	226103	Unidad Componet 16 Entradas NPN IP20	348,70
CRT1-ID16-1	226104	Unidad Componet 16 Entradas PNP IP20	348,70
CRT1-OD16	226105	Unidad Componet 16 Salidas NPN IP20	348,70
CRT1-OD16-1	226106	Unidad Componet 16 Salidas PNP IP20	348,70

OMRON PVPR 2023

CRT1-ID16TA	237466	Unidad Componet 16 Entradas NPN 3-terminales	437,60
CRT1-ID16TA-1	237467	Unidad Componet 16 Entradas PNP 3-terminales	437,60
CRT1-OD16TA	237468	Unidad Componet 16 Salidas NPN 3-terminales	437,60
CRT1-OD16TA-1	237469	Unidad Componet 16 Salidas PNP 3-terminales	437,60
CRT1-MD16TA	237470	Unidad Componet 8/8 E/S NPN 3-terminales	437,60
CRT1-MD16TA-1	237471	Unidad Componet 8/8 E/S PNP 3-terminales	437,60
CRT1-ROS16	237472	Unidad Componet 16 Salidas relé 3 Terminales	577,50
CRT1-ID16SL-1	242328	Unidad Componet 16 Entradas PNP Screwless	519,00
CRT1-OD16SL-1	242330	Unidad Componet 16 Salidas PNP Screwless	534,00
CRT1-ROF16	242331	Unidad Componet 16 Salidas SSR IP20	728,50
CRT1-VID16ML-1	248758	Unidad Componet Vertical 16 Entradas PNP Conector MIL	348,70
CRT1-VOD16ML-1	248760	Unidad Componet Vertical 16 Salidas PNP Conector MIL	348,70
CRT1-VID32ML-1	248762	Unidad Componet Vertical 32 Entradas PNP Conector MIL	577,50
CRT1-VOD32ML-1	248764	Unidad Componet Vertical 32 Salidas PNP Conector MIL	577,50
CRT1-VMD32ML-1	248766	Unidad Componet Vertical 16/16 E/S PNP Conector MIL	577,50
CRT1-ID08	248767	Unidad Componet 8 Entradas NPN IP20	249,70
CRT1-ID08-1	248768	Unidad Componet 8 Entradas PNP IP20	249,70
CRT1-OD08	248769	Unidad Componet 8 Salidas NPN IP20	249,70
CRT1-OD08-1	248770	Unidad Componet 8 Salidas PNP IP20	249,70
CRT1-MD16	248771	Unidad Componet 8/8 E/S NPN IP20	348,70
CRT1-MD16-1	248772	Unidad Componet 8/8 E/S PNP IP20	348,70
CRT1-ID08TA	248773	Unidad Componet 8 Entradas NPN 3-terminales	348,70
CRT1-ID08TA-1	248774	Unidad Componet 8 Entradas PNP 3-terminales	348,70
CRT1-OD08TA	248775	Unidad Componet 8 Salidas NPN 3-terminales	348,70
CRT1-OD08TA-1	248776	Unidad Componet 8 Salidas PNP 3-terminales	348,70
CRT1-ID08SL-1	248778	Unidad Componet 8 Entradas PNP Screwless	423,10
CRT1-OD08SL-1	248780	Unidad Componet 8 Salidas PNP Screwless	423,10
CRT1-MD16SL-1	248782	Unidad Componet 8/8 E/S PNP Screwless	534,00
CRT1-ROS08	248783	Unidad Componet 8 Salidas relé	334,10
CRT1-ROF08	248784	Unidad Componet 8 Salidas SSR IP20	437,60
CRT1-ID08TAH	248785	Unidad Componet 8 Entradas NPN Protección 3-terminales	452,10
CRT1-ID08TAH-1	248786	Unidad Componet 8 Entradas PNP Protección 3-terminales	452,10
CRT1-OD08TAH	248787	Unidad Componet 8 Salidas NPN Protección 3-terminales	452,10

OMRON PVPR 2023

CRT1-OD08TAH-1	248788	Unidad Componet 8 Salidas PNP Protección 3-terminales	452,10
CRT1-ID16TAH	248789	Unidad Componet 16 Entradas NPN Protección 3-terminales	563,50
CRT1-ID16TAH-1	248790	Unidad Componet 16 Entradas PNP Protección 3-terminales	563,50
CRT1-OD16TAH	248791	Unidad Componet 16 Salidas NPN Protección 3-terminales	563,50
CRT1-OD16TAH-1	248792	Unidad Componet 16 Salidas PNP Protección 3-terminales	563,50
CRT1-MD16TAH	248793	Unidad Componet 8/8 E/S NPN Protección 3-terminales	563,50
CRT1-MD16TAH-1	248794	Unidad Componet 8/8 E/S PNP Protección 3-terminales	563,50
CRT1B-MD04JS-1	695312	CompoNet bit slave unit, 2 x inputs, 2 x transistor output, PNP, 0.1A/output, con	194,00
CPM2C-24EDT1C	297701	Módulo Expansión 16/8 E/S Salidas PNP	427,00
CPM2C-8ET1C	297702	Módulo Expansión 8 Salidas PNP	278,30
CPM2C-32EDT1C	297707	Módulo Expansión 16/16 E/S Salidas PNP	573,00
CPM2C-32EDT1M	297708	Módulo Expansión 16/16 E/S Salidas PNP MIL	573,00
CPM2C-24EDT1M	297716	Módulo Expansión 16/8 E/S Salidas PNP MIL	427,00
CPM2C-8ET1M	297718	Módulo Expansión 8 Salidas PNP MIL	278,30
CPM2C-16ET1M	297719	Módulo Expansión 16 Salidas PNP MIL	355,50
CPM2C-24EDTC	297729	Módulo Expansión 16/8 E/S Salidas NPN	427,00
CPM2C-10EDR	297730	Módulo Expansión 6/4 E/S Salidas relé	293,30
CPM2C-8EDC	297731	Módulo Expansión 8 Entradas digitales	226,50
CPM2C-16EDC	297732	Módulo Expansión 16 Entradas digitales	293,30
CPM2C-8ER	297733	Módulo Expansión 8 Salidas relé	319,10
CPM2C-8ETC	297734	Módulo Expansión 8 Salidas NPN	278,30
CPM2C-16ETC	297735	Módulo Expansión 16 Salidas NPN	355,50
CPM2C-16ET1C	297736	Módulo Expansión 16 Salidas PNP	355,50
CPM2C-20EDR	297741	Módulo Expansión 12/8 E/S Salidas relé	467,60
CPM2C-32EDTC	297742	Módulo Expansión 16/16 E/S Salidas NPN	573,00
CPM2C-32EDTM	297743	Módulo Expansión 16/16 E/S Salidas NPN MIL	573,00
CPM2C-8EDM	297746	Módulo Expansión 8 Entradas digitales MIL	226,50
CPM2C-16EDM	297747	Módulo Expansión 16 Entradas digitales MIL	293,30
CP1W-20EDT1	670919	Módulo Expansión 12/8 E/S Salidas PNP	299,60
CP1W-40EDT	670915	Módulo Expansión 24/16 E/S Salidas NPN	518,00
CP1W-32ET1	670910	Módulo Expansión 32 Salidas PNP	505,00
CP1W-40EDR	670909	Módulo Expansión 24/16 E/S Salidas relé	518,00
CP1W-20EDT	670912	Módulo Expansión 12/8 E/S Salidas NPN	299,60

OMRON PVPR 2023

CP1W-16ET	670913	Módulo Expansión 16 Salidas NPN	273,40
CP1W-40EDT1	670921	Módulo Expansión 24/16 E/S Salidas PNP	518,00
CP1W-32ET	670920	Módulo Expansión 32 Salidas NPN	505,00
CP1W-20EDR1	670923	Módulo Expansión 12/8 E/S Salidas relé	299,60
CP1W-32ER	670914	Módulo Expansión 32 Salidas relé	505,00
CP1W-16ER	670917	Módulo Expansión 16 Salidas relé	325,70
CP1W-16ET1	670918	Módulo Expansión 16 Salidas PNP	273,40
CP1W-8ET	670911	Módulo Expansión 8 Salidas NPN	229,10
CP1W-8ET1	670924	Módulo Expansión 8 Salidas PNP	229,10
CP1W-8ED	670916	Módulo Expansión 8 Entradas DC	229,10
CP1W-8ER	670922	Módulo Expansión 8 Salidas relé	229,10
CS1W-MD262	106154	Módulo 32/32 E/S Salidas PNP Protección	1 388,00
CS1W-OD262	135626	Módulo 64 Salidas PNP Protección	1 586,00
CS1W-IDP01	135628	Módulo 16 Entradas Alta Velocidad	905,00
CS1W-IA111	135638	Módulo 16 Entradas 100-120VAC/VDC	530,50
CS1W-OA211	135639	Módulo 16 Salidas 250 VCA 0.5A	800,00
CS1W-MD292	135686	Módulo 48/48 E/S Salidas PNP	1 481,00
CS1W-IA211	142668	Módulo 16 Entradas 240 VCA	470,00
CS1W-INT01	148198	Módulo 16 Entradas de interrupción	769,50
CS1W-OD292	149760	Módulo 96 Salidas PNP	1 481,00
CS1W-OC201	154793	Módulo 8 Salidas relé comunes independientes 250Vca	393,30
CS1W-OD212	182910	Módulo 16 Salidas PNP Protección	599,50
CS1W-OD232	182911	Módulo 32 Salidas PNP Protección	921,50
CS1W-ID211	182912	Módulo 16 Entradas 24Vcc 7mA	408,30
CS1W-ID231	182913	Módulo 32 Entradas 24Vcc 6mA	570,00
CS1W-ID261	182914	Módulo 64 Entradas 24Vcc 6mA	1 162,00
CS1W-ID291	182915	Módulo 96 Entradas 24Vcc	1 481,00
CS1W-MD261	182916	Módulo 32/32 E/S Salidas NPN	1 268,00
CS1W-MD291	182917	Módulo 48/48 E/S Salidas NPN	1 481,00
CS1W-OC211	182918	Módulo 16 Salidas relé 250VAC/120VDC	530,50
CS1W-OD211	182919	Módulo 16 Salidas NPN	585,00
CS1W-OD231	182920	Módulo 32 Salidas NPN	845,00
CS1W-OD261	182921	Módulo 64 Salidas NPN	1 449,00

OMRON PVPR 2023

CS1W-OD291	182922	Módulo 96 Salidas NPN	1 481,00
DRT2-ID16TA	164736	Módulo 16 Entradas NPN 3 Terminales	563,50
DRT2-ID16TA-1	164737	Módulo 16 Entradas PNP 3 Terminales	563,50
DRT2-OD16TA-1	164739	Módulo 16 Salidas PNP 3 Terminales	563,50
DRT2-MD16TA-1	164741	Módulo 8/8 E/S PNP 3 Terminales	563,50
DRT2-ID32ML-1	164743	Módulo 32 Entradas PNP Conector MIL	713,50
DRT2-OD32ML	164744	Módulo 32 Salidas NPN MIL	661,00
DRT2-OD32ML-1	164745	Módulo 32 Salidas PNP MIL	661,00
DRT2-MD32ML	164746	Módulo 16/16 E/S NPN, conector MIL	577,50
DRT2-MD32ML-1	164747	Módulo 16/16 E/S PNP, conector MIL	577,50
DRT2-ID16	226501	Módulo 16 Entradas NPN	541,50
DRT2-OD16	226515	Módulo 16 Salidas NPN	541,50
DRT2-ID16-1	226516	Módulo 16 Entradas PNP	541,50
DRT2-ID16S-1	226524	Módulo 16 Entradas PNP Conector eCON	624,50
DRT2-OD16-1	226527	Módulo 16 salidas PNP	541,50
DRT2-ROS16	229626	Módulo 16 Salidas Relé 2A	639,00
DRT2-ID08	231466	Módulo 8 Entradas NPN	423,10
DRT2-ID08-1	231467	Módulo 8 Entradas PNP	423,10
DRT2-OD08	231468	Módulo 8 Salidas NPN	423,10
DRT2-OD08-1	231469	Módulo 8 Salidas PNP	423,10
DRT2-ID32B	237766	DeviceNet digital input board, 32 x inputs, 24 VDC, NPN, MIL connector (not incl	265,10
DRT2-ID32B-1	237767	DeviceNet digital input board, 32 x inputs, 24 VDC, PNP, MIL connector (not incl	384,80
DRT2-MD32B	237775	Módulo 16/16 E/S NPN MIL PCB	401,10
DRT2-OD16MLX	248825	Módulo 16 Salidas NPN Conector MIL	423,10
DRT2-OD16MLX-1	248826	Módulo 16 Salidas PNP Conector MIL	423,10
DRT2-ID32ML	274903	DeviceNet digital input unit, 32 x inputs, 24 VDC, NPN, MIL connector (not includ	713,50
DRT2-HD16C-1	338237	Módulo 16 Entradas PNP (IP67)	876,50
DRT2-ID08C-1	338239	Módulo 8 Entradas PNP IP67	745,00
DRT2-OD08C-1	338241	Módulo 8 Salidas PNP IP67	760,50
DRT2-ID32SLH-1	338243	Módulo 16 entradas PNP, detección de cortocircuito	1 424,00
DRT2-HD16CL-1	338249	Módulo 16 Entradas PNP IP67 Low Cost	789,00
DRT2-ID08CL-1	338251	Módulo 8 Entradas PNP IP67 Low Cost	563,50
DRT2-WD16CL-1	338253	Salidas PNP IP67 Low Cost	760,50

OMRON PVPR 2023

DRT2-OD08CL-1	338255	Módulo 8 Salidas PNP IP67 Low Cost	541,50
DRT2-MD16CL-1	338257	Módulo 8/8 E/S PNP IP67 Low Cost	789,00
DRT2-MD16	338258	Módulo 8/8 E/S NPN	519,00
DRT2-MD16-1	338259	Módulo 8/8 E/S PNP	541,50
DRT2-ID04CL-1	338261	Módulo 4 Entradas PNP IP67 Low Cost	481,50
DRT2-OD04CL-1	338263	Módulo 4 Salidas PNP IP67 Low Cost	481,50
GX-ID1611	343312	Módulo EtherCAT 16 Entradas NPN 2-terminales	580,00
GX-ID1621	343313	Módulo EtherCAT 16 Entradas PNP 2-terminales	580,00
GX-MD1611	343314	Módulo EtherCAT 8/8 E/S NPN 2-terminales	580,00
GX-MD1621	343315	Módulo EtherCAT 8/8 E/S PNP 2-terminales	648,00
GX-OD1611	343316	Módulo EtherCAT 16 Salidas NPN 2-terminales	580,00
GX-OD1621	343317	Módulo EtherCAT 16 Salidas PNP 2-terminales	580,00
GX-OC1601	343318	Módulo EtherCAT 16 Salidas Relé	868,50
GX-ID1612	343319	Módulo EtherCAT 16 Entradas NPN 3-terminales	648,00
GX-ID1622	343320	Módulo EtherCAT 16 Entradas PNP 3-terminales	648,00
GX-MD1612	343321	Módulo EtherCAT 8/8 E/S NPN 3-terminales	580,00
GX-MD1622	343322	Módulo EtherCAT 8/8 E/S PNP 3-terminales	648,00
GX-OD1612	343323	Módulo EtherCAT 16 Salidas NPN 3-terminales	648,00
GX-OD1622	343324	Módulo EtherCAT 16 Salidas PNP 3-terminales	648,00
GX-ID1628	378997	Unidad de E/S digital EtherCAT, 16 entradas, PNP, conectores e-CON (no incluidos)	513,00
GX-MD1618	379005	Unidad de E/S digital EtherCAT, 8 entradas + 8 salidas, NPN, conectores e-CON (no incluidos)	535,00
GX-ID3228	379006	EtherCAT digital I/O unit, 32 x inputs, PNP, e-CON connectors (not included)	706,00
ERT1-HD16CH-1	375136	EtherNet/IP IP67 rated I/O block, 16 x PNP inputs, SmartClick M12 connections	607,50
ERT1-WD16CH-1	375137	EtherNet/IP IP67 rated I/O block, 16 x PNP outputs, 0.5A/point; 4.0A/common, 5V	630,50
ERT1-ID32SLH-1	375138	EtherNet/IP IP20 terminal block, 32x PNP inputs, 3-wire termination, cage-clamp	604,00
ERT1-MD32SLH-1	375139	EtherNet/IP IP20 terminal block, 16x PNP inputs, 16x PNP outputs, 0.5A/point, 3	604,00
GT1-ID32ML-1	104054	Módulo 32 Entradas PNP Fujitsu	505,00
GT1-ROS16	121018	Módulo 16 Salidas relé	624,50
GT1-OD32ML	121101	Módulo 32 Salidas NPN Fujitsu	556,50
GT1-ROP08	121102	Módulo 8 Salidas relé	556,50
GT1-OD16	121104	Módulo 16 Salidas NPN	474,30
GT1-ID32ML	121107	Módulo 32 Entradas NPN Fujitsu	505,00
GT1-ID16-1	121110	Módulo 16 Entradas PNP	452,10

OMRON PVPR 2023

GT1-OD16-1	121111	Módulo 16 Salidas PNP	474,30
GT1-OD32ML-1	142071	Módulo 32 Salidas PNP Fujitsu	556,50
GT1-ID16	148642	Módulo 16 Entradas NPN	452,10
NX-ID3317	375601	Unidad NX - 4 Entradas NPN Estándar	72,10
NX-ID3343	375607	Unidad NX - 4 Entradas NPN Alta Velocidad	157,30
NX-OD3121	375608	Unidad NX - 4 Salidas NPN Estándar	85,25
NX-OD4121	375610	Unidad NX - 8 Salidas NPN Estándar	104,90
NX-OD3153	375614	Unidad NX - 4 Salidas NPN Alta Velocidad	157,30
NX-OD3257	375615	Unidad NX - 4 Salidas PNP Alta Velocidad	157,30
NX-ID3443	375661	Unidad NX - 4 Entradas PNP Alta Velocidad	157,30
NX-ID3344	377554	Unidad NX - 4 Entradas NPN Time Stamp	286,70
NX-ID3444	377555	Unidad NX - 4 Entradas PNP Time Stamp	286,70
NX-OD2154	377556	Unidad NX - 2 Salidas NPN Time Stamp	205,70
NX-OD2258	377557	Unidad NX - 2 Salidas PNP Time Stamp	205,70
NX-IA3117	380132	Unidad NX - 4 Entradas Digitales, estándar, de 200 a 240 V AC, 50/60 Hz	98,30
NX-ID5142-5	393625	Unidad NX - 16 Entradas Estándar - 30mm - MIL	160,00
NX-ID6142-5	393626	Unidad NX - 32 Entradas Estándar - 30mm - MIL	273,80
NX-OD5121-5	393627	Unidad NX - 16 Salidas NPN Estándar - 30mm - MIL	173,10
NX-OD5256-5	393629	Unidad NX - 16 Salidas PNP Estándar - 30mm - MIL	173,10
NX-OD6256-5	393630	Unidad NX - 32 Salidas PNP Estándar - 30mm - MIL	293,30
NX-MD6121-5	393631	Unidad NX - 16E + 16S NPN Estándar - 30mm -MIL	286,70
NX-MD6256-5	393632	Unidad NX - 16E + 16S PNP Estándar - 30mm - MIL	286,70
NX-ID5142-1	645477	Unidad NX - 16 entradas digitales, velocidad estándar, NPN/PNP 24 Vcc, conecto	160,00
NX-OD6121-6	645602	Unidad NX - 32 Salidas NPN Estándar - 30mm - FCN40	317,40
NX-OD5256-1	645603	Unidad NX - 16 salidas digitales, velocidad estándar, PNP 24 Vcc, 0,5 A/punto, 5	187,00
NX-OD5121-1	645661	Unidad NX - 16 Salidas NPN Estándar - Terminales a Tornillo, 30mm	187,00
NX-OD3268	646461	Unidad NX - 4 salidas digitales estándar, PNP 24 Vcc, 2 A/punto, 8 A/unidad NX,	85,25
NX-MD6121-6	646462	16 entradas digitales + 16 salidas NPN digitales, velocidad estándar, 24 VCC, 2 cc	286,70
NX-ILM400	671127	Unidad NX - Maestra IO-Link, 4 canales, screwless	322,40
NX-ID3417	686025	Unidad NX - 4 Entradas PNP Estándar	72,10
NX-ID4342	686026	Unidad NX - 8 Entradas NPN Estándar	94,35
NX-ID4442	686027	Unidad NX - 8 Entradas PNP Estándar	94,35
NX-ID5342	686028	Unidad NX - 16 Entradas NPN Estándar	160,00

OMRON PVPR 2023

NX-ID5442	686029	Unidad NX - 16 Entradas PNP Estándar	160,00
NX-OC2633	686030	Unidad NX - 2 Salidas Relé 2A Estándar NO	94,35
NX-OC2733	686031	Unidad NX - 2 Entradas Digitales, estándar SPDT, Relé, 2 A, 4 A/Unidad NX	115,50
NX-OD3256	686032	Unidad NX - 4 Salidas PNP Estándar	85,25
NX-OD4256	686033	Unidad NX - 8 Salidas PNP Estándar	104,90
NX-OD5121	686034	Unidad NX - 16 Salidas NPN Estándar	173,10
NX-OD5256	686035	Unidad NX - 16 Salidas PNP Estándar	173,10
NX-SOD400	701995	Unidad NX - 4 Salidas Digitales de Seguridad. PNP. 0.5 A/punto 2 A/total	473,50
NX-SID800	701996	Unidad NX - 8 Entradas Digitales de Seguridad. PNP	553,50
NX-SOH200	701997	Unidad NX - 2 Salidas Digitales de Seguridad. PNP. 2 A/punto 4 A/total	413,60
NX-SIH400	702008	Unidad NX - 4 Entradas Digitales Universales de Seguridad. PNP	447,00
NX-ID6142-5	708615	Unidad NX - 32 Entradas Estándar - 30mm - MIL	273,80
NX-ID6142-6	708614	Unidad NX - 32 Entradas Estándar - 30mm - FCN40	301,70
NX-OC4633	708613	Unidad NX- 8 Salidas Relé 2A Estándar NO, screwless push-in	227,10
NX-OD6121-5	708612	Unidad NX - 32 Salidas NPN Estándar - 30mm - MIL	293,30
GRT1-ID4	212285	Unidad SmartSlice de 4 Entradas NPN	87,00
GRT1-ID4-1	212286	Unidad SmartSlice de 4 Entradas PNP	87,00
GRT1-OD4	212287	Unidad SmartSlice de 4 Salidas NPN	87,00
GRT1-OD4-1	212288	Unidad SmartSlice de 4 Salidas PNP	87,00
GRT1-ROS2	212289	Unidad SmartSlice de 2 Salidas relé NA	103,20
GRT1-OD4G-1	230602	Unidad SmartSlice de 4 Salidas PNP Protección Cortocircuitos	103,20
GRT1-ID8	235172	Unidad SmartSlice de 8 Entradas NPN	120,90
GRT1-ID8-1	235173	Unidad SmartSlice de 8 Entradas PNP	120,90
GRT1-OD8	235174	Unidad SmartSlice de 8 Salidas NPN	120,90
GRT1-OD8-1	235175	Unidad SmartSlice de 8 Salidas PNP	120,90
GRT1-OD8G-1	235176	Unidad SmartSlice de 8 Salidas PNP Protección Cortocircuitos	127,00
GRT1-OD4G-3	246036	Unidad SmartSlice de 4 Salidas PNP Protección Cortocircuitos 2A	120,90
GRT1-IA4-1	246037	Unidad SmartSlice de 4 Entradas 110 VAC	103,20
GRT1-IA4-2	246038	Unidad SmartSlice de 4 Entradas 230 VAC	103,20
XWT-ID08	226539	Módulo Expansión 8 Entradas NPN	338,30
XWT-ID08-1	226540	Módulo Expansión 8 Entradas PNP	338,30
XWT-ID16	226541	Módulo Expansión 16 Entradas NPN	433,80
XWT-ID16-1	226542	Módulo Expansión 16 Entradas PNP	433,80

OMRON PVPR 2023

XWT-OD08	226543	Módulo Expansión 8 Salidas NPN	338,30
XWT-OD08-1	226544	Módulo Expansión 8 Salidas PNP	338,30
XWT-OD16	226545	Módulo Expansión 16 Salidas NPN	433,80
XWT-OD16-1	226546	Módulo Expansión 16 Salidas PNP	433,80
ZEN-8E1AR	240976	Expansor 4 entradas AC/4 Salidas relé	196,80
ZEN-8E1DR	240977	Expansor 4 entradas DC/4 Salidas relé	196,80
ZEN-8E1DT	240981	Expansor 4 Entradas DC/ 4 Salidas TRT	146,80
CK3W-MD7110	689319	CK3W DIGITAL IO, ENTRADA/SALIDA:16/16, NPN	1 098,00
CK3W-MD7120	689320	E/S digitales CK3W, ENTRADA/SALIDA:16/16, PNP	1 098,00
GI-SMD1624	684978	Terminal de E/S remotas de seguridad (CIP-S) con concentrador de conmutación	1 285,00
GI-SID1224	684979	Terminal de E/S remotas de seguridad (CIP-S) con concentrador de conmutación	1 199,00
GX-ILM08C	671128	Unidad GX - Maestra IO-Link IP67, 8 canales, M12	711,00
NXR-ILM08C-EIT	695390	Unidad maestra IO-Link serie NXR IP67, 8 puertos, Ethernet/IP	771,00
NXR-CD166C-IL2	695389	IO-Hub IP67 serie NXR, entrada/salida 16, 8 conectores M12	465,20
NXR-ID166C-IL2	695388	Conector IO-Hub IP67, 16 entradas, 8x M12 de la serie NXR	376,40
CJ1W-CTS21-E	180381	Módulo 2 Entradas SSI Encoder Absoluto	672,00
CJ1W-CTL41-E	180688	Módulo 4 Contadores Alta Velocidad	845,50
CJ1W-DCM11-E	227033	Módulo para Control de Motores de 24 VDC	685,50
CJ1W-CT021	315605	Módulo Contador alta velocidad 2 Entradas 500KHz	886,50
CJ2M-MD211	341746	Módulo E/S Pulsos NPN para CJ2M	281,60
CJ2M-MD212	341747	Módulo E/S Pulsos PNP para CJ2M	281,60
CS1W-CT021	135576	Módulo 2 Contadores de alta velocidad	1 373,00
CS1W-CTS21	135577	Módulo 2 Entradas SSI Encoder Absoluto	1 315,00
CS1W-PPS01	135607	Módulo 4 Entradas pulsos Aislamiento galvánico	2 231,00
CS1W-CT041	153791	Módulo 4 Contadores de alta velocidad	1 976,00
GX-EC0211	343325	Módulo EtherCAT 2 Entradas Encoder colector abierto, NPN	998,00
GX-EC0241	343326	Módulo EtherCAT 2 Entradas Encoder line driver, PNP	998,00
NX-EC0122	375645	Unidad NX - 1 Entrada de Encoder PNP Incremental	352,00
NX-EC0222	375646	Unidad NX - 2 Entradas de Encoder PNP Incremental	392,50
NX-ECS112	375648	Unidad NX - 1 Entrada de Encoder Serie SSI	431,90
NX-ECS212	375649	Unidad NX - 2 Entradas de Encoder Serie SSI	505,50
NX-PG0122	375650	Unidad NX - 1 Salida de Pulsos PNP U/D P/D	360,00
NX-EC0112	393633	Unidad NX - 1 Entrada de Encoder NPN Incremental	352,00

OMRON PVPR 2023

NX-EC0212	393634	Unidad NX - 2 Entradas de Encoder NPN Incremental	392,50
NX-EC0132	393635	Unidad NX - 1 Entrada de Encoder Line Driver NPN Incremental	472,40
NX-PG0112	393636	Unidad NX - 1 Salida de Pulsos NPN U/D P/D	360,00
NX-PG0342-5	670272	Unidad NX - 4 salidas de pulsos PNP Line-driver Conector MIL	1 146,00
NX-PG0332-5	670273	Unidad NX - 4 salidas de pulsos NPN Line-driver Conector MIL	1 146,00
NX-PG0232-5	670274	Unidad NX - 2 salidas de pulsos NPN Line-driver Conector MIL	794,00
NX-PG0242-5	670276	Unidad NX - 2 salidas de pulsos PNP Line-driver Conector MIL	794,00
NX-EC0142	708621	Unidad NX - 1 Entrada de Encoder Line Driver PNP Incremental	472,40
NX-EC0222	708620	Unidad NX - 2 Entradas de Encoder PNP Incremental	392,50
GRT1-CT1	228278	Unidad SmartSlice de 1 Contador NPN	205,00
GRT1-CT1-1	228279	Unidad SmartSlice de 1 Contador PNP	205,00
GRT1-CP1-L	228280	Unidad SmartSlice de 1 Contador/Posicionador Line Driver/PNP	281,40
TJ1-FL02	230523	Trajexia- Flexible Axis - 2 ejes	2 135,00
CK3W-AX1111N	682496	CK3W 4 Axis Interface Unit, CH1/CH2: Digital quadrature, DA(Filtered PWM), CH	2 182,00
CK3W-AX1414N	684961	Unidad de interfaz de 4 ejes CK3W, salida DA (PWM filtrado), impulso + direcció	2 697,00
CK3W-AX1515N	684960	Unidad de interfaz de 4 ejes CK3W, salida DA (DAC real), pulso + dirección o dife	3 170,00
CK3W-AX1414P	684959	CK3W 4 Axis Interface Unit, DA output (Filtered PWM), Pulse + direction or phas	2 775,00
CK3W-AX1515P	684958	CK3W 4 Axis Interface Unit, DA output (True DAC), Pulse + direction or phase dif	3 288,00
CK3W-AX1313N	689316	Unidad de interfaz de 4 ejes CK3W, codificador digital, DirectPWM, NPN	3 071,00
CK3W-AX1313P	689317	Unidad de interfaz de 4 ejes CK3W, encoder digital, DirectPWM, PNP	3 071,00
CK3W-AX2323N	689313	Unidad de interfaz de 4 ejes CK3W, encoder sinusoidal, DirectPWM, NPN	4 094,00
CK3W-AX2323P	689318	Unidad de interfaz de 4 ejes CK3W, encoder sinusoidal, DirectPWM, PNP	4 094,00
CK3W-GC1100	702630	Laser Interface Unit for CK3M, XY2-100 Protocol, Laser PWM output	1 533,00
CK3W-GC1200	702631	Laser Interface Unit for CK3M, XY2-100 Protocol, Laser PWM output and TCR Ou	6 705,00
CK3W-GC2100	702632	Laser Interface Unit for CK3M, SL2-100 Protocol, Laser PWM output	1 533,00
CK3W-GC2200	702633	Laser Interface Unit for CK3M, SL2-100 Protocol, Laser PWM output and TCR Ou	6 705,00
CK3W-ECS300	702634	Encoder Input Unit for CK3M, Serial encoder 4 channels, BiSS-C, Endat2.2, and R	1 341,00
CJ1W-F159	192141	Módulo de pesaje	1 922,00
CJ1W-F130	372912	Unidad Célula de Carga, 1 ch, 0.33 ms tiempo de conversión, 24 bit de resolució	1 785,00
NX-HB3201	670522	Unidad NX - Detección de rotura de calentador, 4 entradas CT (PNP)	490,90
NX-HB3101	670521	Unidad NX - Detección de rotura de calentador, 4 entradas CT (NPN)	490,90
CIMR-LC4V0018FAA	301587	L1000V 400V 7,5KW 18Amp esp Ascensor	1 929,00
CIMR-LC4V0031FAA	301589	L1000V 400V 15KW 31Amp esp Ascensor	3 130,00

OMRON PVPR 2023

CIMR-LC2V0025FAA	323455	L1000V 200V 5,5KW 25Amp esp Ascensor	1 709,00
CIMR-LC2V0033FAA	323456	L1000V 200V 5,5KW 33Amp esp Ascensor	2 024,00
CIMR-LC2V0047FAA	323457	L1000V 200V 11KW 47Amp esp Ascensor	2 570,00
CIMR-LC4V0009BAA	323459	L1000V 400V 4KW 9Amp esp Ascensor	1 258,00
CIMR-LC4V0024FAA	323462	L1000V 400V 11KW 24Amp esp Ascensor	2 435,00
CIMR-LC4V0015FAA	357333	L1000V 400V 5,5KW 15Amp esp Ascensor	1 601,00
CIMR-LC2A0018BAC	667330	L1000A Trifásico 200-240VAC 17.5Amp 3.7Kw ascensor	1 505,00
CIMR-LC2A0025BAC	667331	L1000A Trifásico 200-240VAC 25Amp 5.5Kw ascensor	1 791,00
CIMR-LC2A0060BAC	667332	L1000A Trifásico 200-240VAC 60Amp 15Kw ascensor	3 538,00
CIMR-LC2A0047BAC	667333	L1000A Trifásico 200-240VAC 47Amp 11Kw ascensor	2 732,00
CIMR-LC2A0033BAC	667334	L1000A Trifásico 200-240VAC 33Amp 7.5Kw ascensor	2 039,00
CIMR-LC2A0075BAC	667335	L1000A Trifásico 200-240VAC 75Amp 18.5Kw ascensor	4 603,00
CIMR-LC4A0112CAC	668374	L1000A Trifásico 380-480VAC 112Amp 55Kw ascensor	8 150,00
CIMR-LC4F0009BAC-9130	668581	L1000A 4kW 400V with SIL3 and A3/DCP.	1 258,00
CIMR-LC4F0015BAC-9130	668582	L1000A 5.5kW 400V with SIL3 and A3/DCP.	1 545,00
CIMR-LC4F0024BAC-9130	668849	L1000A 11kW 400V SIL3 and A3/brake monitoring.	2 297,00
CIMR-LC4F0039BAC-9130	669112	L1000A 39A 400V, SIL3, A3.	3 633,00
CIMR-LC4F0018BAC-9130	669113	L1000A 18A 400V, SIL3 and A3.	1 873,00
CIMR-LC4F0045BAC-9130	669114	L1000A 45A 400V, SIL3, A3.	4 532,00
CIMR-LC4F0060BAC-9130	669115	L1000A 60A 400V, SIL3, A3.	5 275,00
CIMR-LC4F0031BAC-9130	669116	L1000A 31A 400V, SIL3, A3.	3 074,00
CIMR-LC4F0075BAC-9130	669631	L1000A 37kW 400V with SIL3 and A3/DCP	6 525,00
CIMR-LC4F0091BAC-9130	669632	L1000A 45kW 400V with SIL3 and A3/DCP	6 925,00
CIMR-LC4F0112CAC-9130	669633	L1000A 55kW 400V with SIL3 and A3/DCP	8 150,00
CIMR-LC4F0039BAC	670999	L1000A Trifásico 380-480VAC 39Amp 18.5Kw ascensor	3 633,00
CIMR-LC4F0150CAC	671001	Inverter L1000A, 400 V, HD: 150 A / 75 kW, IP20	13 460,00
CIMR-LC4F0060BAC	671008	L1000A Trifásico 380-480VAC 60Amp 30Kw ascensor	5 275,00
CIMR-LC4F0180CAC	685954	Inverter L1000A, 400 V, HD: 180 A / 90 kW, IP20, max. output freq. 200Hz	15 650,00
CIMR-LC2A0085BAC	706872	L1000A Trifásico 200-240VAC 85Amp 22Kw ascensor	10 720,00
3G3LX-A4075-E	354619	LX Trifásico, 380-480VAC, 7,5kW 19A (Ascensor)	2 373,00
3G3LX-A4110-E	354620	LX Trifásico, 380-480VAC, 11kW 27A (Ascensor)	3 214,00
WJ200-004MF	356702	WJ200 100VAC, 0.4kW, vectorial	596,00
WJ200-007MF	356703	WJ200 100VAC, 0.75kW, vectorial	671,00

OMRON PVPR 2023

3G3MX2-AB007-P-E	377375	MX2 Monofásico, 200VAC, 0,75/1,1KW, 5,0/6,0A(HD/ND), vector sin disipador, f	388,00
3G3MX2-AB015-P-E	377376	MX2 Monofásico, 200VAC, 1,5/2,2KW, 8,0/9,6A(HD/ND), vector sin disipador, fr	454,50
3G3MX2-AB022-P-E	377377	MX2 Monofásico, 200VAC, 2,2/3,0KW, 11,0/12,0A(HD/ND), vector sin disipador	574,50
3G3MX2-A4007-P-E	377379	MX2 Trifásico 380-480VAC, 0,75/1.1KW, 3.4/4.1A(HD/ND), vector sin disipador	607,50
3G3MX2-A4022-P-E	377381	MX2 Trifásico, 380-480VAC, 2.2/3.0KW, 5.5/6.9A(HD/ND), vector sin disipador	659,50
3G3MX2-AB004-P-E	377385	MX2 Monofásico, 200-240VAC, 0.4/0.55KW, 3.0/3.5A(HD/ND), vector sin disipa	350,00
3G3MX2-A4007-E	378477	MX2 Trifásico, 400VAC, 0,75/1,1KW, 3,4/4,1A(HD/ND), vector sin disipador, frec	533,50
3G3MX2-A4110-E	378478	MX2 Trifásico 400VAC, 11/15KW, 24/31A(HD/ND), vector sin disipador, frecuen	1 874,00
3G3MX2-A2002-E	379063	MX2 Trifásico, 200VAC, 0,2/0,4KW, 1,6/1,9A(HD/ND), vector sin disipador, frecu	366,20
3G3MX2-A2004-E	379064	MX2 Trifásico, 200VAC, 0,4/0,55KW, 3,0/3,5A(HD/ND), vector sin disipador, frec	429,10
3G3MX2-A2007-E	379065	MX2 Trifásico, 200VAC, 0,75/1,1KW, 5,0/6,0A(HD/ND), vector sin disipador, frec	501,50
3G3MX2-A2015-E	379066	MX2 Trifásico, 200VAC, 1,5/2,2KW, 8,0/9,6A(HD/ND), vector sin disipador, frecu	577,50
3G3MX2-A2022-E	379067	MX2 Trifásico, 200VAC, 2,2/3,0KW, 11,0/12,0A(HD/ND), vector sin disipador, fre	679,00
3G3MX2-A2037-E	379068	MX2 Trifásico, 200VAC, 3,7/5,5KW, 17,5/19,6A(HD/ND), vector sin disipador, fre	860,00
3G3MX2-A2055-E	379069	MX2 Trifásico, 200VAC, 5,5/7,5KW, 25/30A(HD/ND), vector sin disipador, frecue	1 255,00
3G3MX2-A2075-E	379070	MX2 Trifásico, 200VAC, 7,5/11,0KW, 33/40A(HD/ND), vector sin disipador, frecu	1 426,00
3G3MX2-A2110-E	379071	MX2 Trifásico, 200VAC, 11/15KW, 47/56A(HD/ND), vector sin disipador, frecuen	2 072,00
3G3MX2-A2150-E	379072	MX2 Trifásico, 200VAC, 15/18,5KW, 60/69A(HD/ND), vector sin disipador, frecu	2 621,00
3G3MX2-A4004-E	379073	MX2 Trifásico, 400VAC, 0,4/0,75KW, 1,8/2,1A(HD/ND), vector sin disipador, frec	493,70
3G3MX2-A4015-E	379076	MX2 Trifásico, 400VAC, 1,5/2,2KW, 4,8/5,4A(HD/ND), vector sin disipador, frecu	625,00
3G3MX2-A4022-E	379078	MX2 Trifásico, 400VAC, 2,2/3,0KW, 5,5/6,9A(HD/ND), vector sin disipador, frecu	720,00
3G3MX2-A4030-E	379080	MX2 Trifásico, 400VAC, 3,0/4,0KW, 7,2/8,8A(HD/ND), vector sin disipador, frecu	804,50
3G3MX2-A4040-E	379082	MX2 Trifásico, 400VAC, 4,0/5,5KW, 9,2/11,1A(HD/ND), vector sin disipador, frec	888,00
3G3MX2-A4055-E	379084	MX2 Trifásico, 400VAC, 5,5/7,5KW, 14,8/17,5A(HD/ND), vector sin disipador, fre	1 156,00
3G3MX2-A4075-E	379085	MX2 Trifásico, 400VAC, 7,5/11,0KW, 18/23A(HD/ND), vector sin disipador, frecu	1 312,00
3G3MX2-A4150-E	379086	MX2 Trifásico, 400VAC, 15/18,5KW, 31/38A(HD/ND), vector sin disipador, frecu	2 281,00
3G3MX2-AB001-E	379087	MX2 Monofásico, 200VAC, 0,12/0,25KW, 1,0/1,2A(HD/ND), vector sin disipador,	306,90
3G3MX2-AB002-E	379089	MX2 Monofásico, 200VAC, 0,25/0,37KW, 1,6/1,9A(HD/ND), vector sin disipador,	306,90
3G3MX2-AB004-E	379091	MX2 Monofásico, 200VAC, 0,4/0,55KW, 3,0/3,5A(HD/ND), vector sin disipador, f	323,70
3G3MX2-AB007-E	379093	MX2 Monofásico, 200VAC, 0,75/1,1KW, 5,0/6,0A(HD/ND), vector sin disipador, f	384,20
3G3MX2-AB015-E	379095	MX2 Monofásico, 200VAC, 1,5/2,2KW, 8,0/9,6A(HD/ND), vector sin disipador, fr	450,10
3G3MX2-AB022-E	379097	MX2 Monofásico, 200VAC, 2,2/3,0KW, 11,0/12,0A(HD/ND), vector sin disipador,	512,50
3G3MX2-A4004-HF	392745	MX2 Trifásico, 380-480VAC, 0.4/0.75KW, 1.8/2.1A(HD/ND), 1000Hz	493,70

OMRON PVPR 2023

3G3MX2-A4007-HF	392746	MX2 Trifásico 380-480VAC, 0.75/1.1KW, 3.4/4.1A(HD/ND), 1000Hz	533,50
3G3MX2-A4015-HF	392747	MX2 Trifásico, 380-480VAC, 1.5/2.2KW, 4.8/5.4A(HD/ND), 1000Hz	625,00
3G3MX2-A4022-HF	392748	MX2 Trifásico, 380-480VAC, 2.2/3.0KW, 5.5/6.9A(HD/ND), 1000Hz	720,00
3G3MX2-A4030-HF	392749	MX2 Trifásico, 380-480VAC, 3.0/4.0KW, 7.2/8.8A(HD/ND), 1000Hz	804,50
3G3MX2-A4040-HF	392750	MX2 Trifásico, 380-480VAC, 4.0/5.5KW, 9.2/11.1A(HD/ND), 1000Hz	888,00
3G3MX2-A4055-HF	392751	MX2 Trifásico, 380-480VAC, 5.5/7.5KW, 14.8/17.5A(HD/ND), 1000Hz	1 156,00
3G3MX2-A4075-HF	392752	MX2 Trifásico, 380-480VAC, 7.5/11.0KW, 18/23A(HD/ND), 1000Hz	1 312,00
3G3MX2-A4110-HF	392753	MX2 Trifásico 380-480VAC, 11/15KW, 24/31A(HD/ND), 1000Hz	1 874,00
3G3MX2-A4150-HF	392754	MX2 Trifásico, 380-480VAC, 15/18.5KW, 31/38A(HD/ND), 1000Hz	2 281,00
3G3MX2-AB002-HF	392756	MX2 Monofásico, 200-240VAC, 0.25/0.37KW, 1.6/1.9A(HD/ND),1000Hz	321,10
3G3MX2-AB004-HF	392757	MX2 Monofásico, 200-240VAC, 0.4/0.55KW, 3.0/3.5A(HD/ND), 1000Hz	323,70
3G3MX2-AB007-HF	392758	MX2 Monofásico, 200-240VAC, 0,75/1.1KW, 5.0/6.0A(HD/ND), 1000Hz	384,20
3G3MX2-AB015-HF	392759	MX2 Monofásico, 200-240VAC, 1.5/2.2KW, 8.0/9.6A(HD/ND), 1000Hz	450,10
3G3MX2-AB022-HF	392760	MX2 Monofásico, 200-240VAC, 2.2/3.0KW, 11.0/12.0A(HD/ND), 1000Hz	512,50
3G3MX2-AB002-P-E	377384	MX2 Monofásico, 200-240VAC, 0.25/0.37KW, 1.6/1.9A(HD/ND), vector sin disipa	388,00
3G3MX2-A4004-E-ECT	410015	MX2 Trifásico, 400VAC, 0,4/0,75KW, 1,8/2,1A(HD/ND), vector ECAT, frecuencia d	798,50
3G3MX2-A4007-E-ECT	410017	MX2 Trifásico, 400VAC, 0,75/1,1KW, 3,4/4,1A(HD/ND), vector ECAT, frecuencia d	838,00
3G3MX2-A4015-E-ECT	410019	MX2 Trifásico, 400VAC, 1,5/2,2KW, 4,8/5,4A(HD/ND), vector ECAT, frecuencia d	970,00
3G3MX2-A4022-E-ECT	410021	MX2 Trifásico, 400VAC, 2,2/3,0KW, 5,5/6,9A(HD/ND), vector ECAT, frecuencia d	997,00
3G3MX2-A4030-E-ECT	410023	MX2 Trifásico, 400VAC, 3,0/4,0KW, 7,2/8,8A(HD/ND), vector ECAT, frecuencia d	1 091,00
3G3MX2-A4040-E-ECT	410025	MX2 Trifásico, 400VAC, 4,0/5,5KW, 9,2/11,1A(HD/ND), vector ECAT, frecuencia d	1 171,00
3G3MX2-AB001-E-ECT	410027	MX2 Monof, 200VAC, 0,12/0,25KW, 1,0/1,2A(HD/ND), vector ECAT, frecuencia d	613,00
3G3MX2-AB002-E-ECT	410029	MX2 Monof, 200VAC, 0,25/0,37KW, 1,6/1,9A(HD/ND), vector ECAT, frecuencia d	613,00
3G3MX2-AB004-E-ECT	410031	MX2 Monof, 200VAC, 0,4/0,55KW, 3,0/3,5A(HD/ND), vector ECAT, frecuencia de	630,00
3G3MX2-AB007-E-ECT	410033	MX2 Monof, 200VAC, 0,75/1,1KW, 5,0/6,0A(HD/ND), vector ECAT, frecuencia de	692,50
3G3MX2-AB015-E-ECT	410035	MX2 Monof, 200VAC, 1,5/2,2KW, 8,0/9,6A(HD/ND), vector ECAT, frecuencia de	759,00
3G3MX2-AB022-E-ECT	410037	MX2 Monof, 200VAC, 2,2/3,0KW, 11,0/12,0A(HD/ND), vector ECAT, frecuencia d	811,50
3G3MX2-A4110-E-ECT	668517	Variador MX, 11/15 kW (HD/ND), 24/31 A (HD/ND), 400 V ca, 3~, control vector	2 091,00
3G3MX2-A4150-E-ECT	668519	Variador MX, 15/18,5 kW (HD/ND), 31/38 A (HD/ND), 400 V ca, 3~, control vecto	2 308,00
3G3MX2-A4040-E-EIP	669166	Variador MX, 4,0/5,5 kW (HD/ND), 9,2/11,1 A (HD/ND), 400 Vca, 3~, control vec	1 171,00
3G3MX2-AB007-E-EIP	669168	Variador MX, 0,75/1,1 kW (HD/ND), 5,0/6,0 A (HD/ND), 200 Vca, entrada 1~, cor	784,50
3G3MX2-A4007-E-EIP	669172	MX inverter drive, 0.75/1.5 kW (HD/ND), 3.4/4.1 A (HD/ND), 400 VAC, 3~, senso	878,50
3G3MX2-A4015-E-EIP	669174	MX inverter drive, 1.5/2.2 kW (HD/ND), 4.8/5.4 A (HD/ND), 400 VAC, 3~, sensor	970,00

OMRON PVPR 2023

3G3MX2-AB022-E-EIP	669178	MX inverter drive, 2.2/3.0 kW (HD/ND), 11.0/12.0 A (HD/ND), 200 VAC, 1~ input	891,00
3G3MX2-AB015-E-EIP	669180	Variador MX, 1,5/2,2 kW (HD/ND), 8,0/9,6 A (HD/ND), 200 Vca, entrada 1~, control	838,00
3G3MX2-A4004-E-EIP	669182	Variador MX, 0,4/0,75 kW (HD/ND), 1,8/2,1 A (HD/ND), 400 V CA, trifásico, vectorial	865,00
3G3MX2-A4022-E-EIP	669186	Variador MX, 2,2/3,0 kW (HD/ND), 5,5/6,9 A (HD/ND), 400 Vca, 3~, control vectorial	997,00
3G3MX2-AB004-E-EIP	669188	Variador MX, 0,4/0,55 kW (HD/ND), 3,0/3,5 A (HD/ND), 200 Vca, entrada 1~, control	718,50
3G3MX2-A4055-E-ECT	670452	Variador MX, 5,5/7,5 kW (HD/ND), 14,8/17,5 A (HD/ND), 400 V CA, trifásico, control	1 467,00
3G3MX2-A4075-E-ECT	670454	Variador MX, 7,5/11 kW (HD/ND), 18/23 A (HD/ND), 400 V CA, trifásico, control	1 532,00
VZA40P2BAA	234251	V1000 Trifásico 400VAC (1,2/1,2)Amp (0,25/0,37)KW Vectorial	463,70
VZA40P4BAA	234252	V1000 Trifásico 400VAC (1,8/2,1)Amp (0,55/0,75)KW Vectorial	516,50
VZA40P7BAA	234253	V1000 Trifásico 400VAC (3,4/4,1)Amp (1,1/1,5)KW Vectorial	573,50
VZA41P5BAA	234254	V1000 Trifásico 400VAC (4,8/5,4)Amp (1,5/2,2)KW Vectorial	662,50
VZA42P2BAA	234255	V1000 Trifásico 400VAC (5,5/6,9)Amp (2,2/3,0)KW Vectorial	745,00
VZA43P0BAA	234256	V1000 Trifásico 400VAC (7,2/8,8)Amp (3,0/3,7)KW Vectorial	840,50
VZA44P0BAA	234257	V1000 Trifásico 400VAC (9,2/11,1)Amp (4,0/5,5)KW Vectorial	948,50
VZAB0P1BAA	234258	V1000 Monofásico 200-240VAC (0,8/1,2)Amp (0,12/0,18)KW Vectorial	347,50
VZAB0P2BAA	234259	V1000 Monofásico 200VAC (1,6/1,9)Amp (0,25/0,37)KW Vectorial	321,90
VZAB0P4BAA	234260	V1000 Monofásico 200VAC (3,0/3,5)Amp (0,55/0,75)KW Vectorial	345,00
VZAB0P7BAA	234261	V1000 Monofásico 200VAC (5,0/6,0)Amp (0,75/1,1)KW Vectorial	412,30
VZAB1P5BAA	234262	V1000 Monofásico 200VAC (8,0/9,6)Amp (1,5/2,2)KW Vectorial	485,40
VZAB2P2BAA	234263	V1000 Monofásico 200VAC (11,0/12,0)Amp (2,2/3,0)KW Vectorial	547,50
VZAB4P0BAA	234264	V1000 Monofásico 200VAC (17,5/21,0)Amp (4,0/5,5)KW Vectorial	645,50
VZA20P4BAA	234267	V1000 Trifásico 200VAC (3,0/3,5)Amp (0,55/0,75)KW Vectorial	434,20
VZA20P7BAA	234268	V1000 Trifásico 200VAC (5,0/6,0)Amp (0,75/1,1)KW Vectorial	511,00
VZA21P5BAA	234269	V1000 Trifásico 200VAC (8,0/9,6)Amp (1,5/2,2)KW Vectorial	587,50
VZA22P2BAA	234270	V1000 Trifásico 200-240 VAC (11,0/12,0)Amp (2,2/3,0)Kw Vectorial	691,50
VZA24P0BAA	234271	V1000 Trifásico 200-240 VAC (17,5/21,0)Amp (4,0/5,5)Kw Vectorial	867,00
VZA45P5FAA	240692	V1000 Trifásico 400VAC (14,8/17,5)Amp (5,5/7,5)Kw Vectorial	1 274,00
VZA47P5FAA	240693	V1000 Trifásico 400VAC (18,0/23,0)Amp (7,5/11)Kw Vectorial	1 463,00
VZA4011FAA	240694	V1000 Trifásico 400VAC (24,0/31,0)Amp (11/15)Kw Vectorial	1 910,00
VZA4015FAA	240695	V1000 Trifásico 400VAC (31,0/38,0)Amp (15/18,5)Kw Vectorial	2 369,00
VZA47P5FAA-S5030	243896	V1000 Trif 380-480VAC (18,0/23,0)Amp (7,5/11)kw firm espec	1 705,00
VZA4011FAA-S5030	243897	V1000 Trif 380-480VAC (24,0/31,0)Amp (11/15)kw	2 116,00
VZA42P2BAA-S5030	246849	V1000 Trifásico 380-480VAC (5,5/6,9)Amp (2,2/3,0) firm espec	2 457,00

OMRON PVPR 2023

VZA44P0BAA-S5030	246851	V1000 inverter, 3~ 400 VAC, 4.0 kW, 9.2 A, sensorless vector, max. output freq.	1 044,00
CIMR-VC4A0002HAA-0080	332203	V1000 Trif 380VAC (1,8/2,1)Amp (0,4/0,75)KW IP66	1 284,00
CIMR-VC4A0004HAA-0080	332204	V1000 Trif 380VAC (3,4/4,1)Amp (1,1/1,5)KW IP66	1 345,00
CIMR-VC4A0005HAA-0080	332205	V1000 Trif 380VAC (4,8/5,4)Amp (1,5/2,2)KW IP66	1 448,00
CIMR-VC4A0007HAA-0080	332206	V1000 Trif 380VAC (5,5/6,9)Amp (2,2/3,0)KW IP66	1 493,00
CIMR-VC4A0009HAA-0080	332207	V1000 Trif 380VAC (7,2/8,8)Amp (3,0/3,7)KW IP66	1 758,00
CIMR-VC4A0011HAA-0080	332208	V1000 Trif 380VAC (9,2/11,1)Amp (4,0/5,5)KW IP66	1 906,00
CIMR-VCBA0003HAA-0080	332211	V1000 Inverter drive, IP66,0.55/0.75KW(HD/ND), 3.0/3.3A(HD/ND), 1~200VAC,	1 284,00
CIMR-VCBA0003JAB	352358	V1000 Monof 200VAC (3,0/3,5)A (0,55/0,75)KW Vector sin disipador	375,60
CIMR-VCBA0012JAB	352359	Convertidor de frecuencia, frecuencia de salida máx. 400 Hz	600,50
CIMR-VC4A0009JAB	352360	Variador V1000 tipo sin aletas, IP20, 3/4 KW (HD/ND), 7,2/8,8 A (HD/ND), 3~400	974,50
CIMR-VC2A0004JAB	352942	Variable Frequency Drive, max. output freq. 400 Hz	490,10
CIMR-VC2A0030JAB	352946	Convertidor de frecuencia, frecuencia de salida máx. 400 Hz	1 589,00
CIMR-VC2A0040JAB	352947	Variador V1000 tipo sin aletas, IP20, 7,5/11 KW (HD/ND), 433/40 A (HD/ND), 3~	1 975,00
CIMR-VC2A0056JAB	352948	Variador V1000 tipo sin aletas, IP20, 11/15 KW (HD/ND), 47/56 A (HD/ND), 3~20	2 764,00
CIMR-VC4A0005JAB	352952	Variable Frequency Drive, max. output freq. 400 Hz	772,50
CIMR-VC4A0007JAB	352953	Variable Frequency Drive, max. output freq. 400 Hz	829,50
CIMR-VC4A0011JAB	352954	Variador V1000, 400 V, ND: 11,1 A/5,5 kW, HD: 9,2 A/4 kW, sin aletas, frecuenci	1 084,00
CIMR-VC4A0023JAB	352956	Variador V1000 tipo sin aletas, IP20, 7,5/11 kW (HD/ND), 18/23 A (HD/ND), 3~4	1 593,00
CIMR-VC4A0031JAB	352957	Variable Frequency Drive, max. output freq. 400 Hz	2 107,00
CIMR-VC4A0038JAB	352958	Variador V1000 tipo sin aletas, IP20, 15/18,5 KW (HD/ND), 31/38 A (HD/ND), 3~	2 364,00
CIMR-VCBA0006JAB	352961	Variador V1000 tipo sin aletas, IP20, 0,55/1,1 kW (HD/ND), 5/6 A (HD/ND), 1~20	414,70
CIMR-VCBA0010JAB	352962	Variador V1000 tipo sin aletas, IP20, 1,5/2,2 kW (HD/ND), 8,0/9,6 A (HD/ND), 1~	477,80
VZA25P5FAA	352963	V1000 Trifásico 200VAC (25,0/30,0)Amp (5,5/7,5)Kw Vectorial	1 289,00
VZA27P5FAA	352964	V1000 Trifásico 200VAC (33,0/40,0)Amp (7,5/11)Kw Vectorial	1 503,00
VZA2011FAA	352965	V1000 Trifásico 200VAC (47,0/56,0)Amp (11/15)Kw Vectorial	2 341,00
VZA2015FAA	352966	V1000 Trifásico 200VAC (60,0/69,0)Amp (15/18,5)Kw Vectorial	3 005,00
CIMR-VC4A0018HAA-0080	355613	V1000 Trif 380VAC (14,8/17,5)Amp (5,5/7,5)Kw IP66	3 908,00
CIMR-VC4A0023HAA-0080	355614	V1000 Trifásico 380VAC (18,0/23,0)Amp (7,5/11)Kw IP66	4 542,00
CIMR-VC4A0031HAA-0080	355615	V1000 Trif 380VAC (24,0/31,0)Amp (11/15)Kw IP66	5 430,00
CIMR-VC4A0038HAA-0080	355616	V1000 Trif 380VAC (31,0/38,0)Amp (15/18,5)Kw IP66	6 530,00
VZAB0P2EAB	355673	V1000 Monof 200VAC (1,6/1,9)Amp (0,25/0,37)KW Vectorial con filtro	366,50
VZAB0P4EAB	355674	V1000 Monof 200VAC (3,0/3,5)Amp (0,55/0,75)KW Vectorial con filtro	403,00

OMRON PVPR 2023

VZAB0P7EAB	355675	V1000 Monof 200VAC (5,0/6,0)Amp (0,75/1,1)KW Vectorial con filtro	486,00
VZAB1P5EAB	355676	Variador V1000, 1,5/2,2 kW (HD/ND), 8,0/9,6 A (HD/ND), 200 Vca, entrada mon	584,00
VZAB2P2EAB	355677	V1000 Inverter drive, 2.2/3.0KW(HD/ND), 11.0/12.0A(HD/ND), 200 VAC, single p	667,00
VZA4015EAB	355679	V1000 inverter, built-in C3 filter, 15kW, 31A	2 794,00
VZA40P2EAB	355680	Variador V1000, 0,37/0,37KW (HD/ND), 1,2/1,2A (HD/ND), 400 Vca, entrada trif	605,00
VZA40P4EAB	355681	V1000 Trifásico 380VAC (1,8/2,1)Amp (0,4/0,75)KW con filtro	659,50
VZA40P7EAB	355682	V1000 Trifásico 380-480VAC con filtro (3,4/4,1)Amp (0,75/1,5)KW	681,50
VZA41P5EAB	355683	V1000 Trifásico 380-480VAC con filtro (4,8/5,4)Amp (1,5/2,2)KW	847,00
VZA42P2EAB	355684	V1000 Trifásico 380-480VAC con filtro (5,5/6,9)Amp (2,2/3,0)KW	888,50
VZA43P0EAB	355685	V1000 Trif 480VAC con filtro (7,2/8,8)Amp (3,0/3,7)KW con filtro	1 012,00
VZA44P0EAB	355686	Variador V1000, 4,0/5,5 kW (HD/ND), 9,2/11,1 A (HD/ND), 400 V ca, entrada trif	994,00
VZA45P5EAB	355687	V1000 Trif 480VAC (14,8/17,5)A (5,5/7,5)Kw Vectorial con filtro	1 573,00
Q2V-A4001-AAA	688450	Variador Q2V, 400 V, ND: 1,2 A/0,37 kW, HD: 1,2 A/0,37 kW, IP20, filtro EMC cla	488,30
Q2V-A4002-AAA	688451	Variador Q2V, 400 V, ND: 2,1 A/0,75 kW, HD: 1,8 A/0,55 kW, IP20, filtro EMC cla	544,00
Q2V-A4004-AAA	688452	Variador Q2V, 400 V, ND: 4,1 A/1,5 kW, HD: 3,4 A/1,1 kW, IP20, filtro EMC clase	605,00
Q2V-A4005-AAA	688453	Variador Q2V, 400 V, ND: 5,4 A/2,2 kW, HD: 4,8 A/1,5 kW, IP20, filtro EMC clase	697,50
Q2V-A4007-AAA	688454	Variador Q2V, 400 V, ND: 7,1 A/3,0 kW, HD: 5,6 A/2,2 kW, IP20, filtro EMC clase	785,00
Q2V-A4009-AAA	688455	Variador Q2V, 400 V, ND: 8,9 A/4,0 kW, HD: 7,3 A/3,0 kW, IP20, filtro EMC clase	885,00
Q2V-A4012-AAA	688456	Variador Q2V, 400 V, ND: 11,9 A/5,5 kW, HD: 9,2 A/4,0 kW, IP20, filtro EMC clas	998,00
Q2V-A4018-AAA	688457	Variador Q2V, 400 V, ND: 17,5 A/7,5 kW, HD: 14,8 A/5,5 kW, IP20, filtro EMC cla	1 341,00
Q2V-A4023-AAA	688458	Variador Q2V, 400 V, ND: 23,4 A/11,0 kW, HD: 18,0 A/7,5 kW, IP20, filtro EMC c	1 540,00
Q2V-A4031-AAA	688459	Variador Q2V, 400 V, ND: 31,0 A/15,0 kW, HD: 24,0 A/11,0 kW, IP20, filtro EMC	2 010,00
Q2V-A4038-AAA	688460	Variador Q2V, 400 V, ND: 38,0 A/18,5 kW, HD: 31,0 A/15,0 kW, IP20, filtro EMC	2 494,00
Q2V-A4044-AAA	688461	Variador Q2V, 400 V, ND: 44,0 A/22,0 kW, HD: 39,0 A/18,5 kW, IP20, filtro EMC	3 802,00
Q2V-A4060-AAA	688462	Variador Q2V, 400 V, ND: 60,0 A/30,0 kW, HD: 45,0 A/22,0 kW, IP20, filtro EMC	4 211,00
Q2V-AB001-AAA	688463	Variador Q2V, 1x200V, ND: 1,2 A/0,18 kW, HD: 0,8 A/0,1 kW, IP20, filtro EMC cla	366,10
Q2V-AB002-AAA	688464	Variador Q2V, 1x200V, ND: 1,9 A/0,37 kW, HD: 1,6 A/0,25 kW, IP20, filtro EMC c	339,20
Q2V-AB004-AAA	688465	Variador Q2V, 1x200V, ND: 3,5 A/0,75 kW, HD: 3,0 A/0,55 kW, IP20, filtro EMC c	363,40
Q2V-AB006-AAA	688466	Variador Q2V, 1x200V, ND: 6,0 A/0,75 kW, HD: 5,0 A/1,1 kW, IP20, filtro EMC cla	434,10
Q2V-AB010-AAA	688467	Variador Q2V, 1x200V, ND: 9,6 A/2,2 kW, HD: 8,0 A/1,5 kW, IP20, filtro EMC clas	511,50
Q2V-AB012-AAA	688468	Variador Q2V, 1x200V, ND: 12,2 A/3,0 kW, HD: 11,0 A/2,2 kW, IP20, filtro EMC c	577,00
Q2V-AB018-BAA	688469	Variador Q2V, 1x200V, HD: 17,6 A/4,0 kW, IP20, filtro EMC no integrado, frecue	679,50
Q2V-A2001-AAA	688470	Variador Q2V, 200 V, ND: 1,2 A/0,2 kW, HD: 0,8 A/0,1 kW, con filtro EMC clase C	457,30

OMRON PVPR 2023

Q2V-A2002-AAA	688471	Variador Q2V, 200 V, ND: 1,9 A/0,37 kW, HD: 1,6 A/0,25 kW, con filtro EMC clase C3	457,30
Q2V-A2004-AAA	688472	Variador Q2V, 200 V, ND: 3,5 A/0,75 kW, HD: 3 A/0,55 kW, con filtro EMC clase C3	457,30
Q2V-A2006-AAA	688473	Variador Q2V, 200 V, ND: 6 A/1,1 kW, HD: 5 A/0,75 kW, con filtro EMC clase C3	538,50
Q2V-A2010-AAA	688474	Variador Q2V, 200 V, ND: 9,6 A/2,2 kW, HD: 8 A/1,5 kW, con filtro EMC clase C3	619,00
Q2V-A2012-AAA	688475	Variador Q2V, 200 V, ND: 12,2 A/3 kW, HD: 11 A/2,2 kW, con filtro EMC clase C3	728,00
Q2V-A2021-AAA	688476	Variador Q2V, 200 V, ND: 21 A/5,5 kW, HD: 17,6 A/4 kW, con filtro EMC clase C3	913,00
Q2V-A2030-AAA	688477	Variador Q2V, 200 V, ND: 30 A/7,5 kW, HD: 25 A/5,5 kW, con filtro EMC clase C3	1 356,00
Q2V-A2042-AAA	688478	Variador Q2V, 200 V, ND: 42 A/11 kW, HD: 33 A/7,5 kW, con filtro EMC clase C3	1 583,00
Q2V-A2056-AAA	688479	Variador Q2V, 200 V, ND: 56 A/15 kW, HD: 47 A/11 kW, con filtro EMC clase C3	2 466,00
Q2V-A2070-AAA	688480	Variador Q2V, 200 V, ND: 70 A/18,5 kW, HD: 60 A/15 kW, con filtro EMC clase C3	3 164,00
Q2V-A2082-AAA	688449	Variador Q2V, 200 V, ND: 82 A/22 kW, HD: 75 A/18,5 kW, con filtro EMC clase C3	4 670,00
PM-MOTOR-GK-DEMOCASE-V1	690184	Georgii Kobold PM motor Democase for Q2 Series inverters.	7 475,00
Q2V-A4001-BAA	702696	Inverter Q2V, 400 V, ND: 1.2 A / 0.37 kW, HD: 1.2 A / 0.37 kW, IP20, without EMC filter	431,00
Q2V-A4002-BAA	702695	Inverter Q2V, 400 V, ND: 2.1 A / 0.75 kW, HD: 1.8 A / 0.55 kW, IP20, without EMC filter	480,00
Q2V-A4004-BAA	702694	Inverter Q2V, 400 V, ND: 4.1 A / 1.5 kW, HD: 3.4 A / 1.1 kW, IP20, without EMC filter	533,00
Q2V-A4005-BAA	702693	Inverter Q2V, 400 V, ND: 5.4 A / 2.2 kW, HD: 4.8 A / 1.5 kW, IP20, without EMC filter	615,50
Q2V-A4007-BAA	702692	Inverter Q2V, 400 V, ND: 7.1 A / 3.0 kW, HD: 5.6 A / 2.2 kW, IP20, without EMC filter	692,00
Q2V-A4009-BAA	702691	Inverter Q2V, 400 V, ND: 8.9 A / 4.0 kW, HD: 7.3 A / 3.0 kW, IP20, without EMC filter	780,50
Q2V-A4012-BAA	702690	Inverter Q2V, 400 V, ND: 11.9 A / 5.5 kW, HD: 9.2 A / 4.0 kW, IP20, without EMC filter	880,00
Q2V-A4018-BAA	702689	Inverter Q2V, 400 V, ND: 17.5 A / 7.5 kW, HD: 14.8 A / 5.5 kW, IP20, without EMC filter	1 183,00
Q2V-A4023-BAA	702688	Inverter Q2V, 400 V, ND: 23.4 A / 11.0 kW, HD: 18.0 A / 7.5 kW, IP20, without EMC filter	1 359,00
Q2V-A4031-BAA	702687	Inverter Q2V, 400 V, ND: 31.0 A / 15.0 kW, HD: 24.0 A / 11.0 kW, IP20, without EMC filter	1 774,00
Q2V-A4038-BAA	702686	Inverter Q2V, 400 V, ND: 38.0 A / 18.5 kW, HD: 31.0 A / 15.0 kW, IP20, without EMC filter	2 202,00
Q2V-A4044-BAA	702685	Inverter Q2V, 400 V, ND: 44.0 A / 22.0 kW, HD: 39.0 A / 18.5 kW, IP20, without EMC filter	3 355,00
Q2V-A4060-BAA	702684	Inverter Q2V, 400 V, ND: 60.0 A / 30.0 kW, HD: 45.0 A / 22.0 kW, IP20, without EMC filter	3 716,00
Q2V-AB001-BAA	702683	Inverter Q2V, Single Phase, ND: 1.2 A / 0.18 kW, HD: 0.8 A / 0.1 kW, IP20, without EMC filter	323,10
Q2V-AB002-BAA	702682	Inverter Q2V, Single Phase, ND: 1.9 A / 0.37 kW, HD: 1.6 A / 0.25 kW, IP20, without EMC filter	299,10
Q2V-AB004-BAA	702681	Inverter Q2V, Single Phase, ND: 3.5 A / 0.75 kW, HD: 3.0 A / 0.55 kW, IP20, without EMC filter	320,60
Q2V-AB006-BAA	702680	Inverter Q2V, Single Phase, ND: 6.0 A / 1.1 kW, HD: 5.0 A / 0.75 kW, IP20, without EMC filter	383,20
Q2V-AB010-BAA	702679	Inverter Q2V, Single Phase, ND: 9.6 A / 2.2 kW, HD: 8.0 A / 1.5 kW, IP20, without EMC filter	451,00
Q2V-AB012-BAA	702678	Inverter Q2V, Single Phase, ND: 12.2 A / 3.0 kW, HD: 11.0 A / 2.2 kW, IP20, without EMC filter	509,00
Q2V-A2001-BAA	702677	Inverter Q2V 200V, ND: 1.2 A / 0.2 kW, HD: 0.8 A / 0.1 kW, without integrated EMC filter	403,50
Q2V-A2002-BAA	702676	Inverter Q2V 200V, ND: 1.9 A / 0.37 kW, HD: 1.6 A / 0.25 kW, without integrated EMC filter	403,50

OMRON PVPR 2023

Q2V-A2004-BAA	702675	Inverter Q2V 200V, ND: 3.5 A / 0.75 kW, HD: 3 A / 0.55 kW, without integrated EM	403,50
Q2V-A2006-BAA	702674	Inverter Q2V 200V, ND: 6 A / 1.1 kW, HD: 5 A / 0.75 kW, without integrated EM	474,90
Q2V-A2010-BAA	702673	Inverter Q2V 200V, ND: 9.6 A / 2.2 kW, HD: 8 A / 1.5 kW, without integrated EM	545,50
Q2V-A2012-BAA	702672	Inverter Q2V 200V, ND: 12.2 A / 3 kW, HD: 11 A / 2.2 kW, without integrated EM	642,00
Q2V-A2021-BAA	702671	Inverter Q2V 200V, ND: 21 A / 5.5 kW, HD: 17.6 A / 4 kW, without integrated EM	805,50
Q2V-A2030-BAA	702670	Inverter Q2V 200V, ND: 30 A / 7.5 kW, HD: 25 A / 5.5 kW, without integrated EM	1 196,00
Q2V-A2042-BAA	702669	Inverter Q2V 200V, ND: 42 A / 11 kW, HD: 33 A / 7.5 kW, without integrated EM	1 396,00
Q2V-A2056-BAA	702668	Inverter Q2V 200V, ND: 56 A / 15 kW, HD: 47 A / 11 kW, without integrated EM	2 175,00
Q2V-A2070-BAA	702667	Inverter Q2V 200V, ND: 70 A / 18.5 kW, HD: 60 A / 15 kW, without integrated EM	2 791,00
Q2V-A2082-BAA	702666	Inverter Q2V 200V, ND: 82 A / 22 kW, HD: 75 A / 18.5 kW, without integrated EM	4 120,00
CIMR-AC2A0004FAA	254864	A1000 Trifásico 200VAC (3.2/3.5)Amp (0.4/0.75)Kw Vectorial	907,50
CIMR-AC2A0006FAA	254865	A1000 Trifásico 200VAC (5/6)Amp (0.75/1.1)Kw Vectorial	1 096,00
CIMR-AC2A0010FAA	254866	A1000 Trifásico 200VAC (8/9.6)Amp (1.5/2.2)Kw Vectorial	1 152,00
CIMR-AC2A0012FAA	254867	A1000 Trifásico 200VAC (11/12)Amp (2.2/3)Kw Vectorial	1 341,00
CIMR-AC2A0021FAA	254868	A1000 Trifásico 200VAC (17.5/21)Amp (4/5.5)Kw Vectorial	1 451,00
CIMR-AC2A0030FAA	254869	A1000 Trifásico 200VAC (25/30)Amp (5.5/7.5)Kw Vectorial	1 881,00
CIMR-AC2A0040FAA	254870	A1000 Trifásico 200VAC (33/40)Amp (7.5/11)Kw Vectorial	2 125,00
CIMR-AC2A0056FAA	254871	A1000 Trifásico 200VAC (47/56)Amp (11/15)Kw Vectorial	2 532,00
CIMR-AC2A0081FAA	254873	A1000 Trifásico 200VAC (75/81)Amp (18.5/22)Kw Vectorial	4 207,00
CIMR-AC2A0110AAA	254874	A1000 Trifásico 200VAC (85/110)Amp (22/30)Kw Vectorial	4 637,00
CIMR-AC2A0138AAA	254875	A1000 Trifásico 200VAC (115/138)Amp (30/37)Kw Vectorial	6 850,00
CIMR-AC2A0169AAA	254876	A1000 Trifásico 200VAC (145/169)Amp (37/45)Kw Vectorial	8 305,00
CIMR-AC2A0250AAA	280385	A1000 Trifásico 200VAC (215/250)Amp (55/75)Kw Vectorial	12 300,00
CIMR-AC2A0360AAA	280387	A1000 Trifásico 200VAC (346/360)Amp (90/110)Kw Vectorial	20 830,00
CIMR-AC2A0415AAA	280388	A1000 Trifásico 200VAC (415/415)Amp (110/110)Kw Vectorial	26 060,00
CIMR-AC4A0023FAA	301573	A1000 Trifásico 400VAC (18/23)Amp (7.5/11)Kw Vectorial	2 059,00
CIMR-AC4A0031FAA	301574	A1000 Trifásico 400VAC (24/31)Amp (11/15)Kw Vectorial	2 411,00
CIMR-AC4A0038FAA	301575	A1000 Trifásico 400VAC (31/38)Amp (15/18.5)Kw Vectorial	3 087,00
CIMR-AC4A0044FAA	301576	A1000 Trifásico 400VAC (39/44)Amp (18.5/22)Kw Vectorial	3 637,00
CIMR-AC4A0002FAA	324899	A1000 Trifásico 400VAC (1.8/2.1)Amp (0.4/0.75)Kw Vectorial	907,50
CIMR-AC4A0004FAA	324900	A1000 Trifásico 400VAC (3.4/4.1)Amp (0.75/1.5)Kw Vectorial	1 043,00
CIMR-AC4A0005FAA	324901	A1000 Trifásico 400VAC (4.8/5.4)Amp (1.5/2.2)Kw Vectorial	1 164,00
CIMR-AC4A0007FAA	324902	A1000 Trifásico 400VAC (5.5/6.9)Amp (2.2/3.0)Kw Vectorial	1 247,00

OMRON PVPR 2023

CIMR-AC4A0011FAA	324903	A1000 Trifásico 400VAC (9.2/11.1)Amp (4.0/5.5)Kw Vectorial	1 490,00
CIMR-AC4A0018FAA	324904	A1000 Trifásico 400VAC (14.8/17.5)Amp (5.5/7.5)Kw Vectorial	1 815,00
CIMR-AC4A0058AAA	324905	A1000 Trifásico 400VAC (45/58)Amp (22/30)Kw Vectorial	4 300,00
CIMR-AC4A0072AAA	324906	A1000 Trifásico 400VAC (60/72)Amp (30/37)Kw Vectorial	5 020,00
CIMR-AC4A0088AAA	324907	A1000 Trifásico 400VAC (75/88)Amp (37/45)Kw Vectorial	6 130,00
CIMR-AC4A0103AAA	324908	A1000 Trifásico 400VAC (91/103)Amp (45/55)Kw Vectorial	6 745,00
CIMR-AC4A0139AAA	324909	A1000 Trifásico 400VAC (112/139)Amp (55/75)Kw Vectorial	7 940,00
CIMR-AC4A0165AAA	324910	A1000 Trifásico 400VAC (150/165)Amp (75/90)Kw Vectorial	9 710,00
CIMR-AU5A0003FAA	330560	Variable Frequency Drive, max. output freq. 400 Hz	2 830,00
CIMR-AU5A0011FAA	330563	A1000 inverter, 575 VAC three phase input, 11 A ND / 9.8 A HD, max. output fre	4 322,00
CIMR-AC4A0009FAA	332487	A1000 Trifásico 400VAC (7.2/8.8)Amp (3.0/4.0)Kw Vectorial	1 370,00
CIMR-AC4A0031FAA-S5111	351843	A1000 inverter, 11kW Heavy Duty, 31A model, 400vac	2 442,00
CIMR-AC4A0208AAA	355206	A1000 Trifásico 400VAC (180/208)Amp (90/110)Kw Vectorial	11 550,00
CIMR-AC4A0250AAA	355207	A1000 Trifásico 400VAC (216/250)Amp (110/132)Kw Vectorial	12 670,00
CIMR-AC4A0296AAA	355208	A1000 Trifásico 400VAC (260/296)Amp (132/160)Kw Vectorial	16 090,00
CIMR-AC4A0362AAA	355209	A1000 Trifásico 400VAC (304/362)Amp (160/185)Kw Vectorial	19 760,00
CIMR-AC4A0044TAA	365088	A1000 Trifásico 380-480VAC (39/44)Amp (18.5/22)Kw Vectorial IP54	7 710,00
CIMR-AC4A0058TAA	365089	A1000 Trifásico 380-480VAC (45/58)Amp (22/30)Kw Vectorial IP54	9 740,00
CIMR-AC4A0072TAA	365090	A1000 Trifásico 380-480VAC (60/72)Amp (30/37)Kw Vectorial IP54	11 460,00
CIMR-AC4A0088TAA	365091	A1000 Trifásico 380-480VAC (75/88)Amp (37/45)Kw Vectorial IP54	13 140,00
CIMR-AC4A0103TAA	365092	A1000 Trifásico 380-480VAC (91/103)Amp (45/55)Kw Vectorial IP54	15 210,00
CIMR-AC4A0139TAA	365093	A1000 Trifásico 380-480VAC (112/139)Amp (55/75)Kw Vectorial IP54	17 700,00
CIMR-AC4A0165TAA	365094	A1000 Trifásico 380-480VAC (150/165)Amp (75/90)Kw Vectorial IP54	20 970,00
CIMR-AC4A0031FAA-S5072	372027	A1000 inverter: 3~ 400 V, HD: 11 kW 24 A, ND: 15 kW 31 A, max. output freq. 40	2 442,00
CIMR-AC4A0018FAA-S0030	373443	A1000 inverter: 3~ 400 V, HD: 5.5 kW 14.8 A, ND: 7.5 kW 17.5 A, max. output fre	1 855,00
CIMR-AC4A0011FAA-S0030	374855	A1000 series inverter, 400vac, 5.5kW ND/ 4kW HD, with ELS firmware	1 525,00
CIMR-AC4A0031FAA-S0030	374856	A1000 inverter: 3~ 400 V, HD: 11 kW 24 A, ND: 15 kW 31 A, max. output freq. 40	2 442,00
CIMR-AC4A0414AAA	375334	A1000 Trifásico 400VAC (370/414)Amp (185/220)Kw Vectorial	32 300,00
CIMR-AC4A0515AAA	375335	A1000 Trifásico 400VAC (450/515)Amp (220/250)Kw Vectorial	36 360,00
CIMR-AC4A0675AAA	375336	A1000 Trifásico 380-480VAC HD: 315 kW 605 A, ND: 355 kW 675 A, frecuencia r	46 280,00
CIMR-AC4A0007FAA-S0030	377739	A1000 inverter: 3~ 400 V, HD: 2.2 kW 5.5 A, ND: 3.0 kW 6.9 A, max. output freq.	1 374,00
CIMR-AC4A0002FAA-S2022	378006	A1000 inverter: 3~ 400 V, HD: 0.4 kW 1.8 A, ND: 0.75 kW 2.1 A, max. output freq	943,00
CIMR-AC4A0038FAA-S2022	378309	A1000 inverter: 3~ 400 V, HD: 15 kW 31 A, ND: 18.5 kW 38 A, max. output freq.	3 128,00

OMRON PVPR 2023

CIMR-AC4A0004FAA-S2022	378311	A1000 Trifásico 380VAC (3.4/4.1)Amp (0.75/1.5)Kw Vectorial S2022	1 078,00
CIMR-AC4A0005FAA-S2022	378313	A1000 Trifásico 380VAC (4.8/5.4)Amp (1.5/2.2)Kw Vectorial S2022	1 193,00
CIMR-AC4A0007FAA-S2022	378315	A1000 inverter: 3~ 400 V, HD: 2.2 kW 5.5 A, ND: 3.0 kW 6.9 A, max. output freq.	1 282,00
CIMR-AC4A0009FAA-S2022	378317	A1000 inverter: 3~ 400 V, HD: 3 kW 7.2 A, ND: 4 kW 8.8 A, max. output freq. 400	1 396,00
CIMR-AC4A0011FAA-S2022	378319	A1000 inverter: 3~ 400 V, HD: 4 kW 9.2 A, ND: 5.5 kW 11.1 A, max. output freq.	1 525,00
CIMR-AC4A0018FAA-S2022	378321	A1000 inverter: 3~ 400 V, HD: 5.5 kW 14.8 A, ND: 7.5 kW 17.5 A, max. output fre	1 855,00
CIMR-AC4A0031FAA-S2022	378323	A1000 inverter: 3~ 400 V, HD: 11 kW 24 A, ND: 15 kW 31 A, max. output freq. 40	2 442,00
CIMR-AC4A0044FAA-S0030	382764	Inverter A1000 case	3 682,00
CIMR-AC4A0005FAA-S0030	392601	A1000 inverter: 3~ 400 V, HD: 1.5 kW 4.8 A, ND: 2.2 kW 5.4 A, max. output freq.	1 193,00
CIMR-AC2A0069FAA	254872	A1000 Trifásico 200VAC (60/69)Amp (15/18.5)Kw Vectorial	3 179,00
CIMR-AC2A0211AAA	254877	A1000 Trifásico 200VAC (180/211)Amp (45/55)Kw Vectorial	9 100,00
CIMR-AC2A0312AAA	280386	A1000 Trifásico 200VAC (283/312)Amp (75/90)Kw Vectorial	13 420,00
CIMR-AU5A0006FAA	330561	Variable Frequency Drive, max. output freq. 400 Hz	3 873,00
CIMR-AU5A0009FAA	330562	A1000 Trifásico 500-600VAC (6,3/9)Amp (5,5/7,5)HP Vectorial	3 772,00
CIMR-AU5A0022FAA	346509	A1000 Trifásico 500-600VAC (17/22)Amp (15/20)HP Vectorial	5 020,00
CIMR-AU5A0017FAA	346510	A1000 Trifásico 500-600VAC (12/17)Amp (10/15)HP Vectorial	4 677,00
CIMR-AC4A0930AAA	351794	Variador A1000: 3~ 400 V, HD: 810 A/450 kW, ND: 930 A/500 kW, frecuencia de	76 950,00
CIMR-AC4A1200AAA	351795	A1000 Trifásico 380-480VAC (1090/1200)Amp (560/630)Kw Vectorial	108 500,00
CIMR-AC4A0038FAA-S5111	351844	A1000 inverter, 15/ 18.5kW [HD/ ND], 31/ 38A [HD/ ND], three phase 400vac, ve	3 128,00
CIMR-AC4A0009FAA-S5111	353007	A1000 Trifásico 380-480VAC (7.2/8.8)Amp (3.0/4.0)Kw Vectorial Case 1000Hz S5	1 422,00
CIMR-AU5A0041FAA	366437	Variable Frequency Drive, max. output freq. 400 Hz	6 775,00
CIMR-AU5A0004FAA	366498	Variable Frequency Drive, max. output freq. 400 Hz	3 028,00
CIMR-AU5A0027FAA	371209	A1000 Trifásico 500-600VAC (22/27)Amp (20/25)HP Vectorial	5 245,00
CIMR-AC4A0018FAA-S5072	372206	A1000 inverter: 3~ 400 V, HD: 5.5 kW 14.8 A, ND: 7.5 kW 17.5 A, max. output fre	1 855,00
CIMR-AC4A0038FAA-S5072	372207	A1000 inverter: 3~ 400 V, HD: 15 kW 31 A, ND: 18.5 kW 38 A, max. output freq.	3 118,00
CIMR-AC4A0009FAA-S0030	400346	A1000 inverter: 3~ 400 V, HD: 3 kW 7.2 A, ND: 4 kW 8.8 A, max. output freq. 400	1 396,00
CIMR-AU5A0032FAA	407874	A1000 Trifásico 500-600VAC (27/32)Amp (25/30)HP Vectorial	5 790,00
CIMR-AC4A0044TAA-0095	659392	A1000 III 380-480VAC (39/44)A (18.5/22)Kw Vector IP54 Main Switch	11 830,00
CIMR-AC4A0072TAA-0095	659393	A1000 III 380-480VAC (60/72)A (30/37)Kw Vector IP54 Main Switch	17 470,00
CIMR-AC4A0004FAA-S2070	670398	A1000 inverter 4A ND	1 094,00
CIMR-AC4A0103AAA-S0030	677433	A1000 inverter: 3~ 400 V, HD: 45 kW 91 A, ND: 55 kW 103 A, max. output freq. 4	6 905,00
CIMR-AC4A0165AAA-S0030	679831	Variador A1000: trifásico 400 V, HD: 75 kW 150 A, ND: 90 kW 165 A, con Electro	9 900,00
CIMR-AC4A0018FAA-S5111	681614	A1000 inverter: 3~ 400 V, HD: 5.5 kW 14.8 A, ND: 7.5 kW 17.5 A, max. output fre	1 855,00

OMRON PVPR 2023

CIMR-AC4A0023FAA-S2070	683866	A1000 inverter: 3~ 400 V, HD: 7.5 kW 18 A, ND: 11 kW 23 A, max. output freq. 4	2 104,00
CIMR-AC4A0005FAA-S2070	685526	A1000 inverter 5A ND, max. output freq. 400Hz	1 193,00
CIMR-AC4A0002FAA-S2070	689482	A1000 inverter: 3~ 400 V, HD: 0.4 kW 1.8 A, ND: 0.75 kW 2.1 A; max. output freq	943,00
3G3RX-A2450-E1F	379112	RX Trif 200-240VAC 45/55kW 182/210A (HD/ND) vector IP20 filtro	7 790,00
3G3RX-A4004-E1F	379114	RX Trif 380-480VAC 0.4/0,55kW 1.5/1,9A(HD/ND) vector IP20 filtro	1 195,00
3G3RX-A4015-E1F	379116	RX Trif 380-480VAC 1,5/2,2kW 3,8/4,8A(HD/ND) vector IP20 filtro	1 334,00
3G3RX-A4022-E1F	379117	RX Trif 380-480VAC 2,2/3,0kW 5,3/6,7A(HD/ND) vector IP20 filtro	1 397,00
3G3RX-A4075-E1F	379120	RX Trif 380-480VAC 7,5/11kW 19/22A(HD/ND) vectorl IP20 filtro	2 128,00
3G3RX-A4150-E1F	379122	RX Trif 380-480VAC 15/18,5kW 32/37A(HD/ND) vector IP20 filtro	3 180,00
3G3RX-A4185-E1F	379123	RX Trif 380-480VAC 18,5/22kW 38/43A(HD/ND) vector IP20 filtro	3 753,00
3G3RX-A4220-E1F	379124	RX Trif 380-480VAC 22/30kW 48/57A(HD/ND) vector IP20 filtro	4 434,00
3G3RX-A4300-E1F	379125	RX Trif 380-480VAC 30/37kW 58/70A(HD/ND) vector IP20 filtro	5 150,00
3G3RX-A4370-E1F	379126	RX Trif 380-480VAC 37/45kW 75/85A(HD/ND) vector IP20 filtro	6 300,00
3G3RX-A4450-E1F	379127	RX Trif 380-480VAC 45/55kW 91/105A(HD/ND) vector IP20 filtro	6 950,00
3G3RX-A4550-E1F	379128	RX Trif 380-480VAC 55/75kW 112/135A(HD/ND) vector IP20 filtro	8 065,00
3G3RX-B411K-E1F	379129	RX Trif 380-480VAC 110/132kW 217/230A(HD/ND) vector IP00 filtro	13 590,00
3G3RX-B413K-E1F	379130	RX Trif 380-480VAC 132/160kW 260/290A(HD/ND) vector IP00 filtro	17 650,00
3G3RX-B4900-E1F	379132	RX Trif 380-480VAC 90/110kW 176/195A(HD/ND) vector IP00 filtro	12 190,00
SX-A4011-EVA4	692944	SX inverter IP20, 11 kW, 3~ 400 VAC, V/f drive, built-in filter, max. output freq. 4	2 017,00
SX-A4015-EVA4	692945	SX inverter IP20, 15 kW, 3~ 400 VAC, V/f drive, built-in filter, max. output freq. 4	2 438,00
SX-A4018-EVA4	692946	SX inverter IP20, 18.5 kW, 3~ 400 VAC, V/f drive, built-in filter, max. output freq,	2 917,00
SX-A4022-EVA4	692947	SX inverter IP20, 22 kW, 3~ 400 VAC, V/f drive, built-in filter, max. output freq. 4	3 266,00
SX-A4030-EVA4	692948	SX inverter IP20, 30 kW, 3~ 400 VAC, V/f drive, built-in filter, max. output freq. 4	4 193,00
SX-A4037-EVA4	692949	SX inverter IP20, 37 kW, 3~ 400 VAC, V/f drive, built-in filter, max. output freq. 4	4 915,00
SX-A4045-EVA4	692950	SX inverter IP20, 45 kW, 3~ 400 VAC, V/f drive, built-in filter, max. output freq. 4	5 650,00
SX-A4055-EVA4	692951	SX inverter IP20, 55 kW, 3~ 400 VAC, V/f drive, built-in filter, max. output freq. 4	6 395,00
SX-A4075-EVA4	692952	SX inverter IP20, 75 kW, 3~ 400 VAC, V/f drive, built-in filter, max. output freq. 4	8 575,00
SX-A4090-EVA4	692953	SX inverter IP20, 90 kW, 3~ 400 VAC, V/f drive, built-in filter, max. output freq. 4	10 060,00
SX-A4110-EVA4	692954	SX inverter IP20, 110 kW, 3~ 400 VAC, V/f drive, built-in filter, max. output freq.	11 540,00
SX-A4132-EVA4	692955	SX inverter IP20, 132 kW, 3~ 400 VAC, V/f drive, built-in filter, max. output freq.	13 070,00
SX-A4160-E3VA4	692956	SX inverter IP20, 160 kW, 3~ 400 VAC, V/f drive, built-in filter, max. output freq.	16 220,00
SX-A4200-E3VA4	692957	Variador SX IP20, 200 kW, 3~ 400 V CA, variador V/f, filtro integrado, frecuencia	18 370,00
SX-A4011-EFA4	692958	SX inverter IP20, 11 kW, 3~ 400 VAC, direct torque control, built-in filter, max. o	2 218,00

OMRON PVPR 2023

SX-A4015-EFA4	692959	SX inverter IP20, 15 kW, 3~ 400 VAC, direct torque control, built-in filter, max. o	2 684,00
SX-A4018-EFA4	692960	SX inverter IP20, 18.5 kW, 3~ 400 VAC, direct torque control, built-in filter, max.	3 206,00
SX-A4022-EFA4	692961	SX inverter IP20, 22 kW, 3~ 400 VAC, direct torque control, built-in filter, max. o	3 596,00
SX-A4030-EFA4	692962	SX inverter IP20, 30 kW, 3~ 400 VAC, direct torque control, built-in filter, max. o	4 615,00
SX-A4037-EFA4	692963	SX inverter IP20, 37 kW, 3~ 400 VAC, direct torque control, built-in filter, max. o	5 410,00
SX-A4045-EFA4	692964	SX inverter IP20, 45 kW, 3~ 400 VAC, direct torque control, built-in filter, max. o	6 215,00
SX-A4055-EFA4	692965	SX inverter IP20, 55 kW, 3~ 400 VAC, direct torque control, built-in filter, max. o	7 035,00
SX-A4075-EFA4	692966	SX inverter IP20, 75 kW, 3~ 400 VAC, direct torque control, built-in filter, max. o	9 430,00
SX-A4090-EFA4	692967	SX inverter IP20, 90 kW, 3~ 400 VAC, direct torque control, built-in filter, max. o	11 060,00
SX-A4110-EFA4	692968	SX inverter IP20, 110 kW, 3~ 400 VAC, direct torque control, built-in filter, max. o	12 710,00
SX-A4132-EFA4	692969	SX inverter IP20, 132 kW, 3~ 400 VAC, direct torque control, built-in filter, max. o	14 380,00
SX-A4160-E3FA4	692970	Variador SX IP20, 160 kW, 3~ 400 V CA, control de par directo, filtro integrado, f	17 850,00
SX-A4200-E3FA4	692971	Variador SX IP20, 200 kW, 3~ 400 V CA, control de par directo, filtro integrado, f	20 000,00
SX-A61P5-EVA4	692972	Variador SX IP20, 1,5 kW, 3~ 690 V CA, variador V/f, filtro integrado, frecuencia c	4 473,00
SX-A62P2-EVA4	692973	Variador SX IP20, 2,2 kW, 3~ 690 V CA, variador V/f, filtro integrado, frecuencia c	4 571,00
SX-A63P0-EVA4	692974	Variador SX IP20, 3 kW, 3~ 690 V CA, variador V/f, filtro integrado, frecuencia de	4 690,00
SX-A64P0-EVA4	692975	Variador SX IP20, 4 kW, 3~ 690 V CA, variador V/f, filtro integrado, frecuencia de	4 826,00
SX-A65P5-EVA4	692976	Variador SX IP20, 5,5 kW, 3~ 690 V CA, variador V/f, filtro integrado, frecuencia c	4 966,00
SX-A67P5-EVA4	692977	Variador SX IP20, 7,5 kW, 3~ 690 V CA, variador V/f, filtro integrado, frecuencia c	5 145,00
SX-A6011-EVA4	692978	Variador SX IP20, 11 kW, 3~ 690 V CA, variador V/f, filtro integrado, frecuencia c	5 640,00
SX-A6015-EVA4	692979	Variador SX IP20, 15 kW, 3~ 690 V CA, variador V/f, filtro integrado, frecuencia c	6 350,00
SX-A6018-EVA4	692980	Variador SX IP20, 18,5 kW, 3~ 690 V CA, variador V/f, filtro integrado, frecuencia	7 355,00
SX-A6022-EVA4	692981	Variador SX IP20, 22 kW, 3~ 690 V CA, variador V/f, filtro integrado, frecuencia c	8 320,00
SX-A6030-EVA4	692982	Variador SX IP20, 30 kW, 3~ 690 V CA, variador V/f, filtro integrado, frecuencia c	9 800,00
SX-A6037-EVA4	692983	Variador SX IP20, 37 kW, 3~ 690 V CA, variador V/f, filtro integrado, frecuencia c	11 330,00
SX-A6045-EVA4	692984	Variador SX IP20, 45 kW, 3~ 690 V CA, variador V/f, filtro integrado, frecuencia c	12 740,00
SX-A6055-EVA4	692985	Variador SX IP20, 55 kW, 3~ 690 V CA, variador V/f, filtro integrado, frecuencia c	14 300,00
SX-D61P5-EVA4	692986	Variador SX IP54, 1,5 kW, 3~ 690 V CA, variador V/f, filtro integrado, frecuencia c	4 905,00
SX-D62P2-EVA4	692987	Variador SX IP54, 2,2 kW, 3~ 690 V CA, variador V/f, filtro integrado, frecuencia c	5 005,00
SX-D63P0-EVA4	692988	Variador SX IP54, 3 kW, 3~ 690 V CA, variador V/f, filtro integrado, frecuencia de	5 145,00
SX-D64P0-EVA4	692989	Variador SX IP54, 4 kW, 3~ 690 V CA, variador V/f, filtro integrado, frecuencia de	5 320,00
SX-D65P5-EVA4	692990	Variador SX IP54, 5,5 kW, 3~ 690 V CA, variador V/f, filtro integrado, frecuencia c	5 540,00
SX-D67P5-EVA4	692991	Variador SX IP54, 7,5 kW, 3~ 690 V CA, variador V/f, filtro integrado, frecuencia c	5 655,00

OMRON PVPR 2023

SX-D6011-EVA4	692992	Variador SX IP54, 11 kW, 3~ 690 V CA, variador V/f, filtro integrado, frecuencia d	6 210,00
SX-D6015-EVA4	692993	Variador SX IP54, 15 kW, 3~ 690 V CA, variador V/f, filtro integrado, frecuencia d	7 120,00
SX-D6018-EVA4	692994	Variador SX IP54, 18,5 kW, 3~ 690 V CA, variador V/f, filtro integrado, frecuencia	7 970,00
SX-D6022-EVA4	692995	Variador SX IP54, 22 kW, 3~ 690 V CA, variador V/f, filtro integrado, frecuencia d	9 130,00
SX-D6030-EVA4	692996	Variador SX IP54, 30 kW, 3~ 690 V CA, variador V/f, filtro integrado, frecuencia d	10 590,00
SX-D6037-EVA4	692997	Variador SX IP54, 37 kW, 3~ 690 V CA, variador V/f, filtro integrado, frecuencia d	12 280,00
SX-D6045-EVA4	692998	Variador SX IP54, 45 kW, 3~ 690 V CA, variador V/f, filtro integrado, frecuencia d	14 120,00
SX-D6055-EVA4	692999	Variador SX IP54, 55 kW, 3~ 690 V CA, variador V/f, filtro integrado, frecuencia d	15 670,00
SX-D6075-EVA4	693000	Variador SX IP54, 75 kW, 3~ 690 V CA, variador V/f, filtro integrado, frecuencia d	16 200,00
SX-A61P5-EFA4	693001	Variador SX IP20, 1,5 kW, 3~ 690 V CA, control de par directo, filtro integrado, fr	4 905,00
SX-A62P2-EFA4	693002	Variador SX IP20, 2,2 kW, 3~ 690 V CA, control de par directo, filtro integrado, fr	5 025,00
SX-A63P0-EFA4	693003	Variador SX IP20, 3 kW, 3~ 690 V CA, control de par directo, filtro integrado, frec	5 165,00
SX-A64P0-EFA4	693004	Variador SX IP20, 4 kW, 3~ 690 V CA, control de par directo, filtro integrado, frec	5 300,00
SX-A65P5-EFA4	693005	Variador SX IP20, 5,5 kW, 3~ 690 V CA, control de par directo, filtro integrado, fr	5 460,00
SX-A67P5-EFA4	693006	Variador SX IP20, 7,5 kW, 3~ 690 V CA, control de par directo, filtro integrado, fr	5 655,00
SX-A6011-EFA4	693007	Variador SX IP20, 11 kW, 3~ 690 V CA, control de par directo, filtro integrado, fre	6 195,00
SX-A6015-EFA4	693008	Variador SX IP20, 15 kW, 3~ 690 V CA, control de par directo, filtro integrado, fre	6 985,00
SX-A6018-EFA4	693009	Variador SX IP20, 18,5 kW, 3~ 690 V CA, control de par directo, filtro integrado, f	8 085,00
SX-A6022-EFA4	693010	Variador SX IP20, 22 kW, 3~ 690 V CA, control de par directo, filtro integrado, fre	9 150,00
SX-A6030-EFA4	693011	Variador SX IP20, 30 kW, 3~ 690 V CA, control de par directo, filtro integrado, fre	10 760,00
SX-A6037-EFA4	693012	Variador SX IP20, 37 kW, 3~ 690 V CA, control de par directo, filtro integrado, fre	12 460,00
SX-A6045-EFA4	693013	Variador SX IP20, 45 kW, 3~ 690 V CA, control de par directo, filtro integrado, fre	14 000,00
SX-A6055-EFA4	693014	Variador SX IP20, 55 kW, 3~ 690 V CA, control de par directo, filtro integrado, fre	15 720,00
SX-D61P5-EFA4	693015	Variador SX IP54, 1,5 kW, 3~ 690 V CA, control de par directo, filtro integrado, fr	5 245,00
SX-D62P2-EFA4	693016	Variador SX IP54, 2,2 kW, 3~ 690 V CA, control de par directo, filtro integrado, fr	5 360,00
SX-D63P0-EFA4	693017	Variador SX IP54, 3 kW, 3~ 690 V CA, control de par directo, filtro integrado, frec	5 515,00
SX-D64P0-EFA4	693018	Variador SX IP54, 4 kW, 3~ 690 V CA, control de par directo, filtro integrado, frec	5 705,00
SX-D65P5-EFA4	693019	Variador SX IP54, 5,5 kW, 3~ 690 V CA, control de par directo, filtro integrado, fr	5 935,00
SX-D67P5-EFA4	693020	Variador SX IP54, 7,5 kW, 3~ 690 V CA, control de par directo, filtro integrado, fr	6 065,00
SX-D6011-EFA4	693021	Variador SX IP54, 11 kW, 3~ 690 V CA, control de par directo, filtro integrado, fre	6 655,00
SX-D6015-EFA4	693022	Variador SX IP54, 15 kW, 3~ 690 V CA, control de par directo, filtro integrado, fre	7 635,00
SX-D6018-EFA4	693023	Variador SX IP54, 18,5 kW, 3~ 690 V CA, control de par directo, filtro integrado, f	8 545,00
SX-D6022-EFA4	693024	Variador SX IP54, 22 kW, 3~ 690 V CA, control de par directo, filtro integrado, fre	9 785,00

OMRON PVPR 2023

SX-D6030-EFA4	693025	Variador SX IP54, 30 kW, 3~ 690 V CA, control de par directo, filtro integrado, fre	11 350,00
SX-D6037-EFA4	693026	Variador SX IP54, 37 kW, 3~ 690 V CA, control de par directo, filtro integrado, fre	13 180,00
SX-D6045-EFA4	693027	Variador SX IP54, 45 kW, 3~ 690 V CA, control de par directo, filtro integrado, fre	15 130,00
SX-D6055-EFA4	692942	Variador SX IP54, 55 kW, 3~ 690 V CA, control de par directo, filtro integrado, fre	16 780,00
SX-D6075-EFA4	692943	Variador SX IP54, 75 kW, 3~ 690 V CA, control de par directo, filtro integrado, fre	17 210,00
SX-A4220-EFA4	693408	SX Trifásico 400VAC (430/344)Amp (220Kw/200Kw) Vectorial IP21	34 060,00
SX-A4220-EVA4	693409	SX Trifásico 400VAC (430/344)Amp (220Kw/200Kw) V/f IP21	32 870,00
SX-A4250-EFA4	693410	SX Trifásico 400VAC (500/400)Amp (250Kw/220Kw) Vectorial IP21	38 120,00
SX-A4250-EVA4	693411	SX Trifásico 400VAC (500/400)Amp (250Kw/220Kw) V/f IP21	36 820,00
SX-A4315-EFA4	693395	SX Trifásico 400VAC (600/480)Amp (315/250)Kw Vectorial IP21	42 500,00
SX-A4315-EVA4	693396	SX Trifásico 400VAC (600/480)Amp (315Kw/250Kw) V/f IP21	40 620,00
SX-A4355-EFA4	693397	SX Trifásico 400VAC (650/520)Amp (355Kw/315Kw) Vectorial IP21	46 450,00
SX-A4355-EVA4	693398	SX Trifásico 400VAC (650/520)Amp (355Kw/315Kw) V/f IP21	44 680,00
SX-A4400-EFA4	693399	SX Trifásico 400VAC (750/600)Amp (400Kw/355Kw) Vectorial IP21	56 850,00
SX-A4400-EVA4	693400	SX Trifásico 400VAC (750/600)Amp (400/355)Kw V/f IP20	53 200,00
SX-A4450-EFA4	693401	SX Trifásico 400VAC (860/688)Amp (450Kw/400Kw) Vectorial IP20	62 700,00
SX-A4450-EVA4	693402	SX Trifásico 400VAC (860/688)Amp (450Kw/400Kw) V/f IP21	62 100,00
SX-A4500-EFA4	693403	SX Trifásico 400VAC (1000/800)Amp (500Kw/450Kw) Vectorial IP21	67 550,00
SX-A4500-EVA4	693404	SX Trifásico 400VAC (1000/800)Amp (500Kw/450Kw) V/f IP21	64 500,00
SX-A4630-EFA4	693405	SX Trifásico 400VAC (1200/960)Amp (630Kw/500Kw) Vectorial IP21	82 800,00
SX-A4630-EVA4	693406	SX Trifásico 400VAC 1200/960)Amp (630Kw/500Kw) V/f IP21	76 200,00
SX-A4800-EFA4	693407	SX Trifásico 400VAC (1500/1200)Amp (800Kw/630Kw) Vectorial IP21	102 900,00
SX-A4800-EVA4	693383	SX Trifásico 400VAC (1500/1200)Amp (800Kw/630Kw) V/f IP21	95 150,00
SX-A6500-EVA4	693382	SX Trifásico 690VAC (500/400)Amp (500Kw/355Kw) V/f IP21	64 750,00
SX-A6600-EVA4	693380	SX Trifásico 690VAC (600/480)Amp (600Kw/450Kw) V/f IP21	75 500,00
SX-A6630-EVA4	693378	SX Trifásico 690VAC (650/520)Amp (630Kw/500Kw) V/f IP21	82 600,00
SX-D4011-EFA4	693371	SX Trifásico 400VAC (26/21)Amp (11Kw/7,5Kw) Vectorial IP54	3 458,00
SX-D4011-EVA4	693447	SX Trifásico 400VAC (26/21)Amp (11Kw/7,5Kw) V/f IP54	2 977,00
SX-D4015-EFA4	693448	SX Trifásico 400VAC (31/25)Amp (15Kw/11Kw) Vectorial IP54	4 219,00
SX-D4015-EVA4	693449	SX Trifásico 400VAC (31/25)Amp (15Kw/11Kw) V/f IP54	3 442,00
SX-D4018-EFA4	693451	SX Trifásico 400VAC (37/29,6)Amp (18,5Kw/15Kw) Vectorial IP54	4 699,00
SX-D4018-EVA4	693452	SX Trifásico 400VAC (37/29,6)Amp (18,5Kw/15Kw) V/f IP54	4 077,00
SX-D4022-EFA4	693453	SX Trifásico 400VAC (46/37)Amp (22Kw/18,5Kw) Vectorial IP54	5 885,00

OMRON PVPR 2023

SX-D4022-EVA4	693455	SX Trifásico 400VAC (46/37)Amp (22Kw/18,5Kw) V/f IP54	4 669,00
SX-D4030-EFA4	693457	SX Trifásico 400VAC (61/49)Amp (30Kw/22Kw) Vectorial IP54	7 015,00
SX-D4030-EVA4	693441	SX Trifásico 400VAC (61/49)Amp (30Kw/22Kw) V/f IP54	5 810,00
SX-D4037-EFA4	693442	SX Trifásico 400VAC (74/59)Amp (37Kw/30Kw) Vectorial IP54	7 700,00
SX-D4037-EVA4	693443	SX Trifásico 400VAC (74/59)Amp (37Kw/30Kw) V/f IP54	6 730,00
SX-D4045-EFA4	693440	SX Trifásico 400VAC (90/72)Amp (45Kw/37Kw) Vectorial IP54	8 510,00
SX-D4045-EVA4	693439	SX Trifásico 400VAC (90/72)Amp (45Kw/37Kw) V/f IP54	7 700,00
SX-D4055-EFA4	693434	SX Trifásico 400VAC (109/87)Amp (55Kw/45Kw) Vectorial IP54	9 650,00
SX-D4055-EVA4	693433	SX Trifásico 400VAC (109/87)Amp (55Kw/45Kw) V/f IP54	8 895,00
SX-D4055-EVA4-G	693430	Variable Frequency Drive, max. output freq. 400 Hz	9 640,00
SX-D4075-EFA4	693425	SX Trifásico 400VAC (177/146)Amp (75Kw/55Kw) Vectorial IP54	13 010,00
SX-D4075-EVA4	693424	SX Trifásico 400VAC (146/177)Amp (75Kw/55Kw) V/f IP54	11 750,00
SX-D4090-EFA4	693418	SX Trifásico 400VAC (175/140)Amp (90Kw/75Kw) Vectorial IP54	15 800,00
SX-D4090-EVA4	693417	SX Trifásico 400VAC (175/140)Amp (90Kw/75Kw) V/f IP54	14 800,00
SX-D40P7-EFA4	693415	SX Trifásico 400VAC (2,5/2)Amp (0,75Kw/0,55Kw) Vectorial IP54	2 033,00
SX-D40P7-EVA4	693414	SX Trifásico 400VAC (2,5/2)Amp (0,75Kw/0,55Kw) V/f IP54	1 879,00
SX-D4110-EFA4	693464	SX Trifásico 400VAC (210/168)Amp (110Kw/90Kw) Vectorial IP54	19 320,00
SX-D4110-EVA4	693465	SX Trifásico 400VAC (210/168)Amp (110Kw/90Kw) V/f IP54	17 270,00
SX-D4132-EFA4	693473	SX Trifásico 400VAC (250/200)Amp (132Kw/110Kw) Vectorial IP54	21 090,00
SX-D4132-EVA4	693474	SX Trifásico 400VAC (250/200)Amp (132Kw/110Kw) V/f IP54	18 870,00
SX-D41P5-EFA4	693481	SX Trifásico 400VAC (4/3,2)Amp (1,5Kw/1,1Kw) Vectorial IP54	2 147,00
SX-D41P5-EVA4	693482	SX Trifásico 400VAC (4/3,2)Amp (1,5Kw/1,1Kw) V/f IP54	1 977,00
SX-D4220-E1FA4	693489	SX inverter IP54, 220 kW, 3~ 400 VAC, direct torque control, built-in filter	48 030,00
SX-D4220-E1VA4	693492	SX inverter IP54, 220 kW, 3~ 400 VAC, V/f drive, built-in filter	37 310,00
SX-D4250-E1VA4	693500	SX inverter IP54, 250 kW, 3~ 400 VAC, V/f drive, built-in filter	40 920,00
SX-D42P2-EFA4	693503	SX Trifásico 400VAC (6/4,8)Amp (2,2Kw/1,5Kw) Vectorial IP54	2 570,00
SX-D42P2-EVA4	693504	SX Trifásico 400VAC (6/4,8)Amp (2,2Kw/1,5Kw) V/f IP54	2 302,00
SX-D4315-E1FA4	693505	SX inverter IP54, 315 kW, 3~ 400 VAC, direct torque control, built-in filter	57 500,00
SX-D4315-E1VA4	693508	SX inverter IP54, 315 kW, 3~ 400 VAC, V/f drive, built-in filter	49 930,00
SX-D4355-E1FA4	693513	SX Trifásico 400VAC (650/520)Amp (355Kw/315Kw) Vectorial IP54	66 900,00
SX-D4355-E1VA4	693516	SX inverter IP54, 355 kW, 3~ 400 VAC, V/f drive, built-in filter	53 600,00
SX-D43P0-EFA4	693519	SX Trifásico 400VAC (7,5/6)Amp (3Kw/2,2Kw) Vectorial IP54	2 655,00
SX-D43P0-EVA4	693520	SX Trifásico 400VAC (7,5/6)Amp (3Kw/2,2Kw) V/f IP54	2 414,00

OMRON PVPR 2023

SX-D4400-E1VA4	693524	SX inverter IP54, 400 kW, 3~ 400 VAC, V/f drive, built-in filter	60 050,00
SX-D4450-E1FA4	693527	SX inverter IP54, 450 kW, 3~ 400 VAC, direct torque control, built-in filter	90 100,00
SX-D4450-E1VA4	693530	SX inverter IP54, 450 kW, 3~ 400 VAC, V/f drive, built-in filter	70 400,00
SX-D44P0-EFA4	693533	SX Trifásico 400VAC (9,5/7,6)Amp (4Kw/3Kw) Vectorial IP54	2 709,00
SX-D44P0-EVA4	693534	SX Trifásico 400VAC (9,5/7,6)Amp (4Kw/3Kw) V/f IP54	2 442,00
SX-D4500-E1FA4	693537	SX Trifásico 400VAC (1000/800)Amp (500Kw/450Kw) Vectorial IP54	87 750,00
SX-D4500-E1VA4	693539	SX inverter IP54, 500 kW, 3~ 400 VAC, V/f drive, built-in filter	82 650,00
SX-D45P5-EFA4	693541	SX Trifásico 400VAC (13/10,4)Amp (5,5Kw/4Kw) Vectorial IP54	2 837,00
SX-D45P5-EVA4	693542	SX Trifásico 400VAC (13/10,4)Amp (5,5Kw/4Kw) V/f IP54	2 598,00
SX-D4630-E1VA4	693544	SX inverter IP54, 630 kW, 3~ 400 VAC, V/f drive, built-in filter	96 750,00
SX-D47P5-EFA4	693545	SX Trifásico 400VAC (18/14,4)Amp (7,5Kw/5,5Kw) Vectorial IP54	3 105,00
SX-D47P5-EVA4	693546	SX Trifásico 400VAC (18/14,4)Amp (7,5Kw/5,5Kw) V/f IP54	2 668,00
SX-D6090-EVA4	693551	SX inverter IP54, 90 kW, 3~ 690 VAC, V/f drive, built-in filter	16 170,00
SX-D6110-EFA4	693556	SX inverter IP54, 110 kW, 3~ 690 VAC, direct torque control, built-in filter	19 760,00
SX-D6132-EVA4	693563	SX inverter IP54, 132 kW, 3~ 690 VAC, V/f drive, built-in filter	20 790,00
SX-D6200-EFA4	693573	SX inverter IP54, 200 kW, 3~ 690 VAC, direct torque control, built-in filter	29 740,00
SX-D6315-E1FA4	693581	SX inverter IP54, 315 kW, 3~ 690 VAC, direct torque control, built-in filter	50 200,00
SX-D6315-E1VA4	693584	SX inverter IP54, 315 kW, 3~ 690 VAC, V/f drive, built-in filter	48 560,00
SX-D6800-E1FA4	693615	SX inverter IP54, 800 kW, 3~ 690 VAC, direct torque control, built-in filter	123 800,00
SX-D6800-E1VA4	693616	SX inverter IP54, 800 kW, 3~ 690 VAC, V/f drive, built-in filter	119 800,00
SX-D6200-EVA4-BEFG01R	694940	SX inverter IP54, 200 kW, 3~ 690 VAC, V/f drive, built-in filter, max. output freq.	28 380,00
SX-D45P5-EVA4-GR	695319	SX inverter IP54, 5.5 kW, 3~ 400 VAC, V/f drive, built-in filter, max. output freq.	3 240,00
SX-D4132-EFA4-BCGIJR	695703	SX inverter IP54, 132 kW, 3~ 400 VAC, direct torque control, built-in filter, max.	21 260,00
SX-A4250-EVA4-G	696314	SX inverter IP20, 250 kW, 3~ 400 VAC, V/f drive, built-in filter, max. output freq.	30 460,00
VFX48-244-20-DEBTV	702005	VFX inverter, 244A ND, IP20, DTC, max. output freq. 400Hz	15 910,00
VFX48-088-20-DEBTV	702004	VFX inverter, 88A ND, IP20, DTC, max. output freq. 400Hz.	7 055,00
VFX48-072-20-DEBTV	702003	VFX inverter, 72A, ND, 400V, IP20, max. output freq. 400Hz	6 155,00
VFX48-060-20-DEBTV	702002	VFX inverter, 60A ND, IP20, DTC, max. output freq. 400Hz.	5 385,00
VFX48-030-20-DEBTV	702001	VFX inverter, 30A ND, IP20, DTC, max. output freq. 400Hz	3 201,00
SX-D4055-E1FLA4-G	702459	Low harmonic SX, 55 kW, 400 V, IP54, DTC, with main switch and contactor with	38 430,00
ADF-P100V2B-75/480-T-E-21	703088	Active Dynamic Filter 480 V / 75 A, air cooled and extended 4.3" graphical HMI	34 740,00
SX-D6450-E1FA4-CGKO2-Y71	703501	SX inverter IP54, 450 kW, 3~ 690 VAC, direct torque control, built-in filter, max.	140 400,00
SX-D6015-EFA4-C	703543	SX inverter IP54, 15 kW, 3~ 690 VAC, direct torque control, built-in filter, max. o	7 765,00

OMRON PVPR 2023

SX-D6132-E1FA4-CGKO2-Y71	703606	SX inverter IP54, 132 kW, 3~ 690 VAC, direct torque control, built-in filter, max.	65 350,00
SX-D6250-E1FA4-CGKO2-Y71	703605	SX inverter IP54, 250 kW, 3~ 690 VAC, direct torque control, built-in filter, max.	81 550,00
SX-D6315-E1FA4-CGKO2-Y71	703604	SX inverter IP54, 315 kW, 3~ 690 VAC, direct torque control, built-in filter, max.	91 000,00
SX-D6090-EVA4-G	703619	SX inverter IP54, 90 kW, 3~ 690 VAC, V/f drive, built-in filter, max. output freq. 4	16 280,00
SX-D4800-E1F-CFU	707433	SX inverter IP54, 800 kW, 3~ 400 VAC, direct torque control, built-in filter, max.	189 500,00
SX-D4030-EVA4-FJ-Y20-2	708457	SX Inverter IP54, 30 kW, 3~ 400 VAC, V/f drive, built in filter, max. output freq. 4	8 185,00
CIMR-UC4E0021AAA	667892	U1000 inverter: 3~ 400 V, HD: 14 A, ND: 21 A, built-in EMC filter	9 735,00
CIMR-UC4E0240AAA	667880	U1000 inverter: 3~ 400 V, HD: 216 A, ND: 240 A, built-in EMC filter	70 300,00
CIMR-UC4E0040AAA	667881	U1000 inverter: 3~ 400 V, HD: 34 A, ND: 40 A, built-in EMC filter	15 070,00
CIMR-UC4E0011AAA	667879	U1000 inverter: 3~ 400 V, HD: 9.6 A, ND: 11 A, built-in EMC filter	8 235,00
CIMR-UC4E0014AAA	667885	U1000 inverter: 3~ 400 V, HD: 11 A, ND: 14 A, built-in EMC filter	8 890,00
CIMR-UC4E0034AAA	667882	U1000 inverter: 3~ 400 V, HD: 27A, ND: 34 A, built-in EMC filter	12 570,00
CIMR-UC4E0027AAA	667888	U1000 inverter: 3~ 400 V, HD: 21 A, ND: 27 A, built-in EMC filter	10 800,00
Q2A-A4002-AAA	681122	Variador Q2A, 400 V, ND: 2,1 A / 0,75 kW, HD: 1,8 A / 0,55 kW, IP20, frecuencia	885,50
Q2A-A4004-AAA	681131	Variador Q2A, 400 V, ND: 4,1 A / 1,50 kW, HD: 3,4 A / 0,75 kW, IP20, frecuencia	989,50
Q2A-A4005-AAA	681133	Variador Q2A, 400 V, ND: 5,4 A / 2,20 kW, HD: 4,8 A / 1,50 kW, IP20, frecuencia	1 108,00
Q2A-A4007-AAA	681128	Variador Q2A, 400 V, ND: 7,1 A / 3,00 kW, HD: 5,5 A / 2,20 kW, IP20, frecuencia	1 232,00
Q2A-A4009-AAA	681117	Variador Q2A, 400 V, ND: 8,9 A / 3,70 kW, HD: 7,2 A / 3,00 kW, IP20, frecuencia	1 356,00
Q2A-A4012-AAA	681123	Variador Q2A, 400 V, ND: 11,9 A / 5,5 kW, HD: 9,2 A / 3,70 kW, IP20, frecuencia	1 455,00
Q2A-A4018-AAA	681116	Variador Q2A, 400 V, ND: 17,5 A / 7,5 kW, HD: 14,8 A / 5,5 kW, IP20, frecuencia	1 795,00
Q2A-A4023-AAA	681124	Variador Q2A, 400 V, ND: 23,4 A / 11 kW, HD: 18 A / 7,5 kW, IP20, frecuencia má	2 054,00
Q2A-A4031-AAA	681125	Variador Q2A, 400 V, ND: 31 A / 15 kW, HD: 24 A / 11 kW, IP20, frecuencia máxi	2 449,00
Q2A-A4038-AAA	681126	Variador Q2A, 400 V, ND: 38 A / 18,5 kW, HD: 31 A / 15 kW, IP20, frecuencia má	3 174,00
Q2A-A4044-AAA	681127	Variador Q2A, 400 V, ND: 44 A / 22 kW, HD: 39 A / 18,5 kW, IP20, frecuencia má	3 748,00
Q2A-A4060-AAA	681120	Variador Q2A, 400 V, ND: 59,6 A / 30 kW, HD: 45 A / 22 kW, IP20, frecuencia má	4 452,00
Q2A-A4075-AAA	681118	Variador Q2A, 400 V, ND: 74,9 A / 37 kW, HD: 60 A / 30 kW, IP20, frecuencia má	5 075,00
Q2A-A4089-AAA	681121	Variador Q2A, 400 V, ND: 89,2 A / 45 kW, HD: 75 A / 37 kW, IP20, frecuencia má	6 190,00
Q2A-A4103-AAA	681115	Variador Q2A, 400 V, ND: 103 A / 55 kW, HD: 91 A / 45 kW, IP20, frecuencia máx	6 690,00
Q2A-A4140-AAA	681132	Variador Q2A, 400 V, ND: 140 A / 75 kW, HD: 112 A / 55 kW, IP20, frecuencia má	7 920,00
Q2A-A4168-AAA	681129	Variador Q2A, 400 V, ND: 168 A / 90 kW, HD: 150 A / 75 kW, IP20, frecuencia má	9 535,00
Q2A-A4208-AAA	681130	Variador Q2A, 400 V, ND: 208 A / 110 kW, HD: 180 A / 90 kW, IP20, frecuencia n	11 510,00
Q2A-A4250-AAA	681114	Variador Q2A, 400 V, ND: 250 A / 132 kW, HD: 216 A / 110 kW, IP20, frecuencia	12 640,00
Q2A-A4296-AAA	681119	Variador Q2A, 400 V, ND: 296 A / 160 kW, HD: 260 A / 132 kW, IP20, frecuencia	15 230,00

OMRON PVPR 2023

Q2A-A4371-AAA	682306	Variador Q2A, 400 V, ND: 371 A/200 kW, HD: 304 A/160 kW, IP20, frecuencia de	16 530,00
Q2A-A4389-AAA	682307	Variador Q2A, 400 V, ND: 389 A/220 kW, HD: 371 A/200 kW, IP20, frecuencia de	28 680,00
Q2A-A4453-AAA	682308	Variador Q2A, 400 V, ND: 453 A/250 kW, HD: 414 A/220 kW, IP20, frecuencia de	32 560,00
Q2A-A4568-AAA	682309	Variador Q2A, 400 V, ND: 568 A/315 kW, HD: 453 A/250 kW, IP20, frecuencia de	38 260,00
Q2A-A4675-AAA	682310	Variador Q2A, 400 V, ND: 675 A/355 kW, HD: 605 A/315 kW, IP20, frecuencia de	41 400,00
Q2A-A2004-AAA	684659	Variador Q2A, 200 V, ND: 3,5 A/0,75 kW, HD: 3,2 A/0,55 kW, IP20, frecuencia de	826,00
Q2A-A2006-AAA	684657	Variador Q2A, 200 V, ND: 6 A/1,1 kW, HD: 5 A/0,75 kW, IP20, frecuencia de salid	981,50
Q2A-A2010-AAA	684698	Variador Q2A, 200 V, ND: 9,6 A / 2,2 kW, HD: 8 A / 1,5 kW, IP20, frecuencia máx	1 035,00
Q2A-A2012-AAA	684699	Variador Q2A, 200 V, ND: 12,2 A / 3,0 kW, HD: 11 A / 2,2 kW, IP20, frecuencia m	1 517,00
Q2A-A2021-AAA	684700	Variador Q2A, 200 V, ND: 21 A / 5,5 kW, HD: 17,5 A / 4,0 kW, IP20, frecuencia m	1 597,00
Q2A-A2030-AAA	684701	Variador Q2A, 200 V, ND: 30 A / 7,5 kW, HD: 25 A / 5,5 kW, IP20, frecuencia máx	1 669,00
Q2A-A2042-AAA	684702	Variador Q2A, 200 V, ND: 42 A / 11 kW, HD: 33 A / 7,5 kW, IP20, frecuencia máx	2 009,00
Q2A-A2056-AAA	684703	Variador Q2A, 200 V, ND: 56 A / 15 kW, HD: 47 A / 11 kW, IP20, frecuencia máxi	2 384,00
Q2A-A2070-AAA	684704	Variador Q2A, 200 V, ND: 70 A / 18,5 kW, HD: 60 A / 15 kW, IP20, frecuencia má	3 197,00
Q2A-A2082-AAA	684705	Variador Q2A, 200 V, ND: 82 A / 22 kW, HD: 75 A / 18,5 kW, IP20, frecuencia má	3 937,00
Q2A-A2110-AAA	684706	Variador Q2A, 200 V, ND: 110 A / 30 kW, HD: 88 A / 22 kW, IP20, frecuencia máx	3 892,00
Q2A-A2138-AAA	684707	Variador Q2A, 200 V, ND: 138 A / 37 kW, HD: 115 A / 30 kW, IP20, frecuencia má	6 575,00
Q2A-A2169-AAA	684708	Variador Q2A, 200 V, ND: 169 A / 45 kW, HD: 145 A / 37 kW, IP20, frecuencia má	7 545,00
Q2A-A2211-AAA	684709	Variador Q2A, 200 V, ND: 211 A / 55 kW, HD: 180 A / 45 kW, IP20, frecuencia má	8 345,00
Q2A-A2257-AAA	684710	Variador Q2A, 200 V, ND: 257 A / 75 kW, HD: 215 A / 55 kW, IP20, frecuencia má	8 875,00
Q2A-A2313-AAA	684711	Variador Q2A, 200 V, ND: 313 A / 90 kW, HD: 283 A / 75 kW, IP20, frecuencia má	16 020,00
Q2A-A2360-AAA	684696	Variador Q2A, 200 V, ND: 360 A / 110 kW, HD: 346 A / 90 kW, IP20, frecuencia n	18 070,00
Q2A-A2415-AAA	684697	Variador Q2A, 200 V, HD: 415 A / 110 kW, IP20, frecuencia máxima de salida de	20 730,00
Q2A-DRIVE-DEMOCASE-V1	688793	Q2A DEMOCASE	7 650,00
3G3RX2-A2004	687637	Variador RX2, 200 V, VLD: 4,4 A/0,75 kW, LD: 3,7 A/0,75 kW, ND: 3,2 A/0,4 kW, e	1 039,00
3G3RX2-A2007	687638	Variador RX2, 200 V, VLD: 8,0 A/1,5 kW, LD: 6,3 A/1,5 kW, ND: 5,0 A/0,75 kW, co	1 138,00
3G3RX2-A2015	687639	Variador RX2, 200 V, VLD: 10,4 A/2,2 kW, LD: 9,4 A/2,2 kW, ND: 8,0 A/1,5 kW, co	1 210,00
3G3RX2-A2022	687640	Variador RX2, 200 V, VLD: 15,6 A/3,7 kW, LD: 12 A/3,7 kW, ND: 11 A/2,2 kW, co	1 281,00
3G3RX2-A2037	687641	Variador RX2, 200 V, VLD: 22,8 A/5,5 kW, LD: 19,6 A/5,5 kW, ND: 17,5 A/3,7 kW	1 396,00
3G3RX2-A2055	687642	Variador RX2, 200 V, VLD: 33 A/7,5 kW, LD: 30 A/7,5 kW, ND: 25 A/5,5 kW, cont	1 709,00
3G3RX2-A2075	687643	Variador RX2, 200 V, VLD: 46 A/11 kW, LD: 40 A/11 kW, ND: 32 A/7,5 kW, contro	2 035,00
3G3RX2-A2110	687644	Variador RX2, 200 V, VLD: 60 A/15 kW, LD: 56 A/15 kW, ND: 46 A/11 kW, contro	2 347,00
3G3RX2-A2150	687645	Variador RX2, 200 V, VLD: 80 A/18,5 kW, LD: 73 A/18,5 kW, ND: 64 A/15 kW, co	3 085,00

OMRON PVPR 2023

3G3RX2-A2185	687646	Variador RX2, 200 V, VLD: 93 A/22 kW, LD: 85 A/22 kW, ND: 76 A/18,5 kW, control	3 938,00
3G3RX2-A2220	687647	Variador RX2, 200 V, VLD: 124 A/30 kW, LD: 113 A/30 kW, ND: 95 A/22 kW, control	4 578,00
3G3RX2-A2300	687648	Variador RX2, 200 V, VLD: 153 A/37 kW, LD: 140 A/37 kW, ND: 122 A/30 kW, control	5 330,00
3G3RX2-A2370	687649	Variador RX2, 200 V, VLD: 185 A/45 kW, LD: 169 A/45 kW, ND: 146 A/37 kW, control	6 460,00
3G3RX2-A2450	687650	Variador RX2, 200 V, VLD: 229 A/55 kW, LD: 210 A/55 kW, ND: 182 A/45 kW, control	7 140,00
3G3RX2-A2550	687651	Variador RX2, 200 V, VLD: 295 A/75 kW, LD: 270 A/75 kW, ND: 220 A/55 kW, control	8 910,00
3G3RX2-A4007	687652	Variador RX2, 400 V, VLD: 4,1 A/1,5 kW, LD: 3,1 A/1,5 kW, ND: 2,5 A/0,75 kW, control	1 154,00
3G3RX2-A4015	687653	Variador RX2, 400 V, VLD: 5,4 A/2,2 kW, LD: 4,8 A/2,2 kW, ND: 4,0 A/1,5 kW, control	1 223,00
3G3RX2-A4022	687654	Variador RX2, 400 V, VLD: 8,3 A/3,7 kW, LD: 6,7 A/3,7 kW, ND: 5,5 A/2,5 kW, control	1 281,00
3G3RX2-A4037	687655	Variador RX2, 400 V, VLD: 12,6 A/5,5 kW, LD: 11,1 A/5,5 kW, ND: 9,2 A/3,7 kW, control	1 496,00
3G3RX2-A4055	687656	Variador RX2, 400 V, VLD: 17,5 A/7,5 kW, LD: 16 A/7,5 kW, ND: 14,8 A/5,5 kW, control	1 679,00
3G3RX2-A4075	687657	Variador RX2, 400 V, VLD: 25 A/11 kW, LD: 22 A/11 kW, ND: 19 A/7,5 kW, control	1 950,00
3G3RX2-A4110	687658	Variador RX2, 400 V, VLD: 31 A/15 kW, LD: 29 A/15 kW, ND: 25 A/11 kW, control	2 291,00
3G3RX2-A4150	687659	Variador RX2, 400 V, VLD: 40 A/18,5 kW, LD: 37 A/18,5 kW, ND: 32 A/15 kW, control	2 915,00
3G3RX2-A4185	687660	Variador RX2, 400 V, VLD: 47 A/22 kW, LD: 43 A/22 kW, ND: 39 A/18,5 kW, control	3 440,00
3G3RX2-A4220	687661	Variador RX2, 400 V, VLD: 62 A/30 kW, LD: 57 A/30 kW, ND: 48 A/22 kW, control	4 065,00
3G3RX2-A4300	687662	Variador RX2, 400 V, VLD: 77 A/37 kW, LD: 70 A/37 kW, ND: 61 A/30 kW, control	4 719,00
3G3RX2-A4370	687663	Variador RX2, 400 V, VLD: 93 A/45 kW, LD: 85 A/45 kW, ND: 75 A/37 kW, control	5 775,00
3G3RX2-A4450	687664	Variador RX2, 400 V, VLD: 116 A/55 kW, LD: 105 A/55 kW, ND: 91 A/45 kW, control	6 375,00
3G3RX2-A4550	687665	Variador RX2, 400 V, VLD: 147 A/75 kW, LD: 135 A/75 kW, ND: 112 A/55 kW, control	7 395,00
3G3RX2-B4750	687666	Variador RX2, 400 V, VLD: 176 A/90 kW, LD: 160 A/90 kW, ND: 150 A/75 kW, control	9 070,00
3G3RX2-B4900	687667	Variador RX2, 400 V, VLD: 213 A/110 kW, LD: 195 A/110 kW, ND: 180 A/90 kW, control	11 180,00
3G3RX2-B411K	687668	Variador RX2, 400 V, VLD: 252 A/132 kW, LD: 230 A/132 kW, ND: 217 A/110 kW, control	12 470,00
3G3RX2-B413K	687635	Variador RX2, 400 V, VLD: 316 A/160 kW, LD: 290 A/160 kW, ND: 260 A/132 kW, control	16 180,00
SX-D4160-E1FRA4-U	693476	Regenerative SX, 160kW, 400V, DTC, with main switch and contactor	71 250,00
SX-D6110-E1VLA4-U	693554	Low harmonic SX, 110kW, 690V, IP54, V/f, with main switch and contactor	59 200,00
SX-D6132-E1VLA4-U	693560	Low harmonic SX, 132kW, 690V, IP54, V/f, with main switch and contactor	63 900,00
SX-D6250-E1VLA4-U	693579	Low harmonic SX, 250kW, 690V, IP54, V/f, with main switch and contactor	115 700,00
SX-D6560-E1VLA4-U	693605	Low harmonic SX, 560kW, 690V, IP54, V/f, with main switch and contactor	182 400,00
AFR-461K0-REDUND-CRTYP1-TW	701188	2 pcs redundant AFR46-1k0 drives 660kW (DC) 1000A+2 pcs of VFX48-750 400kW	655 000,00
SX-D4132-E1FLA4-M1	702428	Low harmonic SX, 132 kW, 400 V, IP54, DTC, with main switch and contactor, main	57 100,00
SX-D4132-E1VLA4-M1	702429	Low harmonic SX, 132 kW, 400 V, IP54, DTC, with main switch and contactor, main	53 000,00
SX-D4132-E1FLA4-GM1	702430	Low harmonic SX, 132 kW, 400 V, IP54, DTC, with main switch and contactor, main	57 300,00

OMRON PVPR 2023

SX-D4132-E1FLA4-G	702431	Low harmonic SX, 132 kW, 400 V, IP54, DTC, with main switch and contactor, ma	57 100,00
SX-D4055-E1FLA4-GM1	702458	Low harmonic SX, 55 kW, 400 V, IP54, DTC, with main switch and contactor, coa	39 900,00
SX-D4110-E1FLA4-G	702457	Low harmonic SX, 110 kW, 400 V, IP54, DTC, with main switch and contactor and	48 690,00
SX-D4110-E1FLA4-GM1	702456	Low harmonic SX, 110 kW, 400 V, IP54, DTC, with main switch and contactor, co	48 880,00
SX-D4160-E1FLA4-GM1	707163	Low harmonic SX, 160 kW, 400 V, IP54, DTC, with main switch and contactor, ma	76 000,00
SX-D4450-E1FLA4-GM1	707165	Low harmonic SX, 450 kW, 400 V, IP54, DTC, with main switch and contactor, ma	160 000,00
SX-D4560E1FLA4-GM1	707164	Low harmonic SX, 560 kW, 400 V, IP54, DTC, with main switch and contactor, ma	182 000,00
JZAB0P1BAA	246646	Variador, 240 V CA, 0,8 A/0,1 kW, monofásico, frecuencia de salida máx. 400 Hz	244,80
JZAB0P2BAA	246647	Variador 240V AC monofasico 0.25kw 1.6A Control V/F, frecuencia de salida máx	244,80
JZAB0P4BAA	246648	Variador 240V AC monofasico 0.55kw 3A Control V/F, frecuencia de salida máx.	270,20
JZAB0P7BAA	246649	Variador 240V AC monofasico 1.1kw 5A Control V/F, frecuencia de salida máx. 4	326,50
JZAB1P5BAA	246650	Variador 240V AC monofasico 1.5kw 8A Control V/F, frecuencia de salida máx. 4	408,60
JZA20P4BAA	246653	Variador 200V AC mono/trifásico 0,55kw 3A Control V/F, frecuencia de salida m	271,60
JZA20P7BAA	246654	Variador 200V AC mono/trifásico 1,1kw 5A Control V/F, frecuencia de salida má	333,90
JZA21P5BAA	246655	Variador 200V AC mono/trifásico 1,5kw 8A Control V/F, frecuencia de salida má	432,60
JZA22P2BAA	246656	Variador 200V AC mono/trifásico 2,2kw 11A Control V/F, frecuencia de salida m	534,50
JZA24P0BAA	246657	Variador 200V AC mono/trifásico 4kw 17,5A Control V/F, frecuencia de salida m	808,00
JZA40P2BAA	246658	Variador 400V trifásico 0,25kw 1,2A Control V/F, frecuencia de salida máx. 400 H	434,20
JZA40P4BAA	246659	Variador 400V trifásico 0,4kw 1,8A Control V/F, frecuencia de salida máx. 400 H	438,30
JZA40P7BAA	246660	Variador 400V trifásico 1,1kw 3,4A Control V/F, frecuencia de salida máx. 400 H	506,00
JZA41P5BAA	246661	Variador 400V trifásico 1,5kw 4,8A Control V/F, frecuencia de salida máx. 400 H	605,50
JZA42P2BAA	246662	Variador 400V trifásico 2,2kw 5,5A Control V/F, frecuencia de salida máx. 400 H	702,50
JZA43P0BAA	246663	Variador 400V trifásico 3kw 7,2A Control V/F, frecuencia de salida máx. 400 Hz	779,00
JZA44P0BAA	246664	Variador 400V trifásico 4kw 9,2A Control V/F, frecuencia de salida máx. 400 Hz	864,00
NYB2C-213C2	683225	PC de caja industrial con Intel® Celeron® 3965U, 4 GB de RAM DDR4 (sin ECC), d	4 272,00
NYB2C-213K1	683226	PC de caja industrial con Intel® Celeron® 3965U, 4 GB de RAM DDR4 (sin ECC), S	4 577,00
NYB35-21392	683227	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DDR4 RAM (non-ECC), 64 GB	6 505,00
NYB35-31392	683228	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), 64 GB	6 635,00
NYB35-313C2	683229	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), 320 G	5 150,00
NYB35-21391	683230	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DDR4 RAM (non-ECC), 64 GB	6 505,00
NYB35-213K2	683231	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DDR4 RAM (non-ECC), 128 G	5 325,00
NYB2C-31391	683232	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 64 GB	5 870,00
NYB2C-31392	683233	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 64 GB	5 870,00

OMRON PVPR 2023

NYB2C-313K2	683234	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 128 G	4 701,00
NYB35-213C2	683235	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DDR4 RAM (non-ECC), 320 G	5 020,00
NYB2C-31002	683236	PC de caja industrial con Intel® Celeron® 3965U, 8 GB de RAM DDR4 (sin ECC), si	3 934,00
NYB2C-21002	683237	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), No sto	3 810,00
NYB35-31001	683238	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), No sto	4 681,00
NYB2C-313C2	683239	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 320 G	4 395,00
NYB35-213K1	683240	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DDR4 RAM (non-ECC), 128 G	5 325,00
NYB35-313K2	683241	Industrial Box PC con Intel® Core™ i5-7300U, 8 GB de RAM DDR4 (sin ECC), SSD	5 450,00
NYB2C-21001	683242	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), No sto	3 810,00
NYB2C-21391	683243	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), 64 GB	5 740,00
NYB2C-313C1	683244	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 320 G	4 395,00
NYB35-31391	683245	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), 64 GB	6 635,00
NYB35-313K1	683246	Industrial Box PC con Intel® Core™ i5-7300U, 8 GB de RAM DDR4 (sin ECC), 128	5 450,00
NYB35-21001	683247	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DDR4 RAM (non-ECC), No sto	4 557,00
NYB35-21002	683248	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DDR4 RAM (non-ECC), No sto	4 557,00
NYB2C-21392	683249	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), 64 GB	5 740,00
NYB2C-213C1	683250	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), 320 G	4 272,00
NYB2C-313K1	683251	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 128 G	4 701,00
NYB35-313C1	683252	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), 320 G	5 150,00
NYB2C-31001	683253	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), No sto	3 934,00
NYB35-31002	683254	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), No sto	4 681,00
NYB2C-213K2	683255	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), 128 G	4 577,00
NYB35-213C1	683256	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DDR4 RAM (non-ECC), 320 G	5 020,00
NYB2C-31396	682754	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 64 GB	6 430,00
NYB35-213K6	682755	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DDR4 RAM (non-ECC), 128 G	5 880,00
NYB2C-213C6	682756	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), 320 G	4 825,00
NYB35-313K6	682757	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), 128 G	6 005,00
NYB2C-313C6	682758	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 320 G	4 950,00
NYB2C-21006	682759	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), No sto	4 364,00
NYB2C-31006	682760	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), No sto	4 488,00
NYB35-31006	682761	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), No sto	5 240,00
NYB2C-313K6	682762	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 128 G	5 260,00
NYB35-21396	682763	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DDR4 RAM (non-ECC), 64 GB	7 060,00

OMRON PVPR 2023

NYB35-213C6	682764	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DDR4 RAM (non-ECC), 320 GB	5 580,00
NYB2C-213K6	682765	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), 128 GB	5 135,00
NYB35-31396	682766	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), 64 GB	7 185,00
NYB35-313C6	682767	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), 320 GB	5 705,00
NYB35-21006	682768	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DDR4 RAM (non-ECC), No storage	5 115,00
NYB2C-21396	682769	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), 64 GB	6 300,00
NYB1E-C13D9	685813	Industrial Box PC with Intel® Xeon® E3-1515M v5, 8 GB DRAM (ECC), 500 GB HDD	7 875,00
NYB1E-C13M9	685886	Industrial Box PC with Intel® Xeon® E3-1515M v5, 8 GB DRAM (ECC), 500 GB SSD	8 890,00
NYB1E-C1009	685885	Industrial Box PC with Intel® Xeon® E3-1515M v5, 8 GB DRAM (ECC), No storage	7 060,00
NYB1E-313C1	685884	Industrial Box PC with Intel® Xeon® E3-1515M v5, 8 GB DRAM (non-ECC), 320 GB	7 670,00
NYB1E-313C2	685883	Industrial Box PC with Intel® Xeon® E3-1515M v5, 8 GB DRAM (non-ECC), 320 GB	7 675,00
NYB1E-313C6	685882	Industrial Box PC with Intel® Xeon® E3-1515M v5, 8 GB DRAM (non-ECC), 320 GB	8 055,00
NYB1E-413C1	685881	Industrial Box PC with Intel® Xeon® E3-1515M v5, 16 GB DRAM (non-ECC), 320 GB	8 070,00
NYB1E-413C2	685880	Industrial Box PC with Intel® Xeon® E3-1515M v5, 16 GB DRAM (non-ECC), 320 GB	8 085,00
NYB1E-413C6	685879	Industrial Box PC with Intel® Xeon® E3-1515M v5, 16 GB DRAM (non-ECC), 320 GB	8 460,00
NYB1E-C13C1	685878	Industrial Box PC with Intel® Xeon® E3-1515M v5, 8 GB DRAM (ECC), 320 GB HDD	7 755,00
NYB1E-C13C2	685877	Industrial Box PC with Intel® Xeon® E3-1515M v5, 8 GB DRAM (ECC), 320 GB HDD	7 760,00
NYB1E-C13C6	685876	Industrial Box PC with Intel® Xeon® E3-1515M v5, 8 GB DRAM (ECC), 320 GB HDD	8 150,00
NYB1E-D13C1	685875	Industrial Box PC with Intel® Xeon® E3-1515M v5, 16 GB DRAM (ECC), 320 GB HDD	8 275,00
NYB1E-D13C2	685874	Industrial Box PC with Intel® Xeon® E3-1515M v5, 16 GB DRAM (ECC), 320 GB HDD	8 280,00
NYB1E-D13C6	685873	Industrial Box PC with Intel® Xeon® E3-1515M v5, 16 GB DRAM (ECC), 320 GB HDD	8 660,00
NYB1E-313D1	685872	Industrial Box PC with Intel® Xeon® E3-1515M v5, 8 GB DRAM (non-ECC), 500 GB	7 670,00
NYB1E-313D2	685871	Industrial Box PC with Intel® Xeon® E3-1515M v5, 8 GB DRAM (non-ECC), 500 GB	7 680,00
NYB1E-313D6	685870	Industrial Box PC with Intel® Xeon® E3-1515M v5, 8 GB DRAM (non-ECC), 500 GB	8 060,00
NYB1E-413D1	685869	Industrial Box PC with Intel® Xeon® E3-1515M v5, 16 GB DRAM (non-ECC), 500 GB	8 070,00
NYB1E-413D2	685868	Industrial Box PC with Intel® Xeon® E3-1515M v5, 16 GB DRAM (non-ECC), 500 GB	8 090,00
NYB1E-413D6	685867	Industrial Box PC with Intel® Xeon® E3-1515M v5, 16 GB DRAM (non-ECC), 500 GB	8 465,00
NYB1E-C13D1	685866	Industrial Box PC with Intel® Xeon® E3-1515M v5, 8 GB DRAM (ECC), 500 GB HDD	7 755,00
NYB1E-C13D2	685865	Industrial Box PC with Intel® Xeon® E3-1515M v5, 8 GB DRAM (ECC), 500 GB HDD	7 765,00
NYB1E-C13D6	685864	Industrial Box PC with Intel® Xeon® E3-1515M v5, 8 GB DRAM (ECC), 500 GB HDD	8 150,00
NYB1E-D13D1	685863	Industrial Box PC with Intel® Xeon® E3-1515M v5, 16 GB DRAM (ECC), 500 GB HDD	8 275,00
NYB1E-D13D2	685862	Industrial Box PC with Intel® Xeon® E3-1515M v5, 16 GB DRAM (ECC), 500 GB HDD	8 285,00
NYB1E-D13D6	685861	Industrial Box PC with Intel® Xeon® E3-1515M v5, 16 GB DRAM (ECC), 500 GB HDD	8 665,00

OMRON PVPR 2023

NYB1E-313E1	685860	Industrial Box PC with Intel® Xeon® E3-1515M v5, 8 GB DRAM (non-ECC), 1 TB HDD	7 720,00
NYB1E-313E2	685859	Industrial Box PC with Intel® Xeon® E3-1515M v5, 8 GB DRAM (non-ECC), 1 TB HDD	7 725,00
NYB1E-313E6	685858	Industrial Box PC with Intel® Xeon® E3-1515M v5, 8 GB DRAM (non-ECC), 1 TB HDD	8 110,00
NYB1E-413E1	685857	Industrial Box PC with Intel® Xeon® E3-1515M v5, 16 GB DRAM (non-ECC), 1 TB HDD	8 120,00
NYB1E-413E2	685856	Industrial Box PC with Intel® Xeon® E3-1515M v5, 16 GB DRAM (non-ECC), 1 TB HDD	8 135,00
NYB1E-413E6	685855	Industrial Box PC with Intel® Xeon® E3-1515M v5, 16 GB DRAM (non-ECC), 1 TB HDD	8 520,00
NYB1E-C13E1	685854	Industrial Box PC with Intel® Xeon® E3-1515M v5, 8 GB DRAM (ECC), 1 TB HDD, V	7 810,00
NYB1E-C13E2	685853	Industrial Box PC with Intel® Xeon® E3-1515M v5, 8 GB DRAM (ECC), 1 TB HDD, V	7 815,00
NYB1E-C13E6	685852	Industrial Box PC with Intel® Xeon® E3-1515M v5, 8 GB DRAM (ECC), 1 TB HDD, V	8 205,00
NYB1E-D13E1	685851	Industrial Box PC with Intel® Xeon® E3-1515M v5, 16 GB DRAM (ECC), 1 TB HDD, V	8 330,00
NYB1E-D13E2	685850	Industrial Box PC with Intel® Xeon® E3-1515M v5, 16 GB DRAM (ECC), 1 TB HDD, V	8 335,00
NYB1E-D13E6	685849	Industrial Box PC with Intel® Xeon® E3-1515M v5, 16 GB DRAM (ECC), 1 TB HDD, V	8 720,00
NYB1E-313K1	685848	Industrial Box PC with Intel® Xeon® E3-1515M v5, 8 GB DRAM (non-ECC), 128 GB SSD	7 820,00
NYB1E-313K2	685847	Industrial Box PC with Intel® Xeon® E3-1515M v5, 8 GB DRAM (non-ECC), 128 GB SSD	7 825,00
NYB1E-313K6	685846	Industrial Box PC with Intel® Xeon® E3-1515M v5, 8 GB DRAM (non-ECC), 128 GB SSD	8 220,00
NYB1E-413K1	685845	Industrial Box PC with Intel® Xeon® E3-1515M v5, 16 GB DRAM (non-ECC), 128 GB SSD	8 230,00
NYB1E-413K2	685844	Industrial Box PC with Intel® Xeon® E3-1515M v5, 16 GB DRAM (non-ECC), 128 GB SSD	8 235,00
NYB1E-413K6	685843	Industrial Box PC with Intel® Xeon® E3-1515M v5, 16 GB DRAM (non-ECC), 128 GB SSD	8 620,00
NYB1E-C13K1	685842	Industrial Box PC with Intel® Xeon® E3-1515M v5, 8 GB DRAM (ECC), 128 GB SSD	7 920,00
NYB1E-C13K2	685841	Industrial Box PC with Intel® Xeon® E3-1515M v5, 8 GB DRAM (ECC), 128 GB SSD	7 930,00
NYB1E-C13K6	685840	Industrial Box PC with Intel® Xeon® E3-1515M v5, 8 GB DRAM (ECC), 128 GB SSD	8 305,00
NYB1E-D13K1	685839	Industrial Box PC with Intel® Xeon® E3-1515M v5, 16 GB DRAM (ECC), 128 GB SSD	8 435,00
NYB1E-D13K2	685838	Industrial Box PC with Intel® Xeon® E3-1515M v5, 16 GB DRAM (ECC), 128 GB SSD	8 440,00
NYB1E-D13K6	685837	Industrial Box PC with Intel® Xeon® E3-1515M v5, 16 GB DRAM (ECC), 128 GB SSD	8 830,00
NYB1E-313M1	685836	Industrial Box PC with Intel® Xeon® E3-1515M v5, 8 GB DRAM (non-ECC), 500 GB SSD	8 670,00
NYB1E-313M2	684798	Industrial Box PC with Intel® Xeon® E3-1515M v5, 8 GB DRAM (non-ECC), 500 GB SSD	8 690,00
NYB1E-313M6	685835	Industrial Box PC with Intel® Xeon® E3-1515M v5, 8 GB DRAM (non-ECC), 500 GB SSD	9 060,00
NYB1E-413M1	685834	Industrial Box PC con Intel® Xeon® E3-1515M v5, 16 GB de DRAM (sin ECC), SSD	9 080,00
NYB1E-413M2	685833	Industrial Box PC con Intel® Xeon® E3-1515M-v5, 16 GB de DRAM (sin ECC), SSD	9 090,00
NYB1E-413M6	685832	Industrial Box PC with Intel® Xeon® E3-1515M v5, 16 GB DRAM (non-ECC), 500 GB SSD	9 470,00
NYB1E-C13M1	685831	Industrial Box PC with Intel® Xeon® E3-1515M v5, 8 GB DRAM (ECC), 500 GB SSD	8 765,00
NYB1E-C13M2	685830	Industrial Box PC with Intel® Xeon® E3-1515M v5, 8 GB DRAM (ECC), 500 GB SSD	8 770,00
NYB1E-C13M6	685829	Industrial Box PC with Intel® Xeon® E3-1515M v5, 8 GB DRAM (ECC), 500 GB SSD	9 155,00

OMRON PVPR 2023

NYB1E-D13M1	685828	Industrial Box PC with Intel® Xeon® E3-1515M v5, 16 GB DRAM (ECC), 500 GB SSD	9 280,00
NYB1E-D13M2	685827	Industrial Box PC with Intel® Xeon® E3-1515M v5, 16 GB DRAM (ECC), 500 GB SSD	9 285,00
NYB1E-D13M6	685826	Industrial Box PC with Intel® Xeon® E3-1515M v5, 16 GB DRAM (ECC), 500 GB SSD	9 670,00
NYB1E-31001	685825	Industrial Box PC with Intel® Xeon® E3-1515M v5, 8 GB DRAM (non-ECC), No storage	6 850,00
NYB1E-31002	685824	Industrial Box PC with Intel® Xeon® E3-1515M v5, 8 GB DRAM (non-ECC), No storage	6 855,00
NYB1E-31006	685823	Industrial Box PC with Intel® Xeon® E3-1515M v5, 8 GB DRAM (non-ECC), No storage	7 245,00
NYB1E-41001	685822	Industrial Box PC with Intel® Xeon® E3-1515M v5, 16 GB DRAM (non-ECC), No storage	7 260,00
NYB1E-41002	685821	Industrial Box PC with Intel® Xeon® E3-1515M v5, 16 GB DRAM (non-ECC), No storage	7 270,00
NYB1E-41006	685820	Industrial Box PC with Intel® Xeon® E3-1515M v5, 16 GB DRAM (non-ECC), No storage	7 635,00
NYB1E-C1001	685819	Industrial Box PC with Intel® Xeon® E3-1515M v5, 8 GB DRAM (ECC), No storage	6 940,00
NYB1E-C1002	685818	Industrial Box PC with Intel® Xeon® E3-1515M v5, 8 GB DRAM (ECC), No storage	6 945,00
NYB1E-C1006	685817	Industrial Box PC with Intel® Xeon® E3-1515M v5, 8 GB DRAM (ECC), No storage	7 335,00
NYB1E-D1001	685816	Industrial Box PC with Intel® Xeon® E3-1515M v5, 16 GB DRAM (ECC), No storage	7 455,00
NYB1E-D1002	685815	Industrial Box PC with Intel® Xeon® E3-1515M v5, 16 GB DRAM (ECC), No storage	7 465,00
NYB1E-D1006	685814	Industrial Box PC with Intel® Xeon® E3-1515M v5, 16 GB DRAM (ECC), No storage	7 840,00
NYB2C-20000	683615	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), No storage	2 204,00
NYB2C-20006	683617	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), No storage	2 594,00
NYB2C-20350	683618	Industrial Box PC con Intel® Celeron® 3965U, 4 GB DDR4 RAM (sin ECC), CFast iM	2 727,00
NYB2C-20356	683619	PC de caja industrial con Intel® Celeron® 3965U, 4 GB de RAM DDR4 (sin ECC), 64 GB	3 116,00
NYB2C-20360	683620	Industrial Box PC con Intel® Celeron® 3965U, 4 GB DDR4 RAM (sin ECC), CFast iM	2 890,00
NYB2C-20366	683621	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), 128 GB	3 281,00
NYB2C-20370	683622	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), 256 GB	3 228,00
NYB2C-20376	683623	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), 256 GB	3 619,00
NYB2C-30000	683624	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), No storage	2 405,00
NYB2C-30006	683625	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), No storage	2 794,00
NYB2C-30350	683626	Industrial Box PC con Intel® Celeron® 3965U, 8 GB DDR4 RAM (sin ECC), CFast iM	2 927,00
NYB2C-30356	683627	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 64 GB	3 317,00
NYB2C-30360	683628	Industrial Box PC con Intel® Celeron® 3965U, 8 GB DDR4 RAM (sin ECC), CFast iM	3 088,00
NYB2C-30366	683629	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 128 GB	3 480,00
NYB2C-30370	683630	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 256 GB	3 429,00
NYB2C-30376	683631	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 256 GB	3 822,00
NYB35-30000	683632	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), No storage	3 696,00
NYB35-30006	683633	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), No storage	4 088,00

OMRON PVPR 2023

NYB35-30350	683634	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), 64 GB	4 221,00
NYB35-30356	683635	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), 64 GB	4 612,00
NYB35-30360	683636	Industrial Box PC con Intel® Core™ i5-7300U, 8 GB de RAM DDR4 (sin ECC), CFas	4 383,00
NYB35-30366	683637	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), 128 G	4 773,00
NYB35-30370	683638	Industrial Box PC con Intel® Core™ i5-7300U, 8 GB de RAM DDR4 (sin ECC), CFas	4 724,00
NYB35-30376	683639	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), 256 G	5 775,00
NYB35-40000	683640	PC industrial - sólo CPU con Intel® Core™ i5-7300U, 16 GB de RAM DDR4 (sin EC	4 068,00
NYB35-40006	683641	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DDR4 RAM (non-ECC), No s	4 459,00
NYB35-40350	683642	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DDR4 RAM (non-ECC), 64 G	4 590,00
NYB35-40356	683643	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DDR4 RAM (non-ECC), 64 G	4 982,00
NYB35-40360	683644	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DDR4 RAM (non-ECC), 128	4 753,00
NYB35-40366	683645	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DDR4 RAM (non-ECC), 128	5 145,00
NYB35-40370	683646	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DDR4 RAM (non-ECC), 256	5 095,00
NYB35-40376	683647	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DDR4 RAM (non-ECC), 256	5 485,00
NYB35-50360	703292	Industrial Box PC with Intel® Core™ i5-7300U, 32 GB DRAM (non-ECC), 128 GB C	5 010,00
NYB27-313K1	684464	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB S	7 320,00
NYB35-413E2	703293	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB HDD	5 190,00
NY512-1300-1XX213K1X	686350	Controlador de máquinas Sysmac 16 ejes, Industrial Box PC con Intel® Core™ i7	7 605,00
NYB25-21181	686519	Industrial Box PC con Intel® Core™ i5-4300U, 4GB DRAM (no-ECC), WES 7 (32bi	5 600,00
NYB25-21182	686576	Industrial Box PC con Intel® Core™ i5-4300U, 4GB DRAM (no-ECC), WES 7 (32bi	5 600,00
NYB25-21191	686575	Industrial Box PC con Intel® Core™ i5-4300U, 4GB DRAM (no-ECC), WES 7 (32bi	6 275,00
NYB25-21192	686574	Industrial Box PC con Intel® Core™ i5-4300U, 4GB DRAM (no-ECC), WES 7 (32bi	6 275,00
NYB25-211C1	686573	Industrial Box PC con Intel® Core™ i5-4300U, 4 GB de DRAM (sin ECC), disco du	4 850,00
NYB25-211C2	686572	Industrial Box PC con Intel® Core™ i5-4300U, 4GB DRAM (no-ECC), WES 7 (32bi	4 850,00
NYB25-21281	686571	Industrial Box PC con Intel® Core™ i5-4300U, 4GB DRAM (no-ECC), WES 7 (64bi	5 600,00
NYB25-21282	686583	Industrial Box PC con Intel® Core™ i5-4300U, 4GB DRAM (no-ECC), WES 7 (64bi	5 600,00
NYB25-21291	686582	Industrial Box PC con Intel® Core™ i5-4300U, 4GB DRAM (no-ECC), WES 7 (64bi	6 275,00
NYB25-21292	686581	Industrial Box PC con Intel® Core™ i5-4300U, 4GB DRAM (no-ECC), WES 7 (64bi	6 275,00
NYB25-212C1	686580	Industrial Box PC con Intel® Core™ i5-4300U, 4GB DRAM (no-ECC), WES 7 (64bi	4 850,00
NYB25-212C2	686579	Industrial Box PC con Intel® Core™ i5-4300U, 4GB DRAM (no-ECC), WES 7 (64bi	4 850,00
NYB25-31281	686597	Industrial Box PC con Intel® Core™ i5-4300U, 8GB DRAM (no-ECC), WES 7 (64bi	5 725,00
NYB25-31282	686596	Industrial Box PC con Intel® Core™ i5-4300U, 8GB DRAM (no-ECC), WES 7 (64bi	5 725,00
NYB25-31291	686595	Industrial Box PC con Intel® Core™ i5-4300U, 8GB DRAM (no-ECC), WES 7 (64bi	6 390,00

OMRON PVPR 2023

NYB25-31292	686570	Industrial Box PC con Intel® Core™ i5-4300U, 8GB DRAM (no-ECC), WES 7 (64bit)	6 390,00
NYB25-312C1	686569	Industrial Box PC con Intel® Core™ i5-4300U, 8 GB de DRAM (sin ECC), disco duro	4 969,00
NYB25-312C2	686568	Industrial Box PC con Intel® Core™ i5-4300U, 8GB DRAM (no-ECC), WES 7 (64bit)	4 969,00
NYB1C-21181	686509	Industrial Box PC con Intel® Celeron® 2980U, 4GB DRAM (no-ECC), WES 7 (32bit)	4 878,00
NYB1C-21182	686508	Industrial Box PC con Intel® Celeron® 2980U, 4GB DRAM (no-ECC), WES 7 (32bit)	4 878,00
NYB1C-21191	686507	Industrial Box PC con Intel® Celeron® 2980U, 4GB DRAM (no-ECC), WES 7 (32bit)	5 545,00
NYB1C-21192	686506	Industrial Box PC con Intel® Celeron® 2980U, 4GB DRAM (no-ECC), WES 7 (32bit)	5 545,00
NYB1C-211C1	686505	Industrial Box PC con Intel® Celeron® 2980U, 4GB DRAM (no-ECC), WES 7 (32bit)	4 128,00
NYB1C-211C2	686504	Industrial Box PC con Intel® Celeron® 2980U, 4GB DRAM (no-ECC), WES 7 (32bit)	4 128,00
NYB1C-21281	686503	Industrial Box PC con Intel® Celeron® 2980U, 4GB DRAM (no-ECC), WES 7 (64bit)	4 878,00
NYB1C-21282	686502	Industrial Box PC con Intel® Celeron® 2980U, 4GB DRAM (no-ECC), WES 7 (64bit)	4 878,00
NYB1C-21291	686501	Industrial Box PC con Intel® Celeron® 2980U, 4GB DRAM (no-ECC), WES 7 (64bit)	5 545,00
NYB1C-21292	686500	Industrial Box PC con Intel® Celeron® 2980U, 4GB DRAM (no-ECC), WES 7 (64bit)	5 545,00
NYB1C-212C1	686499	Industrial Box PC con Intel® Celeron® 2980U, 4GB DRAM (no-ECC), WES 7 (64bit)	4 128,00
NYB1C-212C2	686498	Industrial Box PC con Intel® Celeron® 2980U, 4GB DRAM (no-ECC), WES 7 (64bit)	4 128,00
NYB1C-31281	686497	Industrial Box PC con Intel® Celeron® 2980U, 8GB DRAM (no-ECC), WES 7 (64bit)	4 995,00
NYB1C-31282	686496	Industrial Box PC con Intel® Celeron® 2980U, 8GB DRAM (no-ECC), WES 7 (64bit)	4 995,00
NYB1C-31291	686495	Industrial Box PC con Intel® Celeron® 2980U, 8GB DRAM (no-ECC), WES 7 (64bit)	5 675,00
NYB1C-31292	686494	Industrial Box PC con Intel® Celeron® 2980U, 8GB DRAM (no-ECC), WES 7 (64bit)	5 675,00
NYB1C-312C1	686493	Industrial Box PC con Intel® Celeron® 2980U, 8 GB de DRAM (sin ECC), disco duro	4 249,00
NYB1C-312C2	686492	Industrial Box PC con Intel® Celeron® 2980U, 8GB DRAM (no-ECC), WES 7 (64bit)	4 249,00
NYB1C-21001	686489	Industrial Box PC with Intel® Celeron® 2980U, 4 GB DRAM (non-ECC), No storage	3 608,00
NYB25-211K1	686558	Industrial Box PC con Intel® Core™ i5-4300U, 4 GB de DRAM (sin ECC), disco duro	5 145,00
NYB25-211K2	686557	Industrial Box PC con Intel® Core™ i5-4300U, 4GB DRAM (no-ECC), WES 7 (32bit)	5 145,00
NYB25-212K1	686556	Industrial Box PC con Intel® Core™ i5-4300U, 4GB DRAM (no-ECC), WES 7 (64bit)	5 145,00
NYB25-212K2	686555	Industrial Box PC con Intel® Core™ i5-4300U, 4GB DRAM (no-ECC), WES 7 (64bit)	5 145,00
NYB25-312K1	686554	Industrial Box PC con Intel® Core™ i5-4300U, 8 GB de DRAM (sin ECC), disco duro	5 270,00
NYB25-312K2	686553	Industrial Box PC con Intel® Core™ i5-4300U, 8GB DRAM (no-ECC), WES 7 (64bit)	5 270,00
NYB1C-211K1	686548	Industrial Box PC con Intel® Celeron® 2980U, 4GB DRAM (no-ECC), WES 7 (32bit)	4 419,00
NYB1C-211K2	686594	Industrial Box PC con Intel® Celeron® 2980U, 4GB DRAM (no-ECC), WES 7 (32bit)	4 419,00
NYB1C-212K1	686593	Industrial Box PC con Intel® Celeron® 2980U, 4GB DRAM (no-ECC), WES 7 (64bit)	4 419,00
NYB1C-212K2	686483	Industrial Box PC con Intel® Celeron® 2980U, 4GB DRAM (no-ECC), WES 7 (64bit)	4 419,00
NYB1C-312K1	686482	Industrial Box PC con Intel® Celeron® 2980U, 8GB DRAM (no-ECC), WES 7 (64bit)	4 544,00

OMRON PVPR 2023

NYB1C-312K2	686481	Industrial Box PC con Intel® Celeron® 2980U, 8GB DRAM (no-ECC), WES 7 (64b	4 544,00
NYB1C-213K1	686464	Industrial Box PC con Intel® Celeron® 2980U, 4 GB de DRAM (sin ECC), SSD-iML	4 577,00
NYB1C-313C1	686460	Industrial Box PC con Intel® Celeron® 2980U, 8 GB de DRAM (sin ECC), disco du	4 395,00
NYB1C-313K1	686458	Industrial Box PC con Intel® Celeron® 2980U, 8 GB de DRAM (sin ECC), SSD-iML	4 701,00
NYB25-313C1	686591	Industrial Box PC con Intel® Core™ i5-4300U, 8 GB DRAM (non-ECC), W10 (64-b	4 971,00
NYB25-313K1	686589	Industrial Box PC con Intel® Core™ i5-4300U, 8GB DRAM (non-ECC), W10 (64-bi	5 265,00
NYB1C-11001	686585	Industrial Box PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), No storage	3 746,00
NYB1C-31001	686603	Industrial Box PC with Intel® Celeron® 2980U, 8 GB DRAM (non-ECC), No storage	3 934,00
NYB1C-213K6	686439	Industrial Box PC with Intel® Celeron® 2980U, 4 GB DRAM (non-ECC), 128 GB SS	5 135,00
NYB1C-313K6	686436	Industrial Box PC with Intel® Celeron® 2980U, 8 GB DRAM (non-ECC), 128 GB SS	5 260,00
NYB25-313K6	686430	Industrial Box PC with Intel® Core™ i5-4300U, 8 GB DRAM (non-ECC), 128 GB SS	6 005,00
NYB2C-31PK1	688380	Controlador de motion PMAC para 64 ejes, PC industrial con Intel® Celeron®, me	7 460,00
NYB35-41001	703294	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), No Storag	4 612,00
NYB2A-10000	688956	PC de caja industrial con Intel® Atom™ E3940, 2 GB de memoria DRAM (sin ECC)	1 873,00
NYB2A-10006	688957	PC de caja industrial con Intel® Atom™ E3940, 2 GB de memoria DRAM (no ECC)	2 216,00
NYB2A-20000	688958	Industrial Box PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), No Storage,	1 907,00
NYB2A-20006	688959	Industrial Box PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), No Storage,	2 251,00
NYB2A-20450	688960	Industrial Box PC con Intel® Atom™ E3940, 4 GB DRAM (sin ECC), CFast iMLC de	2 265,00
NYB2A-20456	688961	PC de caja industrial con Intel® Atom™ E3940, 4 GB de DRAM (no ECC), 64 GB de	2 608,00
NYB2A-20460	688962	Industrial Box PC con Intel® Atom™ E3940, 4 GB DRAM (sin ECC), CFast iMLC de	2 402,00
NYB2A-20466	688963	Industrial Box PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 128 GB CFas	2 746,00
NYB2A-20470	688964	Industrial Box PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 256 GB CFas	2 692,00
NYB2A-20476	688965	Industrial Box PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 256 GB CFas	3 037,00
NYB2A-30000	688966	Industrial Box PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), No Storage,	1 991,00
NYB2A-30006	688967	Industrial Box PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), No Storage,	2 335,00
NYB2A-30450	688968	Industrial Box PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 64 GB CFast	2 348,00
NYB2A-30456	688969	Industrial Box PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 64 GB CFast	2 692,00
NYB2A-30460	688970	Industrial Box PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 128 GB CFas	2 487,00
NYB2A-30466	688971	Industrial Box PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 128 GB CFas	2 828,00
NYB2A-30470	688972	Industrial Box PC con Intel® Atom™ E3940, 8 GB DRAM (sin ECC), CFast iMLC de	2 777,00
NYB2A-30476	688973	Industrial Box PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 256 GB CFas	3 120,00
NYB2A-20050	689344	Industrial Box PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 64 GB CFast	2 196,00
NYB35-413M1	689433	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB S	5 640,00

OMRON PVPR 2023

NYB35-413M2	689434	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB S	5 685,00
NYB35-413M6	689435	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB S	5 970,00
NYB35-413E6	703295	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB HDD	5 500,00
NYB35-413E1	703296	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB HDD	5 190,00
NYB27-31001	690131	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Stora	5 900,00
NYB27-31002	690132	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Stora	5 900,00
NYB27-31006	690133	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Stora	6 200,00
NYB1E-E1006	692777	Industrial Box PC with Intel® Xeon® E3-1515M v5, 32 GB DRAM (non-ECC), No st	8 670,00
NYB2C-40360	694128	Industrial Box PC with Intel® Celeron® 3965U, 16 GB DDR4 RAM (non-ECC), 128	2 853,00
NYB35-41002	703297	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), No Stora	4 612,00
NYB35-41006	703298	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), No Stora	4 924,00
NYB35-413D1	703299	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB H	5 095,00
NYB35-413D2	703300	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB H	5 095,00
NYB35-413D6	703301	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB H	5 410,00
NYB35-413K1	703302	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB S	5 310,00
NYB35-413K2	703303	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB S	5 310,00
NYB35-413K6	703220	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB S	5 625,00
NYB27-41001	700156	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Stora	5 420,00
NYB27-41002	700122	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Stora	5 055,00
NYB27-41006	700157	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Stora	5 690,00
NYB27-51001	700158	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Stora	5 775,00
NYB27-51002	700159	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Stora	5 770,00
NYB27-51006	700160	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Stora	6 040,00
NYB27-314K1	700161	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB S	6 055,00
NYB27-314K2	700162	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB S	6 055,00
NYB27-314K6	700163	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB S	6 330,00
NYB27-414K1	700164	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB	6 185,00
NYB27-414K2	700165	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB	6 185,00
NYB27-414K6	700166	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB	6 455,00
NYB27-514K1	700167	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB	6 485,00
NYB27-514K2	700168	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB	6 485,00
NYB27-514K6	700169	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB	6 755,00
NYB27-314L1	700170	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB S	6 340,00

OMRON PVPR 2023

NYB27-314L2	700171	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB S	6 340,00
NYB27-314L6	700172	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB S	6 615,00
NYB27-414L1	700173	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB	6 465,00
NYB27-414L2	700174	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB	6 465,00
NYB27-414L6	700175	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB	6 745,00
NYB27-514L1	700176	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB	6 765,00
NYB27-514L2	700177	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB	6 765,00
NYB27-514L6	700178	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB	7 040,00
NYB27-314M1	700179	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB S	6 925,00
NYB27-314M2	700180	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB S	6 925,00
NYB27-314M6	700181	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB S	7 195,00
NYB27-414M1	700119	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB	6 575,00
NYB27-414M2	700182	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB	7 055,00
NYB27-414M6	700183	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB	7 315,00
NYB27-514M1	700184	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB	7 345,00
NYB27-514M2	700185	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB	7 345,00
NYB27-514M6	700186	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB	7 615,00
NYB27-314P1	700187	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB SSD	6 595,00
NYB27-314P2	700188	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB SSD	6 595,00
NYB27-314P6	700189	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB SSD	6 860,00
NYB27-414P1	700190	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB SSD	6 715,00
NYB27-414P2	700191	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB SSD	6 715,00
NYB27-414P6	700125	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB SSD	6 990,00
NYB27-514P1	700155	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB SSD	7 020,00
NYB27-514P2	700154	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB SSD	7 020,00
NYB27-514P6	700153	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB SSD	7 295,00
NYB27-314D1	700152	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB H	5 875,00
NYB27-314D2	700151	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB H	5 875,00
NYB27-314D6	700150	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB H	6 145,00
NYB27-414D1	700149	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB	6 005,00
NYB27-414D2	700148	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB	6 005,00
NYB27-414D6	700147	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB	6 275,00
NYB27-514D1	700146	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB	6 310,00

OMRON PVPR 2023

NYB27-514D2	700145	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB	6 310,00
NYB27-514D6	700144	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB	6 570,00
NYB27-30000	700143	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage	4 529,00
NYB27-30006	700142	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage	4 939,00
NYB27-40000	700141	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage	4 754,00
NYB27-40006	700140	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage	4 964,00
NYB27-50000	700139	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage	4 952,00
NYB27-50006	700138	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage	5 265,00
NYB27-30460	700137	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB C	5 400,00
NYB27-30466	700136	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB C	5 710,00
NYB27-40460	700135	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB	5 525,00
NYB27-40466	700134	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB	5 840,00
NYB27-50460	700133	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB	5 820,00
NYB27-50466	700132	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB	6 135,00
NYB27-30470	700131	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB C	5 740,00
NYB27-30476	700130	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB C	6 050,00
NYB27-40470	700129	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB	5 865,00
NYB27-40476	700128	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB	6 185,00
NYB27-50470	700127	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB	6 175,00
NYB27-50476	700126	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB	6 485,00
NY512-1300-1XX44391X	701464	Machine Controller for 16 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 8	8 625,00
NY512-1400-1XX44391X	701463	Machine Controller for 32 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 8	9 495,00
NY512-1500-1XX44391X	701465	Machine Controller for 64 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 8	9 925,00
NY512-1300-1XX44591X	701462	Machine Controller for 16 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 3	9 645,00
NY512-1400-1XX44591X	701456	Machine Controller for 32 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 3	10 210,00
NY512-1500-1XX44591X	701629	Machine Controller for 64 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 3	10 670,00
NY512-1300-1XX44392X	701628	Machine Controller for 16 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 8	8 965,00
NY512-1400-1XX44392X	701627	Machine Controller for 32 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 8	9 490,00
NY512-1500-1XX44392X	701626	Machine Controller for 64 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 8	9 925,00
NY512-1300-1XX44592X	701625	Machine Controller for 16 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 3	9 645,00
NY512-1400-1XX44592X	701624	Machine Controller for 32 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 3	10 210,00
NY512-1500-1XX44592X	701623	Machine Controller for 64 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 3	10 670,00
NY512-1300-1XX44396X	701622	Machine Controller for 16 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 8	9 345,00

OMRON PVPR 2023

NY512-1400-1XX44396X	701621	Machine Controller for 32 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 8	9 885,00
NY512-1500-1XX44396X	701620	Machine Controller for 64 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 8	10 330,00
NY512-1300-1XX44596X	701619	Machine Controller for 16 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 3	10 030,00
NY512-1400-1XX44596X	701618	Machine Controller for 32 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 3	10 600,00
NY512-1500-1XX44596X	701617	Machine Controller for 64 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 3	11 090,00
NY512-1300-1XX443K1X	701616	Machine Controller for 16 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 8	7 670,00
NY512-1400-1XX443K1X	701615	Machine Controller for 32 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 8	8 110,00
NY512-1500-1XX443K1X	701614	Machine Controller for 64 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 8	8 485,00
NY512-1300-1XX445K1X	701613	Machine Controller for 16 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 3	8 340,00
NY512-1400-1XX445K1X	701612	Machine Controller for 32 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 3	8 825,00
NY512-1500-1XX445K1X	701611	Machine Controller for 64 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 3	9 230,00
NY512-1300-1XX443K2X	701610	Machine Controller for 16 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 8	7 670,00
NY512-1400-1XX443K2X	701609	Machine Controller for 32 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 8	8 110,00
NY512-1500-1XX443K2X	701608	Machine Controller for 64 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 8	8 470,00
NY512-1300-1XX445K2X	701607	Machine Controller for 16 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 3	8 340,00
NY512-1400-1XX445K2X	701606	Machine Controller for 32 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 3	8 825,00
NY512-1500-1XX445K2X	701605	Machine Controller for 64 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 3	9 230,00
NY512-1300-1XX443K6X	701604	Machine Controller for 16 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 8	8 045,00
NY512-1400-1XX443K6X	701603	Machine Controller for 32 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 8	8 505,00
NY512-1500-1XX443K6X	701602	Machine Controller for 64 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 8	8 895,00
NY512-1300-1XX445K6X	701601	Machine Controller for 16 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 3	8 720,00
NY512-1400-1XX445K6X	701600	Machine Controller for 32 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 3	9 225,00
NY512-1500-1XX445K6X	701599	Machine Controller for 64 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 3	9 645,00
NY512-1300-1XX443P1X	701598	Machine Controller for 16 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 8	8 375,00
NY512-1400-1XX443P1X	701597	Machine Controller for 32 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 8	8 870,00
NY512-1500-1XX443P1X	701596	Machine Controller for 64 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 8	9 265,00
NY512-1300-1XX445P1X	701595	Machine Controller for 16 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 3	9 060,00
NY512-1400-1XX445P1X	701594	Machine Controller for 32 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 3	9 585,00
NY512-1500-1XX445P1X	701593	Machine Controller for 64 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 3	10 020,00
NY512-1300-1XX443P2X	701592	Machine Controller for 16 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 8	8 375,00
NY512-1400-1XX443P2X	701591	Machine Controller for 32 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 8	8 870,00
NY512-1500-1XX443P2X	701590	Machine Controller for 64 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 8	9 265,00
NY512-1300-1XX445P2X	701589	Machine Controller for 16 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 3	9 060,00

OMRON PVPR 2023

NY512-1400-1XX445P2X	701588	Machine Controller for 32 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 3	9 585,00
NY512-1500-1XX445P2X	701587	Machine Controller for 64 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 3	10 020,00
NY512-1300-1XX443P6X	701586	Machine Controller for 16 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 8	8 760,00
NY512-1400-1XX443P6X	701585	Machine Controller for 32 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 8	9 265,00
NY512-1500-1XX443P6X	701584	Machine Controller for 64 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 8	9 690,00
NY512-1300-1XX445P6X	701583	Machine Controller for 16 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 3	9 430,00
NY512-1400-1XX445P6X	701582	Machine Controller for 32 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 3	9 980,00
NY512-1500-1XX445P6X	701581	Machine Controller for 64 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 3	10 440,00
NY512-1300-0XX44360X	701580	Machine Controller for 16 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 8	6 920,00
NY512-1400-0XX44360X	701579	Machine Controller for 32 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 8	7 330,00
NY512-1500-0XX44360X	701578	Machine Controller for 64 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 8	7 655,00
NY512-1300-0XX44560X	701577	Machine Controller for 16 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 3	7 600,00
NY512-1400-0XX44560X	701576	Machine Controller for 32 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 3	8 045,00
NY512-1500-0XX44560X	701575	Machine Controller for 64 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 3	8 410,00
NY512-1300-0XX44366X	701574	Machine Controller for 16 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 8	7 360,00
NY512-1400-0XX44366X	701573	Machine Controller for 32 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 8	7 790,00
NY512-1500-0XX44366X	701572	Machine Controller for 64 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 8	8 140,00
NY512-1300-0XX44566X	701571	Machine Controller for 16 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 3	8 040,00
NY512-1400-0XX44566X	701570	Machine Controller for 32 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 3	8 500,00
NY512-1500-0XX44566X	701569	Machine Controller for 64 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 3	8 890,00
NY512-1300-0XX44370X	701568	Machine Controller for 16 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 8	7 405,00
NY512-1400-0XX44370X	701567	Machine Controller for 32 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 8	7 830,00
NY512-1500-0XX44370X	701566	Machine Controller for 64 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 8	8 185,00
NY512-1300-0XX44570X	701565	Machine Controller for 16 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 3	8 075,00
NY512-1400-0XX44570X	701564	Machine Controller for 32 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 3	8 550,00
NY512-1500-0XX44570X	701563	Machine Controller for 64 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 3	8 940,00
NY512-1300-0XX44376X	701562	Machine Controller for 16 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 8	7 835,00
NY512-1400-0XX44376X	701561	Machine Controller for 32 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 8	8 290,00
NY512-1500-0XX44376X	701560	Machine Controller for 64 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 8	8 670,00
NY512-1300-0XX44576X	701559	Machine Controller for 16 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 3	8 510,00
NY512-1400-0XX44576X	701558	Machine Controller for 32 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 3	9 010,00
NY512-1500-0XX44576X	701557	Machine Controller for 64 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 3	9 420,00
NY512-Z300-1XX445T1X	703559	Controlador de máquinas IA para 16 ejes, Industrial Box PC con Intel® Core™ i7-	15 230,00

OMRON PVPR 2023

NY512-Z400-1XX445T1X	703560	Controlador de máquinas IA para 32 ejes, Industrial Box PC con Intel® Core™ i7-	15 790,00
NY512-Z500-1XX445T1X	703561	Controlador de máquinas IA para 64 ejes, Industrial Box PC con Intel® Core™ i7-	16 520,00
NY512-Z300-1XX445T2X	703562	AI Machine Controller for 16 axes, Industrial Box PC with Intel® Core™ i5-7440E	15 230,00
NY512-Z400-1XX445T2X	703563	AI Machine Controller for 32 axes, Industrial Box PC with Intel® Core™ i5-7440E	15 790,00
NY512-Z500-1XX445T2X	703564	AI Machine Controller for 64 axes, Industrial Box PC with Intel® Core™ i5-7440E	16 520,00
NYB2C-20460	707557	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB CF	2 627,00
NYB2C-30460	702006	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 128 G	3 075,00
NYB2C-30470	702007	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 256 G	3 474,00
NYB35-30470	703221	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB CF	4 842,00
NYB35-22001	703381	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), No Storage	4 411,00
NYB35-22002	703383	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), No Storage	4 411,00
NYB35-22006	703384	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), No Storage	4 725,00
NYB35-32001	703385	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), No Storage	4 587,00
NYB35-32002	703386	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), No Storage	4 587,00
NYB35-32006	703387	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), No Storage	4 888,00
NYB35-42001	703388	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), No Stora	4 296,00
NYB35-42002	703389	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), No Stora	4 020,00
NYB35-42006	703390	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), No Stora	4 566,00
NYB35-224K1	703391	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SS	4 704,00
NYB35-224K2	703392	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SS	4 704,00
NYB35-224K6	703393	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SS	4 956,00
NYB35-224L1	703394	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 256 GB SS	5 060,00
NYB35-224L2	703395	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 256 GB SS	5 060,00
NYB35-224L6	703396	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 256 GB SS	5 300,00
NYB35-324D1	703397	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 500 GB HD	4 549,00
NYB35-324D2	703398	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 500 GB HD	4 549,00
NYB35-324D6	703399	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 500 GB HD	4 820,00
NYB35-324E1	703400	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 1 TB HDD,	4 694,00
NYB35-324E2	703401	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 1 TB HDD,	4 694,00
NYB35-324E6	703402	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 1 TB HDD,	4 969,00
NYB35-324K1	703403	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SS	4 839,00
NYB35-324K2	703404	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SS	4 839,00
NYB35-324K6	703405	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SS	5 105,00

OMRON PVPR 2023

NYB35-324L1	703406	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB SSD	5 195,00
NYB35-324L2	703407	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB SSD	5 195,00
NYB35-324L6	703408	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB SSD	5 430,00
NYB35-324M1	703409	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 500 GB SSD	6 485,00
NYB35-324M2	703410	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 500 GB SSD	6 485,00
NYB35-324M6	703411	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 500 GB SSD	6 710,00
NYB35-324P1	703412	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 1 TB SSD 3	5 430,00
NYB35-324P2	703413	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 1 TB SSD 3	5 430,00
NYB35-324P6	703414	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 1 TB SSD 3	5 690,00
NYB35-424D1	703415	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB HDD	4 712,00
NYB35-424D2	703416	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB HDD	4 712,00
NYB35-424D6	703417	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB HDD	4 980,00
NYB35-424E1	703418	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB HDD	4 859,00
NYB35-424E2	703419	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB HDD	4 859,00
NYB35-424E6	703420	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB HDD	5 135,00
NYB35-424K1	703421	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB SSD	4 993,00
NYB35-424K2	703422	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB SSD	4 993,00
NYB35-424K6	703423	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB SSD	5 260,00
NYB35-424L1	703424	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB SSD	5 345,00
NYB35-424L2	703425	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB SSD	5 345,00
NYB35-424L6	703426	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB SSD	5 615,00
NYB35-424M1	703427	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB SSD	6 715,00
NYB35-424M2	703428	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB SSD	6 715,00
NYB35-424M6	703429	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB SSD	6 950,00
NYB35-424P1	703379	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB SSD	5 580,00
NYB35-424P2	703380	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB SSD	5 580,00
NYB35-424P6	703382	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB SSD	5 845,00
NYB27-32001	703224	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage	6 130,00
NYB27-32002	703225	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage	6 130,00
NYB27-32006	703226	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage	6 430,00
NYB27-32009	703227	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage	6 155,00
NYB27-42001	703228	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage	5 645,00
NYB27-42002	703229	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage	5 285,00

OMRON PVPR 2023

NYB27-42006	703230	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage	5 915,00
NYB27-42009	703231	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage	5 640,00
NYB27-52001	703232	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage	6 000,00
NYB27-52002	703233	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage	6 000,00
NYB27-52006	703234	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage	6 270,00
NYB27-52009	703235	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage	5 995,00
NYB27-324K1	703236	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB SSD	6 285,00
NYB27-324K2	703237	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB SSD	6 285,00
NYB27-324K6	703238	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB SSD	6 560,00
NYB27-324K9	703239	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB SSD	6 280,00
NYB27-424K1	703240	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB SSD	6 410,00
NYB27-424K2	703241	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB SSD	6 410,00
NYB27-424K6	703242	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB SSD	6 685,00
NYB27-424K9	703243	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB SSD	6 410,00
NYB27-524K1	703244	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB SSD	6 705,00
NYB27-524K2	703245	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB SSD	6 705,00
NYB27-524K6	703246	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB SSD	6 980,00
NYB27-524K9	703247	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB SSD	6 705,00
NYB27-324L1	703248	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB SSD	6 570,00
NYB27-324L2	703249	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB SSD	6 570,00
NYB27-324L6	703195	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB SSD	7 280,00
NYB27-324L9	703250	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB SSD	6 595,00
NYB27-424L1	703251	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB SSD	6 695,00
NYB27-424L2	703252	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB SSD	6 695,00
NYB27-424L6	703253	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB SSD	6 965,00
NYB27-424L9	703254	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB SSD	6 695,00
NYB27-524L1	703255	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB SSD	6 990,00
NYB27-524L2	703256	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB SSD	6 990,00
NYB27-524L6	703257	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB SSD	7 265,00
NYB27-524L9	703258	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB SSD	6 990,00
NYB27-324M1	703354	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB SSD	7 825,00
NYB27-324M2	703355	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB SSD	7 825,00
NYB27-324M6	703356	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB SSD	8 060,00

OMRON PVPR 2023

NYB27-324M9	703357	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB S	7 860,00
NYB27-424M1	703358	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB	8 065,00
NYB27-424M2	703359	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB	8 065,00
NYB27-424M6	703360	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB	8 300,00
NYB27-424M9	703361	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB	8 100,00
NYB27-524M1	703362	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB	8 305,00
NYB27-524M2	703363	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB	8 305,00
NYB27-524M6	703364	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB	8 535,00
NYB27-524M9	703365	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB	8 345,00
NYB27-324P1	703259	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB SSD	6 825,00
NYB27-324P2	703260	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB SSD	6 825,00
NYB27-324P6	703261	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB SSD	7 085,00
NYB27-324P9	703262	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB SSD	6 820,00
NYB27-424P1	703263	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB SSD	6 945,00
NYB27-424P2	703264	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB SSD	6 945,00
NYB27-424P6	703265	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB SSD	7 220,00
NYB27-424P9	703266	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB SSD	6 945,00
NYB27-524P1	703267	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB SSD	7 245,00
NYB27-524P2	703268	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB SSD	7 245,00
NYB27-524P6	703269	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB SSD	7 520,00
NYB27-524P9	703270	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB SSD	7 245,00
NYB27-324D1	703271	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB H	6 100,00
NYB27-324D2	703272	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB H	6 100,00
NYB27-324D6	707175	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB H	6 065,00
NYB27-324D9	703273	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB H	6 100,00
NYB27-424D1	703274	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB	6 235,00
NYB27-424D2	703275	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB	6 235,00
NYB27-424D6	703276	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB	6 505,00
NYB27-424D9	703277	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB	6 225,00
NYB27-524D1	703222	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB	6 530,00
NYB27-524D2	703278	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB	6 530,00
NYB27-524D6	703279	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB	6 800,00
NYB27-524D9	703280	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB	6 525,00

OMRON PVPR 2023

NYB27-324E1	703281	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB HDD	6 245,00
NYB27-324E2	703282	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB HDD	6 245,00
NYB27-324E6	703283	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB HDD	6 525,00
NYB27-324E9	703284	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB HDD	6 245,00
NYB27-424E1	703285	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB HD	6 380,00
NYB27-424E2	703286	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB HD	6 380,00
NYB27-424E6	703287	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB HD	6 655,00
NYB27-424E9	703288	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB HD	6 375,00
NYB27-524E1	703289	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB HD	6 685,00
NYB27-524E2	703290	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB HD	6 685,00
NYB27-524E6	703291	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB HD	6 960,00
NYB27-524E9	703223	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB HD	6 685,00
NYB2C-30466	707174	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 128 GB S	3 383,00
NYB35-414K1	707158	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB S	5 310,00
NYB2C-20450	707558	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB CFa	2 478,00
NYB2C-20456	707559	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB CFa	2 833,00
NYB2C-20466	707560	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB CF	2 982,00
NYB2C-20470	707561	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 256 GB CF	2 935,00
NYB2C-20476	707562	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 256 GB CF	3 290,00
NYB2C-21491	707563	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SSD	5 220,00
NYB2C-21492	707564	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SSD	5 220,00
NYB2C-21496	707565	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SSD	5 725,00
NYB2C-214C1	707566	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HD	3 884,00
NYB2C-214C2	707567	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HD	3 884,00
NYB2C-214C6	707568	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HD	4 386,00
NYB2C-214K1	707569	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB SS	4 160,00
NYB2C-214K2	707570	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB SS	4 160,00
NYB2C-214K6	707571	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB SS	4 665,00
NYB2C-30450	707572	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB CFa	2 660,00
NYB2C-30456	707573	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB CFa	3 014,00
NYB2C-30476	707574	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 256 GB CF	3 474,00
NYB2C-31491	707575	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SSD	5 335,00
NYB2C-31492	707576	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SSD	5 335,00

OMRON PVPR 2023

NYB2C-31496	707577	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SSD	5 845,00
NYB2C-314C1	707578	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB HD	3 996,00
NYB2C-314C2	707579	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB HD	3 996,00
NYB2C-314C6	707580	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB HD	4 500,00
NYB2C-314K1	707581	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB SSD	4 273,00
NYB2C-314K2	707582	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB SSD	4 273,00
NYB2C-314K6	707583	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB SSD	4 778,00
NYB2C-40460	707584	Industrial Box PC with Intel® Celeron® 3965U, 16 GB DRAM (non-ECC), 128 GB C	2 593,00
NYB35-21491	707609	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SSD	5 910,00
NYB35-21492	707610	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SSD	5 910,00
NYB35-21496	707611	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SSD	6 415,00
NYB35-214C1	707612	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB HD	4 563,00
NYB35-214C2	707613	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB HD	4 563,00
NYB35-214C6	707614	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB HD	5 070,00
NYB35-214K1	707615	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD	4 840,00
NYB35-214K2	707616	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD	4 840,00
NYB35-214K6	707617	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD	5 345,00
NYB35-30450	707618	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB CFas	3 836,00
NYB35-30456	707619	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB CFas	4 192,00
NYB35-30460	707620	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB CF	3 984,00
NYB35-30466	707621	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB CF	4 338,00
NYB35-30476	707622	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB CF	5 245,00
NYB35-31491	707623	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SSD	6 030,00
NYB35-31492	707624	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SSD	6 030,00
NYB35-31496	707625	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SSD	6 530,00
NYB35-314C1	707626	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB HD	4 678,00
NYB35-314C2	707627	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB HD	4 678,00
NYB35-314C6	707628	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB HD	5 185,00
NYB35-314K1	707629	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD	4 954,00
NYB35-314K2	707630	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD	4 954,00
NYB35-314K6	707631	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD	5 460,00
NYB35-40450	707632	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 64 GB CF	4 172,00
NYB35-40456	707633	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 64 GB CF	4 529,00

OMRON PVPR 2023

NYB35-40460	707634	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB C	4 320,00
NYB35-40466	707635	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB C	4 676,00
NYB35-40470	707636	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB C	4 628,00
NYB35-40476	707637	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB C	4 982,00
NYB35-414D1	707638	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB H	4 632,00
NYB35-414D2	707639	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB H	4 627,00
NYB35-414D6	707640	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB H	4 915,00
NYB35-414E1	707641	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB HDD	4 715,00
NYB35-414E2	707642	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB HDD	4 715,00
NYB35-414E6	707643	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB HDD	4 998,00
NYB35-414K2	707644	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB S	4 825,00
NYB35-414K6	707645	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB S	5 110,00
NYB35-414M1	707646	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB S	5 130,00
NYB35-414M2	707647	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB S	5 165,00
NYB35-414M6	707648	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB S	5 430,00
NYB35-50460	707649	Industrial Box PC with Intel® Core™ i5-7300U, 32 GB DRAM (non-ECC), 128 GB C	4 553,00
NYB1E-514P6	707245	Industrial Box PC with Intel® Xeon® E3-1515M v5, 32 GB DRAM (non-ECC), 1TB S	9 815,00
NYB1E-524P6	707244	Industrial Box PC with Intel® Xeon® E3-1515M v5, 32 GB DRAM (non-ECC), 1TB S	11 020,00
NYB27-414P9	707394	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB SSD	7 520,00
NYB35-514M2	708049	Industrial Box PC with Intel® Core™ i5-7300U, 32 GB DRAM (non-ECC), 500 GB S	6 780,00
NYB35-50469	708443	Industrial Box PC with Intel® Core™ i5-7300U, 32 GB DRAM (non-ECC), 128 GB C	6 730,00
NY532-1300-111213K12	673077	Machine Controller for 16 axes, Industrial Panel PC with Intel® Core™ i7-4700EQ	9 230,00
NYP1C-11292-15WC1002	672953	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 64 GB SS	7 710,00
NYP1C-112K2-15WC1002	673046	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 128 GB S	6 565,00
NYP1C-11282-15WC1002	673131	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 32 GB SS	7 020,00
NYP1C-11182-12WC1002	673053	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 32 GB SS	6 980,00
NYP1C-112K1-15WC1002	673054	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 128 GB S	6 565,00
NYP1C-111C1-15WC1002	673098	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 320 GB H	6 255,00
NYP1C-11281-12WC1002	672977	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 32 GB SS	6 980,00
NYP1C-11291-12WC1002	673037	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 64 GB SS	7 670,00
NYP1C-112C2-12WC1002	672968	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 320 GB H	6 205,00
NYP1C-11192-15WC1002	673108	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 64 GB SS	7 710,00
NYP1C-111C1-12WC1002	672944	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 320 GB H	6 205,00

OMRON PVPR 2023

NYP1C-11192-12WC1002	672964	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 64 GB SS	7 670,00
NYP1C-112K1-12WC1002	673014	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 128 GB S	6 515,00
NYP1C-111C2-12WC1002	673022	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 320 GB H	6 205,00
NYP1C-112C1-12WC1002	673185	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 320 GB H	6 205,00
NYP1C-111K1-12WC1002	673023	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 128 GB S	6 515,00
NYP1C-11182-15WC1002	672970	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 32 GB SS	7 020,00
NYP1C-11291-15WC1002	673050	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 64 GB SS	7 710,00
NYP1C-11191-15WC1002	672973	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 64 GB SS	7 710,00
NYP1C-11191-12WC1002	673140	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 64 GB SS	7 670,00
NYP1C-11181-15WC1002	673031	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 32 GB SS	7 020,00
NYP1C-112C1-15WC1002	673093	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 320 GB H	6 255,00
NYP1C-111C2-15WC1002	673028	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 320 GB H	6 255,00
NYP1C-11181-12WC1002	673081	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 32 GB SS	6 980,00
NYP1C-111K2-15WC1002	673118	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 128 GB S	6 565,00
NYP1C-111K1-15WC1002	673137	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 128 GB S	6 565,00
NYP1C-11281-15WC1002	673126	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 32 GB SS	7 020,00
NYP1C-211C1-15WC1002	673074	Industrial Panel PC with Intel® Celeron® 2980U, 4 GB DRAM (non-ECC), 320 GB H	6 315,00
NYP1C-11282-12WC1002	673068	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 32 GB SS	6 980,00
NYP1C-111K2-12WC1002	672959	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 128 GB S	6 515,00
NYP1C-112C2-15WC1002	672951	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 320 GB H	6 255,00
NYP1C-112K2-12WC1002	672955	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 128 GB S	6 515,00
NYP1C-11292-12WC1002	673110	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 64 GB SS	7 670,00
NYP25-11192-12WC1002	673043	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 64 GB SS	8 340,00
NYP25-11292-12WC1002	673040	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 64 GB SS	8 340,00
NYP25-112K2-12WC1002	673162	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 128 GB S	7 195,00
NYP25-111C1-15WC1002	673088	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 320 GB H	6 925,00
NYP25-11282-15WC1002	673143	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 32 GB SS	7 695,00
NYP25-112C1-15WC1002	673051	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 320 GB H	6 925,00
NYP25-111C2-15WC1002	673166	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 320 GB H	6 925,00
NYP25-11182-15WC1002	673061	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 32 GB SS	7 695,00
NYP25-11192-15WC1002	673072	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 64 GB SS	8 380,00
NYP25-11282-12WC1002	673058	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 32 GB SS	7 660,00
NYP25-11291-12WC1002	673139	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 64 GB SS	8 340,00

OMRON PVPR 2023

NYP25-112K1-15WC1002	673195	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 128 GB S	7 230,00
NYP25-11182-12WC1002	673089	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 32 GB SS	7 660,00
NYP25-111K1-15WC1002	673001	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 128 GB S	7 230,00
NYP25-112C2-15WC1002	673034	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 320 GB H	6 925,00
NYP25-11281-12WC1002	673181	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 32 GB SS	7 660,00
NYP25-111K2-12WC1002	673144	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 128 GB S	7 195,00
NYP25-21291-12WC1002	672999	Industrial Panel PC with Intel® Core™ i5-4300U, 4 GB DRAM (non-ECC), 64 GB SS	8 130,00
NYP25-111K1-12WC1002	673187	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 128 GB S	7 195,00
NYP25-112K2-15WC1002	673150	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 128 GB S	7 230,00
NYP25-11281-15WC1002	673194	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 32 GB SS	7 695,00
NYP25-11181-15WC1002	673106	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 32 GB SS	7 695,00
NYP25-11291-15WC1002	673080	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 64 GB SS	8 380,00
NYP25-11181-12WC1002	672989	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 32 GB SS	7 660,00
NYP25-112K1-12WC1002	672979	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 128 GB S	7 195,00
NYP25-111K2-15WC1002	673078	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 128 GB S	7 230,00
NYP25-111C1-12WC1002	673177	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 320 GB H	6 895,00
NYP25-112C2-12WC1002	673015	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 320 GB H	6 895,00
NYP25-11292-15WC1002	673071	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 64 GB SS	8 380,00
NYP25-11191-12WC1002	673103	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 64 GB SS	8 340,00
NYP25-112C1-12WC1002	673146	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 320 GB H	6 895,00
NYP25-11191-15WC1002	673019	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 64 GB SS	8 380,00
NYP25-111C2-12WC1002	673114	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 320 GB H	6 895,00
NYP2C-20360-15WC1002	680459	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB C	4 631,00
NYP2C-20360-15WC1000	683613	PC de panel industrial con Intel® Celeron® 3965U, 4 GB de RAM DDR4 (sin ECC),	4 476,00
NYP2C-213C2-12WC1000	683257	PC de panel industrial con Intel® Celeron® 3965U, 4 GB de RAM DDR4 (sin ECC),	6 150,00
NYP2C-313K2-15WC1000	683258	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 128	6 635,00
NYP35-21391-15WC1000	683259	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DDR4 RAM (non-ECC), 64 C	8 330,00
NYP35-21392-12WC1000	683260	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DDR4 RAM (non-ECC), 64 C	8 300,00
NYP35-213C1-15WC1000	683261	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DDR4 RAM (non-ECC), 320	6 885,00
NYP35-213C2-15WC1000	683262	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DDR4 RAM (non-ECC), 320	6 885,00
NYP35-31391-12WC1000	683263	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), 64 C	8 430,00
NYP35-31391-15WC1000	683264	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), 64 C	8 450,00
NYP2C-21002-12WC1000	683265	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), No s	5 690,00

OMRON PVPR 2023

NYP2C-21002-15WC1000	683266	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), No s	5 745,00
NYP2C-31001-12WC1000	683267	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), No s	5 815,00
NYP35-31001-15WC1000	683268	PC industrial formato cuadro con Intel® Core™ i5-7300U, 8 GB de RAM DDR4 (sin	6 555,00
NYP2C-213C2-15WC1000	683269	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), 320	6 200,00
NYP2C-213K2-12WC1000	683270	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), 128	6 460,00
NYP2C-313C2-15WC1000	683271	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 320	6 325,00
NYP35-213K1-12WC1000	683272	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DDR4 RAM (non-ECC), 128	7 150,00
NYP35-313C2-15WC1000	683273	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), 320	7 010,00
NYP2C-21392-15WC1000	683274	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), 64 G	7 660,00
NYP2C-213C1-15WC1000	683275	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), 320	6 200,00
NYP2C-31391-15WC1000	683276	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 64 G	7 785,00
NYP2C-31392-12WC1000	683277	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 64 G	7 740,00
NYP2C-313C2-12WC1000	683278	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 320	6 280,00
NYP2C-313K1-12WC1000	683279	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 128	6 585,00
NYP35-21391-12WC1000	683280	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DDR4 RAM (non-ECC), 64 G	8 300,00
NYP35-213K2-15WC1000	683281	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DDR4 RAM (non-ECC), 128	7 185,00
NYP35-313C1-15WC1000	683282	PC industrial formato cuadro con Intel® Core™ i5-7300U, 8 GB de RAM DDR4 (sin	7 010,00
NYP2C-31391-12WC1000	683283	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 64 G	7 740,00
NYP35-21392-15WC1000	683284	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DDR4 RAM (non-ECC), 64 G	8 330,00
NYP35-213K1-15WC1000	683285	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DDR4 RAM (non-ECC), 128	7 185,00
NYP35-31392-15WC1000	683286	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), 64 G	8 450,00
NYP35-313K1-15WC1000	683287	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), 128	7 305,00
NYP2C-21001-12WC1000	683288	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), No s	5 690,00
NYP35-31001-12WC1000	683289	PC industrial formato cuadro con Intel® Core™ i5-7300U, 8 GB de RAM DDR4 (sin	6 505,00
NYP2C-21001-15WC1000	683290	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), No s	5 745,00
NYP2C-31001-15WC1000	683291	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), No s	5 870,00
NYP35-21001-12WC1000	683292	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DDR4 RAM (non-ECC), No s	6 375,00
NYP2C-213K2-15WC1000	683293	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), 128	6 515,00
NYP2C-313K2-12WC1000	683294	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 128	6 585,00
NYP35-213K2-12WC1000	683295	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DDR4 RAM (non-ECC), 128	7 150,00
NYP35-313K2-15WC1000	683296	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), 128	7 305,00
NYP2C-31002-15WC1000	683297	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), No s	5 870,00
NYP2C-213K1-15WC1000	683298	Industrial Panel PC con Intel® Celeron® 3965U, 4 GB de RAM DDR4 (sin ECC), SSD	6 515,00

OMRON PVPR 2023

NYP2C-313K1-15WC1000	683299	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 128	6 635,00
NYP35-213C1-12WC1000	683300	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DDR4 RAM (non-ECC), 320	6 840,00
NYP35-313K2-12WC1000	683301	Industrial Panel PC con Intel® Core™ i5-7300U, 8 GB DDR4 RAM (sin ECC), SSD-iN	7 275,00
NYP2C-21391-12WC1000	683302	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), 64 G	7 625,00
NYP2C-21391-15WC1000	683303	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), 64 G	7 660,00
NYP2C-31392-15WC1000	683304	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 64 G	7 785,00
NYP2C-313C1-12WC1000	683305	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 320	6 280,00
NYP2C-313C1-15WC1000	683306	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 320	6 325,00
NYP35-313C2-12WC1000	683307	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), 320	6 960,00
NYP35-313K1-12WC1000	683308	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), 128	7 275,00
NYP2C-21392-12WC1000	683309	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), 64 G	7 625,00
NYP2C-213C1-12WC1000	683310	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), 320	6 150,00
NYP2C-213K1-12WC1000	683311	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), 128	6 460,00
NYP35-213C2-12WC1000	683312	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DDR4 RAM (non-ECC), 320	6 840,00
NYP35-31392-12WC1000	683313	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), 64 G	8 430,00
NYP35-313C1-12WC1000	683314	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), 320	6 960,00
NYP2C-31002-12WC1000	683315	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), No s	5 815,00
NYP35-21001-15WC1000	683316	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DDR4 RAM (non-ECC), No s	6 415,00
NYP35-31002-12WC1000	683317	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), No s	6 505,00
NYP35-31002-15WC1000	683224	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), No s	6 555,00
NYP2C-213C6-12WC1000	682770	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), 320	6 710,00
NYP35-31396-15WC1000	682771	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), 64 G	8 990,00
NYP2C-213K6-12WC1000	682772	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), 128	7 015,00
NYP2C-213K6-15WC1000	682773	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), 128	7 060,00
NYP2C-313K6-12WC1000	682774	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 128	7 150,00
NYP35-21396-15WC1000	682775	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DDR4 RAM (non-ECC), 64 G	8 870,00
NYP35-213K6-15WC1000	682776	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DDR4 RAM (non-ECC), 128	7 725,00
NYP35-313C6-12WC1000	682777	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), 320	7 520,00
NYP35-21006-15WC1000	682778	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DDR4 RAM (non-ECC), No s	6 975,00
NYP2C-31006-15WC1000	682779	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), No s	6 415,00
NYP2C-313C6-15WC1000	682780	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 320	6 885,00
NYP35-21396-12WC1000	682781	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DDR4 RAM (non-ECC), 64 G	8 850,00
NYP35-213C6-12WC1000	682782	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DDR4 RAM (non-ECC), 320	7 395,00

OMRON PVPR 2023

NYP35-31006-12WC1000	682783	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), No s	7 060,00
NYP35-213C6-15WC1000	682784	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DDR4 RAM (non-ECC), 320	7 425,00
NYP35-313C6-15WC1000	683688	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), 320	7 555,00
NYP2C-313C6-12WC1000	682785	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 320	6 840,00
NYP35-31396-12WC1000	682786	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), 64 G	8 980,00
NYP35-313K6-15WC1000	682787	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), 128	7 850,00
NYP2C-21006-15WC1000	682788	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), No s	6 290,00
NYP2C-21396-15WC1000	682789	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), 64 G	8 205,00
NYP2C-31006-12WC1000	682790	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), No s	6 375,00
NYP35-21006-12WC1000	682791	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DDR4 RAM (non-ECC), No s	6 930,00
NYP2C-21396-12WC1000	682792	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), 64 G	8 180,00
NYP2C-213C6-15WC1000	682793	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), 320	6 760,00
NYP2C-31396-12WC1000	682794	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 64 G	8 300,00
NYP35-313K6-12WC1000	682795	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), 128	7 820,00
NYP2C-21006-12WC1000	682796	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), No s	6 250,00
NYP35-31006-15WC1000	682797	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), No s	7 095,00
NYP2C-31396-15WC1000	682798	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 64 G	8 330,00
NYP2C-313K6-15WC1000	682799	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 128	7 185,00
NYP35-213K6-12WC1000	682753	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DDR4 RAM (non-ECC), 128	7 695,00
NYP2C-20000-12WC1000	683648	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), No s	3 678,00
NYP2C-20000-15WC1000	683649	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), No s	4 004,00
NYP2C-20350-15WC1000	683650	PC industrial formato cuadro con Intel® Celeron® 3965U, 4 GB de RAM DDR4 (sin	4 473,00
NYP2C-20370-15WC1000	683651	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), 256	4 928,00
NYP2C-20350-12WC1000	683652	Industrial Panel PC con Intel® Celeron® 3965U, 4 GB de RAM DDR4 (sin ECC), CFa	4 155,00
NYP2C-20360-12WC1000	683653	Industrial Panel PC con Intel® Celeron® 3965U, 4 GB de RAM DDR4 (sin ECC), CFa	4 304,00
NYP2C-20370-12WC1000	683654	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), 256	4 613,00
NYP2C-30000-12WC1000	683655	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), No s	3 859,00
NYP2C-30000-15WC1000	683656	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), No s	4 185,00
NYP2C-30350-15WC1000	683657	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 64 G	4 656,00
NYP2C-30360-15WC1000	683658	Industrial Panel PC con Intel® Celeron® 3965U, 8 GB de RAM DDR4 (sin ECC), CFa	4 801,00
NYP2C-30370-15WC1000	683659	PC industrial de Panel con Intel® Celeron® 3965U, 8 GB de RAM DDR4 (sin ECC),	5 110,00
NYP2C-30350-12WC1000	683660	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 64 G	4 336,00
NYP2C-30360-12WC1000	683661	PC industrial de Panel con Intel® Celeron® 3965U, 8 GB de RAM DDR4 (sin ECC),	4 485,00

OMRON PVPR 2023

NYP2C-30370-12WC1000	683662	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 256 GB SSD	4 792,00
NYP35-30000-12WC1000	683663	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), No Storage	5 040,00
NYP35-30000-15WC1000	683664	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), No Storage	5 355,00
NYP35-30350-15WC1000	683665	Industrial Panel PC con Intel® Core™ i5-7300U, 8 GB de RAM DDR4 (sin ECC), CFa	5 820,00
NYP35-30360-15WC1000	683666	Industrial Panel PC con Intel® Core™ i5-7300U, 8 GB de RAM DDR4 (sin ECC), CFa	5 970,00
NYP35-30370-15WC1000	683667	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), 256 GB SSD	6 280,00
NYP35-30350-12WC1000	683668	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), 64 GB SSD	5 520,00
NYP35-30360-12WC1000	683669	Industrial Panel PC con Intel® Core™ i5-7300U, 8 GB de RAM DDR4 (sin ECC), CFa	5 660,00
NYP35-30370-12WC1000	683670	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), 256 GB SSD	5 975,00
NYP35-40000-12WC1000	683671	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DDR4 RAM (non-ECC), No Storage	5 375,00
NYP35-40000-15WC1000	683672	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DDR4 RAM (non-ECC), No Storage	5 690,00
NYP35-40350-15WC1000	683673	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DDR4 RAM (non-ECC), 64 GB SSD	6 155,00
NYP35-40360-15WC1000	683674	Industrial Panel PC con Intel® Core™ i5-7300U, 16 GB de RAM DDR4 (sin ECC), CFa	6 305,00
NYP35-40370-15WC1000	683675	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DDR4 RAM (non-ECC), 256 GB SSD	6 625,00
NYP35-40350-12WC1000	683612	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DDR4 RAM (non-ECC), 64 GB SSD	5 855,00
NYP35-40360-12WC1000	683614	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DDR4 RAM (non-ECC), 128 GB SSD	6 005,00
NYP35-40370-12WC1000	683616	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DDR4 RAM (non-ECC), 256 GB SSD	6 315,00
NYP2C-20356-12WC1000	687431	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB CF	4 813,00
NYP2C-20356-12WC1002	687430	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB CF	4 922,00
NYP2C-30060-12WC1000	687425	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB CF	4 458,00
NYP2C-213C2-12WC1002	687210	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD	6 265,00
NYP2C-313K2-15WC1002	687230	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB SSD	6 740,00
NYP35-21391-15WC1002	687233	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SSD	8 445,00
NYP35-21392-12WC1002	687234	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SSD	8 405,00
NYP35-213C1-15WC1002	687237	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB HDD	6 985,00
NYP35-213C2-15WC1002	687239	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB HDD	6 985,00
NYP35-31391-12WC1002	687246	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SSD	8 545,00
NYP35-31391-15WC1002	687247	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SSD	8 560,00
NYP2C-21002-12WC1002	687202	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), No Storage	5 805,00
NYP2C-21002-15WC1002	687203	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), No Storage	5 855,00
NYP2C-31001-12WC1002	687216	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), No Storage	5 925,00
NYP35-31001-15WC1002	687245	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), No Storage	6 655,00
NYP2C-213C2-15WC1002	687211	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD	6 315,00

OMRON PVPR 2023

NYP2C-213K2-12WC1002	687214	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB S	6 570,00
NYP2C-313C2-15WC1002	687226	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB H	6 435,00
NYP35-213K1-12WC1002	687240	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB S	7 255,00
NYP35-313C2-15WC1002	687253	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB H	7 120,00
NYP2C-21392-15WC1002	687207	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SS	7 775,00
NYP2C-213C1-15WC1002	687209	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB H	6 315,00
NYP2C-31391-15WC1002	687220	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SS	7 895,00
NYP2C-31392-12WC1002	687221	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SS	7 855,00
NYP2C-313C2-12WC1002	687225	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB H	6 395,00
NYP2C-313K1-12WC1002	687227	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB S	6 695,00
NYP35-21391-12WC1002	687232	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SS	8 405,00
NYP35-213K2-15WC1002	687243	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB S	7 295,00
NYP35-313C1-15WC1002	687251	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB H	7 120,00
NYP2C-31391-12WC1002	687219	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SS	7 855,00
NYP35-21392-15WC1002	687235	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SS	8 445,00
NYP35-213K1-15WC1002	687241	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB S	7 295,00
NYP35-31392-15WC1002	687249	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SS	8 560,00
NYP35-313K1-15WC1002	687255	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB S	7 415,00
NYP2C-21001-12WC1002	687200	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), No Stora	5 805,00
NYP35-31001-12WC1002	687244	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), No Stora	6 610,00
NYP2C-21001-15WC1002	687201	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), No Stora	5 855,00
NYP2C-31001-15WC1002	687217	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), No Stora	5 980,00
NYP35-21001-12WC1002	687231	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), No Stora	6 475,00
NYP2C-213K2-15WC1002	687215	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB S	6 625,00
NYP2C-313K2-12WC1002	687229	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB S	6 695,00
NYP35-213K2-12WC1002	687242	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB S	7 255,00
NYP35-313K2-15WC1002	687198	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB S	7 415,00
NYP2C-31002-15WC1002	687218	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), No Stora	5 980,00
NYP2C-213K1-15WC1002	687213	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB S	6 625,00
NYP2C-313K1-15WC1002	687228	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB S	6 740,00
NYP35-213C1-12WC1002	687236	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB H	6 950,00
NYP35-313K2-12WC1002	687131	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB S	7 370,00
NYP2C-21391-12WC1002	687204	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SS	7 735,00

OMRON PVPR 2023

NYP2C-21391-15WC1002	687205	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SS	7 775,00
NYP2C-31392-15WC1002	687222	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SS	7 895,00
NYP2C-313C1-12WC1002	687223	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB H	6 395,00
NYP2C-313C1-15WC1002	687224	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB H	6 435,00
NYP35-313C2-12WC1002	687252	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB H	7 070,00
NYP35-313K1-12WC1002	687254	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB S	7 370,00
NYP2C-21392-12WC1002	687206	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SS	7 735,00
NYP2C-213C1-12WC1002	687208	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB H	6 265,00
NYP2C-213K1-12WC1002	687212	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB S	6 570,00
NYP35-213C2-12WC1002	687238	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB H	6 950,00
NYP35-31392-12WC1002	687248	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SS	8 545,00
NYP35-313C1-12WC1002	687250	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB H	7 070,00
NYP2C-31002-12WC1002	687197	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), No Stora	5 925,00
NYP35-21001-15WC1002	687196	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), No Stora	6 525,00
NYP35-31002-12WC1002	687195	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), No Stora	6 610,00
NYP35-31002-15WC1002	687194	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), No Stora	6 655,00
NYP2C-213C6-12WC1002	687193	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB H	6 830,00
NYP35-31396-15WC1002	687192	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SS	9 105,00
NYP2C-213K6-12WC1002	687191	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB S	7 120,00
NYP2C-213K6-15WC1002	687190	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB S	7 175,00
NYP2C-313K6-12WC1002	687189	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB S	7 255,00
NYP35-21396-15WC1002	687188	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SS	8 980,00
NYP35-213K6-15WC1002	687187	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB S	7 835,00
NYP35-313C6-12WC1002	687186	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB H	7 620,00
NYP35-21006-15WC1002	687185	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), No Stora	7 090,00
NYP2C-31006-15WC1002	687184	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), No Stora	6 525,00
NYP2C-313C6-15WC1002	687183	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB H	6 985,00
NYP35-21396-12WC1002	687182	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SS	8 955,00
NYP35-213C6-12WC1002	687181	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB H	7 500,00
NYP35-31006-12WC1002	687180	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), No Stora	7 175,00
NYP35-213C6-15WC1002	687179	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB H	7 535,00
NYP35-313C6-15WC1002	687178	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB H	7 665,00
NYP2C-313C6-12WC1002	687177	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB H	6 950,00

OMRON PVPR 2023

NYP35-31396-12WC1002	687176	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SS	9 095,00
NYP35-313K6-15WC1002	687175	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB S	7 960,00
NYP2C-21006-15WC1002	687174	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), No Stora	6 405,00
NYP2C-21396-15WC1002	687173	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SS	8 315,00
NYP2C-31006-12WC1002	687172	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), No Stora	6 475,00
NYP35-21006-12WC1002	687171	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), No Stora	7 040,00
NYP2C-21396-12WC1002	687170	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SS	8 285,00
NYP2C-213C6-15WC1002	687169	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB H	6 865,00
NYP2C-31396-12WC1002	687168	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SS	8 405,00
NYP35-313K6-12WC1002	687167	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB S	7 920,00
NYP2C-21006-12WC1002	687166	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), No Stora	6 355,00
NYP35-31006-15WC1002	687165	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), No Stora	7 200,00
NYP2C-31396-15WC1002	687164	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SS	8 445,00
NYP2C-313K6-15WC1002	687163	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB S	7 295,00
NYP35-213K6-12WC1002	687162	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB S	7 805,00
NYP35-30000-12WC1002	687161	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), No Stora	5 150,00
NYP2C-20000-12WC1002	687160	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), No Stora	3 790,00
NYP2C-20350-12WC1002	687159	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB CF	4 264,00
NYP2C-20360-12WC1002	687158	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB C	4 414,00
NYP2C-20370-12WC1002	687157	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 256 GB C	4 722,00
NYP2C-30000-12WC1002	687156	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), No Stora	3 971,00
NYP2C-30350-12WC1002	687155	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB CF	4 446,00
NYP2C-30360-12WC1002	687154	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 128	4 594,00
NYP2C-30370-12WC1002	687153	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 256 GB C	4 903,00
NYP35-30350-12WC1002	687152	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB CF	5 630,00
NYP35-30360-12WC1002	687151	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB C	5 775,00
NYP35-30370-12WC1002	687150	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB C	6 085,00
NYP35-40000-12WC1002	687149	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), No Stor	5 485,00
NYP35-40350-12WC1002	687148	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 64 GB C	5 965,00
NYP35-40360-12WC1002	687147	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB	6 115,00
NYP35-40370-12WC1002	687146	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB	6 425,00
NYP2C-20000-15WC1002	687145	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), No Stora	4 113,00
NYP2C-20350-15WC1002	687144	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB CF	4 583,00

OMRON PVPR 2023

NYP2C-20370-15WC1002	687143	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 256 GB C	5 040,00
NYP2C-30000-15WC1002	687142	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), No Stora	4 294,00
NYP2C-30350-15WC1002	687141	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB CF	4 765,00
NYP2C-30360-15WC1002	687140	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB C	4 911,00
NYP2C-30370-15WC1002	687139	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 256 GB C	5 220,00
NYP35-30000-15WC1002	687138	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), No Stora	5 460,00
NYP35-30350-15WC1002	687137	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB CF	5 930,00
NYP35-30360-15WC1002	687136	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB C	6 085,00
NYP35-30370-15WC1002	687135	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB C	6 395,00
NYP35-40000-15WC1002	687134	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), No Stor	5 795,00
NYP35-40350-15WC1002	687133	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 64 GB C	6 265,00
NYP35-40360-15WC1002	687132	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB	6 415,00
NYP35-40370-15WC1002	687199	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB	6 730,00
NYP25-11181-12WC1000	686935	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 32 GB SS	7 550,00
NYP25-11182-12WC1000	686934	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 32 GB SS	7 550,00
NYP25-11191-12WC1000	686949	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 64 GB SS	8 230,00
NYP25-11192-12WC1000	686948	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 64 GB SS	8 230,00
NYP25-111C1-12WC1000	686947	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 320 GB H	6 780,00
NYP25-111C2-12WC1000	686946	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 320 GB H	6 780,00
NYP25-11281-12WC1000	686945	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 32 GB SS	7 550,00
NYP25-11282-12WC1000	686944	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 32 GB SS	7 550,00
NYP25-11291-12WC1000	686943	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 64 GB SS	8 230,00
NYP25-11292-12WC1000	686942	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 64 GB SS	8 230,00
NYP25-112C1-12WC1000	686941	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 320 GB H	6 780,00
NYP25-112C2-12WC1000	686940	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 320 GB H	6 780,00
NYP25-21181-12WC1000	686939	Industrial Panel PC con Intel® Core™ i5-4300U, 4GB DRAM (no-ECC), WES 7 (32	7 350,00
NYP25-21182-12WC1000	686938	Industrial Panel PC con Intel® Core™ i5-4300U, 4GB DRAM (no-ECC), WES 7 (32	7 350,00
NYP25-21191-12WC1000	686937	Industrial Panel PC con Intel® Core™ i5-4300U, 4GB DRAM (no-ECC), WES 7 (32	8 020,00
NYP25-21192-12WC1000	686936	Industrial Panel PC con Intel® Core™ i5-4300U, 4GB DRAM (no-ECC), WES 7 (32	8 020,00
NYP25-211C1-12WC1000	686706	Industrial Panel PC con Intel® Core™ i5-4300U, 4GB DRAM (no-ECC), WES 7 (32	6 610,00
NYP25-211C2-12WC1000	686955	Industrial Panel PC con Intel® Core™ i5-4300U, 4GB DRAM (no-ECC), WES 7 (32	6 610,00
NYP25-21281-12WC1000	686954	Industrial Panel PC con Intel® Core™ i5-4300U, 4GB DRAM (no-ECC), WES 7 (64	7 350,00
NYP25-21282-12WC1000	686953	Industrial Panel PC con Intel® Core™ i5-4300U, 4GB DRAM (no-ECC), WES 7 (64	7 350,00

OMRON PVPR 2023

NYP25-21291-12WC1000	686952	Industrial Panel PC con Intel® Core™ i5-4300U, 4GB DRAM (no-ECC), WES 7 (64	8 020,00
NYP25-21292-12WC1000	686951	Industrial Panel PC con Intel® Core™ i5-4300U, 4 GB de DRAM (no ECC), SSD-SLC	8 020,00
NYP25-212C1-12WC1000	686950	Industrial Panel PC con Intel® Core™ i5-4300U, 4GB DRAM (no-ECC), WES 7 (64	6 610,00
NYP25-212C2-12WC1000	686881	Industrial Panel PC con Intel® Core™ i5-4300U, 4GB DRAM (no-ECC), WES 7 (64	6 610,00
NYP25-31281-12WC1000	686880	Industrial Panel PC con Intel® Core™ i5-4300U, 8GB DRAM (no-ECC), WES 7 (64	7 460,00
NYP25-31282-12WC1000	686879	Industrial Panel PC con Intel® Core™ i5-4300U, 8GB DRAM (no-ECC), WES 7 (64	7 460,00
NYP25-31291-12WC1000	686878	Industrial Panel PC con Intel® Core™ i5-4300U, 8 GB de DRAM (sin ECC), disco du	8 135,00
NYP25-31292-12WC1000	686877	Industrial Panel PC con Intel® Core™ i5-4300U, 8GB DRAM (no-ECC), WES 7 (64	8 135,00
NYP25-312C1-12WC1000	686876	Industrial Panel PC con Intel® Core™ i5-4300U, 8GB DRAM (no-ECC), WES 7 (64	6 720,00
NYP25-312C2-12WC1000	686875	Industrial Panel PC con Intel® Core™ i5-4300U, 8GB DRAM (no-ECC), WES 7 (64	6 720,00
NYP1C-11181-12WC1000	686874	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 32 GB SS	6 875,00
NYP1C-11182-12WC1000	686873	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 32 GB SS	6 875,00
NYP1C-11191-12WC1000	686872	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 64 GB SS	7 560,00
NYP1C-11192-12WC1000	686871	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 64 GB SS	7 560,00
NYP1C-111C1-12WC1000	686870	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 320 GB H	6 095,00
NYP1C-111C2-12WC1000	686869	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 320 GB H	6 095,00
NYP1C-11281-12WC1000	686868	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 32 GB SS	6 875,00
NYP1C-11282-12WC1000	686867	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 32 GB SS	6 875,00
NYP1C-11291-12WC1000	686866	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 64 GB SS	7 560,00
NYP1C-11292-12WC1000	686865	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 64 GB SS	7 560,00
NYP1C-112C1-12WC1000	686864	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 320 GB H	6 095,00
NYP1C-112C2-12WC1000	686863	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 320 GB H	6 095,00
NYP1C-21181-12WC1000	686862	Industrial Panel PC con Intel® Celeron® 2980U, 4GB DRAM (no-ECC), WES 7 (32	6 695,00
NYP1C-21182-12WC1000	686861	Industrial Panel PC con Intel® Celeron® 2980U, 4GB DRAM (no-ECC), WES 7 (32	6 695,00
NYP1C-21191-12WC1000	686860	Industrial Panel PC con Intel® Celeron® 2980U, 4GB DRAM (no-ECC), WES 7 (32	7 360,00
NYP1C-21192-12WC1000	686859	Industrial Panel PC con Intel® Celeron® 2980U, 4GB DRAM (no-ECC), WES 7 (32	7 360,00
NYP1C-211C1-12WC1000	686858	Industrial Panel PC con Intel® Celeron® 2980U, 4GB DRAM (no-ECC), WES 7 (32	5 940,00
NYP1C-211C2-12WC1000	686857	Industrial Panel PC con Intel® Celeron® 2980U, 4GB DRAM (no-ECC), WES 7 (32	5 940,00
NYP1C-21281-12WC1000	686856	Industrial Panel PC con Intel® Celeron® 2980U, 4GB DRAM (no-ECC), WES 7 (64	6 695,00
NYP1C-21282-12WC1000	686855	Industrial Panel PC con Intel® Celeron® 2980U, 4GB DRAM (no-ECC), WES 7 (64	6 695,00
NYP1C-21291-12WC1000	686854	Industrial Panel PC con Intel® Celeron® 2980U, 4GB DRAM (no-ECC), WES 7 (64	7 360,00
NYP1C-21292-12WC1000	686853	Industrial Panel PC con Intel® Celeron® 2980U, 4GB DRAM (no-ECC), WES 7 (64	7 360,00
NYP1C-212C1-12WC1000	686852	Industrial Panel PC con Intel® Celeron® 2980U, 4GB DRAM (no-ECC), WES 7 (64	5 940,00

OMRON PVPR 2023

NYP1C-212C2-12WC1000	686851	Industrial Panel PC con Intel® Celeron® 2980U, 4GB DRAM (no-ECC), WES 7 (64	5 940,00
NYP1C-31281-12WC1000	686850	Industrial Panel PC con Intel® Celeron® 2980U, 8GB DRAM (no-ECC), WES 7 (64	6 820,00
NYP1C-31282-12WC1000	686849	Industrial Panel PC con Intel® Celeron® 2980U, 8GB DRAM (no-ECC), WES 7 (64	6 820,00
NYP1C-31291-12WC1000	686848	Industrial Panel PC con Intel® Celeron® 2980U, 8GB DRAM (no-ECC), WES 7 (64	7 480,00
NYP1C-31292-12WC1000	686847	Industrial Panel PC con Intel® Celeron® 2980U, 8GB DRAM (no-ECC), WES 7 (64	7 480,00
NYP1C-312C1-12WC1000	686846	Industrial Panel PC con Intel® Celeron® 2980U, 8GB DRAM (no-ECC), WES 7 (64	6 070,00
NYP1C-312C2-12WC1000	686845	Industrial Panel PC con Intel® Celeron® 2980U, 8GB DRAM (no-ECC), WES 7 (64	6 070,00
NYP25-11181-15WC1000	686933	Industrial Panel PC con Intel® Core™ i5-4300U, 2GB DRAM (no-ECC), WES 7 (32	7 585,00
NYP25-11182-15WC1000	686932	Industrial Panel PC con Intel® Core™ i5-4300U, 2GB DRAM (no-ECC), WES 7 (32	7 585,00
NYP25-11191-15WC1000	686931	Industrial Panel PC con Intel® Core™ i5-4300U, 2GB DRAM (no-ECC), WES 7 (32	8 265,00
NYP25-11192-15WC1000	686930	Industrial Panel PC con Intel® Core™ i5-4300U, 2GB DRAM (no-ECC), WES 7 (32	8 265,00
NYP25-111C1-15WC1000	686929	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 320 GB H	6 815,00
NYP25-111C2-15WC1000	686928	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 320 GB H	6 815,00
NYP25-11281-15WC1000	686927	Industrial Panel PC con Intel® Core™ i5-4300U, 2GB DRAM (no-ECC), WES 7 (64	7 585,00
NYP25-11282-15WC1000	686926	Industrial Panel PC con Intel® Core™ i5-4300U, 2GB DRAM (no-ECC), WES 7 (64	7 585,00
NYP25-11291-15WC1000	686925	Industrial Panel PC con Intel® Core™ i5-4300U, 2GB DRAM (no-ECC), WES 7 (64	8 265,00
NYP25-11292-15WC1000	686924	Industrial Panel PC con Intel® Core™ i5-4300U, 2GB DRAM (no-ECC), WES 7 (64	8 265,00
NYP25-112C1-15WC1000	686923	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 320 GB H	6 815,00
NYP25-112C2-15WC1000	686844	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 320 GB H	6 815,00
NYP25-21181-15WC1000	686843	Industrial Panel PC con Intel® Core™ i5-4300U, 4GB DRAM (no-ECC), WES 7 (32	7 370,00
NYP25-21182-15WC1000	686842	Industrial Panel PC con Intel® Core™ i5-4300U, 4GB DRAM (no-ECC), WES 7 (32	7 370,00
NYP25-21191-15WC1000	686841	Industrial Panel PC con Intel® Core™ i5-4300U, 4GB DRAM (no-ECC), WES 7 (32	8 045,00
NYP25-21192-15WC1000	686840	Industrial Panel PC con Intel® Core™ i5-4300U, 4GB DRAM (no-ECC), WES 7 (32	8 045,00
NYP25-211C1-15WC1000	686839	Industrial Panel PC con Intel® Core™ i5-4300U, 4GB DRAM (no-ECC), WES 7 (32	6 645,00
NYP25-211C2-15WC1000	686838	Industrial Panel PC con Intel® Core™ i5-4300U, 4GB DRAM (no-ECC), WES 7 (32	6 645,00
NYP25-21281-15WC1000	686837	Industrial Panel PC con Intel® Core™ i5-4300U, 4GB DRAM (no-ECC), WES 7 (64	7 370,00
NYP25-21282-15WC1000	686836	Industrial Panel PC con Intel® Core™ i5-4300U, 4GB DRAM (no-ECC), WES 7 (64	7 370,00
NYP25-21291-15WC1000	686835	Industrial Panel PC con Intel® Core™ i5-4300U, 4GB DRAM (no-ECC), WES 7 (64	8 045,00
NYP25-21292-15WC1000	686834	Industrial Panel PC con Intel® Core™ i5-4300U, 4GB DRAM (no-ECC), WES 7 (64	8 045,00
NYP25-212C1-15WC1000	686833	Industrial Panel PC con Intel® Core™ i5-4300U, 4GB DRAM (no-ECC), WES 7 (64	6 645,00
NYP25-212C2-15WC1000	686832	Industrial Panel PC con Intel® Core™ i5-4300U, 4GB DRAM (no-ECC), WES 7 (64	6 645,00
NYP25-31281-15WC1000	686831	Industrial Panel PC con Intel® Core™ i5-4300U, 8GB DRAM (no-ECC), WES 7 (64	7 500,00
NYP25-31282-15WC1000	686830	Industrial Panel PC con Intel® Core™ i5-4300U, 8GB DRAM (no-ECC), WES 7 (64	7 500,00

OMRON PVPR 2023

NYP25-31291-15WC1000	686829	Industrial Panel PC con Intel® Core™ i5-4300U, 8 GB de DRAM (sin ECC), disco duro	8 155,00
NYP25-31292-15WC1000	686828	Industrial Panel PC con Intel® Core™ i5-4300U, 8GB DRAM (no-ECC), WES 7 (64	8 155,00
NYP25-312C1-15WC1000	686827	Industrial Panel PC con Intel® Core™ i5-4300U, 8GB DRAM (no-ECC), WES 7 (64	6 765,00
NYP25-312C2-15WC1000	686826	Industrial Panel PC con Intel® Core™ i5-4300U, 8GB DRAM (no-ECC), WES 7 (64	6 765,00
NYP1C-11181-15WC1000	686825	PC industrial formato cuadro con Intel® Celeron® 2980U, 2 GB de DRAM (sin ECC)	6 915,00
NYP1C-11182-15WC1000	686824	Industrial Panel PC con Intel® Celeron® 2980U, 2GB DRAM (no-ECC), WES 7 (32	6 915,00
NYP1C-11191-15WC1000	686823	Industrial Panel PC con Intel® Celeron® 2980U, 2GB DRAM (no-ECC), WES 7 (32	7 600,00
NYP1C-11192-15WC1000	686822	Industrial Panel PC con Intel® Celeron® 2980U, 2GB DRAM (no-ECC), WES 7 (32	7 600,00
NYP1C-111C1-15WC1000	686821	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 320 GB H	6 145,00
NYP1C-111C2-15WC1000	686820	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 320 GB H	6 145,00
NYP1C-11281-15WC1000	686819	Industrial Panel PC con Intel® Celeron® 2980U, 2GB DRAM (no-ECC), WES 7 (64	6 915,00
NYP1C-11282-15WC1000	686818	Industrial Panel PC con Intel® Celeron® 2980U, 2GB DRAM (no-ECC), WES 7 (64	6 915,00
NYP1C-11291-15WC1000	686817	Industrial Panel PC con Intel® Celeron® 2980U, 2GB DRAM (no-ECC), WES 7 (64	7 600,00
NYP1C-11292-15WC1000	686816	Industrial Panel PC con Intel® Celeron® 2980U, 2GB DRAM (no-ECC), WES 7 (64	7 600,00
NYP1C-112C1-15WC1000	686815	Industrial Panel PC con Intel® Celeron® 2980U, 2 GB de DRAM (no ECC), disco d	6 145,00
NYP1C-112C2-15WC1000	686814	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 320 GB H	6 145,00
NYP1C-21181-15WC1000	686813	Industrial Panel PC con Intel® Celeron® 2980U, 4GB DRAM (no-ECC), WES 7 (32	6 740,00
NYP1C-21182-15WC1000	686812	Industrial Panel PC con Intel® Celeron® 2980U, 4GB DRAM (no-ECC), WES 7 (32	6 740,00
NYP1C-21191-15WC1000	686811	Industrial Panel PC con Intel® Celeron® 2980U, 4GB DRAM (no-ECC), WES 7 (32	7 395,00
NYP1C-21192-15WC1000	686810	Industrial Panel PC con Intel® Celeron® 2980U, 4GB DRAM (no-ECC), WES 7 (32	7 395,00
NYP1C-211C1-15WC1000	686809	Industrial Panel PC con Intel® Celeron® 2980U, 4GB DRAM (no-ECC), WES 7 (32	5 990,00
NYP1C-211C2-15WC1000	686808	Industrial Panel PC con Intel® Celeron® 2980U, 4GB DRAM (no-ECC), WES 7 (32	5 990,00
NYP1C-21281-15WC1000	686807	Industrial Panel PC con Intel® Celeron® 2980U, 4GB DRAM (no-ECC), WES 7 (64	6 740,00
NYP1C-21282-15WC1000	686806	Industrial Panel PC con Intel® Celeron® 2980U, 4GB DRAM (no-ECC), WES 7 (64	6 740,00
NYP1C-21291-15WC1000	686805	Industrial Panel PC con Intel® Celeron® 2980U, 4GB DRAM (no-ECC), WES 7 (64	7 395,00
NYP1C-21292-15WC1000	686804	Industrial Panel PC con Intel® Celeron® 2980U, 4GB DRAM (no-ECC), WES 7 (64	7 395,00
NYP1C-212C1-15WC1000	686803	Industrial Panel PC con Intel® Celeron® 2980U, 4 GB de DRAM (no ECC), disco d	5 990,00
NYP1C-212C2-15WC1000	686802	Industrial Panel PC con Intel® Celeron® 2980U, 4GB DRAM (no-ECC), WES 7 (64	5 990,00
NYP1C-31281-15WC1000	686801	Industrial Panel PC con Intel® Celeron® 2980U, 8GB DRAM (no-ECC), WES 7 (64	6 855,00
NYP1C-31282-15WC1000	686800	Industrial Panel PC con Intel® Celeron® 2980U, 8GB DRAM (no-ECC), WES 7 (64	6 855,00
NYP1C-31291-15WC1000	686799	Industrial Panel PC con Intel® Celeron® 2980U, 8GB DRAM (no-ECC), WES 7 (64	7 525,00
NYP1C-31292-15WC1000	686798	Industrial Panel PC con Intel® Celeron® 2980U, 8GB DRAM (no-ECC), WES 7 (64	7 525,00
NYP1C-312C1-15WC1000	686797	Industrial Panel PC con Intel® Celeron® 2980U, 8GB DRAM (no-ECC), WES 7 (64	6 105,00

OMRON PVPR 2023

NYP1C-312C2-15WC1000	686796	Industrial Panel PC con Intel® Celeron® 2980U, 8GB DRAM (no-ECC), WES 7 (64	6 105,00
NYP25-111K1-12WC1000	686795	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 128 GB S	7 080,00
NYP25-111K2-12WC1000	686794	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 128 GB S	7 080,00
NYP25-112K1-12WC1000	686793	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 128 GB S	7 080,00
NYP25-112K2-12WC1000	686792	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), 128 GB S	7 080,00
NYP25-211K1-12WC1000	686791	Industrial Panel PC con Intel® Core™ i5-4300U, 4GB DRAM (no-ECC), WES 7 (32	6 895,00
NYP25-211K2-12WC1000	686790	Industrial Panel PC con Intel® Core™ i5-4300U, 4GB DRAM (no-ECC), WES 7 (32	6 895,00
NYP25-212K1-12WC1000	686789	Industrial Panel PC con Intel® Core™ i5-4300U, 4GB DRAM (no-ECC), WES 7 (64	6 895,00
NYP25-212K2-12WC1000	686788	Industrial Panel PC con Intel® Core™ i5-4300U, 4GB DRAM (no-ECC), WES 7 (64	6 895,00
NYP25-312K1-12WC1000	686787	Industrial Panel PC con Intel® Core™ i5-4300U, 8GB DRAM (no-ECC), WES 7 (64	7 015,00
NYP25-312K2-12WC1000	686786	Industrial Panel PC con Intel® Core™ i5-4300U, 8GB DRAM (no-ECC), WES 7 (64	7 015,00
NYP1C-111K1-12WC1000	686785	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 128 GB S	6 400,00
NYP1C-111K2-12WC1000	686784	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 128 GB S	6 400,00
NYP1C-112K1-12WC1000	686783	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 128 GB S	6 400,00
NYP1C-112K2-12WC1000	686782	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), 128 GB S	6 400,00
NYP1C-211K1-12WC1000	686781	Industrial Panel PC con Intel® Celeron® 2980U, 4GB DRAM (no-ECC), WES 7 (32	6 245,00
NYP1C-211K2-12WC1000	686780	Industrial Panel PC con Intel® Celeron® 2980U, 4GB DRAM (no-ECC), WES 7 (32	6 245,00
NYP1C-212K1-12WC1000	686779	Industrial Panel PC con Intel® Celeron® 2980U, 4GB DRAM (no-ECC), WES 7 (64	6 245,00
NYP1C-212K2-12WC1000	686778	Industrial Panel PC con Intel® Celeron® 2980U, 4GB DRAM (no-ECC), WES 7 (64	6 245,00
NYP1C-312K1-12WC1000	686777	Industrial Panel PC con Intel® Celeron® 2980U, 8 GB de DRAM (no ECC), SSD-iN	6 355,00
NYP1C-312K2-12WC1000	686776	Industrial Panel PC con Intel® Celeron® 2980U, 8GB DRAM (no-ECC), WES 7 (64	6 355,00
NYP25-111K1-15WC1000	686775	Industrial Panel PC con Intel® Core™ i5-4300U, 2GB DRAM (no-ECC), WES 7 (32	7 120,00
NYP25-111K2-15WC1000	686774	Industrial Panel PC con Intel® Core™ i5-4300U, 2GB DRAM (no-ECC), WES 7 (32	7 120,00
NYP25-112K1-15WC1000	686773	Industrial Panel PC con Intel® Core™ i5-4300U, 2GB DRAM (no-ECC), WES 7 (64	7 120,00
NYP25-112K2-15WC1000	686772	Industrial Panel PC con Intel® Core™ i5-4300U, 2GB DRAM (no-ECC), WES 7 (64	7 120,00
NYP25-211K1-15WC1000	686771	Industrial Panel PC con Intel® Core™ i5-4300U, 4GB DRAM (no-ECC), WES 7 (32	6 930,00
NYP25-211K2-15WC1000	686770	Industrial Panel PC con Intel® Core™ i5-4300U, 4GB DRAM (no-ECC), WES 7 (32	6 930,00
NYP25-212K1-15WC1000	686769	Industrial Panel PC con Intel® Core™ i5-4300U, 4GB DRAM (no-ECC), WES 7 (64	6 930,00
NYP25-212K2-15WC1000	686768	Industrial Panel PC con Intel® Core™ i5-4300U, 4GB DRAM (no-ECC), WES 7 (64	6 930,00
NYP25-312K1-15WC1000	686767	Industrial Panel PC con Intel® Core™ i5-4300U, 8 GB de DRAM (sin ECC), disco du	7 055,00
NYP25-312K2-15WC1000	686766	Industrial Panel PC con Intel® Core™ i5-4300U, 8GB DRAM (no-ECC), WES 7 (64	7 055,00
NYP1C-111K1-15WC1000	686765	Industrial Panel PC con Intel® Celeron® 2980U, 2GB DRAM (no-ECC), WES 7 (32	6 455,00
NYP1C-111K2-15WC1000	686764	Industrial Panel PC con Intel® Celeron® 2980U, 2GB DRAM (no-ECC), WES 7 (32	6 455,00

OMRON PVPR 2023

NYP1C-112K1-15WC1000	686763	Industrial Panel PC con Intel® Celeron® 2980U, 2GB DRAM (no-ECC), WES 7 (64	6 455,00
NYP1C-112K2-15WC1000	686762	Industrial Panel PC con Intel® Celeron® 2980U, 2GB DRAM (no-ECC), WES 7 (64	6 455,00
NYP1C-211K1-15WC1000	686761	Industrial Panel PC con Intel® Celeron® 2980U, 4GB DRAM (no-ECC), WES 7 (32	6 280,00
NYP1C-211K2-15WC1000	686760	Industrial Panel PC con Intel® Celeron® 2980U, 4GB DRAM (no-ECC), WES 7 (32	6 280,00
NYP1C-212K1-15WC1000	686759	Industrial Panel PC con Intel® Celeron® 2980U, 4 GB de DRAM (no ECC), SSD-iN	6 280,00
NYP1C-212K2-15WC1000	686758	Industrial Panel PC con Intel® Celeron® 2980U, 4GB DRAM (no-ECC), WES 7 (64	6 280,00
NYP1C-312K1-15WC1000	686757	Industrial Panel PC con Intel® Celeron® 2980U, 8 GB de DRAM (no ECC), SSD-iN	6 400,00
NYP1C-312K2-15WC1000	686756	Industrial Panel PC con Intel® Celeron® 2980U, 8GB DRAM (no-ECC), WES 7 (64	6 400,00
NYP1C-21391-12WC1000	686922	Industrial Panel PC with Intel® Celeron® 2980U, 4 GB DRAM (non-ECC), 64 GB SS	7 625,00
NYP1C-21391-15WC1000	686921	Industrial Panel PC with Intel® Celeron® 2980U, 4 GB DRAM (non-ECC), 64 GB SS	7 660,00
NYP1C-21392-12WC1000	686920	Industrial Panel PC with Intel® Celeron® 2980U, 4 GB DRAM (non-ECC), 64 GB SS	7 625,00
NYP1C-21392-15WC1000	686919	Industrial Panel PC with Intel® Celeron® 2980U, 4 GB DRAM (non-ECC), 64 GB SS	7 660,00
NYP1C-213C1-12WC1000	686918	Industrial Panel PC with Intel® Celeron® 2980U, 4 GB DRAM (non-ECC), 320 GB H	6 150,00
NYP1C-213C1-15WC1000	686917	Industrial Panel PC with Intel® Celeron® 2980U, 4 GB DRAM (non-ECC), 320 GB H	6 200,00
NYP1C-213C2-12WC1000	686916	Industrial Panel PC with Intel® Celeron® 2980U, 4 GB DRAM (non-ECC), 320 GB H	6 150,00
NYP1C-213C2-15WC1000	686915	Industrial Panel PC with Intel® Celeron® 2980U, 4 GB DRAM (non-ECC), 320 GB H	6 200,00
NYP1C-213K1-12WC1000	686914	Industrial Panel PC with Intel® Celeron® 2980U, 4 GB DRAM (non-ECC), 128 GB S	6 460,00
NYP1C-213K1-15WC1000	686913	Industrial Panel PC with Intel® Celeron® 2980U, 4 GB DRAM (non-ECC), 128 GB S	6 515,00
NYP1C-213K2-12WC1000	686912	Industrial Panel PC with Intel® Celeron® 2980U, 4 GB DRAM (non-ECC), 128 GB S	6 460,00
NYP1C-213K2-15WC1000	686911	Industrial Panel PC with Intel® Celeron® 2980U, 4 GB DRAM (non-ECC), 128 GB S	6 515,00
NYP1C-31391-12WC1000	686910	Industrial Panel PC with Intel® Celeron® 2980U, 8 GB DRAM (non-ECC), 64 GB SS	7 740,00
NYP1C-31391-15WC1000	686909	Industrial Panel PC with Intel® Celeron® 2980U, 8 GB DRAM (non-ECC), 64 GB SS	7 785,00
NYP1C-31392-12WC1000	686908	Industrial Panel PC with Intel® Celeron® 2980U, 8 GB DRAM (non-ECC), 64 GB SS	7 740,00
NYP1C-31392-15WC1000	686907	Industrial Panel PC with Intel® Celeron® 2980U, 8 GB DRAM (non-ECC), 64 GB SS	7 785,00
NYP1C-313C1-12WC1000	686906	Industrial Panel PC with Intel® Celeron® 2980U, 8 GB DRAM (non-ECC), 320 GB H	6 280,00
NYP1C-313C1-15WC1000	686905	Industrial Panel PC with Intel® Celeron® 2980U, 8 GB DRAM (non-ECC), 320 GB H	5 135,00
NYP1C-313C2-12WC1000	686904	Industrial Panel PC with Intel® Celeron® 2980U, 8 GB DRAM (non-ECC), 320 GB H	6 280,00
NYP1C-313C2-15WC1000	686903	Industrial Panel PC with Intel® Celeron® 2980U, 8 GB DRAM (non-ECC), 320 GB H	6 325,00
NYP1C-313K1-12WC1000	686902	Industrial Panel PC con Intel® Celeron® 2980U, 8 GB de DRAM (sin ECC), disco du	6 585,00
NYP1C-313K1-15WC1000	686901	Industrial Panel PC con Intel® Celeron® 2980U, 8 GB de DRAM (sin ECC), disco du	6 635,00
NYP1C-313K2-12WC1000	686900	Industrial Panel PC with Intel® Celeron® 2980U, 8 GB DRAM (non-ECC), 128 GB S	6 585,00
NYP1C-313K2-15WC1000	686899	Industrial Panel PC with Intel® Celeron® 2980U, 8 GB DRAM (non-ECC), 128 GB S	6 635,00
NYP25-21391-12WC1000	686898	Industrial Panel PC with Intel® Core™ i5-4300U, 4 GB DRAM (non-ECC), 64 GB SS	8 300,00

OMRON PVPR 2023

NYP25-21391-15WC1000	686897	Industrial Panel PC with Intel® Core™ i5-4300U, 4 GB DRAM (non-ECC), 64 GB SS	8 330,00
NYP25-21392-12WC1000	686896	Industrial Panel PC with Intel® Core™ i5-4300U, 4 GB DRAM (non-ECC), 64 GB SS	8 300,00
NYP25-21392-15WC1000	686895	Industrial Panel PC with Intel® Core™ i5-4300U, 4 GB DRAM (non-ECC), 64 GB SS	8 330,00
NYP25-213C1-12WC1000	686894	Industrial Panel PC with Intel® Core™ i5-4300U, 4 GB DRAM (non-ECC), 320 GB H	6 840,00
NYP25-213C1-15WC1000	686883	Industrial Panel PC with Intel® Core™ i5-4300U, 4 GB DRAM (non-ECC), 320 GB H	6 885,00
NYP25-213C2-12WC1000	686882	Industrial Panel PC with Intel® Core™ i5-4300U, 4 GB DRAM (non-ECC), 320 GB H	6 840,00
NYP25-213C2-15WC1000	686755	Industrial Panel PC with Intel® Core™ i5-4300U, 4 GB DRAM (non-ECC), 320 GB H	6 885,00
NYP25-213K1-12WC1000	686754	Industrial Panel PC with Intel® Core™ i5-4300U, 4 GB DRAM (non-ECC), 128 GB S	7 150,00
NYP25-213K1-15WC1000	686753	Industrial Panel PC with Intel® Core™ i5-4300U, 4 GB DRAM (non-ECC), 128 GB S	7 185,00
NYP25-213K2-12WC1000	686752	Industrial Panel PC with Intel® Core™ i5-4300U, 4 GB DRAM (non-ECC), 128 GB S	7 150,00
NYP25-213K2-15WC1000	686751	Industrial Panel PC con Intel® Core™ i5-4300U, 4 GB de DRAM (sin ECC), SSD-iMI	7 185,00
NYP25-31391-12WC1000	686973	Industrial Panel PC con Intel® Core™ i5-4300U, 8 GB de DRAM (sin ECC), disco du	8 430,00
NYP25-31391-15WC1000	686972	Industrial Panel PC con Intel® Core™ i5-4300U, 8 GB de DRAM (sin ECC), disco du	8 450,00
NYP25-31392-12WC1000	686971	Industrial Panel PC with Intel® Core™ i5-4300U, 8 GB DRAM (non-ECC), 64 GB SS	8 430,00
NYP25-31392-15WC1000	686970	Industrial Panel PC with Intel® Core™ i5-4300U, 8 GB DRAM (non-ECC), 64 GB SS	8 450,00
NYP25-313C1-12WC1000	686969	Industrial Panel PC with Intel® Core™ i5-4300U, 8 GB DRAM (non-ECC), 320 GB H	6 960,00
NYP25-313C1-15WC1000	686968	Industrial Panel PC with Intel® Core™ i5-4300U, 8 GB DRAM (non-ECC), 320 GB H	7 010,00
NYP25-313C2-12WC1000	686967	Industrial Panel PC with Intel® Core™ i5-4300U, 8 GB DRAM (non-ECC), 320 GB H	6 960,00
NYP25-313C2-15WC1000	686966	Industrial Panel PC with Intel® Core™ i5-4300U, 8 GB DRAM (non-ECC), 320 GB H	7 010,00
NYP25-313K1-12WC1000	686965	Industrial Panel PC con Intel® Core™ i5-4300U, 8 GB de DRAM (sin ECC), SSD-iMI	7 275,00
NYP25-313K1-15WC1000	686964	Industrial Panel PC con Intel® Core™ i5-4300U, 8 GB de DRAM (sin ECC), SSD-iMI	7 305,00
NYP25-313K2-12WC1000	686963	Industrial Panel PC with Intel® Core™ i5-4300U, 8 GB DRAM (non-ECC), 128 GB S	7 275,00
NYP25-313K2-15WC1000	686962	Industrial Panel PC with Intel® Core™ i5-4300U, 8 GB DRAM (non-ECC), 128 GB S	7 305,00
NYP1C-11001-12WC1000	686750	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), No stora	5 635,00
NYP1C-11001-15WC1000	686749	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), No stora	5 690,00
NYP1C-11002-12WC1000	686748	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), No stora	5 635,00
NYP1C-11002-15WC1000	686747	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), No stora	5 690,00
NYP1C-21001-12WC1000	686746	Industrial Panel PC with Intel® Celeron® 2980U, 4 GB DRAM (non-ECC), No stora	5 690,00
NYP1C-21001-15WC1000	686745	Industrial Panel PC with Intel® Celeron® 2980U, 4 GB DRAM (non-ECC), No stora	5 745,00
NYP1C-21002-12WC1000	686744	Industrial Panel PC with Intel® Celeron® 2980U, 4 GB DRAM (non-ECC), No stora	5 690,00
NYP1C-21002-15WC1000	686743	Industrial Panel PC with Intel® Celeron® 2980U, 4 GB DRAM (non-ECC), No stora	5 745,00
NYP1C-31001-12WC1000	686742	Industrial Panel PC with Intel® Celeron® 2980U, 8 GB DRAM (non-ECC), No stora	5 815,00
NYP1C-31001-15WC1000	686741	Industrial Panel PC with Intel® Celeron® 2980U, 8 GB DRAM (non-ECC), No stora	5 870,00

OMRON PVPR 2023

NYP1C-31002-12WC1000	686740	Industrial Panel PC with Intel® Celeron® 2980U, 8 GB DRAM (non-ECC), No stora	5 815,00
NYP1C-31002-15WC1000	686739	Industrial Panel PC with Intel® Celeron® 2980U, 8 GB DRAM (non-ECC), No stora	5 870,00
NYP25-11001-12WC1000	686738	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), No stora	6 310,00
NYP25-11001-15WC1000	686737	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), No stora	6 355,00
NYP25-11002-12WC1000	686736	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), No stora	6 310,00
NYP25-11002-15WC1000	686893	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), No stora	6 355,00
NYP25-21001-12WC1000	686892	Industrial Panel PC with Intel® Core™ i5-4300U, 4 GB DRAM (non-ECC), No stora	6 375,00
NYP25-21001-15WC1000	686891	Industrial Panel PC with Intel® Core™ i5-4300U, 4 GB DRAM (non-ECC), No stora	6 415,00
NYP25-21002-12WC1000	686890	Industrial Panel PC with Intel® Core™ i5-4300U, 4 GB DRAM (non-ECC), No stora	6 375,00
NYP25-21002-15WC1000	686889	Industrial Panel PC with Intel® Core™ i5-4300U, 4 GB DRAM (non-ECC), No stora	6 415,00
NYP25-31001-12WC1000	686888	Industrial Panel PC with Intel® Core™ i5-4300U, 8 GB DRAM (non-ECC), No stora	6 505,00
NYP25-31001-15WC1000	686887	Industrial Panel PC with Intel® Core™ i5-4300U, 8 GB DRAM (non-ECC), No stora	6 555,00
NYP25-31002-12WC1000	686886	Industrial Panel PC with Intel® Core™ i5-4300U, 8 GB DRAM (non-ECC), No stora	6 505,00
NYP25-31002-15WC1000	686885	Industrial Panel PC with Intel® Core™ i5-4300U, 8 GB DRAM (non-ECC), No stora	6 555,00
NYP1C-21396-12WC1000	686884	Industrial Panel PC with Intel® Celeron® 2980U, 4 GB DRAM (non-ECC), 64 GB SS	8 180,00
NYP1C-21396-15WC1000	686735	PC industrial formato cuadro con Intel® Celeron® 2980U, 4 GB de DRAM (no ECC)	8 205,00
NYP1C-213C6-12WC1000	686734	Industrial Panel PC with Intel® Celeron® 2980U, 4 GB DRAM (non-ECC), 320 GB H	6 710,00
NYP1C-213C6-15WC1000	686733	Industrial Panel PC with Intel® Celeron® 2980U, 4 GB DRAM (non-ECC), 320 GB H	6 760,00
NYP1C-213K6-12WC1000	686732	Industrial Panel PC with Intel® Celeron® 2980U, 4 GB DRAM (non-ECC), 128 GB S	7 015,00
NYP1C-213K6-15WC1000	686731	Industrial Panel PC with Intel® Celeron® 2980U, 4 GB DRAM (non-ECC), 128 GB S	7 060,00
NYP1C-31396-12WC1000	686730	Industrial Panel PC with Intel® Celeron® 2980U, 8 GB DRAM (non-ECC), 64 GB SS	8 300,00
NYP1C-31396-15WC1000	686729	Industrial Panel PC with Intel® Celeron® 2980U, 8 GB DRAM (non-ECC), 64 GB SS	8 330,00
NYP1C-313C6-12WC1000	686728	PC industrial formato cuadro con Intel® Celeron® 2980U, 8 GB de DRAM (no ECC)	6 840,00
NYP1C-313C6-15WC1000	686727	Industrial Panel PC with Intel® Celeron® 2980U, 8 GB DRAM (non-ECC), 320 GB H	6 885,00
NYP1C-313K6-12WC1000	686726	Industrial Panel PC with Intel® Celeron® 2980U, 8 GB DRAM (non-ECC), 128 GB S	7 150,00
NYP1C-313K6-15WC1000	686725	Industrial Panel PC with Intel® Celeron® 2980U, 8 GB DRAM (non-ECC), 128 GB S	7 185,00
NYP25-21396-12WC1000	686724	Industrial Panel PC with Intel® Core™ i5-4300U, 4 GB DRAM (non-ECC), 64 GB SS	8 850,00
NYP25-21396-15WC1000	686723	Industrial Panel PC with Intel® Core™ i5-4300U, 4 GB DRAM (non-ECC), 64 GB SS	8 870,00
NYP25-213C6-12WC1000	686722	Industrial Panel PC with Intel® Core™ i5-4300U, 4 GB DRAM (non-ECC), 320 GB H	7 395,00
NYP25-213C6-15WC1000	686721	Industrial Panel PC with Intel® Core™ i5-4300U, 4 GB DRAM (non-ECC), 320 GB H	7 425,00
NYP25-213K6-12WC1000	686720	Industrial Panel PC with Intel® Core™ i5-4300U, 4 GB DRAM (non-ECC), 128 GB S	7 695,00
NYP25-213K6-15WC1000	686719	Industrial Panel PC with Intel® Core™ i5-4300U, 4 GB DRAM (non-ECC), 128 GB S	7 725,00
NYP25-31396-12WC1000	686961	Industrial Panel PC with Intel® Core™ i5-4300U, 8 GB DRAM (non-ECC), 64 GB SS	8 980,00

OMRON PVPR 2023

NYP25-31396-15WC1000	686960	Industrial Panel PC with Intel® Core™ i5-4300U, 8 GB DRAM (non-ECC), 64 GB S	8 990,00
NYP25-313C6-12WC1000	686959	Industrial Panel PC with Intel® Core™ i5-4300U, 8 GB DRAM (non-ECC), 320 GB H	7 520,00
NYP25-313C6-15WC1000	686958	Industrial Panel PC with Intel® Core™ i5-4300U, 8 GB DRAM (non-ECC), 320 GB H	7 555,00
NYP25-313K6-12WC1000	686957	Industrial Panel PC with Intel® Core™ i5-4300U, 8 GB DRAM (non-ECC), 128 GB S	7 820,00
NYP25-313K6-15WC1000	686956	Industrial Panel PC with Intel® Core™ i5-4300U, 8 GB DRAM (non-ECC), 128 GB S	7 850,00
NYP1C-11006-12WC1000	686718	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), No stora	6 190,00
NYP1C-11006-15WC1000	686717	Industrial Panel PC with Intel® Celeron® 2980U, 2 GB DRAM (non-ECC), No stora	6 230,00
NYP1C-21006-12WC1000	686716	Industrial Panel PC with Intel® Celeron® 2980U, 4 GB DRAM (non-ECC), No stora	6 250,00
NYP1C-21006-15WC1000	686715	Industrial Panel PC with Intel® Celeron® 2980U, 4 GB DRAM (non-ECC), No stora	6 290,00
NYP1C-31006-12WC1000	686714	Industrial Panel PC with Intel® Celeron® 2980U, 8 GB DRAM (non-ECC), No stora	6 375,00
NYP1C-31006-15WC1000	686713	Industrial Panel PC with Intel® Celeron® 2980U, 8 GB DRAM (non-ECC), No stora	6 415,00
NYP25-11006-12WC1000	686712	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), No stora	6 865,00
NYP25-11006-15WC1000	686711	Industrial Panel PC with Intel® Core™ i5-4300U, 2 GB DRAM (non-ECC), No stora	6 910,00
NYP25-21006-12WC1000	686710	Industrial Panel PC with Intel® Core™ i5-4300U, 4 GB DRAM (non-ECC), No stora	6 930,00
NYP25-21006-15WC1000	686709	Industrial Panel PC with Intel® Core™ i5-4300U, 4 GB DRAM (non-ECC), No stora	6 975,00
NYP25-31006-12WC1000	686708	Industrial Panel PC with Intel® Core™ i5-4300U, 8 GB DRAM (non-ECC), No stora	7 060,00
NYP25-31006-15WC1000	686707	Industrial Panel PC with Intel® Core™ i5-4300U, 8 GB DRAM (non-ECC), No stora	7 095,00
NYP25-313C1-15WC1002	700868	Industrial Panel PC with Intel® Core™ i5-4300U, 8 GB DRAM (non-ECC), 320 GB H	7 120,00
NYP2C-20000-19WC1000	688862	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), No Stora	4 664,00
NYP2C-30000-19WC1000	688863	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), No Stora	4 770,00
NYP2C-20350-19WC1000	688864	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB CF	5 160,00
NYP2C-30350-19WC1000	688865	PC de panel industrial con Intel® Celeron® 3965U, 8 GB de DRAM (sin ECC), 64 G	5 265,00
NYP2C-20360-19WC1000	688866	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB C	5 290,00
NYP2C-30360-19WC1000	688867	Industrial Panel PC con Intel® Celeron® 3965U, 8 GB de DRAM (sin ECC), CFast iN	5 400,00
NYP2C-20370-19WC1000	688868	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 256 GB C	5 575,00
NYP2C-30370-19WC1000	688869	Industrial Panel PC con Intel® Celeron® 3965U, 8 GB de DRAM (sin ECC), CFast iN	5 680,00
NYP35-30000-19WC1000	688870	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), No Stora	6 095,00
NYP35-40000-19WC1000	688871	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), No Stor	6 305,00
NYP35-30350-19WC1000	688872	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB CF	6 565,00
NYP35-40350-19WC1000	688873	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 64 GB C	6 800,00
NYP35-30360-19WC1000	688874	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB C	6 730,00
NYP35-40360-19WC1000	688875	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB	6 925,00
NYP35-30370-19WC1000	688876	Industrial Panel PC con Intel® Core™ i5-7300U, 8 GB de DRAM (sin ECC), CFast iN	7 010,00

OMRON PVPR 2023

NYP35-40370-19WC1000	688877	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB	7 215,00
NYP2C-20000-19WC1002	688878	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), No Storage	4 773,00
NYP2C-30000-19WC1002	688879	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), No Storage	4 877,00
NYP2C-20350-19WC1002	688880	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB CF	5 270,00
NYP2C-30350-19WC1002	688881	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB CF	5 375,00
NYP2C-20360-19WC1002	688882	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB C	5 400,00
NYP2C-30360-19WC1002	688883	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB C	5 510,00
NYP2C-20370-19WC1002	688884	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 256 GB C	5 685,00
NYP2C-30370-19WC1002	688885	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 256 GB C	5 790,00
NYP35-30000-19WC1002	688886	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), No Storage	6 205,00
NYP35-40000-19WC1002	688887	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), No Stor	6 410,00
NYP35-30350-19WC1002	688888	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB CF	6 675,00
NYP35-40350-19WC1002	688889	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 64 GB C	6 910,00
NYP35-30360-19WC1002	688890	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB C	6 835,00
NYP35-40360-19WC1002	688891	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB	7 035,00
NYP35-30370-19WC1002	688892	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB C	7 120,00
NYP35-40370-19WC1002	688893	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB	7 315,00
NYP2A-10000-12WC1000	688974	Industrial Panel PC with Intel® Atom™ E3940, 2 GB DRAM (non-ECC), No Storage	3 335,00
NYP2A-20000-12WC1000	688975	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), No Storage	3 368,00
NYP2A-20450-12WC1000	688976	PC industrial de Panel con Intel® Atom™ E3940, 4 GB de memoria DRAM (no ECC)	3 691,00
NYP2A-20460-12WC1000	688977	Industrial Panel PC con Intel® Atom™ E3940, 4 GB DRAM (sin ECC), CFast iMLC d	3 815,00
NYP2A-20470-12WC1000	688978	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 256 GB CFa	4 077,00
NYP2A-30000-12WC1000	688979	Industrial Panel PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), No Storage	3 445,00
NYP2A-30450-12WC1000	688980	Industrial Panel PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 64 GB CFas	3 768,00
NYP2A-30460-12WC1000	688981	Industrial Panel PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 128 GB CFa	3 889,00
NYP2A-30470-12WC1000	688982	Industrial Panel PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 256 GB CFa	4 155,00
NYP2A-10000-15WC1000	688983	Industrial Panel PC with Intel® Atom™ E3940, 2 GB DRAM (non-ECC), No Storage	3 561,00
NYP2A-20000-15WC1000	688984	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), No Storage	3 593,00
NYP2A-20450-15WC1000	688985	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 64 GB CFas	3 913,00
NYP2A-20460-15WC1000	688986	Industrial Panel PC con Intel® Atom™ E3940, 4 GB DRAM (sin ECC), CFast iMLC d	4 035,00
NYP2A-20470-15WC1000	688987	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 256 GB CFa	4 295,00
NYP2A-30000-15WC1000	688988	Industrial Panel PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), No Storage	3 669,00
NYP2A-30450-15WC1000	688989	Industrial Panel PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 64 GB CFas	3 988,00

OMRON PVPR 2023

NYP2A-30460-15WC1000	688990	Industrial Panel PC con Intel® Atom™ E3940, 8 GB DRAM (sin ECC), CFast iMLC d	4 111,00
NYP2A-30470-15WC1000	688991	Industrial Panel PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 256 GB CFa	4 372,00
NYP2A-10000-12WC1002	688992	Industrial Panel PC with Intel® Atom™ E3940, 2 GB DRAM (non-ECC), No Storage	3 445,00
NYP2A-20000-12WC1002	688993	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), No Storage	3 478,00
NYP2A-20450-12WC1002	688994	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 64 GB CFas	3 802,00
NYP2A-20460-12WC1002	688995	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 128 GB CFa	3 925,00
NYP2A-20470-12WC1002	688996	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 256 GB CFa	4 187,00
NYP2A-30000-12WC1002	688997	Industrial Panel PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), No Storage	3 553,00
NYP2A-30450-12WC1002	688998	Industrial Panel PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 64 GB CFas	3 877,00
NYP2A-30460-12WC1002	688999	Industrial Panel PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 128 GB CFa	4 000,00
NYP2A-30470-12WC1002	689000	Industrial Panel PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 256 GB CFa	4 264,00
NYP2A-10000-15WC1002	689001	Industrial Panel PC with Intel® Atom™ E3940, 2 GB DRAM (non-ECC), No Storage	3 670,00
NYP2A-20000-15WC1002	689002	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), No Storage	3 702,00
NYP2A-20450-15WC1002	689003	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 64 GB CFas	4 023,00
NYP2A-20460-15WC1002	689004	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 128 GB CFa	4 145,00
NYP2A-20470-15WC1002	689005	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 256 GB CFa	4 405,00
NYP2A-30000-15WC1002	689006	Industrial Panel PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), No Storage	3 778,00
NYP2A-30450-15WC1002	689007	Industrial Panel PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 64 GB CFas	4 097,00
NYP2A-30460-15WC1002	689008	Industrial Panel PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 128 GB CFa	4 219,00
NYP2A-30470-15WC1002	689009	Industrial Panel PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 256 GB CFa	4 481,00
NYP2A-10000-19WC1000	689010	Industrial Panel PC with Intel® Atom™ E3940, 2 GB DRAM (non-ECC), No Storage	4 177,00
NYP2A-20000-19WC1000	689011	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), No Storage	4 207,00
NYP2A-30000-19WC1000	689012	Industrial Panel PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), No Storage	4 282,00
NYP2A-20450-19WC1000	689013	PC de panel industrial con Intel® Atom™ E3940, 4 GB de memoria DRAM (no ECC)	4 529,00
NYP2A-30450-19WC1000	689014	Industrial Panel PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 64 GB CFas	4 601,00
NYP2A-20460-19WC1000	689015	Industrial Panel PC con Intel® Atom™ E3940, 4 GB DRAM (sin ECC), CFast iMLC d	4 650,00
NYP2A-30460-19WC1000	689016	Industrial Panel PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 128 GB CFa	4 724,00
NYP2A-20470-19WC1000	689017	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 256 GB CFa	4 911,00
NYP2A-30470-19WC1000	689018	Industrial Panel PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 256 GB CFa	4 985,00
NYP2A-10000-19WC1002	689019	Industrial Panel PC with Intel® Atom™ E3940, 2 GB DRAM (non-ECC), No Storage	4 286,00
NYP2A-20000-19WC1002	689020	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), No Storage	4 316,00
NYP2A-30000-19WC1002	689021	Industrial Panel PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), No Storage	4 391,00
NYP2A-20450-19WC1002	689022	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 64 GB CFas	4 638,00

OMRON PVPR 2023

NYP2A-30450-19WC1002	689023	Industrial Panel PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 64 GB CFas	4 711,00
NYP2A-20460-19WC1002	689024	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 128 GB CFa	4 760,00
NYP2A-30460-19WC1002	689025	Industrial Panel PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 128 GB CFa	4 834,00
NYP2A-20470-19WC1002	689026	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 256 GB CFa	5 020,00
NYP2A-30470-19WC1002	688955	Industrial Panel PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 256 GB CFa	5 095,00
NYP2C-30360-19WC1100	695341	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB C	5 660,00
NYP35-40000-19WC1100	708181	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), No Stor	6 590,00
NYP35-30370-19WC1100	695744	PC industrial de Panel con Intel® Core™ i5-7300U, 8 GB de memoria DRAM (no B	7 295,00
NYP35-30370-19WC1102	695743	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB C	7 405,00
NYP2A-10000-19WC1100	695340	Industrial Panel PC with Intel® Atom™ E3940, 2 GB DRAM (non-ECC), No Storage	4 785,00
NYP2A-20000-19WC1100	695339	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), No Storage	4 836,00
NYP2A-30000-19WC1100	695338	Industrial Panel PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), No Storage	4 947,00
NYP2A-20450-19WC1100	695337	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 64 GB CFas	5 185,00
NYP2A-30450-19WC1100	695336	Industrial Panel PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 64 GB CFas	5 300,00
NYP2A-20460-19WC1100	695335	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 128 GB CFa	5 320,00
NYP2A-30460-19WC1100	695334	Industrial Panel PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 128 GB CFa	5 430,00
NYP2A-20470-19WC1100	695333	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 256 GB CFa	5 600,00
NYP2A-30470-19WC1100	695332	Industrial Panel PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 256 GB CFa	5 710,00
NYP2A-10000-19WC1102	695331	Industrial Panel PC with Intel® Atom™ E3940, 2 GB DRAM (non-ECC), No Storage	4 915,00
NYP2A-20000-19WC1102	695330	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), No Storage	4 961,00
NYP2A-30000-19WC1102	695329	Industrial Panel PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), No Storage	5 080,00
NYP2A-20450-19WC1102	695328	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 64 GB CFas	5 310,00
NYP2A-30450-19WC1102	695327	Industrial Panel PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 64 GB CFas	5 420,00
NYP2A-20460-19WC1102	695326	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 128 GB CFa	5 445,00
NYP2A-30460-19WC1102	695325	Industrial Panel PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 128 GB CFa	5 555,00
NYP2A-20470-19WC1102	695324	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 256 GB CFa	5 730,00
NYP2A-30470-19WC1102	695323	Industrial Panel PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 256 GB CFa	5 840,00
NYP35-30370-15WC1100	695847	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB C	6 635,00
NYP2A-20F50-12WC1000	698796	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 64 GB CFas	3 903,00
NYP2A-20F50-12WC1002	698795	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 64 GB CFas	3 920,00
NYP2A-20F50-15WC1000	698794	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 64 GB CFas	4 134,00
NYP2A-20F50-15WC1002	698793	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 64 GB CFas	4 153,00
NYP2A-20F50-19WC1000	698792	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 64 GB CFas	4 697,00

OMRON PVPR 2023

NYP2A-20F50-19WC1002	698791	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 64 GB CFas	4 714,00
NYP27-30000-12WC1000	700263	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Stor	6 235,00
NYP27-30006-12WC1000	700264	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Stor	6 545,00
NYP27-40000-12WC1000	700265	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Stc	6 370,00
NYP27-40006-12WC1000	700266	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Stc	6 675,00
NYP27-50000-12WC1000	700267	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Stc	6 650,00
NYP27-50006-12WC1000	700268	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Stc	6 885,00
NYP27-30460-12WC1000	700269	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB	7 090,00
NYP27-30466-12WC1000	700270	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB	7 400,00
NYP27-40460-12WC1000	700271	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 G	7 220,00
NYP27-40466-12WC1000	700272	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 G	7 525,00
NYP27-50460-12WC1000	700273	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 G	7 500,00
NYP27-50466-12WC1000	700274	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 G	7 820,00
NYP27-30470-12WC1000	700275	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB	7 425,00
NYP27-30476-12WC1000	700276	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB	7 730,00
NYP27-40470-12WC1000	700277	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 G	7 555,00
NYP27-40476-12WC1000	700278	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 G	7 855,00
NYP27-50470-12WC1000	700279	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 G	7 840,00
NYP27-50476-12WC1000	700280	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 G	8 155,00
NYP27-30000-15WC1000	700281	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Stor	6 475,00
NYP27-30006-15WC1000	700282	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Stor	6 795,00
NYP27-40000-15WC1000	700283	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Stc	6 610,00
NYP27-40006-15WC1000	700284	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Stc	6 915,00
NYP27-50000-15WC1000	700285	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Stc	6 900,00
NYP27-50006-15WC1000	700286	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Stc	7 200,00
NYP27-30460-15WC1000	700287	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB	7 335,00
NYP27-30466-15WC1000	700288	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB	7 645,00
NYP27-40460-15WC1000	700289	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 G	7 460,00
NYP27-40466-15WC1000	700290	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 G	7 770,00
NYP27-50460-15WC1000	700291	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 G	7 745,00
NYP27-50466-15WC1000	700292	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 G	8 060,00
NYP27-30470-15WC1000	700293	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB	7 670,00
NYP27-30476-15WC1000	700294	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB	7 975,00

OMRON PVPR 2023

NYP27-40470-15WC1000	700295	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 G	7 795,00
NYP27-40476-15WC1000	700296	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 G	8 100,00
NYP27-50470-15WC1000	700297	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 G	8 085,00
NYP27-50476-15WC1000	700298	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 G	8 390,00
NYP27-30000-19WC1000	700299	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Stor	7 185,00
NYP27-30006-19WC1000	700300	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Stor	7 490,00
NYP27-40000-19WC1000	700301	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Stc	7 305,00
NYP27-40006-19WC1000	700302	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Stc	7 615,00
NYP27-50000-19WC1000	700303	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Stc	7 600,00
NYP27-50006-19WC1000	700304	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Stc	7 910,00
NYP27-30460-19WC1000	700347	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB	8 040,00
NYP27-30466-19WC1000	700346	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB	8 340,00
NYP27-40460-19WC1000	700345	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 G	8 160,00
NYP27-40466-19WC1000	700344	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 G	8 465,00
NYP27-50460-19WC1000	700343	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 G	8 450,00
NYP27-50466-19WC1000	700342	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 G	8 760,00
NYP27-30470-19WC1000	700341	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB	8 375,00
NYP27-30476-19WC1000	700340	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB	8 680,00
NYP27-40470-19WC1000	700339	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 G	8 495,00
NYP27-40476-19WC1000	700338	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 G	8 810,00
NYP27-50470-19WC1000	700337	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 G	8 790,00
NYP27-50476-19WC1000	700336	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 G	9 100,00
NYP27-30000-19WC1100	700335	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Stor	7 455,00
NYP27-30006-19WC1100	700334	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Stor	7 755,00
NYP27-40000-19WC1100	700333	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Stc	7 575,00
NYP27-40006-19WC1100	700332	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Stc	7 885,00
NYP27-50000-19WC1100	700331	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Stc	7 860,00
NYP27-50006-19WC1100	700330	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Stc	8 180,00
NYP27-30460-19WC1100	700329	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB	8 305,00
NYP27-30466-19WC1100	700328	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB	8 610,00
NYP27-40460-19WC1100	700327	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 G	8 430,00
NYP27-40466-19WC1100	700326	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 G	8 735,00
NYP27-50460-19WC1100	700325	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 G	8 715,00

OMRON PVPR 2023

NYP27-50466-19WC1100	700324	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 G	9 030,00
NYP27-30470-19WC1100	700323	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB	8 635,00
NYP27-30476-19WC1100	700305	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB	8 945,00
NYP27-40470-19WC1100	700306	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 G	8 760,00
NYP27-40476-19WC1100	700307	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 G	9 070,00
NYP27-50470-19WC1100	700308	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 G	9 055,00
NYP27-50476-19WC1100	700309	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 G	9 365,00
NYP27-414D1-12WC1000	702733	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 G	7 865,00
NYP27-414D1-12WC1002	703572	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 G	7 730,00
NYP27-414L1-12WC1000	702732	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 G	8 250,00
NYP27-414L1-12WC1002	702731	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 G	8 500,00
NYP27-41491-15WC1000	702730	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 64 GB	9 165,00
NYP27-41491-15WC1002	702729	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 64 GB	9 405,00
NYP27-414P1-15WC1000	702728	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB S	8 770,00
NYP27-414P1-15WC1002	702727	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB S	9 015,00
NYP2C-30470-19WC1000	708036	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 256 GB C	5 680,00
NYP2C-30470-19WC1002	708035	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 256 GB C	5 260,00
NY532-1300-011443600	701556	Machine Controller for 16 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	9 460,00
NY532-1400-011443600	701555	Machine Controller for 32 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	10 010,00
NY532-1500-011443600	701554	Machine Controller for 64 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	10 460,00
NY532-1300-011445600	701553	Machine Controller for 16 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	10 130,00
NY532-1400-011445600	701552	Machine Controller for 32 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	10 720,00
NY532-1500-011445600	701551	Machine Controller for 64 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	11 200,00
NY532-1300-011443660	701550	Machine Controller for 16 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	9 890,00
NY532-1400-011443660	701549	Machine Controller for 32 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	10 460,00
NY532-1500-011443660	701548	Machine Controller for 64 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	10 950,00
NY532-1300-011445660	701547	Machine Controller for 16 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	10 560,00
NY532-1400-011445660	701546	Machine Controller for 32 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	11 170,00
NY532-1500-011445660	701545	Machine Controller for 64 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	11 680,00
NY532-1300-011443700	701544	Machine Controller for 16 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	9 935,00
NY532-1400-011443700	701543	Machine Controller for 32 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	10 510,00
NY532-1500-011443700	701542	Machine Controller for 64 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	10 990,00
NY532-1300-011445700	701541	Machine Controller for 16 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	10 590,00

OMRON PVPR 2023

NY532-1400-011445700	701540	Machine Controller for 32 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	11 220,00
NY532-1500-011445700	701539	Machine Controller for 64 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	11 730,00
NY532-1300-011443760	701538	Machine Controller for 16 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	10 370,00
NY532-1400-011443760	701537	Machine Controller for 32 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	10 970,00
NY532-1500-011443760	701536	Machine Controller for 64 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	11 460,00
NY532-1300-011445760	701535	Machine Controller for 16 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	11 030,00
NY532-1400-011445760	701534	Machine Controller for 32 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	11 670,00
NY532-1500-011445760	701533	Machine Controller for 64 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	12 200,00
NY532-1300-012443600	701532	Machine Controller for 16 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	9 665,00
NY532-1400-012443600	701531	Machine Controller for 32 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	10 230,00
NY532-1500-012443600	701530	Machine Controller for 64 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	10 690,00
NY532-1300-012445600	701529	Machine Controller for 16 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	10 340,00
NY532-1400-012445600	701528	Machine Controller for 32 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	10 940,00
NY532-1500-012445600	701527	Machine Controller for 64 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	11 440,00
NY532-1300-012443660	701526	Machine Controller for 16 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	10 100,00
NY532-1400-012443660	701525	Machine Controller for 32 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	10 690,00
NY532-1500-012443660	701524	Machine Controller for 64 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	11 170,00
NY532-1300-012445660	701523	Machine Controller for 16 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	10 770,00
NY532-1400-012445660	701522	Machine Controller for 32 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	11 410,00
NY532-1500-012445660	701521	Machine Controller for 64 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	11 920,00
NY532-1300-012443700	701520	Machine Controller for 16 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	10 140,00
NY532-1400-012443700	701519	Machine Controller for 32 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	10 740,00
NY532-1500-012443700	701518	Machine Controller for 64 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	11 220,00
NY532-1300-012445700	701517	Machine Controller for 16 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	10 820,00
NY532-1400-012445700	701516	Machine Controller for 32 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	11 450,00
NY532-1500-012445700	701515	Machine Controller for 64 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	11 960,00
NY532-1300-012443760	701514	Machine Controller for 16 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	10 570,00
NY532-1400-012443760	701513	Machine Controller for 32 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	11 200,00
NY532-1500-012443760	701512	Machine Controller for 64 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	11 700,00
NY532-1300-012445760	701511	Machine Controller for 16 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	11 250,00
NY532-1400-012445760	701510	Machine Controller for 32 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	11 910,00
NY532-1500-012445760	701509	Machine Controller for 64 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	12 450,00
NY532-1300-013443600	701508	Machine Controller for 16 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	10 290,00

OMRON PVPR 2023

NY532-1400-013443600	701507	Machine Controller for 32 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	11 270,00
NY532-1500-013443600	701506	Machine Controller for 64 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	11 780,00
NY532-1300-013445600	701505	Machine Controller for 16 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	11 310,00
NY532-1400-013445600	701504	Machine Controller for 32 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	11 970,00
NY532-1500-013445600	701503	Machine Controller for 64 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	12 510,00
NY532-1300-013443660	701502	Machine Controller for 16 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	11 070,00
NY532-1400-013443660	701501	Machine Controller for 32 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	11 720,00
NY532-1500-013443660	701500	Machine Controller for 64 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	12 250,00
NY532-1300-013445660	701499	Machine Controller for 16 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	11 740,00
NY532-1400-013445660	701498	Machine Controller for 32 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	12 440,00
NY532-1500-013445660	701497	Machine Controller for 64 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	13 000,00
NY532-1300-013443700	701496	Machine Controller for 16 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	11 120,00
NY532-1400-013443700	701495	Machine Controller for 32 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	11 770,00
NY532-1500-013443700	701494	Machine Controller for 64 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	12 310,00
NY532-1300-013445700	701493	Machine Controller for 16 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	11 780,00
NY532-1400-013445700	701492	Machine Controller for 32 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	12 470,00
NY532-1500-013445700	701491	Machine Controller for 64 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	13 030,00
NY532-1300-013443760	701490	Machine Controller for 16 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	11 550,00
NY532-1400-013443760	701489	Machine Controller for 32 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	12 210,00
NY532-1500-013443760	701488	Machine Controller for 64 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	12 780,00
NY532-1300-013445760	701487	Machine Controller for 16 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	12 210,00
NY532-1400-013445760	701486	Machine Controller for 32 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	12 920,00
NY532-1500-013445760	701485	Machine Controller for 64 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	13 520,00
NY532-1300-023443600	701484	Machine Controller for 16 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	11 050,00
NY532-1400-023443600	701483	Machine Controller for 32 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	11 700,00
NY532-1500-023443600	701482	Machine Controller for 64 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	12 230,00
NY532-1300-023445600	701481	Machine Controller for 16 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	11 720,00
NY532-1400-023445600	701480	Machine Controller for 32 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	12 410,00
NY532-1500-023445600	701479	Machine Controller for 64 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	12 980,00
NY532-1300-023443660	701478	Machine Controller for 16 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	11 490,00
NY532-1400-023443660	701477	Machine Controller for 32 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	12 150,00
NY532-1500-023443660	701476	Machine Controller for 64 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	12 710,00
NY532-1300-023445660	701475	Machine Controller for 16 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	12 150,00

OMRON PVPR 2023

NY532-1400-023445660	701474	Machine Controller for 32 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	12 860,00
NY532-1500-023445660	701473	Machine Controller for 64 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	13 440,00
NY532-1300-023443700	701472	Machine Controller for 16 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	11 530,00
NY532-1400-023443700	701471	Machine Controller for 32 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	12 200,00
NY532-1500-023443700	701470	Machine Controller for 64 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	12 760,00
NY532-1300-023445700	701469	Machine Controller for 16 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	12 190,00
NY532-1400-023445700	701468	Machine Controller for 32 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	12 900,00
NY532-1500-023445700	701467	Machine Controller for 64 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	13 490,00
NY532-1300-023443760	701466	Machine Controller for 16 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	11 960,00
NY532-1400-023443760	701461	Machine Controller for 32 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	12 660,00
NY532-1500-023443760	701460	Machine Controller for 64 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	13 230,00
NY532-1300-023445760	701459	Machine Controller for 16 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	12 630,00
NY532-1400-023445760	701458	Machine Controller for 32 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	13 360,00
NY532-1500-023445760	701457	Machine Controller for 64 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	13 960,00
NY532-Z300-112445T10	703565	Controlador de máquinas IA para 16 ejes, Industrial Panel PC con Intel® Core™ i5-7440EQ	16 270,00
NY532-Z400-112445T10	703566	Controlador de máquinas IA para 32 ejes, Industrial Panel PC con Intel® Core™ i5-7440EQ	16 790,00
NY532-Z500-112445T10	703567	Controlador de máquinas IA para 64 ejes, Industrial Panel PC con Intel® Core™ i5-7440EQ	17 550,00
NY532-Z300-112445T20	703568	Controlador de máquina AI para 16 ejes, PC de panel industrial con Intel® Core™ i5-7440EQ	16 270,00
NY532-Z400-112445T20	703569	AI Machine Controller for 32 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	16 790,00
NY532-Z500-112445T20	703570	AI Machine Controller for 64 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ	17 550,00
NYP27-30000-12WC1002	702052	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage	6 345,00
NYP27-30006-12WC1002	702053	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage	6 650,00
NYP27-40000-12WC1002	702054	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage	6 470,00
NYP27-40006-12WC1002	702055	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage	6 780,00
NYP27-50000-12WC1002	702056	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage	6 760,00
NYP27-50006-12WC1002	702057	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage	6 985,00
NYP27-30460-12WC1002	702058	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB Storage	7 195,00
NYP27-30466-12WC1002	702059	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB Storage	7 500,00
NYP27-40460-12WC1002	702060	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB Storage	7 325,00
NYP27-40466-12WC1002	702061	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB Storage	7 625,00
NYP27-50460-12WC1002	702062	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB Storage	7 610,00
NYP27-50466-12WC1002	702063	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB Storage	7 920,00
NYP27-30470-12WC1002	702064	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB Storage	7 535,00

OMRON PVPR 2023

NYP27-30476-12WC1002	702065	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB	7 840,00
NYP27-40470-12WC1002	702066	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB	7 665,00
NYP27-40476-12WC1002	702067	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB	7 965,00
NYP27-50470-12WC1002	702068	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB	7 950,00
NYP27-50476-12WC1002	702069	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB	8 260,00
NYP27-30000-15WC1002	702070	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage	6 585,00
NYP27-30006-15WC1002	702071	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage	6 900,00
NYP27-40000-15WC1002	702072	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage	6 710,00
NYP27-40006-15WC1002	702073	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage	7 020,00
NYP27-50000-15WC1002	702074	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage	7 010,00
NYP27-50006-15WC1002	702075	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage	7 310,00
NYP27-30460-15WC1002	702076	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB	7 440,00
NYP27-30466-15WC1002	702077	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB	7 745,00
NYP27-40460-15WC1002	702078	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB	7 565,00
NYP27-40466-15WC1002	702079	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB	7 865,00
NYP27-50460-15WC1002	702080	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB	7 855,00
NYP27-50466-15WC1002	702081	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB	8 165,00
NYP27-30470-15WC1002	702082	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB	7 780,00
NYP27-30476-15WC1002	702083	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB	8 085,00
NYP27-40470-15WC1002	702084	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB	7 905,00
NYP27-40476-15WC1002	702085	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB	8 210,00
NYP27-50470-15WC1002	702086	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB	8 195,00
NYP27-50476-15WC1002	702087	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB	8 500,00
NYP27-30000-19WC1002	702088	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage	7 295,00
NYP27-30006-19WC1002	702089	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage	7 600,00
NYP27-40000-19WC1002	702090	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage	7 415,00
NYP27-40006-19WC1002	702091	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage	7 725,00
NYP27-50000-19WC1002	702092	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage	7 710,00
NYP27-50006-19WC1002	702093	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage	8 020,00
NYP27-30460-19WC1002	702094	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB	8 150,00
NYP27-30466-19WC1002	702095	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB	8 450,00
NYP27-40460-19WC1002	702096	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB	8 265,00
NYP27-40466-19WC1002	702097	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB	8 575,00

OMRON PVPR 2023

NYP27-50460-19WC1002	702098	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 G	8 560,00
NYP27-50466-19WC1002	702099	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 G	8 870,00
NYP27-30470-19WC1002	702100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB	8 485,00
NYP27-30476-19WC1002	702101	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB	8 790,00
NYP27-40470-19WC1002	702102	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 G	8 605,00
NYP27-40476-19WC1002	702103	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 G	8 920,00
NYP27-50470-19WC1002	702104	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 G	8 890,00
NYP27-50476-19WC1002	702105	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 G	9 210,00
NYP27-30000-19WC1102	702106	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Stor	7 560,00
NYP27-30006-19WC1102	702107	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Stor	7 860,00
NYP27-40000-19WC1102	702108	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Stc	7 680,00
NYP27-40006-19WC1102	702109	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Stc	7 990,00
NYP27-50000-19WC1102	702110	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Stc	7 970,00
NYP27-50006-19WC1102	702111	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Stc	8 285,00
NYP27-30460-19WC1102	702112	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB	8 410,00
NYP27-30466-19WC1102	702113	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB	8 715,00
NYP27-40460-19WC1102	702114	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 G	8 535,00
NYP27-40466-19WC1102	702115	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 G	8 845,00
NYP27-50460-19WC1102	702116	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 G	8 825,00
NYP27-50466-19WC1102	702117	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 G	9 130,00
NYP27-30470-19WC1102	702118	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB	8 745,00
NYP27-30476-19WC1102	702119	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB	9 055,00
NYP27-40470-19WC1102	702120	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 G	8 870,00
NYP27-40476-19WC1102	702121	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 G	9 180,00
NYP27-50470-19WC1102	702122	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 G	9 165,00
NYP27-50476-19WC1102	702051	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 G	9 475,00
NYP2C-20450-12WC1000	707924	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB CF	4 155,00
NYP2C-20450-15WC1000	707925	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB CF	4 473,00
NYP2C-20450-19WC1000	707926	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB CF	5 160,00
NYP2C-20450-19WC1100	708217	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB CF	5 530,00
NYP2C-20460-12WC1000	707927	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB C	4 304,00
NYP2C-20460-15WC1000	707928	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB C	4 476,00
NYP2C-20460-19WC1000	707929	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB C	5 290,00

OMRON PVPR 2023

NYP2C-20460-19WC1100	708218	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB C	5 665,00
NYP2C-20470-12WC1000	707930	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 256 GB C	4 613,00
NYP2C-20470-15WC1000	707944	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 256 GB C	4 928,00
NYP2C-20470-19WC1000	707946	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 256 GB C	5 575,00
NYP2C-20470-19WC1100	708219	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 256 GB C	6 020,00
NYP2C-21491-12WC1000	707948	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SS	7 625,00
NYP2C-21491-15WC1000	707950	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SS	7 660,00
NYP2C-21492-12WC1000	707952	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SS	7 625,00
NYP2C-21492-15WC1000	707954	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SS	7 660,00
NYP2C-21496-12WC1000	707956	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SS	8 180,00
NYP2C-21496-15WC1000	707958	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SS	8 205,00
NYP2C-214C1-12WC1000	707960	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB H	6 150,00
NYP2C-214C1-15WC1000	707962	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB H	6 200,00
NYP2C-214C2-12WC1000	707964	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB H	6 150,00
NYP2C-214C2-15WC1000	707966	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB H	6 200,00
NYP2C-214C6-12WC1000	707968	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB H	6 710,00
NYP2C-214C6-15WC1000	707970	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB H	6 760,00
NYP2C-214K1-12WC1000	707972	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB S	6 460,00
NYP2C-214K1-15WC1000	707973	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB S	6 515,00
NYP2C-214K2-12WC1000	707974	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB S	6 460,00
NYP2C-214K2-15WC1000	707976	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB S	6 515,00
NYP2C-214K6-12WC1000	707978	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB S	7 015,00
NYP2C-214K6-15WC1000	707980	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB S	7 060,00
NYP2C-30450-12WC1000	707982	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB CF	4 336,00
NYP2C-30450-15WC1000	707984	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB CF	4 656,00
NYP2C-30450-19WC1000	707986	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB CF	5 265,00
NYP2C-30450-19WC1100	708220	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB CF	5 660,00
NYP2C-30460-12WC1000	707988	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB C	4 485,00
NYP2C-30460-15WC1000	707990	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB C	4 801,00
NYP2C-30460-19WC1000	707992	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB C	5 400,00
NYP2C-30460-19WC1100	707994	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB C	5 660,00
NYP2C-30470-12WC1000	707995	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 256 GB C	4 792,00
NYP2C-30470-15WC1000	707997	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 256 GB C	5 110,00

OMRON PVPR 2023

NYP2C-31491-12WC1000	707999	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SS	7 740,00
NYP2C-31491-15WC1000	708001	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SS	7 785,00
NYP2C-31492-12WC1000	708003	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SS	7 740,00
NYP2C-31492-15WC1000	708005	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SS	7 785,00
NYP2C-31496-12WC1000	708007	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SS	8 300,00
NYP2C-31496-15WC1000	708009	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SS	8 330,00
NYP2C-314C1-12WC1000	708011	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB H	6 280,00
NYP2C-314C1-15WC1000	708013	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB H	6 325,00
NYP2C-314C2-12WC1000	708015	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB H	6 280,00
NYP2C-314C2-15WC1000	708017	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB H	6 325,00
NYP2C-314C6-12WC1000	708019	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB H	6 840,00
NYP2C-314C6-15WC1000	708021	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB H	6 885,00
NYP2C-314K1-12WC1000	708023	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB S	6 585,00
NYP2C-314K1-15WC1000	708025	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB S	6 635,00
NYP2C-314K2-12WC1000	708027	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB S	6 585,00
NYP2C-314K2-15WC1000	708029	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB S	6 635,00
NYP2C-314K6-12WC1000	707923	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB S	7 150,00
NYP2C-314K6-15WC1000	707934	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB S	7 185,00
NYP35-21491-12WC1000	707863	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SS	8 300,00
NYP35-21491-15WC1000	707862	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SS	8 330,00
NYP35-21492-12WC1000	707861	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SS	8 300,00
NYP35-21492-15WC1000	707860	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SS	8 330,00
NYP35-21496-12WC1000	707859	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SS	8 850,00
NYP35-21496-15WC1000	707858	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SS	6 840,00
NYP35-214C1-12WC1000	707857	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB H	6 885,00
NYP35-214C1-15WC1000	707856	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB H	6 840,00
NYP35-214C2-12WC1000	707855	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB H	6 885,00
NYP35-214C2-15WC1000	707854	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB H	6 885,00
NYP35-214C6-12WC1000	707853	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB H	7 395,00
NYP35-214C6-15WC1000	707852	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB H	7 425,00
NYP35-214K1-12WC1000	707851	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB S	7 150,00
NYP35-214K1-15WC1000	707850	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB S	7 185,00
NYP35-214K2-12WC1000	707849	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB S	7 150,00

OMRON PVPR 2023

NYP35-214K2-15WC1000	707848	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB S	7 185,00
NYP35-214K6-12WC1000	707847	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB S	7 695,00
NYP35-214K6-15WC1000	707846	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB S	7 725,00
NYP35-30450-12WC1000	708183	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB CF	5 520,00
NYP35-30450-15WC1000	708224	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB CF	5 820,00
NYP35-30450-19WC1000	708225	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB CF	6 565,00
NYP35-30450-19WC1100	708226	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB CF	6 885,00
NYP35-30460-12WC1000	708227	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB C	5 660,00
NYP35-30460-15WC1000	708228	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB C	5 970,00
NYP35-30460-19WC1000	708229	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB C	6 730,00
NYP35-30460-19WC1100	708230	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB C	7 015,00
NYP35-30470-15WC1000	708231	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB C	6 280,00
NYP35-30470-15WC1100	708232	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB C	6 635,00
NYP35-30470-19WC1000	708233	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB C	7 010,00
NYP35-30470-19WC1100	708234	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB C	7 295,00
NYP35-31491-12WC1000	707845	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SS	8 430,00
NYP35-31491-15WC1000	707844	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SS	8 450,00
NYP35-31492-12WC1000	707843	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SS	8 430,00
NYP35-31492-15WC1000	707842	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SS	8 450,00
NYP35-31496-12WC1000	707841	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SS	8 980,00
NYP35-31496-15WC1000	707840	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SS	8 990,00
NYP35-314C1-12WC1000	707839	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB H	6 960,00
NYP35-314C1-15WC1000	707838	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB H	7 010,00
NYP35-314C2-12WC1000	707837	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB H	6 960,00
NYP35-314C2-15WC1000	707836	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB H	7 010,00
NYP35-314C6-12WC1000	707835	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB H	7 520,00
NYP35-314C6-15WC1000	707834	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB H	7 555,00
NYP35-314K1-12WC1000	707877	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB S	7 275,00
NYP35-314K1-15WC1000	707878	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB S	7 305,00
NYP35-314K2-12WC1000	707879	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB S	7 275,00
NYP35-314K2-15WC1000	707880	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB S	7 305,00
NYP35-314K6-12WC1000	707881	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB S	7 820,00
NYP35-314K6-15WC1000	707882	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB S	7 850,00

OMRON PVPR 2023

NYP35-40450-12WC1000	708235	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 64 GB C	5 855,00
NYP35-40450-15WC1000	708236	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 64 GB C	6 155,00
NYP35-40450-19WC1000	708237	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 64 GB C	6 800,00
NYP35-40450-19WC1100	708238	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 64 GB C	7 125,00
NYP35-40460-12WC1000	708239	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB	6 005,00
NYP35-40460-15WC1000	708240	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB	6 305,00
NYP35-40460-19WC1000	708241	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB	6 925,00
NYP35-40460-19WC1100	708242	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB	7 255,00
NYP35-40470-12WC1000	708243	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB	6 315,00
NYP35-40470-15WC1000	708244	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB	6 625,00
NYP35-40470-19WC1000	708245	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB	7 215,00
NYP35-40470-19WC1100	708246	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB	7 615,00
NYP2C-20450-12WC1002	707936	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB CF	3 876,00
NYP2C-20450-15WC1002	707937	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB CF	4 166,00
NYP2C-20450-19WC1002	707938	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB CF	4 789,00
NYP2C-20450-19WC1102	708190	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB CF	5 550,00
NYP2C-20456-12WC1002	707939	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB CF	4 474,00
NYP2C-20460-12WC1002	707940	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB C	4 012,00
NYP2C-20460-15WC1002	707941	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB C	4 210,00
NYP2C-20460-19WC1002	707942	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB C	4 906,00
NYP2C-20460-19WC1102	708189	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB C	5 685,00
NYP2C-20470-12WC1002	707943	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 256 GB C	4 292,00
NYP2C-20470-15WC1002	707945	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 256 GB C	4 580,00
NYP2C-20470-19WC1002	707947	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 256 GB C	5 165,00
NYP2C-20470-19WC1102	708191	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 256 GB C	6 040,00
NYP2C-21491-12WC1002	707949	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SS	7 030,00
NYP2C-21491-15WC1002	707951	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SS	7 065,00
NYP2C-21492-12WC1002	707953	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SS	7 030,00
NYP2C-21492-15WC1002	707955	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SS	7 065,00
NYP2C-21496-12WC1002	707957	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SS	7 530,00
NYP2C-21496-15WC1002	707959	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SS	7 555,00
NYP2C-214C1-12WC1002	707961	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB H	5 695,00
NYP2C-214C1-15WC1002	707963	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB H	5 740,00

OMRON PVPR 2023

NYP2C-214C2-12WC1002	707965	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB H	5 695,00
NYP2C-214C2-15WC1002	707967	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB H	5 740,00
NYP2C-214C6-12WC1002	707969	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB H	6 205,00
NYP2C-214C6-15WC1002	707971	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB H	6 240,00
NYP2C-214K1-12WC1002	707931	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB S	5 970,00
NYP2C-214K1-15WC1002	707932	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB S	6 020,00
NYP2C-214K2-12WC1002	707975	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB S	5 970,00
NYP2C-214K2-15WC1002	707977	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB S	6 020,00
NYP2C-214K6-12WC1002	707979	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB S	6 470,00
NYP2C-214K6-15WC1002	707981	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB S	6 520,00
NYP2C-30450-12WC1002	707983	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB CF	4 041,00
NYP2C-30450-15WC1002	707985	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB CF	4 331,00
NYP2C-30450-19WC1002	707987	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB CF	4 883,00
NYP2C-30450-19WC1102	708192	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB CF	5 680,00
NYP2C-30460-12WC1002	707989	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB C	4 176,00
NYP2C-30460-15WC1002	707991	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB C	4 464,00
NYP2C-30460-19WC1002	707993	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB C	5 005,00
NYP2C-30460-19WC1102	708193	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB C	5 815,00
NYP2C-30470-12WC1002	707996	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 256 GB C	4 457,00
NYP2C-30470-15WC1002	707998	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 256 GB C	4 743,00
NYP2C-30470-19WC1102	708194	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 256 GB C	6 170,00
NYP2C-31491-12WC1002	708000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SS	7 140,00
NYP2C-31491-15WC1002	708002	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SS	7 175,00
NYP2C-31492-12WC1002	708004	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SS	7 140,00
NYP2C-31492-15WC1002	708006	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SS	7 175,00
NYP2C-31496-12WC1002	708008	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SS	7 640,00
NYP2C-31496-15WC1002	708010	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SS	7 675,00
NYP2C-314C1-12WC1002	708012	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB H	5 810,00
NYP2C-314C1-15WC1002	708014	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB H	5 850,00
NYP2C-314C2-12WC1002	708016	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB H	5 810,00
NYP2C-314C2-15WC1002	708018	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB H	5 850,00
NYP2C-314C6-12WC1002	708020	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB H	6 315,00
NYP2C-314C6-15WC1002	708022	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB H	6 350,00

OMRON PVPR 2023

NYP2C-314K1-12WC1002	708024	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB S	6 085,00
NYP2C-314K1-15WC1002	708026	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB S	6 125,00
NYP2C-314K2-12WC1002	708028	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB S	6 085,00
NYP2C-314K2-15WC1002	708030	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB S	6 125,00
NYP2C-314K6-12WC1002	707933	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB S	6 595,00
NYP2C-314K6-15WC1002	707935	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB S	6 630,00
NYP35-21491-12WC1002	707883	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SS	7 640,00
NYP35-21491-15WC1002	707884	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SS	7 675,00
NYP35-21492-12WC1002	707885	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SS	7 640,00
NYP35-21492-15WC1002	707886	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SS	7 675,00
NYP35-21496-12WC1002	707887	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SS	8 140,00
NYP35-21496-15WC1002	707888	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SS	8 160,00
NYP35-214C1-12WC1002	707889	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB H	6 315,00
NYP35-214C1-15WC1002	707890	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB H	6 350,00
NYP35-214C2-12WC1002	707891	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB H	6 315,00
NYP35-214C2-15WC1002	707892	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB H	6 350,00
NYP35-214C6-12WC1002	707893	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB H	6 815,00
NYP35-214C6-15WC1002	707894	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB H	6 850,00
NYP35-214K1-12WC1002	707895	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB S	6 595,00
NYP35-214K1-15WC1002	707896	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB S	6 630,00
NYP35-214K2-12WC1002	707897	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB S	6 595,00
NYP35-214K2-15WC1002	707898	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB S	6 630,00
NYP35-214K6-12WC1002	707899	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB S	7 095,00
NYP35-214K6-15WC1002	707900	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB S	7 120,00
NYP35-30450-12WC1002	708195	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB CF	5 630,00
NYP35-30450-15WC1002	708196	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB CF	5 930,00
NYP35-30450-19WC1002	708197	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB CF	6 675,00
NYP35-30450-19WC1102	708198	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB CF	6 900,00
NYP35-30460-12WC1002	708199	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB C	5 775,00
NYP35-30460-15WC1002	708200	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB C	6 085,00
NYP35-30460-19WC1002	708201	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB C	6 835,00
NYP35-30460-19WC1102	708202	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB C	7 035,00
NYP35-30470-12WC1002	708253	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB C	6 085,00

OMRON PVPR 2023

NYP35-30470-15WC1002	708203	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB C	6 395,00
NYP35-30470-15WC1102	708204	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB C	7 040,00
NYP35-30470-19WC1002	708205	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB C	7 120,00
NYP35-30470-19WC1102	708206	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB C	7 405,00
NYP35-31491-12WC1002	707901	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SS	7 765,00
NYP35-31491-15WC1002	707902	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SS	7 780,00
NYP35-31492-12WC1002	707903	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SS	7 765,00
NYP35-31492-15WC1002	707904	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SS	7 780,00
NYP35-31496-12WC1002	707905	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SS	8 265,00
NYP35-31496-15WC1002	707906	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SS	8 275,00
NYP35-314C1-12WC1002	707907	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB H	6 425,00
NYP35-314C1-15WC1002	707908	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB H	6 470,00
NYP35-314C2-12WC1002	707909	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB H	6 425,00
NYP35-314C2-15WC1002	707910	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB H	6 470,00
NYP35-314C6-12WC1002	707911	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB H	6 925,00
NYP35-314C6-15WC1002	707912	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB H	6 965,00
NYP35-314K1-12WC1002	707913	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB S	6 700,00
NYP35-314K1-15WC1002	707914	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB S	6 740,00
NYP35-314K2-12WC1002	707915	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB S	6 700,00
NYP35-314K2-15WC1002	707916	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB S	6 740,00
NYP35-314K6-12WC1002	707917	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB S	7 200,00
NYP35-314K6-15WC1002	707876	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB S	7 235,00
NYP35-40450-12WC1002	708207	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 64 GB C	5 965,00
NYP35-40450-15WC1002	708208	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 64 GB C	6 265,00
NYP35-40450-19WC1002	708209	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 64 GB C	6 910,00
NYP35-40450-19WC1102	708210	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 64 GB C	7 140,00
NYP35-40460-12WC1002	708211	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB	6 115,00
NYP35-40460-15WC1002	708212	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB	6 415,00
NYP35-40460-19WC1002	708213	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB	7 035,00
NYP35-40460-19WC1102	708188	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB	7 275,00
NYP35-40470-12WC1002	708187	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB	6 425,00
NYP35-40470-15WC1002	708186	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB	6 730,00
NYP35-40470-19WC1002	708185	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB	7 315,00

OMRON PVPR 2023

NYP35-40470-19WC1102	708184	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB	7 630,00
NYM19W-C1160	683601	Monitor industrial, pantalla de 18.5" con pantalla táctil capacitiva, montaje integ	3 386,00
NYM12W-C1000	686607	Monitor Industrial 12.1", Táctil Capacitivo	2 205,00
NYM15W-C1000	686606	Monitor Industrial 15.4", Táctil Capacitivo	2 342,00
NYM12W-C1060	686605	Monitor industrial con pantalla táctil capacitiva de 12,1"; montaje integrado, pu	2 483,00
NYM15W-C1060	686604	Monitor Industrial 15.4", Táctil capacitivo, montaje empotrado, puerto NYML	2 616,00
NYM19W-C1000	688734	Monitor industrial con pantalla táctil capacitiva de 18,5"; montaje integrado, pu	2 761,00
NYM19W-C1002	688733	Industrial Monitor, 18.5" display with capacitive touchscreen, Build-in mounting	2 871,00
NYM19W-C1060	688732	Industrial Monitor, 18.5" display with capacitive touchscreen, Build-in mounting	3 005,00
NYM19W-C1062	688731	Industrial Monitor, 18.5" display with capacitive touchscreen, Build-in mounting	3 116,00
NYM19W-C1100	695304	Industrial Monitor, 18.5" display with capacitive touchscreen, Build-in mounting	2 934,00
NYM19W-C1102	695303	Industrial Monitor, 18.5" display with capacitive touchscreen, Build-in mounting	3 045,00
NYM15W-C1002	708247	Monitor Industrial 15.4", Táctil Capacitivo (LOGO customizado)	2 451,00
NYM12W-C1002	708248	Monitor Industrial 12.1", Táctil Capacitivo	2 314,00
NYM12W-C1062	708106	Industrial Monitor, 12.1" display with capacitive touchscreen, Build-in mounting	1 922,00
NYM15W-C1062	708249	Industrial Monitor, 15.4" display with capacitive touchscreen, Build-in mounting	2 727,00
J7KNA-AR-31 24	119002	Mini 10A / AC1 3NA+1NC	28,02
J7KNA-AR-31 48	119003	Mini 10A / AC1 3NA+1NC	28,02
J7KNA-AR-31 110	119004	Mini 10A / AC1 3NA+1NC	28,02
J7KNA-AR-31 415	119008	Mini 10A / AC1 3NA+1NC	28,02
J7KNA-AR-40 24	119010	Mini 10A / AC1 4NA	28,02
J7KNA-AR-40 400	119013	Mini 10A / AC1 4NA	28,02
J7KNA-AR-22 24D	119016	Mini 10A / AC1 2NA+2NC	35,05
J7KNA-AR-22 110D	119018	Mini 10A / AC1 2NA+2NC	35,05
J7KNA-AR-22 24VS	119020	Mini 10A / AC1 2NA+2NC	39,78
J7KNA-AR-31 24D	119023	Mini 10A / AC1 3NA+1NC	35,05
J7KNA-AR-31 24VS	119025	Mini 10A / AC1 3NA+1NC	39,78
J7KNA-AR-40 24D	119029	Mini 10A / AC1 4NA	35,05
J7KNA-AR-40 24VS	119031	Mini 10A / AC1 4NA	40,73
J7KNA-AR-22 24	119091	Mini 10A / AC1 2NA+2NC	28,02
J7KNA-AR-22 110	119093	Mini 10A / AC1 2NA+2NC	28,02
J7KNA-AR-22 230	119094	Mini 10A / AC1 2NA+2NC	28,02
J7KNA-AR-22 415	119096	Mini 10A / AC1 2NA+2NC	28,02

OMRON PVPR 2023

J7KNA-AR-22 400	143706	Mini 10A /AC1 2NA+2NC	27,22
J7KNA-AR-31 230	150144	Mini 10A / AC1 3NA+1NC	28,02
J7KNA-AR-22 48VS	156862	Mini contactor relé, 4-polos (2 NO & 2 NC), 10 A AC1 (up to 690 VAC), 48 VDC +	47,76
J7KNA-AR-40 230	158036	Mini 10A / AC1 4NA	28,02
J7KNA-AR-22 48	153497	Mini 10A / AC1 2NA+2NC	28,02
J7KNA-AR-40 110	154758	Mini 10A /AC1 4NA	28,02
J7KNU-AR-40 180	668210	Microrelé contactor, 4-polos (4 NA), 3A AC15 (hasta 230 V), 180 VAC	25,47
J7KNU-AR-22 48	668220	Microrelé contactor, 4-polos (2NA & 2NC), 3A AC15 (hasta 230 V), 48 VAC	25,47
J7KNU-AR-22 230	668193	Microrelé contactor, 4-polos (2NA & 2NC), 3A AC15 (hasta 230 V),230 VAC	25,47
J7KNU-AR-22 110	668199	Microrelé contactor, 4-polos (2NA & 2NC), 3A AC15 (hasta 230 V), 110 VAC	25,47
J7KNU-AR-22 24	668202	Microrelé contactor, 4-polos (2NA & 2NC), 3A AC15 (hasta 230 V), 24 VAC	25,47
J7KNU-AR-40 110	668198	Microrelé contactor, 4-polos (4 NA), 3A AC15 (hasta 230 V), 110 VAC	25,47
J7KNU-AR-40 24	668194	Microrelé contactor, 4-polos (4 NA), 3A AC15 (hasta 230 V), 24 VAC	25,47
J7KNU-AR-22 90	668214	Microrelé contactor, 4-polos (2NA & 2NC), 3A AC15 (hasta 230 V), 90 VAC	25,47
J7KNU-AR-40 230	668205	Microrelé contactor, 4-polos (4 NA), 3A AC15 (hasta 230 V), 230 VAC	25,47
J7KNU-AR-40 48	668197	Microrelé contactor, 4-polos (4 NA), 3A AC15 (hasta 230 V), 48 VAC	25,47
J7KNU-AR-40 90	668201	Microrelé contactor, 4-polos (4 NA), 3A AC15 (hasta 230 V), 90 VAC	25,47
J7KNU-AR-22 180	668221	Microrelé contactor, 4-polos (2NA & 2NC), 3A AC15 (hasta 230 V), 180 VAC	25,47
J7KNU-AR-22 24D	675309	Microrelé contactor, 4-polos (2NA & 2NC), 3A AC15 (hasta 230 V), 24 VDC	29,47
J7KNU-AR-40 60D	675295	Microrelé contactor, 4-polos (4 NA), 3A AC15 (hasta 230 V), 60 VDC	29,47
J7KNU-AR-40 48D	675304	Microrelé contactor, 4-polos (4 NA), 3A AC15 (hasta 230 V), 48 VDC	29,47
J7KNU-AR-22 48D	675308	Microrelé contactor, 4-polos (2NA & 2NC), 3A AC15 (hasta 230 V), 48 VDC	29,47
J7KNU-AR-40 110D	675311	Microrelé contactor, 4-polos (4 NA), 3A AC15 (hasta 230 V), 110 VDC	29,47
J7KNU-AR-22 60D	675299	Microrelé contactor, 4-polos (2NA & 2NC), 3A AC15 (hasta 230 V), 60 VDC	29,47
J7KNU-AR-40 24D	675310	Microrelé contactor, 4-polos (4 NA), 3A AC15 (hasta 230 V), 24 VDC	29,47
J7KNU-AR-22 110D	675305	Microrelé contactor, 4-polos (2NA & 2NC), 3A AC15 (hasta 230 V), 110 VDC	29,47
J7KCA-22 110VAC	690063	Contacto Relay, 4 Poles, Push-In Plus Terminals, 110 VAC, Contacts: NO 2 NC 2,	41,91
J7KCA-40 230VAC	690062	Contacto Relay, 4 Poles, Push-In Plus Terminals, 230 VAC, Contacts: NO 4 NC 0,	41,91
J7KCA-22 230VAC	690061	Contacto Relay, 4 Poles, Push-In Plus Terminals, 230 VAC, Contacts: NO 2 NC 2,	41,91
J7KCA-40 24VDC	690060	Relé contactor, 4 polos, terminales Push-In Plus, 24 V CC, contactos: NA 4 NC 0,	56,15
J7KCA-31 24VDC	690059	Relé contactor, 4 polos, terminales Push-In Plus, 24 V CC, contactos: NA 3 NC 1,	56,15
J7KCA-22 24VDC	690058	Relé contactor, 4 polos, terminales Push-In Plus, 24 V CC, contactos: NA 2 NC 2,	56,15
J7KCA-22 48VDC	690057	Relé contactor, 4 polos, terminales Push-In Plus, 48 V CC, contactos: NA 2 NC 2,	56,15

OMRON PVPR 2023

J7KN-32 110	104537	15KW / 32A / AC3	93,45
J7KNA-09-10 48D	105970	Mini contactor, 3-polos, 4 kW; 9 A AC3 (400 VAC) + 1 NO, 48 VDC	35,19
J7KN-40 400	105986	18,5KW / 40A /AC3	113,90
J7KN-24 180	105989	Contactor, 3-polos, 11 kW; 24 A AC3 (380-415 VAC), 180 VAC	69,20
J7KN-110-22 400	118762	4KW / 10A / AC3 1NA	363,80
J7KN-110-21 24D	118763	55 KW / 110A 2NA+1NC	442,50
J7KN-40 24	118810	18,5KW / 40A / AC3	113,90
J7KN-40 48	118811	18,5KW / 40A /AC3	113,90
J7KN-40 110	118812	18,5KW / 40A / AC3	113,90
J7KN-40 230	118814	18,5KW / 40A / AC3	113,90
J7KN-40 24D	118816	18,5KW / 40A /AC3	138,40
J7KN-50 24	118819	22KW / 50A / AC3	141,10
J7KN-50 48	118820	22KW / 50A /AC3	141,10
J7KN-50 230	118823	22KW / 50A / AC3	141,10
J7KN-50 24D	118825	22KW / 50A /AC3	168,10
J7KN-62 24	118828	30KW / 58A / AC3	197,70
J7KN-62 48	118829	30KW / 58A / AC3	197,70
J7KN-62 110	118831	30KW / 58A / AC3	197,70
J7KN-62 400	118833	30KW / 58A /AC3	197,70
J7KN-62 24D	118834	30KW / 58A /AC3	219,30
J7KN-62 48D	118835	Contactor, 3-polos, 30 kW; 62 A AC3 (380-415 VAC), 48 VDC	197,70
J7KN-74 24	118838	37KW / 74A / AC3	231,60
J7KN-74 110	118840	37KW / 74A / AC3	231,60
J7KN-74 230	118841	37KW / 74A / AC3	231,60
J7KN-74 24D	118843	37KW / 74A /AC3	281,60
J7KN-110-22 24	118856	55KW / 110A 2NA+2NC	363,80
J7KN-110-22 110	118857	55KW / 110A 2NA+2NC	363,80
J7KN-24 400	118894	11KW / 24A / AC3	69,20
J7KN-24 48D	118895	11KW / 24A / AC3	89,45
J7KN-32 24	118897	15KW / 32A / AC3	93,45
J7KN-32 48	118898	15KW/32A/AC3	93,45
J7KN-32 400	118901	15KW/32A/AC3	93,45
J7KN-32 24D	118903	15KW / 32A / AC3	116,60

OMRON PVPR 2023

J7KNA-09-10 24D	119051	4KW / 9A / AC3 1NA	35,05
J7KNA-09-10 24VS	119054	4KW / 9A / AC3 1NA	41,68
J7KNA-09-01 24D	119056	4KW / 9A / AC3 1NC	35,05
J7KNA-09-01 48D	119057	4KW / 9A / AC3 1NC	35,19
J7KNA-09-4 24D	119064	4KW / 9A / AC3 4 polos	36,27
J7KNA-12-10 24	119065	5,5KW / 12A / AC3 1NA	33,69
J7KNA-12-10 48	119066	Mini contactor, 3-polos, 5.5 kW; 12 A AC3 (400 VAC) + 1 NA, 48 VAC	33,16
J7KNA-12-10 230	119068	5,5KW / 12A / AC3 1NA	33,69
J7KNA-12-10 240	119069	5,5KW / 12A / AC3 1NA	33,69
J7KNA-12-10 400	119070	Mini contactor, 3-polos, 5.5 kW; 12 A AC3 (400 VAC) + 1 NO, 400 VAC	33,69
J7KNA-12-01 110	119074	5,5KW / 12A / AC3 1NC	33,69
J7KNA-12-01 230	119076	5,5KW / 12A / AC3 1NC	33,69
J7KNA-12-01 400	119077	5,5KW / 12A / AC3 1NC	33,69
J7KNA-12-01 415	119078	Contactor mini, 3-pole, 5.5 kW; 12 A AC3 (400 VAC) + 1 NC, 415 VAC	32,69
J7KNA-12-01 550	119079	Contactor mini, 3-pole, 5.5 kW; 12 A AC3 (400 VAC) + 1 NC, 550 VAC	32,69
J7KNA-12-10 24D	119080	5,5KW / 12A / AC3 1NA	41,80
J7KNA-12-10 48D	119081	5,5KW / 12A / AC3 1NA	41,80
J7KNA-12-01 24VS	119087	5,5KW / 12A / AC3 1NC	47,89
J7KNA-09-10 24	119132	4KW / 9A / AC3 1NA	28,02
J7KNA-09-10 230	119134	4KW / 9A / AC3 1NA	28,02
J7KNA-09-10 400	119136	4KW / 9A / AC3 1NA	28,02
J7KNA-09-01 24	119139	4KW / 9A / AC3 1NC	28,02
J7KNA-09-01 48	119140	4KW / 9A / AC3 1NC	28,02
J7KNA-09-01 110	119142	4KW / 9A / AC3 1NC	28,02
J7KNA-09-01 415	119145	4KW / 9A / AC3 1NC	27,48
J7KN-32 110D	142520	15KW / 32A / AC3	116,60
J7KNA-09-10 48	143691	4KW / 9A / AC3 1NA	28,02
J7KNA-09-01 400	143708	4KW / 9A / AC3 1NC	28,02
J7KN-50 48D	144764	Contactor, 3-polos, 22 kW; 50 A AC3 (380-415 VAC), 48 VDC	145,80
J7KNA-09-01 230	145970	4KW / 9A / AC3 1NC	28,02
J7KNA-12-10 110	145971	5,5KW / 12A / AC3 1NA	33,69
J7KNA-12-10 24VS	145972	5,5KW / 12A / AC3 1NA	47,89
J7KN-50 400	145980	22KW / 50A / AC3	141,10

OMRON PVPR 2023

J7KN-24 110	148112	11KW / 24A / AC3	69,20
J7KN-24 230	148113	11KW / 24A / AC3	69,20
J7KN-50 110	148114	22KW / 50A / AC3	141,10
J7KNA-09-01 24VS	149193	4KW / 9A / AC3 1NC	41,68
J7KN-62 230	150146	30KW / 58A / AC3	197,70
J7KN-74 400	150164	37KW / 74A /AC3	231,60
J7KN-24 110D	150167	11KW / 24A / AC3	89,45
J7KN-40 48D	150168	18,5KW / 40A /AC3	127,50
J7KNA-12-01 24D	151253	5,5KW / 12A / AC3 1NC	41,80
J7KN-24 24D	151258	11KW / 24A / AC3	89,45
J7KN-24 48	151275	11KW / 24A / AC3	69,20
J7KNA-09-4 24	152414	4KW / 9A / AC3 4 polos	28,02
J7KN-24 24	152417	11KW / 24A / AC3	69,20
J7KNA-12-01 24	153496	5,5KW / 12A / AC3 1NC	33,69
J7KN-110-22 230	153500	55KW / 110A 2NA+2NC	363,80
J7KNA-09-10 110	158034	4KW / 9A /AC3 1NA	28,02
J7KNA-09-4 230	158035	4KW / 9A / AC3 4 polos	28,02
J7KN-32 230	158039	15KW / 32A / AC3	93,45
J7KN-151 110	183523	75KW / 150A	504,50
J7KN-151 230	183524	75KW / 150A	504,50
J7KN-151 24	183525	Contactador, 3-polos, 75 kW; 150 A AC3 (380-415 VAC), 24 VAC/DC	496,50
J7KN-151 400	183526	Contactador, 3-polos, 75 kW; 150 A AC3 (380-415 VAC), 400 VAC/DC	504,50
J7KN-151 48	183527		504,50
J7KN-151-4 230	183529	75KW / 150A 4 polos	718,00
J7KN-151-4 24	183530	Contactador, 4-polos, 230 A AC1 (up to 690 VAC), 24 VAC/DC	753,50
J7KN-176 110	183533	90KW / 175A Bobina ca/cc	586,00
J7KN-176 230	183534	90KW / 175A Bobina ca/cc	586,00
J7KN-176 24	183535	90KW / 175A Bobina ca/cc	586,00
J7KN-176 48	183537	90KW / 175A Bobina ca/cc	586,00
J7KNG-10-01 24D	183546	4KW / 10A / AC3 1NC CC Bajo consumo	62,20
J7KNG-10-10 125VDC	183549	4KW / 10A / AC3 1NA CC Bajo consumo	62,20
J7KNG-10-10 24D	183550	4KW / 10A / AC3 1NA CC Bajo consumo	62,20
J7KNG-14-01 24D	183554	5,5KW / 14A / AC3 1NC CC Bajo consumo	66,50

OMRON PVPR 2023

J7KNG-14-01 48VDC	183555	5,5KW / 14A / AC3 1NC CC Bajo consumo	67,30
J7KNG-14-10 125VDC	183557	5,5KW / 14A / AC3 1NA CC Bajo consumo	66,50
J7KNG-14-10 24D	183558	5,5KW / 14A / AC3 1NA CC Bajo consumo	66,50
J7KNG-18-01 24D	183562	7,5KW / 18A / AC3 1NC CC Bajo consumo	82,70
J7KNG-18-10 110D	183564	7,5KW / 18A / AC3 1NC CC Bajo consumo	82,70
J7KNG-18-10 24D	183566	7,5KW / 18A / AC3 1NA CC Bajo consumo	82,70
J7KNG-22-01 24D	183570	11KW / 22A / AC3 1NC CC Bajo consumo	101,60
J7KNG-22-10 110D	183572	11KW / 22A / AC3 1NC CC Bajo consumo	101,60
J7KNG-22-10 24D	183574	11KW / 22A / AC3 1NA CC Bajo consumo	101,60
J7KNG-10-10 220VDC	184130	4KW / 10A / AC3 1NA CC Bajo consumo	62,20
J7KNG-14-10 220VDC	184134	5,5KW / 14A / AC3 1NA CC Bajo consumo	67,30
J7KNG-10-4 24D	197327	4KW / 10A / AC3 4 polos CC Bajo consumo	69,20
J7KNG-14-4 24D	197333	5,5KW / 14A / AC3 4 polos CC Bajo consumo	73,20
J7KNG-18-4 24D	197339	7,5KW / 18A / AC3 4 polos CC Bajo consumo	88,10
J7KNG-22-4 24D	197345	11KW / 22A / AC3 4 polos 1NA CC Bajo consumo	115,20
J7KNG-24 24D	197786	11KW / 24A / AC3 CC Bajo consumo	102,90
J7KNG-32 24D	197792	15KW / 32A / AC3 CC Bajo consumo	124,70
J7KNG-32 220VDC	197797	15KW / 32A / AC3 CC Bajo consumo	124,70
J7KNG-40 24D	197798	18,5KW / 40A / AC3 CC Bajo consumo	146,40
J7KNG-40 110D	197801	18,5KW / 40A / AC3 CC Bajo consumo	146,40
J7KN-450-22 230	223925	Contactador, 3-polos, 250 kW; 450 A AC3 (380/415 VAC), 1 NA + 1 NC aux., 230 VAC	1 911,00
J7KN-550-22 110	223929	Contactador, 3-polos, 550 kW; 450 A AC3 (380/415 VAC), 1 NA + 1 NC aux., 110 VAC	2 464,00
J7KN-550-22 230	223930	Contactador, 3-polos, 550 kW; 450 A AC3 (380/415 VAC), 1 NA + 1 NC aux., 230 VAC	2 464,00
J7KN-700-22 230	223935	Contactador, 3-polos, 400 kW; 700 A AC3 (380-415 VAC), 2NA+2NC aux., 230 VAC	3 925,00
J7KN-860-22 230	223940	Contactador, 3-polos, 500 kW; 860 A AC3 (380-415 VAC), 2NA+2NC aux., 230 VAC	5 180,00
J7KN-90 24	245082	Contactador, 3-polos, 45 kW; 90 A AC3 (380-415 VAC), 24 VAC/DC	274,80
J7KN-90 48VAC	245083	Contactador, 3-polos, 45 kW; 90 A AC3 (380-415 VAC), 48 VAC/DC	274,80
J7KN-90 110	245084	45KW / 90A / AC3	274,80
J7KN-90 230	245085	45KW / 90A / AC3	274,80
J7KN-90 400	245086	45KW / 115A Bobina ca/cc	265,40
J7KN-115 24	245087	55KW / 110A Bobina ca/cc	376,00
J7KN-115 110	245089	55KW / 115A Bobina ca/cc	376,00
J7KN-115 230	245090	55KW / 115A Bobina ca/cc	376,00

OMRON PVPR 2023

J7KN-115 400	245091	55KW / 110A Bobina ca/cc	376,00
J7KN-210 24	245093	110KW / 210A / AC3	854,00
J7KN-210 110	245095	110KW / 210A / AC3	867,00
J7KN-210 230	245096	110KW / 210A / AC3	867,00
J7KN-260 24	245098		1 117,00
J7KN-260 110	245100	Contactador, 3-polos, 132 kW; 450 A AC3 (380-415 VAC) 110 VAC/DC	1 117,00
J7KN-260 230	245101	Contactador, 3-pole, 132 kW; 260 A AC3 (380-415 VAC), 230 VAC/DC	1 117,00
J7KN-316 230	245106	160KW / 315A / AC3	1 397,00
J7KNS-09-01 24D	325961	4KW / 9A /AC3 1NC PCB	34,37
J7KNA-09-10 230 BULK	352924	4KW / 9A / AC3 1NA En caja de 112 pcs	28,02
J7KN-10D-01 110	367262	4KW / 10A / AC3 1NC	31,68
J7KN-10D-01 230	367266	4KW /10A /AC3 1NC	30,58
J7KN-10D-01 24	367267	4KW / 10A / AC3 1NC	31,68
J7KN-10D-01 24D	367268	4KW / 10A / AC3 1NC	45,72
J7KN-10D-01 400	367269	Contactador, 3-polos, 4 kW; 10 A AC3 (380-415 VAC) + 1 NC aux. 400 VAC	31,12
J7KN-10D-01 48	367270	4KW / 10A / AC3 1NC	30,66
J7KN-10D-10 110	367274	4KW / 10A / AC3 1NA	31,68
J7KN-10D-10 230	367278	4KW / 10A / AC3 1NA	31,68
J7KN-10D-10 24	367279	4KW / 10A / AC3 1NA	31,68
J7KN-10D-10 24D	367280	4KW / 10A / AC3 1NA	45,72
J7KN-10D-10 400	367281	4KW / 10A / AC3 1NA	31,68
J7KN-10D-10 48	367282	Contactador, 3-polos, 4 KW; 10 A AC3 (380/415 VAC) + 1 NA aux., 48 VAC	31,00
J7KN-10D-4 110	367286	Contactador, 4-polos, 25 A AC1 (hasta 690 VAC), 110 VAC	34,26
J7KN-10D-4 230	367288	Contactador, 4-olos, 25 A AC1 (hasta 690 VAC), 230 VAC	34,26
J7KN-14D-01 110	367294	5,5KW / 14A / AC3 1NC	36,27
J7KN-14D-01 230	367298	5,5KW / 14A / AC3 1NC	36,27
J7KN-14D-01 24	367299	5,5KW / 14A / AC3 1NC	36,27
J7KN-14D-01 24D	367300	5,5KW / 14A /AC3 1NC	50,75
J7KN-14D-01 400	367301	7,5 KW/18A/AC3 1NC	36,27
J7KN-14D-10 110	367306	5,5KW / 14A / AC3 1NA	36,27
J7KN-14D-10 180	367309	Contactador, 3-polos, 5.5 kW; 14 A AC3 (380-415 VAC) + 1 NO aux., 180 VAC	36,27
J7KN-14D-10 230	367310	5,5KW / 14A / AC3 1NA	36,27
J7KN-14D-10 24	367311	5,5KW / 14A / AC3 1NA	35,32

OMRON PVPR 2023

J7KN-14D-10 24D	367312	5,5KW / 14A / AC3 1NA	50,75
J7KN-14D-10 400	367313	5,5KW / 14A / AC3 1NA	36,27
J7KN-14D-10 48	367314	Contactador, 3-pole, 14A/5.5kW AC3 (25A AC1) + 1M auxiliary, 48 VAC	36,27
J7KN-14D-4 110	367318	Contactador, 4-polos, 25 A AC1 (hasta 690 VAC), 110 VAC	48,85
J7KN-14D-4 230	367320	5,5KW / 14A / AC3 4 polos	51,40
J7KN-18D-01 110	367326	Contactador, 3-polos, 7.5 kW; 18 A AC3 (380-415 VAC) + 1 NC aux., 110 VAC	48,97
J7KN-18D-01 110D	367327	Contactador, 3-polos, 7.5 kW; 18 A AC3 (380-415 VAC) + 1 NC aux., 110 VDC	63,20
J7KN-18D-01 230	367330	7,5KW / 18A / AC3 1NC	48,97
J7KN-18D-01 24	367331	7,5KW / 18A / AC3 1NC	48,97
J7KN-18D-01 24D	367332	7,5 KW / 18A/AC3 1NF	63,20
J7KN-18D-01 400	367333	Contactador, 3-polos, 7.5 kW; 18 A AC3 (380-415 VAC) + 1 NC aux. 400 VAC	48,17
J7KN-18D-10 110	367338	7,5KW / 18A / AC3 1NA	48,97
J7KN-18D-10 230	367342	7,5KW / 18A / AC3 1NA	48,97
J7KN-18D-10 24	367343	7,5KW / 18A / AC3 1NA	47,62
J7KN-18D-10 24D	367344	7,5 KW / 18A/ AC3 1NA	63,20
J7KN-18D-10 400	367345	7,5KW / 18A /AC3 1NA	47,62
J7KN-18D-10 48	367346	7,5KW / 18A / AC3 1NA	47,62
J7KN-18D-4 230	367352	Contactador, 4-polos, 32 A AC1 (hasta 690 VAC), 230 VAC	54,65
J7KN-22D-01 110	367358	11KW/ 22A /AC- /1NC	58,60
J7KN-22D-01 230	367362	Contactador, 3-polos, 11 kW; 22 A AC3 (380-415 VAC) + 1 NC aux., 230 VAC	61,75
J7KN-22D-01 24	367363	11KW / 22A / AC3 1NC	61,75
J7KN-22D-01 24D	367364	11KW / 22A / AC3 1NC	84,05
J7KN-22D-01 400	367365	Contactador, 3-polos, 11 kW; 22 A AC3 (380-415 VAC) + 1 NC aux. 400 VAC	60,85
J7KN-22D-01 48	367366		60,85
J7KN-22D-10 110	367370	11KW / 22A / AC3 1NA	59,85
J7KN-22D-10 230	367374	11KW / 22A / AC3 1NA	61,75
J7KN-22D-10 24	367375	11KW / 22A / AC3 1NA	61,75
J7KN-22D-10 24D	367376	11KW / 22A / AC3 1NA	84,05
J7KN-22D-10 400	367377	Contactador, 3-polos, 11 kW; 22 A AC3 (380-415 VAC) + 1 NA aux. 400 VAC	60,85
J7KN-22D-4 110	367382	Contactador, 4-polos, 32 A AC1 (hasta 690 VAC), 110 VAC	77,10
J7KN-22D-4 230	367384	11KW / 22A / AC3 4 polos	77,35
J7KNU-05-01 110	668211	Micro contactor, 3-polos (NA) + 1NC, 2.2 kW; 12A AC1 (hasta 440 V), 110 VAC	25,47
J7KNU-05-10 180	668216	Micro contactor, 3-polos (NA) + 1NA, 2.2 kW; 12A AC1 (hasta 440 V), 180 VAC	25,47

OMRON PVPR 2023

J7KNU-05-10 110	668208	Micro contactor, 3-polos (NA) + 1NA, 2.2 kW; 12A AC1 (hasta 440 V), 110 VAC	25,47
J7KNU-05-01 24	668219	Micro contactor, 3-polos (NA) + 1NC, 2.2 kW; 12A AC1 (hasta 440 V), 24 VAC	25,47
J7KNU-05-10 230	668215	Micro contactor, 3-polos (NA) + 1NA, 2.2 kW; 12A AC1 (hasta 440 V), 230 VAC	25,47
J7KNU-05-10 24	668203	Micro contactor, 3-polos (NA) + 1NA, 2.2 kW; 12A AC1 (hasta 440 V), 24 VAC	25,47
J7KNU-05-10 48	668204	Micro contactor, 3-polos (NA) + 1NA, 2.2 kW; 12A AC1 (hasta 440 V), 48 VAC	25,47
J7KNU-05-10 90	668209	Micro contactor, 3-polos (NA) + 1NA, 2.2 kW; 12A AC1 (hasta 440 V), 90 VAC	25,47
J7KNU-05-01 180	668195	Micro contactor, 3-polos (NA) + 1NC, 2.2 kW; 12A AC1 (hasta 440 V), 180 VAC	25,47
J7KNU-05-01 90	668206	Micro contactor, 3-polos (NA) + 1NC, 2.2 kW; 12A AC1 (hasta 440 V), 90 VAC	25,47
J7KNU-05-01 230	668213	Micro contactor, 3-polos (NA) + 1NC, 2.2 kW; 12A AC1 (hasta 440 V), 230 VAC	25,47
J7KNU-05-01 48	668222	Micro contactor, 3-polos (NA) + 1NC, 2.2 kW; 12A AC1 (hasta 440 V), 48 VAC	25,47
J7KNU-05-4 90	668441	Micro contactor, 4-polos (NA), 2.2 kW, 12A AC1 (hasta 440 V), 90 VAC	25,99
J7KNU-05-4 24	668442	Micro contactor, 4-polos (NA), 2.2 kW, 12A AC1 (hasta 440 V), 24 VAC	25,99
J7KNU-05-4 230	668443	Micro contactor, 4-polos (NA), 2.2 kW, 12A AC1 (hasta 440 V), 230 VAC	25,99
J7KNU-05-4 110	668444	Micro contactor, 4-polos (NA), 2.2 kW, 12A AC1 (hasta 440 V), 110 VAC	25,99
J7KNU-05-4 180	668445	Micro contactor, 4-polos (NA), 2.2 kW, 12A AC1 (hasta 440 V), 180 VAC	25,99
J7KNU-05-4 48	668446	Micro contactor, 4-polos (NA), 2.2 kW, 12A AC1 (hasta 440 V), 48 VAC	25,99
J7KNU-05-10 24D	675294	Micro contactor, 3-polos (NA) + 1NA, 2.2 kW; 12A AC1 (hasta 440VAC), 24VDC	29,47
J7KNU-05-10 60D	675293	Micro contactor, 3-polos (NA) + 1NA, 2.2 kW; 12A AC1 (hasta 440VAC), 60 VDC	29,47
J7KNU-05-01 24D	675298	Micro contactor, 3-polos (NA) + 1NC, 2.2 kW; 12A AC1 (hasta 440 V), 60 VDC	29,47
J7KNU-05-01 48D	675312	Micro contactor, 3-polos (NA) + 1NC, 2.2 kW; 12A AC1 (hasta 440 V), 60 VDC	29,47
J7KNU-05-01 110D	675301	Micro contactor, 3-polos (NA) + 1NC, 2.2 kW; 12A AC1 (hasta 440 V), 60 VDC	29,47
J7KNU-05-10 48D	675296	Micro contactor, 3-polos (NA) + 1NA, 2.2 kW; 12A AC1 (hasta 440VAC), 48 VDC	29,47
J7KNU-05-10 110D	675334	Micro contactor, 3-polos (NA) + 1NA, 2.2 kW; 12A AC1 (hasta 440VAC), 110 VDC	29,47
J7KNU-05-01 60D	675302	Micro contactor, 3-polos (NA) + 1NC, 2.2 kW; 12A AC1 (hasta 440 V), 60 VDC	29,47
J7KC-12-10 24VAC	690071	Contactador para motores, 3 polos, terminales Push-In Plus, hasta 5,5 kW, 24 V CA	44,27
J7KC-12-01 24VAC	690085	Contactador para motores, 3 polos, terminales Push-In Plus, hasta 5,5 kW, 24 V CA	44,27
J7KC-12-10 110VAC	690070	Motor Contactor, 3 Poles, Push-In Plus Terminals, up to 5.5 kW, 110 VAC, Cont	44,27
J7KC-12-01 110VAC	690086	Motor Contactor, 3 Poles, Push-In Plus Terminals, up to 5.5 kW, 110 VAC, Cont	44,27
J7KC-12-10 230VAC	690069	Contactador para motores, 3 polos, terminales Push-In Plus, hasta 5,5 kW, 230 V C	44,27
J7KC-12-01 230VAC	690087	Contactador para motores, 3 polos, terminales Push-In Plus, hasta 5,5 kW, 230 V C	44,27
J7KC-12-01 240VAC	690068	Motor Contactor, 3 Poles, Push-In Plus Terminals, up to 5.5 kW, 240 VAC, Cont	44,27
J7KC-12-10 400VAC	690067	Motor Contactor, 3 Poles, Push-In Plus Terminals, up to 5.5 kW, 400 VAC, Cont	44,27
J7KC-12-10 24VDC	690037	Contactador para motores, 3 polos, terminales Push-In Plus, hasta 5,5 kW, 24 V CC	50,40

OMRON PVPR 2023

J7KC-12-01 24VDC	690066	Contactor para motores, 3 polos, terminales Push-In Plus, hasta 5,5 kW, 24 V CC	50,40
J7KNA-09-01R 110	245046	Mini revers. contactor, 3-polos, 4 kW; 9 A AC3 (400 VAC) + 1 NC, 110 VAC	70,55
J7KNA-09-01R 110VS	245048	Reversing interlocked pair, 9A/4kW + 1B auxiliary on both sides, 110 VDC, varist	96,20
J7KNA-09-01R 230	245052	4KW / 9A / AC3 1NC	70,55
J7KNA-09-01R 24	245053	4KW / 9A / AC3 1NC	70,55
J7KNA-09-01R 240VAC	245054	Inversor 4KW / 9A / AC3 1NC	63,30
J7KNA-09-01R 24D	245055	4KW / 9A / AC3 1NC	84,05
J7KNA-09-01R 24VS	245056	4KW / 9A / AC3 1NC	96,20
J7KNA-09-01R 48VS	245061	4KW / 9A / AC3 1NC	98,85
J7KNA-12-01R 230	245070	Mini revers. contactor, 3-polos, 5.5 kW; 12 A AC3 (400 VAC) + 1 NC, 230 VAC	78,65
J7KNA-12-01R 24	245071	5,5KW /12A /AC3 1NC	78,65
J7KNA-12-01R 24D	245073	5,5KW / 12A / AC3 1NC	98,85
J7KNA-12-01R 48VAC	245077	Mini revers. contactor, 3-polos, 5.5 kW; 12 A AC3 (400 VAC) + 1 NC, 48 VAC	77,35
J7KNU-05-01R 24	668196	Micro contactor, inversor con bloqueo mecánico, 2.2kW, 3-polos (NA) + 1 NC, cc	64,00
J7KNU-05-01R 180	668217	Micro contactor, inversor con bloqueo mecánico, 2.2kW, 3-polos (NA) + 1 NC, c	64,00
J7KNU-05-01R 48	668200	Micro contactor, inversor con bloqueo mecánico, 2.2kW, 3-polos (NA) + 1 NC, cc	64,00
J7KNU-05-01R 90	668218	Micro contactor, inversor con bloqueo mecánico, 2.2kW, 3-polos (NA) + 1 NC, cc	64,00
J7KNU-05-01R 230	668212	Micro contactor, inversor con bloqueo mecánico, 2.2kW, 3-polos (NA) + 1 NC, c	64,00
J7KNU-05-01R 110	668207	Micro contactor, inversor con bloqueo mecánico, 2.2kW, 3-polos (NA) + 1 NC, cc	64,00
J7KNU-05-01R 24D	675297	Micro contactor, inversor con bloqueo mecánico, 2.2kW, 3-polos (NA) + 1 NC, cc	69,35
J7KNU-05-01R 48D	675303	Micro contactor, inversor con bloqueo mecánico, 2.2kW, 3-polos (NA) + 1 NC, cc	69,35
J7KNU-05-01R 60D	675307	Micro contactor, inversor con bloqueo mecánico, 2.2kW, 3-polos (NA) + 1 NC, cc	69,35
J7KNU-05-01R 110D	675300	Micro contactor, inversor con bloqueo mecánico, 2.2kW, 3-polos (NA) + 1 NC, cc	69,35
J7KCR-12-10 24VAC	690122	Contactor de inversión para motores, 3 x 2 polos, terminales Push-In Plus, hasta	138,50
J7KCR-12-01 24VAC	690065	Contactor de inversión para motores, 3 x 2 polos, terminales Push-In Plus, hasta	138,50
J7KCR-12-10 24VDC	690121	Contactor de inversión para motores, 3 x 2 polos, terminales Push-In Plus, hasta	149,70
J7KCR-12-01 24VDC	690120	Contactor de inversión para motores, 3 x 2 polos, terminales Push-In Plus, hasta	149,70
J7KCR-12-01 48VDC	690064	Reversing Motor Contactor, 3 x 2 Poles, Push-In Plus Terminals, up to 5.5 kW, 48	149,70
J7MN-3P-E16	234275	0,10 - 0,16 A Basculante	56,20
J7MN-3P-E25	234276	0,16 - 0,25 A / 0,06KW Basculante	56,20
J7MN-3P-E4	234277	0,25 - 0,4 A / 0,09KW Basculante	56,20
J7MN-3P-E63	234278	0,4 - 0,63 A / 0,18KW Basculante	56,20
J7MN-3P-1	234279	0,63 - 1 A / 0,25KW Basculante	56,20

OMRON PVPR 2023

J7MN-3P-1E6	234280	1 - 1,6 A / 0,55KW Basculante	63,60
J7MN-3P-2E5	234281	1,6 - 2,5 A / 0,75KW Basculante	63,60
J7MN-3P-4	234282	2,5 - 4 A / 1,5KW Basculante	63,60
J7MN-3P-6	234283	4 - 6 A / 2,2KW Basculante	63,60
J7MN-3P-8	234284	5 - 8 A / 3KW Basculante	75,85
J7MN-3P-10	234285	6 - 10 A / 4KW Basculante	75,85
J7MN-3P-13	234286	9 - 13 A / 5,5KW Basculante	75,85
J7MN-3P-17	234287	11 - 17 A / 7,5KW Basculante	75,85
J7MN-3P-22	234288	14 - 22 A / 7,5KW Basculante	85,40
J7MN-3P-26	234289	18 - 26 A / 11KW Basculante	85,40
J7MN-3P-32	234290	22 - 32 A / 15KW Basculante	85,40
J7MN-3R-E16	234291	0,10 - 0,16 A Giratorio	70,55
J7MN-3R-E25	234292	0,16 - 0,25 A / 0,06KW Giratorio	70,55
J7MN-3R-E4	234293	0,25 - 0,4 A / 0,09KW Giratorio	70,55
J7MN-3R-E63	234294	0,4 - 0,63 A / 0,18KW Giratorio	70,55
J7MN-3R-1	234295	0,63 - 1 A / 0,25KW Giratorio	77,35
J7MN-3R-1E6	234296	1 - 1,6 A / 0,55KW Giratorio	77,35
J7MN-3R-2E5	234297	1,6 - 2,5 A / 0,75KW Giratorio	77,35
J7MN-3R-4	234298	2,5 - 4 A / 1,5KW Giratorio	77,35
J7MN-3R-6	234299	4 - 6 A / 2,2KW Giratorio	77,35
J7MN-3R-8	234300	5 - 8 A / 3KW Giratorio	77,35
J7MN-3R-10	234301	6 - 10 A / 4KW Giratorio	81,30
J7MN-3R-13	234302	9 - 13 A / 5,5KW Giratorio	81,30
J7MN-3R-17	234303	11 - 17 A / 7,5KW Giratorio	81,30
J7MN-3R-22	234304	14 - 20 A / 7,5KW Giratorio	85,40
J7MN-3R-26	234305	18 - 26 A / 11KW Giratorio	97,50
J7MN-3R-32	234306	22 - 32 A / 15KW Giratorio	97,50
J7MN-6R-26	234307	18 - 26 A / 12,5KW Giratorio	196,40
J7MN-6R-32	234308	22 - 32 A / 15KW Giratorio	216,70
J7MN-6R-40	234309	28 - 40 A / 18,5KW Giratorio	232,90
J7MN-6R-50	234310	34 - 50 A / 22KW Giratorio	259,80
J7MN-6R-63	234311	45 - 63 A / 30KW Giratorio	256,00
J7MN-9R-63	234312	45 - 63 A / 30KW Giratorio	297,70

OMRON PVPR 2023

J7MN-9R-75	234313	55 - 75 A / 37KW Giratorio	322,00
J7MN-9R-90	234314	70 - 90 A / 45KW Giratorio	357,30
J7MN-9R-100	234315	80 - 100 A Giratorio	395,10
J7MC-3P-E25	690056	Motor Protection Circuit Breaker, Push-In Plus Terminals, Current setting range	96,40
J7MC-3P-E4	690055	Motor Protection Circuit Breaker, Push-In Plus Terminals, Current setting range	96,40
J7MC-3P-2E5	690119	Disyuntor de protección de motores, terminales Push-In Plus, rango de ajuste de	96,40
J7MC-3P-4	690118	Disyuntor de protección de motores, terminales Push-In Plus, rango de ajuste de	96,40
J7MC-3P-10	690054	Disyuntor de protección de motores, terminales Push-In Plus, rango de ajuste de	96,40
J7MC-3P-13	690053	Disyuntor de protección de motores, terminales Push-In Plus, rango de ajuste de	96,40
J7MC-3P-20	690052	Motor Protection Circuit Breaker, Push-In Plus Terminals, Current setting range	96,40
J7MC-3R-E63	690051	Motor Protection Circuit Breaker, Push-In Plus Terminals, Current setting range	117,80
J7MC-3R-1	690050	Motor Protection Circuit Breaker, Push-In Plus Terminals, Current setting range	117,80
J7MC-3R-1E6	690049	Disyuntor de protección de motores, terminales Push-In Plus, rango de ajuste de	117,80
J7MC-3R-2E5	690048	Disyuntor de protección de motores, terminales Push-In Plus, rango de ajuste de	117,80
J7MC-3R-4	690047	Disyuntor de protección de motores, terminales Push-In Plus, rango de ajuste de	117,80
J7MC-3R-6	690046	Motor Protection Circuit Breaker, Push-In Plus Terminals, Current setting range	117,80
J7MC-3R-13	690045	Motor Protection Circuit Breaker, Push-In Plus Terminals, Current setting range	117,80
J7MC-3R-16	690044	Motor Protection Circuit Breaker, Push-In Plus Terminals, Current setting range	117,80
J7MC-3P-E16	691114	Disyuntor de protección del motor, terminales push-in Plus, rango de ajuste de c	96,40
J7MC-3P-E63	691113	Motor Protection Circuit Breaker, Push-In Plus Terminals, Current setting range	96,40
J7MC-3P-1	691112	Motor Protection Circuit Breaker, Push-In Plus Terminals, Current setting range	96,40
J7MC-3P-1E6	691111	Motor Protection Circuit Breaker, Push-In Plus Terminals, Current setting range	96,40
J7MC-3P-6	691110	Motor Protection Circuit Breaker, Push-In Plus Terminals, Current setting range	96,40
J7MC-3P-16	691109	Motor Protection Circuit Breaker, Push-In Plus Terminals, Current setting range	96,40
J7MC-3R-E16	691108	Motor Protection Circuit Breaker, Push-In Plus Terminals, Current setting range	117,80
J7MC-3R-E25	691107	Motor Protection Circuit Breaker, Push-In Plus Terminals, Current setting range	117,80
J7MC-3R-E4	691106	Motor Protection Circuit Breaker, Push-In Plus Terminals, Current setting range	117,80
J7MC-3R-10	691105	Motor Protection Circuit Breaker, Push-In Plus Terminals, Current setting range	117,80
J7MC-3R-20	691104	Motor Protection Circuit Breaker, Push-In Plus Terminals, Current setting range	117,80
J7TKN-D-65	118618	52A - 65A (J7KN-50..74)	113,90
J7TKN-D-74	118619	60A - 74A (J7KN-50..74)	139,70
J7TKN-E-90	118620	60A - 90A (J7KN-85..150)	193,90
J7TKN-B-E27	118703	0,18A - 0,27A (J7KN-10..40)	46,67

OMRON PVPR 2023

J7TKN-B-E4	118704	0,27A - 0,4A (J7KN-10..40)	46,67
J7TKN-B-E9	118705	0,6A - 0,9A (J7KN-10..40)	46,67
J7TKN-B-1E8	118706	1,2A - 1,8A (J7KN-10..40)	46,67
J7TKN-B-4	118707	2,4A - 4A (J7KN-10..40)	46,67
J7TKN-B-14	118708	10A - 14A (J7KN-10..40)	53,05
J7TKN-B-18	118709	13A - 18A (J7KN-10..40)	53,05
J7TKN-B-24	118710	17A - 24A (J7KN-10..40)	53,05
J7TKN-B-32	118711	23A - 32A (J7KN-10..40)	81,30
J7TKN-C-42	118712	28A - 42A (J7KN-24..40)	79,90
J7TKN-D-52	118713	40A - 52A (J7KN-50..74)	112,40
J7TKN-E-120	142504	80A - 120A (J7KN-85..150)	212,60
J7TKN-B-9	142631	6A - 9A (J7KN-10..40)	46,67
J7TKN-B-2E7	148115	1,8A - 2,7A (J7KN-10..40)	46,67
J7TKN-B-11	148116	8A - 11A (J7KN-10..40)	53,05
J7TKN-B-6	149068	4A - 6A (J7KN-10..40)	46,67
J7TKN-B-E6	154762	0,4A - 0,6A (J7KN-10..40)	46,67
J7TKN-B-1E2	154763	0,8A - 1,2A (J7KN-10..40)	46,67
J7TKN-B-E18	158041	0,12A - 0,18A (J7KN-10..40)	46,67
J7TKN-A-E18	197804	0,12A - 0,18A (J7KNA .. J7KN-22)	43,27
J7TKN-A-E27	197805	0,18A - 0,27A (J7KNA-09 .. J7KNA-12)	44,64
J7TKN-A-E4	197806	0,27A - 0,4A (J7KNA .. J7KN-22)	44,64
J7TKN-A-E6	197807	0,4A - 0,6A (J7KNA .. J7KN-22)	44,64
J7TKN-A-E9	197808	0,6A - 0,9A (J7KNA .. J7KN-22)	44,64
J7TKN-A-1E2	197809	0,8A - 1,2A (J7KNA .. J7KN-22)	44,64
J7TKN-A-1E8	197810	1,2 - 1,8 A (J7KNA .. J7KN-22)	44,64
J7TKN-A-2E7	197811	1,8A - 2,7A (J7KNA .. J7KN-22)	44,64
J7TKN-A-4	197812	2,7A - 4A (J7KNA .. J7KN-22)	44,64
J7TKN-A-6	197813	4A - 6A (J7KNA .. J7KN-22)	44,64
J7TKN-A-9	197814	6A - 9A (J7KNA .. J7KN-22)	44,64
J7TKN-A-11	197815	8A - 11A (J7KNA .. J7KN-22)	51,00
J7TKN-A-14	197816	10A - 14A (J7KNA .. J7KN-22)	51,00
J7TKN-F-180	245109	Relé térmico de sobrecarga, 3-pole, 60-90 A, J7KN-151..176, manual reset	466,40
J7TC-01-E72	690043	Thermal Overload Relay, Push-In Plus Terminals, Current setting range thermal c	62,25

OMRON PVPR 2023

J7TC-01-1E6	690042	Thermal Overload Relay, Push-In Plus Terminals, Current setting range thermal c	62,25
J7TC-01-2E6	690041	Relé de sobrecarga térmica, terminales Push-In Plus, rango de ajuste de corrient	62,25
J7TC-01-4E2	690040	Thermal Overload Relay, Push-In Plus Terminals, Current setting range thermal c	62,25
J7TC-01-6	690039	Relé de sobrecarga térmica, terminales Push-In Plus, rango de ajuste de corrient	62,25
J7TC-01-9	690038	Thermal Overload Relay, Push-In Plus Terminals, Current setting range thermal c	62,25
J7TC-01-E15	691103	Relé de sobrecarga térmica, terminales push-in Plus, rango de ajuste de corrient	62,25
J7TC-01-E20	691102	Thermal Overload Relay, Push-In Plus Terminals, Current setting range thermal c	62,25
J7TC-01-E27	691101	Thermal Overload Relay, Push-In Plus Terminals, Current setting range thermal c	62,25
J7TC-01-E36	691100	Thermal Overload Relay, Push-In Plus Terminals, Current setting range thermal c	62,25
J7TC-01-E52	691099	Thermal Overload Relay, Push-In Plus Terminals, Current setting range thermal c	62,25
J7TC-01-E96	691098	Thermal Overload Relay, Push-In Plus Terminals, Current setting range thermal c	62,25
J7TC-01-1E2	691097	Thermal Overload Relay, Push-In Plus Terminals, Current setting range thermal c	62,25
J7TC-01-1E4	691096	Thermal Overload Relay, Push-In Plus Terminals, Current setting range thermal c	62,25
J7TC-01-2E1	691095	Thermal Overload Relay, Push-In Plus Terminals, Current setting range thermal c	62,25
J7TC-01-3E4	691094	Thermal Overload Relay, Push-In Plus Terminals, Current setting range thermal c	62,25
J7TC-01-7E5	691093	Thermal Overload Relay, Push-In Plus Terminals, Current setting range thermal c	62,25
J7TC-01-10	691092	Thermal Overload Relay, Push-In Plus Terminals, Current setting range thermal c	62,25
J7TC-01-13	691091	Thermal Overload Relay, Push-In Plus Terminals, Current setting range thermal c	62,25
Z-15ESR	103031	Embolo delgado Contacto mantenido Torn. 15A 1,8mm	35,03
Z-15GK655-B	103032	Embolo muelle PO media Tornillo Estanco 15A 0,5mm	27,35
Z-15GW21-B	103033	Palanca corta resorte Tornillo 15A 0,5mm	16,59
Z-15GM255-B	103034	Palanca roldana invertida Torn. Estanco 15A 0,5mm	29,24
X-10GQ-B	103112	Final de carrera compacto, sensibilidad estándar, IP67 Acción instantanea, SPDT	56,55
X-10GW2	103113	Final de carrera compacto, sensibilidad estándar, IP67 Acción instantanea, SPDT	53,95
Z-15GL55-B	103829	Lámina PO alta Estándar Tornillo Estanco 15A 0,5mm	27,77
X-10G-B	105019	Embolo Term. tornillo 10A 0,5mm	46,38
Z-15GK355-B	105033	Embolo muelle PO alta Tornillo Estanco 15A 0,5mm	33,96
Z-15GQA55-B5V	105368	Embolo Mont. panel PO Media Torn. Estanco Cubierta	42,70
Z-15HW24	106474	Palanca baja fuerza Soldar 15A Alta sensib	24,00
Z-15HW52-B	106479	Palanca resorte PO alta Tornillo Alta sensib	24,00
Z-15HW78	106482	Palanca res.alambre baja fuerza Soldar Alta sens.	23,57
Z-15HW78-B	106483	Palanca res.alambre baja fuerza Torn. Alta sens.	30,60
Z-15HW7855-B	106486	Palanca cilíndrica baja fuerza Tornillo Alta sens.	61,45

OMRON PVPR 2023

Z-15HW24-B7-K	106487	Palanca resorte PO alta Tornillo Alta sensib	27,90
Z-15GM2255-B	106522	Palanca rold.grande invertida Torn Estanco 0,5mm	26,28
Z-15GQ-B7-K	106533	Final de carrera básico	26,69
Z-15H2	106543	Embolo Alta sensibilidad Soldar 15A 0,25mm	21,70
Z-15HS	106546	Émbolo muelle delgado Soldar Alta sensib	22,52
Z-15HD	106548	Embolo muelle corto Soldar Alta sensib	20,24
Z-15HQ	106551	FINAL DE CARRERA BASICO	26,69
Z-15HQ21-B	106552	Embolo Roldana 90º Panel Tornillo Alta sensib	32,06
Z-15HQ22	106554	Émbolo roldana Montaje panel Soldar 15A Alta sensibilidad	33,69
Z-15HW	106564	Palanca con resorte PO baja 15A Alta sensib	24,78
Z-15HW-B	106565	Palanca resorte PO baja Tornillo Alta sensib	23,06
Z-15HW2	106567	Palanca corta roldana resorte 15A 0,25mm	28,56
Z-15HW22	106568	Palanca corta roldana resorte 15A 0,25mm	24,00
Z-15GW22-C	106570	Palanca corta roldana resorte Faston#250 15A 0,5mm	20,63
Z-15GW22S	106571	Palanca corta roldana metálica resorte Soldar	17,00
Z-15GW2277	106575	Palanca corta roldana unid. resorte Soldar	22,92
Z-15GW227755-B	106578	Palanca corta roldana unid. resorte Torn. Estanco	30,46
Z-15GW2377	106579	Palanca corta roldana unid. resorte Soldar	24,93
Z-15GW2377-B	106580	Palanca corta roldana unid. resorte Tornillo	28,03
Z-15GW25	106584	Palanca roldana grande resorte Soldar 15A 0,5mm	22,92
Z-15GW255	106587	Palanca roldana resorte paralelo Soldar Estanco	24,25
Z-15GW3-B	106590	Palanca resorte PO med. Tornillo Estándar15A 0,5mm	18,08
Z-15GW32-B	106591	Palanca resorte PO Alta Tornillo 15A 4,9mm	17,53
Z-15GW4	106594	Palanca baja fuerza Soldar 15A 0,5mm	18,08
Z-15GW4-B	106595	Palanca baja fuerza Tornillo 15A 0,5mm	23,06
Z-15GW49-B	106599	Palanca corta roldana cruz resorte Tornillo	20,24
Z-15GW54-B	106601	Palanca roldana cruzada y resorte tornillo	19,55
Z-15GW55-B	106603	Palanca resorte PO alta Tornillo Estanco 15A 0,5mm	24,13
Z-15GM	106609	Palanca resorte invertida Soldar 15A 0,5mm	19,15
Z-15GM-B	106610	Palanca resorte invertida Tornillo 15A 0,5mm	22,38
Z-15GM2	106612	Palanca roldana resorte invertida Soldar 15A 0,5mm	20,08
Z-15GM2-B	106613	Palanca roldana resorte invertida Torn. 15A 0,5mm	21,02
Z-15GM2230-B	106616	Palanca rold grande invertida Torn. 15A 0,5mm	22,23

OMRON PVPR 2023

Z-15GM2255	106617	Palanca rold.grande invertida Soldar Estanco 0,5mm	25,74
Z-15GQ21	106621	Embolo roldana cruzada Mont.panel Soldar 15A 0,5mm	30,30
Z-15GQ3	106625	Embolo Montaje panel PO Baja Soldar 15A 0,5mm	24,00
Z-15GQ3-B	106626	Embolo Montaje panel PO Baja Torn. 15A 0,5mm	26,15
Z-15GQ8	106627	Embolo Montaje panel PO Alta Soldar 15A 0,5mm	25,87
Z-15GQ55	106634	Embolo Montaje panel PO Media Soldar Estanco	35,96
Z-15GQ55-B	106635	Embolo Montaje panel PO Media Tornillo 15A 0,5mm	37,71
Z-15GQ2155-B	106637	Embolo roldana cruzada Mont.panel Torn. Estanco	39,06
Z-15GQ2255	106638	Embolo roldana Mont.panel Soldar Estanco 15A 0,5mm	36,89
Z-15GL	106640	Lámina estándar PO alta Soldar 15A 0,5mm	17,27
Z-15GL-B	106641	Lámina estándar PO alta Tornillo 15A 0,5mm	20,24
Z-15GL2	106643	Lámina roldana estándar Soldar 15A 0,5mm	18,75
Z-15GL2-B	106644	Lámina roldana estándar Tornillo 15A 0,5mm	21,70
Z-15GL255-B	106647	Lámina roldana estándar Tornillo Estanco 15A 0,5mm	27,22
Z-15GW21	106660	Palanca corta resorte 15A 0,5mm	17,27
Z-15G55	106670	Embolo aguja Soldar Estanco 15A 0,5mm	21,31
Z-15G55-B	106671	Embolo aguja Terminales tornillo Estanco 15A 0,5mm	23,88
Z-15GA55-B5V	106676	Embolo aguja Soldar Estanco 15A 0,5mm Cubierta Term	35,83
Z-15GKA55-B5V	106677	Embolo muelle PO media Soldar Estanco Cubierta	29,37
Z-15GK3A55-B5V	106678	Final de carrera básico	48,74
Z-15GWA55-B5V	106680	Final de carrera compacto, sensibilidad estándar, IP67 Acción instantanea, SPDT	40,41
Z-15GW2A55-B5V	106681	Palanca roldana resorte paralelo Torn Est.Cubierta	37,71
Z-15GW44A55-B5V	106683	Palan resorte OF media Tornillo Estanco cubierta	37,71
Z-15GQ21A55-B5V	106685	Emb.Rold. cruzada Mont.panel Torn.Estanco Cubierta	51,20
Z-15GQ22A55-B5V	106686	Embolo roldana Mont.panel Torn.Estanco Cubierta	50,35
Z-15GS-B	106694	Embolo muelle delgado resorte Tornillo 15A 0,5mm	21,70
Z-15GD-B8	106702	Basic switch, short plunger, SPDT, 15A	46,58
Z-15GD55	106704	Final de carrera básico	26,56
Z-15GD5-B7	106708	Final de carrera básico	20,24
Z-01HW2255-B	106714	Palanca rold. resorte Estanco Torn. 0,1A 0,22mm	37,39
Z-10FDY-B	106724	Final de carrera básico	45,15
Z-10FQY-B	106725		57,00
Z-10FQ22Y-B	106726	Embolo rold. Mont. panel Doble contacto Torn. 1mm	65,90

OMRON PVPR 2023

Z-10FWY-B	106729	FINAL DE CARRERA BASICO	46,04
Z-10FW2Y-B	106732	Interruptor básico de uso general, palanca de rodillo articulada, contacto bifurca	48,29
Z-10FW22Y-B	106733	FINAL DE CARRERA BASICO	48,29
Z-15ER	106739	Embolo aguja Contacto mantenido Tornillo 15A 1,8mm	30,71
Z-15E-B	106741	Embolo aguja soldar 15A 1,8mm	25,74
Z-15EQ-B	106744	Embolo montaje panel PO Media Soldar 15A 1,8mm	35,16
Z-15GK55-B	106760	Embolo muelle PO media Tornillo Estanco 15A 0,5mm	27,35
Z-01HQ2255-B	106808	Final de carrera básico	62,80
X-10GM-B	108112	Palanca larga Term. Soldar 10A 0.5mm	53,80
X-10GM2	108113	Final de carrera compacto, sensibilidad estándar, IP67 Acción instantanea, SPDT	51,70
X-10GM2-B	108114	Palanca larga Roldana Term. Soldar 10A 0.5mm	57,00
X-10G	108185	Embolo Term. soldar 10A 0,5mm	45,65
X-10GQ	108192	Final de carrera básico, Embolo, Montaje panel, Soldar, 10A, Contacto imantado	57,50
X-10GQ22-B	108195	Embolo roldana Montaje panel Tornillo 10A 0.5mm	69,15
X-10GW21-B	108199	Corto 2h Enr 4mm M12 NA Conector M12	54,85
X-10GW22-B	108200	Palan roldana resorte corta tornillo 10A 0.5 mm	59,15
DZ-10G-1B	133557	Émbolo DPDT Tornillo	92,80
DZ-10GV2-1B	133560	Final de carrera compacto, sensibilidad estándar, IP67 Acción instantanea, SPDT	116,80
DZ-10GV22-1B	133562	Final de carrera compacto, sensibilidad estándar, IP67 Acción instantanea, SPDT	115,40
DZ-10GW-1A	133563	Palanca DPDT Soldar	91,30
DZ-10GW-1B	133564	Palanca DPDT Soldar	89,80
DZ-10GW2-1A	133566	Palanca larga roldana DPDT Soldar	89,80
DZ-10GW2-1B	133567	Final de carrera compacto, sensibilidad estándar, IP67 Acción instantanea, SPDT	74,80
DZ-10GW22-1A	133568	Palanca roldana corta DPDT Soldar	107,70
DZ-10GW22-1B	133569	Palanca roldana corta DPDT Soldar	107,70
Z-01HQ-B	141984	Embolo Montaje panel Tornillo 0,1A 0,22mm	39,76
Z-15GW2155-B	141985	Final de carrera básico	23,45
Z-15H2-B	141986	Embolo Alta sensibilidad Soldar 15A 0,25mm	25,34
Z-15GW2255-MR 1M	143077	Palanca corta roldana resorte Soldar Estanco	52,50
Z-15GDA55-B5V	143079	Basic switch	40,48
Z-15GW22A55-B5V	143081	Palanca corta rold. resorte Torn.Estanco Cubierta	37,85
Z-15GQ8-B	143082	Embolo Montaje panel PO Alta Tornillo 15A 0,5mm	27,90
Z-15GW22-B7	143083	Palanca corta roldana resorte Tornillo 15A 0,5mm	16,59

OMRON PVPR 2023

Z-15HS-B	143085	Émbolo muelle delgado Tornillo Alta sensib	22,52
Z-15HNJS55-B	143086	Varilla flexible Tornillo Estanco 15A Alta sensib	49,96
X-10GW-B	144219	Palanca tornillo 10A 0,5mm	54,85
Z-15EWR	144234	Palanca resorte Contacto mantenido Torn. 15A 1,8mm	30,71
Z-15GW2255	144235	Palanca corta roldana resorte Soldar Estanco	23,72
Z-15GW2255-ML	145322	Palanca corta roldana resorte Soldar Estanco	44,71
Z-15GK55	145324	Embolo muelle PO media Soldar Estanco 15A 0,5mm	25,34
Z-15GQ2255-B	145325	Embolo roldana Mont.panel Torn.Estanco 15A 0,5mm	39,06
Z-15H-B	145329	Final de carrera compacto, sensibilidad estándar, IP67 Acción instantanea, SPDT	20,08
DZ-10GV-1B	147687	Embolo DPDT tornillo	101,80
Z-15GW2277A55-B5V	148549	Pal.corta rold.unid.resorte Torn. Estanco Cubierta	40,54
Z-15HQ-B	148551	Embolo panel PO medio Tornillo Alta sensib	27,90
X-10GW2-B	149610	Final de carrera compacto, sensibilidad estándar, IP67 Acción instantanea, SPDT	53,95
Z-15GW4455-B	149618	Palan resorte PO media Tornillo Estanco 15A 0,5mm	25,07
Z-10FM22Y-B	150638	General purpose basic switch, reverse short hinge roller lever, 10A split contact,	44,00
Z-15GS55	150639	Embolo muelle delgado resorte Tornillo 15A 0,5mm estanco	26,00
Z-15GM22	150641	Palanca rold grande invertida Soldar 15A 0,5mm	19,55
X-10GM22-B	150733	Palanca corta Roldana Term. Soldar 10A 0.5mm	53,80
Z-15GW255-B	151808	Palanca roldana resorte paralelo Tornillo Estanco	29,78
X-10GW4-B	152952	Palanca resorte poca fuerza tornillo 10A	58,85
Z-15GM22-B	152969	Palanca rold grande invertida Torn 15A 0,5mm	21,85
Z-15HD-B	152970	Embolo muelle corto Tornillo Alta sensib	20,24
A-20GQ-B7-K	153207	Pulsador	18,42
X-10GW22	154111	Palan roldana resorte corta soldar 10A 0.5 mm	54,25
Z-01HQ22-B	154121	Embolo roldana Montaje panel Tornillo 0,1A 0,22mm	49,47
Z-15GK355	154123	Embolo muelle PO alta Soldar Estanco 15A 0,5mm	33,96
Z-15GNJ55-B	154125	Varilla flexible PO Alta Torn. Estanco 15A 0,5mm	41,21
Z-15EQ22-B	154944	Embolo montaje panel PO Media Soldar 15A 1,8mm	41,61
Z-01HD-B	154947	FINAL DE CARRERA BASICO	33,81
A-20GQ	155157	Embolo montaje panel 20A 0,5mm	20,02
Z-15HW24-B	155993	Palanca baja fuerza Tornillo 15A Alta sensib	25,34
Z-15GQ21-B	156316	Embolo roldana cruzada Mont.panel Torn. 15A 0,5mm	32,06
A-20GQ22-B	156547	Émbolo con roldana montaje panel 20A Tornillo	24,39

OMRON PVPR 2023

Z-15GS	157396	Embolo muelle delgado resorte Soldar 15A 0,5mm	18,75
A-20GD	160800	Embolo montaje panel 20A Tornillo	17,22
A-20GV22	160808	Palanca con resorte 20A	14,25
A-20GV2-B7-K	160812	Palanca con roldana con resorte corta 20A Tornillo	14,40
Z-01HW22-B	169572	Palanca roldana resorte corta Tornillo 0,1A 0,22mm	22,30
Z-15EQ21-B	196508	Embolo montaje panel PO cruzado Media Soldar 15A 1,8mm	41,61
A-20GV2-B	213808	Palanca con roldana con resorte corta 20A Tornillo	14,38
Z-15ED-B	213831	Embolo muelle corto Terminales tornillo 15A 1,8mm	29,11
X-10GW29	224886	Final de carrera básico	54,35
Z-15EW29	224888	Palanca resorte 15A alta capacidad	30,84
A-20GV-B	226582	Palanca con roldana con resorte corta 20A Tornillo	13,64
A-20GV22-B	226583	Palanca con roldana con resorte corta 20A Tornillo	14,38
A-20G-B	233862	Mini émbolo montaje panel 20A Tornillo	13,64
Z-15GW22-B	377795	Palanca roldana resorte paralelo Torn. 15A 0,5mm	17,67
Z-15GW2-B	377796	Palanca roldana resorte paralelo Torn. 15A 0,5mm	19,15
Z-15GW-B	377797	Palanca roldana resorte paralelo Torn. 15A 0,5mm	17,67
Z-15GW22S-B	377798	General purpose basic switch, short hinge roller lever, SPDT, 15A	15,78
Z-15GW25-B	377799	Palanca roldana resorte Tornillo	26,15
Z-15GW2277-B	377800	Palanca corta roldana unid. resorte Soldar	23,18
Z-15GW2-B7-K	377801	General purpose basic switch, hinge roller lever, SPDT, 15A, screw terminals	19,43
Z-15GW-B7-K	377802	Palanca resorte PO baja Tornillo 15A 0,5mm	18,61
Z-15GQ-B	382396	Embolo montaje panel PO Media Tornillo 15A 0,5mm	23,72
Z-15GQ22-B	382397	Embolo roldana Montaje panel Tornillo 15A 0,5mm	29,50
Z-15GD-B	382398	Embolo muelle corto Terminales tornillo 15A 0,5mm	20,24
Z-15G-B	382399	Final de carrera básico	16,33
Z-15GW22	382400	Palanca corta roldana resorte Soldar	17,13
Z-15GW	382401	Final de carrera básico	16,33
Z-15GW2	382402	Final de carrera básico	17,27
Z-15GQ	382403	Final de carrera básico	21,02
Z-15GQ22	382404	Embolo roldana Montaje panel Soldar 15A 0,5mm	26,95
Z-15G	382405	Final de carrera básico	14,44
Z-15GD	382406	Final de carrera básico	17,67
Z-15GD55-B	382407	Final de carrera básico	26,95

OMRON PVPR 2023

Z-15GW2255-B	382408	Palanca corta roldana resorte Soldar Estanco	26,69
Z-15GW55	382409	Palanca resorte PO alta Tornillo Estanco 15A 0,5mm	21,02
A-20GV21-B	383959	Palanca corta con resorte 20A Tornillo	14,38
TZ-1GV2	109865	Accesorio para final de carrera	430,60
TZ-1GV22	109866	Palanca con roldana Corta Alta temperatura 1A 0,5	451,50
TZ-1G	156284	Émbolo aguja Alta temperatura 1A 0,5mm	381,20
TZ-1GV	156285	Palanca con roldana Alta temperatura 1A 0,5mm	430,60
Z-15GQ22-B7-K	688924	Interruptor básico de uso general, émbolo con roldana de montaje en cuadro, S	31,82
D4NH-2BAS	170727	Bisagra en Eje Plástico 2NC Ruptura lenta G1/2	59,90
D4NH-2BBC	170729	Bisagra palanca Plástico 2NC Ruptura lenta G1/2	59,90
D4NH-1AAS	170730	Bisagra eje Plástico 1NC/1NA Ruptura lenta PG13,5	55,90
D4NH-4AAS	170732	Bisagra eje Plástico 1NC/1NA Ruptura lenta M20	54,85
D4NH-1ABC	170738	Bisagra palanca Plástico 1NC/1NA Ruptura lenta PG13,5	55,90
D4NH-4ABC	170740	Plástico 1NC/1NA Bisagra palanca Ruptura lenta M20	54,85
D4NH-1BAS	170746	Bisagra eje Plástico 2NC Ruptura lenta PG13,5	55,90
D4NH-4BAS	170748	Bisagra eje Plástico 2NC Ruptura lenta M20	53,40
D4NH-1BBC	170754	Bisagra palanca Plástico 2NC Ruptura lenta PG13,5	55,90
D4NH-4BBC	170756	Plástico 2NC Bisagra palanca Ruptura lenta M20	53,40
D4NH-9BBC	170757	Bisagra palanca Plástico 2NC Ruptura lenta Conector M12	75,50
D4NH-6BBC	170759	Safety door-hinge switch, Arm lever actuator, G1/2 2 x Conduit, 2NC (slow-action)	63,05
D4NH-8BBC	170761	Bisagra palanca Plástico 2NC Ruptura lenta M20	64,30
D4NH-1CAS	170762	Bisagra eje Plástico 2NC/1NA Ruptura lenta PG13,5	64,20
D4NH-4CAS	170765	Bisagra eje Plástico 2NC/1NA Ruptura lenta M20	64,20
D4NH-1CBC	170770	Bisagra palanca Plástico 2NC/1NA Ruptura lenta PG13,5	64,20
D4NH-4CBC	170773	Safety Limit switch, D4NH, M20 (1 conduit), 2NC/1NO (slow-action), arm lever a	64,20
D4NH-4DAS	170781	Final de carrera de seguridad, D4NH, M20 (1 conducto), 3NC (acción retardada),	58,35
D4NH-4EAS	170797	Bisagra eje Plástico 1NC/1NA MBB Ruptura lenta M20	59,90
D4NS-1FF	100288	Interruptor de bloqueo de seguridad, 2NC/1NA (MBB), 10 A, conducto PG 13,5 ó	34,50
D4NS-1DF	100324	Plástico 3NC PG13,5	33,97
D4NS-8CF	100390	Plástico 2NC/1NA 2-M20	38,72
D4GS-N1T	103716	Entrada de pasador vertical 1NA+1NC	76,00
D4GS-N1R	133907	Entrada de pasador lateral 1NA+1NC	76,00
D4GS-N1T-3	133908	Entrada de pasador vertical 1NA+1NC 3m	94,65

OMRON PVPR 2023

D4GS-N1T-5	133909	Entrada de pasador vertical 1NA+1NC 3m	109,00
D4GS-N2R	133910	Entrada de pasador lateral 2NC	76,00
D4GS-N2T	133911	Entrada de pasador vertical 2NC	76,00
D4GS-N2R-3	133912	Entrada de pasador lateral 2NC 3m	93,30
D4GS-N2R-5	133914	Entrada de pasador lateral 2NC 5m	116,30
D4GS-N2T-5	133915	Entrada de pasador vertical 2NC 5m	113,20
D4GS-N3R	133916	Entrada de pasador lateral 1NA+2NC	81,80
D4GS-N3R-5	133917	Entrada de pasador lateral 1NA+2NC 5m	119,10
D4GS-N4R	133918	Entrada de pasador lateral 3NC	80,30
D4GS-N4T	133919	Entrada de pasador vertical 3NC	80,30
D4GS-N4R-5	133922	Entrada de pasador lateral 3 NC 5m	117,70
D4BS-15FS	134578	Metal 1NC/1NA PG13,5	91,05
D4BS-25FS	134579	Metal 1NC/1NA G1/2	92,65
D4BS-1AFS	134589	Metal 2NC PG13,5	94,05
D4BS-2AFS	134590	Final Carrera Puerta Metal 2NC G1/2	98,45
D4GS-N3T	142610	Entrada de pasador vertical 1NA+2NC	81,80
D4GS-N4T-5	144862	Entrada de pasador vertical 3NC 5m	117,70
D4BS-45FS	147019	Metal 1NC/1NA M20	105,80
D4GS-N1R-3	147021	Entrada de pasador lateral 1NA+1NC 3m	96,10
D4BS-4AFS	148098	Metal 2NC M20 24Vcc	95,55
D4GS-N3T-3	152523	Safety door switch, IP67, 2NC/1NO (slow-action), vertical key insertion, 3m cable	99,05
D4GS-N3R-3	153617	Entrada de pasador lateral 1NA+2NC 3m	99,05
D4GS-N3T-5	154743	Entrada de pasador vertical 1NA+2NC Cable 5m	117,70
D4GS-N1R-5	158147	Entrada de pasador lateral 1NA+1NC 5m	113,20
D4NS-1CF	162281	Plástico 2NC/1NA PG13,5	33,05
D4NS-2DF	162290	Interruptor de bloqueo de seguridad, 3NC, 10 A, conducto G1/2 único	34,50
D4NS-5BF	162295	Plástico 2NC 2-PG13,5	38,59
D4NS-6DF	162296	Safety interlock switch, 2-Conduit, 3NC, G1/2	38,69
D4NS-4AF	162578	Plástico 1NC/1NA M20	27,51
D4NS-2CF	162586	Plástico 2NC/1NA G1/2	34,50
D4NS-8DF	163039	Safety interlock switch, 3 NC, 10 A, 2x M20 conduit	38,69
D4NS-8FF	163115	Plástico 2NC/1NA M20 2 entradas	42,75
D4NS-9AF	163192	Plastico 1NC/1NA M12	65,40

OMRON PVPR 2023

D4NS-1BF	163393	Plástico 2NC PG13,5	28,70
D4NS-8AF	163394	Plástico 1NC/1NA 2-M20	33,85
D4NS-1AF	163395	Plástico 1NC/1NA PG13,5	28,70
D4NS-4DF	163560	Plástico 3NC M20	31,88
D4NS-5AF	163563	Plástico 1NC/1NA 2-PG13,5	38,59
D4NS-2BF	163692	Plástico 2NC G1/2	30,93
D4NS-8BF	163693	Plástico 2NC 2-M20	33,85
D4NS-4BF	163778	Plástico 2NC M20	29,23
D4NS-2AF	163779	Plástico 1NC/1NA G1/2	30,93
D4NS-9BF	163874	Plástico 2NC M12	65,40
D4NS-4CF	163875	Plástico 2NC/1NA M20	31,88
D4NS-4FF	163876	Plástico 2NC/1NA MBB M20	34,64
F3S-TGR-KM15-21	419032	FC Puerta Cabeza Metal Cuerpo Plástico M20 2NC/1NA Lenta	57,15
F3S-TGR-KM15-30	419033	FC Puerta Cabeza Metal Cuerpo Plástico 3xM20 3NC Lenta	55,25
F3S-TGR-KM16-22	419036	FC Puerta Cabeza Metal Cuerpo Plástico Alto 3xM20 2NC/2NA Lenta	69,45
F3S-TGR-KM16-30	419037	FC Puerta Cabeza Metal Cuerpo Plástico Alto 3xM20 3NC Lenta	58,05
F3S-TGR-KH16-22	419038	FC Puerta Cabeza Metal Cuerpo Inox. 3xM20 2NC/2NA Lenta	151,70
F3S-TGR-KH16-30	419039	FC Puerta Cabeza Metal Cuerpo Inox. 3xM20 3NC Lenta	138,90
D4NL-4GFG-B	103662	Final de carrera de seguridad con bloqueo para puertas, D4NL, M20, 3NC + 1NC	172,10
D4NL-2AFA-B	104486	Bloq mec/Apertura solen.24Vcc 1NC/1NA+1NC/1NA LED G1/2 estándar	165,50
D4BL-1DRA	106037	Metálico 2NC+1NC Bloqueo Mecánico PG13,5	407,90
D4NL-2AFA-B4	133732	Bloq mec/Apertura solen.24Vcc 1NC/1NA+1NC/1NA LED G1/2 Llave esp	185,30
D4NL-1DFA-B4	133736	Final de carrera de seguridad para puertas, entrada PG13.5, 2NC + 2NC, cierre m	176,10
D4NL-4EFA-B4	133738	Bloqueo mecán/Apertura solen.24Vcc 2NC/1NA + 1NC/1NA Indica IP67 M20 Lla	184,10
D4NL-1FFA-B4	133739	Guard lock safety-door switch, D4NL, Special Release Key, Mechanical Lock/Sole	176,70
D4NL-4FFG-B4	133757	Bloqueo solen.24Vcc/Apertura mecan. 2NC/1NA+2NC LED M20	194,40
D4NL-1AFB-B	133762	Bloqueo mecán/Apertura solen.110Vca 1NC/1NA+1NC/1NA LED PG13.5	231,40
D4NL-4AFB-B	133763	Bloqueo mecán/Apertura solen.110Vca 1NC/1NA+1NC/1NA LED M20	231,40
D4NL-1AFA-B	133792	Bloqueo mecán/Apertura solen.24Vcc 1NC/1NA+1NC/1NA LED PG13,5	165,50
D4NL-4AFA-B	133793	Bloqueo mecán/Apertura solen.24Vcc 1NC/1NA+1NC/1NA M20	165,50
D4NL-1BFA-B	133794	Bloqueo mecán/Apertura solen.24Vcc 1NC/1NA+2NC LED PG13,5	165,50
D4NL-2BFA-B	133795	Bloqueo mecán/Apertura solen.24Vcc 1NC/1NA+2NC LED G1/2	171,20
D4NL-4BFA-B	133796	Bloqueo mecán/Apertura solen.24Vcc 1NC/1NA+2NC M20	166,80

OMRON PVPR 2023

D4NL-1CFA-B	133797	Bloqueo mecán/Apertura solen.24Vcc 2NC+1NC/1NA LED PG13,5	165,50
D4NL-4CFA-B	133799	Bloqueo mecán/Apertura solen.24Vcc 2NC+1NC/1NA LED M20	176,10
D4NL-2DFA-B	133800	Bloqueo mecán/Apertura solen.24Vcc 2NC+2NC LED G1/2	174,80
D4NL-4DFA-B	133801	Bloqueo mecán/Apertura solen.24Vdc 2NC+2NC LED M20	165,50
D4NL-1EFA-B	133802	Bloqueo mecán/Apertura solen.24Vcc 2NC/1NA+1NC/1NA LED PG13,5	181,20
D4NL-4EFA-B	133803	Bloqueo mecán/Apertura solen.24Vcc 2NC/1NA + 1NC/1NA Indica IP67 M20	172,10
D4NL-2FFA-B	133805	Bloqueo mecán/Apertura solen.24Vcc 3NC+2NC LED G1/2	172,10
D4NL-4GFA-B	133806	Bloqueo mecán/Apertura solen. 24Vcc 3NC+1NC/1NA LED M20	172,10
D4NL-4HFA-B	133809	Bloqueo mecán/Apertura solen. 24Vcc 3NC+2NC LED M20	172,10
D4NL-4AFG-B	133810	Bloqueo solen 24Vcc/Apertura mecan 1NC/1NA + 2NC LED M20	165,50
D4NL-2BFG-B	133811	Bloqueo solen 24Vcc/Apertura mecan 1NC/1NA+2NC LED G1/2	174,80
D4NL-1CFG-B	133813	Bloqueo solen 24Vcc/Apertura mecan 2NC+1NC/1NA LED PG13,5	165,50
D4NL-2CFG-B	133814	Bloqueo solen 24Vcc/Apertura mecan 2NC+1NC/1NA LED G1/2	174,80
D4NL-4CFG-B	133815	Bloqueo solen 24Vcc/Apertura mecan 2NC+1NC/1NA LED M20	176,10
D4NL-1DFG-B	133816	Bloqueo solen 24Vcc/Apertura mecan 2NC+2NC LED PG13,5	165,50
D4NL-2DFG-B	133817	Bloqueo solen.24Vcc/Apertura mecan. 2NC+2NC LED G1/2	174,80
D4NL-1EFG-B	133818	Bloqueo solen 24Vcc/Apertura mecan 2NC/1NA+1NC/1NA LED PG13,5	176,10
D4NL-4EFG-B	133820	Bloqueo solen 24Vcc/Apertura mecan 2NC/1NA + 1NC/1NA Indica IP67 M20	198,70
D4NL-1FFG-B	133821	Bloqueo solen 24Vcc/Apertura mecan 2NC/1NA+2NC LED PG13,5	168,10
D4NL-2FFG-B	133822	Bloqueo solen.24Vdc/Apertura mecan. 2NC+1NA/ 2NC LED G1/2	174,80
D4NL-4FFG-B	133823	Bloqueo solen 24Vcc/Apertura mecan. 2NC/1NA + 2NC LED M20	181,20
D4NL-1GFG-B	133824	Bloqueo solen 24Vcc/Apertura mecan 3NC+1NC/1NA LED PG13,5	172,10
D4NL-2GFG-B	133825	Final de carrera de seguridad para puertas, entrada G1/2, 3NC + 1NC/1NA, cierre	174,80
D4NL-1HFG-B	133826	Bloqueo solen 24Vcc/Apertura mecan 3NC+2NC LED PG13,5	172,10
D4NL-4HFG-B	133827	Bloqueo solen/Apertura mecán. 24Vcc 3NC+2NC LED M20	168,10
D4BL-1DRG-A	134700	Metálico 2NC+1NC LED 24Vcc Bloqueo solenoide PG13,5	482,70
D4BL-2DRG-A	134701	Metálico 2NC+1NC LED 24Vcc Bloqueo solenoide G1/2	485,50
D4BL-1CRA	134702	Metálico 1NC/1NA+1NC 24Vcc PG13,5	359,70
D4BL-2CRA	134708	Metálico 1NC/1NA+1NC LED 24Vcc G1/2	356,80
D4BL-1DRA-A	134710	Metálico 2NC+1NC LED 24Vcc PG13,5	434,20
D4BL-2DRA	134711	Metálico 2NC+1NC 24Vcc G1/2	400,50
D4BL-2GRD-AT	134714	Limit switch	539,00
D4BL-2DRG	134724	Metálico Solenoide 2NC+1NC 110Vca G1/2	522,50

OMRON PVPR 2023

D4BL-4CRA	134727	Metálico 1NC/1NA+1NC M20 24Vcc M20	359,70
D4BL-4CRA-A	134728	Metálico 1NC/1NA+1NC LED 24Vcc M20	430,00
D4BL-4DRA	134730	Metálico 2NC+1NC 24Vcc M20	400,50
D4NL-4FFA-B	142528	Bloqueo solen/Apertura solen.24Vcc 2NC/1NA + 2NC LED M20	181,20
D4NL-1DFA-B	144779	Bloqueo solen 24Vcc/Apertura mecan 2NC+2NC LED PG13,5	156,20
D4NL-2DFA-B4	145868	Bloqueo mecán/Apertura solen.24Vcc 2NC+2NC LED G1/2	185,30
D4BL-4DRA-A	147015	Metálico 2NC+1NC 24Vcc LED M20	566,50
D4NL-2GFA-B	149102	Guard lock safety-door switch, D4NL, Standard Release Key, Mechanical Lock/So	172,10
D4NL-4DFG-B	151293	Bloqueo solen/Apertura mecan. 110Vca 2NC+2NC LED M20	166,80
D4NL-1AFG-B	154667	Bloqueo solen 24Vcc/Apertura mecan 1NC/1NA + 2NC LED PG13,5	165,50
D4BL-1CRG-A	154730	Metálico 1NC/1NA+1NC 24Vcc Bloqueo solenoide PG13,5	581,50
D4NL-2HFG-B	155468	Bloqueo solen.110Vca/Apertura mecan. 2NC+2NC LED G1/2	174,80
D4NL-1BFG-B	158073	Bloqueo solen 24Vcc/Apertura mecan 1NC+1NA/2NC LED PG13,5	163,00
D4BL-1CRA-A	158134	Metálico 1NC/1NA+1NC LED 24Vcc PG13,5	394,80
D4NL-4DFB-B	183994	Bloqueo mecán/Apertura solen.110Vca 2NC+2NC LED M20	228,90
D4NL-2FDG-B	206395	Safety door-lock switch, G1/2 entry, 2NC/1NO + 2NC, metal head, solenoid lock,	183,50
D4JL-2NFA-D6	224005	Guard lock safety door-switch, D4JL, Front And Rear Release Model, Special Rele	227,70
D4NL-1ADA-B	224189	Bloqueo mecán/Apertura solen.24Vcc 1NC/1NA+1NC/1NA LED PG13,5	165,50
D4NL-1DFA-BS	228865	Bloqueo solen 24Vcc/Apertura mecan 2NC+2NC LED PG13,5 Frontal	158,90
D4JL-2NFA-C7-01	234074	Bloqueo mec. y llave 2NC/1NA + 2NC/1NA IP67 G1/2 LED Naranja	251,10
D4JL-4NFA-C5	249720	Bloqueo mec. 2NC/1NA + 2NC/1NA IP67 M20 LED Naranja	198,70
D4JL-2NFA-C6	262988	Safety switch.	208,70
D4NL-4HFA-BS	264060	Final de carrera de seguridad para puertas, entrada M20, 3NC + 2NC, cierre mec	172,10
D4NL-4AFA-BS	264061	Bloqueo mecán/Apertura solen.24Vcc Frontal 1NC/1NA+1NC/1NA M20	185,30
D4JL-4NFA-C6	265608	Bloqueo mec. 2NC/1NA + 2NC/1NA IP67 M20 LED Naranja Puls. Escape	228,90
D4NL-4GDA-B4	288126	Bloqueo mecán/Apertura solen.110Vcc 3NC+1NC/1NA LED M20	187,90
D4JL-2RFA-C5	292359	Bloqueo mec. 3NC + 3NC IP67 G1/2 LED Naranja	198,70
D4NL-2HDA-B4	331936	Safety door-lock switch, G1/2 entry, 3NC + 2NC, metal head, mechanical lock, 24	192,00
D4NL-4CFA-BS	336938	Safety door-lock switch, M20 entry, 2NC + 1NC/1NO, mechanical lock, 24 VDC, F	176,10
D4NL-2FFA-B4S	353628	Bloqueo mecán/Apertura solen.24Vcc 2NC/1NA+2NC LED G1/2 Frontal	178,60
D4SL-N4RDA-DN	367248	Bloqueo mecánico 3NC + 3NC IP67 M20 Metalico Conector	196,00
D4SL-N4AFA	367767	Bloqueo mecánico 1NC/1NA + 1NC/1NA IP67 M20 Plástico Terminales	168,10
D4SL-N4NFA-D	371536	Bloqueo mecánico 2NC/1NA + 2NC/1NA IP67 M20 LED Plástico Terminales	202,40

OMRON PVPR 2023

D4SL-N2NFG-DN	372876	Bloqueo solenoide 2NC/1NA + 2NC/1NA IP67 G1/2 LED Plást.Conector	174,80
D4SL-N2NDA-D	373085	Bloqueo mecánico 2NC/1NA + 2NC/1NA IP67 G1/2 LED Metal Terminales	202,40
D4SL-N4RDA-D	373886	Bloqueo mecánico 3NC + 3NC IP67 M20 Metalico Terminales	202,40
D4SL-N4RDG-D	373887	Bloqueo solenoide 3NC + 3NC IP67 M20 LED Metálico Terminales	202,40
D4SL-N4RDG-DN	373888	Bloqueo solenoide 3NC + 3NC IP67 M20 LED Metálico Conector	196,00
D4SL-N4NDA-D	373889	Bloqueo mecánico 2NC/1NA + 2NC/1NA IP67 M20 LED Metálico Terminales	202,40
D4SL-N4NDG-D	373890	Bloqueo solenoide 2NC/1NA + 2NC/1NA IP67 M20 LED Metálico Terminales	202,40
D4SL-N4NDG-DN	373891	Bloqueo solenoide 2NC/1NA + 2NC/1NA IP67 M20 LED Metálico Conector	196,00
D4SL-N4NDA-DN	373892	Bloqueo mecánico 2NC/1NA + 2NC/1NA IP67 M20 LED Metálico Conector	196,00
D4SL-N4RFA-D4	374064	Bloqueo mecánico 3NC + 3NC IP67 M20 LED Plástico Terminales Llave especial	182,70
D4SL-N4AFG	374819	Bloqueo solenoide 1NC/1NA + 1NC/1NA IP67 M20 Plástico Terminales	168,10
D4SL-N4AFG-N	374820	Bloqueo solenoide 1NC/1NA + 1NC/1NA IP67 M20 Plástico Conector	161,50
D4SL-N3HFG-DN	374908	Bloqueo solenoide 3NC + 2NC IP67 M20 LED Plástico Conector	168,10
D4SL-N2AFA-N	377199	Bloqueo mecánico 1NC/1NA + 1NC/1NA IP67 G1/2 Plástico Conector	161,50
D4SL-N4CFG	377986	Bloqueo solenoide 2NC + 1NC/1NA IP67 M20 Plástico Terminales	168,10
D4SL-N4DFG	377987	Bloqueo solenoide 2NC + 2NC IP67 M20 Plástico Terminales	168,10
D4SL-N4QDG-D	377988	Bloqueo solenoide 3NC + 2NC/1NA IP67 M20 LED Metálico Terminales	202,40
D4SL-N4RDG-D4	377989	Bloqueo solenoide 3NC + 3NC IP67 M20 LED Metálico Terminales Llave especial	202,40
D4SL-N4RDG-D4N	377990	Bloqueo solenoide 3NC + 3NC IP67 M20 LED Metálico Conector Llave especial	196,00
D4SL-N4GDG-D	377991	Bloqueo solenoide 3NC + 1NC/1NA IP67 M20 LED Metálico Terminales	196,00
D4SL-N4HDG-D	377992	Bloqueo solenoide 3NC + 2NC IP67 M20 LED Metálico Terminales	196,00
D4SL-N2PFG-D4N	378848	Bloqueo solen. 2NC/1NA + 3NC IP67 G1/2 LED Plast. Conect Llave	174,80
D4SL-N4AFA-N	382531	Bloqueo mecánico 1NC/1NA + 1NC/1NA IP67 M20 Plástico Conector	161,50
D4SL-N4FDG-DN	382543	Bloqueo solenoide 2NC/1NA + 2NC IP67 M20 LED Metálico Conector	189,30
D4SL-N4BFA	382544	Bloqueo mecánico 1NC/1NA + 2NC IP67 M20 Plástico Terminales	168,10
D4SL-N4BFA-N	382545	Bloqueo mecánico 1NC/1NA + 2NC IP67 M20 Plástico Conector	161,50
D4SL-N4BFG	382546	Bloqueo solenoide 1NC/1NA + 2NC IP67 M20 Plástico Terminales	168,10
D4SL-N4BFG-N	382547	Bloqueo solenoide 1NC/1NA + 2NC IP67 M20 Plástico Conector	161,50
D4SL-N4CFA	382548	Bloqueo mecánico 2NC + 1NC/1NA IP67 M20 Plástico Terminales	168,10
D4SL-N4CFA-N	382549	Bloqueo mecánico 2NC + 1NC/1NA IP67 M20 Plástico Conector	161,50
D4SL-N4CFG-N	382550	Bloqueo solenoide 2NC + 1NC/1NA IP67 M20 Plástico Conector	161,50
D4SL-N4DFA	382551	Bloqueo mecánico 2NC + 2NC IP67 M20 Plástico Terminales	168,10
D4SL-N4DFG-N	382552	Bloqueo solenoide 2NC + 2NC IP67 M20 Plástico Conector	161,50

OMRON PVPR 2023

D4SL-N4EFA-DN	382553	Bloqueo mecánico 2NC/1NA + 1NC/1NA IP67 M20 LED Plástico Conector	168,10
D4SL-N4EFA-D4N	382554	Bloqueo mecánico 2NC/1NA + 1NC/1NA IP67 M20 LED Plástico Conector Llave e	168,10
D4SL-N4EFG-D	382555	Bloqueo solenoide 2NC/1NA + 1NC/1NA IP67 M20 LED Plástico Terminales	174,80
D4SL-N4EFG-DN	382556	Bloqueo solenoide 2NC/1NA + 1NC/1NA IP67 M20 LED Plástico Conector	168,10
D4SL-N4EFG-D4	382557	Bloqueo solenoide 2NC/1NA + 1NC/1NA IP67 M20 LED Plástico Terminales Llave	174,80
D4SL-N4EFG-D4N	382558	Bloqueo solenoide 2NC/1NA + 1NC/1NA IP67 M20 LED Plástico Conector Llave e	168,10
D4SL-N4FFA-DN	382559	Bloqueo mecánico 2NC/1NA + 2NC IP67 M20 LED Plástico Conector	168,10
D4SL-N4FFA-D4	382560	Bloqueo mecánico 2NC/1NA + 2NC IP67 M20 LED Plástico Terminales Llave espe	174,80
D4SL-N4FFA-D4N	382561	Bloqueo mecánico 2NC/1NA + 2NC IP67 M20 LED Plástico Conector Llave especi	168,10
D4SL-N4FFG-D	382562	Bloqueo solenoide 2NC/1NA + 2NC IP67 M20 LED Plástico Terminales	174,80
D4SL-N4FFG-DN	382563	Bloqueo solenoide 2NC/1NA + 2NC IP67 M20 LED Plástico Conector	168,10
D4SL-N4FFG-D4	382564	Bloqueo solenoide 2NC/1NA + 2NC IP67 M20 LED Plástico Terminales Llave espe	174,80
D4SL-N4FFG-D4N	382565	Bloqueo solenoide 2NC/1NA + 2NC IP67 M20 LED Plástico Conector Llave especi	168,10
D4SL-N4GFA-DN	382566	Bloqueo mecánico 3NC + 1NC/1NA IP67 M20 LED Plástico Conector	168,10
D4SL-N4GFA-D4	382567	Bloqueo mecánico 3NC + 1NC/1NA IP67 M20 LED Plástico Terminales Llave espe	174,80
D4SL-N4GFA-D4N	382568	Bloqueo mecánico 3NC + 1NC/1NA IP67 M20 LED Plástico Conector Llave especi	168,10
D4SL-N4GFG-D	382569	Bloqueo solenoide 3NC + 1NC/1NA IP67 M20 LED Plástico Terminales	174,80
D4SL-N4GFG-DN	382570	Bloqueo solenoide 3NC + 1NC/1NA IP67 M20 LED Plástico Conector	168,10
D4SL-N4GFG-D4	382571	Bloqueo solenoide 3NC + 1NC/1NA IP67 M20 LED Plástico Terminales Llave espe	174,80
D4SL-N4GFG-D4N	382572	Bloqueo solenoide 3NC + 1NC/1NA IP67 M20 LED Plástico Conector Llave especi	168,10
D4SL-N4HFA-D	382573	Bloqueo mecánico 3NC + 2NC IP67 M20 LED Plástico Terminales	174,80
D4SL-N4HFA-DN	382574	Bloqueo mecánico 3NC + 2NC IP67 M20 LED Plástico Conector	168,10
D4SL-N4HFA-D4	382575	Bloqueo mecánico 3NC + 2NC IP67 M20 LED Plástico Terminales Llave especial	174,80
D4SL-N4HFA-D4N	382576	Bloqueo mecánico 3NC + 2NC IP67 M20 LED Plástico Conector Llave especial	168,10
D4SL-N4HFG-D	382577	Bloqueo solenoide 3NC + 2NC IP67 M20 LED Plástico Terminales	174,80
D4SL-N4HFG-DN	382578	Bloqueo solenoide 3NC + 2NC IP67 M20 LED Plástico Conector	168,10
D4SL-N4HFG-D4	382579	Bloqueo solenoide 3NC + 2NC IP67 M20 LED Plástico Terminales Llave especial	174,80
D4SL-N4HFG-D4N	382580	Bloqueo solenoide 3NC + 2NC IP67 M20 LED Plástico Conector Llave especial	168,10
D4SL-N4NFA-DN	382581	Bloqueo mecánico 2NC/1NA + 2NC/1NA IP67 M20 LED Plástico Conector	174,80
D4SL-N4NFA-D4	382582	Bloqueo mecánico 2NC/1NA + 2NC/1NA IP67 M20 LED Plástico Terminales Llave	182,70
D4SL-N4NFA-D4N	382583	Bloqueo mecánico 2NC/1NA + 2NC/1NA IP67 M20 LED Plástico Conector Llave e	174,80
D4SL-N4NFG-D	382584	Bloqueo solenoide 2NC/1NA + 2NC/1NA IP67 M20 LED Plástico Terminales	182,70
D4SL-N4NFG-DN	382585	Bloqueo solenoide 2NC/1NA + 2NC/1NA IP67 M20 LED Plástico Conector	174,80

OMRON PVPR 2023

D4SL-N4NFG-D4	382586	Bloqueo solenoide 2NC/1NA + 2NC/1NA IP67 M20 LED Plástico Terminales Llave	182,70
D4SL-N4NFG-D4N	382587	Bloqueo solenoide 2NC/1NA + 2NC/1NA IP67 M20 LED Plástico Conector Llave e	174,80
D4SL-N4PFA-D	382588	Bloqueo mecánico 2NC/1NA + 3NC IP67 M20 LED Plástico Terminales	182,70
D4SL-N4PFA-DN	382589	Bloqueo mecánico 2NC/1NA + 3NC IP67 M20 LED Plástico Conector	174,80
D4SL-N4PFA-D4	382590	Bloqueo mecánico 2NC/1NA + 3NC IP67 M20 LED Plástico Terminales Llave espe	182,70
D4SL-N4PFA-D4N	382591	Bloqueo mecánico 2NC/1NA + 3NC IP67 M20 LED Plástico Conector Llave especi	174,80
D4SL-N4PFG-D	382592	Bloqueo solenoide 2NC/1NA + 3NC IP67 M20 LED Plástico Terminales	182,70
D4SL-N4PFG-DN	382593	Bloqueo solenoide 2NC/1NA + 3NC IP67 M20 LED Plástico Conector	174,80
D4SL-N4PFG-D4	382594	Bloqueo solenoide 2NC/1NA + 3NC IP67 M20 LED Plástico Terminales Llave espe	182,70
D4SL-N4PFG-D4N	382595	Bloqueo solenoide 2NC/1NA + 3NC IP67 M20 LED Plástico Conector Llave especi	174,80
D4SL-N4QFA-D	382596	Bloqueo mecánico 3NC + 2NC/1NA IP67 M20 LED Plástico Terminales	182,70
D4SL-N4QFA-DN	382597	Bloqueo mecánico 3NC + 2NC/1NA IP67 M20 LED Plástico Conector	174,80
D4SL-N4QFA-D4	382598	Bloqueo mecánico 3NC + 2NC/1NA IP67 M20 LED Plástico Terminales Llave espe	182,70
D4SL-N4QFA-D4N	382599	Bloqueo mecánico 3NC + 2NC/1NA IP67 M20 LED Plástico Conector Llave especi	174,80
D4SL-N4QFG-D	382600	Bloqueo solenoide 3NC + 2NC/1NA IP67 M20 LED Plástico Terminales	182,70
D4SL-N4QFG-DN	382601	Bloqueo solenoide 3NC + 2NC/1NA IP67 M20 LED Plástico Conector	174,80
D4SL-N4QFG-D4	382602	Bloqueo solenoide 3NC + 2NC/1NA IP67 M20 LED Plástico Terminales Llave espe	182,70
D4SL-N4QFG-D4N	382603	Bloqueo solenoide 3NC + 2NC/1NA IP67 M20 LED Plástico Conector Llave especi	174,80
D4SL-N4RFA-D	382604	Bloqueo mecánico 3NC + 3NC IP67 M20 LED Plástico Terminales	182,70
D4SL-N4RFA-DN	382605	Bloqueo mecánico 3NC + 3NC IP67 M20 LED Plástico Conector	174,80
D4SL-N4RFA-D4N	382606	Bloqueo mecánico 3NC + 3NC IP67 M20 LED Plástico Conector Llave especial	174,80
D4SL-N4RFG-D	382607	Bloqueo solenoide 3NC + 3NC IP67 M20 LED Plástico Terminales	182,70
D4SL-N4RFG-DN	382608	Bloqueo solenoide 3NC + 3NC IP67 M20 LED Plástico Conector	174,80
D4SL-N4RFG-D4	382609	Bloqueo solenoide 3NC + 3NC IP67 M20 LED Plástico Terminales Llave especial	182,70
D4SL-N4RFG-D4N	382610	Bloqueo solenoide 3NC + 3NC IP67 M20 LED Plástico Conector Llave especial	174,80
D4SL-N4NDA-D4	382611	Bloqueo mecánico 2NC/1NA + 2NC/1NA IP67 M20 LED Metálico Terminales Llav	202,40
D4SL-N4NDG-D4	382612	Bloqueo solenoide 2NC/1NA + 2NC/1NA IP67 M20 LED Metálico Terminales Llav	202,40
D4SL-N4NDG-D4N	382613	Bloqueo solenoide 2NC/1NA + 2NC/1NA IP67 M20 LED Metálico Conector Llave	196,00
D4SL-N4PDA-D	382614	Bloqueo mecánico 2NC/1NA + 3NC IP67 M20 LED Metálico Terminales	202,40
D4SL-N4PDA-DN	382615	Bloqueo mecánico 2NC/1NA + 3NC IP67 M20 LED Metálico Conector	196,00
D4SL-N4PDA-D4	382616	Bloqueo mecánico 2NC/1NA + 3NC IP67 M20 LED Metálico Terminales Llave esp	202,40
D4SL-N4PDA-D4N	382617	Bloqueo mecánico 2NC/1NA + 3NC IP67 M20 LED Metálico Conector Llave espec	196,00
D4SL-N4PDG-D	382618	Bloqueo solenoide 2NC/1NA + 3NC IP67 M20 LED Metálico Terminales	202,40

OMRON PVPR 2023

D4SL-N4PDG-DN	382619	Bloqueo solenoide 2NC/1NA + 3NC IP67 M20 LED Metálico Conector	196,00
D4SL-N4PDG-D4	382620	Bloqueo solenoide 2NC/1NA + 3NC IP67 M20 LED Metálico Terminales Llave esp	202,40
D4SL-N4PDG-D4N	382621	Bloqueo solenoide 2NC/1NA + 3NC IP67 M20 LED Metálico Conector Llave espe	196,00
D4SL-N4QDA-D	382622	Bloqueo mecánico 3NC + 2NC/1NA IP67 M20 LED Metálico Terminales	202,40
D4SL-N4QDA-DN	382623	Bloqueo mecánico 3NC + 2NC/1NA IP67 M20 LED Metálico Conector	196,00
D4SL-N4QDA-D4	382624	Bloqueo mecánico 3NC + 2NC/1NA IP67 M20 LED Metálico Terminales Llave esp	202,40
D4SL-N4QDA-D4N	382625	Bloqueo mecánico 3NC + 2NC/1NA IP67 M20 LED Metálico Conector Llave espe	196,00
D4SL-N4QDG-DN	382626	Bloqueo solenoide 3NC + 2NC/1NA IP67 M20 LED Metálico Conector	196,00
D4SL-N4QDG-D4	382627	Bloqueo solenoide 3NC + 2NC/1NA IP67 M20 LED Metálico Terminales Llave esp	202,40
D4SL-N4QDG-D4N	382628	Bloqueo solenoide 3NC + 2NC/1NA IP67 M20 LED Metálico Conector Llave espe	196,00
D4SL-N4RDA-D4	382629	Bloqueo mecánico 3NC + 3NC IP67 M20 LED Metálico Terminales Llave especial	202,40
D4SL-N4RDA-D4N	382630	Bloqueo mecánico 3NC + 3NC IP67 M20 LED Metálico Conector Llave especial	196,00
D4SL-N4GDG-DN	382631	Bloqueo solenoide 3NC + 1NC/1NA IP67 M20 LED Metálico Conector	189,30
D4SL-N4EDA-D	382632	Bloqueo mecánico 2NC/1NA + 1NC/1NA IP67 M20 LED Metálico Terminales	196,00
D4SL-N4EDA-D4	382633	Bloqueo mecánico 2NC/1NA + 1NC/1NA IP67 M20 LED Metálico Terminales Llav	196,00
D4SL-N4EDA-D4N	382634	Bloqueo mecánico 2NC/1NA + 1NC/1NA IP67 M20 LED Metálico Conector Llave	189,30
D4SL-N4EDA-DN	382635	Bloqueo mecánico 2NC/1NA + 1NC/1NA IP67 M20 LED Metálico Conector	189,30
D4SL-N4EDG-D	382636	Bloqueo solenoide 2NC/1NA + 1NC/1NA IP67 M20 LED Metálico Terminales	196,00
D4SL-N4EDG-D4	382637	Bloqueo solenoide 2NC/1NA + 1NC/1NA IP67 M20 LED Metálico Terminales Llav	196,00
D4SL-N4EDG-D4N	382638	Bloqueo solenoide 2NC/1NA + 1NC/1NA IP67 M20 LED Metálico Conector Llave	189,30
D4SL-N4EDG-DN	382639	Bloqueo solenoide 2NC/1NA + 1NC/1NA IP67 M20 LED Metálico Conector	189,30
D4SL-N4FDA-D	382640	Bloqueo mecánico 2NC/1NA + 2NC IP67 M20 LED Metálico Terminales	196,00
D4SL-N4FDA-D4	382641	Bloqueo mecánico 2NC/1NA + 2NC IP67 M20 LED Metálico Terminales Llave esp	196,00
D4SL-N4FDA-D4N	382642	Bloqueo mecánico 2NC/1NA + 2NC IP67 M20 LED Metálico Conector Llave espe	189,30
D4SL-N4FDA-DN	382643	Bloqueo mecánico 2NC/1NA + 2NC IP67 M20 LED Metálico Conector	189,30
D4SL-N4FDG-D	382644	Bloqueo solenoide 2NC/1NA + 2NC IP67 M20 LED Metálico Terminales	196,00
D4SL-N4FDG-D4	382645	Bloqueo solenoide 2NC/1NA + 2NC IP67 M20 LED Metálico Terminales Llave esp	196,00
D4SL-N4FDG-D4N	382646	Bloqueo solenoide 2NC/1NA + 2NC IP67 M20 LED Metálico Conector Llave espe	189,30
D4SL-N4GDA-D	382647	Bloqueo mecánico 3NC + 1NC/1NA IP67 M20 LED Metálico Terminales	196,00
D4SL-N4GDA-D4	382648	Bloqueo mecánico 3NC + 1NC/1NA IP67 M20 LED Metálico Terminales Llave esp	196,00
D4SL-N4GDA-D4N	382649	Bloqueo mecánico 3NC + 1NC/1NA IP67 M20 LED Metálico Conector Llave espe	189,30
D4SL-N4GDA-DN	382650	Bloqueo mecánico 3NC + 1NC/1NA IP67 M20 LED Metálico Conector	189,30
D4SL-N4GDG-D4	382651	Bloqueo solenoide 3NC + 1NC/1NA IP67 M20 LED Metálico Terminales Llave esp	196,00

OMRON PVPR 2023

D4SL-N4GDG-D4N	382652	Bloqueo solenoide 3NC + 1NC/1NA IP67 M20 LED Metálico Conector Llave espe	189,30
D4SL-N4HDA-D	382653	Bloqueo mecánico 3NC + 2NC IP67 M20 LED Metálico Terminales	196,00
D4SL-N4HDA-D4	382654	Bloqueo mecánico 3NC + 2NC IP67 M20 LED Metálico Terminales Llave especial	196,00
D4SL-N4HDA-D4N	382655	Bloqueo mecánico 3NC + 2NC IP67 M20 LED Metálico Conector Llave especial	189,30
D4SL-N4HDA-DN	382656	Bloqueo mecánico 3NC + 2NC IP67 M20 LED Metálico Conector	189,30
D4SL-N4HDG-D4	382657	Bloqueo solenoide 3NC + 2NC IP67 M20 LED Metálico Terminales Llave especial	196,00
D4SL-N4HDG-D4N	382658	Bloqueo solenoide 3NC + 2NC IP67 M20 LED Metálico Conector Llave especial	189,30
D4SL-N4HDG-DN	382659	Bloqueo solenoide 3NC + 2NC IP67 M20 LED Metálico Conector	189,30
D4SL-N4DFA-N	382660	Bloqueo mecánico 2NC + 2NC IP67 M20 Plástico Conector	161,50
D4SL-N4GFA-D	382661	Bloqueo mecánico 3NC + 1NC/1NA IP67 M20 LED Plástico Terminales	174,80
D4SL-N4NDA-D4N	382662	Bloqueo mecánico 2NC/1NA + 2NC/1NA IP67 M20 LED Metálico Conector Llave	196,00
D4SL-N4EFA-D	382663	Bloqueo mecánico 2NC/1NA + 1NC/1NA IP67 M20 LED Plástico Terminales	174,80
D4SL-N4FFA-D	382664	Bloqueo mecánico 2NC/1NA + 2NC IP67 M20 LED Plástico Terminales	174,80
D4SL-N4EFA-D4	382665	Bloqueo mecánico 2NC/1NA + 1NC/1NA IP67 M20 LED Plástico Terminales Llave	174,80
D4NL-4DFA-BS	392483	Interruptor D4NL, M20, 2NC + 2NC, bloqueo mecánico/liberación de solenoide d	159,00
D4NL-4DFA-BS-M12	393064	D4NL, 2NC + 2NC (slow-action), head: plastic, mechanical lock, 10 to 115 VAC/VA	530,50
D4SL-N4UFA	395402	Guard lock safety-door switch, D4SL-N, M20, 2NC + 1NC/1NO, head: resin, Mech	164,90
D4NL-1DFA-B4S	357544	Bloqueo solen 24Vcc/Apertura mecan 2NC+2NC LED PG13,5 Llave esp frontal	176,10
D4NL-1HDG-B	363820	Bloqueo solen 24Vcc/Apertura mecan 3NC+2NC LED PG13,5	172,10
D4SL-N4VFA	395860	Bloqueo mecánico 2NC + 2NC IP67 M20 Plástico Terminales	168,10
F3S-TGR-KHL1	419040	Final de carrera con bloqueo de seguridad, carcasa de acero inoxidable, fuerza d	304,40
F3S-TGR-KHL3	419041	Bloqueo acero inox. SUS316L 2000N M20 2NC+2NA	327,10
F3S-TGR-KHL3R	419042	Safety interlock key switch, hygienic stainless steel housing with manual release	406,30
D4JL-2RFA-C8-01-SJ	689113	Guard lock safety door-switch, G1/2, 3NC + 3NC, plastic, Mechanical lock/ Solen	373,00
D4JL-2NFA-C8-01-SJ	699631	Door switch with mechanical lock, solenoid release, with green indicator, (2NC/1	395,40
D4SL-N4VFG-N	699229	Guard lock safety-door switch, D4SL-N, M20, 2NC + 2NC, head: resin, 24 VDC sol	155,10
D4SL-N4SFG	668896	Bloqueo solenoide 1NC/1NA + 1NC/1NA IP67 M20 Plástico Terminales	164,90
D4SL-N4UFG	668412	Final de carrera de seguridad con bloqueo para puertas, D4SL-N, M20, 2 NC + 1	164,90
D4SL-N4VFG	668495	Guard lock safety-door switch, D4SL-N, M20, 2NC + 2NC, head: resin, 24VDC sol	168,10
D4SL-N4SFA	659496	Interruptor de bloqueo de puerta, M20, 1NC/1NA + 1NC/1NA, cabezal: resina, b	164,90
D4JL-2RFA-C6	689094	Guard lock safety door-switch, G1/2, 3NC + 3NC, plastic, Mechanical lock/ Solen	223,20
D4SL-N2NDA-DN	702797	Guard lock safety door switch, G1/2 conduit, 2NC/1NO + 2NC/1NO, metal head,	133,00
D4SL-N2DFG	679263	Guard lock safety door switch, G1/2 coduit, 2NC + 2NC, resin head, 24 VDC solen	168,60

OMRON PVPR 2023

D4SL-N2FFA-D	680367	Interruptor de bloqueo de puerta, G1/2, 2NC/1NA + 2NC, cabezal: resina, bloqueo	185,50
D4SL-N2NFA-D4	702497	Guard lock safety door switch, G1/2 coduit, 2NC/1NO+2NC/1NO, resin, Mechan	139,00
D4SL-N2HFA-D	668182	Bloqueo mecánico 3NC + 2NC IP67 G1/2 LED Plástico Terminales	185,50
D4SL-N2NFA-D	669102	Final de carrera de seguridad con bloqueo para puertas, conducto G1/2, 2NC/1N	202,40
D4JL-2NFA-C5	674215	Door switch with mechanical lock, Solenoid release, with green indicator, (2NC/	201,50
D4JL-2NFA-D5	670949	Final de carrera para puertas con bloqueo mecánico, liberación por solenoide, ir	204,50
D4SL-N2FFA-DN	680387	Door locking switch, G1/2 conduit, 2NC/1NO + 2NC, head: resin, Mechanical loc	185,50
D4SL-N2HFA-DN	668183	Guard lock safety door switch, G1/2 coduit, 3NC+2NC, resin head, solenoid relea	185,50
D4NL-4EFA-BS	702748	Guard lock safety-door switch, D4NL, M20, 2NC/1NO + 1NC/1NO (slow-action),	102,80
D4NL-4FFA-B4S	674883	Final de carrera de seguridad con bloqueo para puertas,D4NL, M20, 2NC/1NA +	178,60
D41G-2ZDA-T1	701149	Guard locking Switch, RFID High-coded, Actuator monitoring, Power to unlock, P	733,00
D41G-2ZDG-T1	701148	Guard locking Switch, RFID High-coded, Actuator monitoring, Power to lock, PNF	733,00
D41G-2ZDG-N2	701147	Guard locking Switch, RFID High-coded, Actuator monitoring, Power to lock, PNF	844,50
D41G-1YDA-T1	701146	Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to unlock, P	753,50
D41G-1YDA-N2	701145	Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to unlock, P	867,00
D41G-2YDA-T1	701144	Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to unlock, P	733,00
D41G-2YDG-T1	701116	Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to lock, PNF	733,00
D41G-2YDA-N2	701143	Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to unlock, P	844,50
D41G-2YDG-N2	701142	Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to lock, PNF	844,50
D41L-1ZDA-N2	701137	Hygienic Guard locking Switch, RFID High-coded, Actuator monitoring, Power to	701,50
D41L-1ZDG-N2	701136	Hygienic Guard locking Switch, RFID High-coded, Actuator monitoring, Power to	701,50
D41L-2ZDA-N2	701135	Hygienic Guard locking Switch, RFID High-coded, Actuator monitoring, Power to	681,00
D41L-2ZDG-N2	701134	Hygienic Guard locking Switch, RFID High-coded, Actuator monitoring, Power to	681,00
D41L-2ZDGE-N2	701133	Hygienic Guard locking Switch, RFID High-coded, Actuator monitoring, Power to	785,50
D41L-1YDA-N2	701132	Hygienic Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to	701,50
D41L-1YDG-N2	701131	Hygienic Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to	701,50
D41L-2YDA-N2	701130	Hygienic Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to	681,00
D41L-2YDG-N2	701129	Hygienic Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to	681,00
D41L-2YDAE-N2	701128	Hygienic Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to	785,50
D4C-6224	103632	Estanco Plano Palanca rodillo sellado alta sensib.	145,90
D4MC-3030	104167	Estanco Palanca corta roldana unidireccional	41,61
D4E-1A00N	104733	Final de carrera sellado, miniatura 5A, roldana	80,85
SHL-W255	104735	Palanca corta con roldana IP67 Miniatura	73,00

OMRON PVPR 2023

ZE-N22-2G	104736	Final de carrera miniatura	132,20
D4A-2501N	105809	Final de carrera, cuatro polos, freno doble, sin indicador, émbolo superior con rodillo	270,80
D4C-1220	105810	Estanco Plano Palanca rodillo	110,60
D4C-3202	105813	Estanco Plano Embolo rodillo LED 4A Cable VCTF	110,60
D4C-3233	105814	Final de carrera compacto, 4 A 30 VDC, 3m VCTF cable resistente al aceite	128,30
D4C-6302	105817	Estanco Plano Émbolo rodillo LED 0,1A	131,00
D5A-1100	105958	FC Alta precision	248,10
SHL-Q55	106139	Embolo Montaje panel IP67 Miniatura	67,05
ZC-Q2155	106332	Embolo roldana cruzada Mont. panel Alta precisión	76,45
ZC-N2155	106345	Embolo roldana cruzada Sellado Alta precisión	102,50
ZC-W55	106350	Final de carrera con palanca corta de bisagra	57,15
ZC-W155	106351	Final de carrera miniatura	57,15
ZC-W255	106352	Final de carrera miniatura	60,35
ZC-W2155	106353	Final de carrera miniatura	60,35
ZC-W355	106355	Palanca roldana unidireccional Alta precisión	62,90
ZC-W3155	106356	Palanca roldana unidireccional Alta precisión	62,90
ZE-Q-2G	106359	Embolo estándar SPDT Estanco	78,30
ZE-N-2G	106370	Embolo sellado SPDT Estanco	80,95
ZE-N21-2G	106372	Enclosed switch, sealed cross roller plunger, SPDT, 15A	133,10
ZE-NA277-2G	106375	Palanca articulada unidireccional SPDT Estanco	124,10
ZC-D55	106416	Embolo alta precisión	68,90
ZC-Q55	106425	Embolo Montaje panel Alta precisión	76,45
W-10FB3	108330	Final de carrera robusto	28,87
WLCA32-41G	108383	Palanca horquilla bloqueo PG13.5	182,00
WLG2-7GLE	108430	Palanca roldana media alta precisión, 5º a 120º	232,50
WLG2-LD-DGJ03	108488	Final de carrera de propósito general SPST-NO /SPST-NC	304,60
WLG2-55LDS-MIGJ-1 0.3M	108524	Palanca roldana sobrecarrera Alta prec. Sellado	339,40
TP70-1A1	109862	Interruptor con varilla flexible, montaje frontal	246,00
SHL-Q2155-01	111610	Embolo roldana cruzada Mont panel IP 67 Microcarga	67,05
SHL-Q2255-01	111611	Embolo roldana Montaje en panel IP67 Miniatura	66,00
SHL-D55	111615	Embolo IP67 estándar Miniatura	60,75
SHL-W55	111619	Palanca corta IP67 Miniatura	69,15
SHL-W155	111621	Palanca con resorte IP67 Miniatura	69,15

OMRON PVPR 2023

SHL-W3155	111623	Palanca con roldana unidireccional IP 67 Miniatura	69,15
SHL-D55-MR VCTF	111633	Émbolo IP67 standard Miniatura Cabo VCTF	85,30
SHL-W455	111656	Palanca con roldana IP67 Miniatura	83,80
SHL-D55-01	111705	Embolo IP67 estándar Miniatura Microcarga	65,80
NRT-CN	113799	Thumb wheel switch	21,11
NRT-C	113802	Década	21,11
NL1-C 1M	113822	FINAL DE CARRERA OTROS USOS	568,00
NL2-S	113824	Final de carrera con accionador separado	582,50
NL2-C	113825	Final de carrera otros usos	542,50
D5B-8013	133636	Alta sensibilidad Embolo hemisférico M8 Cable 3m	138,70
D5B-8015	133637	FC Alta sensibilidad M10	154,40
D5B-8021	133638	Alta sensibilidad Embolo cónico M8 Cable 1m	125,80
D5B-8023	133639	Alta sensibilidad Embolo cónico M8 Cable 3m	136,00
D5B-8513	133641	Alta sensib Varilla elástica muelle corto M8 3m	138,70
D5C-1DS0	133643	Alta Sensibilidad Varilla con muelle 12-24Vcc	287,20
D5C-1DA0	133644	FC Alta sensibilidad M10	275,40
D5VA-3B1	133663	Actuador embolo corto 10 micras 4-20mA	1 258,00
D5VA-3P1	133664	Actuador varilla corta 10 micras 4-20mA	1 433,00
D5VA-3F1	133665	Actuador plano 1 micra 4-20mA B7A	1 796,00
D5A-3200	133699	FC Alta precision 1micra Émbolo aguja M8 NC	290,20
D5B-1013	133715	Alta sensibilidad Embolo hemisférico M10 Cable 3m	127,50
D5B-1023	133717	Alta sensibilidad Embolo cónico M10 Cable 3m	127,50
D5B-1025	133718	Alta sensibilidad Embolo cónico M10 Cable 5m	154,40
D5B-1511	133719	Alta sensib Varilla elástica muelle corto M10 1m	127,50
D5B-1513	133720	Alta sensib Varilla elástica muelle corto M10 3m	127,50
D5B-1515	133721	Alta sensib Varilla elástica muelle corto M10 5m	136,00
D5B-1531	133722	Alta sensib Varilla elástica muelle largo M10 1m	127,50
D5B-1535	133723	Limit switch	136,00
D5B-5011	133724	Final de carrera alta sensibilidad	112,90
D5B-5013	133725	Final de carrera alta sensibilidad	127,50
D5B-5021	133726	Final de carrera alta sensibilidad	112,90
D5B-5025	133727	Alta sensibilidad Embolo cónico M5 Cable 5m	127,50
D5B-5511	133728	Final de Carrera Alta Sensibilidad	117,20

OMRON PVPR 2023

D5B-5513	133729	FINAL DE CARRERA ALTA SENSIBILIDAD	120,10
D5B-8011	133731	Alta sensibilidad Embolo hemisférico M8 Cable 1m	125,80
D4MC-5020	133783	Estanco Émbolo roldana Montaje panel	59,05
D4MC-5040	133785	Estanco Émbolo roldana cruzada Montaje panel	59,05
D4MC-1000	133872	Estanco Palanca	37,71
D4MC-1020	133873	Múltiple	37,71
D4MC-2020	133874	Estanco Palanca corta roldana	38,66
D4E-1C21N	133972	Embolo SPDT 5A Estanco	89,80
D4E-1G20N	133974	Palanca roldana SPDT 5A Estanco	88,30
D4E-2A20N	133978	Embolo roldana SPDT 0,1A Estanco	79,30
D4E-2B21N	133981	Final de carrera compacto, sensibilidad estándar, IP67 Acción instantanea, SPDT	85,85
D4E-1D10N	133989	Embolo roldana sellada SPDT 1A Estanco	137,90
D4E-1D20N	133990	Embolo SPDT 5A Estanco	139,20
D4E-1F20N	133992	Embolo sellado SPDT 5A Estanco	142,30
D4E-1E20N	133993	Embolo roldana cruzada sellada SPDT 5A Estanco	139,20
D4E-1A23L2N	133994	Embolo roldana SPDT 5A Estanco LED	184,20
D4E-1A20N	134060	Embolo roldana SPDT 5A Estanco	88,30
D4E-1A21N	134061	Final de carrera compacto, sensibilidad estándar, IP67 Acción instantanea, SPDT	93,70
D4E-1B10N	134063	Embolo Roldana Girada 90º 5A Estanco	77,90
D4E-1B20N	134064	Embolo Roldana Girada 90º 5A Estanco	85,30
D4E-1C00N	134066	Embolo SPDT 5A Estanco Conector c.a.	77,90
D4E-1C10N	134067	Embolo SPDT 5A Estanco Conector DC	77,90
D4C-6432	134264	Final de carrera compacto	105,10
D4C-4232	134317	Estanco Plano Embolo rodillo sellado LED 1A Cable VCTF	109,30
D4C-4502	134327	Estanco Plano Embolo rodillo sellado LED 0,1A	109,30
D4C-6202	134347	Estanco Plano Palanca sellado Embolo con roldana	103,90
D4C-6203	134348	Estanco Plano Embolo rodillo girado 90º	110,60
D4C-6232	134351	Estanco Plano Palanca rodillo sellado Embolo	109,30
D4C-2302	134364	Estanco Plano Embolo rodillo LED 5A Cable VCTF	145,90
D4C-2320	134367	5A a 125Vac con indicador de led. Actuador de roldana	161,90
D4C-2502	134372	Estanco Plano Embolo Roldana LED 5A Cable VCTF	112,00
D4C-3220	134378	Estanco Plano Palanca roldana LED 4A Cable VCTF	118,80
D4C-3231	134380	Estanco Plano Embolo roldana sellado LED 4A	109,30

OMRON PVPR 2023

D4C-3241	134381	Estanco Plano Embolo sellado LED 4A	109,30
D4C-1201	134459	Estanco Plano Embolo aguja	98,40
D4C-1202	134460	Estanco Plano Embolo rodillo	94,35
D4C-1203	134461	Estanco Plano Embolo rodillo girado 90º	94,35
D4C-1210	134462	Estanco Plano Embolo biselado	110,60
D4C-1231	134463	Estanco Plano Embolo sellado	106,60
D4C-1232	134464	Estanco Plano Embolo rodillo sellado	106,60
D4C-1233	134465	Estanco Plano Embolo rodillo girado 90 sellado	107,90
D4C-1241	134466	Estanco Plano Embolo montaje en panel	110,60
D4C-1242	134467	Estanco Plano Embolo rodillo montaje en panel	110,60
D4C-1243	134468	Estanco Plano Embolo rodillo 240Vca	106,60
D4C-1250	134469	Estanco Plano Varilla móvil	106,60
D4C-1302	134470	Estanco Embolo Roldana 5A VCTF 5m	118,80
D4C-1331	134472	Final de carrera miniatura 4Aa30Vdc embolo sellado VCTF	118,80
D4C-1332	134473	Estanco Plano Embolo rodillo sellado 5m	118,80
D4C-1502	134484	Estanco Plano Roldana	110,60
D4C-1520	134485	Estanco Plano Palanca roldana Cable VCTF	136,40
D4CC-1031	134508	Embolo de aguja sellado Miniatura 1A - 125Vca	125,60
D4CC-2024	134517	FINAL DE CARRERA MINIATURA PROPOSITO GENERAL	145,90
D4CC-3031	134522	Embolo de aguja sellado Miniatura 1A - 30Vcc	136,40
D4CC-3033	134523	Compact limit switch, connector type, 1 A 125 VAC, sealed cross roller plunger	151,60
D4CC-3042	134524	Embolo Roldana Montaje Panel	178,00
D4CC-3060	134527	Palanca roldana central Miniatura 1A -30Vcc	136,40
D4CC-4001	134528	Embolo de aguja Miniatura 1A - 30Vcc LED	136,40
D4CC-4002	134529	Embolo con Roldana Miniatura 1A - 30Vcc LED	145,90
D4CC-4003	134530	Embolo con roldana girada Miniatura 1A - 30Vcc LED	141,60
D4CC-4024	134532	Palanca con roldana miniatura 1A a 30Vc.c (con ind de LED)	153,80
D4CC-4042	134536	Fin de carrera miniatura 1A a 30Vcc, roldana, conector, (ind. led)1	186,10
D4CC-4043	134537	Final de carrera miniatura 1A a 30Vcc, roldana girada 90º, conector, (ind. led)	186,10
D4CC-4050	134538	Varilla Plástico Miniatura 1A -30Vcc LED	167,30
D4CC-4060	134539	Palanca roldana central Miniatura 1A -30Vcc LED	145,90
D4A-5000N	134741	Caja de contacto D4A-N SPDT M20	42,17
D4A-5101N	134742	Roldana estándar DPDT Ruptura doble M20 x 1,5	161,70

OMRON PVPR 2023

D4A-1108N	134792	Embolo lateral ajustable SPDT Ruptura doble 1/2-14 NPT	227,30
D4A-1109N	134793	Embolo superior estandar SPDT Ruptura doble 1/2-14 NPT	202,00
D4A-1110N	134794	Embolo con roldana DPDT Ruptura doble 1/2-14 NPT	220,10
D4A-1112N	134795	Varilla Flexible Muelle Acero SPDT Ruptura doble 1/2-14 NPT	230,40
D4A-1116N	134797	Varilla Flexible SPDT Ruptura doble 1/2-14 NPT	191,60
D4A-2000N	134809	Caja de contacto D4A-N DPDT Cond. 1/2-14NPT	88,30
D4A-2918N	134828	Roldana neutra central DPDT Ruptura doble Sin indic 1/2-14	292,90
D4A-4501N	134835	Roldana estándar DPDT Ruptura doble Sin indicador Conducto G 1/2	300,80
D4A-1101N	142473	Roldana estándar DPDT Ruptura doble 1/2-14 NPT	178,20
D4C-1301	142478	Estanco Embolo aguja 5A VCTF 5m	106,60
D4C-3332	142482	Estanco Plano Embolo mont. Panel LED 4A	131,00
D4C-3532	142483	Estanco Plano Embolo roldana sellado LED 4A VCTF 5	124,10
WLDG	142494	Embolo superior PG13.5	113,30
D4CC-1041	144736	Final de carrera compacto, tipo de conector, 1 A 125 VCA	183,20
D4C-4332	144739	Estanco Plano Embolo rodillo sellado LED 0,1A	121,30
D4C-6233	144741	Estanco Plano Palanca Roldana girada 90º sellada	109,30
D5B-5015	144864	Final de carrera alta sensibilidad	140,20
SHL-Q2255	145031	Embolo roldana Montaje en panel IP67 Miniatura	73,00
D4C-4532	145826	Estanco Plano Embolo rodillo sellado LED 0,1A	110,60
SHL-W355	146140	Palanca corta roldana unidireccional IP67 Miniatura	69,15
ZE-N-2G-FC	146142	Embolo estándar SPDT Estanco	79,80
D4CC-3001	146877	Embolo de aguja Miniatura 1A - 30Vcc	137,80
SHL-Q2155	147187	Embolo roldana cruzada mont. panel IP 67 Miniatura	67,05
D4A-4918N	147956	Roldana estándar DPDT Ruptura doble Sin indicador Conducto G 1/2	318,50
D4C-1224	147957	Estanco Plano Palanca rodillo alta sensib.	109,30
D4C-1350	147958	FINAL DE CARRERA SELLADO	118,80
D4C-3302	147965	Estanco Plano Embolo mont. Panel LED 4A	118,80
D4C-3232	148942	Estanco Plano Embolo rodillo sellado LED 4A	109,30
D4C-4220	148943	Estanco Plano Palanca rodillo sellado LED 1A	115,90
D4C-4233	148944	Final de carrera compacto	115,90
WLD2-G	148955	Embolo roldana PG13.5	118,80
D4A-1111N	149066	Embolo superior ajustable SPDT Ruptura doble 1/2-14 NPT	212,70
ZE-Q21-2G	149257	Embolo roldana cruzada general SPDT Estanco	87,65

OMRON PVPR 2023

SHL-W255-01	149356	Palanca corta con roldana IP67 Miniatura Microcarga	68,85
D4CC-3002	150121	Embolo con roldana Miniatura 1A - 30Vcc	149,70
D4C-1324	150122	Final de carrera miniatura sellado	116,40
D5B-1015	150260	Alta sensibilidad Embolo hemisférico M10 Cable 5m	154,40
ZE-Q22-2G	150415	Embolo roldana SPDT Estando	90,40
D4MC-2000	150872	Estando Palanca roldana	45,11
D5B-1533	151368	Alta sensib Varilla elástica muelle largo M10 5m	104,30
D5F-H001	151370	FC Alta precisión	4 035,00
ZE-NA2-2G	151525	Palanca roldana SPDT Estando	103,90
ZC-Q2255	151804	Embolo roldana Montaje panel Alta precisión Cable dcha	76,45
ZC-N2255	151806	Embolo roldana Sellado Alta precisión	103,90
D4C-6402	152279	Compact enclosed limit switch	96,55
D4C-1G01 1M	152399	Estando Plano Embolo Cable CENELEC	83,65
ZE-QA2-2G	152689	Palanca roldana estándar SPDT Estando	99,80
D4CC-3003	153482	Émbolo con roldana girada Miniatura 1A - 30Vcc	149,70
D4CC-3024	153483	Palanca con roldana Miniatura 1A - 30Vcc	144,40
SHL-W2155	153766	Palanca con roldana IP67 Miniatura	67,05
D4CC-3032	154611	Émbolo con roldana sellado Miniatura 1A 30Vcc	141,60
WLCA2-G	154621	Palanca roldana corto D38 PG13.5	131,00
WLCA12-2NG	154622	Palanca ajustable roldana Sobrecarrera 90º PG13.5	207,70
D5B-5023	154745	Alta sensibilidad Embolo cónico M5 Cable 3m	127,50
D4CC-4032	155420	Final de carrera compacto, tipo de conector, 1 A 30 VCC, LED, émbolo sellado co	150,80
D4C-1503	155422	Estando plano roldana girada 90º	109,30
D4E-1A10N	155720	Embolo roldana SPDT 1A Estando	80,85
D4E-1C20N	155721	Embolo SPDT 5A Estando	57,75
D4MC-5000	156466	Estando Émbolo Montaje panel	52,95
D4C-1260	156712	Final de carrera compacto, embolo de palanca, 5 A 250 VAC, 4 A 30 VDC, 3m VC	106,60
D4C-1320	156713	Final de carrera Sellado	140,40
D4C-6320	156718	Final de carrera compacto	149,30
D4E-2C20N	157117	Final de carrera compacto, sensibilidad estándar, IP67 Acción instantanea, SPDT	95,85
SHL-Q55-01	157483	Embolo Montaje panel IP67 Miniatura Microcarga	65,05
D4C-1329-P	180382	Final de carrera Sellado	152,60
D4A-4502N	191251	Limit switch, four-pole, double-break, without indicator, top lever, high sensitivi	318,90

OMRON PVPR 2023

D4E-1D00N	208292	Embolo roldana sellada SPDT 1A Estando	116,80
D4E-2G10N	214974	Final de carrera compacto, sensibilidad estándar, IP67 Acción instantanea, SPDT	77,15
D4C-1220-A1	234092	Estando Plano Palanca R63 rodillo	118,80
D4E-1E10N	236316	Embolo roldana cruzada sell SPDT 5A Estando Conec DC	139,20
D4A-3101N-GM	237674	Roldana estándar SPDT Ruptura doble NEON Conector SC4F4D	137,90
D4A-3110N-GM	237676	Embolo Sup. Rol SPDT Ruptura doble NEON Conector SC4F4D	249,90
D4A-3E01N-GM	237677	Roldana estándar SPDT Ruptura doble LED Conector SC4F4D	140,80
D4A-3E05N-GM	237678	Roldana mantenida SPDT Ruptura doble LED Conector SC4F4D	246,90
D4A-3E10N-GM	237679	Embolo Superior Roldana SPDT Ruptura doble LED Conector SC4F4D	226,00
D4C-1229-P	239439	Estando Intemperie Plano Varilla	171,30
D4C-1G01 5M	289178	Final de carrera miniatura sellado	120,10
D4C-6231	354623	Estando Plano Palanca aguja sellado Embolo	106,60
HL-5200G	378654	Compacto Embolo roldana sellado IP65	64,65
HL-5300G	378655	Compacto Varilla elástica IP65	61,35
HL-5000G	378665	Compacto Palanca regulable IP65	66,60
HL-5030G	378666	Compacto Palanca roldana regulable IP65	72,15
HL-5050G	378667	Compacto Palanca varilla regulable IP65	69,40
HL-5100G	378668	Compacto Palanca regulable IP65	61,35
D4C-2320-P	380085	5A a 125VAC con indicador de led, intemperie , roldana	172,70
WLCA2-8G-N	392891	Palanca de rodillo, modelo estándar R63, recorrido previo de 15±5°, DPDB, PG13.5	145,90
WLCA2-G1LD-N	392892	Palanca roldana corto D38 G1/2, LED	221,00
WLCA2-G1-N	392893	Limit switch, roller lever: R38 mm, pretravel 15±5°, DPDB, G1/2 with ground terminal	125,60
WLCA12-2NG-N	392899	Palanca ajustable roldana Sobrecarrera 90° PG13.5	198,10
WLCA12-THG-N	392902	Palanca roldana ajustable alta temperatura PG13.5	207,70
WLCA12-Y-N	392903	Palanca roldana ajustable M20	139,00
WLCA2-2NG-N	392905	Final de carrera, palanca de rodillo: R38 mm, precarrera de 15±5°, sobrecarrera	91,50
WLCA2-7G-N	392908	Final de carrera ruptura doble	151,10
WLCA2-GLD-N	392910	Limit switch, roller lever: R38 mm, pretravel 15±5°, DPDB, LED, Pg13.5 with ground terminal	125,60
WLCA2-THG-N	392912	Palanca roldana corto R38 5° a 120° PG1	173,90
WLCA12-G-N	392927	Palanca roldana ajustable PG13.5	143,10
WLCA2-G-N	392932	Palanca roldana corto R38 PG13.5	125,60
WLCA2-Y-N	392936	Palanca roldana corto R38 M20	145,90
WLCL-G-N	392938	Palanca varilla ajustable PG13.5	143,10

OMRON PVPR 2023

WLCA12-2TS-N	392944	Limit switch, adjustable roller lever: R25 to 89 mm, pretravel 15±5°, overtravel 9	198,10
WLCA2-2G-N	392945	Palanca rodillo corta sobrecarrera 80° PG13	140,40
WLCA2-LD-M1GJ-N	392946	Palanca roldana corto R38, LED	356,80
WLCA2-55LD-M1GJ-N	393452	Limit switch, roller lever: R38 mm, pretravel 15±5°, Built-in Switch hermetically s	207,90
WLMCA2-LD-DGJ-N	393474	Palanca roldana corta LED precableado M12 NC+NO	349,00
WLMCA2-LDK43-N	393475	Limit switch, roller lever: R38 mm, pretravel 15±5°, DPDB, DC, NO+NC, LED, Dire	329,20
WLNJ-G1-N	393477	Interruptor de fin de carrera, varilla flexible, recorrido previo 20±10 mm, DPDB,	107,90
WLCA32-43G-N	393479	Palanca horquilla bloqueo PG13.5	163,30
WLNJ-G-N	393483	Varilla flexible helicoidal D6.5mm PG13.5	107,90
D4B-2116N	134571	Metálico SPDT-NA/NC Roldana ajustable G1/2	53,20
D4B-4A16N	134610	Metálico DPDB-2NC Roldana ajustable M20	82,30
D4B-4517N	134612	Metálico SPDT-NA/NC Ruptura Lenta Varilla ajustable PG13.5	65,95
D4B-4A17N	134613	Metálico DPDB-2NC Varilla ajustable M20	93,05
D4B-4516N	158135	Metálico SPDT-NA/NC Ruptura Lenta Palanca roldana ajustable M20	65,95
D4B-4117N	373233	Metálico SPDT-NA/NC Varilla ajustable M20	85,00
D4B-4116N	373425	Metálico SPDT-NA/NC Roldana ajustable M20	63,05
D5A-1200	133697	Final de carrera compacto, sensibilidad estándar, IP67 Acción instantanea, SPDT	248,10
D5A-3300	133701	FC Alta precision 1micra Émbolo aguja M8	275,40
D5A-3310	133702	FC Alta precision 3micras Émbolo aguja M8	420,10
D5A-5210	133703	FC Alta precision 1micra Émbolo aguja	436,50
D5A-5310	133704	FC Alta precision 1micra Émbolo aguja	436,50
D5A-7400	133706	FC Alta precision 3micras Émbolo aguja M16 NC	460,40
D5A-8515	133709	FC Alta precision 3micras Émbolo Conector 5m	613,50
D5A-9511	133710	FC Alta precision 3micras Émbolo Cable 3m	525,00
D5A-9512	133711	FC Alta precision 3micras Émbolo Cable 5m	540,00
D5A-2200	142611	Final de carrera compacto, sensibilidad estándar, IP67 Acción instantanea, SPDT	248,10
D5A-7410	144863	FC Alta precision 3micras Émbolo aguja M16	686,00
D5A-2100	145962	FC Alta precision 3micras Émbolo aguja M5 NC	248,10
D5A-3210	152524	Final de carrera compacto, sensibilidad estándar, IP67 Acción instantanea, SPDT	420,10
D5A-8511	154744	FC Alta precision 3micras Émbolo	529,00
D4E-2H20N	397580	Palanca roldana SPDT 0,1A Estanco	77,90
WLNJ-S2G-N	406411	Varilla acero D1.0mm PG13.5	131,00
WLCA32-41G-N	411084	Palanca horquilla bloqueo PG13.5	165,90

OMRON PVPR 2023

WLD18-THG-N	411086	Limit switch, Plunger: Top plunger, pretravel 15±5°, DPDB, Heat-resistant: +5°C t	143,10
WLD38-G-N	411089	Limit switch, Sealed top-ball plunger, DPDB, Pg13,5 with ground terminal	125,60
WLNJ-2G-N	411091	Varilla flexible helicoidal de D8.0mm PG 13,5	145,90
WLNJ-Y-N	411096	Varilla flexible helicoidal de D6.5mm M20	107,90
WLS2-G-N	411097	Embolo horizontal roldana PG13.5	210,20
WLS3-G-N	411098	Embolo horizontal de bola PG13.5	183,40
WLS-G-N	411100	Embolo horizontal PG13.5	155,00
WLD28-G-N	411106	Embolo superior PG13.5 con terminal tierra	109,30
WLCA2-2NG1-N	680073	Limit switch, 90 deg. Overtravel roller lever, DPDB, 10A, with ground terminal	91,20
WLCA12-2NG1-N	680077	Final de carrera, palanca de rodillo ajustable: sobrecarrera, 90 grados, DPDB, 10	97,80
WLD2-G1-N	679497	Final de carrera, émbolo superior con roldana, DPDB, 10 A, con terminal de tierra	68,85
WLCA2-LDK13-N	680098	Limit switch, roller lever: standard, LED indicator, DPDB, 3A, direct wired connec	150,40
D4V-8108Z	668126	Émbolo ajustable R30 hasta 75mm con terminal de tierra	152,50
D4V-8104Z OMR	683979	Limit switch, roller lever , DPDB, IP65	144,10
WLG2-G1LD	680080	Limit switch, adjustable roller lever, pretravel 10°+2/-1°, DPDB, LED, G1/2 With g	200,80
D4ER-1A21N	674830	Final de carrera sellado de uso general, con cuerpo estrecho, terminales de torn	74,80
D4ER-1A22N	674871	Limit switch, slim sealed, screw terminal, general purpose, roller plunger, left-ha	82,35
D4ER-1D22N-DTK1EJ	674836	Final de carrera sellado de uso general, con cuerpo estrecho, terminales de torn	81,75
D4ER-2A21N-DTK1EJ	674845	Final de carrera sellado para microcargas, con cuerpo estrecho, terminales de to	85,30
D4ER-1C21N-DTK1EJ	674837	Final de carrera sellado de uso general, con cuerpo estrecho, terminales de torn	77,90
D4ER-1L21N-DTK1EJ	674850	Final de carrera sellado de uso general, con cuerpo estrecho, terminales de torn	81,75
D4ER-2G22N-DTK1EJ	674854	Final de carrera sellado para microcargas, con cuerpo estrecho, terminales de to	89,60
D4ER-1C21N	674862	Final de carrera sellado de uso general, con cuerpo estrecho, terminales de torn	74,80
D4ER-2D22N-DTK1EJ	674824	Final de carrera sellado para microcargas, con cuerpo estrecho, terminales de to	89,60
D4ER-1D21N	674876	Final de carrera sellado de uso general, con cuerpo estrecho, terminales de torn	78,65
D4ER-2C21N-DTK1EJ	674852	Final de carrera sellado para microcargas, con cuerpo estrecho, terminales de to	85,30
D4ER-2E21N-DTK1EJ	674866	Final de carrera sellado para microcargas, con cuerpo estrecho, terminales de to	89,60
D4ER-1A21N-DTK1EJ	674860	Final de carrera sellado de uso general, con cuerpo estrecho, terminales de torn	77,90
D4ER-1B22N-DTK1EJ	674844	Final de carrera sellado de uso general, con cuerpo estrecho, terminales de torn	77,90
D4ER-1G22N-DTK1EJ	674865	Final de carrera sellado de uso general, con cuerpo estrecho, terminales de torn	81,75
D4ER-1E21N-DTK1EJ	674875	Final de carrera sellado de uso general, con cuerpo estrecho, terminales de torn	81,75
D4ER-2B22N-DTK1EJ	674843	Final de carrera sellado para microcargas, con cuerpo estrecho, terminales de to	85,30
D4ER-2L21N-DTK1EJ	674864	Final de carrera sellado para microcargas, con cuerpo estrecho, terminales de to	89,60

OMRON PVPR 2023

D4ER-1B21N	674872	Final de carrera sellado de uso general, con cuerpo estrecho, terminales de torn	74,80
D4ER-1G21N	674856	Final de carrera sellado de uso general, con cuerpo estrecho, terminales de torn	78,65
WLCA32-43G1-N OMR	679221	Limit switch, fork lever lock, DPDB, with ground terminal	218,00
WLD28-THG1-N OMR	680555	Limit switch, top roller plunger, heat resistive, DPDB, 10 A, With Ground Termin	104,90
WLCAL4-G1-N	679901	Final de carrera varilla ajustable, DPDB, LED, G1/2 con toma de tierra	157,10
WLCA2-2THG1-N	679643	Limit switch, standard roller lever, DPDB, 10 A, heat resistive (5-120 deg.C), with	129,70
D4V-8104Z-N OMR	708993	Limit switch, roller lever , DPDB, IP65	144,10
D4V-8108Z-N OMR	708992	Émbolo ajustable R30 hasta 75mm con terminal de tierra	152,50
44506-5610 XER6022-011C3SS	245673	Parada de emergencia de cuerda INOX ATEX 800m 1NC+1NO 3m cable	1 177,00
44506-5620 XER6022-020C3SS	245674	Parada de emergencia de cuerda INOX ATEX 800m 2NC 3m cable	1 177,00
44506-4010 ER5018-021M	406333	Parada de emergencia de cuerda 40m 2NC + 1NA 3xM20	231,00
44506-7410 ER1032-042MEL	406334	Parada de emergencia de cuerda 200m 4NC + 2NA E/stop LED 4xM20	766,50
44506-4110 ER5018-021ME	406335	Parada de emergencia de cuerda 40m 2NC + 1NA E-stop 3xM20	259,20
44506-5810 ER6022-022MSS	406336	Parada de emergencia de cuerda Inox bloqueo 100m 2NC + 2NA 3xM20	635,50
44506-5910 ER6022-022MLSS	406337	Parada de emergencia de cuerda Inox bloqueo LED 100m 2NC + 2NA 3xM20	676,50
44506-5410 ER6022-021MEL	406340	Parada de emergencia de cuerda 80m 2NC + 1NA E-stop LED 3xM20	355,60
44506-5010 ER6022-021M	406341	Parada de emergencia de cuerda 80m 2NC + 1NA 3xM20	284,90
44506-6410 ER1022-042MELL	406347	Interruptor de cuerda 125m 4NC + 2NA E/stop LED 4xM20	510,00
44506-6510 ER1022-042MELR	406348	Interruptor de cuerda 125m 4NC + 2NA E/stop LED 4xM20 dcha	510,00
44506-4030 ER5018-030M	406349	Parada de emergencia de cuerda 40m 3NC 3xM20	276,30
44506-5210 ER6022-021ME	406351	Parada de emergencia de cuerda 80m 2NC + 1NA E-stop 3xM20	316,00
44506-5950 ER6022-022MELSS	406352	Parada de emergencia de cuerda Inox bloqueo LED E-STOP 100m 2NC + 2NA 3xM	766,50
44506-4130 ER5018-030ME	406353	Parada de emergencia de cuerda 40m 3NC E-stop 3xM20	267,90
44506-5110 ER6022-021ML	406358	Parada de emergencia de cuerda 80m 2NC + 1NA LED 3xM20	313,20
44506-5600 XER6022-011C3	406359	Parada de emergencia de cuerda ATEX 80m 1NC + 1NA 3m cable	1 177,00
44506-5850 ER6022-022MESS	406360	Parada de emergencia de cuerda Inox bloqueo E-STOP 100m 2NC + 2NA 3xM20	661,00
44506-5050 ER6022-031M	406361	Interruptor de parada de emergencia de tracción de cable de seguridad, hasta 8	307,90
44506-5150 ER6022-031ML	406362	Parada de emergencia de cuerda 80m 2NC + 1NA LED 3xM20	334,20
44506-5250 ER6022-031ME	406363	Parada de emergencia de cuerda 80m 3NC + 1NA E-stop 3xM20	338,60
44506-5450 ER6022-031MEL	406364	Parada de emergencia de cuerda 80m 3NC + 1NA E-stop LED 3xM20	381,20
44506-5830 ER6022-031MSS	406365	Parada de emergencia de cuerda Inox bloqueo 100m 3NC + 1NA 3xM20	676,50
44506-5870 ER6022-031MESS	406366	Parada de emergencia de cuerda Inox bloqueo E-STOP 100m 3NC + 1NA 3xM20	707,00
44506-5930 ER6022-031MLSS	406367	Parada de emergencia de cuerda Inox bloqueo LED 100m 3NC + 1NA 3xM20	724,00

OMRON PVPR 2023

44506-5970 ER6022-031MELSS	406368	Parada de emergencia de cuerda Inox bloqueo LED E-STOP 100m 3NC + 1NA 3xN	808,50
44506-7600 XER1032-011C3	406371	Parada de emergencia de cuerda ATEX 1NC + 1NA con E-STOP 3m cable	1 798,00
44506-4120 ER5018-021NE	419134	Parada de emergencia de cuerda 40m 2NC + 1NA E-stop 3x 1/2NPT	185,90
44506-6412 ER1022-042MELL-01	685898	Rope pull emergency stop switch, up to 125 m, 4NC + 2NO, M20 wiring entry (4x	498,00
44506-6512 ER1022-042MELR-01	685897	Rope pull emergency stop switch, up to 125 m, 4NC + 2NO, M20 wiring entry (4x	498,00
D4F-220-5D	103670	Metálico IP67 2NC Émbolo Palanca Roldana 5m vert.	136,10
D4B-4A11N	103702	Metálico DPDB-2NC Roldana M20	78,30
D4F-102-5D	133924	Metalico IP67 1NC/1NA Émbolo Rold 5m vert.	137,40
D4F-302-5D	133925	Metálico IP67 2NC/2NA Embolo Roldana 5m vert.	147,60
D4F-120-1D	134001	Metálico IP67 1NC/1NA Palanca Roldana 1m vert.	112,50
D4F-320-1D	134002	Metálico IP67 2NC/2NA Palanca Roldana 1m vert.	124,20
D4F-102-1D	134004	Metálico IP67 1NC/1NA Émbolo Roldana 1m vert.	109,60
D4F-302-1D	134005	Metálico IP67 2NC/2NA Embolo Roldana 1m vert.	124,20
D4F-102-3R	134008	Metálico IP67 1NC/1NA Émbolo Roldana 3m horiz.	100,80
D4F-202-3R	134009	Metalico IP67 2NC Embolo Roldana 3m horiz.	100,80
D4F-302-3R	134010	Metalico IP67 2NC/2NA Embolo Roldana 3m horiz.	119,90
D4F-102-3D	134013	Metálico IP67 1NC/1NA Émbolo Roldana 3m vert.	121,30
D4F-302-3D	134014	Metálico IP67 2NC/2NA Embolo Roldana 3m vert.	138,90
D4F-120-5R	134016	Metálico IP67 1NC/1NA Émbolo Palanca Roldana 5m horiz.	121,00
D4F-220-5R	134017	Small Safety Limit Switch, 2NC slow-action, roller lever, 5 m cable, horizontal cal	121,00
D4F-120-5D	134019	Metálico IP67 1NC/1NA Émbolo Palanca Roldana 5m vert.	132,60
D4B-2111N	134568	Metálico SPDT-NA/NC Roldana G1/2	48,07
D4B-2170N	134572	Metálico SPDT-NA/NC Embolo plano G1/2	49,01
D4B-4511N	134607	Metálico SPDT-NA/NC Ruptura Lenta Roldana estándar PG13.5	60,65
D4B-4571N	134609	Metálico SPDT-NA/NC Ruptura Lenta Embolo roldana M20	64,10
D4B-4A71N	134611	Metálico DPDB-2NC Embolo roldana M20	79,60
D4B-2A11N	134688	Metálico DPDB-2NC Roldana G1/2	95,75
D4B-2511N	134690	Metálico DPDB-NA/NC Roldana G1/2	95,75
D4F-202-1D	143734	Metálico IP67 2NC Émbolo Roldana 1m vert.	103,80
D4F-320-3R	143735	Metálico IP67 2NC/2NA Palanca Roldana 3m horiz.	124,20
D4F-120-1R	144788	Metálico IP67 1NC/1NA Palanca Roldana 1m horiz	96,40
D4F-202-1R	144789	Small Safety Limit switch, roller plunger,2NC slow action	103,80
D4F-302-5R	145878	Metálico IP67 2NC/2NA Embolo Roldana 5m horiz.	130,20

OMRON PVPR 2023

D4F-202-3D	149119	Metálico IP67 2NC Émbolo Roldana 3m vert.	121,00
D4F-320-5D	149121	Metálico IP67 2NC/2NA Palanca Roldana 5m vert.	122,80
D4B-2171N	149173	Metálico SPDT-NA/NC Embolo roldana G1/2	50,25
D4F-102-1R	150189	Metálico IP67 1NC/1NA Émbolo Roldana 1m horiz.	86,20
D4F-320-5R	150190	Small Safety Limit Switch, 2NC/2NO slow-action, roller lever, 5 m cable, horizontal	150,70
D4F-320-1R	151302	Metálico IP67 2NC/2NA Palanca Roldana 1m horiz.	111,00
D4F-120-3R	152463	Metálico IP67 1NC/1NA Palanca Roldana 3m horiz.	100,80
D4F-320-3D	152464	Metálico IP67 2NC/2NA Palanca Roldana 3m vert.	137,40
D4B-4A70N	153605	Metálico SPDT-2NC Embolo plano M20	71,55
D4F-202-5D	154672	Metálico IP67 2NC Émbolo Roldana 5m vert.	134,40
D4F-420-5D	155476	Metálico IP67 4NC Palanca Roldana 5m vert.	163,70
D4F-302-1R	156889	Metálico IP67 2NC/2NA Embolo Roldana 1m horiz.	108,10
D4F-120-3D	156891	Metálico IP67 1NC/1NA Palanca Roldana 3m vert.	121,30
D4F-202-5R	156893	Small Safety Limit Switch, 2NC slow-action, roller plunger, 5 m cable, horizontal	134,40
D4N-4120	168848	Plástico 1NC/1NA Brusca Roldana M20	21,43
D4N-2120	170081	Plástico 1NC/1NA Brusca Roldana G1/2	22,92
D4N-4131	170083	Plástico 1NC/1NA Brusca Émbolo plano M20	20,38
D4N-2132	170084	Plástico 1NC/1NA Brusca Émbolo roldana G1/2	20,24
D4N-4132	170085	Plástico 1NC/1NA Brusca Émbolo roldana M20	23,06
D4N-4162	170087	Plástico 1NC/1NA Brusca Articulado horizontal M20	23,18
D4N-2A20	170088	Plástico 1NC/1NA Lenta Palanca con roldana. G1/2	20,88
D4N-4A20	170089	Plástico 1NC/1NA Lenta Roldana M20	32,74
D4N-2A32	170091	Plástico 2NC Lenta Émbolo roldana G1/2	16,19
D4N-4A32	170092	Plástico 1NC/1NA Lenta Émbolo roldana M20	18,08
D4N-212G	170093	Plástico 1NC/1NA Brusca Roldana Ajustable Resina G1/2	30,18
D4N-1120	170095	Plástico 1NC/1NA Brusca Roldana PG13,5	21,43
D4N-9120	170097	Plástico 1NC/1NA Brusca Roldana Conector M12	63,30
D4N-8120	170100	Plástico 1NC/1NA Brusca Roldana 2-M20	29,11
D4N-1122	170101	Plástico 1NC/1NA Brusca Roldana PG13,5	26,28
D4N-4122	170104	Plástico 1NC/1NA Brusca Roldana Metal M20	21,43
D4N-8122	170108	Plástico 1NC/1NA Brusca Roldana 2-M20	53,75
D4N-1125	170109	Plástico 1NC/1NA Brusca. Roldana Metálica PG13,5	28,97
D4N-4125	170112	Plástico 1NC/1NA Brusca Roldana Metálica M20	28,97

OMRON PVPR 2023

D4N-1131	170114	Plástico 1NC/1NA Brusca Émbolo plano PG13,5	17,95
D4N-9131	170116	Final de carrera de seguridad, D4N, conector M12 (1 conducto), 1NC/1NA (de va	43,17
D4N-8131	170119	Plástico 1NC/1NA Brusca Émbolo plano 2-M20	24,25
D4N-1132	170120	Plástico 1NC/1NA Brusca Émbolo roldana PG13,5	23,06
D4N-9132	170122	Plástico 1NC/1NA Brusca Émbolo roldana Conector M12	45,38
D4N-8132	170125	Plástico 1NC/1NA Brusca Émbolo roldana 2-M20	26,00
D4N-1162	170126	Plástico 1NC/1NA Brusca Artic. horizontal PG13,5	25,07
D4N-8162	170131	Plástico 1NC/1NA Brusca Articulado horizontal 2-M20	29,91
D4N-1172	170132	Plástico 1NC/1NA Brusca Articulado vertical PG13,5	25,07
D4N-4172	170135	Plástico 1NC/1NA Brusca Articulado Vertical M20	23,18
D4N-8172	170139	Limit switch, One-way roller arm lever (vertical), 1NC/1NO (snap-action), 1NC/1	29,93
D4N-112G	170140	Plástico 1NC/1NA Brusca Roldana ajust. PG13,5	24,25
D4N-412G	170142	Plástico 1NC/1NA Brusca Roldana ajust metálica M20	26,00
D4N-912G	170143	Plástico 1NC/1NA Brusca Roldana ajust metálica Conector M12	53,90
D4N-812G	170145	Plástico 1NC/1NA Brusca Roldana Ajustable metálica 2-M20	31,79
D4N-112H	170146	Plástico 1NC/1NA Brusca Roldana ajust. D50mm PG13,5	38,11
D4N-412H	170148	Plástico 1NC/1NA Brusca Roldana ajust. D50mm M20	33,69
D4N-912H	170149	Final de carrera de seguridad, D4N, conector M12 (1 conducto), 1NC/1NA (de ac	61,15
D4N-812H	170151	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 1NC/1	34,46
D4N-1220	170152	Plástico 2NC Brusca. Roldana.PG13,5	21,43
D4N-4220	170155	Plástico 2NC Brusca Roldana M20	19,68
D4N-9220	170156	Limit switch, Roller lever (resin lever, resin roller), 2NC (snap-action), 2NC (snap	55,45
D4N-1222	170160	Limit switch, Roller lever (metal lever, resin roller), 2NC (snap-action), 2NC (snap	29,13
D4N-4222	170163	Plástico 2NC Brusca Roldana Metal M20	21,43
D4N-8222	170167	Plástico 2NC Brusca Roldana 2-M20	53,20
D4N-1225	170168	Plástico 2NC Brusca Roldana Metálica .PG13,5	28,70
D4N-1231	170173	Plástico 2NC Brusca Embolo plano PG13,5	21,18
D4N-4231	170176	Plástico 2NC Brusca Émbolo M20	22,52
D4N-1232	170181	Plástico 2NC/2NA Brusca Émbolo roldana PG13,5	23,06
D4N-4232	170184	Plástico 2NC Brusca Émbolo roldana M20	23,06
D4N-9232	170185	Limit switch, Top roller plunger, 2NC (snap-action), 2NC (snap-action), M12 conr	45,39
D4N-1262	170189	Plástico 2NC Brusca Artic. Horizontal PG13,5	17,67
D4N-4262	170192	Plástico 2NC Brusca Articulada horizontal M20	21,85

OMRON PVPR 2023

D4N-1272	170197	Limit switch, One-way roller arm lever (vertical), 2NC (snap-action), 2NC (snap-a	21,85
D4N-4272	170200	Limit switch, One-way roller arm lever (vertical), 2NC (snap-action), 2NC (snap-a	21,85
D4N-122G	170205	Plástico 2NC Brusca Roldana ajust. PG13,5	24,25
D4N-422G	170208	Plástico 2NC Brusca Roldana ajust. M20	24,25
D4N-922G	170209	Plástico 2NC Brusca Roldana ajust metálica Conector M12	53,90
D4N-122H	170212	Plástico 2NC Brusca Roldana PG13.5	34,61
D4N-422H	170215	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 2NC (	34,61
D4N-922H	170216	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 2NC (	60,75
D4N-1A20	170219	Plástico 1NC/1NA Lenta Roldana PG13,5	25,87
D4N-1A22	170225	Limit switch, Roller lever (metal lever, resin roller), 1NC/1NO (slow-action), 1NC	26,73
D4N-8A22	170232	Limit switch, Roller lever (metal lever, resin roller), 1NC/1NO (slow-action), 1NC	53,00
D4N-1A25	170233	Limit switch, Roller lever (metal lever, metal roller), 1NC/1NO (slow-action), 1NC	27,83
D4N-1A31	170238	Plástico 2NC Lenta Embolo plano PG13,5	21,18
D4N-4A31	170240	Plástico 2NC Lenta Émbolo plano M20	19,01
D4N-8A31	170244	Limit switch, Top plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), M20	28,03
D4N-1A32	170245	Plástico 1NC/1NA Lenta Émbolo roldana PG13,5	21,43
D4N-8A32	170250	Plástico 1NC/1NA Lenta Émbolo roldana 2-M20	29,91
D4N-1A62	170251	Plástico 1NC/1NA Lenta Articulada horizontal PG13,5	28,97
D4N-4A62	170254	Plástico 1NC/1NA Lenta Articulada horizontal M20	21,85
D4N-8A62	170258	Plástico 1NC/1NA Lenta Articulado horizontal 2-M20	30,06
D4N-1A72	170259	Limit switch, One-way roller arm lever (vertical), 1NC/1NO (slow-action), 1NC/1	62,50
D4N-4A72	170262	Plástico 1NC/1NA Lenta Articulado Vertical M20	24,93
D4N-1A2G	170267	Plástico 1NC/1NA Lenta Roldana ajust. PG13,5	28,70
D4N-4A2G	170270	Plástico 1NC/1NA Lenta Roldana ajust metalica M20	28,70
D4N-1A2H	170274	Plástico 1NC/1NA Lenta Roldana ajust. D50mm PG13,5	29,78
D4N-4A2H	170277	Plástico 1NC/1NA Lenta Roldana ajust. D50mm M20	36,89
D4N-9A2H	170278	Safety Limit switch, D4N, M12 connector (1 conduit), 1NC/1NO (slow-action), ad	85,50
D4N-8A2H	170280	Plástico 1NC/1NA Lenta Roldana ajust D50mm 2-M20	38,11
D4N-1B20	170281	Plástico 2NC Lenta Palanca roldana PG13,5	25,87
D4N-2B20	170282	Plástico 2NC Lenta Palanca roldana G1/2	26,35
D4N-4B20	170284	Plástico 2NC Lenta Roldana M20	24,78
D4N-4B22	170292	Plástico 2NC Lenta Roldana M20	29,50
D4N-1B31	170301	Plástico 2NC Lenta Émbolo plano PG13,5	27,61

OMRON PVPR 2023

D4N-2B31	170302	Plástico 1NC/1NA Lenta Émbolo de tope G1/2	17,53
D4N-4B31	170304	Plástico 2NC Lenta Émbolo M20	18,08
D4N-9B31	170305	Plástico 2NC Lenta Émbolo plano M12	60,85
D4N-1B32	170309	Plástico 2NC Lenta Émbolo roldana PG13,5	28,43
D4N-2B32	170310	Plástico 1NC/1NA Lenta Émbolo roldana G1/2	15,92
D4N-4B32	170312	Plástico 2NC Lenta Émbolo roldana M20	18,08
D4N-8B32	170316	Plástico 2NC Lenta Palanca Roldana ajust D50mm 2-M20	28,70
D4N-4B62	170320	Plástico 2NC Lenta Articulada horizontal M20	21,85
D4N-4B72	170328	Plástico 2NC Lenta Articulado Vertical M20	21,85
D4N-9B72	170329	Plástico 2NC Lenta Articulado Vertical M12	63,30
D4N-1B2G	170333	Plástico 2NC Lenta Roldana Roldana ajustable metálica PG13,5	25,87
D4N-2B2G	170334	Plástico 1NC/1NA Lenta Roldana ajust metálica. G1/2	24,54
D4N-4B2G	170336	Plástico 2NC Lenta Roldana Ajust. M20	28,70
D4N-1B2H	170340	Plástico 2NC Lenta Roldana PG13,5	33,52
D4N-4B2H	170343	Plástico 2NC Lenta Roldana ajust D50mm M20	35,16
D4N-8B2H	170346	Plástico 2NC Lenta Roldana ajust D50mm 2-M20	38,80
D4N-1C20	170347	Plástico 2NC+1NA Lenta Palanca roldana PG13,5	31,92
D4N-4C20	170350	Plástico 2NC/1NA Lenta Roldana M20	32,31
D4N-8C20	170353	Plástico 2NC/1NA Lenta Roldana 2-M20	42,30
D4N-1C22	170354	Plástico 2NC/1NA Lenta Palanca de roldana PG13,5	41,88
D4N-4C22	170357	Plástico 2NC/1NA Lenta Roldana Metal M20	41,49
D4N-4C25	170364	Plástico 2NC/1NA Lenta Palanca Roldana Metal M20	42,70
D4N-1C31	170365	Plástico 2NC/1NA Lenta Émbolo roldana PG13,5	29,50
D4N-4C31	170368	Plástico 2NC/ 1NA Lenta Embolo Plano M20	26,15
D4N-4C32	170375	Plástico 2NC/1NA Émbolo roldana M20	31,39
D4N-8C32	170378	Plástico 2NC/1NA Lenta Émbolo roldana 2-M20	38,66
D4N-4C2G	170396	Plástico 2NC/1NA Lenta Roldana Ajust. M20	49,02
D4N-4D20	170408	Plástico 3NC Lenta Roldana M20	32,88
D4N-1D22	170412	Plástico 3NC Lenta Palanca de roldana PG13,5	97,10
D4N-2D31	170424	Limit switch, Top plunger, 3NC (slow-action), 3NC (slow-action), G1/2 (1-conduit)	21,11
D4N-4D31	170426	Plástico 3NC Lenta Émbolo M20	28,70
D4N-1D32	170430	Plástico 3NC Lenta Émbolo roldana PG13,5	85,00
D4N-2D32	170431	Plástico 3NC Lenta Émbolo roldana G1/2	24,67

OMRON PVPR 2023

D4N-4D32	170433	Plástico 3NC Lenta Émbolo roldana M20	28,70
D4N-4D2G	170454	Plástico 3NC Lenta Roldana Ajust. M20	49,01
D4N-1D2H	170457	Plástico 3NC Lenta Roldana ajust. D50mm PG13,5	40,41
D4N-4F20	170533	Plástico 2NC/1NA Lenta Roldana M20	29,91
D4N-4F31	170551	Plástico 2NC/1NA Lenta Embolo M20	28,84
D4N-8F31	170554	Plástico 2NC/1NA Lenta Émbolo plano 2-M20	36,89
D4N-1F32	170555	Final de carrera, émbolo con roldana superior, 2NC/1NA (contacto MBB de acción)	25,88
D4N-4F32	170558	Plástico 2NC/1NA Lenta Embolo roldana M20	30,71
D4N-4F62	170565	Safety Limit switch, D4N, M20 (1 conduit), 2NC/1NO (MBB contact/slow-action)	30,71
D4N-4180	170590	Plástico 1NC/1NA Brusca Buscador M20	37,99
D4N-2187	170593	Plástico 1NC/1NA Brusca Varilla plástico G1/2	33,28
D4N-4187	170595	Plástico 1NC/1NA Brusca Varilla plástico M20	40,41
D4N-2280	170598	Interruptor de final de carrera, susurro Cat, 2 NC (encaje a presión), 2 NC (encaje a presión)	36,33
D4N-4287	170605	Plástico 2NC Brusca Varilla plástico M20	38,68
D4N-4B87	170615	Limit switch, Plastic rod, 2NC (slow-action), 2NC (slow-action), M20 (1-conduit)	38,68
D4N-2ARE	170628	Plástico 1NC/1NA Lenta Palanca bifurcada con bloqueo dcha G1/2	74,05
D4N-4CRE	170650	Plástico 2NC/1NA Lenta Palanca bifurcada con bloqueo dcha M20	119,00
D4N-1126	170688	Plástico 1NC/1NA Bursca Roldana PG13,5	58,05
D4N-1A20R	170828	Rearme manual 1NC/1NA Roldana PG13,5	38,97
D4N-4A20R	170831	Rearme manual 1NC/1NA Roldana M20	42,61
D4N-9A20R	170832	Safety Limit switch, D4N, M12 connector (1 conduit), 1NC/1NO (slow-action), rol	85,50
D4N-1A31R	170837	Rearme manual 1NC/1NA Émbolo plano PG13,5	38,24
D4N-4A31R	170840	Rearme manual 1NC/1NA Émbolo plano M20	42,02
D4N-8A31R	170845	Rearme manual 1NC/1NA Embolo 2-M20	53,15
D4N-1A32R	170846	Rearme manual 1NC/1NA Émbolo roldana PG13,5	38,24
D4N-2A32R	170847	Rearme manual 2NC Émbolo roldana G1/2	36,92
D4N-4A32R	170849	Rearme manual 1NC/1NA Émbolo roldana M20	42,02
D4N-9A32R	170850	Rearme manual 1NC/1NA Embolo roldana Conector M12	83,35
D4N-8A32R	170854	Rearme manual 1NC/1NA Embolo roldana 2-M20	53,15
D4N-1A62R	170855	Rearme manual 1NC/1NA Articulada horizontal PG13,5	44,22
D4N-8A62R	170863	Rearme manual 1NC/1NA Articulado horizontal 2-M20	53,15
D4N-1A72R	170864	Rearme manual 1NC/1NA Articulado vertical PG13,5	45,38
D4N-4A72R	170867	Limit switch, One-way roller arm lever (vertical), 1NC/1NO (slow-action), 1NC/1	15,80

OMRON PVPR 2023

D4N-1A2GR	170873	Rearme manual 1NC/1NA Roldana ajust. PG13,5	45,38
D4N-4A2GR	170876	Rearme manual 1NC/1NA Roldana ajust. M20	46,69
D4N-8A2GR	170881	Rearme manual 2NC Roldana ajust. M20	52,85
D4N-1A2HR	170882	Rearme manual 1NC/1NA Roldana ajust D50mm PG13,5	45,82
D4N-4A2HR	170885	Rearme manual 1NC/1NA Roldana ajust. D50mm M20	45,82
D4N-9A2HR	170886	Safety Limit switch, D4N, M12 connector (1 conduit), 1NC/1NO (slow-action), ad	79,10
D4N-2B20R	170892	Rearme manual 2NF Roldana G1/2	42,61
D4N-1B32R	170909	Rearme manual 2NC Émbolo roldana PG13,5	62,10
D4N-4B32R	170912	Rearme manual 2NC Émbolo roldana M20	36,50
D4N-1B62R	170918	Rearme manual 2NC Artic. Horizontal PG13,5	62,10
D4N-6B72R	170933	Limit switch, One-way roller arm lever (vertical), 2NC (slow-action), 2NC (slow-a	47,99
D4N-1C20R	170954	Limit switch, Roller lever (resin lever, resin roller), 2NC/1NO (slow-action), 2NC/	53,15
D4N-4C20R	170957	Rearme manual 2NC/1NA Roldana M20	53,15
D4N-4C31R	170965	Rearme Manual 2NC/1NA Lenta Embolo Plano M20	53,15
D4N-4C32R	170973	Rearme manual 2NC/1NA Émbolo roldana M20	53,15
D4N-8C32R	170977	Limit switch, Top roller plunger, 2NC/1NO (slow-action), 2NC/1NO (slow-action)	52,25
D4N-1C62R	170978	Limit switch, One-way roller arm lever (horizontal), 2NC/1NO (slow-action), 2NC	52,25
D4N-1C2GR	170994	Rearme manual 2NC/1NA Roldana ajustabl metalica PG13,5	52,25
D4N-4C2HR	171005	Rearme manual 2NC/1NA Roldana ajust. M20	60,90
D4N-8C2HR	171009	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 2NC/1	64,15
D4N-4D20R	171013	Rearme manual 3NC Lenta Roldana M20	53,15
D4B-2A15N	172192	Final de carrera, palanca de rodillo de acero inoxidable, DPDB 2-NC, acción lenta	97,05
D4B-2A71N	224504	Metálico DPDB-2NC Embolo roldana G1/2	83,65
D4N-4A31-MQ	247641	Plástico 2NC Lenta Émbolo M20. FO mod.	22,52
D4B-4113N	251100	Metálico SPDT-NA/NC M20	117,30
D4B-2571N	315062	Safety Limit switch, top roller plunger, 1NC/1NO (slow-action), G1/2 conduit	93,20
D4B-4115N	370630	Metálico SPDT-NA/NC Ruptura brusca Roldana inox. M20	72,95
D4B-4114N	372114	Limit switch, rubber roller lever, SPDB NO/NC, snap action, 10 A, M20 conduit	94,65
D4B-4171N	373234	Metálico SPDT-1NA/1NC. Émbolo roldana M20	67,30
D4B-4170N	373246	Metálico SPDT-1NA/1NC. Émbolo M20	56,05
D4B-4111N	373424	Metálico SPDT-NA/NC Roldana D17,5mm M20	60,95
D4B-4515N	373626	Metálico 1NC/1NA Roldana ajustable M20	83,65
D4B-4A15N	374542	Metálico 2NC Roldana ajustable M20	83,65

OMRON PVPR 2023

D4N-1A32-L	375360	Plástico 1NC/1NA Lenta Émbolo roldana 90º PG13,5	31,77
D4N-4B20-S	673378	Plástico 2NC Lenta Roldana M20 tornillos inox.	35,64
A165L-JGM-24D-1	151390	Pushbutton complete, dia. 16 mm, lighted LED 24 VDC, rectangular, green, mom	28,99
A16-TBA-2	152553	Pulsador completo, sin iluminación, redondo negro	15,47
A165L-JGA-24D-2	160240		31,93
A165L-JGA-5D-2	160243		39,40
A165L-JRM-24D-1	160259	Pushbutton complete, dia. 16 mm, lighted LED 24 VDC, rectangular, red, momer	30,32
A165L-JWA-24D-1	160268		31,45
A165L-JWM-24D-1	160275	Pushbutton complete, dia. 16 mm, lighted LED 24 VDC, rectangular, white, mom	28,15
A165L-JWM-24D-2	160276	Pushbutton complete, dia. 16 mm, lighted LED 24 VDC, rectangular, white, mom	32,56
A165L-TGM-24D-1	160318	Pulsador redondo verde IP65 Lamp 24 Momentaneo	24,55
A16L-JRM-24D-2	160495		21,94
A165L-JAA-24D-2	160608	Pulsador con iluminación, rectangular, IP65, azul	39,40
A16L-JAM-24D-2	160631		41,72
A3UL-TBR-3A1C-M	393115	Pushbutton, A3U, LED, SPDT, 12VDC, Yellow	18,97
A3UL-TBG-3A1C-M	393117	Pushbutton, A3U, LED, SPDT, 12VDC, Green	18,97
A3U-TBR-A1C-M	393120	Pushbutton, A3U, non-lighted, SPDT, -, Red	29,46
A3U-TBG-A1C-M	393121	Pushbutton, A3U, non-lighted, SPDT, -, Green	29,46
A3CT-7011	140698	Pulsador	16,58
A3CT-7021	140699	Carcasa Redonda Alterno Soldar SPST-NA+SPST-NC	17,13
A3CA-7011	140759	Pulsador	16,58
A3CA-7021	140760	Pulsador	16,03
A3CJ-7011	140773	PULSADOR/INDICADOR (CUADRADO)	17,00
A3CJ-7021	140774	Pulsador	17,68
A3SJ-90A1-24ER	140249		59,25
A3SJ-90A1-24EG	140251		59,25
A3SJ-90A1-24EY	140254		59,25
A3PJ-90A11-24EO	140341	Pulsador completo, rectangular, una sola pantalla, operación momentánea, SPD	65,80
A3AT-91K1-00EG	141077	Pulsador PCB Momentaneo Iluminado Verde	13,27
A3AT-91K1-00ER	141078	Pulsador PCB Momentaneo Iluminado Rojo	13,27
A3AT-91K1-00EY	141079	Pulsador PCB Momentaneo Iluminado Amarillo	13,27
A3AT-90L1-00EG	141158	Pulsador Soldadura Alternativo Iluminado Verde	14,53
A3AT-90K1-00R	141165	Pulsador PCB	7,48

OMRON PVPR 2023

A3AA-90K1-00B	141196	Pulsador	5,72
A3AA-91K1-00ER	141211	Pulsador PCB	9,83
A22NN-BMM-NRA-G002-NN	663696	Pushbutton A22NN Ø22, bezel plastic, MUSHROOM, MOMENTARY, CAP COLOR	11,56
A22NN-BGM-NBA-G100-NN	661863	Pushbutton A22NN Ø22, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR	11,56
A22NN-MMM-NYA-G002-NN	666103	Pushbutton A22NN Ø22, bezel brushed metal, MUSHROOM, MOMENTARY, CAP	13,25
A22NL-BGM-TWA-G100-WC	665007	Pushbutton A22NL Ø22, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR T	16,57
A22NL-MNM-TAA-G100-AC	661264	Pushbutton A22NL Ø22, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR T	17,65
A22NL-BGM-TRA-G100-RC	662264	Pushbutton A22NL Ø22, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR T	16,57
A22NL-BGM-TRA-G002-RC	662286	Pushbutton A22NL Ø22, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR T	16,57
A22NL-BGM-TGA-G101-GC	666990	Pushbutton A22NL Ø22, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR T	17,65
A22NL-BPM-TYA-G100-YC	659722	Pushbutton A22NL Ø22, bezel plastic, PROJECTED, MOMENTARY, CAP COLOR Tr	16,57
A22NL-BGM-TGA-G100-GC	662287	Pushbutton A22NL Ø22, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR T	16,57
A22NL-BGM-TAA-G100-AC	666880	Pushbutton A22NL Ø22, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR T	16,57
A22NL-BGM-TRA-G002-RE	662725	Pushbutton A22NL Ø22, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR T	16,57
A22NN-BGM-NGA-G100-NN	660912	Pushbutton A22NN Ø22, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR	11,56
A22NN-BNM-NBA-P100-NN	673637	Pulsador A22NL Ø22, plástico, enrrasado, momentaneo, negro, 1NO, NON-LIGH	10,57
A22NN-BPM-NRA-P002-NN	685155	Botón pulsador Ø22, moldura de plástico, PROYECTADO, ACCIÓN MOMENTÁNE	14,39
A22NL-BNM-TGA-P100-GC	673634	Pulsador A22NL Ø22, plástico, enrrasado, momentaneo, verde,led verde, 1NO, 2	15,05
A22NL-BNM-TWA-P100-WC	685154	Pushbutton Ø22, bezel plastic, FLAT, MOMENTARY, CAP COLOR Transparent WH	22,79
A22NL-BNM-TAA-P100-AC	680540	Pushbutton A22NL Ø22, bezel plastic, FLAT, MOMENTARY, CAP COLOR Transpar	21,72
A165E-LS-24D-02	103317	Seta de emergencia 16mm DPST-NC LED	45,17
A165E-S-03U	103725	Seta de emergencia 16mm TPST-NC D30mm	51,65
A22EL-M-T2-01	141508	Cabeza seta iluminación 220Vac SPST-NC D40mm	65,25
A22E-S-02	141511	Seta Pulsar-Girar D30mm 2NC	30,16
A22E-S-11	141512	Emergency stop switch, non-illuminated, 30mm dia, push-lock/turn-reset, SPST-	30,16
A22E-M-01	141595	Pulsador de parada de emergencia, terminal de tornillos, sin iluminación, 40 mm	34,04
A22E-M-02	141596	Pulsador de parada de emergencia, terminal de tornillos, sin iluminación, 40 mm	38,83
A165E-S-01	142199	Seta de emergencia 16mm SPST-NC D30mm	33,13
A165E-S-02	142200	Seta de emergencia 16mm DPST-NC D30mm	39,62
A22EL-M-24A-11	142271	Pulsador de parada de emergencia, iluminado 24 V ca/cc, 40 mm de diámetro, b	54,60
A165E-M-03U	148126	Seta de emergencia 16mm TPST-NC D40mm	44,90
A22E-M-11	148854	Pulsador de parada de emergencia, terminal de tornillos, sin iluminación, 40 mm	30,12
A22EL-M-24A-02	151036	Pulsador de parada de emergencia, iluminado, 40 mm de diámetro, bloqueo al p	54,60

OMRON PVPR 2023

A22E-S-01	153295	Cabeza seta Pulsar-Girar D30mm SPST NC	23,87
A22EL-M-24A-01	155246	Cabeza seta iluminación 24Vac/Vdc SPST-NC D40mm	47,58
A165E-S-02 (STOP)	155715	Seta de emergencia 16mm DPST-NC D30mm texto STOP	44,11
A165E-LM-24D-02	160651	Seta de emergencia 16mm DPST-NC LED pulsador 40mm	55,05
A165E-LS-24D-01	160652	Seta de emergencia 16mm SPST-NC LED	37,42
A165E-M-02	160653	Seta de emergencia 16mm DPST-NC D40mm	33,60
A165E-S-03U-S	202123	Emergency stop switch, non-illuminated, 30mm dia, push-lock/turn-reset, 3PST-	50,90
A22E-M-02B	264239	Interruptor de parada de emergencia, 24 Vca / Vcc , 40 mm de diámetro, bloqueo	78,05
A22E-M-11B	264240	Interruptor de parada de emergencia, 24 V ca/cc, 40 mm de diámetro, bloqueo	78,05
A22E-M-01B	264244	Kit Pulsador emergencia A22E 40mm Caja Amarilla 1NC	77,70
A165E-SGR-02	384216	Emergency Stop Switch, 30 dia., non-lighted, gray, DPST-NC	50,75
A22E-L-02	141599	Pulsador de parada de emergencia, no luminoso, 60 mm de diámetro, bloqueo a	41,26
A22NE-M-P102-N	679732	Pulsador 40mm Emergencia Girar IP65 1 NC+1NA Push-in+	45,65
A22NE-M-P202-C	679722	Pulsador 40mm Emergencia Iluminación 24Vcc/Vca Girar IP65 2NC Push-in+	76,20
A22NE-MP-P212-N	679731	Emergency stop switch, Push-in, non-illuminated, 40 mm dia, push-lock/pull-res	56,80
A22NE-M-P102-N-B	679808	Pulsador 40mm Emergencia Girar IP65 1 NC+1NA Push-in+ incluye Caja amarilla	77,50
A22NE-L-P212-N	679735	Emergency stop switch,Push-in, non-illuminated, 60 mm dia, push-lock/turn-res	55,35
A22NE-S-P002-N	679744	Pulsador 30mm Emergencia Girar IP65 1 NC Push-in+	37,36
A22NE-MP-P102-N	679741	Emergency stop switch, Push-in, non-illuminated, 40 mm dia, push-lock/pull-res	49,80
A22NE-M-P212-N	679745	Pulsador 40mm Emergencia Girar IP65 2NC+1NA Push-in+	52,60
A22NE-M-P222-N	679747	Pulsador 40mm Emergencia Girar IP65 3NC Push-in+	52,60
A22NE-S-P102-N	679743	Pulsador 30mm Emergencia Girar IP65 1 NC+1NA Push-in+	42,90
A22NE-S-P212-N	679737	Pulsador 30mm Emergencia Girar IP65 2NC+1NA Push-in+	49,80
A22NE-M-P002-N	679746	Pulsador 40mm Emergencia Girar IP65 1 NC Push-in+	40,14
A22NE-M-P202-N	679734	Pulsador 40mm Emergencia Girar IP65 2NC Push-in+	45,65
A22NE-L-P002-N	679739	Emergency stop switch,Push-in, non-illuminated, 60 mm dia, push-lock/turn-res	42,90
A22NE-L-P202-N	679736	Pulsador de parada de emergencia, Push-In, sin iluminación, 60 mm de diámetro	48,43
A22NE-M-P102-C	679748	Pulsador 40mm Emergencia Iluminación 24Vcc/Vca Girar IP65 1 NC+1NA Push-in	76,20
A22NE-MP-P002-N	679738	Emergency stop switch, Push-in, non-illuminated, 40 mm dia, push-lock/pull-res	44,27
A22NE-MP-P202-N	679740	Pulsador 40mm Emergencia, bloqueo al pulsar/desbloqueo al girar, 2NC	49,80
A22NE-MP-P222-N	679742	Emergency stop switch, Push-in, non-illuminated, 40 mm dia, push-lock/pull-res	56,80
A22NE-M-P202-N-B	679807	Pulsador 40mm Emergencia Girar IP65 2NC Push-in+ incluye Caja amarilla	76,20
A22NE-S-P202-N	679727	Pulsador 30mm Emergencia Girar IP65 2NC Push-in+	42,90

OMRON PVPR 2023

A22NE-L-P102-N	679723	Emergency stop switch,Push-in, non-illuminated, 60 mm dia, push-lock/turn-res	48,43
A22NE-L-P222-N	679728	Emergency stop switch,Push-in, non-illuminated, 60 mm dia, push-lock/turn-res	55,35
A22NE-M-P002-C	679730	Pulsador 40mm Emergencia Iluminación 24Vcc/Vca Girar IP65 1 NC Push-in+	70,70
A22NE-M-P002-N-B	679806	Pulsador 40mm Emergencia Girar IP65 1 NC Push-in+ incluye Caja amarilla	66,55
A22NE-S-P222-N	679733	Pulsador 30mm Emergencia Girar IP65 3NC Push-in+	49,80
A22NE-MP-P002-N-69K	685209	Emergency stop switch, Push-in, non-illuminated, 40 mm dia, push-lock/pull-res	44,27
A22NE-MP-P212-N-69K	685208	Emergency stop switch, Push-in, non-illuminated, 40 mm dia, push-lock/pull-res	56,80
A22NE-MP-P202-N-69K	685207	Emergency stop switch, Push-in, non-illuminated, 40 mm dia, push-lock/pull-res	49,80
A22NE-MP-P102-N-69K	685206	Emergency stop switch, Push-in, non-illuminated, 40 mm dia, push-lock/pull-res	49,80
A22NE-MP-P222-N-69K	685205	Emergency stop switch, Push-in, non-illuminated, 40 mm dia, push-lock/pull-res	56,80
A22NE-M-PD01-C	687814	Emergency stop switch, Push-in, 24 VAC/DC illuminated, 40 mm dia, push-lock/t	49,32
A22NE-M-PD02-C	687815	Pulsador de parada de emergencia, Push-In, iluminado 24 V ca/cc, 40 mm de diá	55,75
A22NE-M-PD04-C	702192	Emergency stop switch, Push-in, 24 VAC/DC illuminated, 40 mm dia, push-lock/t	65,85
A22NE-M-PD11-C	687816	Emergency stop switch, Push-in, 24 VAC/DC illuminated, 40 mm dia, push-lock/t	56,35
A22NE-M-PD12-C	687817	Pulsador de parada de emergencia, Push-In, iluminado 24 V ca/cc, 40 mm de diá	62,45
A22NE-M-PD13-C	689627	Emergency stop switch, Push-in, 24 VAC/DC illuminated, 40 mm dia, push-lock/t	68,75
A22NE-M-PD22-C	687818	Pulsador de parada de emergencia, Push-In, iluminado 24 V ca/cc, 40 mm de diá	66,80
A22NE-S-PD01-N	687819	Emergency stop switch, Push-In, non-illuminated, 30 mm dia, push-lock/turn-res	43,44
A22NE-S-PD02-N	687820	Pulsador de parada de emergencia, Push-In, sin iluminación, 30 mm de diámetro	48,09
A22NE-S-PD11-N	687821	Emergency stop switch, Push-In, non-illuminated, 30 mm dia, push-lock/turn-res	49,70
A22NE-S-PD12-N	687822	Pulsador de parada de emergencia, Push-In, sin iluminación, 30 mm de diámetro	56,25
A22NE-S-PD22-N	687823	Pulsador de parada de emergencia, Push-In, sin iluminación, 30 mm de diámetro	62,55
A22NE-M-PD01-N	687824	Emergency stop switch, Push-In, non-illuminated, 40 mm dia, push-lock/turn-res	43,81
A22NE-M-PD02-N	687825	Pulsador de parada de emergencia, Push-In, sin iluminación, 40 mm de diámetro	48,35
A22NE-M-PD04-N	702496	Emergency stop switch, Push-in, non-lighted, 40 mm dia, push-lock/turn-reset, 4	59,85
A22NE-M-PD11-N	687826	Emergency stop switch, Push-In, non-illuminated, 40 mm dia, push-lock/turn-res	49,94
A22NE-M-PD12-N	687827	Pulsador de parada de emergencia, Push-In, sin iluminación, 40 mm de diámetro	56,45
A22NE-M-PD13-N	708708	Emergency stop switch, Push-In, non-illuminated, 40 mm dia, push-lock/turn-res	87,25
A22NE-M-PD22-N	687828	Pulsador de parada de emergencia, Push-In, sin iluminación, 40 mm de diámetro	62,75
A22NE-L-PD01-N	687829	Emergency stop switch, Push-In, non-illuminated, 60 mm dia, push-lock/turn-res	44,31
A22NE-L-PD02-N	687830	Pulsador de parada de emergencia, Push-In, sin iluminación, 60 mm de diámetro	48,59
A22NE-L-PD11-N	687831	Emergency stop switch, Push-In, non-illuminated, 60 mm dia, push-lock/turn-res	50,70
A22NE-L-PD12-N	687832	Pulsador de parada de emergencia, Push-In, sin iluminación, 60 mm de diámetro	56,70

OMRON PVPR 2023

A22NE-L-PD22-N	687833	Pulsador de parada de emergencia, Push-In, sin iluminación, 60 mm de diámetro	63,10
A22NE-MP-PD01-N-69K	687834	Emergency stop switch, Push-in, non-illuminated, 40 mm dia, push-lock/pull-res	86,35
A22NE-MP-PD02-N-69K	687835	Pulsador de parada de emergencia, Push-In, sin iluminación, 40 mm de diámetro	93,55
A22NE-MP-PD11-N-69K	687836	Emergency stop switch, Push-in, non-illuminated, 40 mm dia, push-lock/pull-res	96,15
A22NE-MP-PD12-N-69K	687837	Pulsador de parada de emergencia, Push-In, sin iluminación, 40 mm de diámetro	101,60
A22NE-MP-PD22-N-69K	687838	Pulsador de parada de emergencia, Push-In, sin iluminación, 40 mm de diámetro	105,70
A165E-02L	144467	Bloque contactos A165E 2 NC Iluminación	17,40
A165E-01	160648	SPST-NC contact block for A165E Emergency stop switch	9,09
A165E-02	160649	Bloque contactos A165E 2 NC	14,00
A22Z-EG1	224501	Cubierta para A22E con etiqueta EMERGENCY OFF	44,75
A22Z-EG22	234626	E-Stop shroud.	41,12
A22Z-EG2	234627	Cubierta para A22E Circular	40,94
A22Z-EG10	351868	E-stop shroud, EMERGENCY OFF legend not included.	31,83
A22Z-EG3	673381	E-stop Shroud for Emergency OFF "EMO", Yellow	8,32
A3DJ-500R	105676	PULSADOR / SETA DE EMERGENCIA	9,42
A3CA-500G	105695	Pulsador	3,95
A3DA-500GY	140706	Pulsador	9,42
A3DJ-500GY	140716	PULSADOR / SETA DE EMERGENCIA	9,42
A3DT-500R	140723	Pulsador	9,42
A3DT-500Y	140724	Pulsador	9,42
A3DT-500W	140725	Pulsador	9,42
A3DT-500GY	140726	Pulsador	9,42
A3CA-500GY	140752	Pulsador	3,95
A3CJ-500R	140764	Cabeza pulsador Rectangular Iluminado Rojo	3,95
A3CJ-500W	140765	Pulsador	3,68
A3CJ-500A	140766	Pulsador	3,86
A3CJ-500GY	140767	Pulsador	3,86
A3CT-500R	140784	Pulsador	3,95
A3CT-500G	140785	Pulsador	3,90
A3CT-500W	140786	Pulsador	3,66
A3CT-500GY	140787	Pushbutton, illuminated, round, green.	3,90
A22-CG	142186	Pulsador Cuadrado/Saliente Sin ilum. Verde	15,06
A3CA-500W	145609	Pulsador	3,95

OMRON PVPR 2023

A22-DG	147774	Pulsador Tipo cuadrado protegido IP65 Verde	13,22
A3CA-500Y	147856	Pulsador, iluminado, cuadrado, amarillo	2,78
A3CT-500Y	148850	Pulsador	3,90
A22-SR	150957	Pulsador , 30mm dia, tipo seta, sin iluminación , rojo	8,66
A22-CR	152130	Pulsador Cuadrado/Saliente Sin ilum. Rojo	15,06
A3DA-500R	152167	Pulsador	9,42
A3CJ-500Y	152195	Pulsador	3,68
A22-SB	153208	Pulsador redondo negro	8,66
A22-CB	156550	Pulsador Cuadrado/Saliente Sin ilum. Negro	15,06
A3CJ-500G	156634	Pulsador	3,95
A22-SG	157748	Pulsador , 30mm dia, tipo seta, sin iluminación , verde	8,66
A3CA-500R	157816	Pulsador	3,95
A22-FR	160891	Cabeza redonda enrasada roja	4,14
A22-TR	160895	Cabeza redonda saliente roja	4,53
A22-GB	160901	Cabeza redonda protegida negra	10,22
A22-DR	160910	Pulsador Tipo cuadrado protegido IP65 Rojo	13,22
A22L-CG	160911	Cabeza cuadrada saliente ilum verde	27,07
A22L-CR	160912	Cabeza cuadrada saliente ilum roja	27,07
A22L-CY	160913	Cabeza cuadrada saliente ilum amarillo	26,94
A22L-DG	160914	Pulsador , 22mm, cuadrado, tipo protegido,con iluminación , verde	21,58
A22L-DR	160916	Pulsador Tipo cuadrado protegido Rojo	21,58
A22-SA	160931	Pulsador redondo Azul	8,66
A3SJ-5801	105667	Cabeza pulsador Rectangular Blanco	4,33
A3SJ-5803	140235	Cabeza pulsador Rectangular Verde	4,33
A3PJ-5703-24E	140311	Pulsador	48,28
A3PJ-5706-24E	140312	Cabeza rectangular Naranja 24Vca/cc	48,42
A3PJ-5021	140393	Pulsador	10,79
A3PA-5701-24E	140443	Pushbutton, illuminated, square, single screen, white, 24VDC LED	40,00
A3PA-5706-24E	140446	Pulsador/Indicador Cuadrado	40,00
A3KJ-51W-24E	140499	Cabeza Rectangular Iluminado Blanco	17,00
A3PJ-5701-05E	144519	Pulsador	47,06
A3SJ-5802	148825	Cabeza pulsador Rectangular Rojo	4,50
A22NZ-BPM-NRA	660467	Pulsa.22mm, Plástico, SALIENTE, MOMENTANEO, Opaco ROJO	5,91

OMRON PVPR 2023

A22NZ-BGM-NBA	665551	Pulsa.22mm, Plástico, PROTEGIDO, MOMENTANEO, Opaco NEGRO	5,91
A22NZ-MNM-NGA	664037	Pulsa.22mm, Metal, ENRASADO, MOMENTANEO, Opaco VERDE	7,08
A22NZ-MNM-TGA	665935	Pulsa.22mm, Metal, ENRASADO, MOMENTANEO, Transp.VERDE, ILUMINACIÓN	7,08
A22NZ-MNM-TOA	682266	Front element push button switch, 22 dia., bezel brushed metal, flat, momentary	7,08
A22NZ-MPM-TAA	663526	Pulsa.22mm, Metal, PROTEGIDO, MOMENTANEO, Transp.AZUL, ILUMINACIÓN	7,08
A22NZ-MMM-NRA	664976	Pulsa.22mm, Metal, SETA, MOMENTANEO, Opaco ROJO	8,66
A22NZ-RMM-TAA	666819	Pushbutton A22NZ Ø22, bezel metal, MUSHROOM, MOMENTARY, CAP COLOR T	8,37
A22NZ-BNM-NYA	661170	Pulsa.22mm, Plástico, ENRASADO, MOMENTANEO, Opaco AMARILLO	5,91
A22NZ-BNM-NAA	662116	Pulsa.22mm, Plástico, ENRASADO, MOMENTANEO, Opaco AZUL	5,91
A22NZ-BGM-NYA	665917	Pulsa.22mm, Plástico, PROTEGIDO, MOMENTANEO, Opaco AMARILLO	5,91
A22NZ-BGA-TAA	667268	Pulsa.22mm, Plástico, PROTEGIDO, ALTERNADO, Transp.AZUL, ILUMINACIÓN	6,56
A22NZ-MNA-URA	660218	Pushbutton A22NZ Ø22, bezel brushed metal, FLAT, Alternate, CAP COLOR Trans	7,08
A22NZ-BMM-NYA	664271	Pulsa.22mm, Plástico, SETA, MOMENTANEO, Opaco AMARILLO	7,21
A22NZ-BMM-NBA	662397	Pulsa.22mm, Plástico, SETA, MOMENTANEO, Opaco NEGRO	7,21
A22NZ-MNM-TYA	660245	Pulsa.22mm, Metal, ENRASADO, MOMENTANEO, Transp.AMARILLO, ILUMINACI	7,08
A22NZ-MNM-TWA	665234	Pulsa.22mm, Metal, ENRASADO, MOMENTANEO, Transp.BLANCO, ILUMINACIÓN	7,08
A22NZ-MPM-NAA	666347	Pulsa.22mm, Metal, PROTEGIDO, MOMENTANEO, Opaco AZUL	7,08
A22NZ-MGM-NRA	662392	Pulsa.22mm, Metal, PROTEGIDO, MOMENTANEO, Opaco ROJO	7,08
A22NZ-MGM-NBA	666847	Pulsa.22mm, Metal, PROTEGIDO, MOMENTANEO, Opaco NEGRO	7,08
A22NZ-MMM-TYA	664977	Pulsa.22mm, Metal, SETA, MOMENTANEO, Transp.AMARILLO, ILUMINACIÓN	8,66
A22NZ-MNA-TGA	665905	Pulsador A22NZ Ø22, bisel metálico pulido, PLANO, modo alterno, COLOR DE TA	7,08
A22NZ-MNA-UGA	666822	Pushbutton A22NZ Ø22, bezel brushed metal, FLAT, Alternate, CAP COLOR Trans	7,08
A22NZ-BNM-TRA	660238	Pulsa.22mm, Plástico, ENRASADO, MOMENTANEO, Transp.ROJO, ILUMINACIÓN	5,91
A22NZ-BNM-TWA	663647	Pulsa.22mm, Plástico, ENRASADO, MOMENTANEO, Transp.BLANCO, ILUMINACI	5,91
A22NZ-BMM-TGA	666843	Pulsa.22mm, Plástico, SETA, MOMENTANEO, Transp.VERDE, ILUMINACIÓN	7,21
A22NZ-MNM-NYA	663134	Pulsa.22mm, Metal, ENRASADO, MOMENTANEO, Opaco AMARILLO	7,08
A22NZ-MNM-NAA	663145	Pulsa.22mm, Metal, ENRASADO, MOMENTANEO, Opaco AZUL	7,08
A22NZ-MNM-NBA	661179	Pulsa.22mm, Metal, ENRASADO, MOMENTANEO, Opaco NEGRO	7,08
A22NZ-MNM-UGA	664981	Pushbutton A22NZ Ø22, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR T	7,08
A22NZ-MPM-TWA	662574	Pulsa.22mm, Metal, PROTEGIDO, MOMENTANEO, Transp.BLANCO, ILUMINACIÓ	7,08
A22NZ-MGM-NGA	663131	Pulsa.22mm, Metal, PROTEGIDO, MOMENTANEO, Opaco VERDE	7,08
A22NZ-MMM-TRA	664281	Pulsa.22mm, Metal, SETA, MOMENTANEO, Transp.ROJO, ILUMINACIÓN	8,66
A22NZ-RNM-TRA	666856	Pulsa.22mm, Metal brillante, PROTEGIDO, MOMENTANEO, Transp.BLANCO, ILU	7,09

OMRON PVPR 2023

A22NZ-MNA-NBA	665913	Pushbutton A22NZ Ø22, bezel brushed metal, FLAT, Alternate, CAP COLOR Opaco	7,08
A22NZ-BNM-NBA	661703	Pulsa.22mm, Plástico, ENRASADO, MOMENTANEO, Opaco NEGRO	5,91
A22NZ-BPM-NGA	666457	Pulsa.22mm, Plástico, SALIENTE, MOMENTANEO, Opaco VERDE	5,91
A22NZ-BGM-NRA	664461	Pulsa.22mm, Plástico, PROTEGIDO, MOMENTANEO, Opaco ROJO	5,91
A22NZ-BMM-NAA	662399	Pulsa.22mm, Plástico, SETA, MOMENTANEO, Opaco AZUL	7,21
A22NZ-MNM-NWA	660246	Pulsa.22mm, Metal, ENRASADO, MOMENTANEO, Opaco BLANCO	7,08
A22NZ-MGM-NYA	662130	Pulsa.22mm, Metal, PROTEGIDO, MOMENTANEO, Opaco AMARILLO	7,08
A22NZ-MGM-TAA	664041	Pulsa.22mm, Metal, PROTEGIDO, MOMENTANEO, Transp.AZUL, ILUMINACIÓN	7,08
A22NZ-MMM-NYA	664048	Pulsa.22mm, Metal, SETA, MOMENTANEO, Opaco AMARILLO	8,66
A22NZ-MMM-TGA	662135	Pulsa.22mm, Metal, SETA, MOMENTANEO, Transp.VERDE, ILUMINACIÓN	8,66
A22NZ-MMM-TAA	661176	Pulsa.22mm, Metal, SETA, MOMENTANEO, Transp.AZUL, ILUMINACIÓN	8,66
A22NZ-BNM-NGA	660475	Pulsa.22mm, Plástico, ENRASADO, MOMENTANEO, Opaco VERDE	5,91
A22NZ-BNM-TGA	662121	Pulsa.22mm, Plástico, ENRASADO, MOMENTANEO, Transp.VERDE, ILUMINACIÓN	5,91
A22NZ-BNM-TYA	663117	Pulsa.22mm, Plástico, ENRASADO, MOMENTANEO, Transp.AMARILLO, ILUMINACIÓN	5,91
A22NZ-BNM-TAA	661165	Pulsa.22mm, Plástico, ENRASADO, MOMENTANEO, Transp.AZUL, ILUMINACIÓN	5,91
A22NZ-BPM-TRA	663360	Pulsa.22mm, Plástico, SALIENTE, MOMENTANEO, Transp.ROJO, ILUMINACIÓN	5,91
A22NZ-BPM-TAA	664270	Pulsa.22mm, Plástico, SALIENTE, MOMENTANEO, Transp.AZUL, ILUMINACIÓN	5,91
A22NZ-BGM-NAA	666194	Pulsa.22mm, Plástico, PROTEGIDO, MOMENTANEO, Opaco AZUL	5,91
A22NZ-BMM-NRA	667103	Pulsa.22mm, Plástico, SETA, MOMENTANEO, Opaco ROJO	7,21
A22NZ-BMM-TYA	660476	Pulsa.22mm, Plástico, SETA, MOMENTANEO, Transp.AMARILLO, ILUMINACIÓN	7,21
A22NZ-BMM-TWA	662589	Pulsa.22mm, Plástico, SETA, MOMENTANEO, Transp.BLANCO, ILUMINACIÓN	7,21
A22NZ-MNM-TAA	666840	Pulsa.22mm, Metal, ENRASADO, MOMENTANEO, Transp.AZUL, ILUMINACIÓN	7,08
A22NZ-MPM-NBA	664044	Pulsa.22mm, Metal, PROTEGIDO, MOMENTANEO, Opaco NEGRO	7,08
A22NZ-MGM-NWA	666844	Pulsa.22mm, Metal, PROTEGIDO, MOMENTANEO, Opaco BLANCO	7,08
A22NZ-MGM-TRA	665925	Pulsa.22mm, Metal, PROTEGIDO, MOMENTANEO, Transp.ROJO, ILUMINACIÓN	7,08
A22NZ-MGM-TGA	666848	Pulsa.22mm, Metal, PROTEGIDO, MOMENTANEO, Transp.VERDE, ILUMINACIÓN	7,08
A22NZ-MMM-TWA	666837	Pulsa.22mm, Metal, SETA, MOMENTANEO, Transp.BLANCO, ILUMINACIÓN	8,66
A22NZ-RNM-TWA	664056	Pulsa.22mm, Metal brillante, ENRASADO, MOMENTANEO, Transp.BLANCO, ILUMINACIÓN	7,09
A22NZ-BPM-NWA	661702	Pulsa.22mm, Plástico, SALIENTE, MOMENTANEO, Opaco BLANCO	5,91
A22NZ-BMM-NGA	665233	Pulsa.22mm, Plástico, SETA, MOMENTANEO, Opaco VERDE	7,21
A22NZ-BMM-TAA	662126	Pulsa.22mm, Plástico, SETA, MOMENTANEO, Transp.AZUL, ILUMINACIÓN	7,21
A22NZ-MNM-TRA	664982	Pulsa.22mm, Metal, ENRASADO, MOMENTANEO, Transp.ROJO, ILUMINACIÓN	7,08
A22NZ-MNM-URA	660241	Pushbutton A22NZ Ø22, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR T	7,08

OMRON PVPR 2023

A22NZ-MPM-NGA	664042	Pulsa.22mm, Metal, PROTEGIDO, MOMENTANEO, Opaco VERDE	7,08
A22NZ-MPM-TRA	662575	Pulsa.22mm, Metal, PROTEGIDO, MOMENTANEO, Transp.ROJO, ILUMINACIÓN	7,08
A22NZ-MPM-TGA	665943	Pulsa.22mm, Metal, PROTEGIDO, MOMENTANEO, Transp.VERDE, ILUMINACIÓN	7,08
A22NZ-RMM-TRA	662147	Pulsa.22mm, Metal brillante, SETA, MOMENTANEO, Opaco AZUL, ILUMINACIÓN	7,21
A22NZ-BPA-NBA	663154	Pushbutton A22NZ Ø22, bezel plastic, PROJECTED, Alternate, CAP COLOR Opaco	7,21
A22NZ-MNA-NGA	661402	Pulsa.22mm, Metal, ENRASADO, ALTERNO, Opaco VERDE	7,08
A22NZ-MNA-NAA	665248	Pushbutton A22NZ Ø22, bezel brushed metal, FLAT, Alternate, CAP COLOR Opaco	7,08
A22NZ-RPA-TOA	688769	Operation unit, Round projection type, Orange, Transparent, Brushed metal (Ro	9,18
A22NZ-BGA-TRA	664997	Pulsa.22mm, Plástico, PROTEGIDO, ALTERNADO, Transp.ROJO, ILUMINACIÓN	6,56
A22NZ-BGA-TGA	665957	Pulsa.22mm, Plástico, PROTEGIDO, ALTERNADO, Transp.VERDE, ILUMINACIÓN	6,56
A22NZ-BGA-TYA	659744	Pulsa.22mm, Plástico, PROTEGIDO, ALTERNADO, Transp.AMAROLLO, ILUMINACI	6,56
A22NZ-BMA-TRA	666334	Pulsa.22mm, Plástico, SETA, ALTERNO, Transp.ROJO, ILUMINADO	7,21
A22NZ-MNA-NWA	661403	Pushbutton A22NZ Ø22, bezel brushed metal, FLAT, Alternate, CAP COLOR Opaco	7,08
A22NZ-MGM-NAA	662592	Pulsa.22mm, Metal, PROTEGIDO, MOMENTANEO, Opaco AZUL	7,08
A22NZ-MGM-TYA	665934	Pulsa.22mm, Metal, PROTEGIDO, MOMENTANEO, Transp.AMARILLO, ILUMINACI	7,08
A22NZ-MGM-TWA	662127	Pulsa.22mm, Metal, PROTEGIDO, MOMENTANEO, Transp.BLANCO, ILUMINACIÓ	7,08
A22NZ-BMA-NRA	667267	Pulsa.22mm, Plástico, SETA, ALTERNO, Opaco ROJO	7,21
A22NZ-BNM-NRA	664957	Pulsa.22mm, Plástico, ENRASADO, MOMENTANEO, Opaco ROJO	5,91
A22NZ-BNM-TOA	678850	Pulsador, A22NZ, diámetro de 22, bisel de plástico, plano, acción momentánea,	5,91
A22NZ-BPM-NYA	660796	Pulsa.22mm, Plástico, SALIENTE, MOMENTANEO, Opaco AMARILLO	5,91
A22NZ-BPM-TGA	665541	Pulsador, A22NZ, diámetro de 22, bisel de plástico, proyectado, acción moment	5,91
A22NZ-BPM-TYA	660239	Pulsa.22mm, Plástico, SALIENTE, MOMENTANEO, Transp.AMARILLO, ILUMINACI	5,91
A22NZ-BGM-NGA	666481	Pulsa.22mm, Plástico, PROTEGIDO, MOMENTANEO, Opaco VERDE	5,91
A22NZ-BGM-NWA	664548	Pulsa.22mm, Plástico, PROTEGIDO, MOMENTANEO, Opaco BLANCO	5,91
A22NZ-BMM-TRA	665926	Pulsa.22mm, Plástico, SETA, MOMENTANEO, Transp.ROJO, ILUMINACIÓN	7,21
A22NZ-MPM-NYA	664984	Pulsa.22mm, Metal, PROTEGIDO, MOMENTANEO, Opaco AMARILLO	7,08
A22NZ-MPM-NWA	663536	Pulsa.22mm, Metal, PROTEGIDO, MOMENTANEO, Opaco BLANCO	7,08
A22NZ-MMM-NBA	664974	Pulsa.22mm, Metal, SETA, MOMENTANEO, Opaco NEGRO	8,66
A22NZ-RNM-TGA	662151	Pulsa.22mm, Metal brillante, ENRASADO, MOMENTANEO, Transp.VERDE, ILUMI	7,09
A22NZ-BMA-NGA	665442	Pushbutton A22NZ Ø22, bezel plastic, MUSHROOM, Alternate, CAP COLOR Opaco	7,28
A22NZ-BMA-NBA	662577	Pulsador A22NZ Ø22, bisel de plástico, SETA, modo alterno, COLOR DE TAPA NE	7,21
A22NZ-RMA-NBA	661417	Pushbutton A22NZ Ø22, bezel metal, MUSHROOM, Alternate, CAP COLOR Opaco	7,21
A22NZ-BNM-NWA	662117	Pulsa.22mm, Plástico, ENRASADO, MOMENTANEO, Opaco BLANCO	5,91

OMRON PVPR 2023

A22NZ-BPM-NAA	662122	Pulsa.22mm, Plástico, SALIENTE, MOMENTANEO, Opaco AZUL	5,91
A22NZ-BPM-NBA	664956	Pulsa.22mm, Plástico, SALIENTE, MOMENTANEO, Opaco NEGRO	5,91
A22NZ-BPM-TWA	663648	Pulsa.22mm, Plástico, SALIENTE, MOMENTANEO, Transp.BLANCO, ILUMINACIÓN	5,91
A22NZ-BPM-TOA	684538	Pushbutton A22NZ 22 mm dia., bezel plastic, projected, momentary, cap color t	5,91
A22NZ-BGM-TOA	692923	Unidad de operación, tipo de protección completa redonda, naranja, transparen	5,91
A22NZ-BMM-NWA	661171	Pulsa.22mm, Plástico, SETA, MOMENTANEO, Opaco BLANCO	7,21
A22NZ-MNM-NRA	663381	Pulsa.22mm, Metal, ENRASADO, MOMENTANEO, Opaco ROJO	7,08
A22NZ-MPM-NRA	666348	Pulsa.22mm, Metal, PROTEGIDO, MOMENTANEO, Opaco ROJO	7,08
A22NZ-MPM-TYA	664047	Pulsa.22mm, Metal, PROTEGIDO, MOMENTANEO, Transp.AMARILLO, ILUMINAC	7,08
A22NZ-MMM-NGA	660244	Pulsa.22mm, Metal, SETA, MOMENTANEO, Opaco VERDE	8,66
A22NZ-MMM-NWA	663137	Pulsa.22mm, Metal, SETA, MOMENTANEO, Opaco BLANCO	8,66
A22NZ-MMM-NAA	667108	Pulsa.22mm, Metal, SETA, MOMENTANEO, Opaco AZUL	8,66
A22NZ-RNM-TYA	664986	Pulsa.22mm, Metal brillante, ENRASADO, MOMENTANEO, Transp.AMARILLO, IL	7,09
A22NZ-RNM-TAA	664995	Pulsa.22mm, Metal brillante, ENRASADO, MOMENTANEO, Transp.AZUL ILUMINA	7,09
A22NZ-BNA-NAA	665953	Pulsador, A22NZ, diámetro de 22, bisel de plástico, plano, alterno, color de tapa	7,21
A22NZ-BPA-TGA	660256	Pulsa.22mm, Plástico, PROTEGIDO, ALTERNADO, Transp.VERDE, ILUMINACIÓN	6,56
A22NZ-MNA-NYA	666336	Pushbutton A22NZ Ø22, bezel brushed metal, FLAT, Alternate, CAP COLOR Opaco	7,08
A22NZ-RMA-TRA	661562	Pulsa.22mm, Metal brillante, SETA, ALTERNO, Transp.ROJO, ILUMINACIÓN	8,66
A22NZ-RPM-NAA	664052	Pulsa.22mm, Metal brillante, PROTEGIDO, MOMENTANEO, Opaco AZUL	7,09
A22NZ-BGM-TYA	663382	Pulsa.22mm, Plástico, PROTEGIDO, MOMENTANEO, Transp.AMARILLO, ILUMINA	5,91
A22NZ-RPM-NYA	664991	Pulsa.22mm, Metal brillante, PROTEGIDO, MOMENTANEO, Opaco AMARILLO	7,09
A22NZ-RPM-TWA	666858	Pulsa.22mm, Metal brillante, PROTEGIDO, MOMENTANEO, Transp.BLANCO, ILU	7,09
A22NZ-RPM-NRA	664985	Pulsa.22mm, Metal brillante, PROTEGIDO, MOMENTANEO, Opaco ROJO	7,09
A22NZ-BGM-TWA	663373	Pulsa.22mm, Plástico, PROTEGIDO, MOMENTANEO, Transp.BLANCO, ILUMINAC	5,91
A22NZ-RNM-NRA	661180	Pulsa.22mm, Metal brillante, ENRASADO, MOMENTANEO, Opaco ROJO	7,09
A22NZ-RNM-NGA	663146	Pulsa.22mm, Metal brillante, ENRASADO, MOMENTANEO, Opaco VERDE	7,09
A22NZ-RNM-NAA	664996	Pulsa.22mm, Metal brillante, ENRASADO, MOMENTANEO, Opaco AZUL	7,09
A22NZ-RPM-TYA	666862	Pulsa.22mm, Metal brillante, PROTEGIDO, MOMENTANEO, Transp.AMARILLO, IL	7,09
A22NZ-BGM-TRA	664971	Pulsa.22mm, Plástico, PROTEGIDO, MOMENTANEO, Transp.ROJO, ILUMINACIÓN	5,91
A22NZ-BGM-TAA	667104	Pulsa.22mm, Plástico, PROTEGIDO, MOMENTANEO, Transp.AZUL, ILUMINACIÓN	5,91
A22NZ-RPM-NGA	662142	Pulsa.22mm, Metal brillante, PROTEGIDO, MOMENTANEO, Opaco VERDE	7,09
A22NZ-RPM-NWA	661182	Pulsa.22mm, Metal brillante, PROTEGIDO, MOMENTANEO, Opaco BLANCO	7,09
A22NZ-RPM-TRA	664055	Pulsa.22mm, Metal brillante, PROTEGIDO, MOMENTANEO, Transp.ROJO, ILUMI	7,09

OMRON PVPR 2023

A22NZ-RPM-TGA	664051	Pulsa.22mm, Metal brillante, PROTEGIDO, MOMENTANEO, Transp.VERDE, ILUMINACIÓN	7,09
A22NZ-BGM-TGA	662398	Pulsa.22mm, Plástico, PROTEGIDO, MOMENTANEO, Transp.VERDE, ILUMINACIÓN	5,91
A22NZ-RNM-NWA	666855	Pulsa.22mm, Metal brillante, ENRASADO, MOMENTANEO, Opaco BLANCO	7,09
A22NZ-RNM-NYA	661183	Pulsa.22mm, Metal brillante, ENRASADO, MOMENTANEO, Opaco AMARILLO	7,09
A22NZ-RNM-NBA	662144	Pulsa.22mm, Metal brillante, ENRASADO, MOMENTANEO, Opaco NEGRO	7,09
A22NZ-RPM-NBA	661181	Pulsa.22mm, Metal brillante, PROTEGIDO, MOMENTANEO, Opaco NEGRO	7,09
A22NZ-RPA-TRA	667275	Pushbutton A22NZ Ø22, bezel metal, PROJECTED, Alternate, CAP COLOR Transp.	9,18
A22NZ-RPM-TAA	665951	Pulsa.22mm, Metal brillante, PROTEGIDO, MOMENTANEO, Transp.AZUL, ILUMINACIÓN	7,09
A165L-AW	103807	Cabeza pulsador cuadrado blanco IP65	6,37
A16L-JR	106052	Cabeza pulsador rectangular rojo	4,76
A16L-TA	143852	Cabeza pulsador redondo azul	4,76
A165-CAM	144899	Carcasa pulsador cuadrada Instantáneo	6,52
A165L-JG	144900	Cabeza pulsador rectangular verde IP65	6,37
A16L-AG	146020	Cabeza pulsador cuadrado verde	4,76
A16L-TY	148142	Cabeza pulsador redondo amarillo	4,76
A165L-TB	149211	Cabeza pulsador redondo negro IP65	6,37
A165L-AA	149212	Cabeza pulsador cuadrado azul IP65	6,37
A16L-TPY	149213	Cabeza pulsador redondo amarillo intenso	5,07
A16L-JA	152550	Cabeza pulsador rectangular azul	4,76
A165-CAA	153633	Carcasa pulsador	7,41
A165L-JA	154779	Pulsador con iluminación, rectangular, IP65, azul	6,37
A16L-TGY	154780	Cabeza pulsador redondo verde/LED	4,76
A16L-AW	156987	Cabeza pulsador cuadrado blanco	4,76
A16L-JY	158170	Cabeza pulsador rectangular amarillo	4,76
A16L-JGN	158171	Cabeza pulsador/INDICADOR 16mm	4,90
A165-CJA	160033	Carcasa pulsador rectangular/ alterno	7,41
A165-CJM	160034	Carcasa pulsador rectangular Instantáneo IP65	6,52
A165-CTA	160035	Carcasa pulsador redondo/alterno IP65	7,41
A165-CTM	160036	Carcasa pulsador redondo Instantáneo IP65	6,52
A16L-AB	160040	Cabeza pulsador cuadrado negro	7,28
A16L-JB	160041	Cabeza pulsador rectangular	4,76
A16L-TB	160042	Pushbutton, non-lighted, round, IP40, black	4,90
A165L-JB	160043	Cabeza pulsador redondo negro IP65	6,37

OMRON PVPR 2023

A165L-AG	160044	Pulsador/indicador 16mm	6,37
A165L-AGY	160045	Cabeza pulsador cuadrado verde IP65	6,37
A165L-AR	160046	Pulsador/indicador 16mm	6,37
A165L-AY	160047	Pulsador/indicador 16mm	6,37
A165L-JGY	160048	Pulsador con iluminación, rectangular, IP65, verde para LED	6,37
A165L-JR	160049	Cabeza pulsador rectangular rojo IP65	6,37
A165L-JW	160050	Cabeza pulsador redondo blanco IP65	6,37
A165L-JY	160051	Cabeza pulsador rectangular amarillo IP65	6,37
A165L-TA	160052	Cabeza pulsador redondo azul IP65	6,37
A165L-TG	160053	Cabeza pulsador redondo verde IP65	6,37
A165L-TGY	160054	Cabeza pulsador redondo verde IP65	6,37
A165L-TR	160055	Cabeza pulsador redondo rojo IP65	6,37
A165L-TW	160056	Cabeza pulsador redondo blanco IP65	6,37
A165L-TY	160057	Cabeza pulsador redondo amarilla IP65	6,37
A16L-AA	160058	Cabeza pulsador cuadrado azul	4,76
A16L-AGY	160059	Cabeza pulsador cuadrado verde LED	4,76
A16L-AR	160060	Cabeza pulsador cuadrado rojo	4,76
A16L-AY	160061	Cabeza pulsador cuadrado amarillo	4,76
A16L-JG	160062	Cabeza pulsador rectangular verde	4,76
A16L-JGY	160063	Cabeza pulsador rectangular verde LED	4,76
A16L-JW	160064	Cabeza pulsador rectangular blanco	4,76
A16L-TG	160065	Cabeza pulsador redondo verde	4,76
A16L-TR	160066	Cabeza pulsador redondo rojo	4,76
A16L-TW	160067	Cabeza pulsador redondo blanco	4,76
A16L-JRN	160068	Pulsador/indicador 16mm	4,90
A16L-TRN	160069	Cabeza pulsador redondo rojo neón	4,90
A16L-APY	160074	Cabeza pulsador cuadrado amarillo LED	4,90
A16L-JPY	160075	Cabeza pulsador rectangular amarillo intenso,LED	4,90
A22-01M	103394	Cámara de contactos 1NC Instantáneo	7,91
A16-12DSY	103750	LED, 12 VDC, amarillo alta luminosidad	8,08
A22L-10A	104126	Bloque contactos Iluminación SPST-NA Alternativo	22,88
A16-5DSW	104575	LED blanco 5 Vcc Brillante	6,52
A22-01S	105657	Bloque contactos 1NC Microcarga	21,06

OMRON PVPR 2023

A16-24DSW	105995	LED Alta luminosidad Blanco 24Vcc	8,49
A3DA-7121	140714	Pulsador	16,58
A3DJ-7111	140721	Pulsador	16,03
A22-11	141587	Bloque contactos 1NA+1NC	13,62
A16-24DSR	143445	LED Alta luminosidad Rojo 24Vcc	9,79
A16-12DA	143851	LED azul 12Vcc	9,96
A22-T2	144457	Zócalo de lámpara transformador 220Vca a 24Vca	11,28
A22-24AR	145656	LED 24Vac/Vcc rojo	12,82
A16-CAA	148141	Carcasa pulsador cuadrado Alterno	6,37
A22-3210	148770	Cierre de montaje Alternado (sin contactos)	9,44
A22L-11A-T1	148772	Cámara contactos alterno SPST-NA+SPST-NC ilum Trafo 110 V.c.a.	37,43
A16-24DR	149210	LED rojo 24Vcc	9,79
A22-20M	149853	Cámara de contactos 2NA Instantáneo	12,57
A16-1NGN	150291	Lámpara de neón 110 VAC, verde	7,55
A22-01	150948	Bloque contactos 1NC	5,07
A3DJ-7121	151012	Pulsador	14,53
A3DT-7121	152168	Pulsador	16,73
A22-24AA	154344	LED 24Vca/Vcc azul	12,82
A22L-11A-T2	155159	Cámara contactos alterno SPST-NA+SPST-NC ilum Trafo 220 V.c.a.	37,43
A3DT-7111	155221	Pulsador	16,03
A22-10	157745	Bloque contactos 1NA	5,07
A16-12DG	160003	LED verde 12Vcc	9,96
A16-12DR	160004	LED rojo 12Vcc	9,96
A16-12DW	160005	LED blanco 12Vcc	9,96
A16-12DY	160006	LED amarillo 12Vcc	9,96
A16-24DG	160007	LED verde 24Vcc	9,79
A16-24DW	160008	LED blanco 24Vcc	10,10
A16-24DY	160009	LED amarillo 24Vcc	9,79
A16-5DW	160013	LED blanco 5Vcc	9,42
A16-1NRN	160015	PULSADOR / SETA DE EMERGENCIA	6,52
A16-2NGN	160016	Lámpara neón verde 220Vca	7,82
A16-2NRN	160017	Lámpara neón roja 220Vca	7,82
A16-24DA	160018	LED azul 24Vcc	39,40

OMRON PVPR 2023

A16-5DA	160019	LED azul 5Vcc	31,36
A16-24DSG	160020	LED Alta luminosidad Verde 24Vcc	9,79
A16-24DSY	160021	LED Alta luminosidad Amarillo 24Vcc	9,79
A16-12DSG	160022	LED, 12 VDC, verde, alta luminosidad	8,08
A16-12DSR	160023	LED rojo 12Vcc	8,08
A16-12DSW	160024	LED blanco 12Vcc	8,08
A16-5DSG	160025	LED verde 5Vcc Brillante	6,52
A16-5DSR	160026	LED, 6 VDC, rojo	6,43
A16-5DSY	160027	LED amarillo 5Vcc	6,52
A16-CAM	160028	Carcasa pulsador cuadrado Instantáneo	4,90
A16-CJA	160029	Carcasa pulsador rectangular Alterno	6,37
A16-CJM	160030	Carcasa pulsador rectangular Instantáneo	4,90
A16-CTA	160031	Carcasa pulsador redondo Alterno	6,37
A16-CTM	160032	Carcasa pulsador redondo Instantáneo	4,90
A16-2S	160037	Pulsador/indicador, DPDT, 5 A (125 VAC)/ 3 A (230VAC)	54,40
A16-T2-2S	160039	Bloque de contactos DPDT transf. 200Vca a 24Vac/dc Conexión rápida	81,90
A16-1	160076	Bloque de contactos SPDT Soldar	9,28
A16-2	160077	Bloque de contactos DPDT Soldar	14,63
A16-1P	160078	Bloque de contactos SPDT PCB	16,38
A16-2P	160079	Bloque de contactos DPDT PCB	34,59
A22-12AG	160816	LED, 12 VAC/DC, verde	12,97
A22-12AR	160817	LED, 12 VAC/DC, rojo	12,97
A22-12AY	160818	LED 12 Vac/Vcc Amarillo	13,08
A22-24AG	160819	LED 24Vac/Vcc verde	12,82
A22-24AY	160820	LED 24Vca/Vcc amarillo	12,82
A22-T1	160857	Zócalo de lámpara transformador 110Vca a 24Vca	12,43
A22-TN	160858	Zócalo de lámpara	2,89
A22-02	160871	Bloque contactos 2NC	13,62
A22-20	160872	Bloque contactos 2NA	13,62
A22-02M	160933	Cámara de contactos 2NC Instantáneo	12,57
A22-10M	160934	Cámara de contactos 1NA Instantáneo	7,91
A22-11M	160935	Cámara de contactos 1NA+1NC Instantáneo	12,57
A22L-02M	160936	Bloque contactos Iluminación DPST-NC	17,85

OMRON PVPR 2023

A22L-10M	160937	Bloque contactos Iluminación SPST-NA	13,09
A22L-11M	160938	Cámara contactos momentaneo SPST-NA+SPST-NC ilum	17,85
A22L-20M	160939	Bloque de contactos, modelo con iluminación, DPST-NO, momentaneo, de prop	15,43
A16-24DPW	328969	LED Alta luminosidad Blanco Puro 24Vcc	22,67
A3SA-7070	140214	PULSADOR / SETA DE EMERGENCIA	23,76
A3SJ-8010	140243	Bloque de contactos Instantaneo SPDT	17,00
A3PJ-7030	140323	Pulsador	40,43
A3PJ-7020-1	140332	Bloque de contactos Alterna SPDT	24,44
A3PJ-7030-1	140333	Bloque de contactos Instantáneo DPDT	26,38
A3PJ-7050-1	140334	Pulsador	21,28
A3PA-7070-1	140372	PULSADOR/INDICADOR (CUADRADO)	24,57
A3PA-4101	142256	For A3PA, Wire-Wrap Terminal Socket	7,73
A3PJ-7010-1	146778	Bloque de contactos Alterna SPDT	20,31
A3PJ-7040-1	149887	Bloque de contactos	30,36
A22NZ-L-AE	661433	Accesorio Pulsatería A22NZ LED Azul 200/240 VAC	4,43
A22NZ-T-C	665524	Accesorio Pulsatería A22NZ Bloque Iluminación 24VAC/VDC	4,35
A22NZ-L-GD	664430	Accesorio Pulsatería A22NZ LED Verde 100/110/120 VAC	4,43
A22NZ-L-WE	660761	Accesorio Pulsatería A22NZ LED Blanco 200/240 VAC	4,43
A22NZ-T-E	662693	Accesorio Pulsatería A22NZ Bloque Iluminación 200/240 VAC	4,35
A22NZ-L-RB	663405	Accesorio de pulsador A22NZ, LED rojo, 12 V CA/CC	4,43
A22NZ-L-OC	659820	Accesorio Pulsatería A22NZ LED Naranja 24VAC/DC	4,43
A22NZ-L-RE	666442	Accesorio Pulsatería A22NZ LED Rojo 200/240 VAC	4,43
A22NZ-L-YE	665251	Accesorio Pulsatería A22NZ LED Amarillo 200/240 VAC	4,43
A22NZ-L-GE	666451	Accesorio Pulsatería A22NZ LED Verde 200/240 VAC	4,43
A22NZ-L-GC	663627	Accesorio Pulsatería A22NZ LED Verde 24VAC/DC	4,43
A22NZ-L-WC	664307	Accesorio Pulsatería A22NZ LED Blanco 24VAC/DC	4,43
A22NZ-H-01	662415	Accesorio Pulsatería A22NZ Cámara de Fijación	4,15
A22NZ-S-G1A	667274	Accesorio Pulsatería A22NZ Bloque Contactos SPST-NA (azul)	3,63
A22NZ-L-AC	662694	Accesorio Pulsatería A22NZ LED Azul 24VAC/DC	4,43
A22NZ-T-D	662691	Accesorio Pulsatería A22NZ Bloque Iluminación 100/120 VAC	43,13
A22NZ-L-RC	663615	Accesorio Pulsatería A22NZ LED Rojo 24VAC/DC	4,43
A22NZ-L-YC	662716	Accesorio Pulsatería A22NZ LED Amarillo 24VAC/DC	4,43
A22NZ-S-G1B	661432	Accesorio Pulsatería A22NZ Bloque Contactos SPST-NC (naranja)	3,63

OMRON PVPR 2023

A22NZ-S-P2B	672587	Accesorio Pulsatería A22NZ Bloque Contactos DPST-NC (naranja) Push-in+	10,67
A22NZ-S-P1A	672599	Accesorio Pulsatería A22NZ Bloque Contactos SPST-NA (azul) Push-in+	4,68
A22NZ-T-CP	672613	Accesorio Pulsatería A22NZ Bloque Iluminación 24VAC/VDC Push-in+	4,80
A22NZ-S-P2A	672593	Accesorio Pulsatería A22NZ Bloque Contactos DPST-NA (azul) Push-in+	10,67
A22NZ-S-P2C	672619	Accesorio Pulsatería A22NZ Bloque Contactos SPST-NA+SPST-NC (azul) Push-in+	16,01
A22NZ-T-DP	672600	A22N Lighting Units, 100/110/120VAC, push-in terminal	5,26
A22NZ-S-P1B	672624	Accesorio Pulsatería A22NZ Bloque Contactos SPST-NC (naranja) Push-in+	4,68
A22NZ-T-EP	672620	Accesorio Pulsatería A22NZ Bloque Iluminación 200/240 VAC Push-in+	4,80
A22EL-M	141588	Seta iluminación Pulsar-Girar D40mm	31,93
A22E-L	141589	Seta Girar D60mm	31,93
A22E-S	141591	Seta Pulsar-Girar D30mm	23,87
A22E-MP	141593	Seta Pulsar-Tirar D40mm	29,39
A165E-S	153220	Seta de emergencia 16mm D30mm	17,52
A22E-M	153294	Seta Pulsar-Girar D40mm	23,87
A22NE-L-N	680137	Emergency stop switch, non-illuminated, 60 mm dia., push-lock/turn-reset, IP65	34,60
A22NE-M-L	680136	Pulsador 40mm Emergencia Iluminación Girar IP65	33,20
A22NE-S-N	680135	Pulsador 30mm Emergencia Girar IP65	24,92
A22NE-M-N	680134	Pulsador 40mm Emergencia Girar IP65	23,53
A22NE-MP-N	680133	Pulsador de parada de emergencia, 40 mm de diámetro, bloqueo al pulsar/dese	31,83
A22NE-MP-N-69K	687743	Emergency stop mushroom head, 40 mm dia., push-lock/pull-reset, IP69K	34,00
A165S-T3M-2	155155	Interruptor selector completo, diám. 16 mm, no iluminado, tipo palanca, redond	75,15
A165S-T2M-2	160761	Selector maneta redondo 2 posiciones Manual DPDT	39,14
A165W-A2MG-24D-1	160765	Selector cuadrado 2 posiciones manual verde 24Vac/cc	38,87
A165W-A2MY-24D-1	160768		65,90
A22NS-3BM-NBA-G101-NN	661109	Selector A22NS Ø22, 3 position, NON-Lighted, bezel PLASTIC, MANUAL, COLOR B	21,06
A22NS-3BB-NBA-G101-NN	663102	Selector A22NS Ø22, 3 position, NON-Lighted, bezel PLASTIC, AUTO RESET ON L	21,06
A22NW-2BM-TGA-G101-GC	666156	Selector A22NW Ø22, 2 position, Lighted, bezel PLASTIC, MANUAL, COLOR GREE	27,07
A22NW-2BM-TAA-G100-AC	663727	Selector A22NW Ø22, 2 position, Lighted, bezel PLASTIC, MANUAL, COLOR BLUE	19,11
A22NW-2BM-TAA-G102-AC	661780	Selector A22NW Ø22, 2 position, Lighted, bezel PLASTIC, MANUAL, COLOR BLUE	27,07
A22NW-2BM-TGA-G100-GC	662342	Selector A22NW Ø22, 2 position, Lighted, bezel PLASTIC, MANUAL, COLOR GREE	19,11
A22NW-2BM-TGA-G100-GE	659945	Selector A22NW Ø22, 2 position, Lighted, bezel PLASTIC, MANUAL, COLOR GREE	27,07
A22NW-2BM-TGA-G101-GE	664648	Selector A22NW Ø22, 2 position, Lighted, bezel PLASTIC, MANUAL, COLOR GREE	24,61
A22NW-2BL-TGA-G101-GE	661742	Selector A22NW Ø22, 2 position, Lighted, bezel PLASTIC, AUTO RESET ON LEFT, C	26,79

OMRON PVPR 2023

A22NW-3BB-TGA-G101-GC	660843	Selector A22NW Ø22, 3 position, Lighted, bezel PLASTIC, AUTO RESET ON L/R, C	27,07
A22NW-3BM-TGA-G101-GC	660920	Selector A22NW Ø22, 3 position, Lighted, bezel PLASTIC, MANUAL, COLOR GREEN	27,07
A22NS-2BM-NBA-G102-NN	666783	Selector A22NS Ø22, 2 position, NON-Lighted, bezel PLASTIC, MANUAL, COLOR B	26,27
A22NS-2BM-NBA-G100-NN	661708	Selector A22NS Ø22, 2 posiciones, no luminoso, bisel de plástico, manual, color	19,56
A22NS-2BM-NRA-G102-NN	663628	Interruptor A22NS de diámetro 22, 2 posiciones, no luminoso, bisel de plástico,	26,79
A22S-C3A	155248	Cabeza selector maneta larga 3 pos auto izq negro	12,43
A165S-T3A	103322	Selector maneta redondo 3 posiciones Acc. mixto	27,09
A165S-J2A	142203	Selector maneta rectangular 2 posiciones Automát.	25,48
A165W-A2MG	146603	Selector cuadrado 2 posiciones manual verde	38,87
A165W-T2MG	146716	Selector redondo 2 posiciones manual verde	39,02
A165W-J3MG	152125	Maneta rect. 3 pos. Manual LED verde	39,02
A165W-T2MR	152126	Selector redondo 2 posiciones manual rojo	39,02
A165S-A2M	152141	Selector maneta cuadrado 2 posiciones Manual	25,48
A165S-J3M	152142	Selector maneta rectangular 3 posiciones Manual	25,48
A165S-A3A	160699	Pulsador A165 Ø16, ensamblado,cuadrado(16 mm dia.), sin iluminación, negro,	25,38
A165S-A3M	160700	Selector maneta cuadrado 2 posiciones Manual	25,48
A165S-J2M	160702	Selector maneta rectangular 2 posiciones Manual	25,48
A165S-J3A	160703	Selector maneta rectangular 3 posiciones Automát.	27,09
A165S-T2M	160707	Selector maneta redondo 2 posiciones Manual	25,48
A165S-T3M	160709	Selector maneta redondo 3 posiciones Manual	25,48
A165W-A2MY	160712	Selector A165 Ø16, ensamblado,cuadrado(16 mm dia.), iluminado, 2 posiciones	38,87
A165W-A3MG	160718	Selector cuadrado 3 posiciones manual verde	38,87
A165W-A3MR	160719	Selector cuadrado 3 posiciones manual Rojo	39,54
A165W-J2MG	160726	Selector rectan 2 posiciones manual verde	39,02
A165W-J2MR	160727	Selector rectan 2 posiciones manual rojo	39,02
A165W-J2MY	160728	Selector rectan 2 posiciones manual amarillo	39,02
A165W-J3AY	160731	Maneta rect. 3 pos. Automático LED amarillo	39,02
A165W-T3AG	160736	Selector redondo 3 posiciones automático verde	34,86
A22NZ-2BM-NGA	662173	Select.22mm, 2 Posiciones, Plástico, MANUAL, VERDE	7,21
A22NZ-2BM-TAA	662023	Select.22mm, 2 Posiciones, Iluminación, Plástico, MANUAL, AZUL	7,21
A22NZ-2BL-TAA	660924	Select.22mm, 2 Posiciones, Iluminación, Plástico, RESET AUTO.IZQ, AZUL	7,21
A22NZ-2MM-NWA	663031	Select.22mm, 2 Posiciones, Metal, MANUAL, BLANCO	7,87
A22NZ-2MM-TYA	660925	Select.22mm, 2 Posiciones, Iluminación, Metal, MANUAL, AMARILLO	7,87

OMRON PVPR 2023

A22NZ-2ML-NRA	663944	Select.22mm, 2 Posiciones, Metal, RESET AUTO.IZQ, ROJO	7,87
A22NZ-2ML-NWA	660928	Select.22mm, 2 Posiciones, Metal, RESET AUTO.IZQ, BLANCO	7,87
A22NZ-3BM-NGA	660013	Select.22mm, 3 Posiciones, Plástico, MANUAL, VERDE	7,21
A22NZ-3BM-TGA	661886	Select.22mm, 3 Posiciones, Iluminación, Plástico, MANUAL, VERDE	7,21
A22NZ-3BL-NBA	660934	Select.22mm, 3 Posiciones, Plástico, RESET AUTO.IZQ, NEGRO	7,21
A22NZ-3BL-TWA	660937	Selector A22NZ Ø22, 3 position, Lighted, bezel PLASTIC, AUTO RESET ON LEFT, C	7,21
A22NZ-3RR-NBA	666589	Select.22mm, 3 Posiciones, Metal brillante, RESET AUTO.DCHA, NEGRO	7,87
A22NZ-2BM-NAA	664658	Select.22mm, 2 Posiciones, Plástico, MANUAL, AZUL	7,21
A22NZ-2BM-NBA	660926	Select.22mm, 2 Posiciones, Plástico, MANUAL, NEGRO	7,21
A22NZ-2BM-TRA	663831	Select.22mm, 2 Posiciones, Iluminación, Plástico, MANUAL, ROJO	7,21
A22NZ-2BL-NYA	664081	Select.22mm, 2 Posiciones, Plástico, RESET AUTO.IZQ, AMARILLO	7,21
A22NZ-2BL-NWA	663830	Select.22mm, 2 Posiciones, Plástico, RESET AUTO.IZQ, BLANCO	7,21
A22NZ-2BL-NAA	662024	Select.22mm, 2 Posiciones, Plástico, RESET AUTO.IZQ, AZUL	7,21
A22NZ-2BL-NBA	660929	Select.22mm, 2 Posiciones, Plástico, RESET AUTO.IZQ, NEGRO	7,21
A22NZ-2MM-TGA	666621	Select.22mm, 2 Posiciones, Iluminación, Metal, MANUAL, VERDE	7,87
A22NZ-3BM-TRA	664720	Select.22mm, 3 Posiciones, Iluminación, Plástico, MANUAL, ROJO	7,21
A22NZ-3BM-TAA	661866	Select.22mm, 3 Posiciones, Iluminación, Plástico, MANUAL, AZUL	7,21
A22NZ-3BB-NAA	661887	Select.22mm, 3 Posiciones, Plástico, RESET AUTO.I/D, AZUL	7,21
A22NZ-3BB-TYA	666631	Select.22mm, 3 Posiciones, Iluminación, Plástico, RESET AUTO.I/D, AMARILLO	7,21
A22NZ-3ML-NAA	663950	Select.22mm, 3 Posiciones, Metal, RESET AUTO.IZQ, AZUL	7,87
A22NZ-3ML-TGA	660149	Select.22mm, 3 Posiciones, Iluminación, Metal, RESET AUTO.IZQ, VERDE	7,87
A22NZ-3MR-NBA	665209	Select.22mm, 3 Posiciones, Metal, RESET AUTO.DCHA, NEGRO	7,87
A22NZ-2BL-NGA	663810	Select.22mm, 2 Posiciones, Plástico, RESET AUTO.IZQ, VERDE	7,21
A22NZ-2BL-TGA	665686	Select.22mm, 2 Posiciones, Iluminación, Plástico, RESET AUTO.IZQ, VERDE	7,21
A22NZ-2MM-NAA	666750	Select.22mm, 2 Posiciones, Metal, MANUAL, AZUL	7,87
A22NZ-2ML-NYA	665687	Select.22mm, 2 Posiciones, Metal, RESET AUTO.IZQ, AMARILLO	7,87
A22NZ-2ML-NAA	661881	Select.22mm, 2 Posiciones, Metal, RESET AUTO.IZQ, AZUL	7,87
A22NZ-2ML-TYA	661901	Select.22mm, 2 Posiciones, Iluminación, Metal, RESET AUTO.IZQ, AMARILLO	7,87
A22NZ-3BM-NRA	662891	Select.22mm, 3 Posiciones, Plástico, MANUAL, ROJO	7,21
A22NZ-3BM-NAA	666633	Select.22mm, 3 Posiciones, Plástico, MANUAL, AZUL	7,21
A22NZ-3MM-NWA	663833	Select.22mm, 3 Posiciones, Metal, MANUAL, BLANCO	7,87
A22NZ-3ML-NRA	667088	Select.22mm, 3 Posiciones, Metal, RESET AUTO.IZQ, ROJO	7,87
A22NZ-2BM-NWA	662875	Select.22mm, 2 Posiciones, Plástico, MANUAL, BLANCO	7,21

OMRON PVPR 2023

A22NZ-2BM-TGA	660011	Select.22mm, 2 Posiciones, Iluminación, Plástico, MANUAL, VERDE	7,21
A22NZ-2ML-TRA	665829	Select.22mm, 2 Posiciones, Iluminación, Metal, RESET AUTO.IZQ, RED	7,87
A22NZ-2BM-NRA	660009	Select.22mm, 2 Posiciones, Plástico, MANUAL, ROJO	7,21
A22NZ-2MM-NYA	663037	Select.22mm, 2 Posiciones, Metal, MANUAL, AMARILLO	7,87
A22NZ-2MM-TAA	661078	Select.22mm, 2 Posiciones, Iluminación, Metal, MANUAL, AZUL	7,87
A22NZ-2ML-TWA	663809	Select.22mm, 2 Posiciones, Iluminación, Metal, RESET AUTO.IZQ, BLANCO	7,87
A22NZ-3BM-NBA	660930	Select.22mm, 3 Posiciones, Plástico, MANUAL, NEGRO	7,21
A22NZ-3BB-TGA	665696	Select.22mm, 3 Posiciones, Iluminación, Plástico, RESET AUTO.I/D, VERDE	7,21
A22NZ-3ML-NYA	664255	Select.22mm, 3 Posiciones, Metal, RESET AUTO.IZQ, AMARILLO	7,87
A22NZ-3ML-NWA	662840	Select.22mm, 3 Posiciones, Metal, RESET AUTO.IZQ, BLANCO	7,87
A22NZ-2BM-TWA	662172	Select.22mm, 2 Posiciones, Iluminación, Plástico, MANUAL, BLANCO	7,21
A22NZ-2BL-NRA	660927	Select.22mm, 2 Posiciones, Plástico, RESET AUTO.IZQ, ROJO	7,21
A22NZ-2MM-NRA	663812	Select.22mm, 2 Posiciones, Metal, MANUAL, ROJO	7,87
A22NZ-2MM-TRA	665643	Select.22mm, 2 Posiciones, Iluminación, Metal, MANUAL, ROJO	7,87
A22NZ-3BB-NGA	662886	Select.22mm, 3 Posiciones, Plástico, RESET AUTO.I/D, VERDE	7,21
A22NZ-3BB-NYA	661893	Select.22mm, 3 Posiciones, Plástico, RESET AUTO.I/D, AMARILLO	7,21
A22NZ-3BB-NBA	666627	Select.22mm, 3 Posiciones, Plástico, RESET AUTO.I/D, NEGRO	7,21
A22NZ-3MM-NGA	661891	Select.22mm, 3 Posiciones, Metal, MANUAL, VERDE	7,87
A22NZ-3MM-TYA	666751	Select.22mm, 3 Posiciones, Iluminación, Metal, MANUAL, AMARILLO	7,87
A22NZ-3MM-TAA	660458	Select.22mm, 3 Posiciones, Iluminación, Metal, MANUAL, AZUL	7,87
A22NZ-3MB-NBA	659984	Select.22mm, 3 Posiciones, Metal, RESET AUTO .I/D, NEGRO	7,87
A22NZ-3BM-NWA	666624	Select.22mm, 3 Posiciones, Plástico, MANUAL, BLANCO	7,21
A22NZ-3BB-TRA	662883	Select.22mm, 3 Posiciones, Iluminación, Plástico, RESET AUTO.I/D, ROJO	7,21
A22NZ-3MM-NRA	662882	Select.22mm, 3 Posiciones, Metal, MANUAL, ROJO	7,87
A22NZ-3MM-NYA	664714	Select.22mm, 3 Posiciones, Metal, MANUAL, AMARILLO	7,87
A22NZ-3MM-NAA	660952	Select.22mm, 3 Posiciones, Metal, MANUAL, AZUL	7,87
A22NZ-3ML-NGA	661364	Select.22mm, 3 Posiciones, Metal, RESET AUTO.IZQ, VERDE	7,87
A22NZ-3ML-NBA	663358	Select.22mm, 3 Posiciones, Metal, RESET AUTO.IZQ, NEGRO	7,87
A22NZ-3ML-TRA	661368	Select.22mm, 3 Posiciones, Iluminación, Metal, RESET AUTO.IZQ, RED	7,87
A22NZ-3ML-TWA	660150	Select.22mm, 3 Posiciones, Iluminación, Metal, RESET AUTO.IZQ, BLANCO	7,87
A22NZ-3ML-TAA	663949	Select.22mm, 3 Posiciones, Iluminación, Metal, RESET AUTO.IZQ, AZUL	7,87
A22NZ-2BM-NYA	666882	Select.22mm, 2 Posiciones, Plástico, MANUAL, AMARILLO	7,21
A22NZ-2BL-TRA	665021	Select.22mm, 2 Posiciones, Iluminación, Plástico, RESET AUTO.IZQ, ROJO	7,21

OMRON PVPR 2023

A22NZ-2BL-TYA	665974	Select.22mm, 2 Posiciones, Iluminación, Plástico, RESET AUTO.IZQ, AMARILLO	7,21
A22NZ-2BL-TWA	663813	Select.22mm, 2 Posiciones, Iluminación, Plástico, RESET AUTO.IZQ, BLANCO	7,21
A22NZ-2MM-NGA	660027	Select.22mm, 2 Posiciones, Metal, MANUAL, VERDE	7,87
A22NZ-2ML-NGA	662825	Select.22mm, 2 Posiciones, Metal, RESET AUTO.IZQ, VERDE	7,87
A22NZ-2ML-NBA	662824	Select.22mm, 2 Posiciones, Metal, RESET AUTO.IZQ, NEGRO	7,87
A22NZ-2ML-TGA	663181	Select.22mm, 2 Posiciones, Iluminación, Metal, RESET AUTO.IZQ, VERDE	7,87
A22NZ-2RM-NWA	661817	Select.22mm, 2 Posiciones, Metal brillante, MANUAL, BLANCO	7,87
A22NZ-3BM-NYA	661882	Select.22mm, 3 Posiciones, Plástico, MANUAL, AMARILLO	7,21
A22NZ-3BM-TWA	660028	Select.22mm, 3 Posiciones, Iluminación, Plástico, MANUAL, BLANCO	7,21
A22NZ-3BB-TAA	664719	Select.22mm, 3 Posiciones, Iluminación, Plástico, RESET AUTO.I/D, AZUL	7,21
A22NZ-3MM-NBA	664721	Select.22mm, 3 Posiciones, Metal, MANUAL, NEGRO	7,87
A22NZ-3MM-TRA	661888	Select.22mm, 3 Posiciones, Iluminación, Metal, MANUAL, ROJO	7,87
A22NZ-3MM-TGA	666756	Select.22mm, 3 Posiciones, Iluminación, Metal, MANUAL, VERDE	7,87
A22NZ-3ML-TYA	665836	Select.22mm, 3 Posiciones, Iluminación, Metal, RESET AUTO.IZQ, AMARILLO	7,87
A22NZ-3RL-NBA	663719	Select.22mm, 3 Posiciones, Metal brillante, RESET AUTO.IZQ, NEGRO	7,87
A22NZ-2BM-TYA	664707	Select.22mm, 2 Posiciones, Iluminación, Plástico, MANUAL, AMARILLO	7,21
A22NZ-2MM-NBA	660010	Select.22mm, 2 Posiciones, Metal, MANUAL, NEGRO	7,87
A22NZ-2MM-TWA	659963	Select.22mm, 2 Posiciones, Iluminación, Metal, MANUAL, BLANCO	7,87
A22NZ-2MM-TOA	682265	Front element selector switch, Ø22, 2 position, lighted, bezel brushed metal, ma	7,87
A22NZ-2ML-TAA	661213	Select.22mm, 2 Posiciones, Iluminación, Metal, RESET AUTO.IZQ, AZUL	7,87
A22NZ-3BM-TYA	663832	Select.22mm, 3 Posiciones, Iluminación, Plástico, MANUAL, AMARILLO	7,21
A22NZ-3BR-NBA	660016	Select.22mm, 3 Posiciones, Plástico, RESET AUTO.DCHA, NEGRO	7,21
A22NZ-3BB-NRA	660017	Select.22mm, 3 Posiciones, Plástico, RESET AUTO.I/D, ROJO	7,21
A22NZ-3BB-NWA	663819	Select.22mm, 3 Posiciones, Plástico, RESET AUTO.I/D, BLANCO	7,21
A22NZ-3BB-TWA	661892	Select.22mm, 3 Posiciones, Iluminación, Plástico, RESET AUTO.I/D, BLANCO	7,21
A22NZ-3MM-TWA	663954	Select.22mm, 3 Posiciones, Iluminación, Metal, MANUAL, BLANCO	7,87
A22NZ-2RL-NBA	663947	Select.22mm, 2 Posiciones, Metal brillante, RESET AUTO.IZQ, NEGRO	7,87
A22NZ-3RM-NBA	666758	Select.22mm, 3 Posiciones, Metal brillante, MANUAL, NEGRO	7,87
A22NZ-2RM-NBA	662174	Select.22mm, 2 Posiciones, Metal brillante, MANUAL, NEGRO	7,87
A22NZ-3RB-NBA	665659	Select.22mm, 3 Posiciones, Metal brillante, RESET AUTO .I/D, NEGRO	7,87
A16S-2N-2P	148178	Bloque contactos DPDT para A165 Terminales PCB	22,87
A16S-2N-2L	155154	Bloque contactos DPDT con ilum para A165	14,63
A16S-2N-1	160741	Bloque contactos SPDT para A165	8,49

OMRON PVPR 2023

A16S-2N-1L	160742	Bloque contactos SPDT con ilum para A165	8,49
A16S-2N-2	160743	Bloque contactos DPDT para A165	14,63
A16S-3N-2	160744	Bloque contactos DPDT 3 pos A165S/W	14,63
A16S-3N-2L	160745	Bloque contactos DPDT con ilum 3 pos A165S/W	14,63
A16S-2N-2LP	160748	Bloque contactos DPDT con ilum 2 pos A165S/W Terminales PCB	22,88
A16S-3N-2LS	160749	Bloque de contactos del interruptor selector, diám. 16 mm, iluminado, 3 posicio	29,58
A7PS-206-1	139880	Selector décadas sellado Negro Soldar Cod6	21,27
A7DP-206-1	139937	Selector Decadas Negro	9,00
A7PH-203	139967	Thumbwheel switch	27,06
A7BL-206-1	139988	Selector décadas Soldar Cod6	39,04
A7BS-206	139993	Selector décadas gris Soldar Cod Binario hex	18,26
A7BS-206S	139994	Selector décadas gris Soldar Cod Binario Decimal	15,49
A7BS-207	139996	DECADA DE PRESELECCION	19,16
A7BS-254	140003	Selector décadas Soldar Cod Binario hex	24,09
A7D-206	140019		9,40
A7BS-206-1	147839	Selector décadas negro Soldar Cod Binario hex	18,73
A7CN-206-1	149896		17,52
A7PH-206	708470	Selector décadas sellado Soldar Cod6 Larga Vida	34,38
A7PH-206-1	708471	Selector décadas sellado Soldar Cod6	34,38
A7PH-207-1	708473	Thumbwheel switch, single switch unit, BCD w/diode provision, high grade front	26,50
A7PS-206	708474	Selector décadas sellado Soldar Cod6	21,27
A7PS-206-1	708475	Selector décadas sellado Negro Soldar Cod6	21,27
A7PS-207	708476	Selector décadas sellado Soldar Cod7	20,36
A7PS-207-1	708477	Selector décadas sellado Soldar Cod7	21,11
A7PS-254	708479	Selector décadas sellado Soldar CodBin Hex	30,50
A7PS-254-1	708480	Selector décadas sellado Soldar CodBin Hex Negro	31,11
SGE-125-2-1500 02000C	374532	Borde Sensible 1500mm Altura 25mm 2 cables 2000mm Resistencia Fin	387,40
SGE-125-2-1450 00500C	378157	Borde Sensible 1450mm Altura 25mm 2 cables 500mm Resistencia Fin	383,20
SGE-125-2-2800 05000C	378192	Borde Sensible 2800mm Altura 25mm 2 cables 5000mm Resistencia Fin	434,20
SGE-245-2-2800 05000C	378193	Borde Sensible 2800mm Altura 46mm 2 cable 5000mm Resistencia Fin	629,50
SGE-225-2-1000 02000C	394805	Borde Sensible 1000mm Altura 25mm 2 cables 2000mm Resistencia Fin	280,80
SGE-225-2-1500 02000C	394806	Borde Sensible 1500mm Altura 25mm 2 cables 2000mm Resistencia Fin	390,10
SGE-245-2-1000 02000C	394807	Borde Sensible 1000mm Altura 46mm 2 cable 2000mm Resistencia Fin	265,10

OMRON PVPR 2023

SGE-245-2-1500 02000C	394808	Borde Sensible 1500mm Altura 46mm 2 cable 2000mm Resistencia Fin	317,70
SGE-125-2-1000 00500C	394809	Borde Sensible 1000mm Altura 25mm 2 cables 500mm Resistencia Fin	246,60
SGE-125-2-2000 02000C	394810	Borde Sensible 2000mm Altura 25mm 2 cables 2000mm Resistencia Fin	415,80
SGE-225-2-2800 05000C	394811	Borde Sensible 2800mm Altura 25mm 2 cables 5000mm Resistencia Fin	433,00
SGE-225-0-0200 01500C-00500C	394812	Borde Sensible 200mm Altura 25mm 2 cables 1500mm 2 cables 500mm	228,00
SGE-225-0-0300 01500C-00500C	394813	Borde Sensible 300mm Altura 25mm 2 cables 1500mm 2 cables 500mm	235,20
SGE-225-0-0500 01500C-00500C	394814	Borde Sensible 500mm Altura 25mm 2 cables 1500mm 2 cables 500mm	252,20
SGE-225-0-0900 01500C-00500C	394815	Borde Sensible 900mm Altura 25mm 2 cables 1500mm 2 cables 500mm	289,20
SGE-225-0-1000 01500C-00500C	394816	Borde Sensible 1000mm Altura 25mm 2 cables 1500mm 2 cables 500mm	299,10
SGE-225-2-0300 02000C	394817	Borde Sensible 300mm Altura 25mm 2 cables 2000mm Resistencia Fin	230,90
SGE-225-2-0500 02000C	394818	Borde Sensible 500mm Altura 25mm 2 cables 2000mm Resistencia Fin	248,00
SGE-225-2-2000 02000C	394819	Borde Sensible 2000mm Altura 25mm 2 cables 2000mm Resistencia Fin	390,10
SGE-245-0-0200 01500C-00500C	394820	Borde Sensible 200mm Altura 46mm 2 cables 1500mm 2 cables 500mm	218,10
SGE-245-0-0300 01500C-00500C	394821	Borde Sensible 300mm Altura 46mm 2 cables 1500mm 2 cables 500mm	226,60
SGE-245-0-0500 01500C-00500C	394822	Borde Sensible 500mm Altura 46mm 2 cables 1500mm 2 cables 500mm	243,70
SGE-245-0-0900 01500C-00500C	394823	Borde Sensible 900mm Altura 46mm 2 cables 1500mm 2 cables 500mm	283,50
SGE-245-0-1000 01500C-00500C	394824	Borde Sensible 1000mm Altura 46mm 2 cables 1500mm 2 cables 500mm	293,50
SGE-245-2-0300 02000C	394825	Borde Sensible 300mm Altura 46mm 2 cables 2000mm Resistencia Fin	222,50
SGE-245-2-0500 02000C	394826	Borde Sensible 500mm Altura 46mm 2 cable 2000mm Resistencia Fin	239,50
SGE-245-2-2000 02000C	394827	Borde Sensible 2000mm Altura 46mm 2 cable 2000mm Resistencia Fin	388,80
SGE-125-2-0500 00500C	394829	Borde Sensible 500mm Altura 25mm 2 cables 500mm Resistencia Fin	218,10
SGE-125-2-0530 00500C	394830	Borde Sensible 530mm Altura 25mm 2 cables 500mm Resistencia Fin	219,50
SGE-125-2-0750 00500C	394831	Borde Sensible 750mm Altura 25mm 2 cables 500mm Resistencia Fin	239,50
SGE-125-2-1070 00500C	394832	Borde Sensible 1070mm Altura 25mm 2 cables 500mm Resistencia Fin	249,40
SGE-245-0-0220 01500C-00500C	398514	Borde Sensible 220mm Altura 46mm 2 cables 1500mm 2 cables 500mm	220,90
SGE-245-2-0220 00500C	398515	Borde Sensible 220mm Altura 46mm 2 cables 500mm Resistencia Fin	208,20
SGE-245-2-0320 00500C	398516	Borde Sensible 320mm Altura 46mm 2 cables 500mm Resistencia Fin	224,00
SGE-245-0-0340 01500C-00500C	398517	Borde Sensible 340mm Altura 46mm 2 cables 1500mm 2 cables 500mm	230,90
SGE-245-0-0400 01500C-00500C	398518	Borde Sensible 400mm Altura 46mm 2 cables 1500mm 2 cables 500mm	233,90
SGE-245-0-0600 01500C-00500C	398519	Borde Sensible 600mm Altura 46mm 2 cables 1500mm 2 cables 500mm	253,50
SGE-245-0-1540 01500C-00500C	398520	Borde Sensible 1540mm Altura 46mm 2 cables 1500mm 2 cables 500mm	341,80
SGE-245-2-1540 00500C	398521	Borde Sensible 1540mm Altura 46mm 2 cable 500mm Resistencia Fin	320,50
SGE-245-0-1550 01500C-00500C	398522	Borde Sensible 1550mm Altura 46mm 2 cables 1500mm 2 cables 500mm	341,80

OMRON PVPR 2023

SGE-245-2-1550 00500C	398523	Borde Sensible 1550mm Altura 46mm 2 cable 500mm Resistencia Fin	322,10
SGE-245-0-2060 01500C-00500C	398524	Borde Sensible 2060mm Altura 46mm 2 cables 1500mm 2 cables 500mm	388,80
SGE-245-0-0640 01500C-00500C	398748	Borde Sensible 640mm Altura 46mm 2 cables 1500mm 2 cables 500mm	256,60
SGE-245-0-1350 01500C-00500C	398749	Borde Sensible 1350mm Altura 46mm 2 cables 1500mm 2 cables 500mm	326,20
SGE-245-2-1350 00500C	398750	Borde Sensible 1350mm Altura 46mm 2 cable 500mm Resistencia Fin	304,90
SGE-245-0-3180 01500C-00500C	408124	Borde Sensible 3180mm Altura 46mm 2 cables 1500mm 2 cables 500mm	525,50
SGE-245-0-2140 01500C-00500C	408125	Borde Sensible 2140mm Altura 46mm 2 cables 1500mm 2 cables 500mm	423,00
SGE-245-0-0540 01500C-00500C	408126	Borde Sensible 540mm Altura 46mm 2 cables 1500mm 2 cables 500mm	246,60
SGE-245-2-2140 00500C	408127	Borde Sensible 2140mm Altura 46mm 2 cables 500mm Resistencia Fin	417,30
SGE-245-2-2500 00500C	408128	Borde Sensible 2500mm Altura 46mm 2 cables 500mm Resistencia Fin	449,90
SGE-365-0-1840 01500C-00500C	416968	Borde Sensible 1840mm Altura 66mm 2 cables 1500mm 2 cables 500mm	407,50
SGE-125-2-0800 05000C	702838	Safety edge, SGE, 15 mm x 25 mm, one 2-wire connection and one internal resistor	172,60
SGE-125-0-0600 05000C-05000C	700810	Safety Edge, SGE, 15 mm x 25 mm, length: 600 mm, 2-wire cable on both sides,	159,40
SGE-125-0-0350 00950C-00950C	696001	Safety Edge, SGE, 15 x 25 mm, length: 350 mm, 2-wire cable on both sides, length	141,60
SGE-125-0-0800 05000C-05000C	700668	Safety Edge, SGE, 15 mm x 25 mm, length: 800 mm, 2-wire cable on both sides,	171,50
SGE-225-0-0660 05000C-05000C	690684	Safety edge, SGE, 25 x 25 mm, two 2-wire connections, length: 660 mm, cable length	180,80
SGE-125-2-1000 05000C	703447	Safety edge, SGE, 15 mm x 25 mm, one 2-wire connection and one internal resistor	177,00
SGE-125-2-4880 05000C	684685	Safety Edge, SGE, 15 mm x 25 mm, 2-wire cable and one internal resistor connected	304,40
SGE-225-2-0800 05000C	685748	Safety edge, SGE, 25 mm x 25 mm, one 2-wire connection and one internal resistor	260,10
SGE-225-2-2500 05000C	690780	Safety edge, SGE, 25 x 25 mm, one 2-wire connection and one internal resistor connected	282,40
SGE-225-0-1000N 05000C-05000C	695244	Safety edge, SGE, 25 x 25 mm, two 2-wire connections, length: 1000 mm, cable length	200,00
SGE-225-0-2090 05000C-05000C	702616	Safety edge, SGE, 25 mm x 25 mm, two 2-wire connections, length: 2090 mm, cable length	280,10
SGE-225-0-2230 05000C-05000C	690683	Safety edge, SGE, 25 x 25 mm, two 2-wire connections, length: 2230 mm, cable length	273,70
SGE-245-0-2500 05000C-05000C	686311	Safety edge, SGE, 25 x 45 mm, two 2-wire connections, length: 2500 mm, cable length	479,10
SGE-245-2-1420 00700C	688545	Safety edge, SGE, 25 x 45 mm, one 2-wire connection and one internal resistor connected	316,80
SGE-225-2-1800 10000C	693704	Safety edge, SGE, 25 x 25 mm, one 2-wire connection and one internal resistor connected	253,70
SGE-245-2-5000 05000C	688422	Safety edge, 25 x 45 mm, one 2-wire connection and one internal resistor connected	643,00
SGE-125-2-0350 05000C	696000	Safety Edge, SGE, 15 mm x 25 mm, 2-wire cable and one internal resistor connected	146,50
SGE-245L-0-1470 05000C-05000C	685554	Safety Edge, SGE, 25 mm x 45 mm with sealing cover, two 2-wire connections, length	383,30
SGE-225-0-1200N 05000C-05000C	695243	Safety edge, SGE, 25 x 25 mm, two 2-wire connections, length: 1200 mm, cable length	211,10
SGE-245-0-1400 05000C-05000C	688544	Safety edge, SGE, 25 x 45 mm, two 2-wire connections, length: 1400 mm, cable length	347,90
SGE-245-0-1500 05000C-05000C	686309	Safety edge, SGE, 25 x 45 mm, two 2-wire connections, length: 1500 mm, cable length	347,50
SGE-225-0-1250 05000C-05000C	706980	Safety edge, SGE, 25 mm x 25 mm, two 2-wire connections, length: 1250 mm, cable length	228,50

OMRON PVPR 2023

SGE-225-2-1400 05000C	687033	Safety edge, SGE, 25 x 25 mm, one 2-wire connection and one internal resistor d	346,70
SGE-225-2-0750 05000C	693666	Safety edge, SGE, 25 x 25 mm, one 2-wire connection and one internal resistor d	176,90
SGE-245-0-2400 05000C-05000C	688543	Safety edge, SGE, 25 x 45 mm, two 2-wire connections, length: 2400 mm, cable	439,50
SGE-245-2-0700 02000C	690233	Borde de seguridad, SGE, 25 mm x 45 mm, dos conexiones de 2 hilos, una conex	272,40
SGE-245-0-2170 02000C-02000C	681995	Safety Edge, SGE, 25 x 45 mm, two 2-wire connections, length: 2170 mm, cable	163,80
SGE-245-0-6010 05000C-05000C	688421	Safety edge, 25 x 45 mm, two 2-wire connections, length: 6010 mm, cable lengt	741,00
SGE-245L-2-1370 05000C	685553	Safety edge, SGE, 25 mm x 45 mm with sealing cover, one 2-wire connection and	356,70
SGE-365-0-1200 05000C-05000C	701226	Safety edge SGE 35 mm x 80 mm, two 2-wire connections, length: 1200 mm, cabl	240,30
SGE-365-0-0920 02000C-02000C	690682	Safety edge SGE 35 x 80 mm, two 2-wire connections, length: 920 mm, cable len	210,60
SGE-125-2-1100 05000C	707182	Safety edge, SGE, 15 mm x 25 mm, one 2-wire connection and one internal resis	164,10
SGE-225-0-0300 00300C-00300C	690022	Borde de seguridad, SGE, 25 x 25 mm, dos conexiones de 2 hilos, longitud de 30	234,10
SGE-225-0-2240N 05000C-05000C	695242	Safety edge, SGE, 25 x 25 mm, two 2-wire connections, length: 2240 mm, cable	257,30
SE Set-1.0m SE 35.55 TT	672715	Borde Sensible SE 35.55TT 1m soporte montaje 2 cables 2,5m Resist. Fin	220,50
SE Set-0.5m SE 25.30 TT	672711	Borde Sensible SE 25.30TT 0,5m soporte montaje 2 cables 2,5m Resist. Fin	151,40
SE Set-0.5m SE 35.55 TT	672714	Borde Sensible SE 35.55TT 0,5m soporte montaje 2 cables 2,5m Resist. Fin	170,40
SE Set-1.5m SE 25.30 TT	672713	Borde Sensible SE 25.30TT 1,5m soporte montaje 2 cables 2,5m Resist. Fin	232,00
SE Set-1.5m SE 35.55 TT	672716	Borde Sensible SE 35.55TT 1,5m soporte montaje 2 cables 2,5m Resist. Fin	274,60
SE Set-1.0m SE 25.30 TT	672712	Borde Sensible SE 25.30TT 1m soporte montaje 2 cables 2,5m Resist. Fin	192,70
Safety edges Scissors	672710	Tijeras para cortar bordes sensibles SE	151,80
Sentir Edge 25.30TT-5m	674022	Borde Sensible SE 25.30TT 5000mm	455,10
Sentir Edge 35.55TT-5m	674023	Borde Sensible SE 35.55TT 5000mm	514,00
AL 25-14 V 1m	674047	Soporte Montaje Vertical 1000mm para borde sensible SE 25.30TT	36,70
AL 35-14 1m	674046	Soporte Montaje 1000mm para borde sensible SE 35.55TT	72,05
AL 25-14 1m	674049	Soporte Montaje 1000mm para borde sensible SE 25.30TT	33,76
AL 25-10 H 1m	674048	Soporte Montaje Horizontal 1000mm para borde sensible SE 25.30TT	52,85
Sentir Edge 35.55TT-25m	674067	Borde Sensible SE 35.55TT 25.000mm	1 456,00
Sentir Edge 25.30TT-10m	674066	Borde Sensible SE 25.30TT 10.000mm	602,00
Sentir Edge 35.55TT-10m	674068	Borde Sensible SE 35.55TT 10.000mm	706,00
SGE-125-4-0450 00100M	699876	Safety Edge, SGE, 15 mm x 25 mm, one quick-disconnect male and one internal	167,90
SGE-125-3-0750 00100M-00100F	701032	Safety Edge, SGE, 15 mm x 25 mm, one quick-disconnect male and one quick-dis	225,90
SGE-125-3-0700 00100M-00100F	699877	Safety Edge, SGE, 15 mm x 25 mm, one quick-disconnect male and one quick-dis	222,20
SGE-125-3-0550 00100M-00100F	701033	Safety Edge, SGE, 15 mm x 25 mm, one quick-disconnect male and one quick-dis	216,10
SGE-125-4-0500 00100M	695713	Safety Edge, SGE, 15 mm x 25 mm, one quick-disconnect male and one internal	172,10

OMRON PVPR 2023

SGE-125-3-0800 00100M-00100F	695712	Safety Edge, SGE, 15 mm x 25 mm, one quick-disconnect male and one quick-dis	229,30
SGE-225-0-0400 00500C-00500C	690023	Borde de seguridad, SGE, 25 x 25 mm, dos conexiones de 2 hilos, longitud de 40	218,90
SGE-125-5-0350 05000C-00100F	699878	Safety Edge, SGE, 15 mm x 25 mm, one quick-disconnect female and 2-wire conn	170,30
SGE-125-3-0300 00100M-00100F	699879	Safety Edge, SGE, 15 mm x 25 mm, one quick-disconnect male and one quick-dis	206,50
SGE-125-4-0350 00100M	699880	Safety Edge, SGE, 15 mm x 25 mm, one quick-disconnect male and one internal	163,10
SGE-245-2-0650 02000C	682285	Safety edge, SGE, 25 mm x 45 mm, one 2-wire connection and one internal resis	134,80
SGE-125-2-1000 01000C	682284	Safety Edge, SGE, 15 mm x 25 mm, 2-wire cable and one internal resistor connec	120,60
SGE-245-0-0550 02000C 02000C	682283	Safety Edge, SGE, 25 mm x 45 mm, two 2-wire connections, length: 550 mm, cab	133,60
SGE-245-2-0750 02000C	682282	Safety Edge, SGE, 25 mm x 45 mm, two 2-wire connections, and one internal res	139,70
SGE-125-0-1000 02000C-01000C	682281	Safety Edge, SGE, 15 mm x 25 mm, two 2-wire connections, length: 1000 mm, ca	127,10
SGE-245-0-0650 02000C 02000C	682280	Safety Edge, SGE, 25 mm x 45 mm, two 2-wire connections, length: 650 mm, cab	139,70
SGE-245-0-0750 02000C 02000C	682414	Safety Edge, SGE, 25 mm x 45 mm, two 2-wire connections, length: 750 mm, cab	142,30
SGE-225-2-0950 05000C	690472	Safety edge, SGE, 25 mm x 25 mm, one 2-wire connection and one internal resis	158,60
SGE-125-2-0400 10000C	685172	Safety edge, SGE, 15 mm x 25 mm, one 2-wire connection and one internal resis	198,00
SGE-125-2-0550 10000C	685171	Safety edge, SGE, 15 mm x 25 mm, one 2-wire connection and one internal resis	198,00
SGE-125-2-0950 02500C	703446	Safety edge, SGE, 15 mm x 25 mm, one 2-wire connection and one internal resis	146,60
SGE-225-0-0500 00500C-00500C	690113	Borde de seguridad, SGE, 25 x 25 mm, dos conexiones de 2 hilos, longitud de 50	239,00
SGE-365-4-0550 01000M	696431	Safety edge SGE 35 mm x 65 mm, black, Connector cable on one side and termir	222,10
SGE-365-5-0550 03000C-01000F	696430	Safety edge SGE 35 mm x 65 mm, black, Connector cable on one side and the ot	229,30
SGE-365-3-0500 01000M-01000F	696429	Safety edge SGE 35 mm x 65 mm, black, connector cable on one side and the ot	245,10
KS4PRO W-35.55-SET	702752	KS 4 Lock cap and end cap for profile 35.55, plug with resistor 8.2 kOhm, IP67	21,45
KS4PRO L2.5M-35.55-SET	702753	KS 4 Lock cap and end cap for profile 35.55, plug with 2.5 m cable, IP67	26,66
KS4PRO L5M-35.55-SET	702754	KS 4 Lock cap and end cap for profile 35.55, plug with 5 m cable, IP67	34,27
KS4PRO L10M-35.55-SET	702755	KS 4 Lock cap and end cap for profile 35.55, plug with 10 m cable, IP67	49,50
KS4PRO W-25.30-SET	702756	KS 4 Lock cap and end cap for profile 25.30, plug with resistor 8.2 kOhm, IP67	19,95
KS4PRO L2.5M-25.30-SET	702757	KS 4 Lock cap and end cap for profile 25.30, plug with 2.5 m cable, IP67	25,26
KS4PRO L5M-25.30-SET	702758	KS 4 Lock cap and end cap for profile 25.30, plug with 5 m cable, IP67	32,75
KS4PRO L10M-25.30-SET	702759	KS 4 Lock cap and end cap for profile 25.30, plug with 10 m cable, IP67	47,99
KS4PRO L0.5M-M8-MALE EK25.30	702760	KS 4 Lock cap and end cap for profile 25.30, plug with 0.5 m cable and M8 Male	33,00
KS4PRO L0.5M-M8-FEMALE EK25.30	702761	KS 4 Lock cap and end cap for profile 25.30, plug with 0.5 m cable and M8 Fema	38,22
KS4PRO L0.5M-M8-MALE EK35.55	702762	KS 4 Lock cap and end cap for profile 35.55, plug with 0.5 m cable and M8 Male	34,41
KS4PRO L0.5M-M8-FEMALE EK35.55	702763	KS 4 Lock cap and end cap for profile 35.55, plug with 0.5 m cable and M8 Fema	39,77
SENTIR EDGE 25.30TT-30M	706940	Safety Edge Sentir 25.30TT-30 m	1 082,00

OMRON PVPR 2023

SENTIR EDGE 35.55TT-30M	706941	Safety Edge Sentir 35.55TT-30 m	1 479,00
SE-SET1.5M-SE1525TT	707396	Sentir edge 15.25 TT (1.5 m Safety edges), AL15-9 (alu frame) 2 x KS4PRO L0.5 m	302,50
SE-SET1.5M-1525TT-5M	707684	Sentir edge 15.25 TT (1.5 m Safety edges), AL15-9 (alu frame) 2 x KS4PRO L 5 m	319,00
SE-SET2.7M-1525TT-5M	707819	Sentir edge 15.25 TT (2.7 m Safety edges), AL15-9 (alu frame) 2 x KS4PRO L 5 m	258,50
ZX-TDS01T	168124	Sensor de contacto Corto 0,1 micras 1mm	2 288,00
ZX-TDS04T	168125	Sensor de contacto Estandar 0,1 micras 4mm	2 288,00
ZX-TDS04T-L	168126	Sensor head, low measurement type Ø 6mm, distance 4mm (for use with ZX-TD	2 024,00
ZX-TDS10T	197353	Sensor de contacto Estandar 0,4 micras 10mm	2 429,00
ZX-TDS10T-V	197354	Sensor head, air lift type Ø 8mm, distance 10mm (for use with ZX-TDA)	2 397,00
ZX-TDS10T-L	197355	Sensor head, ultra-low-load type Ø 8mm, distance 10mm (for use with ZX-TDA)	3 883,00
ZX-TDS10T-VL	197356	Sensor de contacto Aire/Vacio 0,4micras 10mm	3 277,00
E9NC-TH12S 2M	393067	Sensor táctil Recto Dia.8mm Rango 12mm Res 0,1um	1 017,00
E9NC-TH12SF 2M	393068	Sensor táctil Recto Dia.M9 reborde Rango 12mm Res 0,1um	1 045,00
E9NC-TB1	393069	Cabezal para sensor táctil Dia 3mm	108,80
E9NC-TB2	393070	Cabezal para sensor táctil Nylon	108,80
E9NC-TH5L 2M	393076	Sensor táctil Acodado Aire Dia.8mm Rango 5mm Res 0,1um	1 045,00
E9NC-TH5S 2M	393078	Sensor táctil Recto Dia.8mm Rango 5mm Res 0,1um	1 017,00
E9NC-TH5SF 2M	393079	Sensor táctil Recto Dia.M9 reborde Rango 5mm Res 0,1um	1 045,00
E9NC-TH5LF 2M	393080	Sensor táctil Acodado Aire Dia.M9 reborde Rango 5mm Res 0,1um	1 117,00
E9NC-TH12L 2M	393081	Sensor táctil Acodado Aire Dia.8mm Rango 12mm Res 0,1um	1 045,00
E9NC-TH12LF 2M	393082	Sensor táctil Acodado Aire Dia.M9 reborde Rango 12mm Res 0,1um	1 117,00
E9NC-TB3	393083	Cabezal para sensor táctil Superficie plana	272,60
UMMA-0500-0250-1	679659	Alfombra Seguridad Negra 1-cable, 500 x 250 mm	233,10
UMMA-0500-1500-1	680366	Safety mat black with 1-cable, 500 x 1500 mm dimension	823,00
UMMA-1000-1000-1	680368	Safety mat black with 1-cable, 1000 x 1000 mm dimension	955,00
UMMA-1000-1250-1	679486	Alfombra Seguridad Negra 1-cable, 1000 x 1250 mm	1 048,00
UMMA-1000-0750-2	679819	Alfombra Seguridad Negra 2-cable, 1000 x 750 mm	813,00
UMMYA-0600-0400-2	680047	Alfombra Seguridad Amarilla 2-cable, 600 x 400 mm	414,10
UMMYA-1000-0500-2	680386	Alfombra de seguridad amarilla con 2 cables, dimensiones 1000 x 500 mm	633,50
UMMA-0500-0400-2	680046	Alfombra Seguridad Negra 2-cable, 500 x 400 mm	379,30
UMMA-1000-0500-2	678240	Alfombra de seguridad negra con 2 cables, dimensiones 1000 x 500 mm	602,00
UMMYA-0400-0400-1	702454	Safety mat yellow with 1-cable, 400 x 400 mm dimension	236,70
UMMYA-0500-0250-1	680380	Safety mat yellow with 1-cable, 500 x 250 mm dimension	275,90

OMRON PVPR 2023

UMMYA-0750-1500-1	679542	Alfombra Seguridad Amarilla 1-cable , 750 x 1500 mm	971,50
UMMYA-1000-1500-1	679541	Alfombra Seguridad Amarilla 1-cable , 1000 x 1500 mm	1 174,00
UMMA-0750-1500-2	680363	Safety mat black with 2-cable, 750 x 1500 mm dimension	1 075,00
UMMYA-0600-0400-1	680045	Alfombra Seguridad Amarilla 1-cable , 600 x 400 mm	414,10
UMMYA-1000-1250-1	680379	Safety mat yellow with 1-cable , 1000 x 1250 mm dimension	1 100,00
UMMA-1000-0500-1	680378	Safety mat black with 1-cable, 1000 x 500 mm dimension	607,00
UMMA-1000-0750-1	679817	Alfombra Seguridad Negra 1-cable, 1000 x 750 mm	813,00
UMMYA-0500-0400-1	680044	Alfombra Seguridad Amarilla 1-cable, 500 x 400 mm	415,60
UMMYA-0300-0300-2	680364	Alfombra de seguridad amarilla con 2 cables, dimensiones de 300 x 300 mm	235,80
UMMA-0400-0400-1	680389	Safety mat black with 1-cable, 400 x 400 mm dimension	353,30
UMMA-0600-0400-1	680042	Alfombra Seguridad Negra 1-cable, 600 x 400 mm	394,70
UMMA-0750-0500-1	679570	Alfombra Seguridad Negra 1-cable, 750 x 500 mm	505,00
UMMA-1000-1500-1	678350	Alfombra de seguridad negra con 1 cables, dimensiones 1000 x 1500 mm	1 370,00
UMMA-1000-1250-2	680370	Safety mat black with 2-cable, 1000 x 1250 mm dimension	1 040,00
UMMYA-1000-0750-1	679816	Alfombra Seguridad Amarilla 1-cable , 1000 x 750 mm	851,50
UMMYA-0750-1500-2	680383	Safety mat yellow with 2-cable , 750 x 1500 mm dimension	1 132,00
UMMYA-1000-0750-2	679815	Alfombra Seguridad Amarilla 2-cable , 1000 x 750 mm	851,50
UMMYA-1000-1000-2	680372	Safety mat yellow with 2-cable , 1000 x 1000 mm dimension	1 008,00
UMMYA-0400-0400-2	703496	Safety mat yellow with 2-cable, 400 x 400 mm dimension	234,30
UMMYA-0500-1500-2	680374	Safety mat yellow with 2-cable , 500 x 1500 mm dimension	875,50
UMMYA-0750-0500-2	680377	Safety mat yellow with 2-cable , 750 x 500 mm dimension	633,50
UMMA-0500-0400-1	680041	Alfombra Seguridad Negra 1-cable, 500 x 400 mm	379,30
UMMYA-0750-0250-1	680376	Safety mat yellow with 1-cable , 750 x 250 mm dimension	414,10
UMMYA-0500-0250-2	680371	Safety mat yellow with 2-cable, 500 x 250 mm dimension	275,90
UMMYA-0750-0250-2	680382	Safety mat yellow with 2-cable , 750 x 250 mm dimension	414,10
UMMYA-1000-1250-2	680359	Safety mat yellow with 2-cable , 1000 x 1250 mm dimension	1 100,00
UMMA-0750-0250-1	679435	Alfombra Seguridad Negra 1-cable, 750 x 250 mm	362,50
UMMA-0750-0750-1	680179	Alfombra Seguridad Negra 1-cable, 750 x 750 mm	751,50
UMMA-0750-1500-1	680365	Safety mat black with 1-cable, 750 x 1500 mm dimension	1 075,00
UMMA-0600-0400-2	680040	Alfombra Seguridad Negra 2-cable, 600 x 400 mm	394,70
UMMA-1000-1500-2	678351	Alfombra de seguridad negra con 2 cables, dimensiones 1000 x 1500 mm	1 381,00
UMMYA-1000-0500-1	680358	Safety mat yellow with 1-cable , 1000 x 500 mm dimension	633,50
UMMYA-0750-0750-2	680180	Alfombra Seguridad Amarilla 2-cable, 750 x 750 mm	797,50

OMRON PVPR 2023

UMMA-0500-0500-1	680119	Alfombra de seguridad negra con 1 cable, dimensiones 500 x 500 mm	392,40
UMMA-0400-0400-2	680361	Safety mat black with 2-cable, 400 x 400 mm dimension	353,30
UMMA-0500-0250-2	679657	Alfombra Seguridad Negra 2-cable, 500 x 250 mm	252,50
UMMA-0500-1500-2	678239	Alfombra de seguridad negra con 2 cables, dimensiones 500 x 1500 mm	823,00
UMMA-0750-0250-2	680388	Safety mat black with 2-cable, 750 x 250 mm dimension	379,30
UMMA-0750-0500-2	680375	Safety mat black with 2-cable, 750 x 500 mm dimension	597,50
UMMA-0750-0750-2	680182	Alfombra Seguridad Negra 2-cable, 750 x 750 mm	751,50
UMMA-1000-1000-2	678241	Alfombra de seguridad negra con 2 cables, dimensiones 1000 x 1000 mm	966,00
UMMYA-0300-0300-1	680381	Safety mat yellow with 1-cable, 300 x 300 mm dimension	235,80
UMMYA-0500-0500-1	680118	Alfombra de seguridad amarilla con 1 cable, dimensiones 500 x 500 mm	412,10
UMMYA-0750-0500-1	680373	Safety mat yellow with 1-cable , 750 x 500 mm dimension	633,50
UMMYA-1000-1000-1	679539	Alfombra Seguridad Amarilla 1-cable , 1000 x 10000 mm	881,50
UMMYA-0500-0400-2	680038	Alfombra Seguridad Amarilla 2-cable , 500 x 400 mm	415,60
UMMYA-1000-1500-2	679538	Alfombra Seguridad Amarilla 2-cable , 1000 x 1500 mm	1 177,00
UMA-24-18-1	692907	Safety mat black with 1-cable, 24 x 18 inch dimension	283,00
UMA-24-18-2	692906	Safety mat black with 2-cables, 24 x 18 inch dimension	290,30
A4E-B200VA	140171	Conmutador activacion plastico 3pos 2sal activación	89,05
A4E-C211VA	150156	Conmutador de activación, cuatro salidas, montaje vertical, con junta de goma	98,95
A4EG-C000041	247804	Mando de validación con salida montorización	366,00
A4EG-BM2B041	247806	Mando de validación con Pulsadores auxiliares	474,30
A4E-B200SS	329800	Conmutador activacion plastico 3pos 2sal sin cubierta	61,60
A4EG-BE2R041	674137	Mando de validación con E-stop	474,30
A4E-C211SS	702615	Enabling switch, four outputs, no mounting bracket, no rubber seal	32,31
A165K-A2ML-2	160680	Selector llave cuadrado 2 posiciones Izquierda reset manual, IP65	78,80
A22TK-2LL-12-01	308689	Selector Seguridad Izq Izq NC+NA Sin llave tipo 1	214,00
A22TK-2LL-12-K01	308692	Selector Seguridad Izq Izq NC+NA Con llave tipo 1	223,60
A22TK-2LL-21-K01	308693		223,40
A22TK-2RL-12-K01	308704	Safety Key Selector Switch, Operation Unit 2RL, DPST-NC + SPST-NO, Key 01	170,60
A22TK-2RL-03-K01	308706		208,70
A22TK-2LL-12-02	308713	Selector Seguridad Izq Izq NC+NA Sin llave tipo 2	237,60
A22TK-2LL-12-K02	308716	Selector Seguridad Izq Izq NC+NA Con llave tipo 2	247,00
A22TK-2LL-21-K02	308717		223,70
A22TK-2LL-12-K03	399927	Selector Seguridad Izq Izq NC+NA Con llave tipo 3	230,60

OMRON PVPR 2023

A22TK-2RL-11-K01	690524	Safety Key Selector Switch, Operation Unit 2RL, DPST-NO/NC, Key 01	61,50
A22TK-2LR-11-K01	690566	Safety Key Selector Switch, Operation Unit 2LR, SPST-NO + SPST-NC, Key 01	61,50
A22TK-2LL-12-K05	668923	Selector Seguridad Izq Izq NC+NA Con llave tipo 5	230,60
A22TK-2RL-12-K01-SJ	692808	Safety Key Selector Switch, Operation Unit 2RL, DPST-NC + SPST-NO, Key 01, Key	189,90
A22TK-2LL-12-K04	702954	Safety Key Selector Switch, Operation Unit 2LL, DPST-NC + SPST-NO, Key 04	65,85
A22TK-2LR-12-K01-SJ	701035	Safety Key Selector Switch, Operation Unit 2LR, DPST-NC + SPST-NO, Key 01, Key	176,40
A22NK-2BL-01BA-G102	661914	Selector A22NK Ø22, Key type S, 2 position, bezel plastic, AUTO RESET ON LEFT,	21,82
A22NK-2BL-01BA-G100	662916	Selector A22NK Ø22, Key type S, 2 position, bezel plastic, AUTO RESET ON LEFT,	27,07
A22NK-2RL-01BA-G100	660367	Selector A22NK Ø22, Key type S, 2 position, bezel metal, AUTO RESET ON LEFT, P	26,64
A22NK-2BM-01BA-G111	662908	Selector A22NK Ø22, Key type S, 2 position, bezel plastic, MANUAL, RELEASE pos	30,07
A22NK-2BM-01BA-G101	664746	Selector A22NK Ø22, Key type S, 2 position, bezel plastic, MANUAL, RELEASE pos	21,82
A22NK-2BL-01BA-G002	660037	Selector A22NK Ø22, Key type S, 2 position, bezel plastic, AUTO RESET ON LEFT,	27,07
A22NK-2BM-01AA-G100	665804	Selector A22NK Ø22, Key type S, 2 position, bezel plastic, MANUAL, RELEASE pos	27,07
A22NK-2RM-01AA-G101	665735	Selector A22NK Ø22, Key type S, 2 position, bezel metal, MANUAL, RELEASE pos	30,07
A22NK-3BM-01AA-G111	663918	Selector A22NK Ø22, Key type S, 3 position, bezel plastic, MANUAL, RELEASE pos	30,07
A22NK-2BM-01AA-P102	673635	Selector A22NK Ø22, tipo llave , 2 posiciones, plástico, manual, 1NO1NC, push-	25,97
A22K-2AL	141519	Cabeza selector llave 2 pos auto izda.	29,28
A165K-J3M	142201	Selector llave rectangular 3 posiciones	52,55
A165K-T2M	146601	Pulsador Llave 2 Posiciones Rearme Manual	52,55
A165K-A2M	155169	Selector, cuadrado, tipo llave, 2 posiciones mantenido IP65	52,55
A165K-A2ML	160656	Selector llave cuadrado 2 posiciones Izquierda	52,55
A165K-A2MR	160657	Selector llave cuadrado 2 posiciones Derecha	50,80
A165K-A3M	160658	Selector, cuadrado, tipo llave, 3 posiciones mantenido IP65	49,00
A165K-A3MC	160659	Selector, cuadrado, tipo llave, 3 posiciones mantenido IP65	50,85
A165K-A3ML	160660	Selector, cuadrado, tipo llave, 3 posiciones mantenido IP65	50,85
A165K-A3MR	160661	Selector llave cuadrado 3 posiciones Derecha	50,80
A165K-J2AL	160662	Selector llave rectangular 2 posiciones Momentáneo	52,55
A165K-J2M	160663	Selector llave rectangular 2 posiciones	52,55
A165K-J2ML	160664	Selector llave rectangular 2 posiciones Izquierda	52,55
A165K-J2MR	160665	Selector llave rectangular 2 posiciones Derecha	52,55
A165K-J3AC	160666	Selector llave rectangular 3 posiciones automático	49,32
A165K-J3MC	160667	Selector llave rectangular 3 posiciones Centro	52,55
A165K-T2AL	160669	Interruptor de llave,2 posiciones, rearme automático izquierda	52,55

OMRON PVPR 2023

A165K-T2ML	160670	Pulsador/indicador 16mm	52,55
A165K-T2MR	160671	Pulsador Llave 2 Posiciones Rearme Manual derecha	52,55
A165K-T3AC	160672	Selector tipo llave, 16mm , rectangular, 3 posiciones, mantenido, DPDT, IP65	52,55
A165K-T3M	160673	Pulsador Llave 3 Posiciones Rearme Manual	52,55
A22NZ-2BM-01CA	666638	Select.llave 22mm, 2 Posiciones, Plástico, MANUAL, Extracción DER.	20,92
A22NZ-2MM-01BA	664883	Select.llave 22mm, 2 Posiciones, Metal, MANUAL, Extracción IZDA.	23,54
A22NZ-3BB-01DA	659866	Select.llave 22mm, 3 Posiciones, Plástico, RESET AUTO.IZQ/DCHA, Extracción CE	22,23
A22NZ-2BM-01BA	664829	Select.llave 22mm, 2 Posiciones, Plástico, MANUAL, Extracción IZQ.	20,92
A22NZ-3BM-01DA	661995	Select.llave 22mm, 3 Posiciones, Plástico, MANUAL, Extracción CENTRO	22,23
A22NZ-3BM-01BA	666772	Selector A22NZ Ø22, llave de tipo S, 3 posiciones, bisel de plástico, manual, posi	22,23
A22NZ-2BM-01AA	662748	Select.llave 22mm, 2 Posiciones, Plástico, MANUAL, Extracción TODAS	20,92
A22NZ-2MM-01AA	664828	Select.llave 22mm, 2 Posiciones, Metal, MANUAL, Extracción TODAS	23,54
A22NZ-3MM-01AA	662037	Select.llave 22mm, 3 Posiciones, Metal, MANUAL, Extracción TODAS	24,85
A22NZ-3MM-01GA	665786	Select.llave 22mm, 3 Posiciones, Metal, MANUAL, Extracción IZDA/DCHA.	24,85
A22NZ-2BL-01BA	661994	Select.llave 22mm, 2 Posiciones, Plástico, RESET AUTO.IZQ, Extracción IZQ,LEFT	20,92
A22NZ-3BM-01AA	664886	Select.llave 22mm, 3 Posiciones, Plástico, MANUAL, Extracción TODAS	22,23
A22NZ-3MB-01DA	661750	Selector A22NZ Ø22, Key type S, 3 position, bezel brushed M, AUTO RESET ON L	17,27
A22NZ-3MM-01DA	665568	Select.llave 22mm, 3 Posiciones, Metal, MANUAL, Extracción CENTRO	24,85
A22NZ-2RM-01AA	665708	Selector A22NZ Ø22, tipo S, 2 posiciones, metal, reset manual todas posiciones	17,18
A22NZ-2RL-01BA	662041	Select.llave 22mm, 2 Posiciones, Metal brillante, RESET AUTO.IZQ, Extracción IZQ	23,54
A2W-TB-WC1 EU1BR	685461	Wireless Mushroom button, dia. 40 mm, EU Frequency 868.3 MHz, Button/flang	150,90
A2W-TB-WC1 EU2RB	685462	Botón de protección completa inalámbrico, diám. 34,4 mm, frecuencia UE 868,3	144,60
A2W-TB-WC1 EU2GB	685463	Botón de protección completa inalámbrico, diám. 34,4 mm, frecuencia UE 868,3	144,60
A2W-TB-WC1 EU1GB	685464	Botón de seta inalámbrico, diám. 40 mm, frecuencia UE 868,3 MHz, colores de b	150,90
A2W-TB-WC1 EU1YB	685465	Botón de seta inalámbrico, diám. 40 mm, frecuencia de la UE 868.3 MHz, colore	150,90
A2W-TB-WC1 EU1AB	685466	Botón de seta inalámbrico, diám. 40 mm, frecuencia UE 868,3 MHz, colores de b	150,90
A2W-TB-WC1 EU2WB	685467	Botón de protección completa inalámbrico, diám. 34.4 mm, frecuencia UE 868.3	144,60
A2W-TB-WC1 EU2BR	685468	Wireless Full guard button, dia. 34.4 mm, EU frequency 868.3 MHz, Button/flan	144,60
A2W-TB-WC1 EU1BB	688933	Wireless Mushroom button, dia. 40 mm, EU Frequency 868.3 MHz, Button/flang	150,90
A2W-TB-WC1 EU1BY	685469	Wireless Mushroom button, dia. 40 mm, EU frequency 868.3 MHz, Button/flang	150,90
A2W-TB-WC1 EU2YB	685470	Wireless Full guard button, dia. 34.4 mm, EU frequency 868.3 MHz, Button/flan	144,60
A2W-TB-WC1 EU2AB	685471	Botón de protección completa inalámbrico, diám. 34,4 mm, frecuencia UE 868,3	144,60
A2W-TB-WC1 EU1RB	685472	Botón de protección completa inalámbrico, diám. 40 mm, frecuencia UE 868,3 N	150,90

OMRON PVPR 2023

A2W-TB-WC1 EU1WB	685473	Wireless Mushroom button, dia. 40 mm, EU frequency 868.3 MHz, Button/flang	150,90
A2W-TB-WC1 EU2BB	687789	Wireless Full guard button, dia. 34.4 mm, EU frequency 868.3 MHz, Button/flang	144,60
A2W-TB-WC1 EU2BY	685475	Wireless Full guard button, dia. 34.4 mm, EU frequency 868.3 MHz, Button/flan	144,60
CS1W-MC421-V1	171092	Motion Control 4 ejes analógicos CS1	8 015,00
CS1W-MC221-V1	171093	Motion Control 2 ejes CS1	4 580,00
3F88L-RS17	100021	Resolver 3000 rpm eje D10mm	2 607,00
3F88L-RL10	100029	Acoplamiento a resolver D10mm	123,50
G3PA-420B-VD-2 12-24VDC	124813	20A 180-400Vca Carril DIN Indicador	123,80
G3PA-450B-VD-2 12-24VDC	124814	SSR, 1 ph, con disipador térmico, 50 A (180-400 VAC), paso por cero, 12-24 VDC	267,10
G3PA-430B-VD-2 12-24VDC	124815	SSR, 1 ph, con disipador térmico, 30 A (200-480 VAC), paso por cero, 12-24 VDC	213,90
G3PH-5075B 5-24VDC	355575	75A 180-480Vca Panel Con disp. Paso por Cero Fotoaclopador Indicador	744,00
G3PH-5150B 5-24VDC	355576	150A 180-480Vca Panel Con disp. Paso por Cero Fotoaclopador Indicador	1 131,00
G3PH-5150B 100-240VAC	355578	150A 180-480Vca Panel Con disp. Paso por Cero Fotoaclopador Indicador	1 131,00
G3PH-2150B 5-24VDC	355579	150A 100-240Vca Panel Con disp. Paso por Cero Fotoaclopador Indicador	996,50
G3PH-5150BL 5-24VDC	355583	150A 180-480Vca Panel Con disp. Sin Paso por Cero Fotoaclopador Indicador	1 131,00
G3PE-545B 12-24VDC	375390	45A 200-480Vca Monofásico C DIN Con disp. Func. Paso por Cero	145,10
G3PE-235B 12-24VDC	375391	35A 100-240Vca Monofásico C DIN Con disp. Func. Paso por Cero	95,75
G3PE-245B 12-24VDC	375392	45A 100-240Vca Monofásico C DIN Con disp. Func. Paso por Cero	115,70
G3PE-235BL 12-24VDC	375393	Relé Estado Sólido 35A 100-240Vca Monofásico C DIN Con disp.	95,75
G3PE-245BL 12-24VDC	375394	Relé Estado Sólido 45A 100-240Vca Monofásico C DIN Con disp.	129,10
G3PE-515B 12-24VDC	375395	15A 200-480Vca Monofásico C DIN Con disp. Func. Paso por Cero	113,10
G3PE-525B 12-24VDC	375396	25A 200-480Vca Monofásico C DIN Con disp. Func. Paso por Cero	117,00
G3PE-535B 12-24VDC	375397	35A 200-480Vca Monofásico C DIN Con disp. Func. Paso por Cero	127,70
G3PE-545BL 12-24VDC	375401	Solid State Relay, 1-pole, DIN-track mounting, w/o zero cross, 45 A, 528 VAC ma	143,70
G3PE-225B-2 12-24VDC	375403	Relé Estado Sólido 25A 100-240Vca 2 polos Tornillos Con disp.	190,10
G3PE-245B-2 12-24VDC	375405	Solid-State relay, 2-pole, screw mounting, 45A, 264VAC max	268,20
G3PE-215B-3 12-24VDC	375406	15A 100-240Vca 3 Fases Carril DIN Con disp.	208,60
G3PE-225B-3 12-24VDC	375407	Relé Estado Sólido 25A 100-240Vca 3 polos Tornillos Con disp.	239,00
G3PE-515B-2 12-24VDC	375410	15A 200-480Vac 3 fases montaje tornillo con disipador	190,10
G3PE-515B-3 12-24VDC	375414	15A 200-480Vca Trifásico Montaje Tornillo Con disp.	223,30
G3PE-525B-3 12-24VDC	375415	25A 200-400Vca Trifásico Con disp.	297,40
G3PE-535B-3 12-24VDC	375416	35A 200-400Vca Trifásico Con disp.	357,00
G3PE-545B-3 12-24VDC	375417	45A 200-480Vca Trifásico Montaje Tornillo Con disp.	396,90

OMRON PVPR 2023

G3PE-215B-2N 12-24VDC	375418	Relé Estado Sólido 12-24Vda 2 polos Carril DIN Con disp.	210,10
G3PE-225B-2N 12-24VDC	375419	Relé Estado Sólido 25A 100-240Vca 2 polos Carril DIN Con disp.	259,30
G3PE-235B-2N 12-24VDC	375420	SSR, 2-pole, DIN-track mounting, 35A, 264VAC max	306,10
G3PE-215B-3N 12-24VDC	375422	15A 100-240Vca 3 Fases Carril DIN Con disp.	268,50
G3PE-225B-3N 12-24VDC	375423	Relé Estado Sólido 25A 100-240Vca 3 Fases Carril DIN Con disp.	304,20
G3PE-235B-3N 12-24VDC	375424	Relé Estado Sólido 35A 100-240Vca 3 Fases Carril DIN Con disp.	378,30
G3PE-245B-3N 12-24VDC	375425	Relé Estado Sólido 45A 100-240Vca 3 Fases Carril DIN Con disp.	418,20
G3PE-515B-2N 12-24VDC	375426	15a 200-480Vca 3 Fases Carril DIN Con disp.	190,10
G3PE-525B-2N 12-24VDC	375427	25A 200-480Vca 2 Fases Carril DIN Con disp.	227,30
G3PE-535B-2N 12-24VDC	375428	35A 200-480Vca 2 Fases Carril DIN Con disp. Func. Paso por Cero	326,50
G3PE-545B-2N 12-24VDC	375429	45A 200-480Vca 3 Fases 2 polos Carril DIN Con disp. Con paso x cero	312,00
G3PE-515B-3N 12-24VDC	375430	15A 200-480Vca Trifásico Carril DIN Con disp.	235,20
G3PE-525B-3N 12-24VDC	375431	25A 200-480Vca Trifásico Carril DIN Con disp.	310,90
G3PE-535B-3N 12-24VDC	375432	35A 200-480Vca Trifásico Carril DIN Con disp.	346,70
G3PE-545B-3N 12-24VDC	375433	45A 200-480Vca Trifásico Carril DIN Con disp.	390,40
G3PE-535B-2H 12-24VDC	375444	Solid-State relay, 2-pole 35A, 528VAC max	179,40
G3PE-515B-3H 12-24VDC	375446	15A 200-480Vca Trifásico Montaje Sin disp. Paso por Cero	206,70
G3PE-525B-3H 12-24VDC	375447	25A 200-480Vca Trifásico Carril DIN Sin disp.	282,80
G3PE-535B-3H 12-24VDC	375448	35A 200-480Vca Trifásico Carril DIN Sin disp. Paso por Cero	274,60
G3PE-545B-3H 12-24VDC	375449	45A 200-480Vca Trifásico Carril DIN Sin disp.	371,70
G3PA-240B-VD 5-24VDC	376268	40A 24-240Vca Carril DIN Indicador	105,10
G3PA-260B-VD 5-24VDC	376269	60A 24-240VAC Carril DIN Indicador	174,10
G3PA-420B-VD 12-24VDC	376270	20A 180-400Vca Carril DIN Indicador	105,10
G3PA-430B-VD 12-24VDC	376271	30A 180-400Vac Carril DIN Indicador	140,90
G3PE-215B 12-24VDC	376272	15A 100-240Vca Monofásico C DIN Con disp. Func. Paso por Cero	67,90
G3PE-225B 12-24VDC	376273	25A 100-240Vca Monofásico C DIN Con disp. Func. Paso por Cero	74,40
G3PE-215BL 12-24VDC	376274	15A 100-240Vcz 2 Fases Carril DIN Con disp.	67,90
G3PE-225BL 12-24VDC	376275	25A 100-240Vca Monofásico C DIN Con disp.	74,40
G3PJ-225B DC12-24	669893	Relé Estado Sólido 27A 24-240Vca Monofásico Carril DIN Con disp.	75,35
G3PJ-215B-PU DC12-24	669912	Relé Estado Sólido 18A 24-240Vca Monofásico Carril DIN Con disp. Push-in+	71,35
G3PJ-525B-PU DC12-24	669913	Relé Estado Sólido 27A 100-480Vca Monofásico Carril DIN Con disp. Push-in+	123,00
G3PJ-515B DC12-24	669945	Relé Estado Sólido 23A 100-480Vca Monofásico Carril DIN Con disp.	114,50
G3PJ-225B-PU DC12-24	669857	Relé Estado Sólido 27A 24-240Vca Monofásico Carril DIN Con disp. Push-in+	78,50

OMRON PVPR 2023

G3PJ-515B-PU DC12-24	669883	Relé Estado Sólido 23A 100-480Vca Monofásico Carril DIN Con disp. Push-in+	119,20
G3PJ-215B DC12-24	669862	Relé Estado Sólido 18A 24-240Vca Monofásico Carril DIN Con disp.	68,75
G3PJ-525B DC12-24	669932	Relé Estado Sólido 27A 100-480Vca Monofásico Carril DIN Con disp.	118,60
G3J-S403BL 12-24VDC	105503	Arrancador estático 0.75KW 2.4A G3JS	288,40
G3R-IAZR1SN-UTU 100-240VAC	124670	Entrada 15mA 100-240Vca fotoacoplador	40,95
G3R-IDZR1SN-UTU 12-24VDC	124671	Entrada 8mA 12-24Vcc fotoacoplador UTU	33,18
G3R-IDZR1SN-1-UTU 12-24VDC	124672	SSR (entrada), enchufable, 0.1-100 mA (4-32 VDC), baja velocidad (10 Hz) 12-24	40,28
G3R-OA202SLN-UTU 5-24VDC	124673	Salida 2A 75-264Vca fototriac UTU	34,56
G3R-OA202SZN-UTU 5-24VDC	124674	Salida 0.05-2A 75-264Vca fototriac UTU	37,94
G3R-ODX02SN-UTU 5-24VDC	124675	Salida 0.01-2A 12-24Vcc fotoacoplador	35,34
G3R-OD201SN-UTU 5-24VDC	124676	Salida 1,5A 5-24Vcc fotoacoplador	35,34
G3H-203S-VD 4-24VDC	125103	SSR, 200VAC, 3A, plug-in	93,05
G3J-211BL 12-24VDC	125116	Simple solid state contactor, 200VAC, 11.1A, screw terminals	336,00
G3J-205BL 100-240VAC	125117		355,70
G3J-S211BL 12-24VDC	125118	Arrancador estático 2.2KW 11.1A G3JS	224,60
G3J-S205BL 12-24VDC	125119	Arrancador estático 0.75KW 4.8A G3JS	188,70
G3J-S405BL 12-24VDC	125120	Arrancador estático 2.2KW 5.5A Arranque suave	341,10
G3J-T403BL 12-24VDC	125124	Arrancador estático 0.75KW 2.4A G3JT	303,00
G3J-T405BL 12-24VDC	125125	Arrancador estático 2.2KW 5.5A Arranque/parada suave	355,80
G3F-203SN-VD 5-24VDC	125181	3A 100-240Vca Paso por cero Enchufable	33,87
G3R-IDZR1SN-UTU 5VDC	145210	Microrruptor miniatura	38,74
G3J-205BL 12-24VDC	152000	Simple solid state contactor, 200VAC, 4.8A, screw terminals	336,00
G3H-203SN-VD 5-24VDC	153254	Rele de estado sólido fototriac para base	93,05
G3F-202SN-VD 200/220VAC	166344	3A 100-110Vca Paso por cero Enchufable	31,39
G3NE-210T-US 5VDC	166401	10A 100-240Vca Paso por cero Fototriac	19,93
G3NA-240B-UTU 100-120VAC	169611	40A 24-240Vca Indic. fotoacoplador	102,10
G3FD-X03SN-VD 5-24VDC	228650	3A 50Vcc Enchufable	34,41
G3NE-220T-US 24VDC	230921	20A 100-240Vca Paso por cero Fototriac	29,16
G3PF-235B-STB 24VDC	242972	35A 240VAC 2 Salidas Conector Tornillos Extraible	325,40
G3PF-535B-STB 24VDC	242974	35A 200-480VAC 2 Salidas Conector Tornillos Extraible	381,10
G3PF-235B-CTB 24VDC	242976	35A 240VAC 2 Salidas Teminales Conexión Rápida	325,40
G3PF-225B 24VDC	242978	25A 240VAC 1Salida Tornillos	243,20
G3PF-235B 24VDC	242979	35A 240VAC 1 Salida Tornillos	267,10

OMRON PVPR 2023

G3PF-525B 24VDC	242980	25A 480Vca 1 Salida Tornillos	272,30
G3NE-210TL-US 12VDC	248861	10A 100-240Vca Fototriac	25,77
G3NE-220TL-US 12VDC	248910	20A 100-240Vca Fototriac	29,62
G3FD-102SN-VD 100/110VAC	249350	Solid state relay, 100VDC, 2A, plug-in, LED indicator, 100-110 VAC input	48,75
G3FD-102SN-VD 5-24VDC	249352	Enchufable 2A indicador	37,02
G3FD-X03S-VD 4-24VDC	249354		53,05
G3NE-220T-US 12VDC	323248	20A 100-240Vca Paso por cero Fototriac	29,62
G3R-202PN-2 24VDC	323249	Relé Estado Sólido	33,47
G3RV-202S 12VDC	323540	SSR 2A c.a. Función paso por cero Fototriac	25,72
G3RV-202S 24VDC	323541	SSR 2A c.a. Función paso por cero Fototriac	34,41
G3RV-202S 48VDC	323542	SSR 2A c.a. Función paso por cero Fototriac	34,41
G3RV-D03SL 12VDC	323546	SPST Relé 6mm Para Base 3A 5-24 Vcc	33,75
G3RV-D03SL 24VDC	323547	SPST Relé Borna Para Base 3A 5-24 Vcc	34,41
G3RV-D03SL 48VDC	323548	Relé de estado sólido, enchufable, 5 pines, 3 A, 5 a 24 V CC	34,41
G3RV-SL500-D 230VAC	323549	MOS FET 3A rele borna +base presión 230Vac	55,85
G3NE-210T-US 24VDC	351849	10A 100-240Vca Paso por cero Fototriac	26,31
G3HD-202SN-VD 12-24VDC	352885	Rele de estado sólido fotoacoplador para base	194,90
G3NA-290B-UTU-2 100-240VAC	355228	90A 24-240Vca Indic. Fotoacoplador	102,10
G3NA-210B-UTU 5-24VDC	377386	Relé de estado sólido, montaje en superficie, paso por cero, 1 polo, 10 A, de 24	42,71
G3NA-220B-UTU 5-24VDC	377387	Relé de estado sólido, montaje en superficie, paso por cero, 1 polo, 20 A, de 24	63,70
G3NA-240B-UTU 5-24VDC	377388	Relé de estado sólido, montaje en superficie, paso por cero, 1 polo, 40 A, de 24	81,70
G3NA-425B-UTU-2 5-24VDC	377389	Relé de estado sólido, montaje en superficie, paso por cero, 1 polo, 25 A, de 200	85,80
G3NA-450B-UTU-2 5-24VDC	377390	Relé de estado sólido, montaje en superficie, paso por cero, 1 polo, 50 A, de 200	104,90
G3F-203SLN-VD 24VDC	418884	SSR,enchufable , 3 A (100-240 VAC), 24 VDC	32,57
G3NE-210T-US 12VDC	679635	10A 100-240Vca Paso por cero Fototriac 12Vcc	31,39
G3NE-205T-US 24VDC	679639	Compact SSR, 5 A, 264 VAC max, zero cross over	30,09
G3BD-103S-VD 5-24VDC	679638	SSR enchufable, 3A/5...110 VCC	99,50
G3F-202SN-VD 100/110VAC	679769	Relé de estado sólido, enchufable, paso cero, 1 polo, 2 A, 100-110 VCA	52,30
G3H-203SLN-VD 24VDC	679784	Relé de estado sólido, 100..240 VAC, 3 A, terminales enchufables, equipados con	96,20
G3HD-X03SN-VD 5-24VDC	679783	Relé de estado sólido, 4 a 48 VCC, 3 A, terminales de conexión, equipado con ind	108,70
G3RV-SR500-D 110VAC	669940	MOS FET 3A Relé borna+Base Push-in+ 110Vca	55,25
G3RV-SR500-D 200VAC	669905	MOS FET 3A Relé borna+Base Push-in+ 200Vca	55,25
G3RV-SR500-A 24VDC	669922	TRIAC 2A Relé borna+Base Push-in+ 24Vcc Con paso por cero	49,11

OMRON PVPR 2023

G3RV-SR500-AL 230VAC	669884	TRIAC 2A Relé borna+Base Push-in+ 230Vca Sin paso por cero	56,55
G3RV-SR500-AL 24VAC/DC	669886	TRIAC 2A Relé borna+Base Push-in+ 24Vca/cc Sin paso por cero	51,15
G3RV-SR700-AL 24VDC	669899	TRIAC 2A Relé borna+Base Tornillos 24Vcc Sin paso por cero	49,11
G3RV-SR700-AL 100VAC	669885	TRIAC 2A Relé borna+Base Tornillos 100Vca Sin paso por cero	54,45
G3RV-SR700-AL 200VAC	669855	TRIAC 2A Relé borna+Base Tornillos 200Vca Sin paso por cero	54,45
G3RV-SR500-D 48VAC/DC	669937	MOS FET 3A Relé borna+Base Push-in+ 48Vca/cc	49,66
G3RV-SR500-A 110VAC	669896	TRIAC 2A Relé borna+Base Push-in+ 110Vca Con paso por cero	51,15
G3RV-SR500-AL 24VDC	669933	TRIAC 2A Relé borna+Base Push-in+ 24Vcc Sin paso por cero	51,15
G3RV-SR500-AL 100VAC	669897	TRIAC 2A Relé borna+Base Push-in+ 100Vca Sin paso por cero	56,55
G3RV-SR700-D 230VAC	669882	MOS FET 3A Relé borna+Base Tornillos 230Vca	53,15
G3RV-SR700-AL 110VAC	669904	TRIAC 2A Relé borna+Base Tornillos 110Vca Sin paso por cero	54,45
G3RV-SR500-D 12VDC	669888	MOS FET 3A Relé borna+Base Push-in+ 12Vcc	49,66
G3RV-SR500-D 230VAC	669890	MOS FET 3A Relé borna+Base Push-in+ 230Vca	55,25
G3RV-SR700-D 200VAC	669931	MOS FET 3A Relé borna+Base Tornillos 200Vca	53,15
G3RV-SR700-A 12VDC	669906	TRIAC 2A Relé borna+Base Tornillos 12Vcc Con paso por cero	46,47
G3RV-SR700-A 230VAC	669907	TRIAC 2A Relé borna+Base Tornillos 230Vca Con paso por cero	49,11
G3RV-SR700-AL 12VDC	669918	TRIAC 2A Relé borna+Base Tornillos 12Vcc Sin paso por cero	49,11
G3RV-SR700-AL 48VAC/DC	669878	TRIAC 2A Relé borna+Base Tornillos 48Vca/cc Sin paso por cero	49,11
G3RV-SR500-D 24VAC/DC	669860	MOS FET 3A Relé borna+Base Push-in+ 24Vca/cc	49,66
G3RV-SR500-A 230VAC	669903	TRIAC 2A Relé borna+Base Push-in+ 230Vca Con paso por cero	51,15
G3RV-SR500-A 48VAC/DC	669942	TRIAC 2A Relé borna+Base Push-in+ 48Vca/cc Con paso por cero	48,33
G3RV-SR500-AL 110VAC	669914	TRIAC 2A Relé borna+Base Push-in+ 110Vca Sin paso por cero	56,55
G3RV-SR700-D 12VDC	669892	MOS FET 3A Relé borna+Base Tornillos 12Vcc	47,81
G3RV-SR700-D 110VAC	669887	MOS FET 3A Relé borna+Base Tornillos 110Vca	53,15
G3RV-SR700-D 48VAC/DC	669864	MOS FET 3A Relé borna+Base Tornillos 48Vca/cc	47,81
G3RV-SR700-A 48VAC/DC	669935	TRIAC 2A Relé borna+Base Tornillos 48Vca/cc Con paso por cero	46,47
G3RV-SR700-AL 230VAC	669938	TRIAC 2A Relé borna+Base Tornillos 230Vca Sin paso por cero	54,45
G3RV-SR500-A 100VAC	669901	TRIAC 2A Relé borna+Base Push-in+ 100Vca Con paso por cero	51,15
G3RV-SR700-A 24VDC	669865	TRIAC 2A Relé borna+Base Tornillos 24Vcc Con paso por cero	46,47
G3RV-SR700-A 200VAC	669915	TRIAC 2A Relé borna+Base Tornillos 200Vca Con paso por cero	49,11
G3RV-SR500-D 100VAC	669929	MOS FET 3A Relé borna+Base Push-in+ 100Vca	55,25
G3RV-SR500-A 200VAC	669858	TRIAC 2A Relé borna+Base Push-in+ 200Vca Con paso por cero	51,15
G3RV-SR500-AL 12VDC	669920	TRIAC 2A Relé borna+Base Push-in+ 12Vcc Sin paso por cero	51,15

OMRON PVPR 2023

G3RV-SR700-D 24VDC	669919	MOS FET 3A Relé borna+Base Tornillos 24Vcc	47,81
G3RV-SR700-D 100VAC	669911	MOS FET 3A Relé borna+Base Tornillos 100Vca	53,15
G3RV-SR700-A 100VAC	669925	TRIAC 2A Relé borna+Base Tornillos 100Vca Con paso por cero	49,11
G3RV-SR700-A 24VAC/DC	669916	TRIAC 2A Relé borna+Base Tornillos 24Vca/cc Con paso por cero	46,47
G3RV-SR500-A 12VDC	669877	TRIAC 2A Relé borna+Base Push-in+ 12Vcc Con paso por cero	49,11
G3RV-SR500-A 24VAC/DC	669868	TRIAC 2A Relé borna+Base Push-in+ 24Vca/cc Con paso por cero	48,33
G3RV-SR500-AL 200VAC	669875	TRIAC 2A Relé borna+Base Push-in+ 200Vca Sin paso por cero	56,55
G3RV-SR500-AL 48VAC/DC	669917	TRIAC 2A Relé borna+Base Push-in+ 48Vca/cc Sin paso por cero	51,15
G3RV-SR700-D 24VAC/DC	669894	MOS FET 3A Relé borna+Base Tornillos 24Vca/cc	47,81
G3RV-SR700-A 110VAC	669934	TRIAC 2A Relé borna+Base Tornillos 110Vca Con paso por cero	49,11
G3RV-SR500-D 24VDC	669870	MOS FET 3A Relé borna+Base Push-in+ 24Vcc	49,66
G3RV-SR700-AL 24VAC/DC	669856	TRIAC 2A Relé borna+Base Tornillos 24Vca/cc Sin paso por cero	49,11
G3DZ-F4PU DC12	687951	Solid-state relay, PCB terminal, 4-pin, SPST-NO, 0.6 A, 12 VDC with push-in plus socket	234,10
G3DZ-F4PU DC24	687950	Solid-state relay, PCB terminal, 4-pin, SPST-NO, 24VDC with push-in plus socket	234,10
G3NA-205B-UTU 5-24VDC	690651	Relé de estado sólido, montaje en superficie, paso por cero, 1 polo, 5 A, de 24 a 240 Vca	42,83
G3NA-225B-UTU 5-24VDC	690650	Relé de estado sólido, montaje en superficie, paso por cero, 1 polo, 25 A, de 24 a 240 Vca	73,55
G3NA-205B-UTU 100-240VAC	690649	Relé de estado sólido, montaje en superficie, paso por cero, 1 polo, 5 A, de 24 a 240 Vca	55,65
G3NA-210B-UTU 100-240VAC	690648	Relé de estado sólido, montaje en superficie, paso por cero, 1 polo, 10 A, de 24 a 240 Vca	65,95
G3NA-220B-UTU 100-240VAC	690647	Relé de estado sólido, montaje en superficie, paso por cero, 1 polo, 20 A, de 24 a 240 Vca	72,20
G3NA-225B-UTU 100-240VAC	690646	Relé de estado sólido, montaje en superficie, paso por cero, 1 polo, 25 A, de 24 a 240 Vca	81,70
G3NA-240B-UTU 100-240VAC	690645	Relé de estado sólido, montaje en superficie, paso por cero, 1 polo, 40 A, de 24 a 240 Vca	102,10
G3NA-250B-UTU 5-24VDC	690644	Relé de estado sólido, montaje en superficie, paso por cero, 1 polo, 50 A, de 24 a 240 Vca	83,15
G3NA-250B-UTU 100-240VAC	690643	Relé de estado sólido, montaje en superficie, paso por cero, 1 polo, 50 A, de 24 a 240 Vca	96,70
G3NA-275B-UTU-2 5-24VDC	690642	Relé de estado sólido, montaje en superficie, paso por cero, 1 polo, 75 A, de 24 a 240 Vca	87,15
G3NA-275B-UTU-2 100-240VAC	690641	Relé de estado sólido, montaje en superficie, paso por cero, 1 polo, 75 A, de 24 a 240 Vca	87,15
G3NA-290B-UTU-2 5-24VDC	690640	Relé de estado sólido, montaje en superficie, paso por cero, 1 polo, 90 A, de 24 a 240 Vca	102,10
G3NA-290B-UTU-2 100-240VAC	690639	90A 24-240Vca Indic. Fotoacoplador	102,10
G3NA-410B-UTU 5-24VDC	690638	Relé de estado sólido, montaje en superficie, paso por cero, 1 polo, 10 A, de 200 to 480 VAC	76,25
G3NA-420B-UTU 5-24VDC	690655	Solid state relay, surface mounting, zero crossing, 1-pole, 20 A, 200 to 480 VAC	85,80
G3NA-420B-UTU 100-240VAC	690654	Solid state relay, surface mounting, zero crossing, 1-pole, 20 A, 200 to 480 VAC	95,30
G3NA-425B-UTU-2 100-240VAC	690636	Relé de estado sólido, montaje en superficie, paso por cero, 1 polo, 25 A, de 200 to 480 VAC	95,30
G3NA-440B-UTU-2 5-24VDC	690653	Solid state relay, surface mounting, zero crossing, 1-pole, 40 A, 200 to 480 VAC	102,50
G3NA-440B-UTU-2 100-240VAC	690652	Solid state relay, surface mounting, zero crossing, 1-pole, 40 A, 200 to 480 VAC	105,60

OMRON PVPR 2023

G3NA-450B-UTU-2 100-240VAC	690635	Relé de estado sólido, montaje en superficie, paso por cero, 1 polo, 50 A, de 200	107,60
G3NA-475B-UTU-2 5-24VDC	690634	Relé de estado sólido, montaje en superficie, paso por cero, 1 polo, 75 A, de 200	119,90
G3NA-490B-UTU-2 5-24VDC	690632	Relé de estado sólido, montaje en superficie, paso por cero, 1 polo, 90 A, de 200	141,70
G3NA-490B-UTU-2 100-240VAC	690631	Relé de estado sólido, montaje en superficie, paso por cero, 1 polo, 90 A, de 200	154,00
G3NA-D210B-UTU 5-24VDC	690630	Relé de estado sólido, montaje en superficie, 1 polo, 10 A, de 5 a 200 V CC	65,00
G3NA-D210B-UTU 100-240VAC	690629	Relé de estado sólido, montaje en superficie, 1 polo, 10 A, de 5 a 200 V CC	77,70
G3RV-ST500-A 24VAC/DC	708541	TRIAC 2A Relé borna+Base Push-in+ 24Vca/cc Con paso por cero	48,33
G3RV-ST500-A 48VAC/DC	708542	TRIAC 2A Relé borna+Base Push-in+ 48Vca/cc Con paso por cero	48,33
G3RV-ST500-A 110VAC	708543	TRIAC 2A Relé borna+Base Push-in+ 110Vca Con paso por cero	51,15
G3RV-ST500-A 230VAC	708544	TRIAC 2A Relé borna+Base Push-in+ 230Vca Con paso por cero	51,15
G3RV-ST500-A 12VDC	708545	TRIAC 2A Relé borna+Base Push-in+ 12Vcc Con paso por cero	49,11
G3RV-ST500-A 24VDC	708546	TRIAC 2A Relé borna+Base Push-in+ 24Vcc Con paso por cero	49,11
G3RV-ST500-AL 24VAC/DC	708547	TRIAC 2A Relé borna+Base Push-in+ 24Vca/cc Sin paso por cero	51,15
G3RV-ST500-AL 48VAC/DC	708548	TRIAC 2A Relé borna+Base Push-in+ 48Vca/cc Sin paso por cero	51,15
G3RV-ST500-AL 110VAC	708549	TRIAC 2A Relé borna+Base Push-in+ 110Vca Sin paso por cero	56,55
G3RV-ST500-AL 230VAC	708550	TRIAC 2A Relé borna+Base Push-in+ 230Vca Sin paso por cero	56,55
G3RV-ST500-AL 12VDC	708551	TRIAC 2A Relé borna+Base Push-in+ 12Vcc Sin paso por cero	51,15
G3RV-ST500-AL 24VDC	708552	TRIAC 2A Relé borna+Base Push-in+ 24Vcc Sin paso por cero	51,15
G3RV-ST500-D 24VAC/DC	708553	MOS FET 3A Relé borna+Base Push-in+ 48Vca/cc	49,66
G3RV-ST500-D 48VAC/DC	708554	MOS FET 3A Relé borna+Base Push-in+ 48Vca/cc	49,66
G3RV-ST500-D 110VAC	708555	MOS FET 3A Relé borna+Base Push-in+ 110Vca	55,25
G3RV-ST500-D 230VAC	708556	MOS FET 3A Relé borna+Base Push-in+ 230Vca	55,25
G3RV-ST500-D 12VDC	708557	MOS FET 3A Relé borna+Base Push-in+ 12Vcc	49,66
G3RV-ST500-D 24VDC	708558	MOS FET 3A Relé borna+Base Push-in+ 24Vcc	49,66
G3RV-ST700-A 24VAC/DC	708559	TRIAC 2A Relé borna+Base Tornillos 24Vca/cc Con paso por cero	46,47
G3RV-ST700-A 48VAC/DC	708560	TRIAC 2A Relé borna+Base Tornillos 48Vca/cc Con paso por cero	46,47
G3RV-ST700-A 110VAC	708561	TRIAC 2A Relé borna+Base Tornillos 110Vca Con paso por cero	49,11
G3RV-ST700-A 230VAC	708562	TRIAC 2A Relé borna+Base Tornillos 230Vca Con paso por cero	49,11
G3RV-ST700-A 12VDC	708563	TRIAC 2A Relé borna+Base Tornillos 12Vcc Con paso por cero	46,47
G3RV-ST700-A 24VDC	708564	TRIAC 2A Relé borna+Base Tornillos 24Vcc Con paso por cero	46,47
G3RV-ST700-AL 24VAC/DC	708565	TRIAC 2A Relé borna+Base Tornillos 24Vca/cc Sin paso por cero	49,11
G3RV-ST700-AL 48VAC/DC	708566	TRIAC 2A Relé borna+Base Tornillos 48Vca/cc Sin paso por cero	49,11
G3RV-ST700-AL 110VAC	708567	TRIAC 2A Relé borna+Base Tornillos 110Vca Sin paso por cero	54,45

OMRON PVPR 2023

G3RV-ST700-AL 230VAC	708568	TRIAC 2A Relé borna+Base Tornillos 230Vca Sin paso por cero	54,45
G3RV-ST700-AL 12VDC	708569	TRIAC 2A Relé borna+Base Tornillos 12Vcc Sin paso por cero	49,11
G3RV-ST700-AL 24VDC	708570	TRIAC 2A Relé borna+Base Tornillos 24Vcc Sin paso por cero	49,11
G3RV-ST700-D 24VAC/DC	708571	MOS FET 3A Relé borna+Base Tornillos 24Vca/cc	47,81
G3RV-ST700-D 48VAC/DC	708572	MOS FET 3A Relé borna+Base Tornillos 48Vca/cc	47,81
G3RV-ST700-D 110VAC	708573	MOS FET 3A Relé borna+Base Tornillos 110Vca	53,15
G3RV-ST700-D 230VAC	708574	MOS FET 3A Relé borna+Base Tornillos 230Vca	53,15
G3RV-ST700-D 12VDC	708575	MOS FET 3A Relé borna+Base Tornillos 12Vcc	47,81
G3RV-ST700-D 24VDC	708508	MOS FET 3A Relé borna+Base Tornillos 24Vcc	47,81
G3RV-ST500-D-H 24VDC	708601	Slimline SSR 6 mm, incl. socket, High Speed Switching type, operate time 0.2 ms	59,50
G3RV-ST700-D-H 24VDC	708600	Slimline SSR 6 mm, incl. socket, High Speed Switching type, operate time 0.2 ms	57,85
G3RV-ST500-D-H 24VAC/DC	708599	Slimline SSR 6 mm, incl. socket, High Speed Switching type, operate time 3 ms r	60,30
G3RV-ST700-D-H 24VAC/DC	708598	Slimline SSR 6 mm, incl. socket, High Speed Switching type, operate time 3 ms r	61,15
G3PW-A220EC-S-FLK	260076	20A Control de Fase 4-20mA Corriente Constante RS-485	532,50
G3PW-A220EU-C	260079	20A Control de Fase 4-20mA	463,20
G3PW-A245EU-C	260080	45A Control de Fase 4-20mA	564,50
G3PW-A260EU-C	260081	60A Control de Fase 4-20mA	593,50
G3PW-A220EU-S	260082	20A Control de Fase 4-20mA Terminales	451,40
G3PW-A245EU-S	260083	45A Control de Fase 4-20mA Terminales	564,50
G3PW-A220EC-C-FLK	260085	20A Control de Fase 4-20mA Corriente Constante RS-485	514,00
G3PW-A245EC-C-FLK	260086	45A Control de Fase 4-20mA Corriente Constante RS-485	622,00
G3PW-A260EC-C-FLK	260087	60A Control de Fase 4-20mA, control de corriente constante	644,50
LY2N 48VDC	103142	Relés enchufables industriales, DPDT, 10 A, LED indicator, 48 VDC	19,37
LY2I4N 24VAC	103143	DPDT 10A Enchuf./soldar Indic. Pulsador-prueba	20,15
LY3-0 240VAC	103146	Absoluto 360cpr BCD PNP 12-24Vcc Cable 2m	25,83
LY4I4N 230VAC	103147	4PDT 10A Enchuf./soldar Indic. Pulsador-prueba	28,42
MM4XP 100/110VDC	103149	4PDT 7,5A Enclav Carcasa Octal Conm4PDT utación DC	109,00
MY2 24VAC (S)	103514	DPDT 5A Enchuf./soldar	8,25
MY2N 24VDC (S)	103515	DPDT 10A Led indicador enchuf/soldar	9,66
MY4 24VAC (S)	103517	4PDT 5A Enchuf./soldar	10,41
MY4IN 48VDC (S)	103518	4PDT 5A indicador pulsador prueba enchuf/soldar	10,95
G2R-1-S 110VAC (S)	103539	SPDT 10A Enchuf.	6,01
LY2 48VDC	103958	DPDT 10A enchuf/soldar	16,47

OMRON PVPR 2023

LY4 100/110VAC	103960	4PDT 10A Enchuf./soldar	27,64
LY4 48VAC	103961	4PDT 10A Enchuf/soldar	28,18
G7J-4A-P 200/240VAC	103991	4NA 25A Term. PCB	64,00
MY2N 24VAC (S)	104348	DPDT 10A Led indicador enchuf/soldar	9,66
G7J-4A-P 24VAC	105418	4NA 25A Term. PCB	53,00
G7J-3A1B-B 200/240VAC	105513	3NA + 1NC 25A	70,20
G2R-2-SND 24VDC (S)	105724	DPDT 5A Enchuf. LED Indic. Diodo	12,52
MY4IN-CR 220/240VAC (S)	113963	4PDT 5A indicador pulsador prueba apagachispas	17,12
MY4N1 24VDC (S)	113966	4PDT 5A indicador Enchuf/soldar	11,76
MY4IN1 12VDC (S)	113969	4PDT 5A Ench/soldar Inversa Indic. Puls. Prueba	10,97
MY4IN1 100/110VDC (S)	113970	4PDT 5A Ench/soldar Inversa Indic. Puls. prueba	12,27
MY4IN1-D2 24VDC (S)	113975	4PDT 5A diodo b. inversa indicador prueba ench	14,03
MY4IN1-D2 100/110VDC (S)	113976	4PDT 5A diodo b. inversa indicador prueba ench	15,23
MY4Z 24VDC (S)	113980	Relé de Aplicación General	33,68
MY4ZN 110/120VAC (S)	113985	4PDT bifurcado 5A indicador Enchuf/soldar	24,66
MY4ZN 220/240VAC (S)	113986	4PDT bifurcado 5A indicador Enchuf/soldar	25,60
MY4ZN 24VDC (S)	113987	4PDT bifurcado 5A indicador Enchuf/soldar	24,66
MY4ZN 100/110VDC (S)	113989	4PDT bifurcado 5A indicador Enchuf/soldar	20,09
MY4ZIN 220/240VAC (S)	113995	4PDT bifurcado 5A LED indicador Puls. Prueba Enchuf/soldar	28,03
MY4ZIN 24VDC (S)	113998	4PDT bifurcado 5A LED indicador Puls. Prueba Enchuf/soldar	26,41
MY4ZIN1 24VDC (S)	114001	4PDT bifurcado bobina inversa 5A indicador Enchuf/soldar	41,60
MY4ZN-D2 24VDC (S)	114005	4PDT bifurcado 5A Indicador Puls. Enchuf/soldar	30,72
MY4ZN-D2 48VDC (S)	114006	4PDT bifurcado 5A Indicador Puls. Enchuf/soldar	30,17
MY2IN-D2 12VDC (S)	114010	DPDT 10A Enchuf./soldar LED Indic.Diodo Puls. Prueba	12,06
MY2IN-D2 48VDC (S)	114011	DPDT 10A, mecánico & LED indicador, botón de test, diodo, 48 VDC (A2"+")	12,40
MY2IN-D2 100/110VDC (S)	114012	Relé, enchufable, DPDT, 10 A, mecánico & LED indicador, botón de test, diodo,	12,35
MY2IN-CR 220/240VAC (S)	114013	DPDT 10A indicador pulsador prueba enchuf/soldar	16,80
MY2IN1 24VDC (S)	114020	DPDT 10A LED Indic. Puls. prueba Bobina inversa	8,90
MY2IN1 100/110VDC (S)	114022	DPDT 10A LED indicador Puls. prueba enchuf/soldar	12,86
MY2IN1-D2 100/110VDC (S)	114027	Relé, enchufable, DPDT, 10 A, mecánico & LED indicador, botón de test, diodo	12,47
MY4 12VAC (S)	114028	4PDT 3A enchuf/soldar	10,41
MY4 48/50VAC (S)	114029	4PDT 3A enchuf/soldar	10,41
MY4 12VDC (S)	114031	4PDT 3A enchuf/soldar	10,41

OMRON PVPR 2023

MY4 48VDC (S)	114032	4PDT 3A enchuf/soldar	10,41
MY4 100/110VDC (S)	114033	4PDT 3A enchuf/soldar	11,88
MY4N 24VAC (S)	114036	4PDT 5A indicador Enchuf/soldar	11,76
MY4N 48/50VAC (S)	114037	4PDT 5A indicador Enchuf/soldar	11,76
MY4N 24VDC (S)	114040	4PDT 5A indicador Enchuf/soldar	11,76
MY4N 48VDC (S)	114041	4PDT 5A indicador Enchuf/soldar	11,76
MY4N-D2 48VDC (S)	114042	4PDT 5A diodo indicador Enchuf/soldar	14,30
MY4N-D2 100/110VDC (S)	114043	4PDT 5A diodo indicador Enchuf/soldar	14,84
MY4N-CR 110/120VAC (S)	114044	4PDT LED 3A indicador Enchuf/soldar	25,20
MY4N-CR 220/240VAC (S)	114045	4PDT LED 3A indicador Circuito RC Enchuf/soldar	24,79
MY4IN 6VAC (S)	114046	Relé enchufable , 4PDT, 5 A, mech.& LED indicator, botón de test, 6 VAC	9,85
MY4IN 12VAC (S)	114047	4PDT 5A indicador pulsador prueba enchuf/soldar	10,95
MY4IN 24VAC (S)	114048	4PDT 5A Enchuf./soldar LED Indic. Pulsador prueba	10,95
MY4IN 48/50VAC (S)	114049	4PDT 5A indicador pulsador prueba enchuf/soldar	10,95
MY4IN 110/120VAC (S)	114050	4PDT 5A Enchuf./soldar LED Indic. Pulsador prueba	10,79
MY4IN 220/240VAC (S)	114051	4PDT 5A Enchuf./soldar LED Indic. Pulsador prueba	12,27
MY4IN 6VDC (S)	114052	4PDT 5A indicador pulsador prueba enchuf/soldar	10,95
MY4IN 12VDC (S)	114053	4PDT 5A indicador pulsador prueba enchuf/soldar	10,95
MY4IN 100/110VDC (S)	114054	4PDT 5A Enchuf/soldar LED Indic. Pulsador prueba	12,27
MY4IN-D2 12VDC (S)	114056	4PDT 5A Enchuf./soldar LED Indic. Diodo Puls. prueba	13,76
MY4IN-D2 48VDC (S)	114057	4PDT 5A mecánico & LED indicador, botón de test, diodo 48 VDC (A2"+")	14,03
MYQ4 110/120VAC	114065	4PDT	19,51
MYQ4 220/240VAC	114067	4PDT modelos de plástico sellado	19,51
MYQ4N 24VAC	114071	4PDT bifurcado plástico sellado con indicador	24,84
MYQ4N 48VAC	114076	4PDT bifurcado plástico sellado con indicador	24,84
MY2 6VAC (S)	114079	DPDT 5A enchuf/soldar	8,25
MY2 12VAC (S)	114080	DPDT 5A enchuf/soldar	8,25
MY2 220/240VAC (S)	114081	DPDT 10A Enchuf./soldar	9,66
MY2 12VDC (S)	114082	DPDT 5A enchuf/soldar	8,25
MY2 24VDC (S)	114083	DPDT 10A Enchuf./soldar	8,25
MY2 48VDC (S)	114084	DPDT 5A enchuf/soldar	8,25
MY2 100/110VDC (S)	114085	DPDT 10A indicador mecánico, 100/110 VDC	9,83
MY2N 110/120VAC (S)	114089	DPDT 10A Led indicador enchuf/soldar	11,28

OMRON PVPR 2023

MY2N 220/240VAC (S)	114090	DPDT 10A Led indicador enchuf/soldar	11,28
MY2N-D2 24VDC (S)	114095	DPDT 10A diodo indicador Led enchuf/soldar	10,87
MY2N-D2 48VDC (S)	114096	DPDT 10A diodo indicador Led enchuf/soldar	11,14
MY2N-CR 220/240VAC (S)	114098	DPDT 10A Led indicador enchuf/soldar Cto. RC	16,95
MY2IN 24VAC (S)	114099	DPDT 10A Enchuf./soldar LED Indic.Puls. prueba	8,90
MY2IN 48/50VAC (S)	114100	DPDT 10A indicador pulsador prueba enchuf/soldar	8,90
MY2IN 110/120VAC (S)	114101	DPDT 10A Enchuf./soldar LED Indic.Puls. prueba	8,90
MY2IN 6VDC (S)	114102	DPDT 10A Enchuf./soldar Indic. Pulsador-prueba	8,90
MY2IN 12VDC (S)	114103	DPDT 10A Enchuf./soldar LED Indic.Puls. prueba	8,90
MY2IN 48VDC (S)	114104	DPDT 10A indicador pulsador prueba enchuf/soldar	8,90
MY2K-02 24VDC	114143	DPDT 3A Enchuf/soldar Biestable	30,73
MYQ4 24VDC	114153	4PDT sin indicador ni pulsador	19,51
MY4-02 24VAC	114159	4PDT 5A Terminais PCB	11,64
MY4-02 12VDC	114160	4PDT 3A Term. PCB	10,71
MY4-02 48VDC	114161	4PDT 3A Term. PCB	10,71
MY4-02 48VAC	114162	4PDT 3A Term. PCB	11,64
MY4-02 110/120VAC	114163	4PDT 3A Term. PCB	10,32
MY4-02 220/240VAC	114164	4PDT 3A Term. PCB	12,17
MY3 24VAC	114395	3PDT 5A enchuf/soldar	14,97
MY3 12VDC	114400	3PDT 5A enchuf/soldar	14,97
MY3 24VDC	114401	3PDT 5A enchuf/soldar	14,97
MY3 100/110VDC	114403	3PDT 5A enchuf/soldar	15,78
MY3N 12VDC	114407	3PDT 5A enchuf/soldar	15,50
MY3N 24VDC	114408	3PDT 5A enchuf/soldar	16,32
MY3-US-SV 12VDC	114417	3PDT 5A enchuf/soldar	14,97
MY3 220/240VAC	114418	3PDT 5A	17,51
MY3N 110/120VAC	114420	3PDT 5A enchuf/soldar	16,32
MY3N 220/240VAC	114421	3PDT 5A enchuf/soldar	15,91
MY3-02 24VDC	114429	3PDT 5A Term. PCB	18,03
MY3-02 110/120VAC	114434	3PDT 5A Term. PCB	19,38
MY2-02USSV 24VAC	114476	DPDT 5A Term. PCB	10,32
MY2-02-US-SV 12VDC	114478	DPDT 5A Term. PCB	10,32
MY2-02-US-SV 24VDC	114479	DPDT 5A Term. PCB	10,32

OMRON PVPR 2023

MY2-02-US-SV 110/120VAC	114480	DPDT 5A Term. PCB	10,32
MY2-02-US-SV 220/240VAC	114481	DPDT 5A Term. PCB	11,51
MY2F 24VAC	114501	DPDT 5A enchufables/soldar montaje superior	9,91
MY2F 220/240VAC	114502	Relay, flange mount, 8-pin, DPDT, 10A	11,02
MY2F-US-SV 110/120VAC	114503	DPDT 5A enchufables/soldar montaje superior	18,31
MY2Z 24VDC	114555	RELE DE APLICACION GENERAL	16,45
MY2ZN 24VDC	114561	DPDT 5A Bifurcado	20,05
MY2ZN 220/240VAC	114583	DPDT 5A Bifurcado	20,84
MM3KP 100/110VDC	114588		146,50
MM3XKP 24VDC	114589	3PDT 5A Enclav Carcasa Octal Conmutación DC	146,30
MM3XKP 100/110VDC	114591	3PDT 5A Enclav Carcasa Octal Conmutación DC	146,30
MM4KP 110VAC	114592	4PDT 5A Enclav Carcasa Octal	199,50
MM4XKP 24VDC	114597	DPDT+DPST-NO 5A Enclav Carcasa Octal Conmutación DC	175,70
MM4XKP 100/110VDC	114599	4PDT 7,5A Enclav Carcasa Octal Conmutación DC	161,00
MM4XP 110VAC	114655	4PDT 7,5A Enclav Carcasa Octal Conmutación DC	115,70
MM4XP 125VDC	114658	4PDT 7,5A Enclav Carcasa Octal Conmutación DC	109,00
MM2KP 220VAC	114673	Relay, latching, plug-in, DPDT, 5A 220VAC/ 4A 24 VDC	49,51
MM2XKP 24VDC	114677	DPDT 15A Carga DC Carcasa Enchuf Octal	110,40
MM2P 24VAC	114696	DPDT 15A Carcasa Octal	75,85
MM2XP 24VDC	114703	DPDT 15A Carga DC Carcasa Enchuf Octal	83,80
MM2XP-D 100/110VDC	114708		88,20
MM2XPN 200/220VAC	114709	Relay, high stability, plug-in, operation indicator, DC switching, DPDT, 7.5A	98,40
MM2XPN 24VDC	114710	DPDT 15A Carga DC Carcasa Indic Enchuf Octal	98,40
LY4-0 24VDC	116344	4PDT 10A terminales para C.I.	27,11
LY4-0 48VDC	116346	4PDT 10A terminales para C.I.	27,11
LY4-0 230VAC	116349	4PDT 10A terminales para C.I.	27,11
LY4F 240VAC	116362	Relés enchufables industriales, 4PDT, 10 A, 240 VAC	26,58
LY4F 24VDC	116365	Relés enchufables industriales, 4PDT, 10 A, 24 VDC	24,41
LY4 230VAC	116367	4PDT 10A Enchuf./soldar	27,64
LY4N 110/120VAC	116373	4PDT 10A Enchuf/soldar indicador LED	16,08
LY4N 200/220VAC	116375	4PDT 10A Enchuf/soldar indicador LED	20,67
LY4N 24VAC	116378	4PDT 10A Enchuf/soldar indicador LED	18,45
LY4N 24VDC	116382	4PDT 10A Enchuf/soldar indicador LED	18,97

OMRON PVPR 2023

LY4I4N 110/120VAC	116395	4PDT 10A Enchuf./soldar Indic. Pulsador-prueba	28,42
LY4I4N 100/110VDC	116398	4PDT 10A Enchuf./soldar Indic. Pulsador-prueba	30,37
LY4I4N 24VDC	116399	4PDT 10A Enchuf./soldar Indic. Pulsador-prueba	28,42
LY4I4N 48VDC	116400	4PDT 10A Enchuf./soldar Indic. Pulsador-prueba	28,42
LY4-D 24VDC	116412	4PDT 10A, diodo, 24 VDC	31,49
LY4-D 100/110VDC	116414	RELE DE APLICACION GENERAL	33,29
LY4N-D2 48VDC	116427	4PDT 10A Enchuf/soldar indicador LED diodo	34,07
LY4 12VAC	116440	4PDT 10A Enchuf/soldar	27,64
LY4 24VAC	116441	4PDT 10A Enchuf./soldar	27,64
LY4 12VDC	116448	4PDT 10A Enchuf/soldar	26,61
LY4 24VDC	116449	4PDT 10A Enchuf./soldar	27,64
LY4 100/110VDC	116452	4PDT 10A Enchuf/soldar	27,11
LY3-0 12VDC	116459	3PDT 10A terminales para C.I.	25,83
LY3-0 24VDC	116460	3PDT 10A terminales para C.I.	25,83
LY2-0 6VDC	116632	DPDT 10A terminales para C.I.	16,47
LY2-0 24VDC	116633	DPDT 10A terminales para C.I.	16,47
LY2F 220/240VAC	116656	DPDT 10A enchuf/soldar montaje superior	16,19
LY2F 12VDC	116658	DPDT 10A enchuf/soldar montaje superior	19,90
LY2F 24VDC	116659	DPDT 10A enchuf/soldar montaje superior	16,35
LY2N 220/240VAC	116664	DPDT 10A enchuf/soldar indicador y prueba	32,76
LY2I4N 110/120VAC	116681	DPDT 10A Enchuf./soldar Indic. Pulsador-prueba	20,15
LY2I4N 220/240VAC	116682	DPDT 10A Enchuf./soldar Indic. Pulsador-prueba	20,15
LY2I4N 48VDC	116683	DPDT 10A Enchuf./soldar Indic. Pulsador-prueba	18,70
LY2N-D2 12VDC	116702	Relés enchufables industriales, DPDT, 10 A, LED indicator, diode, 12 VDC	28,69
LY2S 220/240VAC	116713	DPDT 10A enchuf/soldar montaje inferior	15,96
LY2N-CR 110VAC/120	116716	DPDT 10A Led indicador enchuf/soldar Cto. RC	38,68
LY2F-T2 220/240VAC	116730	DPDT 10A enchuf/soldar montaje superior	16,19
LY2 6VAC	116734	DPDT 10A enchuf/soldar	16,47
LY2 48VAC	116737	DPDT 10A enchuf/soldar	16,47
LY2 110/120VAC	116738	DPDT 10A Enchuf./soldar	17,66
LY2 6VDC	116740	DPDT 10A enchuf/soldar	16,47
LY2 12VDC	116741	DPDT 10A enchuf/soldar	16,47
LY2 24VDC	116742	DPDT 10A Enchuf./soldar	17,51

OMRON PVPR 2023

LY2F 100/110VAC	116760	DPDT 10A enchuf/soldar montaje superior	13,33
LY2N 100/110VDC	116768	DPDT 10A enchuf/soldar indicador y prueba	35,90
LY2Z 24VDC	116773	DPDT 10A enchuf/soldar bifurcado	21,71
LY2-D 24VDC	116787	DPDT 10A Diodo enchuf/soldar	24,10
LY1F 220/240VAC	116798	SPDT 15A enchuf/soldar	13,45
LY1-D 24VDC	116870	Relé, enchufable,SPDT, 15A, diodo, 24 VDC	25,13
LY1N-D2 24VDC	116875	SPDT 15A enchuf/soldar indicador prueba diodo	36,31
LY1 220/240VAC	116885	SPDT 15A enchuf/soldar	13,45
LY1 12VDC	116887	SPDT 15A enchuf/soldar	13,33
LY1 24VDC	116888	SPDT 15A enchuf/soldar	13,33
G7SA-2A2B 12VDC	121498	Relé Seguridad DPST-NA DPST-NC 4 polos 6A 12Vcc	35,13
G7SA-4A2B 12VDC	121500	Relé Seguridad 4PST-NA DPST-NC 6 polos 6A 12Vcc	38,96
G7S-3A3B-E DC24	121503	Relé Seguridad 3PST-NA 3PST-NC 6 polos 10A 24Vcc	43,27
G7S-4A2B-E DC24	121504	Relé Seguridad 4PST-NA DPST-NC 6 polos 10A 24Vcc	43,27
G7SA-3A1B 24VDC	121590	Relé Seguridad 3PST-NA SPST-NC 4 polos 6A 24Vcc	35,13
G7J-4A-P 100/120VAC	121789	4NA 25A Term. PCB	59,70
G7J-4A-P 24VDC	121790	4NA 25A Term. PCB	59,70
G7J-3A1B-P 100/120VAC	121791	3NA + 1NC 25A	57,00
G7J-4A-P 12VDC	121795	4NA 25A Term. PCB	59,70
G7J-3A1B-P 200/240VAC	121796	3NA + 1NC 25A	65,75
G7J-2A2B-P 100/120VAC	121798	2NA + 2NC 25A	61,60
G7J-2A2B-P 24VDC	121800	2NA + 2NC 25A	61,60
G7J-3A1B-B 24VDC	121804	3NA + 1NC 25A	62,45
G7J-2A2B-B 200/240VAC	121805	2NA + 2NC 25A TerminalesTornillo	83,80
G7J-3A1B-T 24VAC	121818	Power relay, quick connect, 3PST-NO/SPST-NC, 25 A, 24 VAC	44,40
G7J-3A1B-T 24VDC	121822	Power relay, 3PST-NO/SPST-NC, quick connect terminal, 24VDC	44,40
G7J-4A-T 12VDC	121828	4NA 25A	54,35
G7J-4A-T 24VDC	121829	4NA 25A	54,35
G7J-3A1B-PZ 24VDC	121831	3NA + 1NC 25A Bifurcado	64,40
G7J-2A2B-PZ-2B 24VDC	121833	2NA + 2NC 25A Terminales CI , contacto bifurcado	107,00
G2R-2-SNDI 12VDC (S)	125290	DPDT 5A Enchuf LED Indic. Diodo Pulsador-prueba Contacto Oro	13,43
G2R-2-SNDI 24VDC (S)	125291	DPDT 5A Enchuf LED Indic. Diodo Pulsador-prueba Contacto Oro	13,43
G2R-2-SNDI 48VDC (S)	125292	DPDT 5A Enchuf LED Indic. Diodo Pulsador-prueba Contacto Oro	13,83

OMRON PVPR 2023

G2R-1-SN 6VDC (S)	125338	SPDT 10A Enchuf. LED Indic.	7,07
G2R-1-SN 12VDC (S)	125339	SPDT 10A Enchuf. LED Indic.	7,07
G2R-1-SN 24VDC (S)	125340	SPDT 10A Enchuf. LED Indic.	7,07
G2R-1-SN 48VDC (S)	125341	SPDT 10A Enchuf. LED Indic.	7,07
G2R-1-SN 110VAC (S)	125342	SPDT 10A Enchuf. LED Indic.	10,58
G2R-1-SN 120VAC (S)	125343	SPDT 10A Enchuf. LED Indic.	9,94
G2R-1-SN 230VAC (S)	125344	SPDT 10A Enchuf. LED Indic.	13,83
G2R-1-SD 6VDC (S)	125345	SPDT 10A Enchuf.	6,81
G2R-1-SD 12VDC (S)	125346	SPDT 10A Enchuf.	6,81
G2R-1-SD 24VDC (S)	125347	SPDT 10A Enchuf.	6,81
G2R-1-SD 48VDC (S)	125348	SPDT 10A Enchuf.	6,81
G2R-1-SND 6VDC (S)	125349	SPDT 10A Enchuf. LED Indic. Diodo	10,06
G2R-1-SND 12VDC (S)	125350	SPDT 10A Enchuf. LED Indic. Diodo	9,01
G2R-1-SND 24VDC (S)	125351	SPDT 10A Enchuf. LED Indic. Diodo	9,01
G2R-1-SND 48VDC (S)	125352	SPDT 10A Enchuf. LED Indic. Diodo	10,58
G2R-1-SNI 6VDC (S)	125353	SPDT 10A Enchuf. LED Indic. Pulsador-prueba	7,71
G2R-1-SNI 48VDC (S)	125354	SPDT 10A Enchuf. LED Indic. Pulsador-prueba	6,93
G2R-1-SNI 120VAC (S)	125355	SPDT 10A Enchuf. LED Indic. Pulsador-prueba	9,66
G2R-1-SNI 240VAC (S)	125356	SPDT 10A Enchuf. LED Indic. Pulsador-prueba	14,87
G2R-1-SNDI 24VDC (S)	125358	SPDT 10A Enchuf. LED Indic Diodo Pulsador-prueba	9,28
G2R-1-SNDI 48VDC (S)	125359	SPDT 10A Enchuf. LED Indic Diodo Pulsador-prueba	10,44
G2R-2-S 6VDC (S)	125360	DPDT 5A Enchuf.	6,36
G2R-2-S 12VDC (S)	125361	DPDT 5A Enchuf.	9,01
G2R-2-S 24VDC (S)	125362	DPDT 5A Enchuf.	9,14
G2R-2-S 48VDC (S)	125363	DPDT 5A Enchuf.	6,67
G2R-2-S 24VAC (S)	125364	DPDT 5A Enchuf.	8,77
G2R-2-S 110VAC (S)	125365	DPDT 5A Enchuf.	8,77
G2R-2-S 120VAC (S)	125366	DPDT 5A Enchuf.	8,22
G2R-2-S 240VAC (S)	125367	DPDT 5A Enchuf.	13,96
G2R-2-SN 6VDC (S)	125368	DPDT 5A Enchuf.LED Indic.	10,32
G2R-2-SN 12VDC (S)	125369	DPDT 5A Enchuf.LED Indic.	9,81
G2R-2-SN 48VDC (S)	125370	DPDT 5A Enchuf.LED Indic.	9,94
G2R-2-SN 24VAC (S)	125371	DPDT 5A Enchuf.LED Indic.	10,71

OMRON PVPR 2023

G2R-2-SN 110VAC (S)	125372	DPDT 5A Enchuf.LED Indic.	11,10
G2R-2-SN 230VAC (S)	125373	DPDT 5A Enchuf.LED Indic.	15,01
G2R-2-SD 6VDC (S)	125374	DPDT 5A Enchufable, Diodo	9,52
G2R-2-SD 12VDC (S)	125375	DPDT 5A Enchufable, Diodo	9,52
G2R-2-SND 6VDC (S)	125376	DPDT 5A Enchuf. LED Indic. Diodo	13,30
G2R-2-SND 12VDC (S)	125377	DPDT 5A Enchuf. LED Indic. Diodo	12,66
G2R-2-SNI 6VDC (S)	125378	DPDT 5A Enchuf. LED Indic. Pulsador-prueba	10,44
G2R-2-SNI 12VDC (S)	125379	DPDT 5A Enchuf. LED Indic. Pulsador-prueba	10,44
G2R-2-SNI 24VDC (S)	125380	DPDT 5A Enchuf. LED Indic. Pulsador-prueba	10,44
G2R-2-SNI 48VDC (S)	125381	DPDT 5A Enchuf. LED Indic. Pulsador-prueba	7,71
G2R-2-SNI 24VAC (S)	125382	DPDT 5A Enchuf. LED Indic. Pulsador-prueba	11,10
G2R-2-SNI 230VAC (S)	125383	DPDT 5A Enchuf. LED Indic. Pulsador-prueba	15,37
G2R-2-SNI 240VAC (S)	125384	DPDT 5A Enchuf. LED Indic. Pulsador-prueba	17,22
G2R-2-SNDI 6VDC (S)	125385	DPDT 5A Enchuf LED Indic. Diodo Pulsador-prueba Contacto Oro	13,83
G2R-1-S 6VDC (S)	125429	SPDT 10A Enchuf.	4,47
G2R-1-S 12VDC (S)	125430	SPDT 10A enchuf.	5,48
G2R-1-S 48VDC (S)	125431	SPDT 10A Enchuf.	4,70
G2R-1-S 120VAC (S)	125432	SPDT 10A Enchuf.	5,64
G2R-1-S 240VAC (S)	125433	SPDT 10A Enchuf.	8,62
G7J-3A1B-P 24VAC	142100	3NA + 1NC 25A	61,60
G2R-1-SNI 110VAC (S)	142328	SPDT 10A Enchuf. LED Indic. Pulsador-prueba	10,84
G2R-1-SN 240VAC (S)	142329	SPDT 10A Enchuf. LED Indic.	14,74
MY2N-CR 110/120VAC (S)	142429	DPDT 10A Led indicador enchuf/soldar Cto. RC	16,67
MY4IN-CR 110/120VAC (S)	142432	4PDT 5A indicador pulsador prueba apagachispas	16,59
LY4 48VDC	143117	4PDT 10A Enchuf/soldar	27,64
G2R-2-SN 24VDC (S)	143419	DPDT 5A Enchuf.LED Indic.	9,81
MY2IN-D2 24VDC (S)	143510	DPDT 10A Enchuf./soldar LED Indic.Diodo Puls. prueba	12,06
MY4IN1 24VDC (S)	143511	4PDT 5A Ench/soldar Inversa Indic. Puls. prueba	10,95
MY4IN1-D2 48VDC (S)	143512	Relé, enchufable, 4PDT, 5 A, mecánico & LED indicador, botón de test, 48 VDC	13,69
MY2ZN-D2 24VDC	143513	DPDT 5A Diodo	23,79
G7J-2A2B-T 24VDC	144345	2NA + 2NC 25A Terminales Faston	58,35
G7J-3A1B-T 200/240VAC	144346	3NA + 1NC 25A Terminales Faston	65,95
G2R-2-SD 24VDC (S)	144581	DPDT 5A Enchufable, Diodo	12,91

OMRON PVPR 2023

MYQ4N 220/240VAC	144681	4PDT bifurcado plástico sellado con indicador	25,91
MY2 6VDC (S)	144682	DPDT 5A enchuf/soldar	8,25
MY4N-D2 24VDC (S)	144683	4PDT 5A diodo indicador Enchuf/soldar	14,03
LY4N 100/110VAC	145374	4PDT 10A Enchuf/soldar indicador LED	20,28
G2R-2-SND 48VDC (S)	145666	DPDT 5A Enchuf. LED Indic. Diodo	10,58
MYQ4N 110/120VAC	145766	4PDT bifurcado plástico sellado con indicador	23,65
MY4 110/120VAC (S)	145767	4PDT 5A Enchuf./soldar	10,41
MY4 125VDC (S)	145768	4PDT 3A enchuf/soldar	10,41
MY3-US-SV 100/110VDC	145770	3PDT 5A enchuf/soldar	15,78
G7SA-2A2B 24VDC	146147	Relé Seguridad DPST-NA DPST-NC 4 polos 6A 24Vcc	35,13
LY2I4N 200/220VAC	146409	DPDT 10A Enchuf./soldar Indic. Pulsador-prueba	18,15
G2R-1-S 24VDC (S)	146726	SPDT 10A Enchuf.	5,48
MY4IN-D2 24VDC (S)	146835	4PDT 5A Enchuf./soldar LED Indic.Diodo Puls. prueba	14,03
MY2Z 110-120VAC	146836	DPDT 5A	17,11
LY2I4N 12VDC	147590	DPDT 10A Enchuf./soldar Indic. Pulsador-prueba	18,70
MY2IN-CR 110/120VAC (S)	147899	DPDT 10A indicador pulsador prueba enchuf/soldar	16,15
MY4 220/240VAC (S)	147900	4PDT 5A Enchuf./soldar	11,88
MY4N 220/240VAC (S)	147901	4PDT 5A indicador Enchuf/soldar	12,95
MY4-02 24VDC	148156	4PDT53A Term. PCB	10,18
LY2F 24VAC	148600	Relés enchufables industriales, DPDT, 10 A, 24 VAC	16,35
MM2XKP 48VDC	148604	DPDT 15A Carga DC Carcasa Enchuf Octal	110,40
MM2XKP 100/110VDC	148605	DPDT 15A Carga DC Carcasa Enchuf Octal	107,80
MM3XP 48VDC	148609	3PDT 15A Carga DC Carcasa Enchuf Octal	119,60
G2R-2-SNI 120VAC (S)	148906	DPDT 5A Enchuf. LED Indic. Pulsador-prueba	12,91
LY2N 24VDC	149665	DPDT 10A enchuf/soldar indicador y prueba	19,37
G7J-3A1B-P 24VDC	149737	3NA + 1NC 25A	57,00
MY2F-US-SV 220VAC	149942	DPDT 5A enchufables/soldar montaje superior	17,64
MY3N 24VAC	149943	3PDT 5A enchuf/soldar	15,78
LY2N-CR 220/240VAC	150062	DPDT 10A Led indicador enchuf/soldar Cto. RC	38,68
MY4N 100/110VDC (S)	150066	4PDT 5A mecánico & LED indicador, 100/110 VDC (A2"+")	11,76
LY2 24VAC	150789	DPDT 10A Enchuf./soldar	17,51
LY2N 100/110VAC	150790	DPDT 10A enchuf/soldar indicador y prueba	19,37
MYQ4N 24VDC	151179	4PDT bifurcado plástico sellado con indicador	24,57

OMRON PVPR 2023

MY2 110/120VAC (S)	151180	DPDT 10A Enchuf./soldar	8,25
MY2N1-D2 24VDC (S)	151181	DPDT 10A Diodo Led indicador enchuf/soldar Bobina inv.	13,52
LY2N 24VAC	151831	Relay, plug-in, 8-pin, DPDT, 10A, LED indicator, 24 VAC	18,90
MM2KP 24VDC	151838		69,90
G7J-4A-T 200/240VAC	151903	4NA 25A	54,35
MY2N-D2 12VDC (S)	152215	DPDT 10A diodo indicador Led enchuf/soldar	12,86
MY4IN 24VDC (S)	152216	4PDT 5A Enchuf./soldar LED Indic. Pulsador prueba	10,95
MY3 110/120VAC	152221	3PDT 5A enchuf/soldar	16,84
G2R-1-SNI 230VAC (S)	152248	SPDT 10A Enchuf. LED Indic. Pulsador-prueba	14,22
G2R-1-SNI 12VDC (S)	152249	SPDT 10A Enchuf. LED Indic. Pulsador-prueba	7,33
LY2N-CR 100/110VAC	152340	DPDT 10A enchuf/soldar indicador prueba Circuito R	38,68
LY1N 24VAC	153004	Relé, enchufable, SPDT, 15 A, LED indicador, 24 VAC	14,38
LY2 12VAC	153005	DPDT 10A enchuf/soldar	16,47
LY2 100/110VDC	153006	DPDT 10A enchuf/soldar	17,12
LY4N-D2 24VDC	153315	4PDT 10A Enchuf/soldar indicador LED diodo	34,07
MY2 48/50VAC (S)	153319	DPDT 5A enchuf/soldar	8,25
MY2IN 24VDC (S)	153320	DPDT 10A Enchuf./soldar LED Indic.Puls. prueba	8,90
LY1-0 24VDC	154168	SPDT circuito impreso	14,49
LY2-0 220/240VAC	154171	DPDT 10A terminales para C.I.	17,12
MY2IN1-D2 24VDC (S)	154452	DPDT 10A LED Indic Diodo Puls.prueb Bobina Inversa	12,47
MY4N-D2 12VDC (S)	154453	4PDT 5A diodo indicador Enchuf/soldar	14,03
MY2N-CR 24VAC	154455	DPDT 5A circuito RC	23,79
G2R-1-SNI 24VDC (S)	154479	SPDT 10A Enchuf. LED Indic. Pulsador-prueba	7,33
G2R-2-SN 240VAC (S)	154480	DPDT 5A Enchuf.LED Indic.	19,28
G2R-2-SD 48VDC (S)	154481	DPDT 5A Enchufable, Diodo	9,52
G2R-2-SNI 110VAC (S)	154482	DPDT 5A Enchuf. LED Indic. Pulsador-prueba	11,37
MY4H 24VDC	154575	4DPDT 5A	64,90
LY1 110/120VAC	154978	Relés enchufables industriales, SPDT, 15 A, 110/120 VAC	13,33
LY2 220/240VAC	154980	DPDT 10A Enchuf./soldar	17,51
LY2I4N 100/110VDC	154981	Relay, plug-in, 8-pin, DPDT, 10 A, LED indicator, test button	20,15
LY4I4N 24VAC	154983	4PDT 10A Enchuf./soldar Indic. Pulsador-prueba	28,42
LY4I4N 12VDC	154984	APDT 10A Enchuf/soldar indicador Pulsador-prueba	28,42
MM2XP 110VAC	154986	DPDT 15A Carga DC Carcasa Enchuf Octal	97,05

OMRON PVPR 2023

G7J-2A2B-P 12VDC	155026	2NA + 2NC 25A	62,70
LY4N-D2 100/110VDC	155264	4PDT 10A Enchuf/soldar indicador LED diodo	34,07
MY2IN 100/110VDC (S)	155266	DPDT 10A LED indicador Puls. prueba enchuf/soldar	10,21
MY4N 110/120VAC (S)	155268	4PDT 5A indicador Enchuf/soldar	11,76
MY4Z 24VAC (S)	155269	Relé de Aplicación General	33,68
G2R-1-SN 24VAC (S)	155293	SPDT 10A Enchuf. LED Indic.	8,22
MM4P 110VAC	156378	4PDT standard 15A para base	86,40
LY2N-D2 24VDC	156651	DPDT 10A enchuf/soldar indicador prueba diodo	28,69
MY4H 110/120VAC	156655	4PDT 3A Sellado	64,75
MY2N 12VDC (S)	156656	DPDT 10A, mecánico & LED indicador, 12 VDC (A2"+")	8,62
MY2IN 12VAC (S)	156657	DPDT 10A Enchuf./soldar LED Indic. Puls.prueba	8,90
MY2IN 220/240VAC (S)	156658	DPDT 10A Enchuf./soldar LED Indic.Puls. prueba	10,21
MY3-02 220/240VAC	156664	3PDT 5A Term. PCB	18,71
G2R-1-SNI 24VAC (S)	156685	SPDT 10A Enchuf. LED Indic. Pulsador-prueba	8,77
MM4P 220VAC	157447	4PDT 7,5A Enclav Carcasa Octal	86,40
LY2I4N 24VDC	157562	DPDT 10A Enchuf./soldar Indic. Pulsador-prueba	20,15
LY2-0 12VDC	157564	DPDT 10A terminales para C.I.	16,47
MY2IN 6VAC (S)	157841	DPDT 10A Enchuf./soldar LED Indic.Puls. Prueba	8,90
MY4 24VDC (S)	157842	4PDT 5A Enchuf./soldar	10,41
G2R-1-S 24VAC (S)	157868	SPDT 10A Enchuf.	5,77
G2R-2-SN 120VAC (S)	157869	DPDT 5A Enchuf.LED Indic.	12,52
G2R-1-SNDI 12VDC (S)	157870	SPDT 10A Enchuf. LED Indic Diodo Pulsador-prueba	9,28
MY2-02 200/220VAC	158190	DPDT 5A Term. PCB	11,11
MY2F 24VDC	158192	DPDT 5A enchufables/soldar montaje superior	9,91
G2R-2-S 230VAC (S)	162371	DPDT 5A Enchuf.	18,52
G2R-1-S 230VAC (S)	163223	SPDT 10A Enchuf.	12,27
MY2-02 220VAC/240	166591	DPDT 5A Term. PCB	12,04
G2R-1-SNDI 6VDC (S) OP	169435	SPDT 10A Enchuf. LED Indic Diodo Pulsador-prueba	10,44
G2R-1-SNI 12VAC (S)	171108	SPDT 10A Enchuf. LED Indic. Pulsador-prueba	10,32
G2R-2-SNI 12VAC (S)	171109	DPDT 5A Enchuf. LED Indic. Pulsador-prueba	11,23
G2R-1-SNI-AP3 230VAC (S)	171110	SPDT 10A Enchuf. LED Indic. Pulsador-prueba	20,85
G2R-2-SNI-AP3 230VAC (S)	171111	DPDT 5A Enchuf. LED Indic. Pulsador-prueba	27,61
G2R-1-SNDI-AP3 24VDC (S)	171112	SPDT 10A Enchuf. LED Indic Diodo Pulsador-prueba	10,58

OMRON PVPR 2023

G2R-2-SNDI-AP3 24VDC (S)	171113	DPDT 5A Enchuf LED Indic. Diodo Pulsador-prueba Contacto Oro	12,78
G7SA-3A1B 21VDC	177283	Relé Seguridad 3PST-NA SPST-NC 4 polos 6A 21Vcc	35,13
G2R-1-SND-AP3 24VDC (S)	177299	SPDT 10A Enchuf. LED Indic. Diodo	13,70
G2R-2-SND-AP3 24VDC (S)	177300	DPDT 5A Enchuf. LED Indic. Diodo	14,10
G2R-1-SN-AP3 24VDC (S)	177301	SPDT 10A Enchuf. LED Indic.	9,40
G2R-2-SN-AP3 230VAC (S)	177302	DPDT 5A Enchuf.LED Indic.	25,92
G2R-2-SN-AP3 24VDC (S)	177303	DPDT 5A Enchuf.LED Indic.	16,70
G2R-1-SN-AP3 100/(110)VAC (S)	177304	SPDT 10A Enchuf. LED Indic.	12,13
G2R-1-SN-AP3 230VAC (S)	177305	SPDT 10A Enchuf. LED Indic.	19,69
G2R-2-SN-AP3 110VAC (S)	177306	DPDT 5A Enchuf.LED Indic.	18,52
G2R-1-SN-AP3 48VDC (S)	177307	SPDT 10A Enchuf. LED Indic.	11,23
G2R-1-S 12VDC (N)	177308	SPDT 10A Enchuf.	4,83
G7SA-3A1B 48VDC	181322	Relé Seguridad 3PST-NA SPST-NC 4 polos 6A 48Vcc	35,13
G7SA-4A2B 48VDC	181324		38,96
G2R-2-SNI 48VAC (S)	183088	DPDT 5A Enchuf. LED Indic. Pulsador-prueba	11,10
G2R-1-SNI 48VAC (S)	183089	SPDT 10A Enchuf. LED Indic. Pulsador-prueba	8,77
G2R-1-SNDI 110VDC (S)	183212	SPDT 10A Enchuf. LED Indic Diodo Pulsador-prueba	17,33
G2R-2-SNI 110VDC (S)	191252	DPDT 5A Enchuf. LED Indic. Pulsador-prueba	18,89
G2R-2-SN 110VDC (S)	191253	DPDT 5A Enchuf.LED Indic.	14,61
G2R-2-SN 12VAC (S)	193950	DPDT 5A Enchuf.LED Indic.	17,22
G2R-2-SN-AP3 24VAC (S)	203163	DPDT 5A Enchuf.LED Indic.	14,74
G2R-2-S-AP3 24VAC (S)	203164	DPDT 5A Enchuf.	11,74
G2R-1-SN-AP3 24VAC (S)	203166	SPDT 10A Enchuf. LED Indic.	10,71
G2R-1-S-AP3 24VAC (S)	203167	SPDT 10A Enchuf.	8,10
G2R-1-SN 12VAC (S)	204264	SPDT 10A Enchuf. LED Indic.	8,22
G2R-1-SN 110VDC (S)	220785	SPDT 10A Enchuf. LED Indic.	13,83
G2R-1-S 48VAC (S)	224881	SPDT 10A Enchuf.	5,97
G2R-2-S 48VAC (S)	224882	DPDT 5A Enchuf.	7,85
G2R-2-SND-AP3 12VDC (S)	225256	DPDT 5A Enchuf. LED Indic. Diodo	18,78
G2RV-SL700 48VAC/VDC	225259	SPDT 6A Relé Borna+Base Tornillos 48Vca/cc	24,84
G2RV-SL500 110VAC	225264	SPDT 6A Relé Borna+Base Push-in 110Vca	28,39
G2R-2-S-AP3 12VDC (S)	241249	DPDT 5A Enchuf. Microcargas	11,49
G2R-2-SND 110VDC (S)	324283	DPDT 5A Enchuf. LED Indic. Diodo	17,48

OMRON PVPR 2023

MY4IN 60VDC (S)	338379	Relé enchufable , 4PDT, 5 A, mech.& LED indicator, botón de test, 60 VDC	12,95
G7Z-4A 24VDC	351605	Relé de potencia, 40 A, 4PST-NA	101,60
G2R-2-S 100/(110)VAC (S)	361086	DPDT 5A Enchuf.	8,22
MKS1XTIN-10 24VDC	367822	SPST-NA Pulsador prueba Indic. mecánico	32,97
MKS2XTIN-11 24VDC	367874	Relé para carga de CC, 6 contactos, 5 A NA/ 2 A NC, 24 V CC, SPST-NA/SPST-NC, i	58,15
G4Q-212S 24VDC	373301	Relé de trinquete DPDT Enchufable	172,80
G4Q-212S 24VAC	373304	Relé de trinquete DPDT Enchufable	167,60
G4Q-212S 220VAC	373305	Relé de trinquete DPDT Enchufable	167,60
G4Q-212S 12VDC	373306	Relé de trinquete DPDT Enchufable	163,70
G4Q-212S 110VAC	373309	Relé de trinquete DPDT Enchufable	163,70
G2RV-SL500-AP 12VDC	374439	SPDT 50mA Relé Borna Para Base 12Vcc Push-in	25,04
G2RV-SL500-AP 230VAC	374443	SPDT 50mA Relé Borna Para Base 230Vca Push-in	28,93
G2RV-SL700-AP 110VAC	374447	SPDT 50mA Relé Borna Para Base 110Vca Tornillo	27,09
G2RV-SL500-AP 110VAC	374448	SPDT 50mA Relé Borna Para Base 110Vca Push-in	27,09
MKS2P 24VAC	376278	DPDT 10A Enchuf. Indic. Mecánico	12,08
MKS2P 110VAC	376281	DPDT 10A Enchuf. Indic. Mecánico	12,33
MKS2P 230VAC	376285	DPDT 10A Enchuf. Indic. Mecánico	12,61
MKS2P 24VDC	376289	DPDT 10A Enchuf. Indic. mecánico	12,33
MKS2P 110VDC	376292	Relay, plug-in, 8-pin, DPDT, 10A, mech indicator	11,24
MKS3P 230VAC	376319	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator	15,12
MKS3P 6VDC	376321	3PDT 10A Indic. Mecánico	13,41
MKS3P 48VDC	376324	3PDT 10A Indic. Mecánico	13,71
MKS3P-5 24VAC	376346	3PDT 10A Indic. Mecánico	13,28
MKS3P-5 110VAC	376349	3PDT 10A Indic. mecánico LED Pulsador-prueba	19,76
MKS3P-5 220VAC	376352	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator	14,29
MKS3P-5 230VAC	376353	3PDT 10A Indic. mecánico LED Pulsador-prueba	13,71
MKS3P-5 24VDC	376357	3PDT 10A Indic. mecánico	13,28
MKS3P-5 110VDC	376360	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator	12,42
MKS2PN 24VAC	376363	Relé DPDT 10 A Enchufable	12,76
MKS2PN 220VAC	376369	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicator	14,44
MKS2PN 24VDC	376374	Relé DPDT 10 A Enchufable	12,76
MKS3PN-5 230VAC	376438	3PDT 10A Enchuf. LED Indic. Pulsador-prueba	16,40
MKS3PN-5 48VDC	376443	3PDT 10A Enchuf. LED Indic. Pulsador-prueba	16,40

OMRON PVPR 2023

MKS3PN-5 110VDC	376445	3PDT 10A Enchuf. LED Indic. Pulsador-prueba	16,40
MKS2PN1 DC24	376448	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicator, coil suppression, reverse	13,88
MKS2P-D-2 DC24	376484		14,63
MKS3PN-V-5 230VAC	376674	DPDT 10A Indic. mecánico LED Pulsador-prueba	14,63
MKS2PI 12VAC	376677	DPDT 10A Indic. mecánico Pulsador-prueba	12,47
MKS2PI 24VAC	376678	DPDT 10A Indic. mecánico Pulsador-prueba	12,47
MKS2PI 50VAC	376679	DPDT 10A Indic. mecánico Pulsador-prueba	12,76
MKS2PI 110VAC	376681	DPDT 10A Indic. mecánico Pulsador-prueba	12,76
MKS2PI 230VAC	376685	DPDT 10A Indic. mecánico Pulsador-prueba	12,76
MKS2PI 6VDC	376687	DPDT 10A Indic. mecánico Pulsador-prueba	12,76
MKS2PI 12VDC	376688	DPDT 10A Indic. mecánico Pulsador-prueba	12,47
MKS2PI 24VDC	376689	DPDT 10A Indic. mecánico Pulsador-prueba	12,47
MKS2PI 48VDC	376690	DPDT 10A Indic. mecánico Pulsador-prueba	12,08
MKS2PI 110VDC	376692	DPDT 10A enchuf indicador mecán pulsad-prueba	12,76
MKS2PI-2 230VAC	376702	Industrial Relay, MK-I/-S	14,54
MKS3PI 110VAC	376715	3PDT 10A Indic. mecánico	13,71
MKS3PI 230VAC	376719	3PDT 10A Indic. mecánico	13,97
MKS3PI 12VDC	376722	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button	13,97
MKS3PI 24VDC	376723	3PDT 10A Indic. mecánico Pulsador-prueba	13,97
MKS3PI 100VDC	376725	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button	14,44
MKS3PI-5 12VAC	376745	3PDT 10A Indic. mecánico Pulsador-prueba	13,97
MKS3PI-5 24VAC	376746	3PDT 10A Indic. mecánico Pulsador-prueba	13,97
MKS3PI-5 50VAC	376747	3PDT 10A Indic. mecánico Pulsador-prueba	12,54
MKS3PI-5 110VAC	376749	3PDT 10A Indicador mecánico Botão de teste	13,97
MKS3PI-5 120VAC	376750	3PDT 10A Indic. mecánico Pulsador-prueba	13,71
MKS3PI-5 220VAC	376752	3PDT 10A Indic. mecánico Pulsador-prueba	13,97
MKS3PI-5 230VAC	376753	3PDT 10A Indic. mecánico Pulsador-prueba	13,97
MKS3PI-5 240VAC	376754	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button	13,97
MKS3PI-5 12VDC	376756	3PDT 10A Indic. mecánico Pulsador-prueba	13,28
MKS3PI-5 24VDC	376757	3PDT 10A Indic. mecánico Pulsador-prueba	13,97
MKS3PI-5 48VDC	376758	3PDT 10A enchuf indicador mecán pulsad-prueba	19,91
MKS3PI-5 110VDC	376760	3PDT 10A Indic. mecánico Pulsador-prueba	13,97
MKS2PIN 12VAC	376762	DPDT 10A Indic. mecánico LED Pulsador-prueba	14,63

OMRON PVPR 2023

MKS2PIN 24VAC	376763	DPDT 10A Indic. mecánico LED Pulsador-prueba	14,63
MKS2PIN 110VAC	376766	DPDT 10A Indic. mecánico LED Pulsador-prueba	13,97
MKS2PIN 230VAC	376770	DPDT 10A Indic. mecánico LED Pulsador-prueba	14,51
MKS2PIN 12VDC	376773	DPDT 10A Indic. mecánico LED Pulsador-prueba	14,40
MKS2PIN 24VDC	376774	DPDT 10A Indic. mecánico LED Pulsador-prueba	14,63
MKS2PIN 110VDC	376777	DPDT 10A Indic. mecánico LED Pulsador-prueba	14,63
MKS2PIN-2 110VAC	376783	Relé industrial, MK-I/-S	15,81
MKS2PIN-2 230VAC	376787	Industrial Relay, MK-I/-S	15,81
MKS3PIN 230VAC	376804	3PDT 10A Enchuf. LED Indic. Pulsador-prueba	16,11
MKS3PIN 24VDC	376808	3PDT 10A Indic. mecánico LED Pulsador-prueba	16,40
MKS3PIN-5 24VAC	376831	3PDT 10A Indic. mecánico LED Pulsador-prueba	15,98
MKS3PIN-5 110VAC	376834	3PDT 10A Indic. mecánico LED Pulsador-prueba	16,40
MKS3PIN-5 230VAC	376838	3PDT 10A Indic. mecánico LED Pulsador-prueba	14,51
MKS3PIN-5 12VDC	376841	3PDT 10A Indic. mecánico LED Pulsador-prueba	16,40
MKS3PIN-5 24VDC	376842	3PDT 10A Indic. mecánico LED Pulsador-prueba	15,98
MKS3PIN-5 48VDC	376843	3PDT 10A Indic. mecánico LED Pulsador-prueba	15,73
MKS3PIN-5 110VDC	376845	Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator, test button	16,40
MKS2PIN1-2 DC24	376854	Industrial Relay, MK-I/-S	15,81
MKS3PI-D-5 24VDC	376902	3PDT 10A Indic. Mecánico Pulsador-prueba Dioso	13,97
MKS2PIN-D 12VDC	376992	DPDT 10A Indic. mecánico LED Pulsador-prueba Diodo	14,36
MKS3PIN-D 12VDC	377004	Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator, test button, coil suppre	16,46
MKS3PIN-D-5 24VDC	377017	3PDT 10A Indic. mecánico LED Pulsador-prueba Diodo	15,98
MKS2PIN-V 230VAC	377030	DPDT 10A Indic. mecánico LED Puls-prueba Varistor	15,30
MKS3PIN-V-5 230VAC	377074	Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator, test button, coil suppre	16,46
MKS2PI 48VAC	377084	DPDT 10A Indic. mecánico Pulsador-prueba	13,41
MKS3P-5 48VAC	377092	3PDT 10A Indic. mecánico LED Pulsador-prueba	19,63
MKS3P-5 125VDC	377094	3PDT 10A Indic. mecánico LED Pulsador-prueba	19,63
MKS3PI-5 48VAC	377095	3PDT 10A Indic. mecánico Pulsador-prueba	19,50
MKS3PI-5 60VDC	377096	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button	21,60
MKS3PIN-5 48VAC	377099	3PDT 10A Indic. mecánico LED Pulsador-prueba	19,76
G7J-4A-B 200/240VAC	377174	4NA 25A TerminalesTornillo	69,90
G7J-4A-B 24VDC	377176	4NA 25A Terminales Tornillo	63,30
G7J-2A2B-B 24VDC	377177	2NA + 2NC 25A	83,80

OMRON PVPR 2023

G7T-1012S DC24	377179	Relé SPST-NA 24VDC	14,23
G7T-1112S 24VDC	377181	SPST-NA	14,23
G7T-1122S DC24	377184	SPST-NA Contacto gemelo	14,91
G7T-112S DC24	377189	SPST-NA 5A	16,10
G7SA-2A2B 110VDC	708729	Safety relay, plug-in, DPST-NO, DPST-NC, 6 A, forcibly-guided contacts, 110 VDC	21,60
G7SA-4A2B 110VDC	679423	Relé de seguridad, plug-in, 4PST-NA, DPST-NC, 6 A, contactos de guía forzada, 110 VDC	38,96
G7Z-3A1B-11Z-R 12VDC	684135	3NA+1NC 40A Aux:2NC Carril DIN	101,70
G7Z-4A-20Z-R 12VDC	684136	4NA 40A Aux:2-NA Carril DIN	99,70
G7Z-3A1B-02Z-R 12VDC	684137	Power relays, 40 A 3PST-NO, 25 A SPST-NC + 1 A DPST-NC aux., 12 VDC	104,50
G7Z-4A-11Z-R 12VDC	684138	4NA 40A Aux:1NA+1NC Carril DIN	101,60
G7Z-2A2B-11Z-R 24VDC	684139	Relé de potencia, 40 A DPST-NA, 25 A DPST-NC + 1 A SPST-NA/SPST-NC auxiliar	99,70
G7Z-3A1B-20Z-R 12VDC	684140	Relé de potencia, 40 A 3PST-NA, 25 A SPST-NC + 1 A DPST-NA auxiliar	104,50
G7Z-3A1B-02Z-R 24VDC	684141	Relé de potencia, 40 A 3PST-NA, 25 A SPST-NC + 1 A DPST-NC auxiliar	104,50
G7Z-2A2B-11Z-R 12VDC	684149	Relé de potencia, 40 A DPST-NA, 25 A DPST-NC + 1 A SPST-NA/SPST-NC auxiliar	99,70
G7Z-2A2B-20Z-R 24VDC	684142	Relé de potencia, 40 A DPST-NA, 25 A DPST-NC + 1 A DPST-NA auxiliar	99,70
G7Z-2A2B-02Z-R 24VDC	684150	Power relay, 40 A DPST-NO, 25 A DPST-NC + 1 A DPST-NC aux., 24 VDC	99,70
G7Z-4A-02Z-R 24VDC	684143	Relé de potencia, 40 A 4PST-NA + 1 A DPST-NC auxiliar	101,60
G7Z-4A-20Z-R 24VDC	684144	Relé de potencia, 40 A 4PST-NA + 1 A DPST-NA auxiliar	101,60
G7Z-3A1B-11Z-R 24VDC	684145	Relé de potencia, 40 A 3PST-NA, 25 A SPST-NC + 1 A SPST-NA/SPST-NC auxiliar	100,70
G2RV-1-S-AP-G DC48	670564	Slimline input relay (6mm width), SPDT, 50 mA, for replacement in G2RV-SR****	9,65
G2RV-1-SI-G 21VDC	670567	SPDT 6A Relé Borna Para Base G2RV-SR Pulsador-prueba 24Vca/cc	8,76
G2RV-1-S-AP-G 21VDC	670565	SPDT 50mA Relé Borna Para Base G2RV-SR Microcargas 24Vca/cc	8,76
G2RV-1-S-G DC11	670573	Relé, SPCO, 6 contactos A, para la sustitución de G2RV-SR*00 de 12 V cc	8,76
G2RV-1-S-G 21VDC	670574	SPDT 6A Relé Borna Para Base G2RV-SR 24Vca/cc	8,76
G2RV-1-S-G DC48	670572	SPDT 6A Relé Borna Para Base G2RV-SR 48Vca/cc	8,81
G2RV-SR700 12VDC	678006	SPDT 6A Relé Borna+Base Tornillos 12Vcc	15,77
G2RV-SR700 24VDC	678023	SPDT 6A Relé Borna+Base Tornillos 24Vcc	15,77
G2RV-SR700 110VAC	678020	SPDT 6A Relé Borna+Base Tornillos 110Vca	18,94
G2RV-SR700 48VAC/DC	678010	SPDT 6A Relé Borna+Base Tornillos 48Vca/cc	17,57
G2RV-SR500-AP 110VAC	678011	SPDT 50mA Relé Borna+Base Push-in+ 110Vca	20,47
G2RV-SR500-AP 48VAC/DC	678029	SPDT 50mA Relé Borna+Base Push-in+ 48Vca/cc	19,07
G2RV-SR500 200VAC	678036	SPDT 6A Relé Borna+Base Push-in+ 200Vca	20,10
G2RV-SR700-AP 110VAC	678035	SPDT 50mA Relé Borna+Base Tornillos 110Vca	19,07

OMRON PVPR 2023

G2RV-SR500-AP 200VAC	678024	SPDT 50mA Relé Borna+Base Push-in+ 200Vca	20,47
G2RV-SR500 12VDC	678027	SPDT 6A Relé Borna+Base Push-in+ 12Vcc	17,04
G2RV-SR500 100VAC	678009	SPDT 6A Relé Borna+Base Push-in+ 100Vca	20,10
G2RV-SR700-AP 100VAC	678008	SPDT 50mA Relé Borna+Base Tornillos 100Vca	19,07
G2RV-SR700-AP 48VAC/DC	678014	SPDT 50mA Relé Borna+Base Tornillos 48Vca/cc	17,67
G2RV-SR701 24VDC	678031	SPDT 6A Relé Borna+Base Tornillos 24Vcc Pulsador de prueba	16,40
G2RV-SR701 24VAC/DC	678016	SPDT 6A Relé Borna+Base Tornillos 24Vca/cc Pulsador de prueba	18,30
G2RV-SR500-AP 24VDC	678007	SPDT 50mA Relé Borna+Base Push-in+ 24Vcc	17,67
G2RV-SR500-AP 100VAC	678018	SPDT 50mA Relé Borna+Base Push-in+ 100Vca	20,47
G2RV-SR700-AP 12VDC	678021	SPDT 50mA Relé Borna+Base Tornillos 12Vcc	16,30
G2RV-SR700-AP 24VAC/DC	678026	SPDT 50mA Relé Borna+Base Tornillos 24Vca/cc	17,67
G2RV-SR700 200VAC	678032	SPDT 6A Relé Borna+Base Tornillos 200Vca	18,94
G2RV-SR500-AP 12VDC	678022	SPDT 50mA Relé Borna+Base Push-in+ 12Vcc	17,67
G2RV-SR500-AP 24VAC/DC	678038	SPDT 50mA Relé Borna+Base Push-in+ 24Vca/cc	19,07
G2RV-SR501 24VDC	678015	SPDT 6A Relé Borna+Base Push-in+ 24Vcc Pulsador de prueba	17,67
G2RV-SR700 100VAC	678037	SPDT 6A Relé Borna+Base Tornillos 100Vca	18,94
G2RV-SR700 24VAC/DC	678013	SPDT 6A Relé Borna+Base Tornillos 24Vca/cc	17,57
G2RV-SR500-AP 230VAC	678039	SPDT 50mA Relé Borna+Base Push-in+ 230Vca	20,47
G2RV-SR500 230VAC	678019	SPDT 6A Relé Borna+Base Push-in+ 230Vca	20,10
G2RV-SR500 48VAC/DC	678030	SPDT 6A Relé Borna+Base Push-in+ 48Vca/cc	18,45
G2RV-SR500 24VDC	678005	SPDT 6A Relé Borna+Base Push-in+ 24Vcc	17,04
G2RV-SR500 24VAC/DC	678028	SPDT 6A Relé Borna+Base Push-in+ 24Vca/cc	18,45
G2RV-SR501 24VAC/DC	678017	SPDT 6A Relé Borna+Base Push-in+ 24Vca/cc Pulsador de prueba	19,07
G2RV-SR700-AP 24VDC	678034	SPDT 50mA Relé Borna+Base Tornillos 24Vcc	16,30
G2RV-SR500 110VAC	678033	SPDT 6A Relé Borna+Base Push-in+ 110Vca	20,10
G2RV-SR700-AP 200VAC	678012	SPDT 50mA Relé Borna+Base Tornillos 200Vca	19,07
G2RV-SR700-AP 230VAC	678025	SPDT 50mA Relé Borna+Base Tornillos 230Vca	19,07
G2RV-SR700 230VAC	678040	SPDT 6A Relé Borna+Base Tornillos 230Vca	18,94
G2R-1-S 220VAC (S)	679880	SPDT 10A Enchuf.	10,96
G2R-2-S 220VAC (S)	679879	DPDT 5A Enchuf.	14,22
G2R-2-SN 48VAC	679878	DPDT 5A indicadores mecánicos y LED, fácil etiquetado, 48 Vca	18,66
MY2N-CR 200/220VAC	679877	DPDT 10A Led indicador enchuf/soldar Cto. RC	27,65
MY2K-US 24VDC	679886	DPDT 3A Enchuf/soldar Biestable	28,44

OMRON PVPR 2023

MY2K-US 48VDC	679885	DPDT 3A Enchuf/soldar Biestable	30,31
MY2K-US 12VAC	679884	DPDT 5A Enchuf/soldar Biestable	62,70
MY2K-US 24VAC	679883	DPDT 3A Enchuf/soldar Biestable	61,90
MY2K-US 12VDC	679882	DPDT 3A Enchuf/soldar Biestable	30,73
G7Z-4A-11Z-R 24VDC	684147	Relé de potencia, 40 A 4PST-NA + 1 A SPST-NA/SPST-NC auxiliar	101,60
MY2-GS 24VAC	686127	Relé, enchufable, 8 contactos, DPDT, 5 A, indicador mecánico, 24 V ca	7,50
MY2-GS 220/240VAC	686128	Relé, enchufable, 8 contactos, DPDT, 5 A, indicador mecánico, 220/240 V ca	7,50
MY2-GS 24VDC	686129	Relé, enchufable, 8 contactos, DPDT, 5 A, indicador mecánico, 24 V cc	7,50
MY2N-GS 24VAC	686130	Relé, enchufable, 8 contactos, DPDT, 5 A, indicadores mecánicos y LED, 24 V ca	8,89
MY2N-GS 220/240VAC	686131	Relé, enchufable, 8 contactos, DPDT, 5 A, indicadores mecánicos y LED, 220/240 V ca	7,50
MY2N-GS 24VDC	686132	Relé, enchufable, 8 contactos, DPDT, 5 A, indicadores mecánicos y LED, 24 V cc	7,50
MY2-GS 12VAC	686133	Relé, enchufable, 8 pines, DPDT, 7 A, indicador mecánico, 12 VCA	9,02
MY2-GS 110/120VAC	686134	Relé, enchufable, 8 contactos, DPDT, 5 A, indicador mecánico, 110/120 V ca	8,89
MY2-GS 12VDC	686135	Relé, enchufable, 8 contactos, DPDT, 5 A, indicador mecánico, 12 V cc	10,30
MY2-GS 100/110VDC	686136	Relé, enchufable, 8 pines, DPDT, 7 A, indicador mecánico, 100/110 VCC	10,30
MY2N-GS 110/120VAC	686137	Relé, enchufable, 8 contactos, DPDT, 5 A, indicadores mecánicos y LED, 100/110 V ca	7,88
MY2N-GS 12VDC	686138	Relé, enchufable, 8 pines, DPDT, 7 A, indicador mecánico y LED, 12 VCC	8,89
MY2N-D2-GS 12VDC	686145	Relé, enchufable, 8 pines, DPDT, 7 A, indicador mecánico y LED, supresor de bobinado	11,81
MY2N-D2-GS 24VDC	686146	Relé, enchufable, 8 contactos, DPDT, 5 A, indicadores mecánicos y LED, supresor de bobinado	9,90
MY2N-CR-GS 110/120VAC	686140	Relé, enchufable, 8 pines, DPDT, 7 A, indicador mecánico y LED, CR integrado, 110/120 V ca	15,22
MY2N-CR-GS 220/240VAC	686141	Relé, enchufable, 8 pines, DPDT, 7 A, indicador mecánico y LED, CR integrado, 220/240 V ca	15,49
MY2IN-GS 12VDC	686142	Relé, enchufable, 8 contactos, DPDT, 5 A, indicadores mecánicos y LED, pulsador	8,13
MY2IN-GS 24VDC	686143	Relé, enchufable, 8 contactos, DPDT, 5 A, indicadores mecánicos y LED, pulsador	8,39
MY2IN-GS 100/110VDC	686144	Relé, enchufable, 8 pines, DPDT, 7 A, indicador mecánico y LED, botón de prueba	8,39
MY2IN-GS 12VAC	686147	Relé, enchufable, 8 pines, DPDT, 7 A, indicador mecánico y LED, botón de prueba	9,53
MY2IN-GS 24VAC	686148	Relé, enchufable, 8 contactos, DPDT, 5 A, indicadores mecánicos y LED, pulsador	8,13
MY2IN-GS 110/120VAC	686149	Relé, enchufable, 8 contactos, DPDT, 5 A, indicadores mecánicos y LED, pulsador	8,39
MY2IN-GS 220/240VAC	686139	Relé, enchufable, 8 contactos, DPDT, 5 A, indicadores mecánicos y LED, pulsador	9,40
MY2IN-D2-GS 24VDC	686150	Relé, enchufable, 8 contactos, DPDT, 5 A, indicadores mecánicos y LED, supresor de bobinado	11,30
MY4-GS 24VAC	686151	Relé, enchufable, 14 contactos, 4PDT, 3 A, indicador mecánico, 24 V ca	9,40
MY4-GS 220/240VAC	686152	Relé, enchufable, 14 contactos, 4PDT, 3 A, indicador mecánico, 220/240 V ca	9,40
MY4-GS 24VDC	686153	Relé, enchufable, 14 contactos, 4PDT, 3 A, indicador mecánico, 24 V cc	9,40
MY4N-GS 24VAC	686154	Relé, enchufable, 14 contactos, 4PDT, 3 A, indicadores mecánicos y LED, 24 V ca	9,40

OMRON PVPR 2023

MY4N-GS 220/240VAC	686155	Relé, enchufable, 14 contactos, 4PDT, 3 A, indicadores mecánicos y LED, 220/24	10,68
MY4N-GS 24VDC	686156	Relé, enchufable, 14 contactos, 4PDT, 3 A, indicadores mecánicos y LED, 24 V cc	9,40
MY4-GS 12VAC	686157	Relé, enchufable, 14 pines, 4PDT, 6 A, indicador mecánico, 12 VCA	9,40
MY4-GS 48VAC	686158	Relé, enchufable, 14 contactos, 4PDT, 3 A, indicador mecánico, 48 V ca	9,40
MY4-GS 110/120VAC	686159	Relé, enchufable, 14 contactos, 4PDT, 3 A, indicador mecánico, 100/110 V cc	10,55
MY4-GS 48VDC	686161	Relé, enchufable, 14 pines, 4PDT, 6 A, indicador mecánico, 48 VCC	10,55
MY4N-GS 48VAC	686162	Relé, enchufable, 14 contactos, 4PDT, 3 A, indicadores mecánicos y LED, 48 V ca	11,68
MY4N-GS 110/120VAC	686163	Relé, enchufable, 14 contactos, 4PDT, 3 A, indicadores mecánicos y LED, 110/12	11,94
MY4N-GS 12VDC	686164	Relé, enchufable, 14 pines, 4PDT, 6 A, indicador mecánico y LED, 12 VCC	10,55
MY4N-GS 48VDC	702621	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, label facility, 48 VDC	9,40
MY4N-D2-GS 12VDC	686165	Relé, enchufable, 14 pines, 4PDT, 6 A, indicador mecánico y LED, supresor de bo	12,57
MY4N-D2-GS 24VDC	686177	Relé, enchufable, 14 pines, 4PDT, 6 A, indicador mecánico y LED, supresor de bo	12,57
MY4N-CR-GS 220/240VAC	686166	Relé, enchufable, 14 pines, 4PDT, 6 A, indicador mecánico y LED, supresor de bo	22,34
MY4IN-GS 12VDC	686167	Relé, enchufable, 14 contactos, 4PDT, 3 A, indicadores mecánicos y LED, pulsado	9,79
MY4IN-GS 24VDC	686168	Relé, enchufable, 14 contactos, 4PDT, 3 A, indicadores mecánicos y LED, pulsado	9,79
MY4IN-GS 48VDC	686169	Relé, enchufable, 14 pines, 4PDT, 6 A, indicador mecánico y LED, botón de prueb	11,05
MY4IN-GS 100/110VDC	686170	Relé, enchufable, 14 pines, 4PDT, 6 A, indicador mecánico y LED, botón de prueb	9,79
MY4IN-GS DC220	693099	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push tes	11,05
MY4IN-GS 24VAC	686171	Relé, enchufable, 14 contactos, 4PDT, 3 A, indicadores mecánicos y LED, pulsado	9,79
MY4IN-GS 110/120VAC	686172	Relé, enchufable, 14 contactos, 4PDT, 3 A, indicadores mecánicos y LED, pulsado	9,79
MY4IN-GS 220/240VAC	686173	Relé, enchufable, 14 contactos, 4PDT, 3 A, indicadores mecánicos y LED, pulsado	11,05
MY4IN-D2-GS 24VDC	686174	Relé, enchufable, 14 contactos, 4PDT, 3 A, indicadores mecánicos y LED, supresor	12,57
MY4IN-D2-GS 48VDC	686175	Relé, enchufable, 14 contactos, 4PDT, 3 A, indicadores mecánicos y LED, supresor	12,57
MY4IN-CR-GS 110/120VAC	694139	Relay, plug-in, 14-pin, 4PDT, 3 A, mechanical & LED indicators, coil suppressor, lo	15,36
MY4IN-CR-GS 220/240VAC	686126	Relé, enchufable, 14 pines, 4PDT, 6 A, indicador mecánico y LED, supresor de bo	15,36
G6D-F4PU 12VDC	687949	Terminal relay, DIN rail/surface mounting, 4x SPST-NO, 5 A, 12 VDC, push-in Plus	99,20
G6D-F4PU 24VDC	687948	Terminal relay, DIN rail/surface mounting, 4x SPST-NO, 5 A, 24 VDC, push-in Plus	112,90
G7SA-5A1B 12VDC	702996	Safety relay, plug-in, 5PST-NO, SPST-NC, 6 A, forcibly-guided contacts, 12 VDC	38,96
G7SA-3A3B 12VDC	702995	Relé de seguridad, enchufable, 3PST-NO, 3PST-NC, 6 A, contactos guiados forzoso	38,96
G7SA-4A2B 18VDC	702994	Safety relay, plug-in, 4PST-NO, DPST-NC, 6 A, forcible-guided contacts, 18 VDC	38,96
G7SA-5A1B 21VDC	702993	Safety relay, plug-in, 5PST-NO, SPST-NC, 6 A, forcible-guided contacts, 21 VDC	38,96
G7SA-3A3B 21VDC	702992	Safety relay, plug-in, 3PST-NO, 3PST-NC, 6 A, forcibly-guided contacts, 21 VDC	38,96
G7SA-5A1B 24VDC	702991	Relé Seguridad 5PST-NA 1PST-NC 6 polos 6A 24Vcc	38,96

OMRON PVPR 2023

G7SA-4A2B 24VDC	702990	Relé Seguridad 4PST-NA DPST-NC 6 polos 6A 24Vcc	38,96
G7SA-3A3B 24VDC	702989	Relé Seguridad 3PST-NA 3PST-NC 6 polos 6A 24Vcc	38,96
G7SA-5A1B 48VDC	702988	Safety relay, plug-in, 5PST-NO, SPST-NC, 6 A, forcible-guided contacts, 48 VDC	38,96
G7SA-3A3B 48VDC	702987	Safety relay, plug-in, 3PST-NO, 3PST-NC, 6 A, forcibly-guided contacts, 48 VDC	38,96
G7SA-5A1B 110VDC	702986	Safety relay, plug-in, 5PST-NO, SPST-NC, 6 A, forcible-guided contacts, 110 VDC	38,96
G7SA-3A3B 110VDC	702985	Safety relay, plug-in, 3PST-NO, 3PST-NC, 6 A, forcibly-guided contacts, 110 VDC	38,96
G2RV-ST500 24VAC/DC	708509	SPDT 6A Relé Borna+Base Push-in+ 24Vca/cc	18,45
G2RV-ST500 48VAC/DC	708540	SPDT 6A Relé Borna+Base Push-in+ 48Vca/cc	18,45
G2RV-ST500 110VAC	708539	SPDT 6A Relé Borna+Base Push-in+ 110Vca	20,10
G2RV-ST500 230VAC	708538	SPDT 6A Relé Borna+Base Push-in+ 230Vca	20,10
G2RV-ST500 12VDC	708537	SPDT 6A Relé Borna+Base Push-in+ 12Vcc	17,04
G2RV-ST500 24VDC	708536	SPDT 6A Relé Borna+Base Push-in+ 24Vcc	17,04
G2RV-ST500-AP 24VAC/DC	708535	SPDT 50mA Relé Borna+Base Push-in+ 24Vca/cc	19,07
G2RV-ST500-AP 48VAC/DC	708534	SPDT 50mA Relé Borna+Base Push-in+ 48Vca/cc	19,07
G2RV-ST500-AP 110VAC	708533	SPDT 50mA Relé Borna+Base Push-in+ 110Vca	20,47
G2RV-ST500-AP 230VAC	708532	SPDT 50mA Relé Borna+Base Push-in+ 230Vca	20,47
G2RV-ST500-AP 12VDC	708531	SPDT 50mA Relé Borna+Base Push-in+ 12Vcc	17,67
G2RV-ST500-AP 24VDC	708530	SPDT 50mA Relé Borna+Base Push-in+ 24Vcc	17,67
G2RV-ST501 24VAC/DC	708529	SPDT 6A Relé Borna+Base Push-in+ 24Vca/cc Pulsador de prueba	19,07
G2RV-ST501 24VDC	708528	SPDT 6A Relé Borna+Base Push-in+ 24Vcc Pulsador de prueba	17,67
G2RV-ST700 24VAC/DC	708527	SPDT 6A Relé Borna+Base Tornillos 24Vca/cc	17,57
G2RV-ST700 48VAC/DC	708526	SPDT 6A Relé Borna+Base Tornillos 48Vca/cc	17,57
G2RV-ST700 110VAC	708525	SPDT 6A Relé Borna+Base Tornillos 110Vca	18,94
G2RV-ST700 230VAC	708524	SPDT 6A Relé Borna+Base Tornillos 230Vca	18,94
G2RV-ST700 12VDC	708523	SPDT 6A Relé Borna+Base Tornillos 12Vcc	15,77
G2RV-ST700 24VDC	708522	SPDT 6A Relé Borna+Base Tornillos 24Vcc	15,77
G2RV-ST700-AP 24VAC/DC	708521	SPDT 50mA Relé Borna+Base Tornillos 24Vca/cc	17,67
G2RV-ST700-AP 48VAC/DC	708520	SPDT 50mA Relé Borna+Base Tornillos 48Vca/cc	17,67
G2RV-ST700-AP 110VAC	708519	SPDT 50mA Relé Borna+Base Tornillos 110Vca	19,07
G2RV-ST700-AP 230VAC	708518	SPDT 50mA Relé Borna+Base Tornillos 230Vca	19,07
G2RV-ST700-AP 12VDC	708517	SPDT 50mA Relé Borna+Base Tornillos 12Vcc	16,30
G2RV-ST700-AP 24VDC	708516	SPDT 50mA Relé Borna+Base Tornillos 24Vcc	16,30
G2RV-ST701 24VAC/DC	708515	SPDT 6A Relé Borna+Base Tornillos 24Vca/cc Pulsador de prueba	18,30

OMRON PVPR 2023

G2RV-ST701 24VDC	708514	SPDT 6A Relé Borna+Base Tornillos 24Vcc Pulsador de prueba	16,40
E3S-LS10XE4	130243	BGS Metal cc 10cm NPN Potenciómetro IP67	465,20
E3S-LS20XE4	130244	BGS Metal cc 20cm NPN Potenciómetro IP67	465,20
E3S-LS10XB4	130256	BGS Metal cc 10cm PNP Potenciómetro IP67	475,10
E3S-LS20XB4	130257	BGS Metal cc 20cm PNP Potenciómetro IP67	475,10
E3S-LS20XB4 5M	130266	Photoelectric sensor, definite, 50-250mm, DC, 3-wire, PNP, 5m cable.	477,50
E3S-CL1-M1J 0.3M	239808	Metálica BGS cc 3h 20cm. Cable + M12	255,70
E3S-CL2-M1J 0.3M	239809	BGS cc 3h 50cm potenciometro Cable 0,3m + M12	293,30
E3S-CL1 5M	239821	BGS cc 3h 20cm potenciómetro Cable 5m	284,00
E3S-CL2 5M	239822	BGS cc 3h 50cm potenciómetro Cable 5m	304,80
E3S-CL1 2M	239843	BGS cc 3h 20cm Potenciómetro. Cable 2m	273,70
E3S-CL2 2M	239844	BGS cc 3h 50cm Potenciómetro	293,30
E3Z-LS81 0.5M	323033	BGS cc 4h Réflex 200mm PNP IP67 Cable 0,5m	117,20
E3Z-LS81 5M	323034	BGS cc 4h Réflex 200mm PNP IP67 cable 5m	152,70
E3Z-LS61-M1J 0.3M	323036	BGS cc 4h Réflex 20cm NPN Cable 0,3M + M12	165,40
E3Z-LL61-M1J 0.3M	323039	Photoelectric sensor, rectangular housing, red laser class 1, background suppres	230,50
E3Z-LL81-M1J 0.3M	323041	Láser cc 3h BGS 20-300mm PNP Cable 0,3m + M12	234,30
E3Z-LL83-M1J 0.3M	323045	Láser cc 3h BGS 25-300mm PNP Cable 0,3m + M12	234,30
E3Z-LL81-M3J 0.3M	323064	Láser cc 3h BGS 20-300mm PNP Cable 0,3m + M8	222,50
E3Z-LL81 5M	323067	Láser cc 3h BGS 20-300mm PNP Cable 5m	236,90
E3Z-LS63 0.5M	323069	BGS Haz puntual cc 4h réflex 20-80mm NPN Cable 0,5m	117,20
E3Z-LS81-M3J 0.3M	323113	BGS cc 4h Réflex 20cm PNP Cable 0,3m + M8	152,70
E3Z-LS61 2M	323126	BGS cc 4h Réflex 20cm NPN Cable 2m	152,70
E3Z-LS66	323128	BGS cc 4h Réflex 200mm NPN M8 IP67	152,70
E3Z-LS81 2M	323129	BGS cc 4h Réflex 200mm PNP IP67 Cable 2m	152,70
E3Z-LS86	323130	BGS cc 4h Réflex 200mm PNP M8 IP67	152,70
E3Z-LS83 2M	323134	BGS Haz puntual cc 4h Réflex 20-80mm PNP	152,70
E3Z-LS88	323135	BGS Haz puntual cc 4h Réflex 20-80mm PNP M8	150,30
E3Z-LS81-M1J 0.3M	323136	BGS cc 4h Réflex 200mm PNP IP67 Cable 0,3M + M12	152,70
E3Z-LL61 2M	323137	Láser cc 3h BGS 300mm NPN Cable 2m	234,30
E3Z-LL66	323138	Láser cc 3h BGS 300mm NPN M8	234,30
E3Z-LL81 2M	323139	Láser cc 3h BGS 20-300mm PNP Cable 2m	234,30
E3Z-LL86	323140	Láser cc 3h BGS 20-300mm PNP M8	234,30

OMRON PVPR 2023

E3Z-LL63 2M	323141	Láser cc 3h BGS 300mm NPN Cable 2m 0,5ms	230,50
E3Z-LL68	323142	Láser cc 3h BGS 300mm NPN M8 Rápida 0,5ms	234,30
E3Z-LL83 2M	323143	Láser cc 3h BGS 25-40mm PNP Cable 2m	232,90
E3Z-LL88	323144	Láser cc 3h BGS 300mm PNP M8 Rápida 0,5ms	234,30
E3Z-LS63 2M	323153	BGS Haz puntual cc 4h réflex 20-80mm NPN Cable 2m	153,80
E3Z-LS68	323154	BGS cc 4h Réflex 80mm NPN M8 IP67	150,30
E3NC-SH100 2M	375074	Cabeza sensora Láser E3NC-S 35-100mm	457,00
E3NC-SH250 2M	375077	Cabeza sensora Láser E3NC-S 35-250mm	457,00
E3NC-SH250H 2M	379290	Cabeza sensora Láser clase 2 E3NC-S 35-250mm	470,30
E3S-LS10XE4-M3J-2 0.3M	237804		475,10
E3AS-F1500IMN M3	690200	Fotocélula, compacta cuadrada, acero inoxidable, TOF, 1500 mm, láser infrarrojo	157,00
E3AS-F1500IMD M3	690201	Fotocélula, compacta cuadrada, acero inoxidable, TOF, 1500 mm, láser infrarrojo	157,00
E3AS-F1500IMT M3	690202	Fotocélula, compacta cuadrada, acero inoxidable, TOF, 1500 mm, láser infrarrojo	157,00
E3AS-F1500IPN M3	690203	Fotocélula, compacta cuadrada, cuerpo de plástico, TOF, 1500 mm, láser infrarrojo	110,40
E3AS-F1500IPD M3	690204	Fotocélula, compacta cuadrada, cuerpo de plástico, TOF, 1500 mm, láser infrarrojo	110,40
E3AS-F1500IPT M3	690205	Fotocélula, compacta cuadrada, cuerpo de plástico, TOF, 1500 mm, láser infrarrojo	110,40
E3AS-F1000IMN M3	690206	Fotocélula, compacta cuadrada, acero inoxidable, TOF, 1000 mm, láser infrarrojo	157,00
E3AS-F1000IMD M3	690207	Fotocélula, compacta cuadrada, acero inoxidable, TOF, 1000 mm, láser infrarrojo	157,00
E3AS-F1000IMT M3	690208	Fotocélula, compacta cuadrada, acero inoxidable, TOF, 1000 mm, láser infrarrojo	157,00
E3AS-F1000IPN M3	690209	Fotocélula, compacta cuadrada, cuerpo de plástico, TOF, 1000 mm, láser infrarrojo	110,40
E3AS-F1000IPD M3	690210	Fotocélula, compacta cuadrada, cuerpo de plástico, TOF, 1000 mm, láser infrarrojo	110,40
E3AS-F1000IPT M3	690211	Fotocélula, compacta cuadrada, cuerpo de plástico, TOF, 1000 mm, láser infrarrojo	110,40
E3AS-L200MN M3	690212	Fotocélula, compacta cuadrada, acero inoxidable, BGS, 200 mm, LED rojo, NPN,	191,90
E3AS-L200MD M3	690213	Fotocélula, compacta cuadrada, acero inoxidable, BGS, 200 mm, LED rojo, PNP,	191,90
E3AS-L200MT M3	690214	Fotocélula, compacta cuadrada, acero inoxidable, BGS, 200 mm, LED rojo, PNP,	191,90
E3AS-L80MN M3	690215	Fotocélula, compacta cuadrada, acero inoxidable, BGS, 80 mm, LED rojo, NPN, L	191,90
E3AS-L80MD M3	690216	Fotocélula, compacta cuadrada, acero inoxidable, BGS, 80 mm, LED rojo, PNP, L	191,90
E3AS-L80MT M3	690217	Fotocélula, compacta cuadrada, acero inoxidable, BGS, 80 mm, LED rojo, PNP, L	191,90
E3AS-F1500IMN 2M	690948	Sensor fotoeléctrico, carcasa rectangular, acero inoxidable, láser infrarrojo clase	162,70
E3AS-F1500IMN-M1TJ 0.3M	690985	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, t	191,90
E3AS-F1500IMD 2M	690984	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, t	162,70
E3AS-F1500IMD-M1TJ 0.3M	690983	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, t	191,90
E3AS-F1500IMT 2M	690982	Fotocélula, compacta cuadrada, acero inoxidable, TOF, 1500 mm, láser infrarrojo	162,70

OMRON PVPR 2023

E3AS-F1500IMT-M1TJ 0.3M	690981	Fotocélula, compacta cuadrada, acero inoxidable, TOF, 1500 mm, láser infrarrojo	191,90
E3AS-F1500IPN 2M	690980	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, tin	122,10
E3AS-F1500IPN-M1TJ 0.3M	690979	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, tin	151,10
E3AS-F1500IPD 2M	690978	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, tin	122,10
E3AS-F1500IPD-M1TJ 0.3M	690977	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, tin	151,10
E3AS-F1500IPT 2M	690976	Fotocélula, compacta cuadrada, cuerpo de plástico, TOF, 1500 mm, láser infrarrojo	122,10
E3AS-F1500IPT-M3J 0.3M	690975	Sensor fotoeléctrico, carcasa rectangular, cuerpo de plástico, láser infrarrojo de	151,10
E3AS-F1500IPT-M1TJ 0.3M	690974	Fotocélula, compacta cuadrada, cuerpo de plástico, TOF, 1500 mm, láser infrarrojo	151,10
E3AS-F1000IMN 2M	690973	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, t	162,70
E3AS-F1000IMN-M1TJ 0.3M	690972	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, t	191,90
E3AS-F1000IMD 2M	690971	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, t	162,70
E3AS-F1000IMD-M1TJ 0.3M	690970	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, t	191,90
E3AS-F1000IMT 2M	690969	Fotocélula, compacta cuadrada, acero inoxidable, TOF, 1000 mm, láser infrarrojo	162,70
E3AS-F1000IMT-M1TJ 0.3M	690968	Sensor fotoeléctrico, cuadrado compacto, acero inoxidable, TOF, 1000 mm, láse	191,90
E3AS-F1000IPN 2M	690967	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, tin	122,10
E3AS-F1000IPN-M1TJ 0.3M	690966	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, tin	151,10
E3AS-F1000IPD 2M	690965	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, tin	122,10
E3AS-F1000IPD-M1TJ 0.3M	690964	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, tin	151,10
E3AS-F1000IPT 2M	690963	Fotocélula, compacta cuadrada, cuerpo de plástico, TOF, 1000 mm, láser infrarrojo	122,10
E3AS-F1000IPT-M3J 0.3M	690962	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, tin	151,10
E3AS-F1000IPT-M1TJ 0.3M	690961	Fotocélula, compacta cuadrada, cuerpo de plástico, TOF, 1000 mm, láser infrarrojo	151,10
E3AS-L200MN 2M	690960	Photoelectric sensor, rectangular housing, stainless steel, red LED, background s	197,60
E3AS-L200MN-M1TJ 0.3M	690959	Photoelectric sensor, rectangular housing, stainless steel, red LED, background s	226,70
E3AS-L200MD 2M	690958	Photoelectric sensor, rectangular housing, stainless steel, red LED, background s	197,60
E3AS-L200MD-M1TJ 0.3M	690957	Photoelectric sensor, rectangular housing, stainless steel, red LED, background s	226,70
E3AS-L200MT 2M	690956	Fotocélula, compacta cuadrada, acero inoxidable, BGS, 200 mm, LED rojo, PNP,	197,60
E3AS-L200MT-M1TJ 0.3M	690955	Fotocélula, compacta cuadrada, acero inoxidable, BGS, 200 mm, LED rojo, PNP,	226,70
E3AS-L80MN 2M	690954	Photoelectric sensor, rectangular housing, stainless steel, red LED, background s	197,60
E3AS-L80MN-M1TJ 0.3M	690953	Photoelectric sensor, rectangular housing, stainless steel, red LED, background s	226,70
E3AS-L80MD 2M	690952	Photoelectric sensor, rectangular housing, stainless steel, red LED, background s	197,60
E3AS-L80MD-M1TJ 0.3M	690951	Photoelectric sensor, rectangular housing, stainless steel, red LED, background s	226,70
E3AS-L80MT 2M	690950	Fotocélula, compacta cuadrada, acero inoxidable, BGS, 80 mm, LED rojo, PNP, L-	197,60
E3AS-L80MT-M1TJ 0.3M	690949	Fotocélula, compacta cuadrada, acero inoxidable, BGS, 80 mm, LED rojo, PNP, L-	226,70

OMRON PVPR 2023

E3AS-HL500MN 2M	696040	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, backg	400,90
E3AS-HL500MN M3	696038	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, backg	400,90
E3AS-HL500MN-M1TJ 0.3M	696081	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, backg	418,30
E3AS-HL500MT-M1TJ 0.3M	696080	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, backg	418,30
E3AS-HL500LMN-M1TJ 0.3M	696079	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, backg	429,90
E3AS-HL500LMT-M1TJ 0.3M	696078	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, backg	429,90
E3AS-HL150MN-M1TJ 0.3M	696077	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, backg	418,30
E3AS-HL150MT-M1TJ 0.3M	696076	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, backg	418,30
E3AS-HL150LMN-M1TJ 0.3M	696075	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, backg	429,90
E3AS-HL150LMT-M1TJ 0.3M	696074	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, backg	429,90
E3AS-HL500MT 2M	696073	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, backg	400,90
E3AS-HL500MT 5M	696072	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, backg	412,60
E3AS-HL500MT M3	696071	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, backg	400,90
E3AS-HL500MT-M3J 0.3M	696070	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, backg	418,30
E3AS-HL500LMN 2M	696069	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, backg	412,60
E3AS-HL500LMN M3	696068	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, backg	412,60
E3AS-HL500LMT 2M	696067	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, backg	412,60
E3AS-HL500LMT 5M	696066	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, backg	424,20
E3AS-HL500LMT M3	696065	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, backg	412,60
E3AS-HL500LMT-M3J 0.3M	696064	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, backg	429,90
E3AS-HL150MN 2M	696063	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, backg	400,90
E3AS-HL150MN M3	696062	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, backg	400,90
E3AS-HL150MT 2M	696061	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, backg	400,90
E3AS-HL150MT 5M	696060	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, backg	412,60
E3AS-HL150MT M3	696059	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, backg	400,90
E3AS-HL150MT-M3J 0.3M	696058	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, backg	418,30
E3AS-HL150LMN 2M	696057	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, backg	412,60
E3AS-HL150LMN M3	696056	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, backg	412,60
E3AS-HL150LMT 2M	696055	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, backg	412,60
E3AS-HL150LMT 5M	696054	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, backg	424,20
E3AS-HL150LMT M3	696053	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, backg	412,60
E3AS-HL150LMT-M3J 0.3M	696052	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, backg	429,90
E3T-SL13-M5J 0.3M	100408	Miniatura 3h Réflex 15mm Lateral PNP Luz 0,3M+M8	137,00

OMRON PVPR 2023

E3T-SL22 2M	104111	Miniatura 3h Réflex 30mm Lateral NPN Osc	137,00
E3T-SL23 2M	130103	Miniatura 3h Réflex 30mm Lateral PNP Luz	137,00
E3T-SL24 2M	130104	Miniatura 3h Réflex 30mm Lateral PNP Osc	137,00
E3T-SL23 5M	130109	Photo-electric sensor.	148,50
E3T-SL12 2M	130182	Miniatura 3h Réflex 15mm Lateral NPN Osc	137,00
E3S-LS3P 2M	130313	Punto focal fijo 35mm PNP luz Cable 2m Recep/Emisor	185,40
E3S-LS3PW 2M	130314	Punto focal fijo 60mm PNP luz Cable 2m Recep/Emisor	214,80
E3S-LS3PW-M3J 0.3M	130317	Punto focal fijo 60mm PNP luz Timer Cable 0,3m+M8 4 pines Recep/Emisor	214,80
E3S-LS3PWT-M3J 0.3M	142537	Punto focal fijo 60mm PNP luz 0.3m+M8 4pines	214,80
E3S-LS3P-M3J 0.3M	143610	Punto focal fijo 35mm PNP luz Cable 0,3m+M8 4 pines Recep/Emisor	213,30
E3T-SL13 2M	145481	Miniatura 3h Réflex 15mm Lateral PNP Luz	137,00
E3T-SL21 2M	147720	Miniatura 3h Réflex 30mm Lateral NPN Luz	137,00
E3T-SL14 2M	149692	Miniatura 3h Réflex 15mm Lateral PNP Osc	137,00
E3S-LS3N 2M	150300	Punto focal fijo 35mm NPN luz Cable 2m Emisor/Recep	185,40
E3S-LS3NW 2M	154808	Punto focal fijo 60mm NPN luz Cable 2m Emisor/Recep	214,80
E3S-LS3PW-M5J 0.3M	155478	Punto focal fijo 60mm PNP luz Cable 0,3m + M8 Recep/Emisor	214,80
E3T-SL11 2M	156503	Miniatura 3h Réflex 15mm Lateral NPN Luz	137,00
E3T-SL24-M5J 0.3M	162306	Miniatura 3h Réflex 30mm Lateral PNP Osc 0,3M+M8	137,00
E3T-SL21-M5J 0.3M	163555	Miniatura 3h Réflex 30mm Lateral NPN Luz Cable 0,3M + M8	160,30
E3T-SL23-M5J 0.3M	163556	Miniatura 3h Réflex 30mm Lateral PNP Luz 0,3M+M8	137,00
E3ZM-LS69H	223472	Metálica BGS cc 4h 20cm NPN M8	229,10
E3ZM-LS81H 2M	223473	Metálica BGS cc 4h 10cm PNP Cable 2M	234,30
E3ZM-LS82H 2M	223474	Metálica BGS cc 4h 15cm PNP Cable 2M	234,30
E3ZM-LS84H 2M	223475	Metálica BGS cc 4h 20cm PNP Cable 2M	234,30
E3ZM-LS86H	223476	Metálica BGS cc 4h 10cm PNP M8	234,30
E3ZM-LS87H	223477	Metálica BGS cc 4h 15cm PNP M8	234,30
E3ZM-LS89H	223478	Metálica BGS cc 4h 20cm PNP M8	234,30
E3ZM-LS64H 2M	224167	Metálica BGS cc 4h 20cm NPN Cable 2M	234,30
E3ZM-LS66H	224169	Metálica BGS cc 4h 10cm NPN M8	234,30
E3T-FL11 2M	224243	Miniatura 3h BGS 15mm Plana NPN Luz	183,40
E3T-FL13 2M	224245	Miniatura 3h BGS 15mm Plana PNP Luz	183,40
E3T-FL14 2M	224246	Miniatura 3h BGS 15mm Plana PNP Osc.	183,40
E3T-FL21 2M	224247	Miniatura 3h BGS 30mm Plana NPN Luz	183,40

OMRON PVPR 2023

E3T-FL22 2M	224248	Photoelectric sensor, background suppression, 1-30mm, DC, 3-wire, NPN, dark-d	183,40
E3T-FL23 2M	224249	Miniatura 3h BGS 30mm Plana PNP Luz	183,40
E3T-FL24 2M	224250	Miniatura 3h BGS 30mm Plana PNP Osc.	183,40
E3T-FL13R 2M	224657	Photoelectric sensor, BGS, 1-15mm, DC, 3-wire, PNP, light-on, flat-form, 2m rob	183,40
E3ZM-LS61H 5M	227215	Metálica BGS cc 4h 10cm NPN L/Dselec. Cable 5M	236,90
E3ZM-LS81H 5M	227218	Metálica BGS cc 4h 10cm PNP Cable 5M	248,60
E3ZM-LS84H 5M	227220	Metálica BGS cc 4h 20cm PNP Cable 5M	242,20
E3ZM-LS69X	227231	Metálica BGS cc 4h 20cm PNP M8 Light-on	234,30
E3ZM-LS82X 2M	227233	Metálica BGS cc 4h 15cm PNP Cable 2m Light-on	231,70
E3ZM-LS81X 5M	227234	Photoelectric sensor, rectangular housing, stainless steel, red LED, background s	234,30
E3ZM-LS86X	227237	Metálica BGS cc 4h 10cm PNP M8 Light-on	234,30
E3ZM-LS84X 2M	227261	Metálica BGS cc 4h 20cm PNP Cable 2M Light-on	231,70
E3ZM-LS84X-S1J 0.3M	249463	Metálica BGS cc 4h 20cm PNP Light-on Cable 0,3M + M12 Acero	234,30
E3ZM-LS81X-S1J 0.3M	249465	Metálica BGS cc 4h 10cm PNP Cable 0,3M + M12 acero Light on	220,00
E3T-SL24M 2M	351535	Miniatura M3 3h Réflex 30mm Lateral PNP Osc	104,30
E3T-SL13M 2M	351546	Miniatura 3h Réflex 15mm Lateral M3 PNP Luz	98,15
E3T-SL23M 2M	351547	Miniatura M3 3h réflex 30mm Lateral PNP Luz	105,90
E3T-SL21M 2M	351552	Miniatura 3h Réflex 30mm Lateral NPN Luz sin tornillos	117,60
E3T-FL23-M5J 0.3M	354858	Miniatura 3h BGS 30mm Plana PNP Luz 0,3m+M8	219,70
E3FA-LN11 2M	378855	Plástico Supresora fondos 100mm NPN Cable 2m	89,10
E3FA-LN12 2M	378856	Plástico Supresora fondos 200mm NPN Cable 2m	89,10
E3FA-VN11 2M	378857	Plástico Reflex distancia limitada 10-50mm NPN Cable 2m	95,65
E3FA-LN21	378865	Plástico Supresora fondos 100mm NPN Conector M12	86,60
E3FA-LN22	378866	Plástico Supresora fondos 200mm NPN Conector M12	86,60
E3FA-VN21	378867	Plástico Reflex distancia limitada 10-50mm NPN Conector M12	94,25
E3FA-LP11 2M	378875	Plástico Supresora fondos 100mm PNP Cable 2m	89,10
E3FA-LP12 2M	378876	Plástico Supresora fondos 200mm PNP Cable 2m	89,10
E3FA-VP11 2M	378877	Plástico Reflex distancia limitada 10-50mm PNP Cable 2m	95,65
E3FA-LP21	378885	Plástico Supresora fondos 100mm PNP Conector M12	86,60
E3FA-LP22	378886	Plástico Supresora fondos 200mm PNP Conector M12	86,60
E3FA-VP21	378887	Plástico Reflex distancia limitada 10-50mm PNP Conector M12	94,25
E3FB-LN11 2M	378896	Metal Supresora fondos 100mm NPN Cable 2m	95,65
E3FB-LN12 2M	378897	Metal Supresora fondos 200mm NPN Cable 2m	95,65

OMRON PVPR 2023

E3FB-VN11 2M	378898	Metal Reflex distancia limitada 10-50mm NPN Cable 2m	102,10
E3FB-LN21	378907	Metal Supresora fondos 100mm NPN Conector M12	94,25
E3FB-LN22	378908	Metal Supresora fondos 200mm NPN Conector M12	94,25
E3FB-VN21	378909	Metal Reflex distancia limitada 10-50mm NPN Conector M12	100,70
E3FB-LP11 2M	378918	Metal Supresora fondos 100mm PNP Cable 2m	95,65
E3FB-LP12 2M	378919	Metal Supresora fondos 200mm PNP Cable 2m	95,65
E3FB-VP11 2M	378920	Metal Reflex distancia limitada 10-50mm PNP Cable 2m	102,10
E3FB-LP21	378929	Metal Supresora fondos 100mm PNP Conector M12	94,25
E3FB-LP22	378930	Metal Supresora fondos 200mm PNP Conector M12	94,25
E3FB-VP21	378931	Metal Reflex distancia limitada 10-50mm PNP Conector M12	100,70
E3FA-LP11-F2 2M	382776	Plástico Supresora fondos 100mm PNP Con luz por defecto Cable 2m	89,10
E3FA-LP21-F2	382780	Plástico Supresora fondos 100mm PNP Con luz por defecto M12	86,60
E3T-SL23M-M5J	392060	Miniatura M3 3h réflex 30mm Lateral PNP Luz 0,3M+M8	137,00
E3NC-LH01 2M	375086	Cabeza sensora Láser E3NC-L 70+-15mm	322,50
E3NC-LH01 5M	392634	Cabeza sensora Láser E3NC-L 70+-15mm Cable 5m	363,60
E3T-FL13-M1TJ 0.3M	398771	Miniatura 3h BGS 15mm Plana PNP Luz 0,3m + M12	218,30
E3S-LS3NWT 2M	679474	Photoelectric sensor, limited reflective, compact square, 10 to 60 mm range, NP	216,80
E3T-SL14-M1TJ 0.3M	695492	Photoelectric sensor, diffuse, 5-15 mm, DC, 3-wire, PNP, dark-on, side-view, M2	137,00
E3FB-LP21-F2	659015	Metal Supresora fondos 100mm PNP Con luz por defecto M12	94,25
E3FA-LP22-F2	659592	Plástico Supresora fondos 200mm PNP Con luz por defecto Con.M12	86,60
E3FB-LP22-F2	659594	Metal Supresora fondos 200mm PNP Con luz por defecto Con. M12	94,25
E3FA-LP11-E007 2M	659021	Plástico Supresora fondos Infrarojo 100mm PNP Cable 2m	94,25
E3FA-LP12-F2 2M	659602	Plástico Supresora fondos 200mm PNP Con luz por defecto Cable 2m	89,10
E3FC-LN12 2M	659460	Inox Supresora fondos 200mm NPN Cable 2m	109,90
E3FC-LN22	659459	Inox Supresora fondos 200mm NPN Conector M12	108,60
E3FC-LP12 2M	659424	Inox Supresora fondos 200mm PNP Cable 2m	109,90
E3FC-LP22	659454	Inox Supresora fondos 200mm PNP Conector M12	108,60
E3FC-LP21	659426	Inox Supresora fondos 100mm PNP Conector M12	108,60
E3FC-LN11 2M	659456	Inox Supresora fondos 100mm NPN Cable 2m	109,90
E3FC-LN21	659447	Inox Supresora fondos 100mm NPN Conector M12	108,60
E3FC-LP11 5M	659440	nox Supresora fondos 100mm PNP Cable 5m	109,90
E3FC-LP11 2M	659428	Inox Supresora fondos 100mm PNP Cable 2m	109,90
E3X-NAG11 5M	239752	Amplifier, with potentiometer, mark detection, green LED, NPN output, 5 m cab	179,10

OMRON PVPR 2023

E3X-NA41-M5J 0.15M	239758	Manual cc 3h PNP Temporización GIGA RAY Led 0,15m + M8 (3 pin)	162,50
E3X-NA41V 2M	239760	Manual cc 3h PNP IP66 Temporización	201,80
E3X-NA41-1 2M	239761	Fiber amplifier, DC, 3-wire, PNP, 2m cable, with 20ms ON-delay timer function.	151,00
E3X-NA11 2M	239765	Manual cc 3h NPN Temporización GIGA RAY Led	132,60
E3X-NA41 2M	239766	Manual cc 3h PNP Temporización GIGA RAY Led	132,60
E3X-NAG11 2M	239767	Manual cc 3h NPN Temporización. Detec. marcas	166,50
E3X-NAG41 2M	239768	Manual cc 3h PNP Temporización. Detec. marcas	166,50
E3X-NA6	239769	Manual cc Conector M/S NPN Temporización GIGA RAY Led	108,80
E3X-NA8	239770	Manual cc Conector M/S PNP Temporización GIGA RAY Led	108,80
E3X-NA44V	239771	Manual cc 3h PNP IP66 M8	201,80
E3X-NA11F 2M	239772	Manual cc 3h NPN Temporización Alta velocidad	201,80
E3X-NA11V 2M	239773	Manual cc 3h NPN IP66 Temporización	201,80
E3X-NA14V	239774	Manual cc 3h NPN IP66 M8	201,80
E3X-NA41F 2M	239775	Manual cc 3h PNP Temporización Alta velocidad	201,80
E3X-NA21 2M	239776	Manual cc 3h NPN Temporización Alarma	187,30
E3X-NA51 2M	239777	Manual cc 3h PNP Temporizada. Autodiagnóstico	169,10
E3X-NA41F-M3J 0.15M	245571	Manual cc 3h PNP Temporización Alta velocidad Cable 0,3m + M8 4 pines	209,60
E3X-MDA8	323856	Doble display cc 3h PNP Teach 2 fibras Conector	364,00
E3X-SD21 2M	340860	Display cc 3h NPN Teach GIGA RAY Led	150,70
E3X-SD51 2M	340861	Display cc 3h PNP Teach GIGA RAY Led	150,70
E3X-SD7	340862	LITE Display cc 3h NPN Teach GIGA RAY Led Conector	141,70
E3X-SD9	340863	LITE Display cc 3h PNP Teach GIGA RAY Led Conector	141,70
E3X-HD0	356808	Display cc Unidad Comunic. Smart Teach GIGA RAY II Led	255,40
E3X-NA11V 5M	364641	Manual cc 3h NPN IP66 Temporización Cable 5m	237,10
E3NX-FA8	375065	Display cc 1S PNP Smart Noise Reduct. N-Core GIGA RAY 2S Conector M/S	222,20
E3NX-FA9	375066	Display cc 1S/1E PNP Smart Noise Reduct. N-Core GIGA RAY 2S Conector M/S	241,20
E3NX-FA7TW	375067	Display cc 2S NPN Smart Noise Reduct. N-Core GIGA RAY 2S Conector M/S	241,20
E3NX-FA9TW	375068	Display cc 2S PNP Smart Noise Reduct. N-Core GIGA RAY 2S Conector M/S	241,20
E3NX-FA6	375072	Display cc 1S NPN Smart Noise Reduct. N-Core GIGA RAY 2S Conector M/S	222,20
E3NX-FA51 2M	375073	Display cc 2S/1E PNP Smart Noise Reduct. N-Core GIGA RAY 2S	241,20
E3NX-FA41 2M	375075	Display cc 1S PNP Smart Noise Reduct. N-Core GIGA RAY 2S	222,20
E3NX-FA21 2M	375076	Display cc 2S/1E NPN Smart Noise Reduct. N-Core GIGA RAY 2S	241,20
E3NX-FA7	375080	Display cc 1S/1E NPN Smart Noise Reduct. N-Core GIGA RAY 2S Conector M/S	241,20

OMRON PVPR 2023

E3NX-FA11 2M	375081	Display cc 1S NPN Smart Noise Reduct. N-Core GIGA RAY 2S	222,20
E3NX-FA0	375783	Display cc Unidad comunicaciones E3NX-FA	267,00
E3NX-FA24	378462	Disp.cc 1S/1E NPN Smart Noise Reduct. N-Core GIGA RAY 2S Conector M8	241,20
E3NX-FA54	378463	Disp.cc 1S/1E PNP Smart Noise Reduct. N-Core GIGA RAY 2S Conector M8	241,20
E3NX-FA54TW	382424	Disp.cc 2S PNP Smart Noise Reduct. N-Core GIGA RAY 2S Conector M8	241,20
E3NX-CA51-L143 2M	675396	Amplificador Marcas Color Avanzado LED PNP cable 2m + E39-L143	320,80
E3NX-FA41AN 2M	681545	Amplificador de fibra, LED rojo, pantalla digital doble, ajuste inteligente, salida a	301,70
E3NX-FAT6-1	684046	Amplificador de fibra, display digital doble, ajuste inteligente, NPN, salida única,	201,30
E3NX-MA11 2M	681533	Amplificador de fibra, 2 entradas de fibra, pantalla digital doble, ajuste intelligen	314,50
E3NX-FAH0	681544	Fiber amplifier, infrared LED, twin digital display, smart tuning, Fieldbus commu	251,60
E3NX-FA11AN 2M	681543	Amplificador de fibra, LED rojo, pantalla digital doble, ajuste inteligente, salida a	301,70
E3NX-FAH41 2M	681542	Amplificador de fibra, LED infrarrojo, pantalla digital doble, ajuste inteligente, P	214,00
E3NX-FAH6	681541	Fiber amplifier, infrared LED, twin digital display, smart tuning, NPN, single outp	214,00
E3NX-FAH11 2M	681540	Fiber amplifier, infrared LED, twin digital display, smart tuning, NPN, single outp	214,00
E3NX-FAH8	681539	Fiber amplifier, infrared LED, twin digital display, smart tuning, PNP, single outpu	214,00
E3NX-MA6	681534	Amplificador de fibra, 2 entradas de fibra, pantalla digital doble, ajuste intelligen	308,30
E3NX-MA8	681535	Amplificador de fibra, 2 entradas de fibra, pantalla digital doble, ajuste intelligen	308,30
E3NX-MA0	681536	Amplificador de fibra, 2 entradas de fibra, pantalla digital doble, sintonización in	358,40
E3NX-MA41 2M	681532	Amplificador de fibra, 2 entradas de fibra, pantalla digital doble, ajuste intelligen	314,50
E3NX-FA10 2M	708299	Fiber amplifier for communications unit, twin digital display, smart tuning, NPN,	269,90
E3NX-FA40 2M	690222	Fiber amplifier for communications unit, twin digital display, smart tuning, PNP,	269,90
E3X-HD11 2M	691084	Amplificador de fibra, funcionamiento estable y sencillo, LED Giga Ray II, NPN, 2	222,60
E3X-HD11 5M	691083	Fiber amplifier, Stable and Easy operation, Giga Ray II LED, NPN, 5 m	224,90
E3X-HD14	691082	Amplificador de fibra, funcionamiento estable y sencillo, LED Giga Ray II, NPN, co	230,50
E3X-HD41 2M	691076	Amplificador de fibra, funcionamiento estable y sencillo, LED Giga Ray II, PNP, 2	222,60
E3X-HD41 5M	691081	Fiber amplifier, Stable and Easy operation, Giga Ray II LED, PNP, 5 M	223,70
E3X-HD44	691079	Amplificador de fibra, funcionamiento estable y sencillo, LED Giga Ray II, PNP, co	225,30
E3X-HD6	691078	Amplificador de fibra, funcionamiento estable y sencillo, LED Giga Ray II, NPN, co	222,60
E3X-HD8	691077	Amplificador de fibra, funcionamiento estable y sencillo, LED Giga Ray II, PNP, co	222,60
E3X-ZV11 2M	709041	Fiber amplifier, twin digital display, smart tuning, NPN, single output, 2 m cable	183,60
E3X-ZV41 2M	709040	Fiber amplifier, twin digital display, smart tuning, PNP, single output, 2 m cable	183,60
E3X-MZV11 2M	709039	Fiber amplifier, 2 fiber inputs, twin digital display, smart tuning, 2 NPN outputs,	243,00
E3X-MZV41 2M	709038	Fiber amplifier, 2 fiber inputs, twin digital display, smart tuning, 2 PNP outputs,	243,00

OMRON PVPR 2023

E3X-ZV6	709037	Fiber amplifier, twin digital display, smart tuning, NPN, single output, system con	178,20
E3X-ZV8	709036	Fiber amplifier, twin digital display, smart tuning, PNP, single output, system con	178,20
E3X-MZV6	709035	Fiber amplifier, 2 fiber inputs, twin digital display, smart tuning, 2 NPN outputs, s	237,60
E3X-MZV8	709034	Fiber amplifier, 2 fiber inputs, twin digital display, smart tuning, 2 PNP outputs, s	237,60
E32-DC200C	103780	Réflex Cable espiral Roscada M6	67,90
E32-DC1000	104598	Réflex General Roscada M6 10M	116,70
E32-TC200B4R	106025	Barrera Roscada M4 Saliente 40mm Flexible	137,60
E32-L24S 2M	131532	Reflexión directa limitada 4mm Ultraplana	293,40
E32-TC200C	131543	Barrera Espiral Roscada M4	82,50
E32-TC200D	131544	Barrera Espiral Roscada M4 Saliente	143,70
E32-TC200F	131546	Barrera General Roscada M3 Saliente 90mm	81,35
E32-T11L 5M	131553	Barrera Larga distancia Roscada M4 5M	145,60
E32-T12L 5M	131554	Fiber optic sensor head, through-beam, long distance detection, cylindrical axial	132,30
E32-T14L 5M	131556	Fiber optic sensor head, through-beam, cylindrical radial, diameter 3 mm, R25 fi	193,60
E32-TC300	131559	Barrera General Roscada M4 3m	72,15
E32-D24 10M	131568	Réflex Ángulo recto D2mm cable 10m	306,60
E32-D21L 5M	131569	Réflex Larga distancia Roscada M4 Cable 5m	112,80
E32-DC2000	131571	Réflex General Roscada M6 Saliente 90mm	352,30
E32-D82F1 4M	131572	Alta tª 200°C Lápiz nivel de líquido	881,00
E32-D14LR 2M	131578	Réflex Larga distancia Detección lateral D6mm	223,90
E32-D51 2M	131592	Réflex alta tª 150°C Roscada M6 cable 2M	135,80
E32-TC200F4	131599	Barrera General Roscada M3 Saliente 40mm	81,35
E32-D11L 5M	131621	Réflex Larga distancia Roscada M6 5m	102,30
E32-T14 5M	131622	Barrera Ángulo recto Cable 5m	111,40
E32-D11 5M	131624	Réflex Flexible (R4) Roscada M6. 5m	93,10
E32-DC500E	131657	Réflex General Roscada M3 5m	70,85
E32-CC500 5M	131662	Réflex coaxial Roscada M6 cable 5m	97,00
E32-TC1000	131663	Barrera General Roscada M4 10M	123,40
E32-DC50	131664	Sensor de fibra óptica, modo difuso, cabezal M6, fibra R25 estándar, cable de 0,	46,09
E32-DC300	131670	Fiber optic sensor head	67,10
E32-D32 10M	143775	Fiber optic sensor head, diffuse, cylindrical axial, diameter 2 mm, coaxial, R25 fi	100,70
E32-DC200D	144832	Réflex Cable espiral Roscada M6 Saliente	81,20
E32-A03 2M	146995	Barrera deteccion obleas D3mm	269,90

OMRON PVPR 2023

E32-D14L 5M	149160	Réflex Larga distancia Ángulo recto D6mm 5m	112,80
E32-T11 5M	150226	Barrera Flexible (R4) Roscada M4. 5m	86,40
E32-T54V 0.5M	153585	Fiber optic sensor head, through-beam, cylindrical radial, diameter 3 mm, R30 v	509,00
E32-T10V	158115	Fibra optica para vacío. Lado atmosferico 2m	59,75
E32-T54 2M	158116	Barrera alta tª 150°C D2mm	426,20
E32-T84S-S 2M	163196	Barrera alta tª 200°C D3mm	732,50
E32-T81F-S 2M	163378	Fiber optic sensor head, through-beam, cylindrical axial diameter 6 mm, R10 che	536,50
E32-L66 2M	165017	Reflex posicionamiento cristal 5-18mm 300°C	948,50
E32-A03-1 2M	165074	Barrera deteccion obleas D3mm cuadrada	344,10
E32-A04-1 2M	165075	Sensor de fibra óptica, sensor de barrera, cuadrado, fibra de alta flexibilidad R1,	501,00
E32-T15X 2M	172114	Barrera plana 15x10/18x3mm	157,00
E32-D15X 2M	172128	Reflex plana 15x10x3mm	127,80
E32-D15Y 2M	172129	Reflex lateral 15x10x3mm	143,70
E32-D15Z 2M	172130	Reflex spot lateral cuadrada	137,10
E32-D15XB 2M	172134	Reflex plana 15x10x3mm Resist. roturas	170,40
E32-T51F 2M	172347	Barrera Flouresina resistencia quimica / aceite 150° R40	854,50
E32-D14F 2M	172348	Fiber optic sensor head, diffuse, cylindrical radial, diameter 6 mm, R40 chemical	411,20
E32-A09 2M	172351	Reflex Larga distancia cabeza cuadrada	402,00
E32-T11 2M	182514	Barrera Flexible (R4) Roscada M4 2m	74,50
E32-T11L 2M	182515	Barrera Larga distancia Roscada M4	73,50
E32-T12L 2M	182516	Barrera Larga distancia D3mm	90,55
E32-T14L 2M	182517	Barrera Ángulo recto Larga distancia	112,80
E32-T21 2M	182518	Barrera Fina Roscada M3	74,50
E32-T21L 2M	182519	Barrera Fina Larga distancia Roscada M3	93,10
E32-T22 2M	182520	Barrera General D2mm	70,85
E32-T22L 2M	182521	Barrera Fina Larga distancia D2mm	97,00
E32-D11 2M	182522	Réflex Flexible Roscada M6	63,80
E32-D11L 2M	182523	Réflex Larga distancia Roscada M6	58,20
E32-D14L 2M	182524	Réflex Larga distancia Ángulo recto D6mm	91,70
E32-D21 2M	182525	Réflex Roscada M3	63,80
E32-D21L 2M	182526	Réflex Larga distancia Roscada M4	99,60
E32-D22L 2M	182527	Réflex Larga distancia D3mm	69,50
E32-D32 2M	182528	Réflex General D2mm	73,50

OMRON PVPR 2023

E32-TC500 5M	182793	Barrera General Roscada M4 5m	69,50
E32-D12 2M	182794	Réflex D3mm	65,10
E32-D22B 2M	182795	Reflex Ultra-flexible D1,5mm	127,80
E32-D33 2M	182796	Réflex Objetos pequeños D0.8-3mm	90,55
E32-DC200B 2M	182797	Réflex General Roscada M6 Saliente 40mm	62,85
E32-DC200B4 2M	182798	Réflex General Roscada M6 Saliente	62,85
E32-DC500 5M	182799	Réflex General Roscada M6 5m	58,20
E32-TC200 2M	182801	Barrera General Roscada M4	56,20
E32-TC200A 2M	182802	Barrera General Roscada M3	56,20
E32-TC200E 2M	182803	Barrera General Roscada M3 Fibra fina	56,20
E32-DC200E 2M	182804	Réflex General Roscada M3	44,77
E32-CC200 2M	182805	Réflex coaxial Roscada M6	65,10
E32-A08 2M	182944	Reflex difusa Dist limitada Obj transparentes Plano 70º R25	290,80
E32-T22B 2M	182957	Barrera Fina D2mm Robotizada	105,10
E32-D21B 2M	182958	Reflex Roscada M4 2m	129,00
E32-DC200	182959	Réflex General Roscada M6	44,77
E32-D22 2M	250469	Reflex D3mm	66,95
E32-L11FS 2M	250472	Reflex difusa Det. Cristal 8-20mm 85º R40	718,50
E32-L11FS 5M	250473	Reflex difusa Det. Cristal 8-20mm 85º R40	800,00
E32-L64 2M	251078	Fiber optic sensor head, limited reflective, square, side view, R25 heat resistant	778,50
E32-T11N 5M	262272	Acodada Barrera Roscada M4 Cable 5m	179,50
E32-A08H2 3M	277589	Reflex difusa Dist limitada Obj transparentes Plano 300º R25	1 617,00
E32-C42S 1M	305599	Reflex Con lente integrada Diametro spot 0,1mm	246,40
E32-D11N 5M	351770	Acodada Réflex Flexible Roscada M6 5m	153,30
E32-D73-S 2M	355397	Réflex alta tª 400ºC diam.1.65	303,00
E32-D81R-S 2M	355398	Réflex alta tª 200ºC Roscada M6	837,00
E32-T61-S 2M	355403	Barrera alta tª 350ºC Roscada M4	289,70
E32-T61-S 3M	355404	Barrera alta tª 350ºC Roscada M4 3m	474,20
E32-T61-S 5M	355405	Barrera alta tª 350ºC Roscada M4 5m	785,00
E32-T81R-S 2M	355406	Barrera alta tª 200ºC Roscada M4 2m	482,20
E32-G14	356128	Herradura 10mm	112,40
E32-T14 2M	356129	Barrera Ángulo recto Cable 2m	94,35
E32-T12R 2M	356130	Barrera Fina D3mm Flexible R1	87,90

OMRON PVPR 2023

E32-T11R 2M	356136	Barrera Flexible Roscada M4	94,35
E32-T22R 2M	357345	Barrera Fina D2mm Robotizada	91,70
E32-R21 2M	357347	Espejo M6	118,00
E32-L25L 2M	357349	Reflexión directa limitada 7,2mm	208,30
E32-L25T 2M	357350	Reflexión directa limitada	516,00
E32-D22R 2M	357351	Réflex Ultra-flexible D3mm	123,40
E32-T11NF 2M	364840	Barrera roscada M8 4m Resist. aceite Cable 2m	483,00
E32-L15 5M	364864	Reflex larga distancia punto focal 50mm	344,00
E32-D61 5M	365155	Réflex alta tª 350°C Roscada M6	630,00
E32-D61 2M	365161	Réflex alta tª 350°C Roscada M6	242,00
E32-D61-S 2M	369327	Réflex alta tª 350°C Roscada M6	223,40
E32-LT11 2M	374449	Fibra barrera Con lente integrada 15º M4 x0,7	72,15
E32-LT11R 2M	374450	Fibra flexible R1 barrera Con lente integrada 15º M4 x0,7	130,00
E32-LD11R 5M	374452	Fibra flexible R1 reflex Con lente integrada 15º M4 x0,7 5m	135,30
E32-LD11R 2M	374454	Fibra flexible R1 reflex Con lente integrada 15º M4 x0,7	124,70
E32-LT11 10M	374455	Fibra barrera Con lente integrada 15º M4 x0,7 10m	111,40
E32-LD11 2M	374457	Fibra reflex Con lente integrada 15º M6 x0,75	62,05
E32-LT11R 5M	374458	Fibra flexible R1 barrera Con lente integrada 15º M4 x0,7 5m	154,70
E32-D24 2M	374487	Réflex Ángulo recto D2mm	93,10
E32-T24 2M	374488	Barrera Ángulo recto Estrecha, 1 mm dia., 2m	120,80
E32-T17L 10M	374489	Barrera Larga distancia Roscada M4 Con lentes Cable 10m	337,80
E32-T14LR 2M	374490	Barrera Angulo recto Larga distancia Flexible	225,40
E32-T11U 2M	374491	Barrera Flexible (R4) Roscada M4 Resina fluorídica	183,00
E32-T22S 2M	374492	Barrera fina D1,7mm	150,90
E32-T24S 2M	374493	Barrera Ángulo recto Estrecha, 3 mm dia., 2m	221,70
E32-D11N 2M	374494	Acodada Réflex Flexible Roscada M6	114,10
E32-T11N 2M	374495	Acodada Barrera Roscada M4	116,70
E32-D12R 2M	374496	Réflex Ultra-flexible D3mm	82,60
E32-A12 2M	377872	Reflex Larga distancia cabeza cuadrada	255,60
E32-C11N 2M	379158	Acodada Réflex Roscada M6	125,70
E32-C31N 2M	379159	Acodada Réflex Roscada M3	115,50
E32-C42 1M	379160	Reflex diametro 2mm Acero inoxidable	153,30
E32-CC200R	379161	Réflex monofibra M6 Flexible	82,60

OMRON PVPR 2023

E32-D11U 2M	379162	Réflex Flexible Roscada M6 Resina fluorídica	142,30
E32-D12F 2M	379163	Réflex Resistente agentes químicos D3mm	333,00
E32-D15XR 2M	379164	Reflex plana difusa, alta flexibilidad (fibra R1) 2m cable	215,70
E32-D15YR 2M	379165	Reflex lateral Ultra-Flexible 15x10x3mm	166,30
E32-D15ZR 2M	379166	Reflex spot lateral cuadrada Flexible	163,70
E32-D211 2M	379167	Réflex General Roscado M4	55,00
E32-D211R 2M	379168	Réflex General Roscado M4 Flexible	72,15
E32-D24R 2M	379169	Réflex Ángulo recto Robot D2mm	130,00
E32-D331 2M	379172	Reflex miniatura flexibilidad D0.5mm	127,30
E32-DC200BR	379174	sensor de fibra óptica, difuso, cabezal M6 con funda de 2,5 mm, fibra R1 de gran	151,10
E32-DC200F	379175	Réflex General Roscada M3 Saliente 90mm	69,50
E32-DC200F4	379176	Réflex General Roscada M3 Saliente 40mm	69,50
E32-DC200F4R	379177	Fiber optic sensor, diffuse, 3mm dia head, 1.2mm dia sleeve, high-flex R1 fiber, 2	190,90
E32-T12 2M	379178	Fibra óptica Barrera miniatura Cabeza D3mm R25	55,90
E32-T12B 2M	379179	Sensor de barrera de fibra óptica, cabezal de 3 mm de diámetro, aplicaciones ro	99,50
E32-T12F 2M	379180	Barrera Teflón D5mm	327,60
E32-T14F 2M	379181	Barrera Ángulo recto D3mm IP67	481,70
E32-T15XR 2M	379182	Barrera 15x8x3mm Alta flexibilidad	147,80
E32-T15Y 2M	379183	Barrera lateral 15x10x3mm	153,00
E32-T15Z 2M	379184	Barrera lateral cabeza plana 15x10x3mm	158,40
E32-T222 2M	379185	Barrera, cabezal de 2 mm de diámetro, fibra R10 estándar, cable de 2 m	86,90
E32-T223R 2M	379187	Barrera miniatura alta flexibilidad D1mm	118,00
E32-T24R 2M	379188	Barrera Ángulo recto Estrecha D1mm Flexible	175,80
E32-TC200B	379191	Barreira geral M4 saliente	78,65
E32-TC200BR	379192	Barrera Roscada M4 Saliente 90mm Flexible	118,00
E32-A01 5M	379193	Fiber optic sensor head, liquid level detection, tube mounting 3.2; 6.4 and 9.5mm	471,70
E32-A04 2M	379194	Barrera deteccion obleas D2mm	415,10
E32-T15ZR 2M	379196	Barrera plana 15x8x3 flexible 2m	182,20
E32-T15YR 2M	379197	Barrera lateral 15x10x3mm Alta Flexibilidad	198,10
E32-D221B 2M	379198	Réflex Ultra-Flexible R4 D3mm	95,00
E32-D32L 2M	379199	Réflex General Larga distancia D3mm	74,90
E32-LT11N 5M	383721	Fibra flexible R2 barrera Con lente integrada 15º M4 5m	149,50
E32-LT11N 10M	383722	Fibra flexible R2 barrera Con lente integrada 15º M4 10m	195,40

OMRON PVPR 2023

E32-LD11N 2M	383723	Fibra flexible R2 reflex Con lente integrada 15º M6 2m	119,40
E32-LD11N 5M	383724	Fibra flexible R2 reflex Con lente integrada 15º M6 5m	145,60
E32-LD11N 10M	383725	Fibra flexible R2 reflex Con lente integrada 15º M6 10m	192,70
E32-C21N 2M	383726	Fibra flexible R2 reflex coaxial 60º M3 2m	136,50
E32-C21N 5M	383727	Fibra flexible R2 reflex coaxial 60º M3 5m	165,70
E32-C21N 10M	383728	Fibra flexible R2 reflex coaxial 60º M3 10m	210,90
E32-D21N 2M	383729	Fibra flexible R2 reflex 60º M4 2m	123,40
E32-D21N 5M	383730	Fibra flexible R2 reflex 60º M4 5m	130,60
E32-D21N 10M	383731	Fibra flexible R2 reflex 60º M4 10m	194,00
E32-LR11NP 5M	383732	Fibra R2 espejo Lente integrada 15º M6 Obj. transp Esp. no incl. 5m	154,70
E32-LR11NP 10M	383733	Fibra R2 espejo Lente integrada 15º M6 Obj. transp Esp. no incl. 10m	203,20
E32-LR11NP 2M	383734	Fibra R2 espejo Lente integrada 15º M6 Obj. transp Esp. no incl. 2m	128,50
E32-LT11N 2M	383735	Fibra flexible R2 barrera Con lente integrada 15º M4 2m	126,00
E32-D16 2M	392251	Reflex larga distancia con lente incorporada. Rectangular	370,50
E32-L11FP 2M	392252	Reflex Detección cristal Alta temp. 2m	410,10
E32-L16-N 2M	392253	Reflexión directa limitada 15mm Ultraplana	209,70
E32-L25	392254	Punto focal fijo 3.3mm	98,35
E32-L25A	392255	Reflex Punto focal fijo 3,3mm Vertic	98,35
E32-R16 2M	392257	Espejo 1,5m E39-R1	118,00
E32-R16 5M	392258	Espejo E39-R1 Cable 5m	145,60
E32-T11F 2M	392259	Barrera Teflón D4mm R4	261,40
E32-L15 2M	392260	Reflex larga distancia punto focal 50mm	294,70
E32-D51 3M	131483	Fiber optic sensor head, diffuse, M6 cylindrical axial, R35 heat resistant fiber, up	163,00
E32-D51 5M	131484	Réflex alta tª 150ºC Roscada M6 cable 5M	288,30
E32-T51 2M	131591	Barrera alta tª 150ºC M4	182,20
E32-C41 1M	411346	Reflex diametro M3 Acero inoxidable	97,00
E32-C31 2M	411347	Réflex Roscada M3 cable 2m	78,65
E32-T51 5M	411348	Fiber optic sensor, through-beam, M4 head, heat resistant fiber (150ºC) R35, 5m	411,20
E32-T21R 2M	411349	Barrera Fina Larga distancia Roscada M3, alta flexibilidad D1 mm	183,40
E32-T11R 5M	411350	Barrera Flexible Roscada M4 cable 5m	213,60
E32-D11R 5M	411351	Réflex Ultra-flexible Roscada M6 cable 5m	215,00
E32-D11R 2M	412734	Réflex Ultra-flexible Roscada M6 cable 2m	116,70
E32-D21R 2M	416699	Réflex General Roscado M3 Flexible	127,30

OMRON PVPR 2023

E32-D12R 5M	680074	Fiber optic sensor head, diffuse, cylindrical axial, diameter 3 mm, R1 flexible fiber	204,10
E32-T12B 10M	685710	Fiber optic sensor head, through-beam, cylindrical axial, diameter 3 mm, R4 bend	151,50
E32-T21-S1 2M	694800	Fiber optic sensor head, through-beam, M3 cylindrical axial with sleeve, diameter	185,60
E32-D25-S3 2M	683070	Fiber optic sensor head, diffuse, square with sleeve, diameter 1.65 mm, 67 mm	143,40
E32-D24-S2 2M	679649	Fiber optic sensor head, diffuse, cylindrical radial diameter 4.8 mm with sleeve,	301,90
E32-D31-S1 0.5M	706917	Fiber optic sensor head, diffuse, M3 cylindrical axial with sleeve, diameter 0.82 m	135,80
E32-C31M 1M	667657	Réflex Roscada M3 cable 1m	87,85
E32-D611-S 2M	671174	Réflex alta tª 350°C Roscada M	571,50
E32-D21-S3 2M	683069	Fiber optic sensor head, diffuse, M4 cylindrical axial with sleeve, diameter 1.65 m	118,40
E32-E01R 10M	656811	Fibre optic sensor, 10m fibre roll, 2.2mm high flex multicore R1 fibre.	353,20
E32-ED22 2M	656812	Reflex cabeza acero inox Diam.3 2m	43,08
E32-ET15ZR-1 2M	656816	Sensor de fibra óptica, sensor de barrera, cuadrado, fibra de alta flexibilidad R1,	240,10
E32-ETS14R 5M	656817	Barrera cuadrada 15x9mm Alta Flexibilidad Cable 5m	215,40
E32-ETS14R-1 2M	656818	Fiber optic sensor, through-beam, rectangular body, side view, high flex, M3 thr	213,10
E32-E05 100M	656819	Optical fiber roll, 100 m, 2.2 mm diameter, R20 heat resistant fiber, up to 150°C	3 340,00
E32-ETS24R 2M	656822	Barrera cuadrado 13x6mm Alta Flexibilidad	183,50
E32-E01 10M	656823	10m fibra D 2,2mm mononucleo	77,35
E32-E02 100M	656824	100m fibra D 1,1mm mononucleo Radio curvatura 15mm	1 406,00
E32-ED11F 2M	656825	Réflex Resistente agentes químicos D7mm	172,30
E32-ED84-1 1.6M	656826	Fiber optic sensor, diffuse, side view, dia 9mm head, SUS, R20 glass fiber, 1.6m c	532,50
E32-ET34 2M	656827	Sensor de fibra óptica, sensor de barrera, vista lateral, cabezal de 6 mm de diám	81,50
E32-E01 100M	656829	100m fibra D 2,2mm mononucleo	813,50
E32-EDS24R 2M	656834	Reflex cuadrada 13x6mm Alta flexibilidad	121,10
E32-ETS20R 2M	656837	Barrera cuadrada 15x8mm Alta Flexibilidad	186,20
E32-ED21 2M	656838	Fiber optic sensor head, diffuse, M4 cylindrical axial, R15 fiber, 2 m cable	64,70
E32-ETC220 2M	656842	Barrera General diam. 4mm	76,05
E32-ETS14R 2M	656843	Barrera cuadrada 15x9mm Alta Flexibilidad	183,50
E32-ET51-1 2M	656860	Fiber optic sensor, through-beam, M4 head, SUS, R20 fiber, 2m cable	240,60
E32-E01R 100M	656861	Optical Fiber, 100m roll, high-flex R1, 2.2mm dia, multicore.	3 580,00
E32-E02R 100M	656862	Optical fiber roll, 100 m, 1 mm diameter, R1 flexible fiber	3 760,00
E32-E05 10M	656863	Fibre optic sensor, 10m fibre roll, 2.2mm high temp monocoire (-60 - 150 °C) R20	341,20
E32-EC31 6M	656864	Réflex coaxial roscada M3 Precisión 4 haces 6m	110,20
E32-C91N 5M	671063	Fibra Difusa M6 Hex Derecha Flexible R4 cable 5m	216,70

OMRON PVPR 2023

E32-C91N 2M	671062	Fibra Difusa M6 Hex Derecha Flexible R4 cable 2m	162,70
E32-G16 5M	671065	Fibra Herradura 10mm cable 5m	270,90
E32-G16 2M	671064	Fibra Herradura 10mm cable 2m	162,70
E32-T11NFS 2M	689441	Fiber optic sensor head, through-beam, M4 hexagonal back, right-angled head, i	492,20
E32-T24E 2M	690199	Fiber optic sensor head, through-beam, cylindrical radial diameter 2.5 mm with	182,60
E32-LT35Z 2M	690947	Sensor de fibra óptica, sensor de barrera, cabezal cuadrado plano, lente integrad	218,90
E32-D43M 1M	695010	Fiber optic sensor head, diffuse, cylindrical axial diameter 1.5 mm with sleeve, d	113,80
E32-C41 2M	702220	Fiber optic sensor head, diffuse, M3 cylindrical axial, to be used with lens, R25 fi	253,50
E32-T16P 5M	104531	Barrera Zonal 11mm Cable 5m	472,70
E32-T16P 2M	356124	Barrera Zonal 11mm	187,40
E32-T16J 2M	356125	Barrera cortina 11mm lateral	296,00
E32-T16PR 2M	356126	Barrera Zonal 11mm Flexible	215,00
E32-T16 5M	357342	Barrera Zonal 10mm Cable 5m	205,90
E32-T16 2M	357343	Barrera Zonal 10mm	190,10
E32-T16W 2M	357346	Barrera Zonal 30mm	360,20
E32-T16WR 2M	357348	Barrera Cortina 30mm Flexible	430,80
E32-D36P1 2M	379173	Réflex cortina 11mm	233,20
E32-M21 2M	392256	Barrera 4 puntos Roscada M3	233,20
E32-D36T 2M	392261	Reflex Detección de nivel en tubos	227,70
E32-ET16WR-2 2M	656836	Barrera Cortina 50mm Alta Flexibilidad	572,00
E32-ET16WR-1 2M	656858	Barrera Area 70mm Alta Flexibilidad Aluminio	631,00
EE-SPX401	103759	Herradura 3,6mm Luz NPN	46,42
EE-SX872P	103843	Herradura 5mm Vert Luz PNP Cable 2m	58,15
EE-SX872A 2M	104676	Herradura 5mm Vert PC-Board	59,85
EE-SX772P	127594	Herradura miniatura 5mm Osc PNP Cable 2m	58,15
EE-SX871P	127595	Herradura 5mm Luz PNP	53,95
EE-SX770R	127596	Herradura 5mm Vert PC-Board Osc PNP LED	58,15
EE-SX771R	127597	Herradura 5mm Vert PC-Board Osc PNP	60,55
EE-SX772R	127598	Herradura 5mm Vert PC-Board	58,15
EE-SX870R	127599	Herradura miniatura 5mm Luz PNP Cable 2m Indicador en oscuridad	54,60
EE-SX770 2M	127668	Herradura 5mm Vert PC-Board	58,90
EE-SX770A 2M	127669	Herradura 5mm Standar PC-Board	58,65
EE-SX870 2M	127670	Herradura miniatura 5mm Luz NPN Cable 2m	58,15

OMRON PVPR 2023

EE-SX870A 2M	127671	Herradura 5mm Vert PC-Board	59,85
EE-SX771 2M	127672	Herradura 5mm Vert PC-Board	59,25
EE-SX771A 2M	127673	Herradura 5mm Vert PC-Board	60,55
EE-SX871 2M	127674	Fotomicrosensor, ranura en forma de L de 5 mm, indicador de luz incidente enc	59,85
EE-SX772 2M	127675	Herradura miniatura 5mm Obsc NPN Cable 2m	58,15
EE-SX872 2M	127676	Herradura 5mm Vert PC-Board	59,85
EE-SX770P	127688	Herradura 5mm Vert Luz PNP PC-Board	58,90
EE-SX771P	127689	Herradura 5mm Vert PC-Board Osc PNP Cable 2m	60,55
EE-SPW311	127738	Barrera larga distancia 1m Osc NPN	127,30
EE-SPX613 1M	127750	Herradura 13mm Luz/Osc NPN precableado	93,50
EE-SPX301	127751	Herradura 3,6mm Osc NPN	46,42
EE-SPX302-W2A 1M	127753	Herradura 3,6mm Osc NPN precableado	66,30
EE-SPX402-W2A 1M	127754	Photomicrosensor	49,10
EE-SPX306-W2A 2M	127759	Herradura 3,6mm Osc NPN precableado	74,05
E3S-GS3E4	130246	Herradura cc 3h General 3cm NPN	351,20
E3S-GS3B4	130258	Herradura cc 3h General 3cm PNP	351,20
EE-SX870P	142714	Herradura miniatura 5mm Luz PNP Cable 2m	58,15
EE-SPX304-W2A 1M	143764	Herradura 3,6mm Osc NPN precableado	68,80
EE-SX871A 2M	143910	Herradura 5mm Vert PC-Board	60,55
EE-SX772A 2M	151458	Herradura 5mm Vert PC-Board	59,85
EE-SPX406-W2A 2M	155510	Herradura 3,6mm Luz NPN precableado	74,05
EE-SPX741	225406	Herradura 3mm Conector En oscuridad NPN	54,10
EE-SPX302-W2A 2M	225408	Herradura 3,6mm Osc NPN precableado 2m	55,80
EE-SX670-WR 1M	237956	Herradura 5mm Luz/Osc selec. Cable 1m	35,93
EE-SX671-WR 1M	237957	Herradura 5mm Luz/osc selec. NPN Cable 1m	36,06
EE-SX672-WR 1M	237958	Herradura instalación en T 5mm Vert NPN Cable 1m	38,91
EE-SX673-WR 1M	237959	Fotomicrosensor	35,48
EE-SX674-WR 1M	237960	Fotomicrosensor	41,44
EE-SX675-WR 1M	237961	Herradura 5mm Luz/Osc. Selec. NPN Cable 1m	38,52
EE-SX670P-WR 1M	237964	Herradura 5mm Luz/Osc selec. PNP Cable 1m	35,93
EE-SX671P-WR 1M	237965	Herradura en L 5mm Vert Cable 1m	39,68
EE-SX672P-WR 1M	237966	Herradura en L 5mm Vert Cable 1m	38,91
EE-SX674P-WR 1M	237968	Herradura 5mm Luz/Osc. Selec. PNP Cable 1m	37,85

OMRON PVPR 2023

EE-SX675P-WR 1M	237969	Herradura 5mm Luz/Osc. Selec. PNP Cable 1m	38,52
EE-SX676P-WR 1M	237970	Photomicro sensor	20,34
EE-SPX303N	324057	Herradura 13mm Osc NPN	46,14
EE-SPX403N	324058	Herradura 13mm Luz NPN	43,43
E3Z-G62-M3J	332033	Ecológica LED Rojo cc 3h Barrera 10m NPN M8	164,40
E3Z-G82-M1J 0.3M	332039	Photoelectric sensor, slot housing, infrared LED, twin through-beam, 25 mm, PN	164,40
E3Z-G61 2M	332056	Ecológica cc Herradura 1 eje ópt.25mm NPN	150,60
E3Z-G61-M3J	332057	Ecológica cc Herradura 1 eje ópt.25mm NPN Cable 0,3M + M8	164,40
E3Z-G62 2M	332058	Ecológica cc Herradura 2 haces 25mm NPN	150,60
E3Z-G81 2M	332059	Ecológica cc Herradura 1 haz 25mm PNP	150,60
E3Z-G81-M3J	332060	Ecológica cc Herradura 1 haz 25mm PNP Cable 0,3M + M8	164,40
E3Z-G82 2M	332061	Ecológica cc Herradura 2 ejes ópt.25mm Cable 2m	142,70
E3Z-G82-M3J	332062	Ecológica cc Herradura 2 ejes ópt.25mm PNP M8	164,40
EE-SX970P-C1	335080	Herradura 5mm Vert PNp	32,44
EE-SX971P-C1	335081	Photomicro sensor, slot type, L-shape, 5mm, PNP, connector	37,38
EE-SX972P-C1	335082	Herradura 5mm Vert PNP	31,65
EE-SX974P-C1	335083	Photomicro sensor, slot type, 5mm, close-mounting, PNP, connector	37,38
EE-SX970-C1	335085	Herradura 5mm Vert NPN	32,44
EE-SX971-C1	335086	Photomicro sensor, slot type, L-shape, 5mm, NPN, connector	37,38
EE-SX972-C1	335087	Fotomicrosensor, tipo ranura, forma en T, 5 mm, NPN, conector	31,65
EE-SX977P-C1	335091	Photomicro sensor, slot type, R-shape, 5mm, PNP, connector	37,38
EE-SX950-W 1M	378479	Herradura 5mm IR NPN Con luz/En oscuridad	32,94
EE-SX951-W 1M	378480	Photo micro sensor, slot type, NPN, 1m cable.	26,08
EE-SX952-W 1M	378481	Microsensor fotográfico, tipo ranura, NPN, cable de 1 m.	27,42
EE-SX954-W 1M	378483	Herradura 6.5mm IR NPN Con luz/En oscuridad	32,94
EE-SX950P-W 1M	378484	Herradura 5mm IR PNP Con luz/En oscuridad	32,94
EE-SX951P-W 1M	378485	Microsensor fotoeléctrico, tipo ranura, PNP, cable de 1 m	27,69
EE-SX952P-W 1M	378486	Herradura F 5mm IR NPN Con luz/En oscuridad, 1M	29,00
EE-SX954P-W 1M	378488	Herradura en U 5mm IR PNP Con luz/En oscuridad	32,94
EE-SX952-R 1M	378489	Herradura F 5mm IR NPN Con luz/En oscuridad cable robotizado	32,94
EE-SX953-R 1M	378490	Microsensor fotoeléctrico, tipo ranura, NPN, cable robótico de 1 m	33,42
EE-SX950-R 1M	378491	Herradura 5mm IR NPN Con luz/En oscuridad Cable robótico	36,95
EE-SX951-R 1M	378492	Herradura en L 5mm IR NPN Con luz/En oscuridad Cable robótico	34,23

OMRON PVPR 2023

EE-SX954-R 1M	378493	Herradura 6.5mm IR NPN Con luz/En oscuridad cable robotizado	32,94
EE-SX950P-R 1M	378494	Herradura 5mm IR PNP Con luz/En oscuridad Cable robótico	36,95
EE-SX951P-R 1M	378495	Herradura en L 5mm IR PNP Con luz/En oscuridad Cable robótico	34,23
EE-SX953P-R 1M	378497	Herradura en R 5mm IR PNP Con luz/En oscuridad Cable robótico	33,72
EE-SX954P-R 1M	378498	Herradura en U 5mm IR PNP Con luz/En oscuridad Cable robótico	33,72
EE-SX951-R 3M	378505	Photo micro sensor, slot type, NPN, 3m robotic cable	59,85
EE-SX952-R 3M	378506	Photo micro sensor, slot type, NPN, 3m robotic cable	35,32
EE-SX676P	392300	Herradura 5mm Luz/Osc. Selec. PNP	20,34
EE-SX471	392302	Herradura 5mm Vert PC-Board Luz NPN	19,49
EE-SX472	392303	Herradura 5mm Vert PC-Board	19,49
EE-SX473	392304	Herradura reducido 5mm Luz NPN	19,49
EE-SX474	392305	Herradura montaje cerrado 5mm Luz NPN	28,27
EE-SX670	392306	Herradura 5mm Vert PC-Board	18,05
EE-SX670A	392307	Herradura 5mm Vert PC-Board	18,17
EE-SX670P	392308	Herradura 5mm Vert PC-Board	33,72
EE-SX670R	392309	Herradura 5mm PNP LED indicador	33,72
EE-SX671	392310	Herradura 5mm Vert PC-Board	18,05
EE-SX671A	392311	Herradura 5mm Vert PC-Board	18,31
EE-SX671P	392312	Herradura 5mm Vert PC-Board	36,06
EE-SX671R	392313	Herradura 5mm Vert PC-Board	36,06
EE-SX672	392314	Herradura 5mm Vert PC-Board	18,05
EE-SX672A	392315	Herradura 5mm Vert PC-Board	18,31
EE-SX672P	392316	Herradura 5mm Vert PC-Board	34,75
EE-SX672R	392317	Herradura 5mm Vert PC-Board	34,75
EE-SX673	392318	Herradura 5mm Vert PC-Board	18,05
EE-SX673A	392319	Herradura 5mm Vert PC-Board	18,17
EE-SX673R	392320	Herradura reducido 5mm Luz/Osc selec. LED oscuridad PNP	40,07
EE-SX674	392321	Herradura 5mm Luz/Osc. Selec. NPN	26,59
EE-SX674A	392322	Herradura 5mm Vert PC-Board	28,03
EE-SX674P	392323	Herradura 5mm Vert PC-Board	44,61
EE-SX674R	392324	Herradura 5mm Luz/Osc selec. PNP LED	44,61
EE-SX675	392325	Herradura 5mm Luz/Osc. Selec. NPN	28,03
EE-SX675P	392326	Herradura 5mm Luz/Osc. Selec. PNP	30,12

OMRON PVPR 2023

EE-SX676	392327	Photo micro sensor, slot type, F-shaped, L-ON/D-ON selectable, NPN, connector	20,34
EE-SX677P	392329	Herradura 5mm Luz/Osc. Selec. PNP	20,34
EE-SX673P	393162	Herradura reducido 5mm Luz/Osc selec. PNP	40,07
F3E-16-T1 5M	231742	16 canales, 46 haces, h:2070mm, Area detec. 1800mm Cable 5M	578,00
F3E-16-T6	231744	16 canales, 46 haces, h:2070mm, Area detec. 1800mm Conector M8	578,00
F3E-46-T1 5M	231746	46 canales, 136 haces, h:2000mm, Area detec. 1800mm Cable 5M	808,00
F3E-46-T6	231748	46 canales, 136 haces, h:2000mm, Area detec. 1800mm Conector M8	808,00
F3E-06-T6	235624	6 canales, 16 haces, h:400mm, Area detec. 200mm Conector M8	369,10
F3W-E032A6 2M	242182	Picking sensor miniatura 300mm NPN 3 ejes cable 2m	353,50
F3W-E032B6 0.3M	242183	Picking sensor miniatura 300mm NPN 3 ejes Latiguillo 0,3m+M12	486,90
F3W-E032A8 2M	242184	Picking sensor miniatura 300mm PNP 3 ejes cable 2m	353,50
F3W-E032B8 0.3M	242185	Picking sensor miniatura 300mm PNP 3 ejes Latiguillo 0,3m+M12	486,90
F3W-E032A6 5M	242189	Picking sensor miniatura 300mm PNP 3 ejes cable 5m	372,60
F3W-E032A8 5M	242190	Picking sensor miniatura 300mm PNP 3 ejes cable 5m	372,60
F3E-06-T1 5M	253470	6 canales, 16 haces, h:400mm, Area detec. 200mm Cable 5M	369,10
F3E-12-T6	253472	12 canales, 34 haces, h:1590mm, Area detec. 1320mm Conector M8	501,00
F3E-50-T1 5M	324046	50 canales, 148 haces, h:2160mm, Area detec. 1960mm Cable 5M.	1 066,00
F3E-08-T6	324290	8 canales, 22 haces, h:480mm, Area detec. 280mm Conector M8	414,20
F3E-11-T6	324291	11 canales, 31 haces, h:600mm, Area detec. 400mm Conector M8	507,50
F3E-13-T6	354853	13 canales, 37 haces, h:680mm, Area detec. 480mm Conector M8	522,50
F3ET2-018-150	365857	Altura 150mm 15m Sep. haces 18mm Salida digital	843,50
F3ET2-018-300	365859	Altura 300mm 15m Sep. haces 18mm Salida digital	1 068,00
F3EM2-005-150-AV	365873	Altura 150mm 3m Sep. haces 5mm Salida analógica	1 053,00
F3EM2-005-450-AV	365877	Altura 450mm 3m Sep. haces 5mm Salida analógica	1 865,00
F3EM2-005-600-AV	365879	Altura 600mm 3m Sep. haces 5mm Salid analógica	2 285,00
F3EM2-018-900	365899	Altura 900mm 15m Sep. haces 18mm RS232 + Analógica	2 060,00
F3E-39-8120-T6	670569	39 canales, 115 haces, h:1986mm, Area detec. 1806mm Conect. M8 EN81-70	749,50
F3E-35-8120-T6	670563	35 canales, 103 haces, h:1798mm, Area detec. 1618mm Conect. M8 EN81-20	717,00
F3W-D052D 1M	676805	Picking sensor 3m PNP 5 ejes cable 1m	859,50
F3W-D052C 5M	677791	Picking sensor 3m PNP 5 ejes cable 5m	790,50
F3W-D052A 2M	677800	Picking Sensor, Through Beam, sensing distance 3m, NPN output	859,50
F3SJ-A0245P20	189726	Clase IV Avanzada PLe 20mm 245mm Conexión serie	2 122,00
F3SJ-A0245P30	189825	Clase IV Avanzada PLe Mano 245mm Conexión serie	1 595,00

OMRON PVPR 2023

F3SJ-A0295P30	189827	Clase IV Avanzada PLe Mano 295mm Conexión serie	2 181,00
F3SJ-A0995P30	223949	Clase IV Avanzada PLe Mano 995mm Conexión serie	4 653,00
F3SJ-A0305P20	224503	Clase IV Avanzada PLe 20mm 305mm Conexión serie	2 365,00
F3SJ-A0470P30	224505	Clase IV Avanzada PLe Mano 470mm Conexión serie	2 610,00
F3SJ-A0545P20	225435	Clase IV Avanzada PLe 20mm 545mm Conexión serie	3 367,00
F3SJ-A1115P20	225436	Clase IV Avanzada PLe 20mm 1115mm Conexión serie	5 765,00
F3SJ-A0245P14	225437	Clase IV Avanzada PLe Dedo 245mm Conexión serie	2 493,00
F3SJ-A0731P14	225440	Clase IV Avanzada PLe Dedo 731mm Conexión serie	4 883,00
F3SJ-A1487P14	225441	Clase IV Avanzada PLe Dedo 1487mm Conexión serie	9 940,00
F3SJ-A0275P20	225442	Clase IV Avanzada PLe 20mm 275mm Conexión serie	2 251,00
F3SJ-A1955P20	225444	Clase IV Avanzada PLe 20mm 1955mm Conexión serie	9 315,00
F3SJ-A0570P30	225446	Clase IV Avanzada PLe Mano 570mm Conexión serie	2 995,00
F3SJ-A1120P30	225448	Clase IV Avanzada PLe Mano 1120mm Conexión serie	5 190,00
F3SJ-A0395P30	229453	Clase IV Avanzada PLe Mano 395mm Conexión serie	2 610,00
F3SJ-A0533P14	232586	Clase IV Avanzada PLe Dedo 533mm Conexión serie	4 112,00
F3SJ-A0623P14	232587	Clase IV Avanzada PLe Dedo 623mm Conexión serie	4 368,00
F3SJ-A0455P20	232589	Clase IV Avanzada PLe 20mm 455mm Conexión serie	2 995,00
F3SJ-A0605P20	232590	Clase IV Avanzada PLe 20mm 605mm Conexión serie	3 639,00
F3SJ-A0755P20	232591	Clase IV Avanzada PLe 20mm 755mm Conexión serie	4 224,00
F3SJ-A1205P20	232593	Clase IV Avanzada PLe 20mm 1205mm Conexión serie	6 185,00
F3SJ-A0803P14	233244	Clase IV Avanzada PLe Dedo 803mm Conexión serie	5 275,00
F3SJ-A0635P20	237799	Clase IV Avanzada PLe 20mm 635mm Conexión serie	3 768,00
F3SJ-A1655P20	237801	Clase IV Avanzada PLe 20mm 1655mm Conexión serie	8 045,00
F3SJ-A1805P20	237802	Clase IV Avanzada PLe 20mm 1805mm Conexión serie	8 680,00
F3SJ-A1620P30	239470	Clase IV Avanzada PLe Mano 1620mm Conexión serie	6 370,00
F3SJ-A0945P30	239895	Clase IV Avanzada PLe Mano 945mm Conexión serie	4 498,00
F3SJ-A1631P14	241850	Clase IV Avanzada PLe Dedo 1631mm Conexión serie	10 720,00
F3SJ-A1395P30	241852	Clase IV Avanzada PLe Mano 1395mm Conexión serie	6 300,00
F3SJ-A0920P30	243892	Clase IV Avanzada PLe Mano 920mm Conexión serie	4 398,00
F3SJ-A0299P14	246952	Clase IV Avanzada PLe Dedo 299mm Conexión serie	2 750,00
F3SJ-A1199P14	247527	Clase IV Avanzada PLe Dedo 1199mm Conexión serie	7 220,00
F3SJ-A1195P30	247530	Clase IV Avanzada PLe Mano 1195mm Conexión serie	5 515,00
F3SJ-A1870P30	247531	Clase IV Avanzada PLe Mano 1870mm Conexión serie	8 195,00

OMRON PVPR 2023

F3SJ-A0389P14	248738	Clase IV Avanzada PLe Dedo 389mm Conexión serie	3 195,00
F3SJ-A0263P14	248813	Clase IV Avanzada PLe Dedo 263mm Conexión serie	2 578,00
F3SJ-A1055P14	249991	Clase IV Avanzada PLe Dedo 1055mm Conexión serie	6 480,00
F3SJ-A1020P30	250735	Clase IV Avanzada PLe Mano 1020mm Conexión serie	4 784,00
F3SJ-A0620P30	251359	Clase IV Avanzada PLe Mano 620mm Conexión serie	3 237,00
F3SJ-A0983P14	261974	Clase IV Avanzada PLe Dedo 983mm Conexión serie	6 135,00
F3SJ-A2495P30	288259	Clase IV Avanzada PLe Mano 2495mm Conexión serie	10 640,00
F3SJ-A0875P14	289065	Clase IV Avanzada PLe Dedo 875mm Conexión serie	5 600,00
F3SJ-A1445P20	293266	Clase IV Avanzada PLe 20mm 1445mm Conexión serie	7 170,00
F3SJ-A0461P14	294390	Clase IV Avanzada PLe Dedo 461mm Conexión serie	3 537,00
F3SJ-A0395P20	312822	Clase IV Avanzada PLe 20mm 395mm Conexión serie	2 737,00
F3SJ-A1995P30	317936	Clase IV Avanzada PLe Mano 1995mm Conexión serie	8 665,00
F3SJ-A0875P20	327780	Clase IV Avanzada PLe 20mm 875mm Conexión serie	4 755,00
F3SJ-A0317P14	328736	Clase IV Avanzada PLe Dedo 317mm Conexión serie	2 838,00
F3SJ-A1095P30	330446	Clase IV Avanzada PLe Mano 1095mm Conexión serie	5 085,00
F3SJ-A0935P20	334220	Clase IV Avanzada PLe 20mm 935mm Conexión serie	5 030,00
F3SJ-A0785P20	339507	Clase IV Avanzada PLe 20mm 785mm Conexión serie	4 383,00
F3SJ-A0520P30	349172	Clase IV Avanzada PLe Mano 520mm Conexión serie	2 793,00
F3SJ-A0551P14	354897	Clase IV Avanzada PLe Dedo 551mm Conexión serie	4 327,00
F3SJ-E0185P25	356003	Safety Light Curtain, F3SJ Easy, Type 4, 25mm resolution, range 0.2 to 7.0m, height 1.8m	1 343,00
F3SJ-E0225P25	356004	Safety Light Curtain, F3SJ Easy, Type 4, 25mm resolution, range 0.2 to 7.0m, height 1.8m	1 442,00
F3SJ-E0305P25	356005	Clase IV Básica Mano 305mm	1 622,00
F3SJ-E0465P25	356006	Clase IV Básica Mano 465mm	1 808,00
F3SJ-E0545P25	356007	Clase IV Básica Mano 545mm	2 108,00
F3SJ-E0785P25	356008	Clase IV Básica Mano 785mm	2 507,00
F3SJ-E1105P25	356010	Clase IV Básica Mano 1105mm	3 352,00
F3SJ-E0705P25	356011	Clase IV Básica Mano 705mm	2 422,00
F3SJ-E1025P25	356012	Clase IV Básica Mano 1025mm	3 053,00
F3SJ-E0625P25	356013	Clase IV Básica Mano 625mm	2 194,00
F3SJ-E0865P25	356014	Clase IV Básica Mano 865mm	2 780,00
F3SJ-E0385P25	356016	Clase IV Básica Mano 385mm	1 693,00
F3SJ-B0185P25	356723	Clase IV Básica Mano 185mm Conexión serie	1 736,00
F3SJ-B0305P25	356724	Clase IV Básica Mano 305mm Conexión serie	2 136,00

OMRON PVPR 2023

F3SJ-B0385P25	356725	Clase IV Básica Mano 385mm Conexión serie	2 437,00
F3SJ-B0705P25	356726	Clase IV Básica Mano 705mm Conexión serie	3 096,00
F3SJ-B0865P25	356727	Clase IV Básica Mano 865mm Conexión serie	3 567,00
F3SJ-B1025P25	356728	Clase IV Básica Mano 1025mm Conexión serie	3 756,00
F3SJ-B1185P25	356729	Clase IV Básica Mano 1185mm Conexión serie	4 053,00
F3SJ-B1425P25	356730	Clase IV Básica Mano 1425mm Conexión serie	4 583,00
F3SJ-B1585P25	356731	Clase IV Básica Mano 1585mm Conexión serie	4 957,00
F3SJ-B1665P25	356732	Clase IV Básica Mano 1665mm Conexión serie	5 115,00
F3SJ-B1745P25	356733	Clase IV Básica Mano 1745mm Conexión serie	5 275,00
F3SJ-B1825P25	356734	Clase IV Básica Mano 1825mm Conexión serie	5 445,00
F3SJ-B1905P25	356735	Clase IV Básica Mano 1905mm Conexión serie	5 600,00
F3SJ-B1985P25	356736	Clase IV Básica Mano 1985mm Conexión serie	5 780,00
F3SJ-B2065P25	356737	Clase IV Básica Mano 2065mm Conexión serie	5 955,00
F3SJ-B0785P25	356739	Clase IV Básica Mano 785mm Conexión serie	3 282,00
F3SJ-B0545P25	356741	Clase IV Básica Mano 545mm Conexión serie	2 823,00
F3SJ-B1505P25	356742	Clase IV Básica Mano 1505mm Conexión serie	4 755,00
F3SJ-B1105P25	356743	Clase IV Básica Mano 1105mm Conexión serie	4 011,00
F3SJ-B1345P25	356744	Clase IV Básica Mano 1345mm Conexión serie	4 411,00
F3SJ-B0225P25	356745	Clase IV Básica Mano 225mm Conexión serie	2 078,00
F3SJ-B0945P25	356746	Clase IV Básica Mano 945mm Conexión serie	3 624,00
F3SJ-B1265P25	356747	Clase IV Básica Mano 1265mm Conexión serie	4 241,00
F3SJ-A0720P30	359062	Clase IV Avanzada PLe Mano 720mm Conexión serie	3 624,00
F3SJ-A0695P14	361774	Clase IV Avanzada PLe Dedo 695mm Conexión serie	4 713,00
F3SJ-A1127P14	361775	Clase IV Avanzada PLe Dedo 1127mm Conexión serie	6 855,00
F3SJ-A1271P14	361776	Clase IV Avanzada PLe Dedo 1271mm Conexión serie	7 555,00
F3SJ-B1505P25-01TS	361842	Clase IV Básica Mano 1505mm Conexión serie Version 01TS	4 869,00
F3SJ-A0870P30	364575	Clase IV Avanzada PLe Mano 870mm Conexión serie	4 209,00
F3SJ-A0960P25-TS	365125	Clase IV Avanzada PLe Mano 960mm Customizada	4 812,00
F3SJ-A0545P30	365520	Clase IV Avanzada PLe Mano 545mm Conexión serie	2 896,00
F3SJ-A0795P30	365521	Clase IV Avanzada PLe 30mm 795mm Conexión serie	3 924,00
F3SJ-A1270P30	365522	Clase IV Avanzada PLe Mano 1270mm Conexión serie	5 805,00
F3SJ-A1745P30	365523	Clase IV Avanzada PLe Mano 1745mm Conexión serie	7 685,00
F3SJ-A2245P30	365524	Clase IV Avanzada PLe Mano 2245mm Conexión serie	9 675,00

OMRON PVPR 2023

F3SJ-A2370P30	365525	Clase IV Avanzada PLe Mano 2370mm Conexión serie	10 170,00
F3SJ-B0945P25-01TS	373469	Clase IV Básica Mano 945mm Conexión serie Version 01TS	3 724,00
F3SJ-B1185P25-01TS	373470	Clase IV Básica Mano 1185mm Conexión serie Version 01TS	4 053,00
F3SJ-A0695P20	382766	Barrera óptica de seguridad, F3SJ avanzado, tipo 4, resolución de 20 mm, rango	3 914,00
MS4800S-EB-030-0720	419265	Barrera seguridad estandar Clase IV Mano 720mm	4 025,00
F3SJ-B1265N25-01T	693667	Safety Light Curtain, F3SJ Basic, Type 4, 25 mm resolution, range 0.2 to 7.0 m, he	1 927,00
F3SJ-B0385P25-01TS	699196	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, hei	2 359,00
F3SJ-B0785P25-01TS	690525	Safety Light Curtain, F3SJ Basic, Type 4, 25 mm resolution, range 0.2 to 7.0 m, he	1 484,00
F3SJ-E0865N25	679264	Safety Light Curtain, F3SJ Easy, Type 4, 25 mm resolution, range 0.2 to 7.0 m, he	2 808,00
F3SJ-E0465N25	702808	Safety Light Curtain, F3SJ Easy, Type 4, 25 mm resolution, range 0.2 to 7.0 m, he	1 083,00
F3SJ-B2065N25	693849	Safety Light Curtain, F3SJ Basic, Type 4, 25 mm resolution, range 0.2 to 7.0 m, he	5 955,00
F3S-TGR-CL2B-035-450	656502	Barrera seguridad estandar Cat 2 Mano 450mm	1 425,00
F3S-TGR-CL2A-014-300	656580	Barrera seguridad avanzada Cat.2 Dedo 300mm	1 601,00
F3S-TGR-CL2B-014-450	656585	Barrera seguridad estandar Cat 2 Dedo 450mm	1 648,00
F3S-TGR-CL2B-035-1350	656587	Barrera seguridad estandar Cat 2 Mano 1350mm	3 051,00
F3S-TGR-CL2A-014-750	656631	Barrera seguridad avanzada Cat.2 Dedo 750mm	2 391,00
F3S-TGR-CL2B-014-900	656632	Barrera seguridad estandar Cat 2 Dedo 900mm	2 501,00
F3S-TGR-CL2A-014-1200	656637	Barrera seguridad avanzada Cat.2 Dedo 1200mm	3 355,00
F3S-TGR-CL4B-014-300	656742	Barrera seguridad estandar Cat 4 Dedo 300mm	2 659,00
F3S-TGR-CL4B-014-600	656792	Barrera seguridad estandar Cat 4 Dedo 600mm	3 890,00
F3S-TGR-CL4B-014-1500	656799	Barrera seguridad estandar Cat 4 Dedo 1500mm	7 685,00
F3SG-4RE0240P14	673276	Barrera seguridad básica IP67 Tipo 4 Dedo 240mm	1 043,00
F3SG-4RE0320P14	673294	Barrera seguridad básica IP67 Tipo 4 Dedo 320mm	1 167,00
F3SG-4RE1600P14	673302	Barrera seguridad básica IP67 Tipo 4 Dedo 1600mm	2 986,00
F3SG-4RE1920P14	673265	Barrera seguridad básica IP67 Tipo 4 Dedo 1920mm	3 386,00
F3SG-4RE0190P30	673285	Barrera seguridad básica IP67 Tipo 4 Mano 190mm	678,00
F3SG-4RE0430P30	673293	Barrera seguridad básica IP67 Tipo 4 Mano 430mm	937,50
F3SG-4RE0910P30	673284	Barrera seguridad básica IP67 Tipo 4 Mano 910mm	1 460,00
F3SG-4RE1310P30	673257	Barrera seguridad básica IP67 Tipo 4 Mano 1310mm	1 892,00
F3SG-4RE0400P14	673272	Barrera seguridad básica IP67 Tipo 4 Dedo 400mm	1 296,00
F3SG-4RE1280P14	673282	Barrera seguridad básica IP67 Tipo 4 Dedo 1280mm	2 565,00
F3SG-4RE1150P30	673280	Barrera seguridad básica IP67 Tipo 4 Mano 1150mm	1 722,00
F3SG-4RE1230P30	673271	Barrera seguridad básica IP67 Tipo 4 Mano 1230mm	1 808,00

OMRON PVPR 2023

F3SG-4RE1470P30	673275	Barrera seguridad básica IP67 Tipo 4 Mano 1470mm	2 068,00
F3SG-4RE1520P14	673281	Barrera seguridad básica IP67 Tipo 4 Dedo 1520mm	2 883,00
F3SG-4RE0270P30	673299	Barrera seguridad básica IP67 Tipo 4 Mano 270mm	763,50
F3SG-4RE0830P30	673291	Barrera seguridad básica IP67 Tipo 4 Mano 830mm	1 372,00
F3SG-4RE0990P30	673263	Barrera seguridad básica IP67 Tipo 4 Mano 990mm	1 547,00
F3SG-4RE1070P30	673269	Barrera seguridad básica IP67 Tipo 4 Mano 1070mm	1 633,00
F3SG-4RE1550P30	673273	Barrera seguridad básica IP67 Tipo 4 Mano 1550mm	2 153,00
F3SG-4RE1630P30	673274	Barrera seguridad básica IP67 Tipo 4 Mano 1630mm	2 240,00
F3SG-4RE1710P30	673259	Barrera seguridad básica IP67 Tipo 4 Mano 1710mm	2 327,00
F3SG-4RE2030P30	673255	Barrera seguridad básica IP67 Tipo 4 Mano 2030mm	2 675,00
F3SG-4RE2510P30	673254	Barrera seguridad básica IP67 Tipo 4 Mano 2510mm	3 196,00
F3SG-4RE0800P14	673290	Barrera seguridad básica IP67 Tipo 4 Dedo 800mm	1 894,00
F3SG-4RE0880P14	673300	Barrera seguridad básica IP67 Tipo 4 Dedo 880mm	2 010,00
F3SG-4RE0960P14	673283	Barrera seguridad básica IP67 Tipo 4 Dedo 960mm	2 124,00
F3SG-4RE1120P14	673301	Barrera seguridad básica IP67 Tipo 4 Dedo 1120mm	2 348,00
F3SG-4RE1680P14	673250	Barrera seguridad básica IP67 Tipo 4 Dedo 1680mm	3 089,00
F3SG-4RE0510P30	673297	Barrera seguridad básica IP67 Tipo 4 Mano 510mm	1 025,00
F3SG-4RE0640P14	673270	Barrera seguridad básica IP67 Tipo 4 Dedo 640mm	1 662,00
F3SG-4RE1200P14	673262	Barrera seguridad básica IP67 Tipo 4 Dedo 1200mm	2 459,00
F3SG-4RE2080P14	673268	Barrera seguridad básica IP67 Tipo 4 Dedo 2080mm	3 576,00
F3SG-4RE1040P14	673304	Barrera seguridad básica IP67 Tipo 4 Dedo 1040mm	2 238,00
F3SG-4RE1360P14	673277	Barrera seguridad básica IP67 Tipo 4 Dedo 1360mm	2 677,00
F3SG-4RE0350P30	673256	Barrera seguridad básica IP67 Tipo 4 Mano 350mm	850,50
F3SG-4RE0670P30	673279	Barrera seguridad básica IP67 Tipo 4 Mano 670mm	1 200,00
F3SG-4RE1950P30	673288	Barrera seguridad básica IP67 Tipo 4 Mano 1950mm	2 587,00
F3SG-4RE2270P30	673295	Barrera seguridad básica IP67 Tipo 4 Mano 2270mm	2 936,00
F3SG-4RE0160P14	673303	Barrera seguridad básica IP67 Tipo 4 Dedo 160mm	916,00
F3SG-4RE0560P14	673298	Barrera seguridad básica IP67 Tipo 4 Dedo 560mm	1 542,00
F3SG-4RE0720P14	673292	Barrera seguridad básica IP67 Tipo 4 Dedo 720mm	1 777,00
F3SG-4RE1760P14	673296	Barrera seguridad básica IP67 Tipo 4 Dedo 1760mm	3 190,00
F3SG-4RE0590P30	673278	Barrera seguridad básica IP67 Tipo 4 Mano 590mm	1 111,00
F3SG-4RE1390P30	673261	Barrera seguridad básica IP67 Tipo 4 Mano 1390mm	1 981,00
F3SG-4RE1790P30	673264	Barrera seguridad básica IP67 Tipo 4 Mano 1790mm	2 414,00

OMRON PVPR 2023

F3SG-4RE1870P30	673266	Barrera seguridad básica IP67 Tipo 4 Mano 1870mm	2 502,00
F3SG-4RE2110P30	673287	Barrera seguridad básica IP67 Tipo 4 Mano 2110mm	2 763,00
F3SG-4RE2350P30	673260	Barrera seguridad básica IP67 Tipo 4 Mano 2350mm	3 022,00
F3SG-4RE0480P14	673258	Barrera seguridad básica IP67 Tipo 4 Dedo 480mm	1 421,00
F3SG-4RE1440P14	673252	Barrera seguridad básica IP67 Tipo 4 Dedo 1440mm	2 780,00
F3SG-4RE1840P14	673251	Barrera seguridad básica IP67 Tipo 4 Dedo 1840mm	3 287,00
F3SG-4RE2000P14	673267	Barrera seguridad básica IP67 Tipo 4 Dedo 2000mm	3 481,00
F3SG-4RE0750P30	673289	Barrera seguridad básica IP67 Tipo 4 Mano 750mm	1 286,00
F3SG-4RE2190P30	673253	Barrera seguridad básica IP67 Tipo 4 Mano 2190mm	2 848,00
F3SG-4RE2430P30	673286	Barrera seguridad básica IP67 Tipo 4 Mano 2430mm	3 108,00
F3SG-4RA0400-14	673497	Barrera seguridad avanzada IP67 Tipo 4 Dedo 400mm	1 534,00
F3SG-4RA1040-14	673550	Barrera seguridad avanzada IP67 Tipo 4 Dedo 1040mm	2 563,00
F3SG-4RA1600-14	673535	Barrera seguridad avanzada IP67 Tipo 4 Dedo 1600mm	3 384,00
F3SG-4RA1760-14	673486	Barrera seguridad avanzada IP67 Tipo 4 Dedo 1760mm	3 606,00
F3SG-4RA0910-30	673554	Barrera seguridad avanzada IP67 Tipo 4 Mano 910mm	1 701,00
F3SG-4RA1310-30	673502	Barrera seguridad avanzada IP67 Tipo 4 Mano 1310mm	2 177,00
F3SG-4RA1390-30	673593	Barrera seguridad avanzada IP67 Tipo 4 Mano 1390mm	2 272,00
F3SG-2RE0480P14	673571	Barrera seguridad básica IP67 Tipo 2 Dedo 480mm	1 035,00
F3SG-2RE1920P14	673488	Barrera seguridad básica IP67 Tipo 2 Dedo 1920mm	2 470,00
F3SG-2RE2080P14	673595	Barrera seguridad básica IP67 Tipo 2 Dedo 2080mm	2 610,00
F3SG-2RE0350P30	673509	Barrera seguridad básica IP67 Tipo 2 Mano 350mm	620,00
F3SG-2RE0590P30	673500	Barrera seguridad básica IP67 Tipo 2 Mano 590mm	811,00
F3SG-2RE0670P30	673541	Barrera seguridad básica IP67 Tipo 2 Mano 670mm	875,00
F3SG-2RE0990P30	673591	Barrera seguridad básica IP67 Tipo 2 Mano 990mm	1 128,00
F3SG-4RA1280-14	673570	Barrera seguridad avanzada IP67 Tipo 4 Dedo 1280mm	2 925,00
F3SG-4RA1840-14	673551	Barrera seguridad avanzada IP67 Tipo 4 Dedo 1840mm	3 712,00
F3SG-4RA0190-30	673582	Barrera seguridad avanzada IP67 Tipo 4 Mano 190mm	840,00
F3SG-4RA1070-30	673553	Barrera seguridad avanzada IP67 Tipo 4 Mano 1070mm	1 889,00
F3SG-4RA1550-30	673549	Barrera seguridad avanzada IP67 Tipo 4 Mano 1550mm	2 463,00
F3SG-4RA2430-30	673590	Barrera seguridad avanzada IP67 Tipo 4 Mano 2430mm	3 512,00
F3SG-2RE0320P14	673572	Barrera seguridad básica IP67 Tipo 2 Dedo 320mm	853,00
F3SG-2RE0960P14	673561	Barrera seguridad básica IP67 Tipo 2 Dedo 960mm	1 551,00
F3SG-2RE1310P30	673515	Barrera seguridad básica IP67 Tipo 2 Mano 1310mm	1 382,00

OMRON PVPR 2023

F3SG-2RE1550P30	673581	Barrera seguridad básica IP67 Tipo 2 Mano 1550mm	1 571,00
F3SG-2RE1710P30	673538	Barrera seguridad básica IP67 Tipo 2 Mano 1710mm	1 699,00
F3SG-2RE2350P30	673589	Barrera seguridad básica IP67 Tipo 2 Mano 2350mm	2 204,00
F3SG-4RA1440-14	673514	Barrera seguridad avanzada IP67 Tipo 4 Dedo 1440mm	3 157,00
F3SG-4RA0350-30	673564	Barrera seguridad avanzada IP67 Tipo 4 Mano 350mm	1 031,00
F3SG-4RA0430-30	673560	Barrera seguridad avanzada IP67 Tipo 4 Mano 430mm	1 126,00
F3SG-4RA0750-30	673511	Barrera seguridad avanzada IP67 Tipo 4 Mano 750mm	1 509,00
F3SG-4RA1150-30	673527	Barrera seguridad avanzada IP67 Tipo 4 Mano 1150mm	1 987,00
F3SG-4RA1710-30	673559	Barrera seguridad avanzada IP67 Tipo 4 Mano 1710mm	2 654,00
F3SG-4RA2270-30	673574	Barrera seguridad avanzada IP67 Tipo 4 Mano 2270mm	3 320,00
F3SG-2RE1440P14	673508	Barrera seguridad básica IP67 Tipo 2 Dedo 1440mm	2 029,00
F3SG-2RE1680P14	673528	Barrera seguridad básica IP67 Tipo 2 Dedo 1680mm	2 256,00
F3SG-2RE2000P14	673540	Barrera seguridad básica IP67 Tipo 2 Dedo 2000mm	2 540,00
F3SG-2RE0510P30	673556	Barrera seguridad básica IP67 Tipo 2 Mano 510mm	748,00
F3SG-2RE1070P30	673489	Barrera seguridad básica IP67 Tipo 2 Mano 1070mm	1 192,00
F3SG-2RE1790P30	673520	Barrera seguridad básica IP67 Tipo 2 Mano 1790mm	1 762,00
F3SG-4RA0800-14	673529	Barrera seguridad avanzada IP67 Tipo 4 Dedo 800mm	2 189,00
F3SG-4RA0880-14	673573	Barrera seguridad avanzada IP67 Tipo 4 Dedo 880mm	2 315,00
F3SG-4RA1680-14	673532	Barrera seguridad avanzada IP67 Tipo 4 Dedo 1680mm	3 496,00
F3SG-4RA1920-14	673534	Barrera seguridad avanzada IP67 Tipo 4 Dedo 1920mm	3 819,00
F3SG-4RA2000-14	673563	Barrera seguridad avanzada IP67 Tipo 4 Dedo 2000mm	3 924,00
F3SG-4RA1630-30	673523	Barrera seguridad avanzada IP67 Tipo 4 Mano 1630mm	2 559,00
F3SG-4RA2350-30	673512	Barrera seguridad avanzada IP67 Tipo 4 Mano 2350mm	3 415,00
F3SG-2RE0560P14	673575	Barrera seguridad básica IP67 Tipo 2 Dedo 560mm	1 126,00
F3SG-2RE1120P14	673521	Barrera seguridad básica IP67 Tipo 2 Dedo 1120mm	1 716,00
F3SG-2RE1200P14	673544	Barrera seguridad básica IP67 Tipo 2 Dedo 1200mm	1 794,00
F3SG-2RE1360P14	673557	Barrera seguridad básica IP67 Tipo 2 Dedo 1360mm	1 952,00
F3SG-2RE0430P30	673498	Barrera seguridad básica IP67 Tipo 2 Mano 430mm	684,50
F3SG-2RE0910P30	673490	Barrera seguridad básica IP67 Tipo 2 Mano 910mm	1 063,00
F3SG-2RE1630P30	673496	Barrera seguridad básica IP67 Tipo 2 Mano 1630mm	1 636,00
F3SG-2RE1870P30	673495	Barrera seguridad básica IP67 Tipo 2 Mano 1870mm	1 826,00
F3SG-2RE2110P30	673566	Barrera seguridad básica IP67 Tipo 2 Mano 2110mm	2 014,00
F3SG-4RA0160-14	673587	Barrera seguridad avanzada IP67 Tipo 4 Dedo 160mm	1 117,00

OMRON PVPR 2023

F3SG-4RA0240-14	673576	Barrera seguridad avanzada IP67 Tipo 4 Dedo 240mm	1 255,00
F3SG-4RA2080-14	673547	Barrera seguridad avanzada IP67 Tipo 4 Dedo 2080mm	4 027,00
F3SG-4RA2030-30	673494	Barrera seguridad avanzada IP67 Tipo 4 Mano 2030mm	3 034,00
F3SG-4RA2190-30	673492	Barrera seguridad avanzada IP67 Tipo 4 Mano 2190mm	3 224,00
F3SG-2RE1040P14	673516	Barrera seguridad básica IP67 Tipo 2 Dedo 1040mm	1 633,00
F3SG-2RE1600P14	673503	Barrera seguridad básica IP67 Tipo 2 Dedo 1600mm	2 180,00
F3SG-2RE1390P30	673555	Barrera seguridad básica IP67 Tipo 2 Mano 1390mm	1 447,00
F3SG-2RE2510P30	673565	Barrera seguridad básica IP67 Tipo 2 Mano 2510mm	2 331,00
F3SG-4RA0560-14	673542	Barrera seguridad avanzada IP67 Tipo 4 Dedo 560mm	1 802,00
F3SG-4RA0960-14	673568	Barrera seguridad avanzada IP67 Tipo 4 Dedo 960mm	2 440,00
F3SG-4RA0590-30	673519	Barrera seguridad avanzada IP67 Tipo 4 Mano 590mm	1 318,00
F3SG-4RA1470-30	673513	Barrera seguridad avanzada IP67 Tipo 4 Mano 1470mm	2 367,00
F3SG-4RA2510-30	673545	Barrera seguridad avanzada IP67 Tipo 4 Mano 2510mm	3 608,00
F3SG-2RE0160P14	673577	Barrera seguridad básica IP67 Tipo 2 Dedo 160mm	670,00
F3SG-2RE0240P14	673531	Barrera seguridad básica IP67 Tipo 2 Dedo 240mm	761,50
F3SG-2RE0720P14	673585	Barrera seguridad básica IP67 Tipo 2 Dedo 720mm	1 296,00
F3SG-2RE0800P14	673526	Barrera seguridad básica IP67 Tipo 2 Dedo 800mm	1 383,00
F3SG-2RE0880P14	673525	Barrera seguridad básica IP67 Tipo 2 Dedo 880mm	1 468,00
F3SG-2RE0270P30	673579	Barrera seguridad básica IP67 Tipo 2 Mano 270mm	556,50
F3SG-2RE0750P30	673588	Barrera seguridad básica IP67 Tipo 2 Mano 750mm	937,00
F3SG-2RE1230P30	673493	Barrera seguridad básica IP67 Tipo 2 Mano 1230mm	1 319,00
F3SG-2RE1470P30	673583	Barrera seguridad básica IP67 Tipo 2 Mano 1470mm	1 507,00
F3SG-2RE1950P30	673506	Barrera seguridad básica IP67 Tipo 2 Mano 1950mm	1 889,00
F3SG-2RE2030P30	673586	Barrera seguridad básica IP67 Tipo 2 Mano 2030mm	1 952,00
F3SG-2RE2270P30	673499	Barrera seguridad básica IP67 Tipo 2 Mano 2270mm	2 142,00
F3SG-2RE2430P30	673539	Barrera seguridad básica IP67 Tipo 2 Mano 2430mm	2 268,00
F3SG-4RA0320-14	673491	Barrera seguridad avanzada IP67 Tipo 4 Dedo 320mm	1 392,00
F3SG-4RA0480-14	673567	Barrera seguridad avanzada IP67 Tipo 4 Dedo 480mm	1 669,00
F3SG-4RA0640-14	673510	Barrera seguridad avanzada IP67 Tipo 4 Dedo 640mm	1 932,00
F3SG-4RA0720-14	673518	Barrera seguridad avanzada IP67 Tipo 4 Dedo 720mm	2 062,00
F3SG-4RA0510-30	673569	Barrera seguridad avanzada IP67 Tipo 4 Mano 510mm	1 223,00
F3SG-4RA0670-30	673578	Barrera seguridad avanzada IP67 Tipo 4 Mano 670mm	1 413,00
F3SG-4RA0990-30	673505	Barrera seguridad avanzada IP67 Tipo 4 Mano 990mm	1 795,00

OMRON PVPR 2023

F3SG-4RA1230-30	673594	Barrera seguridad avanzada IP67 Tipo 4 Mano 1230mm	2 081,00
F3SG-4RA1950-30	673487	Barrera seguridad avanzada IP67 Tipo 4 Mano 1950mm	2 940,00
F3SG-2RE0640P14	673501	Barrera seguridad básica IP67 Tipo 2 Dedo 640mm	1 212,00
F3SG-2RE1280P14	673507	Barrera seguridad básica IP67 Tipo 2 Dedo 1280mm	1 874,00
F3SG-2RE1760P14	673522	Barrera seguridad básica IP67 Tipo 2 Dedo 1760mm	2 326,00
F3SG-2RE0190P30	673584	Barrera seguridad básica IP67 Tipo 2 Mano 190mm	492,10
F3SG-2RE0830P30	673530	Barrera seguridad básica IP67 Tipo 2 Mano 830mm	1 001,00
F3SG-4RA1120-14	673524	Barrera seguridad avanzada IP67 Tipo 4 Dedo 1120mm	2 684,00
F3SG-4RA1200-14	673580	Barrera seguridad avanzada IP67 Tipo 4 Dedo 1200mm	2 807,00
F3SG-4RA1360-14	673548	Barrera seguridad avanzada IP67 Tipo 4 Dedo 1360mm	3 040,00
F3SG-4RA1520-14	673537	Barrera seguridad avanzada IP67 Tipo 4 Dedo 1520mm	3 271,00
F3SG-4RA0270-30	673533	Barrera seguridad avanzada IP67 Tipo 4 Mano 270mm	935,50
F3SG-4RA0830-30	673504	Barrera seguridad avanzada IP67 Tipo 4 Mano 830mm	1 605,00
F3SG-4RA1790-30	673546	Barrera seguridad avanzada IP67 Tipo 4 Mano 1790mm	2 749,00
F3SG-4RA1870-30	673543	Barrera seguridad avanzada IP67 Tipo 4 Mano 1870mm	2 844,00
F3SG-4RA2110-30	673558	Barrera seguridad avanzada IP67 Tipo 4 Mano 2110mm	3 130,00
F3SG-2RE0400P14	673552	Barrera seguridad básica IP67 Tipo 2 Dedo 400mm	947,00
F3SG-2RE1520P14	673592	Barrera seguridad básica IP67 Tipo 2 Dedo 1520mm	2 106,00
F3SG-2RE1840P14	673536	Barrera seguridad básica IP67 Tipo 2 Dedo 1840mm	2 400,00
F3SG-2RE1150P30	673517	Barrera seguridad básica IP67 Tipo 2 Mano 1150mm	1 254,00
F3SG-2RE2190P30	673562	Barrera seguridad básica IP67 Tipo 2 Mano 2190mm	2 078,00
F3SG-4RA0825-25-01TS	679527	Safety Sensor, F3SG-R Advanced, Type 4, 25 mm resolution, range 0.3 to 17 m, h	859,50
F3SG-4RA0985-25-01TS	679515	Sensor de seguridad, F3SG-R Advanced, tipo 4, resolución de 25 mm, rango de 0	964,00
F3SG-4RA1065-25-01TS	679526	Safety Sensor, F3SG-R Advanced, Type 4, 25 mm resolution, range 0.3 to 17 m, h	1 026,00
F3SG-4RA1145-25-01TS	679525	Safety Sensor, F3SG-R Advanced, Type 4, 25 mm resolution, range 0.3 to 17 m, h	1 015,00
F3SG-4RA1465-25-01TS	679521	Safety Sensor, F3SG-R Advanced, Type 4, 25 mm resolution, range 0.3 to 17 m, h	1 215,00
F3SG-4RA0265-25-01TS	679528	Safety Sensor, F3SG-R Advanced, Type 4, 25 mm resolution, range 0.3 to 17 m, h	543,00
F3SG-4RA1545-25-01TS	679523	Sensor de seguridad, F3SG-R Advanced, tipo 4, resolución de 25 mm, rango de 0	1 277,00
F3SG-4RA0505-25-01TS	679529	Sensor de seguridad, F3SG-R Advanced, tipo 4, resolución de 25 mm, rango de 0	677,00
F3SG-4RA1625-25-01TS	679517	Safety Sensor, F3SG-R Advanced, Type 4, 25 mm resolution, range 0.3 to 17 m, h	1 342,00
F3SG-4RA1785-25-01TS	679512	Safety Sensor, F3SG-R Advanced, Type 4, 25 mm resolution, range 0.3 to 17 m, h	1 409,00
F3SG-4RA0425-25-01TS	679514	Sensor de seguridad, F3SG-R Advanced, tipo 4, resolución de 25 mm, rango de 0	658,50
F3SG-4RA0345-25-01TS	679513	Safety Sensor, F3SG-R Advanced, Type 4, 25 mm resolution, range 0.3 to 17 m, h	611,50

OMRON PVPR 2023

F3SG-4RA1305-25-01TS	679516	Sensor de seguridad, F3SG-R Advanced, tipo 4, resolución de 25 mm, rango de 0	1 147,00
F3SG-4RA0905-25-01TS	679522	Safety Sensor, F3SG-R Advanced, Type 4, 25 mm resolution, range 0.3 to 17 m, h	907,50
F3SG-4RA0585-25-01TS	679520	Safety Sensor, F3SG-R Advanced, Type 4, 25 mm resolution, range 0.3 to 17 m, h	734,00
F3SG-4RA0185-25-01TS	679519	Safety Sensor, F3SG-R Advanced, Type 4, 25 mm resolution, range 0.3 to 17 m, h	529,00
F3SG-4RA0665-25-01TS	679518	Safety Sensor, F3SG-R Advanced, Type 4, 25 mm resolution, range 0.3 to 17 m, h	782,00
F3SG-4RA1225-25-01TS	679524	Safety Sensor, F3SG-R Advanced, Type 4, 25 mm resolution, range 0.3 to 17 m, h	1 080,00
F3SG-2RA0240-14	674087	Barrera seguridad avanzada IP67 Tipo 2 Dedo 240mm	914,50
F3SG-2RA0560-14	674081	Barrera seguridad avanzada IP67 Tipo 2 Dedo 560mm	1 316,00
F3SG-2RA0800-14	674121	Barrera seguridad avanzada IP67 Tipo 2 Dedo 800mm	1 599,00
F3SG-2RA0750-30	674120	Barrera seguridad avanzada IP67 Tipo 2 Mano 750mm	1 100,00
F3SG-2RA1710-30	674103	Barrera seguridad avanzada IP67 Tipo 2 Mano 1710mm	1 935,00
F3SG-2RA2030-30	674107	Barrera seguridad avanzada IP67 Tipo 2 Mano 2030mm	2 213,00
F3SG-2RA2110-30	674105	Barrera seguridad avanzada IP67 Tipo 2 Mano 2110mm	2 283,00
F3SG-2RA0400-14	674092	Barrera seguridad avanzada IP67 Tipo 2 Dedo 400mm	1 120,00
F3SG-2RA0640-14	674088	Barrera seguridad avanzada IP67 Tipo 2 Dedo 640mm	1 409,00
F3SG-2RA0720-14	674084	Barrera seguridad avanzada IP67 Tipo 2 Dedo 720mm	1 505,00
F3SG-2RA0960-14	674118	Barrera seguridad avanzada IP67 Tipo 2 Dedo 960mm	1 781,00
F3SG-2RA1920-14	674112	Barrera seguridad avanzada IP67 Tipo 2 Dedo 1920mm	2 789,00
F3SG-2RA0830-30	674086	Barrera seguridad avanzada IP67 Tipo 2 Mano 830mm	1 169,00
F3SG-2RA0160-14	674080	Barrera seguridad avanzada IP67 Tipo 2 Dedo 160mm	814,50
F3SG-2RA1040-14	674123	Barrera seguridad avanzada IP67 Tipo 2 Dedo 1040mm	1 872,00
F3SG-2RA1360-14	674093	Barrera seguridad avanzada IP67 Tipo 2 Dedo 1360mm	2 219,00
F3SG-2RA1440-14	674078	Barrera seguridad avanzada IP67 Tipo 2 Dedo 1440mm	2 303,00
F3SG-2RA0270-30	674075	Barrera seguridad avanzada IP67 Tipo 2 Mano 270mm	682,50
F3SG-2RA1870-30	674125	Barrera seguridad avanzada IP67 Tipo 2 Mano 1870mm	2 074,00
F3SG-2RA1950-30	674114	Barrera seguridad avanzada IP67 Tipo 2 Mano 1950mm	2 145,00
F3SG-2RA2190-30	674098	Barrera seguridad avanzada IP67 Tipo 2 Mano 2190mm	2 353,00
F3SG-2RA1200-14	674119	Barrera seguridad avanzada IP67 Tipo 2 Dedo 1200mm	2 048,00
F3SG-2RA1600-14	674099	Barrera seguridad avanzada IP67 Tipo 2 Dedo 1600mm	2 469,00
F3SG-2RA0350-30	674113	Barrera seguridad avanzada IP67 Tipo 2 Mano 350mm	752,00
F3SG-2RA0880-14	674117	Barrera seguridad avanzada IP67 Tipo 2 Dedo 880mm	1 691,00
F3SG-2RA1520-14	674085	Barrera seguridad avanzada IP67 Tipo 2 Dedo 1520mm	2 388,00
F3SG-2RA1680-14	674074	Barrera seguridad avanzada IP67 Tipo 2 Dedo 1680mm	2 549,00

OMRON PVPR 2023

F3SG-2RA0430-30	674110	Barrera seguridad avanzada IP67 Tipo 2 Mano 430mm	822,00
F3SG-2RA1150-30	674106	Barrera seguridad avanzada IP67 Tipo 2 Mano 1150mm	1 451,00
F3SG-2RA1310-30	674127	Barrera seguridad avanzada IP67 Tipo 2 Mano 1310mm	1 589,00
F3SG-2RA1630-30	674102	Barrera seguridad avanzada IP67 Tipo 2 Mano 1630mm	1 868,00
F3SG-2RA1120-14	674094	Barrera seguridad avanzada IP67 Tipo 2 Dedo 1120mm	1 960,00
F3SG-2RA1760-14	674101	Barrera seguridad avanzada IP67 Tipo 2 Dedo 1760mm	2 630,00
F3SG-2RA0510-30	674108	Barrera seguridad avanzada IP67 Tipo 2 Mano 510mm	891,00
F3SG-2RA0590-30	674124	Barrera seguridad avanzada IP67 Tipo 2 Mano 590mm	960,50
F3SG-2RA1070-30	674097	Barrera seguridad avanzada IP67 Tipo 2 Mano 1070mm	1 380,00
F3SG-2RA1230-30	674083	Barrera seguridad avanzada IP67 Tipo 2 Mano 1230mm	1 520,00
F3SG-2RA1390-30	674077	Barrera seguridad avanzada IP67 Tipo 2 Mano 1390mm	1 658,00
F3SG-2RA1470-30	674100	Barrera seguridad avanzada IP67 Tipo 2 Mano 1470mm	1 727,00
F3SG-2RA2350-30	674082	Barrera seguridad avanzada IP67 Tipo 2 Mano 2350mm	2 493,00
F3SG-2RA0320-14	674116	Barrera seguridad avanzada IP67 Tipo 2 Dedo 320mm	1 017,00
F3SG-2RA0480-14	674090	Barrera seguridad avanzada IP67 Tipo 2 Dedo 480mm	1 217,00
F3SG-2RA2000-14	674126	Barrera seguridad avanzada IP67 Tipo 2 Dedo 2000mm	2 865,00
F3SG-2RA0990-30	674091	Barrera seguridad avanzada IP67 Tipo 2 Mano 990mm	1 309,00
F3SG-2RA1550-30	674079	Barrera seguridad avanzada IP67 Tipo 2 Mano 1550mm	1 797,00
F3SG-2RA1790-30	674076	Barrera seguridad avanzada IP67 Tipo 2 Mano 1790mm	2 005,00
F3SG-2RA2430-30	674104	Barrera seguridad avanzada IP67 Tipo 2 Mano 2430mm	2 561,00
F3SG-2RA2510-30	674095	Barrera seguridad avanzada IP67 Tipo 2 Mano 2510mm	2 632,00
F3SG-2RA1280-14	674096	Barrera seguridad avanzada IP67 Tipo 2 Dedo 1280mm	2 135,00
F3SG-2RA1840-14	674115	Barrera seguridad avanzada IP67 Tipo 2 Dedo 1840mm	2 707,00
F3SG-2RA2080-14	674089	Barrera seguridad avanzada IP67 Tipo 2 Dedo 2080mm	2 940,00
F3SG-2RA0190-30	674111	Barrera seguridad avanzada IP67 Tipo 2 Mano 190mm	612,00
F3SG-2RA0670-30	674109	Barrera seguridad avanzada IP67 Tipo 2 Mano 670mm	1 030,00
F3SG-2RA0910-30	674128	Barrera seguridad avanzada IP67 Tipo 2 Mano 910mm	1 238,00
F3SG-2RA2270-30	674122	Barrera seguridad avanzada IP67 Tipo 2 Mano 2270mm	2 424,00
F3SG-4SRB1000-25-K	699189	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0	3 102,00
F3SG-4SRB0320-14-K	700911	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0	2 170,00
F3SG-4SRB0400-14-K	706947	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0	2 261,00
F3SG-4SRB0480-14-K	695983	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0	2 369,00
F3SG-4SRB0560-14-K	700703	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0	2 440,00

OMRON PVPR 2023

F3SG-4SRB0640-14-K	700704	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0	2 495,00
F3SG-4SRB1000-14-K	699291	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0	3 006,00
F3SG-4SRB1200-14-K	699292	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0	3 231,00
F3SG-4SRB1400-14-K	696213	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0	3 435,00
F3SG-4SRB1800-14-K	700977	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0	3 846,00
F3SG-4SRB0320-25-K	696345	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0	2 659,00
F3SG-4SRB0400-25-K	707098	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0	2 716,00
F3SG-4SRB0480-25-K	700917	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0	2 494,00
F3SG-4SRB0560-25-K	699491	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0	2 608,00
F3SG-4SRB0640-25-K	696356	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0	2 649,00
F3SG-4SRB0720-25-K	696346	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0	3 076,00
F3SG-4SRB0800-25-K	698652	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0	2 824,00
F3SG-4SRB0880-25-K	707689	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0	2 775,00
F3SG-4SRB0960-25-K	695799	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0	3 053,00
F3SG-4SRB1040-25-K	700925	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0	3 121,00
F3SG-4SRB1200-25-K	700894	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0	2 943,00
F3SG-4SRB1360-25-K	699293	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0	3 088,00
F3SG-4SRB1520-25-K	699029	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0	3 616,00
F3SG-4SRB1600-25-K	699490	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0	3 654,00
F3SG-4SRB1840-25-K	699489	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0	3 876,00
F3SG-2SRB1040-25-K	702463	Safety Light Curtain, F3SG-SRB IP69K version, Type 2, 25 mm resolution, range 0	2 941,00
F3SG-4SRA0160-14	699729	Cortina de luz de seguridad, F3SG-SRA Advanced, Tipo 4, resolución de 14 mm, r	637,00
F3SG-4SRA0200-14-F	699881	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to	623,00
F3SG-4SRA0240-14	699731	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to	729,00
F3SG-4SRA0280-14-F	699882	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to	873,00
F3SG-4SRA0320-14	699734	Barrera óptica de seguridad, F3SG-SRA avanzado, tipo 4, resolución de 14 mm, r	829,50
F3SG-4SRA0360-14-F	699883	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to	1 122,00
F3SG-4SRA0400-14	699736	Barrera óptica de seguridad, F3SG-SRA avanzado, tipo 4, resolución de 14 mm, r	1 247,00
F3SG-4SRA0440-14-F	699884	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to	1 317,00
F3SG-4SRA0480-14	699739	Barrera óptica de seguridad, F3SG-SRA avanzado, tipo 4, resolución de 14 mm, r	1 438,00
F3SG-4SRA0520-14-F	699885	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to	1 465,00
F3SG-4SRA0560-14	699741	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to	1 458,00
F3SG-4SRA0600-14-F	699742	Barrera óptica de seguridad, F3SG-SRA avanzado, tipo 4, resolución de 14 mm, r	1 546,00

OMRON PVPR 2023

F3SG-4SRA0640-14	699743	Barrera óptica de seguridad, F3SG-SRA avanzado, tipo 4, resolución de 14 mm, r	1 617,00
F3SG-4SRA0680-14-F	699886	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 t	1 672,00
F3SG-4SRA0720-14-F	699887	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 t	1 725,00
F3SG-4SRA0760-14-F	699888	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 t	1 778,00
F3SG-4SRA0800-14	699744	Barrera óptica de seguridad, F3SG-SRA avanzado, tipo 4, resolución de 14 mm, r	1 833,00
F3SG-4SRA0840-14-F	699889	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 t	1 911,00
F3SG-4SRA0880-14-F	699890	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 t	1 991,00
F3SG-4SRA0920-14-F	699745	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 t	2 140,00
F3SG-4SRA0960-14-F	699746	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 t	2 169,00
F3SG-4SRA1000-14	699747	Barrera óptica de seguridad, F3SG-SRA avanzado, tipo 4, resolución de 14 mm, r	2 227,00
F3SG-4SRA1200-14	699748	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 t	2 445,00
F3SG-4SRA1400-14	699749	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 t	2 626,00
F3SG-4SRA1600-14	699750	Barrera óptica de seguridad, F3SG-SRA avanzado, tipo 4, resolución de 14 mm, r	2 934,00
F3SG-4SRA1800-14	699751	Barrera óptica de seguridad, F3SG-SRA avanzado, tipo 4, resolución de 14 mm, r	3 184,00
F3SG-4SRA2000-14	699752	Barrera óptica de seguridad, F3SG-SRA avanzado, tipo 4, resolución de 14 mm, r	3 436,00
F3SG-4SRA0160-25	699730	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 t	753,50
F3SG-4SRA0200-25-F	699891	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 t	809,50
F3SG-4SRA0240-25	699732	Barrera óptica de seguridad, F3SG-SRA avanzado, tipo 4, resolución de 25 mm, r	856,50
F3SG-4SRA0280-25-F	699733	Barrera óptica de seguridad, F3SG-SRA avanzado, tipo 4, resolución de 25 mm, r	896,00
F3SG-4SRA0320-25	699735	Barrera óptica de seguridad, F3SG-SRA avanzado, tipo 4, resolución de 25 mm, r	922,50
F3SG-4SRA0360-25-F	699892	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 t	940,50
F3SG-4SRA0400-25	699737	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 t	999,00
F3SG-4SRA0440-25-F	699738	Barrera óptica de seguridad, F3SG-SRA avanzado, tipo 4, resolución de 25 mm, r	1 066,00
F3SG-4SRA0480-25	699740	Barrera óptica de seguridad, F3SG-SRA avanzado, tipo 4, resolución de 25 mm, r	1 107,00
F3SG-4SRA0520-25-F	699893	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 t	1 153,00
F3SG-4SRA0560-25	699724	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 t	1 198,00
F3SG-4SRA0600-25-F	699723	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 t	1 277,00
F3SG-4SRA0640-25	699722	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 t	1 244,00
F3SG-4SRA0680-25-F	699894	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 t	1 331,00
F3SG-4SRA0720-25	699721	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 t	1 330,00
F3SG-4SRA0760-25-F	699895	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 t	1 420,00
F3SG-4SRA0800-25	699720	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 t	1 423,00
F3SG-4SRA0840-25-F	699896	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 t	1 509,00

OMRON PVPR 2023

F3SG-4SRA0880-25	699719	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 10 m	1 522,00
F3SG-4SRA0920-25-F	699897	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 10 m	1 598,00
F3SG-4SRA0960-25	699718	Barrera de seguridad, F3SG-SRA avanzado, Tipo 4, resolución de 25 mm, rango de 0.3 a 10 m	1 642,00
F3SG-4SRA1000-25-F	699717	Barrera óptica de seguridad, F3SG-SRA avanzado, tipo 4, resolución de 25 mm, rango de 0.3 a 10 m	1 677,00
F3SG-4SRA1040-25	699716	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 10 m	1 707,00
F3SG-4SRA1120-25	699715	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 10 m	1 744,00
F3SG-4SRA1200-25	699714	Barrera óptica de seguridad, F3SG-SRA avanzado, tipo 4, resolución de 25 mm, rango de 0.3 a 10 m	1 899,00
F3SG-4SRA1280-25	699713	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 10 m	1 944,00
F3SG-4SRA1360-25	699712	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 10 m	1 981,00
F3SG-4SRA1440-25	699711	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 10 m	2 661,00
F3SG-4SRA1520-25	699710	Barrera óptica de seguridad, F3SG-SRA avanzado, tipo 4, resolución de 25 mm, rango de 0.3 a 10 m	2 280,00
F3SG-4SRA1600-25	699709	Barrera óptica de seguridad, F3SG-SRA avanzado, tipo 4, resolución de 25 mm, rango de 0.3 a 10 m	2 306,00
F3SG-4SRA1680-25	699708	Barrera de seguridad, F3SG-SRA avanzado, Tipo 4, resolución de 25 mm, rango de 0.3 a 10 m	2 366,00
F3SG-4SRA1760-25	699707	Barrera de seguridad, F3SG-SRA avanzado, Tipo 4, resolución de 25 mm, rango de 0.3 a 10 m	2 465,00
F3SG-4SRA1840-25	699706	Barrera de seguridad, F3SG-SRA avanzado, Tipo 4, resolución de 25 mm, rango de 0.3 a 10 m	2 503,00
F3SG-4SRA1920-25	699705	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 10 m	2 573,00
F3SG-4SRA2080-25	699704	Barrera de seguridad, F3SG-SRA avanzado, Tipo 4, resolución de 25 mm, rango de 0.3 a 10 m	2 737,00
F3SG-4SRA2280-25	699703	Barrera de seguridad, F3SG-SRA avanzado, Tipo 4, resolución de 25 mm, rango de 0.3 a 10 m	3 046,00
F3SG-4SRA2480-25	699702	Barrera óptica de seguridad, F3SG-SRA avanzado, tipo 4, resolución de 25 mm, rango de 0.3 a 10 m	3 352,00
F3SG-4SRA0240-45	699898	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 45 mm resolution, range 0.3 to 10 m	572,50
F3SG-4SRA0400-45	699899	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 45 mm resolution, range 0.3 to 10 m	659,50
F3SG-4SRA0560-45	699701	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 45 mm resolution, range 0.3 to 10 m	794,50
F3SG-4SRA0720-45	699900	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 45 mm resolution, range 0.3 to 10 m	884,00
F3SG-4SRA0880-45	699901	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 45 mm resolution, range 0.3 to 10 m	971,00
F3SG-4SRA1200-45	699902	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 45 mm resolution, range 0.3 to 10 m	1 197,00
F3SG-4SRA1520-45	699700	Barrera óptica de seguridad, F3SG-SRA avanzado, tipo 4, resolución de 45 mm, rango de 0.3 a 10 m	1 886,00
F3SG-4SRA0280-85	699903	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 85 mm resolution, range 0.3 to 10 m	652,00
F3SG-4SRA0440-85	699904	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 85 mm resolution, range 0.3 to 10 m	741,00
F3SG-4SRA0600-85	699905	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 85 mm resolution, range 0.3 to 10 m	877,50
F3SG-4SRA0760-85	699906	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 85 mm resolution, range 0.3 to 10 m	962,50
F3SG-4SRA0920-85	699699	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 85 mm resolution, range 0.3 to 10 m	1 394,00
F3SG-4SRB0160-14	699803	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 4, resolución de 14 mm, rango de 0.3 a 10 m	815,00
F3SG-4SRB0200-14-F	699805	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10 m	868,50

OMRON PVPR 2023

F3SG-4SRB0240-14	699807	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 4, resolución de 14 mm, ra	922,50
F3SG-4SRB0280-14-F	699810	Cortina de luz de seguridad, estándar F3SG-SRB, tipo 4, resolución de 14 mm, ra	976,50
F3SG-4SRB0320-14	699813	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 4, resolución de 14 mm, ra	1 031,00
F3SG-4SRB0360-14-F	699815	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to	1 091,00
F3SG-4SRB0400-14	699817	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 4, resolución de 14 mm, ra	1 151,00
F3SG-4SRB0440-14-F	699820	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to	1 206,00
F3SG-4SRB0480-14	699823	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 4, resolución de 14 mm, ra	1 259,00
F3SG-4SRB0520-14-F	699825	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to	1 313,00
F3SG-4SRB0560-14	699827	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 4, resolución de 14 mm, ra	1 367,00
F3SG-4SRB0600-14-F	699698	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 4, resolución de 14 mm, ra	1 420,00
F3SG-4SRB0640-14	699832	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 4, resolución de 14 mm, ra	1 475,00
F3SG-4SRB0680-14-F	699834	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to	1 528,00
F3SG-4SRB0720-14-F	699836	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 4, resolución de 14 mm, ra	1 583,00
F3SG-4SRB0760-14-F	699839	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to	1 630,00
F3SG-4SRB0800-14	699842	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 4, resolución de 14 mm, ra	1 677,00
F3SG-4SRB0840-14-F	699844	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to	1 731,00
F3SG-4SRB0880-14-F	699846	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 4, resolución de 14 mm, ra	1 785,00
F3SG-4SRB0920-14-F	699849	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 4, resolución de 14 mm, ra	1 833,00
F3SG-4SRB0960-14-F	699852	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 4, resolución de 14 mm, ra	1 881,00
F3SG-4SRB1000-14	699854	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to	2 030,00
F3SG-4SRB1200-14	699858	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to	2 181,00
F3SG-4SRB1400-14	699863	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to	2 414,00
F3SG-4SRB1600-14	699867	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 4, resolución de 14 mm, ra	2 646,00
F3SG-4SRB1800-14	699871	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to	2 867,00
F3SG-4SRB2000-14	699874	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to	3 089,00
F3SG-4SRB0160-25	699804	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to	706,50
F3SG-4SRB0200-25-F	699806	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to	737,50
F3SG-4SRB0240-25	699808	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to	778,50
F3SG-4SRB0280-25-F	699811	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 4, resolución de 25 mm, ra	815,00
F3SG-4SRB0320-25	699814	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 4, resolución de 25 mm, ra	851,50
F3SG-4SRB0360-25-F	699816	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to	898,50
F3SG-4SRB0400-25	699818	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to	934,50
F3SG-4SRB0440-25-F	699821	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 4, resolución de 25 mm, ra	970,50

OMRON PVPR 2023

F3SG-4SRB0480-25	699824	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to	1 006,00
F3SG-4SRB0520-25-F	699826	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 4, resolución de 25 mm, ra	1 042,00
F3SG-4SRB0560-25	699828	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to	1 085,00
F3SG-4SRB0600-25-F	699830	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 4, resolución de 25 mm, ra	1 126,00
F3SG-4SRB0640-25	699833	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to	1 163,00
F3SG-4SRB0680-25-F	699835	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 4, resolución de 25 mm, ra	1 198,00
F3SG-4SRB0720-25	699837	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 4, resolución de 25 mm, ra	1 235,00
F3SG-4SRB0760-25-F	699840	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 4, resolución de 25 mm, ra	1 271,00
F3SG-4SRB0800-25	699843	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to	1 313,00
F3SG-4SRB0840-25-F	699845	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 4, resolución de 25 mm, ra	1 355,00
F3SG-4SRB0880-25	699847	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to	1 396,00
F3SG-4SRB0920-25-F	699850	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 4, resolución de 25 mm, ra	1 426,00
F3SG-4SRB0960-25	699853	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to	1 462,00
F3SG-4SRB1000-25-F	699855	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 4, resolución de 25 mm, ra	1 497,00
F3SG-4SRB1040-25	699856	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 4, resolución de 25 mm, ra	1 583,00
F3SG-4SRB1120-25	699857	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 4, resolución de 25 mm, ra	1 653,00
F3SG-4SRB1200-25	699859	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to	1 725,00
F3SG-4SRB1280-25	699861	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 4, resolución de 25 mm, ra	1 809,00
F3SG-4SRB1360-25	699862	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to	1 869,00
F3SG-4SRB1440-25	699864	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 4, resolución de 25 mm, ra	1 953,00
F3SG-4SRB1520-25	699865	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to	2 024,00
F3SG-4SRB1600-25	699868	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 4, resolución de 25 mm, ra	2 097,00
F3SG-4SRB1680-25	699869	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to	2 181,00
F3SG-4SRB1760-25	699870	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 4, resolución de 25 mm, ra	2 251,00
F3SG-4SRB1840-25	699872	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to	2 335,00
F3SG-4SRB1920-25	699873	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to	2 407,00
F3SG-4SRB2080-25	699875	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to	2 562,00
F3SG-4SRB2280-25	699728	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to	2 706,00
F3SG-4SRB2480-25	699753	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to	2 934,00
F3SG-4SRB0240-45	699809	Safety Light Curtain, F3SG-SRB Standard, Type 4, 45 mm resolution, range 0.3 to	748,50
F3SG-4SRB0400-45	699819	Safety Light Curtain, F3SG-SRB Standard, Type 4, 45 mm resolution, range 0.3 to	835,00
F3SG-4SRB0560-45	699829	Safety Light Curtain, F3SG-SRB Standard, Type 4, 45 mm resolution, range 0.3 to	974,50
F3SG-4SRB0720-45	699838	Safety Light Curtain, F3SG-SRB Standard, Type 4, 45 mm resolution, range 0.3 to	1 061,00

OMRON PVPR 2023

F3SG-4SRB0880-45	699848	Safety Light Curtain, F3SG-SRB Standard, Type 4, 45 mm resolution, range 0.3 to	1 149,00
F3SG-4SRB1200-45	699860	Barrera de seguridad, F3SG-SRB estándar, tipo 4, resolución de 45 mm, rango de	1 393,00
F3SG-4SRB1520-45	699866	Safety Light Curtain, F3SG-SRB Standard, Type 4, 45 mm resolution, range 0.3 to	1 651,00
F3SG-4SRB0280-85	699812	Safety Light Curtain, F3SG-SRB Standard, Type 4, 85 mm resolution, range 0.3 to	776,00
F3SG-4SRB0440-85	699822	Safety Light Curtain, F3SG-SRB Standard, Type 4, 85 mm resolution, range 0.3 to	853,50
F3SG-4SRB0600-85	699831	Safety Light Curtain, F3SG-SRB Standard, Type 4, 85 mm resolution, range 0.3 to	982,00
F3SG-4SRB0760-85	699841	Safety Light Curtain, F3SG-SRB Standard, Type 4, 85 mm resolution, range 0.3 to	1 061,00
F3SG-4SRB0920-85	699851	Safety Light Curtain, F3SG-SRB Standard, Type 4, 85 mm resolution, range 0.3 to	1 158,00
F3SG-2SRB0160-14	699754	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 2, resolución de 14 mm, ra	620,00
F3SG-2SRB0240-14	699756	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to	704,50
F3SG-2SRB0320-14	699759	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 2, resolución de 14 mm, ra	788,50
F3SG-2SRB0400-14	699761	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 2, resolución de 14 mm, ra	829,50
F3SG-2SRB0480-14	699765	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 2, resolución de 14 mm, ra	914,50
F3SG-2SRB0560-14	699767	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 2, resolución de 14 mm, ra	998,50
F3SG-2SRB0640-14	699771	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 2, resolución de 14 mm, ra	1 042,00
F3SG-2SRB0800-14	699775	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to	1 212,00
F3SG-2SRB1000-14	699780	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 2, resolución de 14 mm, ra	1 398,00
F3SG-2SRB1200-14	699783	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to	1 563,00
F3SG-2SRB1400-14	699788	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to	1 741,00
F3SG-2SRB1600-14	699792	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to	1 927,00
F3SG-2SRB1800-14	699796	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to	2 143,00
F3SG-2SRB2000-14	699799	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to	2 307,00
F3SG-2SRB0160-25	699755	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 2, resolución de 25 mm, ra	582,50
F3SG-2SRB0240-25	699757	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 2, resolución de 25 mm, ra	649,50
F3SG-2SRB0320-25	699760	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 2, resolución de 25 mm, ra	715,00
F3SG-2SRB0400-25	699762	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 2, resolución de 25 mm, ra	737,50
F3SG-2SRB0480-25	699766	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 2, resolución de 25 mm, ra	804,00
F3SG-2SRB0560-25	699768	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 2, resolución de 25 mm, ra	871,50
F3SG-2SRB0640-25	699772	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 2, resolución de 25 mm, ra	891,00
F3SG-2SRB0720-25	699773	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 2, resolución de 25 mm, ra	958,00
F3SG-2SRB0800-25	699776	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 2, resolución de 25 mm, ra	1 025,00
F3SG-2SRB0880-25	699777	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 2, resolución de 25 mm, ra	1 046,00
F3SG-2SRB0960-25	699779	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 2, resolución de 25 mm, ra	1 128,00

OMRON PVPR 2023

F3SG-2SRB1040-25	699781	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 2, resolución de 25 mm, ra	1 194,00
F3SG-2SRB1120-25	699782	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 2, resolución de 25 mm, ra	1 215,00
F3SG-2SRB1200-25	699784	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to	1 284,00
F3SG-2SRB1280-25	699786	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 2, resolución de 25 mm, ra	1 354,00
F3SG-2SRB1360-25	699787	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to	1 374,00
F3SG-2SRB1440-25	699789	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to	1 441,00
F3SG-2SRB1520-25	699790	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to	1 531,00
F3SG-2SRB1600-25	699793	Barrera óptica de seguridad, F3SG-SRB estándar, tipo 2, resolución de 25 mm, ra	1 551,00
F3SG-2SRB1680-25	699794	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to	1 619,00
F3SG-2SRB1760-25	699795	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to	1 685,00
F3SG-2SRB1840-25	699797	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to	1 707,00
F3SG-2SRB1920-25	699798	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to	1 774,00
F3SG-2SRB2080-25	699800	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to	1 862,00
F3SG-2SRB2280-25	699801	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to	2 076,00
F3SG-2SRB2480-25	699802	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to	2 192,00
F3SG-2SRB0240-45	699758	Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to	624,50
F3SG-2SRB0400-45	699763	Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to	696,50
F3SG-2SRB0560-45	699769	Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to	812,50
F3SG-2SRB0720-45	699774	Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to	883,50
F3SG-2SRB0880-45	699778	Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to	957,00
F3SG-2SRB1200-45	699785	Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to	1 161,00
F3SG-2SRB1520-45	699791	Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to	1 376,00
F3SG-2SRB0280-85	699725	Safety Light Curtain, F3SG-SRB Standard, Type 2, 85 mm resolution, range 0.3 to	647,00
F3SG-2SRB0440-85	699764	Safety Light Curtain, F3SG-SRB Standard, Type 2, 85 mm resolution, range 0.3 to	711,50
F3SG-2SRB0600-85	699770	Safety Light Curtain, F3SG-SRB Standard, Type 2, 85 mm resolution, range 0.3 to	819,50
F3SG-2SRB0760-85	699727	Safety Light Curtain, F3SG-SRB Standard, Type 2, 85 mm resolution, range 0.3 to	883,50
F3SG-2SRB0920-85	699726	Safety Light Curtain, F3SG-SRB Standard, Type 2, 85 mm resolution, range 0.3 to	964,00
F3S-TGR-CL4A-K2C-500	656616	Barrera seguridad avanzada Cat 4 Activa-Pasiva 12m 500mm	1 763,00
F3SG-4PGA0670-2A	695671	Barrera de seguridad multihaz, F3SG-PG perimetral, Tipo 4, 2 haces, rango de 0.1	888,50
F3SG-4PGA0970-3A	695664	Barrera de seguridad multihaz, F3SG-PG perimetral, Tipo 4, 3 haces, rango de 0.1	1 104,00
F3SG-4PGA1070-4A	695711	Barrera de seguridad multihaz, F3SG-PG perimetral, Tipo 4, 4 haces, rango de 0.1	1 419,00
F3SG-4PGA1370-4A	695710	Barrera de seguridad multihaz, F3SG-PG perimetral, Tipo 4, 4 haces, rango de 0.1	1 482,00
F3SG-4PGA0670-2C	695715	Barrera de seguridad multihaz, F3SG-PG perimetral, Tipo 4, 2 haces, rango de 0.1	795,50

OMRON PVPR 2023

F3SG-4PGA1070-4C	695716	Barrera de seguridad multihaz, F3SG-PG perimetral, Tipo 4, 4 haces, rango de 0..	1 272,00
F3SG-4PGA1370-4C	695717	Barrera de seguridad multihaz, F3SG-PG perimetral, Tipo 4, 4 haces, rango de 0..	1 332,00
F3SG-4PGA0670-2L	695718	Barrera de seguridad multihaz, F3SG-PG perimetral, Tipo 4, 2 haces, rango de 0..	912,50
F3SG-4PGA0970-3L	695719	Barrera de seguridad multihaz, F3SG-PG perimetral, Tipo 4, 3 haces, rango de 0..	1 134,00
F3SG-4PGA1070-4L	695720	Barrera de seguridad multihaz, F3SG-PG perimetral, Tipo 4, 4 haces, rango de 0..	1 425,00
F3SG-4PGA1370-4L	695721	Barrera de seguridad multihaz, F3SG-PG perimetral, Tipo 4, 4 haces, rango de 0..	1 490,00
E3ZS-T81A	323229	Fotocélula Seg. Clase II Petaca Plástico cc 4h Barrera 3m PNP	238,30
E3S-AT81-D	105535	Plástico cc 3h Barrera 7m Vertic. PNP Receptor	196,10
E3T-ST13R 2M	105978	Miniatura 3h Barrera 1m Lateral PNP Luz Cable robotizado	191,30
E3T-ST11 5M	130090	Miniatura 3h Barrera 1m Lateral NPN Luz	192,50
E3T-ST12 5M	130091	Miniatura 3h Barrera 1m Lateral NPN Oscuridad	192,50
E3T-FT11 5M	130094	Miniatura 3h Barrera 500mm Plana NPN Luz Cable 5m	192,50
E3T-ST13 2M	130098	Miniatura 3h Barrera 1m Lateral PNP Luz	182,20
E3T-ST14 2M	130099	Miniatura 3h Barrera 1m Lateral PNP Osc.	182,20
E3T-FT13 2M	130100	Miniatura 3h Barrera 500mm Plana PNP Luz	182,20
E3T-FT14 2M	130101	Miniatura 3h Barrera 500mm Plana PNP Osc.	182,20
E3T-FT13R 2M	130124	Miniatura 3h Barrera 500mm Plana PNP Luz Cable rob	187,30
E3T-FT14R 2M	130125	Miniatura 3h Barrera 500mm Plana PNP Osc. Cable rob	188,30
E3T-ST11R 2M	130127	Miniatura 3h Barrera 1m Lateral NPN Luz Cable robotizado	191,30
E3T-ST12R 2M	130128	Miniatura 3h Barrera 1m Lateral NPN Oscuridad Cable robotizado	191,30
E3T-ST14R 2M	130129	Miniatura 3h Barrera 1m Lateral PNP Oscuridad Cable robotizado	191,30
E3T-FT11R 2M	130130	Miniatura 3h Barrera 500mm Plana NPN Luz Cable rob	191,30
E3T-ST12-M3J 0.3M	130131	Miniatura 3h Barrera 1m Lateral NPN Oscuridad Cable 0,3M + M12	287,90
E3T-FT11-M3J 0.3M	130132	Miniatura 3h Barrera 500mm Plana NPN Luz.0,3M+M12	182,20
E3T-ST13-M3J 0.5M	130133	Miniatura 3h Barrera 1m Lateral PNP Luz Cable 0,5M + M12	287,90
E3T-ST14-M3J 0.5M	130134	Miniatura 3h Barrera 1m Lateral PNP Oscuridad Cable 0,5M + M12	287,90
E3T-ST12 2M	130180	Miniatura 3h Barrera 1m Lateral NPN Osc.	182,20
E3T-FT12 2M	130183	Miniatura 3h Barrera 500mm Plana NPN Osc	182,20
E3S-AT31-L 2M	130426	Plástico cc 3h Barrera 7m Horiz. PNP. Emisor	128,60
E3S-AT31-D 2M	130427	Plástico cc 3h Barrera 7m Horiz. PNP. Receptor	168,70
E3S-AT36	130430	Plástico cc 3h Barrera 7m Horiz. PNP M12	272,20
E3S-AT36-D	130431	Plástico cc 3h Barrera 7m Horiz. PNP M12 Receptor	207,60
E3S-AT41	130434	Photoelectric sensor, through-beam, 7m, DC, 3-wire, PNP, timer, horizontal, 2m	384,20

OMRON PVPR 2023

E3S-AT61-D	130443	Plástico cc 3h Barrera 7m Vertic. NPN Receptor	193,40
E3S-AT66	130448	Plástico cc 3h Barrera 7m Vert. NPN M12	272,20
E3S-AT66-D	130449	Plástico cc 3h Barrera 7m Vertic. NPN M12 Receptor	206,40
E3S-AT71	130450	Plástico cc 3h Barrera 7m Vertic. NPN Temp	328,20
E3S-AT81	130454	Plástico cc 3h Barrera 7m Vertic. PNP	254,30
E3S-AT86	130458	Plástico cc 3h Barrera 7m Vert. PNP M12	272,20
E3S-AT86-D	130459	Plástico cc 3h Barrera 7m Vertic. PNP M12 Receptor	259,50
E3S-AT91	130463	Plástico cc 3h Barrera 7m Vertic. PNP Temp	329,40
E3S-AT11	130506	Plástico cc 3h Barrera 7m Horiz. NPN	251,80
E3S-AT16	130512	Plástico cc 3h Barrera 7m Horiz NPN M12	272,20
E3S-AT31	130521	Plástico cc 3h Barrera 7m Horiz. PNP	254,30
E3S-AT31 5M	143233	Plástico cc 3h Barrera 7m Horiz. PNP Cable 5m	296,90
E3T-FT14 5M	144408	Miniatura 3h Barrera 500mm Plana PNP Osc.	213,00
E3T-FT11 2M	149691	Miniatura 3h Barrera 500mm Plana NPN Luz	182,20
E3S-AT21	150890	Plástico cc 3h Barrera 7m Horiz NPN	328,20
E3S-AT81-L	150891	Plástico cc 3h Barrera 7m Vertic. NPN Emisor	111,70
E3T-ST11-M3J 0.3M	152426	Miniatura 3h Barrera 1m Lateral NPN Luz Cable 0,3M + M12	182,20
E3T-ST13 5M	153140	Miniatura 3h Barrera 1m Lateral PNP Luz Cable 5m	213,00
E3S-AT61	154285	Plástico cc 3h Barrera 7m Vertic. NPN	251,80
E3T-ST14 5M	155091	Miniatura 3h Barrera 1m Lateral PNP Osc.	192,50
E3S-AT36-L	156494	Plástico cc 3h Barrera 7m Horiz. PNP M12 Emisor	115,60
E3S-AT61-L	156495	Plástico cc 3h Barrera 7m Vertic. NPN Emisor	148,10
E3T-ST11 2M	156502	Miniatura 3h Barrera 1m Lateral NPN Luz	182,20
E3T-ST13-M5J 0.3M	163198	Miniatura 3h Barrera 1m Lateral PNP Luz Cable 0,3M + M8	228,60
E3T-FT14-M5J 0.3M	163199	Miniatura 3h Barrera 500mm Plana PNP Osc. 0,3M+M8	171,90
E3T-FT13-M5J 0.3M	163370	Miniatura 3h Barrera 500mm Plana PNP Luz 0,3m+M8	223,40
E3T-ST14-M5J 0.3M	163372	Miniatura 3h Barrera 1m Lateral PNP Osc. 0,3M+M8	228,60
E3T-ST11-M5J 0.3M	163866	Miniatura 3h Barrera 1m Lateral NPN Luz 0,3M+M8	228,60
E3T-ST21 2M	182984	Miniatura 3h Barrera 300mm Lateral NPN Luz	178,20
E3ZM-T61 2M	223483	Metálica cc 3h Barrera 15m NPN Cable 2M	282,60
E3ZM-T66	223484	Metálica cc 3h Barrera 15m NPN M8	282,60
E3ZM-T81 2M	223485	Metálica cc 3h Barrera 15m PNP Cable 2M	282,60
E3ZM-T86	223486	Metálica cc 3h Barrera 15m PNP M8	282,60

OMRON PVPR 2023

E3T-FT23 2M	224644	Miniatura 3h Barrera 300mm Plana PNP Luz	176,80
E3T-FT22 2M	224647	Miniatura 3h Barrera 300mm Plana NPN Osc.	182,20
E3T-ST22 2M	224648	Miniatura 3h Barrera 300mm Lateral NPN Oscuridad	178,20
E3T-ST24 2M	224649	Miniatura 3h Barrera 300mm Lateral PNP Oscuridad	178,20
E3T-FT24 2M	224652	Miniatura 3h Barrera 300mm Plana PNP Osc.	182,20
E3T-ST23 2M	224653	Miniatura 3h Barrera 300mm Lateral PNP Luz	178,20
E3T-ST24-M3J 0.5M	224654	Miniatura 3h Basrrera 300 mm Lateral PNP Osc. 0,3M +M8	342,00
E3ZM-T81 5M	226037	Metálica cc 3h Barrera 15m PNP Cable 5M	290,60
E3ZM-T81H 5M	227257	Metálica cc 3h Barrera 15m PNP Cable 5M	263,00
E3ZM-T83 5M	227530	Metálica cc 3h Barrera Ranura 0,8m PNP Cable 5M	302,30
E3ZM-T68	227531	Metálica cc 3h Barrera 0.8m NPN M8	294,60
E3ZM-T88	227532	Metálica cc 3h Barrera 0.8m PNP M8	294,60
E3ZM-CT81 2M	232309	Metálica cc 3h Barrera 15m PNP IP67g Cable 2m	282,60
E3ZM-CT86	232317	Metálica cc 3h Barrera 15m PNP IP67g M8	282,60
E3ZM-CT81-M1TJ 0.3M	232368	Fotocélula, sensor de barrera, 15 m, LED infrarrojo, PNP, cable terminado en M1	379,60
E3ZM-CT82B 2M	232381	Sensor fotoeléctrico, barrera, 20 m, LED naranja, PNP, cable de 2 m.	328,90
E3ZM-CT87B	232390	Metálica cc 3h Barrera 20m PNP IP67g M8	282,60
E3ZM-CT82B-M1TJ 0.3M	232391	Metálica cc 3h Barrera 20m PNP IP67g Cable 0,3M+M12 Smart Click	301,20
E3ZM-CT62B 2M	232397	Metálica cc 3h Barrera 20m NPN IP67g Cable 2m	282,60
E3ZM-CT62B 5M	232398	Metálica cc 3h Barrera 20m NPN IP67g Cable 5m	290,60
E3ZM-T86-L	233776	Photoelectric sensor, rectangular housing, stainless steel, infrared LED, through-	177,30
E3ZM-T86-D	233777	Fotocélula	209,70
E3S-CT11-L 5M	239790	Robusta cc 3h Barrera 30m Horiz. Cable 5m Emisor	188,20
E3S-CT16-D	239792	Photoelectric sensor, through-beam receiver, 30 m, DC, 3-wire, NPN/PNP, horiz	225,80
E3S-CT66-L	239793	Robusta cc 3h Barrera 30m Vertic. M12 Emisor	171,40
E3S-CT11-D 2M	239802	Robusta cc 3h Barrera 30m Horiz. Cable 2m Receptor	225,80
E3S-CT61 5M	239817	Robusta cc 3h Barrera 30m Vertical Cable 5m.	385,20
E3S-CT11-M1J 0.3M	239818	Robusta cc 3h Barrera 30m Horiz 0,3m M12	346,20
E3S-CT61-M1J 0.3M	239820	Photoelectric sensor, through-beam, 30m, DC, 3-wire, NPN/PNP, vertical, pig tai	434,60
E3S-CT11-D 5M	239823	Robusta cc 3h Barrera 30m 3h NPN/PNP, Cable 5m Receptor	231,10
E3S-CT61-L 5M	239824	Robusta cc 3h Barrera 30m Vertic Cable 5m Emisor	188,20
E3S-CT61-D 5M	239825	Robusta cc 3h Barrera 30m Vertic Cable 5m Receptor	243,90
E3S-CT66-D	239826	Robusta cc 3h Barrera 30m Vert. M12 Receptor	225,80

OMRON PVPR 2023

E3S-CT11 2M	239837	Robusta cc 3h Barrera 30m Horiz. Cable 2m	346,20
E3S-CT61 2M	239841	Robusta cc 3h Barrera 30m Vertical Cable 2m.	346,20
E3S-CT16	239846	Robusta cc 3h Barrera 30m Horiz M12	338,50
E3S-CT66	239847	Robusta cc 3h Barrera 30m Vert. M12	346,20
E3Z-T61 5M	241515	Ecológica cc 3h Barrera 15m NPN Cable 5M	190,80
E3Z-T81 5M	241526	Ecológica cc 3h Barrera 15m PNP cable 5M	202,20
E3ZM-T81-S1J 0.3M	250292	Metálica cc 3h Barrera 15m PNP Cable 0,3m+M12 Acero	290,60
E3ZM-T81-D 5M	292360	Metálica cc 3h Barrera 15m Receptor PNP Cable 5m	167,60
E3ZM-T81-L 5M	292361	Metálica cc 3h Barrera 15m Emisor PNP Cable 5m	141,40
E3Z-LT81-M1J 0.3M	323053	Láser cc 3h Barrera 60m PNP Cable 0,3m + M12	216,20
E3Z-LT86-L	323058	Láser cc 3h Barrera 60m PNP M8 Emisor	145,50
E3Z-LT81-L 2M	323070	Photoelectric sensor, rectangular housing, red laser class 1, through-beam, emit	143,80
E3Z-T81C-GOSRL-CN	323110	Ecológica cc 3h Barrera 15m PNP Dark-on Emission-stop Emisor M8 4polos	91,60
E3Z-T81C-GOSRD-CN	323111	Eco cc 3h Barrera 15m PNP Dark-on Emission-stop Recep M8 4polos	153,80
E3Z-LT61 2M	323149	Láser cc 3h Barrera 60m NPN	234,30
E3Z-LT66	323150	Láser cc 3h Barrera 60m NPN M8	234,30
E3Z-LT81 2M	323151	Láser cc 3h Barrera 60m PNP	234,30
E3Z-LT86	323152	Láser cc 3h Barrera 60m PNP M8	234,30
E3H2-T4B4M 2M	323674	Metal M12 cc 4h Barrera 4m PNP Cable 2m	165,00
E3H2-T4B4M-M1	323675	Metal M12 cc 4h Barrera 4m PNP Conector M12	166,60
E3H2-T4C4M 2M	323676	Metal M12 cc 4h Barrera 4m NPN Cable 2m	165,00
E3H2-T4C4M-M1	323677	Metal M12 cc 4h Barrera 4m NPN Conector M12	166,60
E3H2-T2B2S 2M	323690	Metal M8 cc 3h Barrera 2m PNP Osc Cable 2m	238,10
E3H2-T2B1S 2M	323691	Metal M8 cc 3h Barrera 2m PNP Luz Cable 2m	238,10
E3H2-T2B2S-M5	323692	Metal M8 cc 3h Barrera 2m PNP Osc Conector M8 3pines	245,20
E3H2-T2B1S-M5	323693	Metal M8 cc 3h Barrera 2m PNP Luz Conector M8 3 pines	243,70
E3H2-T2C2S 2M	323694	Metal M8 cc 3h Barrera 2m NPN Osc Cable 2m	238,10
E3H2-T2C1S 2M	323695	Metal M8 cc 3h Barrera 2m NPN Luz Cable 2m	238,10
E3Z-LT86-D	333179	Láser cc 3h Barrera 50m PNP M8 Receptor	82,55
E3Z-T61-M1J 0.3M	338384	Ecológica cc 3h Barrera 15m NPN Cable 0,3m + M8	203,40
E3Z-T81-M1J 0.3M	338385	Ecológica cc 3h Barrera 15m PNP.Cable 0,3M + M12	203,40
E3Z-T81-M1J-1 0.3M	338391	Ecológica cc 3h Barrera 15m PNP.Cable 0,3M proteg. espiral + M12	207,40
E3Z-T81-M3J 0.3M	339270	Ecológica LED Rojo cc 3h Barrera 10m PNP Cable 0,3m + M8	199,70

OMRON PVPR 2023

E3Z-T81A 6M	339274	Photoelectric sensor, through-beam, 10m, DC, 3-wire, PNP, 6m cable (requires 2	203,40
E3Z-T81A-M1J 0.3M	339279	Sensor fotoeléctrico, haz pasante, 10 m, CC, 3 cables, PNP, conector de extremo	203,40
E3Z-T81-L-M1J-1 0.3M	339295	Sensor fotoeléctrico, emisor de barrera, 15 m, CC, 3 hilos, PNP, cable de 0,3 m c	110,70
E3Z-T81-D-M1J-1 0.3M	339296	Ecológica cc 3h Barrera 15m Receptor Cable 0,3M proteg. espiral + M12	160,40
E3Z-T61K 2M	342544	Photoelectric sensor, rectangular housing, oil resistant coating, infrared LED, thr	283,40
E3Z-T61K-M3J 0.3M	342545	Photoelectric sensor, rectangular housing, oil resistant coating, infrared LED, thr	342,00
E3Z-T81K 2M	342546	Ecológica cc 3h Barrera 15m PNP. Resist aceite	283,40
E3T-ST31 2M	351526	Miniatura 3h Barrera 2m Lateral NPN Luz	186,10
E3T-ST31 5M	351527	Miniatura 3h Barrera 2m Lateral NPN Luz	196,30
E3T-ST32 2M	351528	Miniatura 3h Barrera 2m Lateral NPN Oscuridad	186,10
E3T-ST32 5M	351529	Miniatura 3h Barrera 2m Lateral NPN Oscuridad	196,30
E3T-ST33 2M	351530	Miniatura 3h Barrera 2m Lateral PNP Luz	186,10
E3T-ST33 5M	351531	Miniatura 3h Barrera 2m Lateral PNP Luz	196,30
E3T-ST34 2M	351532	Miniatura 3h Barrera 2m Lateral PNP Oscuridad	186,10
E3T-ST34 5M	351533	Miniatura 3h Barrera 2m Lateral PNP Oscuridad	196,30
E3T-ST11M 2M	351555	Miniatura 3h Barrera 1m Lateral NPN Luz Tornillos M3	182,20
E3T-ST12M 2M	351556	Miniatura 3h Barrera 1m Lateral NPN Oscuridad Tornillos M3	182,20
E3T-ST13M 2M	351557	Miniatura 3h Barrera 1m Lateral PNP Luz Tornillos M3	182,20
E3T-ST14M 2M	351558	Miniatura 3h Barrera 1m Lateral PNP Oscuridad Tornillos M3	182,20
E3T-ST21M 2M	351559	Miniatura 3h Barrera 300mm Lateral NPN Luz Tornillos M3	178,20
E3T-ST22M 2M	351560	Miniatura 3h Barrera 300mm Lateral NPN Oscuridad Tornillos M3	178,20
E3T-ST23M 2M	351561	Miniatura 3h Barrera 300mm Lateral PNP Luz Tornillos M3	178,20
E3T-ST24M 2M	351562	Miniatura 3h Barrera 300mm Lateral PNP Osc. 0,3M +M8	178,20
E3T-CT12 2M	351563	Miniatura cilíndrica 3h Barrera 1m Frontal NPN Osc	295,50
E3T-CT14 2M	351564	Miniatura cilíndrica 3h Barrera 1m Frontal PNP Osc	295,50
E3T-CT24S 2M	351566	Miniatura cilíndrica 3h Barrera 500mm Lateral PNP Osc	305,90
E3Z-T81K-M3J 0.3M	353940	Ecológica cc 3h Barrera 15m PNP Cable 0,3m + M12 Resist aceite	342,00
E3Z-T81A-M3J 0.3M	358884	Ecológica LED Rojo cc 3h Barrera 10m PNP Cable 0,3m + M8	207,40
E3FB-TN11 2M	378890	Metal Barrera 20m NPN Cable 2m	117,60
E3FB-TN21	378901	Metal Barrera 20m NPN Conector M12	116,30
E3FB-TP11 2M	378912	Metal Barrera 20m PNP Cable 2m	117,60
E3FB-TP21	378923	Metal Barrera 20m PNP Conector M12	116,30
E3F1-TN11 2M	378934	Plástico Barrera 15m NPN Cable 2m Lite	73,80

OMRON PVPR 2023

E3F1-TN21	378938	Plástico Barrera 15m NPN Conector M12 Lite	72,35
E3F1-TP11 2M	378942	Plástico Barrera 15m PNP Cable 2m Lite	73,80
E3F1-TP21	378946	Plástico Barrera 15m PNP Conector M12 Lite	72,35
E3RA-TN11 2M	378950	Plástico Axial Barrera 15m NPN Cable 2m	108,60
E3RA-TN21	378955	Plástico Axial Barrera 15m NPN Conector M12	107,20
E3RA-TP11 2M	378960	Plástico Barrera 15m PNP Cable 2m	108,60
E3RA-TP21	378965	Plástico Barrera 15m PNP Conector M12	107,20
E3RB-TN11 2M	378970	Metal Radial Barrera 15m NPN Cable 2m	120,30
E3RB-TN21	378975	Metal Radial Barrera 15m NPN Conector M12	119,00
E3RB-TP11 2M	378980	Metal Radial Barrera 15m PNP Cable 2m	120,30
E3RB-TP21	378985	Metal Radial Barrera 15m PNP Conector M12	119,00
E3FA-TN12 2M	381314	Plástico Barrera Infrarrojo 15m NPN Cable 2m	105,90
E3FA-TN22	381315	Plástico Barrera Infrarrojo 15m NPN Conector M12	104,60
E3FA-TP12 2M	381316	Plástico Barrera Infrarrojo 15m PNP Cable 2m	105,90
E3FA-TP22	381317	Plástico Barrera Infrarrojo 15m PNP Conector M12	104,60
E3FA-TN11 2M	386962	Plástico Barrera 20m NPN Cable 2m	105,90
E3Z-T61-M3J 0.3M	392625	Ecológica cc 3h Barrera 15m NPN 0,3M cable M8	203,40
E3T-ST13F 2M	393224	Photoelectric sensor, through-beam, miniature, side-view, IR LED, 1m, PNP, L-or	224,00
E3T-ST23F 2M	393226	Photoelectric sensor, through-beam, miniature, side-view, IR LED, 300mm, PNP,	214,40
E3T-ST33F 2M	393228	Photoelectric sensor, through-beam, miniature, side-view, IR LED, 2m, PNP, L-or	251,80
E3T-FT12F 2M	393237	Photoelectric sensor, through-beam, miniature, flat-shape, IR LED, 500mm, NPN	165,40
E3T-ST31F 2M	393244	Photoelectric sensor, through-beam, miniature, side-view, IR LED, 2m, NPN, L-or	251,80
E3T-ST32F 2M	393245	Photoelectric sensor, through-beam, miniature, side-view, IR LED, 2m, NPN, D-o	251,90
E3T-FT22F 2M	393248	Photoelectric sensor, through-beam, miniature, flat-shape, IR LED, 300mm, NPN	165,40
E3FA-TN21	404483	Plástico Barrera 20m NPN Conector M12	104,60
E3FA-TP11 2M	404484	Plástico Barrera 20m PNP Cable 2m	105,90
E3FA-TP21	404485	Plástico Barrera 20m PNP Conector M12	104,60
E3FB-TP21-D	415550	Metal Receptor Barrera 20m PNP Conector M12	75,00
E3FB-TP21-L	415551	Metal Emisor Barrera 20m PNP Conector M12	51,60
E3FA-TP21-L	415552	Plástico Emisor Barrera 20m PNP Conector M12	46,57
E3FA-TP21-D	415553	Plástico Receptor Barrera 20m PNP Conector M12	68,50
E3FA-TP11 10M	416700	Plástico Barrera 20m PNP Cable 10m	125,40
E3FA-TP11 5M	416701	Plástico Barrera 20m PNP Cable 5m	113,70

OMRON PVPR 2023

E3FA-TN11 5M	419144	Plástico Barrera 20m NPN Cable 5m	113,70
E3FA-TN11-D 2M	419145	Plástico Receptor Barrera 20m NPN Cable 2m	68,50
E3FA-TN11-D 5M	419146	Plástico Receptor Barrera 20m NPN Cable 5m	73,80
E3FA-TN11-L 2M	419147	Plástico Emisor Barrera 20m NPN Cable 2m	46,57
E3FA-TN11-L 5M	419148	Plástico Emisor Barrera 20m NPN Cable 5m	50,60
E3FA-TN21-D	419149	Plástico Receptor Barrera 20m NPN Conector M12	68,50
E3FA-TN21-L	419150	Plástico Emisor Barrera 20m NPN Conector M12	46,57
E3FA-TP11-D 2M	419151	Plástico Emisor Barrera 20m PNP Receptor	68,50
E3FA-TP11-L 2M	419152	Plástico Emisor Barrera 20m PNP Emisor	46,57
E3T-FT14-M1TJ 0.3M	695491	Sensor fotoeléctrico, haz pasante, 500 mm, dc, 3 cables, PNP, modo oscuro, forro	215,50
E3T-ST14-M1TJ 0.3M	695490	Sensor fotoeléctrico, haz pasante, 1 m, CC, 3 cables, PNP, modo oscuro activado	209,70
E3FA-TP21-F2	659591	Plástico Barrera 20m PNP Con luz por defecto Con.M12	104,60
E3FB-TP21-F2	659595	Metal Barrera 20m PNP Con luz por defecto Conector M12	115,10
E3FC-TP11 5M	659423	nox Barrera 20m PNP Cable 5m	156,50
E3FC-TN21	659452	Inox Barrera 20m NPN Conector M12	144,70
E3FC-TP21	659433	Inox Barrera 20m PNP Conector M12	144,70
E3FC-TP11 2M	659443	Inox Barrera 20m PNP Cable 2m	146,00
E3FC-TN11 2M	659457	Inox Barrera 20m NPN Cable 2m	146,00
E3JK-TR11 5M	668841	Photoelectric sensor, square body, red LED, through-beam, 40m, AC/DC, relay, L	151,80
E3JK-TN11 2M	668842	Fotocélula 50x50 Multialim. Barrera 40m NPN Cable 2m LITE	114,30
E3JK-TP11 2M	668830	Fotocélula 50x50 Multialim. Barrera 40m PNP Cable 2m LITE	114,30
E3JK-TR11 2M	668838	Fotocélula 50x50 Multialim. Barrera 40m Relé Cable 2m LITE	119,50
E3Z-T81-IL3 5M	671101	Ecológica cc 3h Barrera 15m PNP Cable 5m IO LINK COM3	247,90
E3Z-T81-M1TJ-IL3 0.3M	671103	Ecológica cc 3h Barrera 15m PNP Cable M12 0.3m IO LINK COM3	228,90
E3Z-T81-IL3 2M	671108	Ecológica cc 3h Barrera 15m PNP Cable 2m IO LINK COM3	228,90
E3Z-T81-IL2 5M	671085	Ecológica cc 3h Barrera 15m PNP Cable 5m IO LINK COM2	247,90
E3Z-T81-IL2 2M	671084	Ecológica cc 3h Barrera 15m PNP Cable 2m IO LINK COM2	228,90
E3Z-T81-M1TJ-IL2 0.3M	671086	Ecológica cc 3h Barrera 15m PNP Cable M12 0.3m IO LINK COM2	228,90
E3Z-T86-IL2	671088	Ecológica cc 3h Barrera 15m PNP M8 IO LINK COM2	228,90
E3Z-T86-IL3	671113	Ecológica cc 3h Barrera 15m PNP M8 IO LINK COM3	228,90
E3ZR-CT81D-M1TJ 0.3M	674891	Fotocélula, compacta cuadrada, con cuerpo de SUS, resistente al aceite, modo d	271,50
E3ZR-CT81L 2M	674909	Fotocélula, compacta cuadrada, con cuerpo de SUS, resistente al aceite, modo d	298,50
E3ZR-CT81L-M1TJ 0.3M	674906	Fotocélula, compacta cuadrada, con cuerpo de SUS, resistente al aceite, modo d	271,50

OMRON PVPR 2023

E3ZR-CT81D 2M	674893	Fotocélula, compacta cuadrada, con cuerpo de SUS, resistente al aceite, modo d	298,50
E3Z-FTP12 2M	679112	Photoelectric sensor, rectangular housing with M18 threaded barrel, infrared LE	220,20
E3JK-TR14 2M	679547	Photoelectric sensor, square body, IR LED , through-beam, 5 m range, AC/DC, re	138,80
E3JM-10R4-G-NN	680479	Multialim. Barrera 10m SSR +comun PG13,5	227,10
E3JM-10M4T-G-NN	680478	Multialim. Barrera 10m Relé Temporización PG13,5	198,70
E3JM-10M4-NN	680483	Multialim. Barrera 10m Relé PF1/2	181,70
E3JM-10R4T-G-NN	680475	Photoelectric sensor, square shape, through-beam, 10m, timer function, SSR ou	304,00
E3JM-10M4-G-NN	680474	Multialim. Barrera 10m Relé PG13,5	181,70
E3Z-T81-L 5M	683860	Sensor fotoeléctrico, emisor de barrera, 15 m, cc, 3 hilos, PNP, cable de 5 m (rec	74,80
E3Z-T81-D 5M	683859	Fotocélula, receptor de barrera, 15 m, cc, 3 hilos, PNP, cable de 5 m (requiere sc	87,30
E3Z-T61 2M	685902	Ecológica cc 3h Barrera 15m NPN Cable 2M	193,40
E3Z-T81 2M	685903	Ecológica cc 3h Barrera 15m PNP Cable 2M	193,40
E3Z-T66	685904	Ecológica cc 3h Barrera 15m NPN M8	193,40
E3Z-T86	685905	Ecológica cc 3h Barrera 15m PNP M8	193,40
E3Z-T61A 2M	685906	Ecológica cc 3h Barrera 10m NPN Cable 2M LED Rojo	193,40
E3Z-T81A 2M	685907	Ecológica cc 3h Barrera 10m PNP Cable 2m LED Rojo	193,40
E3Z-T66A	685908	Ecológica cc 3h Barrera 10m NPN M8 LED Rojo	193,40
E3Z-T86A	685909	Ecológica Barrera cc 3h 10m PNP M8 LED Rojo	193,40
E3Z-T62 2M	685910	Ecológica cc 3h Barrera 30m NPN Cable 2m	220,20
E3Z-T82 2M	685911	Ecológica cc 3h Barrera 30m PNP	220,20
E3Z-T67	685912	Ecológica cc 3h Barrera 30m NPN M8	207,40
E3Z-T87	685913	Ecológica cc 3h Barrera 30m PNP M8	207,40
E3Z-T61-L 2M	702901	Photoelectric sensor, rectangular housing, infrared LED, through-beam, emitter	104,30
E3Z-T61-D 2M	702900	Photoelectric sensor, rectangular housing, infrared LED, through-beam, receiver	151,50
E3Z-T81-L 2M	685923	Ecológica cc 3h Barrera 15m Emisor Cable 2M	104,30
E3Z-T81-D 2M	685924	Ecológica cc 3h Barrera 15m PNP Receptor Cable 2M	151,50
E3Z-T66-L	685925	Ecológica cc 3h Barrera 15m NPN Emisor M8	111,90
E3Z-T66-D	685926	Ecológica cc 3h Barrera 15m NPN Receptor M8	111,90
E3Z-T86-L	685927	Ecológica cc 3h Barrera 15m PNP Emisor M8	114,50
E3Z-T86-D	685928	Ecológica cc 3h Barrera 15m PNP Receptor M8	114,50
E3Z-T81A-L 2M	685931	Ecológica LED Rojo cc 3h Barrera 10m Emisaor PNP Cable 2m	90,40
E3Z-T81A-D 2M	685932	Ecológica LED Rojo cc 3h Barrera 10m Receptor PNP Cable 2m	119,60
E3Z-T86A-L	685901	Ecológica LED Rojo cc 3h Barrera 10m PNP M8 Emisor	95,40

OMRON PVPR 2023

E3Z-T86A-D	685900	Ecológica Barrera cc 3h 10m PNP M8 LED Rojo Receptor	161,60
E3JK-TP12 2M	687737	Photoelectric sensor, square body, red LED, through-beam, 5 m, PNP, L-ON/D-O	114,30
E3JK-TR12 2M	688662	Sensor fotoeléctrico, cuerpo cuadrado, LED rojo, barrera, 5 m, ca/cc,, relé, selec	119,50
E3JK-TP14 2M	703656	Photoelectric sensor, square body, infrared LED, through-beam, 5 m, PNP, L-ON,	114,30
E3JK-TR14-C 2M	707300	Photoelectric sensor, square body, IR LED , through-beam, 5 m range, AC/DC, re	144,60
ZX-LT005	106277	Barrera láser 500mm 4 micras Haz 5mm	1 457,00
ZX-LT010	106279	Barrera láser 500mm 4 micras Haz 10mm	1 315,00
ZX-LT001	145951	Barrera láser 2000mm 4 micras Haz 1mm	1 414,00
ZX-LT030 0.5M	182448	Barrera láser 500mm 12 micras Haz 30mm	2 220,00
ZX-GT28S41	238017	Sensor en barrera 500mm 10µm Anchura máx. 28mm PNP	4 131,00
ZX-GT2840S11	238018	Sensor en barrera 40mm 10µm Anchura máx. 28mm NPN	4 231,00
ZX-GT2840S41	238019	Sensor en barrera 40mm 10µm Anchura máx. 28mm PNP	4 231,00
E3Z-L81 0.5M	323024	Photoelectric sensor, rectangular housing, red LED, diffuse, narrow beam, 90 ± 3	182,00
E3Z-L61 5M	323025	Photoelectric sensor, rectangular housing, red LED, diffuse, narrow beam, 90 ± 3	182,00
E3Z-L61-M1J-1 0.3M	323035	Ecológica cc 3h Réflex 60-120mm NPN Spot reduc. cable 0.3m	168,00
E3Z-L61 2M	323114	Ecológica cc 3h Réflex 60-120mm NPN Spot reduc.	182,00
E3Z-L81 2M	323115	Ecológica cc 3h Réflex 60-120mm PNP Spot reduc.	182,00
E3Z-L66	323116	Ecológica cc 3h Réflex 60-120mm NPN Spot reduc.	182,00
E3Z-L86	323117	Ecológica cc 3h Réflex 60-120mm PNP Spot reduc. M8	182,00
E3Z-L63	326298	Cristal cc 3h Reflex 50mm NPN Cable 2m	182,00
E3ZM-CL84H 2M	232347	Photoelectric sensor, rectangular housing, stainless steel, oil-resistant, red LED,	238,30
E3ZM-CL89H	232353	Metálica cc 3h BGS 200mm PNP IP67g M8	205,80
E3ZM-CL84H-M1TJ 0.3M	232374	Metálica cc 3h BGS 200mm PNP IP67g Cable 0,3M+M12 Smart Click	216,20
EE-SY671	127546	Herradura 5mm Vert PC-Board	40,98
EE-SY672	127547	Herradura 5mm Vert PC-Board	40,98
EE-SPY401	127752	Réflex 5mm Luz NPN Horizontal	52,40
EE-SPY411	127758	Réflex convergente 5mm Luz NPN Horizontal	66,30
EE-SPY302	144819	Réflex 5mm Osc NPN Vertical	52,40
EE-SPY301	148064	Réflex 5mm Osc NPN Horizontal	52,40
EE-SPY412	148065	Réflex convergente 5mm Luz NPN Vertical	66,30
EE-SPY402	158099	Réflex 5mm Luz NPN Vertical	52,40
E3T-FD13 5M	103295	Photoelectric sensor, diffuse, 5-30mm, DC, 3-wire, PNP, light-on, flat-form, 5m d	142,30
E3S-AD37	104096	Plástico cc 3h Réflex 70cm Horiz. PNP M12	194,90

OMRON PVPR 2023

E3S-AD91	104099	Plástico cc 3h Réflex 20cm Vertic. PNP Temp	237,50
E3S-AD38	104101	Plástico cc 3h Réflex 10cm Horiz PNP M12	206,40
E3S-AD42	105533	Plástico cc 3h Réflex 70cm Horiz PNP Temp	224,50
E3T-FD11 2M	130184	Miniatura 3h Réflex 30mm Plana NPN Luz	137,00
E3T-FD12 2M	130185	Miniatura 3h Réflex 30mm Plana NPN Osc.	137,00
E3S-AD88	130402	Plástico cc 3h Réflex 10cm Vertic. PNP M12	206,40
E3S-AD83	130404	Plástico cc 3h Réflex 10cm Vertic. PNP	196,10
E3S-AD36	130433	Plástico cc 3h Réflex 20cm Horiz. PNP M12	196,10
E3S-AD61	130445	Plástico cc 3h Réflex 20cm Vertic. NPN	187,00
E3S-AD62	130446	Plástico cc 3h Réflex 70cm Vertic. NPN	185,60
E3S-AD81	130456	Plástico cc 3h Réflex 20cm Vertic. PNP	188,20
E3S-AD86	130461	Plástico cc 3h Réflex 20cm Vert. PNP M12	196,10
E3S-AD87	130462	Plástico cc 3h Réflex 70cm Vert. PNP M12	194,90
E3S-AD11	130510	Plástico cc 3h Réflex 20cm Horiz. NPN	187,00
E3S-AD16	130513	Plástico cc 3h Réflex 20cm Horiz NPN M12	194,90
E3S-AD21	130518	Plástico cc 3h Réflex 20cm Horiz NPN Temp	236,20
E3S-AD67	142135	Plástico cc 3h Réflex 70cm Vertic. NPN M12	193,40
E3S-AD82	142136	Plástico cc 3h Réflex 70cm Vertic. PNP	187,00
E3S-AD13	142140	Plástico cc 3h Réflex 10cm Horiz NPN	196,10
E3T-FD14 2M	142150	Miniatura 3h Réflex 30mm Plana PNP Osc.	137,00
E3S-AD12	143232	Plástico cc 3h Réflex 70cm Horiz. NPN	185,60
E3S-AD63	144400	Plástico cc 3h Réflex 10cm Vertic. NPN	196,10
E3S-AD17	145474	Plástico cc 3h Réflex 70cm Horiz NPN M12	193,40
E3S-AD68	146538	Plástico cc 3h Réflex 10cm Vertic. NPN M12	205,10
E3S-AD31 5M	147712		198,70
E3S-AD33	147715	Plástico cc 3h Réflex 10cm Horiz. PNP	196,10
E3S-AD32	149804	Plástico cc 3h Réflex 70cm Horiz. PNP	187,00
E3T-FD13R 2M	151264	Miniatura 3h Réflex 30mm Plana PNP Luz Cable rob	134,50
E3S-AD18	153135	Plástico cc 3h Réflex 10cm Horiz NPN M12	205,10
E3S-AD31	155083	Plástico cc 3h Réflex 20cm Horiz. PNP	188,20
E3T-FD13 2M	156504	Miniatura 3h Réflex 30mm Plana PNP Luz	137,00
E3S-AD66	157686	Plástico cc 3h Réflex 20cm Vertic. NPN M12	194,90
E3T-FD13-M5J 0.3M	162670	Miniatura 3h Réflex 30mm PNP Luz 0,3M+M 12	137,00

OMRON PVPR 2023

E3ZM-D62 2M	223465	Metálica cc 3h Réflex 1m NPN Cable 2M	205,80
E3ZM-D67	223466	Metálica cc 3h Réflex 1m NPN M8	205,80
E3ZM-D82 2M	223467	Metálica cc 3h Réflex 1m PNP Cable 2M	205,80
E3ZM-D87	223468	Metálica cc 3h Réflex 1m PNP M8	205,80
E3ZM-D62 5M	227213	Metálica cc 3h Réflex 1m NPN Cable 5m	213,30
E3ZM-D82 5M	227214	Metálica cc 3h Réflex 1m PNP Cable 5M	213,30
E3ZM-CD82 2M	232321	Metálica cc 3h Réflex 1m PNP IP67g Cable 2m	205,80
E3ZM-CD87	232323	Metálica cc 3h Réflex 1m PNP IP67g M8 4 pines	230,50
E3JM-DS70M4-G	232860	Multialim. Réflex 70cm Relé PG13,5	139,00
E3JM-DS70M4T-G	232861	Multialim. Réflex 70cm Relé Temporización PG13,5	161,00
E3JM-DS70S4T	232879	Multialim. Réflex 70cm PNP Temporización PG13,5	220,60
E3JM-DS70S4-G	232886	Photoelectric sensor, square shape, diffuse, 700 mm, SSR output/minus commo	189,40
E3JM-DS70R4-G	232895	Multialim. Réflex 70cm PNP PG13,5	185,60
E3JM-DS70R4T-G	232896	Multialim. Réflex 70cm PNP Temporización PG13,5	208,80
E3S-CD12-M1J 0.3M	239804	Robusta cc 3h Reflex 2m Horiz. Cable 0,3m + M12	276,40
E3S-CD61-M1J 0.3M	239806	Robusta cc 3h Réflex 70cm Vert. 0,3m M12	276,40
E3S-CD62-M1J 0.3M	239807	Photoelectric sensor, diffuse, 2m, DC, 3-wire, NPN/PNP, vertical, 0.3 m cable wit	276,40
E3S-CD61 2M	239811	Robusta cc 3h Réflex 70cm Vert. Cable 2m	276,40
E3S-CD62 2M	239812	Robusta cc 3h Réflex 2m Vert. Cable 2m	276,40
E3S-CD61 5M	239813	Robusta cc 3h Réflex 70cm Vert. Cable 5m	284,00
E3S-CD11-M1J 0.3M	239819	Robusta cc 3h Réflex 700mm Horiz. 0,3m M12	277,60
E3S-CD16	239827	Robusta cc 3h Réflex 70cm Horiz. M12	276,40
E3S-CD17	239828	Robusta cc 3h Réflex 2m Horiz. M12	276,40
E3S-CD66	239829	Robusta cc 3h Réflex 70cm Vert. M12	276,40
E3S-CD67	239830	Robusta cc 3h Réflex 2m Vertic. M12	276,40
E3S-CD11 2M	239839	Robusta cc 3h Réflex 700mm Horiz. Cable 2m	276,40
E3S-CD12 2M	239840	Robusta cc 3h Réflex 2m Horiz. Cable 2m	276,40
E3Z-D81 5M	241516	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, PNP, 5m cable (requires brack	148,20
E3Z-D81 0.5M	241522	Photoelectric sensor, rectangular housing, red LED, diffuse, 100 mm, PNP, Light-	148,40
E3Z-D62 0.5M	241523	Photoelectric sensor, rectangular housing, infrared LED, diffuse, 1 m, NPN, Light	129,40
E3Z-D62 5M	241530	Ecológica cc 3h Réflex 1m NPN Cable 5m	156,60
E3Z-D82 5M	241531	Ecológica cc 3h Réflex 1m PNP cable 5M	156,60
E3ZM-D82-S1J 0.3M	249464	Metálica cc 3h Réflex 1m PNP Cable 0,3M + M12 Acero	205,80

OMRON PVPR 2023

E3Z-D81-J0SHW-P2	323089	Ecológica cc 3h Reflex Infrarrojo 10cm PNP. Autodiagnosis Cable 2m	152,70
E3H2-DS30B4M 2M	323682	Metal M12 cc 4h Reflex 30cm PNP Cable 2m	116,10
E3H2-DS30B4M-M1	323683	Metal M12 cc 4h Reflex 30cm PNP Conector M12	116,10
E3H2-DS30C4M 2M	323684	Metal M12 cc 4h Reflex 30cm NPN Cable 2m	116,10
E3H2-DS30C4M-M1	323685	Metal M12 cc 4h Reflex 30cm NPN Conector M12	116,10
E3H2-DS10B4M 2M	323686	Metal M12 cc 4h Reflex 10cm PNP Cable 2m	116,10
E3H2-DS10B4M-M1	323687	Metal M12 cc 4h Reflex 10cm PNP Conector M12	116,10
E3H2-DS10C4M 2M	323688	Metal M12 cc 4h Reflex 10cm NPN Cable 2m	116,10
E3H2-DS10C4M-M1	323689	Metal M12 cc 4h Reflex 30cm NPN Cable 2m	116,10
E3Z-D81-M1J 0.3M	338387	Ecológica cc 3h Reflex 100mm PNP 0,3M cable M12	141,30
E3Z-D82-M1J 0.3M	338388	Ecológica cc 3h Reflex 1m PNP.0,3M cable M12	149,00
E3Z-D81-M3J 0.3M	338394	Ecológica cc 3h Reflex 100mm PNP 0,3M cable M8	169,20
E3Z-D82-M3J 0.3M	338395	Ecológica cc 3h Reflex 1m PNP.0,3M cable M8	141,30
E3Z-D62-M1J 0.3M	339264	Ecológica cc 3h Reflex 1m NPN 0,3M cable M12	197,10
E3Z-D62-2 2M	339278	Photoelectric sensor, rectangular housing, infrared LED, diffuse, 1 m, NPN, Light	197,10
E3Z-D82-M1J 0.8M	339282	Ecológica cc 3h Reflex 10cm PNP Cable 0,8m	157,80
E3T-FD14M 2M	351536	Miniatura 3h Réflex 30mm Plana PNP Osc.	103,40
E3T-FD12M 2M	351548	Photoelectric sensor, flat, diffuse 5-30mm, Dark-ON, NPN, 2m cable (requires M	171,00
E3T-FD13M 2M	351549	Miniatura 3h Réflex 30mm M3 Plana PNP Luz	134,50
E3T-CD11 2M	351567	Miniatura cilíndrica 3h Réflex 50mm NPN Luz	187,30
E3T-CD13 2M	351568	Miniatura cilíndrica 3h Réflex 50mm PNP Luz	191,30
E3FA-DN11 2M	378852	Plástico Reflex 100mm NPN Cable 2m	75,00
E3FA-DN12 2M	378853	Plástico Reflex 300mm NPN Cable 2m	78,85
E3FA-DN13 2M	378854	Plástico Reflex 1m NPN Cable 2m	82,70
E3FA-DN21	378862	Plástico Reflex 100mm NPN Conector M12	73,80
E3FA-DN22	378863	Plástico Reflex 300mm NPN Conector M12	77,55
E3FA-DN23	378864	Plástico Reflex 1m NPN Conector M12	82,70
E3FA-DP11 2M	378872	Plástico Reflex 100mm PNP Cable 2m	75,00
E3FA-DP12 2M	378873	Plástico Reflex 300mm PNP Cable 2m	78,85
E3FA-DP13 2M	378874	Plástico Reflex 1m PNP Cable 2m	82,70
E3FA-DP21	378882	Plástico Reflex 100mm PNP Conector M12	73,80
E3FA-DP22	378883	Plástico Reflex 300mm PNP Conector M12	77,55
E3FA-DP23	378884	Plástico Reflex 1m PNP Conector M12	81,40

OMRON PVPR 2023

E3FB-DN11 2M	378893	Metal Reflex 100mm NPN Cable 2m	81,40
E3FB-DN12 2M	378894	Metal Reflex 300mm NPN Cable 2m	85,35
E3FB-DN13 2M	378895	Metal Reflex 1m NPN Cable 2m	90,45
E3FB-DN21	378904	Metal Reflex 100mm NPN Conector M12	80,15
E3FB-DN22	378905	Metal Reflex 300mm NPN Conector M12	84,00
E3FB-DN23	378906	Metal Reflex 1m NPN Conector M12	90,45
E3FB-DP11 2M	378915	Metal Reflex 100mm PNP Cable 2m	81,40
E3FB-DP12 2M	378916	Metal Reflex 300mm PNP Cable 2m	85,35
E3FB-DP13 2M	378917	Metal Reflex 1m PNP Cable 2m	90,45
E3FB-DP21	378926	Metal Reflex 100mm PNP Conector M12	80,15
E3FB-DP22	378927	Metal Reflex 300mm PNP Conector M12	84,00
E3FB-DP23	378928	Metal Reflex 1m PNP Conector M12	89,10
E3F1-DN11 2M	378936	Plástico Reflex 100mm NPN Cable 2m Lite	43,60
E3F1-DN12 2M	378937	Plástico Reflex 300mm NPN Cable 2m Lite	47,10
E3F1-DN21	378940	Plástico Reflex 100mm NPN Conector M12 Lite	42,33
E3F1-DN22	378941	Plástico Reflex 300mm NPN Conector M12 Lite	45,68
E3F1-DP11 2M	378944	Plástico Reflex 100mm PNP Cable 2m Lite	43,60
E3F1-DP12 2M	378945	Plástico Reflex 300mm PNP Cable 2m Lite	47,10
E3F1-DP21	378948	Plástico Reflex 100mm PNP Conector M12 Lite	42,33
E3F1-DP22	378949	Plástico Reflex 300mm PNP Conector M12 Lite	45,68
E3RA-DN11 2M	378952	Plástico Axial Reflex 100mm NPN Cable 2m	77,55
E3RA-DN12 2M	378953	Plástico Axial Reflex 300mm NPN Cable 2m	81,40
E3RA-DN13 2M	378954	Plástico Axial Reflex 700mm NPN Cable 2m	86,60
E3RA-DN21	378957	Plástico Axial Reflex 100mm NPN Conector M12	90,45
E3RA-DN22	378958	Plástico Axial Reflex 300mm NPN Conector M12	80,15
E3RA-DN23	378959	Plástico Axial Reflex 700mm NPN Conector M12	85,35
E3RA-DP11 2M	378962	Plástico Reflex 100mm PNP Cable 2m	77,55
E3RA-DP12 2M	378963	Plástico Reflex 300mm PNP Cable 2m	81,40
E3RA-DP13 2M	378964	Plástico Reflex 700mm PNP Cable 2m	86,60
E3RA-DP21	378967	Plástico Reflex 100mm PNP Conector M12	76,20
E3RA-DP22	378968	Plástico Reflex 300mm PNP Conector M12	80,15
E3RA-DP23	378969	Plástico Reflex 700mm PNP Conector M12	85,35
E3RB-DN11 2M	378972	Metal Radial Reflex 100mm NPN Cable 2m	84,00

OMRON PVPR 2023

E3RB-DN12 2M	378973	Metal Radial Reflex 300mm NPN Cable 2m	89,10
E3RB-DN13 2M	378974	Metal Radial Reflex 700mm NPN Cable 2m	94,25
E3RB-DN21	378977	Metal Radial Reflex 100mm NPN Conector M12	96,90
E3RB-DN22	378978	Metal Radial Reflex 300mm NPN Conector M12	86,60
E3RB-DN23	378979	Metal Radial Reflex 700mm NPN Conector M12	93,05
E3RB-DP11 2M	378982	Metal Radial Reflex 100mm PNP Cable 2m	84,00
E3RB-DP12 2M	378983	Metal Radial Reflex 300mm PNP Cable 2m	89,10
E3RB-DP13 2M	378984	Metal Radial Reflex 700mm PNP Cable 2m	94,25
E3RB-DP21	378987	Metal Radial Reflex 100mm PNP Conector M12	82,70
E3RB-DP22	378988	Metal Radial Reflex 300mm PNP Conector M12	86,60
E3RB-DP23	378989	Metal Radial Reflex 700mm PNP Conector M12	93,05
E3FA-DN14 2M	381318	Plástico Reflex Infrarrojo 100mm NPN Cable 2m	75,00
E3FA-DN24	381319	Plástico Reflex Infrarrojo 100mm NPN Conector M12	73,80
E3FA-DP14 2M	381320	Plástico Reflex Infrarrojo 100mm PNP Cable 2m	75,00
E3FA-DP24	381321	Plástico Reflex Infrarrojo 100mm PNP Conector M12	73,80
E3FA-DN15 2M	381322	Plástico Reflex Infrarrojo 300mm NPN Cable 2m	78,85
E3FA-DN25	381323	Plástico Reflex Infrarrojo 300mm NPN Conector M12	77,55
E3FA-DP15 2M	381324	Plástico Reflex Infrarrojo 300mm PNP Cable 2m	78,85
E3FA-DP25	381325	Plástico Reflex Infrarrojo 300mm PNP Conector M12	77,55
E3FA-DN16 2M	381326	Plástico Reflex Infrarrojo 1m NPN Cable 2m	82,70
E3FA-DN26	381327	Plástico Reflex Infrarrojo 1m NPN Conector M12	82,70
E3FA-DP16 2M	381328	Plástico Reflex Infrarrojo 1m PNP Cable 2m	82,70
E3FA-DP26	381329	Plástico Reflex Infrarrojo 1m PNP Conector M12	81,40
E3FA-DP14-F2 2M	382773	Plástico Reflex Infrarrojo 100mm PNP Con luz por defecto Cable 2m	75,00
E3FA-DP15-F2 2M	382774	Plástico Reflex Infrarrojo 300mm PNP Con luz por defecto Cable 2m	78,85
E3FA-DP16-F2 2M	382775	Plástico Reflex Infrarrojo 1m PNP Con luz por defecto Cable 2m	82,70
E3FA-DP24-F2	382777	Plástico Reflex Infrarrojo 100mm PNP Con luz por defecto M12	73,80
E3FA-DP25-F2	382778	Plástico Reflex Infrarrojo 300mm PNP Con luz por defecto M12	77,55
E3FA-DP26-F2	382779	Plástico Reflex Infrarrojo 1m PNP Con luz por defecto M12	81,40
E3FB-DP25-F2	387806	Metal Reflex 300mm Infrarrojo PNP Con luz por defecto Con. M12	84,00
E3RA-DP25-F2	392033	Photoelectric sensor, M18 radial, plastic body, infrared LED, diffuse reflective, 30	104,20
E3Z-D82-M5J 0.3M	393683	Ecológica cc 3h Reflex 1m PNP.0,3M cable M8 3 pines	143,80
E3NC-LH02 2M	375085	Cabeza sensora Láser E3NC-L 1200mm	322,50

OMRON PVPR 2023

E3NC-LH02 5M	392635	Cabeza sensora Láser E3NC-L 1200mm Cable 5m	363,60
E3F1-DP22-10	401859	Multi Pack E3F1 incluye 10 unidades E3F1-DP22	386,90
E3F1-DP21-10	401860	Multi Pack E3F1 incluye 10 unidades E3F1-DP21	340,80
E3FA-DP25-1	409501	Fotocélula, M18 axial, cuerpo de plástico, LED infrarrojo, reflexión sobre objeto,	77,55
E3FA-DP11 5M	419140	Plástico Reflex 300mm PNP Cable 5m	78,85
E3FA-DP12 5M	419141	Plástico Reflex 300mm PNP Cable 5m	82,70
E3JK-DP13 2M	669198	Fotocélula, cuadrada, LED IR, modo difuso, 2,5 m, PNP, L-ON/D-ON seleccionabl	99,70
E3JK-DN13 2M	669202	Photoelectric sensor, square body, IR LED , diffuse, 2.5m, NPN, L-ON/D-ON selec	94,70
E3Z-FDP14 2M	686077	Photoelectric sensor, rectangular housing with M18 threaded barrel, red LED, di	54,75
E3Z-FTP21	695830	Photoelectric sensor, rectangular housing with M18 threaded barrel, red LED, th	220,20
E3FA-DN15-E021 2M	658993	Plástico Reflex Infrarrojo Cuerpo Largo 300mm NPN Cable 2m	78,85
E3JK-DR13 2M	669192	Fotocélula, cuadrada, LED IR, modo difuso, 2,5 m, CA/CC, relé, L-ON/D-ON selec	92,65
E3Z-D62K-M3J 0.3M	699505	Photoelectric sensor, rectangular housing, oil resistant coating, infrared LED, dif	237,00
E3Z-D82-M1TJ-1 0.3M	703503	Photoelectric sensor, rectangular housing, infrared LED, diffuse, 1 m, PNP, Light-	154,30
E3FB-DP26-F2	659014	Metal Reflex 1m Infrarrojo PNP Con luz por defecto Conector M12	89,10
E3FB-DP12-F2 2M	659593	Metal Reflex 300mm PNP Con luz por defecto Cable 2m	85,35
E3FA-DP24-E016	659020	Photoelectric sensor, M18 axial, plastic body, infrared LED, diffuse reflective, 15	73,80
E3FB-DP11-F2 2M	659597	Metal Reflex 100mm PNP Con luz por defecto Cable 2m	81,40
E3FB-DP24-F2	659599	Metal Reflex Led Infrarrojo 100mm PNP Con luz por defecto M12	80,15
E3FB-DP21-F2	659600	Metal Reflex 100mm PNP Con luz por defecto Conector M12	80,15
E3FA-DP13-F2 2M	659601	Plástico Reflex 1m PNP Con luz por defecto Cable 2m	82,70
E3FC-DN22	659435	Inox Reflex 300mm NPN Conector M12	99,50
E3FC-DP16 2M	659449	Inox Reflex 1m Infrarrojo PNP Cable 2m	103,40
E3FC-DP13 2M	659436	Inox Reflex 1m PNP Cable 2m	104,60
E3FC-DN12 2M	659451	Inox Reflex 300mm NPN Cable 2m	100,70
E3FC-DP13 5M	659437	Inox Reflex 1m PNP Cable 5m	109,90
E3FC-DN13 2M	659438	Inox Reflex 1m NPN Cable 2m	104,60
E3FC-DP15 2M	659429	nox Reflex 300mm Infrarrojo PNP Cable 2m	100,70
E3FC-DN25	659441	Inox Reflex 300mm Infrarrojo NPN Conector M12	99,50
E3FC-DP12 2M	659430	Inox Reflex 300mm PNP Cable 2m	100,70
E3FC-DP22	659445	Inox Reflex 300mm PNP Conector M12	99,50
E3FC-DN15 2M	659458	Inox Reflex 300mm Infrarrojo NPN Cable 2m	100,70
E3FC-DN26	659431	Inox Reflex 1m Infrarrojo NPN Conector M12	104,60

OMRON PVPR 2023

E3FC-DN16 2M	659432	Inox Reflex 1m Infrarrojo NPN Cable 2m	103,40
E3FC-DN23	659422	Inox Reflex 1m NPN Conector M12	104,60
E3FC-DP23	659439	Inox Reflex 1m PNP Conector M12	104,60
E3FC-DP25	659448	Inox Reflex 300mm Infrarrojo PNP Conector M12	99,50
E3FC-DP26	659462	Inox Reflex 1m Infrarrojo PNP Conector M12	104,60
E3JK-DR11 2M	668835	Fotocélula 50x50 Multialim. Réflex 2.5m Relé Cable 2m LITE	92,15
E3JK-DN11 2M	668837	Fotocélula 50x50 Multialim. Réflex 2.5m NPN Cable 2m LITE	85,70
E3JK-DR12 2M	668843	Fotocélula 50x50 Multialim. Réflex 30cm Relé Cable 2m LITE	89,60
E3JK-DR11 5M	668828	Fotocélula 50x50 Multialim. Réflex 2.5m Relé Cable 5m LITE	102,60
E3JK-DP12 2M	668840	Fotocélula 50x50 Multialim. Réflex 30cm PNP Cable 2m LITE	83,15
E3JK-DN12 2M	668834	Fotocélula 50x50 Multialim. Réflex 30cm NPN Cable 2m LITE	83,15
E3JK-DP11 2M	668839	Fotocélula 50x50 Multialim. Réflex 2.5m PNP Cable 2m LITE	85,70
E3Z-D82-M1TJ-IL2 0.3M	671089	Ecológica cc 3h Réflex 1m PNP Cable M12 0.3m IO LINK COM2	149,00
E3Z-D82-IL3 2M	671105	Ecológica cc 3h Réflex 1m PNP Cable 2m IO LINK COM3	149,00
E3Z-D82-IL3 5M	671100	Ecológica cc 3h Réflex 1m PNP Cable 5m IO LINK COM3	156,60
E3Z-D87-IL3	671102	Ecológica cc 3h Réflex 1m PNP M8 IO LINK COM3	149,00
E3Z-L81-IL2 2M	671098	Ecológica cc 3h Réflex 90mm PNP Spot reduc. Cable 2m IO LINK COM2	182,00
E3Z-D82-IL2 2M	671096	Ecológica cc 3h Réflex 1m PNP Cable 2m IO LINK COM2	149,00
E3Z-L81-IL3 2M	671107	Ecológica cc 3h Réflex 90mm PNP Spot reduc. Cable 2m IO LINK COM3	182,00
E3Z-L81-IL3 5M	671104	Ecológica cc 3h Réflex 90mm PNP Spot reduc. Cable 5m IO LINK COM3	188,30
E3Z-L86-IL2	671097	Ecológica cc 3h Réflex 90mm PNP Spot reduc. M8 IO LINK COM2	182,00
E3Z-L81-IL2 5M	671111	Ecológica cc 3h Réflex 90mm PNP Spot reduc. Cable 5m IO LINK COM2	188,30
E3Z-L81-M1TJ-IL3-1 0.3M	671090	Ecológica cc 3h Réflex 90mm PNP Spot reduc. Cable M12 0.3m IO LINK COM3	190,80
E3Z-L86-IL3	671112	Ecológica cc 3h Réflex 90mm PNP Spot reduc. M8 IO LINK COM3	182,00
E3Z-D82-IL2 5M	671114	Ecológica cc 3h Réflex 1m PNP Cable 5m IO LINK COM2	156,60
E3Z-D82-M1TJ-IL3 0.3M	671222	Ecológica cc 3h Réflex 1m PNP Cable M12 0.3m IO LINK COM3	149,00
E3Z-D87-IL2	671087	Ecológica cc 3h Réflex 1m PNP M8 IO LINK COM2	149,00
E3Z-L81-M1TJ-IL2-1 0.3M	671091	Ecológica cc 3h Réflex 90mm PNP Spot reduc. Cable M12 0.3m IO LINK COM2	190,80
E3ZR-CD81D-M1TJ 0.3M	674922	Fotocélula, compacta cuadrada, con cuerpo de SUS, resistente al aceite, modo d	190,20
E3ZR-CD81L-M1TJ 0.3M	674903	Fotocélula, compacta cuadrada, con cuerpo de SUS, resistente al aceite, modo d	190,20
E3RB-DP21-F2	683197	Fotocélula, M18 radial, cuerpo metálico, LED rojo, modo difuso, 100 mm, PNP, L	87,30
E3Z-D81 2M	685614	Ecológica cc 3h Réflex 10cm PNP Cable 2m	149,00
E3Z-D82 2M	685613	Ecológica cc 3h Réflex 1m PNP Cable 2m	149,00

OMRON PVPR 2023

E3Z-D61 2M	685917	Ecológica cc 3h Réflex 10cm NPN Cable 2m	149,00
E3Z-D66	685918	Ecológica cc 3h Réflex 10cm NPN M8	149,00
E3Z-D86	685919	Ecológica cc 3h Réflex 10cm PNP M8	149,00
E3Z-D62 2M	685920	Ecológica cc 3h Réflex 1m NPN Cable 2m	149,00
E3Z-D67	685921	Ecológica cc 3h Réflex 1m NPN M8	149,00
E3Z-D87	685922	Ecológica cc 3h Réflex 1m PNP M8	149,00
E3Z-FDP18 2M	686121	Photoelectric sensor, rectangular housing with M18 threaded barrel, infrared LE	54,75
E3C-LD11N 2M	707114	Laser sensor head, diffuse reflective, 1 m, spot beam, 2 m cable	496,70
OS32C-SN-4M	674730	OS32C Sensor 4m sin bloque de E/S	4 203,00
OS32C-BP VER2 @ OEE	674732	Escaner laser de seguridad 3m/10m Cable posterior	4 004,00
OS32C-BP-DM-4M	674726	Escaner laser de seguridad 4m/15m Cable posterior Ethernet/IP	4 802,00
OS32C-SP1-4M	674729	Escaner laser de seguridad 4m/15m Cable lateral	4 401,00
OS32C-SN-DM	674724	OS32C Sensor sin bloque de E/S Ethernet/IP	3 816,00
OS32C-SN-DM-4M	674728	OS32C Sensor 4m sin bloque de E/S Ethernet/IP	4 203,00
OS32C-SP1-DM	674734	Escaner laser de seguridad 3m/10m Cable lateral Ethernet/IP	4 401,00
OS32C-SN VER2	674727	OS32C Sensor sin bloque de E/S	3 471,00
OS32C-SP1 VER2	674725	Escaner laser de seguridad 3m/10m Cable lateral	4 004,00
OS32C-BP-DM	674735	Escaner laser de seguridad 3m/10m Cable posterior Ethernet/IP	4 401,00
OS32C-BP-4M	674731	Escaner laser de seguridad 4m/15m Cable posterior	4 401,00
OS32C-SP1-DM-4M	674733	Escaner laser de seguridad 4m/15m Cable lateral Ethernet/IP	4 802,00
E3ZM-V81 2M	326595	Marcas metálica cc 4h Réflex 12mm PNP Teach. Cable 2m	248,60
E3ZM-V81 5M	326596	Marcas metálica cc 4h Réflex 12mm PNP Teach Cable 5m	261,70
E3ZM-V61 2M	332046	Marcas metálica cc 4h Réflex 12mm NPN Teach.	248,60
E3ZM-V61 5M	332047	Marcas metálica cc 4h Réflex 12mm NPN Teach Cable 5m	261,70
E3ZM-V66	332048	Marcas metálica cc 4h Réflex 12mm NPN Teach. M8	248,60
E3ZM-V86	332049	Marcas metálica cc 4h Réflex 12mm PNP Teach. M8	248,60
E3S-DCP21-IL3	670885	Sensor Marcas Color Réflex Rectangular IP67 10+/- 3mm NPN/PNP IO Link V1.1	266,90
E3S-DCN21	670883	Sensor Marcas Color Réflex Rectangular IP67 10+/- 3mm NPN Conector M12	254,30
E3S-DCP21-IL2	670884	Sensor Marcas Color Réflex Rectangular IP67 10+/- 3mm NPN/PNP IO Link V1.1	266,90
E3NX-CA6	671060	Amplificador Detección Marcas Color Estándar LED blanco NPN Smart Tuning Co	256,70
E3NX-CA41 2M	671058	Amplificador Detección Marcas Color Estándar LED blanco PNP Smart Tuning ca	256,70
E3NX-CA51 2M	671059	Amplificador Detección Marcas Color Avanzado LED blanco PNP Smart Tuning ca	308,00
E3NX-CA8	671061	Amplificador Detección Marcas Color Estándar LED blanco PNP Smart Tuning Co	256,70

OMRON PVPR 2023

E3NX-CA11 2M	671056	Amplificador Detección Marcas Color Estándar LED blanco NPN Smart Tuning ca	256,70
E3NX-CA0	671055	Amplificador Detección Marcas Color LED blanco Smart Tuning conectable a uni	256,70
E3NX-CA21 2M	671057	Amplificador Detección Marcas Color Avanzado LED blanco NPN Smart Tuning ca	308,00
ZX-LD40L	106269	Réflex láser 40±10mm 2 micras Haz lineal	1 457,00
ZX-LD100L	106270	Réflex láser 100±40mm 16 micras Haz lineal	1 470,00
ZX-LD30V	106275	Réflex láser 30±2mm 0,25 micras Haz puntual	2 374,00
ZX-LD30VL	106276	Réflex láser 30±2mm 0,25 micras Haz lineal	2 726,00
ZX-LD300L	147007	Réflex láser 300±200mm 300 micras 300 micras Haz puntual	1 514,00
ZX-LD40	150241	Réflex láser 40±10mm 2 micras Haz puntual	1 217,00
ZX-LD100	154718	Réflex láser 100±40mm 16 micras Haz puntual	1 231,00
ZX-LD300	154719	Réflex láser 300±200mm 300 micras Haz puntual	1 231,00
ZS-LD80 2M	180551	Sensor reflexión difusa 80+/-15mm 2micras	3 100,00
ZS-LD200 2M	180553	Sensor reflexión difusa 200+/-50mm 5micras	3 100,00
ZS-LD200 0.5M	180554	Sensor head, diffuse, 200+/-50mm sensing range, 5µm resolution, 0.5 m cable	3 030,00
ZS-LD50 2M	180559	Sensor reflexión difusa 50+/-5mm 0,80micras	3 852,00
ZS-LD20T 2M	181036	Sensor reflexión angular 20+/-1mm 0,25micras	4 784,00
ZS-LD40T 2M	181038	Sensor reflexión angular 40+/-2.5mm 0,40micras	4 111,00
ZS-LD15GT 2M	194118	Sensor head, Angular reflective, 15±0.75mm sensing range, 0.25um resolution, 2	7 165,00
ZS-LD50S 2M	194122	Sensor reflexión difusa 50+/-5mm 0,80micras. Spot	4 642,00
ZS-LD350S 2M	194124	Sensor laser puntual 350mm +/-135mm 0,20micras	3 333,00
ZS-LD130 2M	201079	Sensor reflexión difusa 130+/-15mm 3micras. Linea.	3 436,00
ZS-HLDS10 2M	214993	Sensor laser 100mm +/-20mm. 1µm	6 715,00
ZS-HLDS5T 2M	223621	Sensor laser 50mm +/-5mm. 0,25µm	7 560,00
ZS-HLDS60 0.5M	223622	Sensor láser 600mm +/-350mm. 8µm 0.5m	9 235,00
ZS-HLDS60 2M	223628	Sensor laser 600mm +/-350mm. 8µm	9 280,00
ZS-HLDS150 2M	223629	Sensor laser 1500mm +/-500mm. 500µm	10 750,00
ZX-LD40L 2M	237554	Laser displacement sensor head, 40+/-10mm, line beam (requires amplifier).	1 457,00
ZG2-WDS22 2M	257545	ZG2 láser cabeza Sensora 100±12mm.Res:2,5µm	10 620,00
ZG2-WDS22 0.5M	257546	ZG2 láser cabeza Sensora 100±12mm.Res:2,5µm	10 460,00
ZG2-WDS70 2M	257547	ZG2 láser cabeza Sensora 210±48mm.Res:6µm	16 740,00
ZG2-WDS70 0.5M	257548	ZG2 láser cabeza Sensora 210±48mm.Res:6µm	16 690,00
ZG2-WDS8T 2M	257554	ZG2 láser cabeza Sensora 50±3mm.Res:1µm	11 940,00
ZG2-WDS8T 0.5M	257555	ZG2 láser cabeza Sensora 50±3mm.Res:1µm	11 780,00

OMRON PVPR 2023

ZG2-WDS3VT 2M	257556	ZG2 láser cabeza Sensora 22,3±0,5mm Res:0,25µm	16 640,00
ZG2-WDS3VT 0.5M	257557	ZG2 láser cabeza Sensora 22,3±0,5mm Res:0,25µm	16 570,00
ZX2-LDA11 2M	351515	Amplificador ZX2 NPN 3 salidas digitales+1 analógica	757,00
ZX2-LDA41 2M	351516	Amplificador ZX2 PNP 3 salidas digitales+1 analógica	757,00
ZX2-LD50 0.5M	351519	Réflex láser ZX2 50±10mm 1,5micras Haz puntual	910,00
ZX2-LD50L 0.5M	351520	Réflex láser ZX2 50±10mm 1,5micras Haz lineal	910,00
ZX2-LD100 0.5M	351521	Réflex láser ZX2 100±35mm 5micras Haz puntual	910,00
ZX2-LD100L 0.5M	351522	Réflex láser ZX2 100±35mm 5micras Haz lineal	910,00
ZX2-LD50V 0.5M	355135	Regular ZX2 48±5mm 1,5micras Haz puntual	1 527,00
ZX1-LD50A61 2M	358732	Sensor láser ZX1 50±10mm 2micras NPN Cable 2m	966,00
ZX1-LD50A81 2M	358733	Sensor láser ZX1 50±10mm 2micras PNP Cable 2m	966,00
ZX1-LD100A61 2M	358734	Sensor láser 100±35mm 7micras NPN Cable 2m	966,00
ZX1-LD100A81 2M	358735	Sensor láser 100±35mm 7micras PNP Cable 2m	966,00
ZX1-LD300A61 2M	358736	Sensor láser ZX1 300±150mm 30micras NPN Cable 2m	966,00
ZX1-LD300A81 2M	358737	Sensor láser ZX1 300±150mm 30micras PNP Cable 2m	966,00
ZX1-LD600A61 2M	358738	Sensor láser ZX1 600±400mm 80micras 2micras NPN Cable 2m	966,00
ZX1-LD600A81 2M	358739	Sensor láser ZX1 600±400mm 80micras PNP Cable 2m	966,00
ZX1-LD50A61 5M	358740	Sensor láser ZX1 50±10mm 2micras NPN Cable 5m	1 007,00
ZX1-LD50A81 5M	358741	Sensor láser ZX1 50±10mm 2micras PNP Cable 5m	1 007,00
ZX1-LD100A61 5M	358742	Sensor láser 100±35mm 7micras NPN Cable 5m	1 007,00
ZX1-LD100A81 5M	358743	Sensor láser 100±35mm 7micras PNP Cable 5m	1 007,00
ZX1-LD300A61 5M	358744	Sensor láser ZX1 300±150mm 30micras NPN Cable 5m	1 007,00
ZX1-LD300A81 5M	358745	Sensor láser ZX1 300±150mm 30micras PNP Cable 5m	1 007,00
ZX1-LD600A61 5M	358746	Sensor láser ZX1 600±400mm 80micras NPN Cable 5m	1 007,00
ZX1-LD600A81 5M	358747	Sensor láser ZX1 600±400mm 80micras PNP Cable 5m	1 007,00
ZX1-LD50A66 0.5M	358748	Sensor láser ZX1 50±10mm 2micras NPN Cable 0,5m+conector	1 106,00
ZX1-LD50A86 0.5M	358749	Sensor láser ZX1 50±10mm 2micras PNP Cable 0,5m+conector	1 106,00
ZX1-LD100A66 0.5M	358750	Sensor láser 100±35mm 7micras NPN Cable 0,5m+conector	1 106,00
ZX1-LD100A86 0.5M	358751	Sensor láser 100±35mm 7micras PNP Cable 0,5m+conector	1 106,00
ZX1-LD300A66 0.5M	358752	Sensor láser ZX1 300±150mm 30micras NPN Cable 0,5m+conector	1 106,00
ZX1-LD300A86 0.5M	358753	Sensor láser ZX1 300±150mm 30micras PNP Cable 0,5m+conector	1 106,00
ZX1-LD600A66 0.5M	358754	Sensor láser ZX1 600±400mm 80micras NPN Cable 0,5m+conector	1 106,00
ZX1-LD600A86 0.5M	358755	Sensor láser ZX1 600±400mm 80micras PNP Cable 0,5m+conector	1 106,00

OMRON PVPR 2023

ZX1-LD600A81 10M	659138	Sensor láser ZX1 600±400mm 80micras PNP Cable10m	1 078,00
ZX1-LD300A81L 2M	668925	Sensor de desplazamiento láser, 300 +/- 150 mm, NPN, cable de 2 m, láser clase	968,00
ZX1-LD600A81L 2M	668927	Sensor de desplazamiento láser, 600 +/- 400 mm, PNP, cable de 2 m, láser de cla	966,00
ZX1-LD300A61L 2M	668928	Sensor de desplazamiento láser, 300 +/- 150 mm, NPN, cable de 2 m, láser de cla	821,00
ZW-S7030 2M	676436	Confocal displacement sensor, sensing head square shape, measuring range 30 m	3 753,00
ZW-S7010 0.3M	676431	Confocal displacement sensor, sensing head square shape, measuring range 10 m	3 753,00
ZW-S7020 2M	676435	Confocal displacement sensor, sensing head square shape, measuring range 20 m	3 753,00
ZW-S7020 0.3M	676437	Confocal displacement sensor, sensing head square shape, measuring range 20 m	3 753,00
ZW-S7010 2M	676434	Confocal displacement sensor, sensing head square shape, measuring range 10 m	3 753,00
ZW-S7030 0.3M	676433	Confocal displacement sensor, sensing head square shape, measuring range 30 m	3 753,00
ZW-S8020 2M	682736	Confocal displacement sensor, sensing head square shape, measuring range 20 m	4 658,00
ZW-S7040 0.3M	684229	Confocal displacement sensor, sensing head square shape, measuring range 40 m	3 753,00
ZW-S8030 0.3M	682735	Confocal displacement sensor, sensing head square shape, measuring range 30 m	4 658,00
ZW-S8010 0.3M	682734	Confocal displacement sensor, sensing head square shape, measuring range 10 m	4 658,00
ZW-S7040 2M	684243	Confocal displacement sensor, sensing head square shape, measuring range 40 m	3 753,00
ZW-S8030 2M	682733	Confocal displacement sensor, sensing head square shape, measuring range 30 m	4 658,00
ZW-S8010 2M	682731	Confocal displacement sensor, sensing head square shape, measuring range 10 m	4 658,00
ZW-S8020 0.3M	682730	Confocal displacement sensor, sensing head square shape, measuring range 20 m	4 658,00
ZW-S5010 0.3M	684072	Confocal displacement sensor, sensing head square shape, measuring range 10 m	2 976,00
ZW-S5010 2M	684071	Confocal displacement sensor, sensing head square shape, measuring range 10 m	2 976,00
ZW-S5020 0.3M	684070	Confocal displacement sensor, sensing head square shape, measuring range 20 m	2 976,00
ZW-S5020 2M	684069	Confocal displacement sensor, sensing head square shape, measuring range 20 m	2 976,00
ZW-S5030 0.3M	684068	Confocal displacement sensor, sensing head square shape, measuring range 30 m	2 976,00
ZW-S5030 2M	684067	Confocal displacement sensor, sensing head square shape, measuring range 30 m	2 976,00
ZW-SP8007 0.3M	682728	Confocal displacement sensor, sensing head pen-shape, straight head, measurin	4 658,00
ZW-SP8007 2M	682727	Confocal displacement sensor, sensing head pen-shape, straight head, measurin	4 658,00
ZW-SP8010 0.3M	682726	Confocal displacement sensor, sensing head pen-shape, straight head, measurin	4 658,00
ZW-SP8010 2M	682725	Confocal displacement sensor, sensing head pen-shape, straight head, measurin	4 658,00
ZW-SP7007 0.3M	684242	Confocal displacement sensor, sensing head pen-shape, straight head, measurin	3 753,00
ZW-SP7007 2M	684241	Confocal displacement sensor, sensing head pen-shape, straight head, measurin	3 753,00
ZW-SP7010 0.3M	684240	Confocal displacement sensor, sensing head pen-shape, straight head, measurin	3 753,00
ZW-SP7010 2M	684239	Confocal displacement sensor, sensing head pen-shape, straight head, measurin	3 753,00
ZW-SP5007 0.3M	684064	Confocal displacement sensor, sensing head pen-shape, straight head, measurin	2 976,00

OMRON PVPR 2023

ZW-SP5007 2M	684063	Confocal displacement sensor, sensing head pen-shape, straight head, measuring range 7 m	2 976,00
ZW-SP5010 0.3M	684066	Confocal displacement sensor, sensing head pen-shape, straight head, measuring range 30 m	2 976,00
ZW-SP5010 2M	684065	Confocal displacement sensor, sensing head pen-shape, straight head, measuring range 20 m	2 976,00
ZW-SPR8007 0.3M	682724	Confocal displacement sensor, sensing head pen-shape, 90° angled head, measuring range 30 m	4 915,00
ZW-SPR8007 2M	682723	Confocal displacement sensor, sensing head pen-shape, 90° angled head, measuring range 20 m	4 915,00
ZW-SPR8010 0.3M	682722	Confocal displacement sensor, sensing head pen-shape, 90° angled head, measuring range 30 m	4 915,00
ZW-SPR8010 2M	682721	Confocal displacement sensor, sensing head pen-shape, 90° angled head, measuring range 20 m	4 915,00
ZW-SPR7007 0.3M	684238	Confocal displacement sensor, sensing head pen-shape, 90° angled head, measuring range 30 m	4 011,00
ZW-SPR7007 2M	684237	Confocal displacement sensor, sensing head pen-shape, 90° angled head, measuring range 20 m	4 011,00
ZW-SPR7010 0.3M	684236	Confocal displacement sensor, sensing head pen-shape, 90° angled head, measuring range 30 m	4 011,00
ZW-SPR7010 2M	684235	Confocal displacement sensor, sensing head pen-shape, 90° angled head, measuring range 20 m	4 011,00
ZW-SPR5007 0.3M	684059	Confocal displacement sensor, sensing head pen-shape, 90° angled head, measuring range 30 m	3 237,00
ZW-SPR5007 2M	684058	Confocal displacement sensor, sensing head pen-shape, 90° angled head, measuring range 20 m	3 237,00
ZW-SPR5010 0.3M	684060	Confocal displacement sensor, sensing head pen-shape, 90° angled head, measuring range 30 m	3 237,00
ZW-SPR5010 2M	684061	Confocal displacement sensor, sensing head pen-shape, 90° angled head, measuring range 20 m	3 237,00
ZW-SQ5007 2M	684213	Confocal displacement sensor, sensing head square shape, measuring range 7 m	2 564,00
ZW-SQ5020 2M	684222	Sensor de desplazamiento confocal, cabezal de detección de forma cuadrada, rango de medición 20 m	2 564,00
ZW-SQ5030 2M	684221	Confocal displacement sensor, sensing head square shape, measuring range 30 m	2 564,00
ZW-SQ5040 2M	684220	Confocal displacement sensor, sensing head square shape, measuring range 40 m	2 441,00
ZW-SQR5007 2M	684219	Confocal displacement sensor, sensing head square shape, 90° angled head, measuring range 7 m	2 654,00
ZW-SQR5020 2M	684218	Confocal displacement sensor, sensing head square shape, 90° angled head, measuring range 20 m	2 654,00
ZW-SQR5040 2M	684217	Confocal displacement sensor, sensing head square shape, 90° angled head, measuring range 40 m	2 654,00
ZW-SQ5007 0.3M	684234	Confocal displacement sensor, sensing head square shape, measuring range 7 m	2 564,00
ZW-SQ5020 0.3M	684233	Confocal displacement sensor, sensing head square shape, measuring range 20 m	2 564,00
ZW-SQ5030 0.3M	684232	Confocal displacement sensor, sensing head square shape, measuring range 30 m	2 564,00
ZW-SQ5040 0.3M	684231	Confocal displacement sensor, sensing head square shape, measuring range 40 m	2 564,00
ZW-SQR5007 0.3M	684216	Confocal displacement sensor, sensing head square shape, 90° angled head, measuring range 7 m	2 654,00
ZW-SQR5020 0.3M	684215	Confocal displacement sensor, sensing head square shape, 90° angled head, measuring range 20 m	2 654,00
ZW-SQR5040 0.3M	684214	Confocal displacement sensor, sensing head square shape, 90° angled head, measuring range 40 m	2 654,00
E3NC-LH03 5M	392636	Cabeza sensora Láser E3NC-L Espejo 8m Cable 5m	363,60
E3NC-LH03 2M	392637	Cabeza sensora Láser E3NC-L Espejo 8m	322,50
E3S-R11	104100	Objetos Transparentes 1m NPN Horiz	216,80
E3S-AR66	105534	Plástico cc 3h Espejo (incluido) 2m Vertic. NPN M12	214,00

OMRON PVPR 2023

E3S-R66	105536	Objetos Transparentes 1m NPN Vertic. M12	216,80
E3S-RS30E4-30	130187	Objetos Transparentes 30cm NPN Horiz.	387,30
E3S-RS30E42-30	130188	Objetos Transparentes 30cm NPN Vertic	404,10
E3S-R1B4	130210	Objetos Transparentes cc 3h Espejo (incluido) 1m PNP Horiz.	384,70
E3S-RS30B4-30	130211	Objetos Transparentes 30cm PNP Horiz.	387,30
E3S-RS30B42-30	130213	Objetos Transparentes 30cm PNP Vertic	391,70
E3S-R31	130353	Objetos Transparentes 1m PNP Horiz	216,80
E3S-R32	130354	Objetos Transparentes 30cm PNP Horiz.	216,80
E3S-R36	130355	Objetos Transparentes 1m PNP Horiz M12	216,80
E3S-R37	130356	Objetos Transparentes 30cm PNP Horiz. M12	216,80
E3S-R81	130357	Objetos Transparentes 1m PNP Vertic	216,80
E3S-R82	130358	Objetos Transparentes 30cm PNP Vertic.	216,80
E3S-R86	130359	Objetos Transparentes 1m PNP Vertic. M12	216,80
E3S-R87	130360	Objetos Transparentes 30cm PNP Vert. M12	216,80
E3S-R61	130401	Objetos Transparentes 1m NPN Vertic	216,80
E3S-R12	130420	Objetos Transparentes 30cm NPN Horiz.	216,80
E3S-R62	130421	Objetos Transparentes 30cm NPN Vertic	216,80
E3S-R17	130422	Objetos Transparentes 30cm NPN Horiz M12	216,80
E3S-R67	130423	Objetos Transparentes 30cm NPN Vertic. M12	216,80
E3S-AR31	130428	Plástico cc 3h Espejo (incluido) 2m Horiz. PNP	208,80
E3S-AR36	130432	Plástico cc 3h Espejo (incluido) 2m Horiz. PNP M12	215,40
E3S-AR41	130438	Plástico cc 5h Espejo (incluido) 2m Horiz PNP	259,50
E3S-AR81	130455	Plástico cc 3h Espejo (incluido) 2m Vert. PNP	208,80
E3S-AR86	130460	Plástico cc 3h Espejo (incluido) 2m Vert. PNP M12	215,40
E3S-AR21	130516	Plástico cc 3h Espejo (incluido) MSR 2m Horiz NPN	259,50
E3S-AR11	142134	Plástico cc 5h Espejo (incluido) 2m Horiz. NPN	208,80
E3S-R16	148713	Objetos Transparentes 1m NPN Horiz M12	216,80
E3S-AR61	152076	Plástico cc 3h Espejo (incluido) 2m Vertic. NPN	207,60
E3S-AR16	154284	Plástico cc 3h Espejo (incluido) 2m Horiz NPN M12	214,00
E3S-R1E42	155087	Objetos Transparentes cc 3h Espejo (incluido) 1m NPN Vertic	390,00
E3JM-R4M4-G (E39-R1E-N)	198687	Multialim. Espejo (incluido) 4m Relé PG13,5	145,30
E3ZM-R61 2M	223479	Metálica cc 3h Espejo 4m NPN Cable 2M	205,80
E3ZM-R66	223480	Metálica cc 3h Espejo 4m NPN M8	205,80

OMRON PVPR 2023

E3ZM-R81 2M	223481	Metálica cc 3h Espejo 4m PNP Cable 2M	205,80
E3ZM-R86	223482	Metálica cc 3h Espejo 4m PNP M8	205,80
E3T-SR21 2M	224197	Miniatura 3h Espejo (incluido) 200mm NPN Luz	147,60
E3T-SR22 2M	224199	Miniatura 3h Espejo (incluido) 200mm NPN Osc	147,60
E3T-SR23 2M	224201	Miniatura 3h Espejo (incluido) 200mm PNP Luz	147,60
E3T-SR24 2M	224204	Miniatura 3h Espejo (incluido) 200mm PNP Osc	147,60
E3T-SR23-M5J 0.3M	224237	Miniatura 3h Espejo (incluido) 200mm PNP Luz Cable 0,3M + M8	147,60
E3T-SR22-M5J 0.3M	224241	Miniatura 3h Espejo (incluido) 200mm NPN Osc Cable 0,3M + M8	147,60
E3ZM-R81 5M	227222	Metálica cc 3h Espejo 4m PNP Cable 5M	213,30
E3C-LR15	231171	Cabezal de sensor láser, retrorreflectivo coaxial, punto variable, distancia de det	860,00
E3ZM-CR81 2M	232361	Metálica cc 3h Espejo 4m PNP IP67g Cable 2m	205,80
E3ZM-CR86	232367	Metálica cc 3h Espejo 4m PNP IP67g M8	205,80
E3ZM-CR81-M1TJ 0.3M	232370	Metálica cc 3h Espejo 4m PNP IP57g Cable 0,3M+M12 Smart Click	216,20
E3JM-R4M4-G	232862	Multialim. Espejo (incluido) 4m Relé PG13,5	139,00
E3JM-R4M4T-G	232863	Multialim. Espejo (incluido) 4m Relé Temporización PG13,5	161,00
E3JM-R4M4	232871	Multialim. 4m Relé PF1/2 + Espejo (incluido)	135,30
E3JM-R4M4T	232872	Multialim. Espejo (incluido) 4m Relé Temporización PG13,5	161,00
E3JM-R4S4-G	232888	Photoelectric sensor, square shape, retro-reflective, 4 m, SSR output/minus com	187,00
E3JM-R4S4T-G	232889	Multialim. Espejo (incluido) 4m NPN Temporización PG13,5	206,40
E3JM-R4R4-G	232892	Multialim. Espejo (incluido) 4m PNP PG13,5	187,00
E3JM-R4R4T-G	232897	Multialim. Espejo (incluido) 4m PNP Temporización PG13,5	208,80
E3JM-R4R4T-G-33	232904	Multialim. Espejo (incluido) 4m PNP PG13,5 Doble relé	208,80
E3S-CR11-M1J 0.3M	239803	Robusta cc 3h Espejo (incluido) 3m Horiz. Cable0,3m + M12	291,60
E3S-CR61-M1J 0.3M	239805	Robusta cc 3h Espejo (incluido) 3m Vertic. 0,3m M12	276,40
E3S-CR11 5M	239814	Fotocélula, retrorreflexivo, 3 m, CC, 3 hilos, NPN/PNP, vertical, cable de 5 m	291,60
E3S-CR61 5M	239815	Fotocélula, retrorreflexivo, 3 m, CC, 3 hilos, NPN/PNP, vertical, cable de 5 m	276,40
E3S-CR16	239831	Robusta cc 3h Espejo (incluido) 3m Horiz M12	276,40
E3S-CR11 2M	239838	Robusta cc 3h Espejo (incluido) 3m Horiz. Cable 2m	276,40
E3S-CR61 2M	239842	Robusta cc 3h Espejo (incluido) 3m Vert. Cable 2m	276,40
E3S-CR66	239845	Robusta cc 3h Espejo (incluido) 3m Vert. M12	276,40
E3Z-R81-M1J-30 0.3M	240753	Ecológica 30Vcc 3h Espejo 4m PNP Conector M12	168,00
E3Z-R61 0.5M	241519	Ecológica cc 3h Espejo 4m NPN Cable 0,5M	131,30
E3Z-R61 5M	241527	Ecológica cc 3h Espejo 4m NPN Cable 5M	160,40

OMRON PVPR 2023

E3Z-R81 5M	241528	Ecológica cc 3h Espejo 4m PNP Cable 5M	160,40
E3T-SR44-M5J 0.3M	249827	Miniatura 3h 200mm PNP Osc 0,3M+M8	144,70
E3T-SR43 2M	249829	Miniatura 3h 200mm PNP Luz	130,70
E3T-SR44 2M	249830	Miniatura 3h 200mm PNP Osc	130,70
E3T-SR41-C 2M	249831	Miniatura 3h Sin Espejo 200mm NPN Luz	141,00
E3T-SR42-C 2M	249832	Miniatura 3h Sin Espejo 200mm NPN Osc	141,00
E3T-SR43-C 2M	249833	Miniatura 3h Sin Espejo 200mm PNP Luz	117,60
E3T-SR44-C 2M	249834	Miniatura 3h Sin Espejo 200mm PNP Osc	117,60
E3T-SR44-S 2M	249836	Miniatura 3h 200mm PNP Osc Espejo E39-R37-CA inc.	144,70
E3T-SR41-M5J 0.3M	249837	Miniatura 3h 200mm NPN Luz M8+0,3m	164,10
E3T-SR42-M5J 0.3M	249838	Miniatura 3h 200mm NPN Osc Cable 0,3M + M8	164,10
E3T-SR43-M5J 0.3M	249839	Photoelectric sensor, retro-reflective, miniature, side view, 200 mm, PNP, L-on,	164,10
E3T-SR43-M5J-S 0.3M	249842		144,70
E3ZM-R81Y-S1J 0.3M	267701	Metálica cc 3h Espejo 4m PNP Oscuridad Cable 0,3m+M12 Acero	216,20
E3Z-LR81-M1J 0.3M	323049	Láser cc 3h Espejo MSR 15m PNP Cable0,3M + M12	201,50
E3Z-B81-M1J 0.3M	323061	Objetos transparentes cc 3h Espejo PNP 0,3M cable M12	159,00
E3Z-LR81 10M	323063	Láser cc 3h Espejo MSR 15m PNP Cable 10m	223,80
E3Z-B61 2M	323118	Objetos transparentes cc 3h Espejo 0,5m NPN Cable 2m	159,00
E3Z-B81 2M	323119	Objetos transparentes cc 3h Espejo PNP 2m	159,00
E3Z-B66	323120	Objetos transparentes cc 3h Espejo 0,5m NPN M8	159,00
E3Z-B86	323121	Objetos transparentes cc 3h Espejo 0,5m PNP M8	159,00
E3Z-B62 2M	323122	Objetos transparentes cc 3h Espejo 2m NPN	151,50
E3Z-B67	323123	Objetos transparentes cc 3h Espejo 2m NPN M8	159,00
E3Z-B82 2M	323124	Objetos transparentes cc 3h Espejo 2m PNP	151,50
E3Z-B87	323125	Objetos transparentes cc 3h Espejo 2m PNP M8	159,00
E3Z-LR61 2M	323145	Láser cc 3h Espejo MSR 15m NPN	201,50
E3Z-LR66	323146	Láser cc 3h Espejo MSR 15M NPN m8	201,50
E3Z-LR81 2M	323147	Láser cc 3h Espejo MSR 15m PNP	205,80
E3Z-LR86	323148	Láser cc 3h Espejo MSR 15m PNP M8	205,80
E3ZM-B61T 2M	323654	Metálica Obj. Trans. cc 3h Espejo 0,5m NPN Cable 2m Potenciometro	230,50
E3ZM-B66T	323655	Metálica Obj. Transp. cc 3h Espejo 0,5m NPN M8 Potenciometro	230,50
E3ZM-B81T 2M	323656	Metálica Obj. Transp. cc 3h Espejo 0,5m PNP Cable 2m Potenciometro	230,50
E3ZM-B86T	323657	Metálica Obj. Transp. cc 3h Espejo 0,5m PNP M8 Potenciometro	244,90

OMRON PVPR 2023

E3H2-R2B4M 2M	323678	Metal M12 cc 4h Espejo 2m PNP Cable 2m	127,70
E3H2-R2B4M-M1	323679	Metal M12 cc 4h Espejo 2m PNP Conector M12	127,70
E3H2-R2C4M 2M	323680	Metal M12 cc 4h Espejo 2m NPN Cable 2m	127,70
E3H2-R2C4M-M1	323681	Metal M12 cc 4h Espejo 2m NPN Conector M12	127,70
E3Z-R81X-S0SRW-M5	323950	Ecológica cc 3h Espejo 4m PNP Light ON Cable 0,3m + M8	168,00
E3ZM-B81-C 2M	326597	Metalica Obj. Transp. Teach cc 3h Esp 0,5 PNP E39-RP1 inc. Cable 2m	263,00
E3ZM-B86-C	326598	Metalica Obj. Transp. Teach cc 3h Espejo 0,5m PNP M8 E39-RP1 incl.	260,50
E3ZM-B61 2M	332040	Metalica Obj. Transp. Teach cc 3h Espejo 0,5m NPN Cable 2m	230,50
E3ZM-B61 5M	332041	Metalica Obj. transparentes cc 3h Espejo 0,5m NPN Cable 5m	243,50
E3ZM-B81 2M	332042	Metalica Obj. Transp. Teach cc 3h Espejo 0,5m PNP Cable 2m	230,50
E3ZM-B81 5M	332043	Metalica Obj. Transp. Teach cc 3h Espejo 0,5m PNP Cable 5m	226,40
E3ZM-B66	332044	Metalica Obj. Transp. Teach cc 3h Espejo 0,5m NPN M8	218,60
E3ZM-B86	332045	Metalica Obj. Transp. Teach cc 3h Espejo 0,5m PNP M8	230,50
E3ZM-B61-C 2M	332050	Metalica Obj transp. CC 3 hilos Espejo 0,5m NPN Cable 2m E39-RP1 incl.	260,50
E3ZM-B61-C 5M	332051	Metalica Obj transp. CC 3 hilos Espejo 0,5m NPN Cable 5m E39-RP1 incl.	268,30
E3ZM-B81-C 5M	332052	Metálica Obj. transparentes cc 3h 0,5 PNP. Espejo incl. Cable 5m	273,50
E3ZM-B66-C	332053	Metalica Obj. Transp. Teach cc 3hEspejo 0,5m NPN M8 E39-RP1 incl.	260,50
E3ZM-B86-1	332054	Metalica Obj.Transp/film/cristal Teach cc 3h Espejo 0,5m PNP M8	231,70
E3ZM-B81-S3J 0.3M	332055	Met Obj. transp CC 3h 0,5 PNP Espejo incl. Cable 0,3M+M8 4 Pin Acero	375,70
E3ZM-B81T-S1J 0.3M	336766	Metalica Obj. Transp. cc 3h Espejo 0,5m PNP Cable 0,3M + M12 SUS Pot.	230,50
E3Z-R81-M1J 0.3M	338386	Ecológica cc 3h Espejo 4m PNP Cable 0,3m + M12	159,00
E3Z-R81-M1J-1 0.3M	338393	Photoelectric sensor, retroreflective, 4m, DC, 3-wire, PNP (requires reflector & b	167,60
E3Z-R81-M5J 0.3M	338405	Ecológica cc 3h Espejo 4m PNP Cable 0,3m + M8 3pines	171,90
E3Z-R61-M1J 0.3M	339262	Ecológica cc 3h Espejo 4m NPN Cable 0,3M + M12	159,00
E3Z-R81 10M	339269	Fotocélula, retrorreflexivo, 4 m, CC, 3 hilos, PNP (requiere espejo y soporte)	164,20
E3Z-R81-M3J 0.3M	339271	Ecológica cc 3h Espejo 4m PNP Cable 0,3m + M8	159,00
E3Z-R61-4 2M	339280	Ecológica cc 3h Espejo 4m NPN Led Infrarojo. Sin filtro MSR Cable 2M	187,10
E3Z-R81-M1J 0.8M	339281	Ecológica cc 3h Espejo 4m PNP Cable 0,8m + M12	171,90
E3Z-R86-4	339294	Ecológica cc 3h Espejo 4m PNP M8. No polarizada	168,00
E3Z-R61K-M3J 0.3M	342548	Photoelectric sensor, retro-reflective with MSR, 3m, pigtail M8 4-pin 0,3M cable	238,30
E3Z-R81-M3J-30 0.3M	355878	Ecológica 30Vcc 3h Espejo 4m NPN Cable 0,3m + M8	168,00
E3Z-LR81-M3J 0.3M	355945	Fotocélula, reflexión sobre espejo, cuadrado compacto, diodo láser, 15 m, PNP,	215,40
E3Z-R61-C 5M	372328	Photoelectric sensor, retroreflective, 4m, DC, 3-wire, NPN, 5m cable, including r	189,20

OMRON PVPR 2023

E3FA-RN11 2M	378850	Plástico Espejo (no incluido) 0,1-4m NPN Cable 2m	75,00
E3FA-RN12 2M	378851	Plástico Espejo (no incluido) Coaxial 500mm NPN Cable 2m	75,00
E3FA-BN11 2M	378858	Plástico Obj transp Espejo(no incl) 100-500mm NPN Cable 2m	100,70
E3FA-BN12 2M	378859	Plástico Obj transp Espejo(no incl) 0,1-2m NPN Cable 2m	103,40
E3FA-RN21	378860	Plástico Espejo (no incluido) 0,1-4m NPN Conector M12	73,80
E3FA-RN22	378861	Plástico Espejo (no incluido) Coaxial 500mm NPN Conector M12	76,20
E3FA-BN21	378868	Plástico Obj transp Espejo(no incl) 100-500mm NPN Conector M12	99,50
E3FA-BN22	378869	Plástico Obj. transp. Espejo (no incl.) 0,1-2m NPN Conector M12	102,10
E3FA-RP11 2M	378870	Plástico Espejo (no incluido) 0,1-4m PNP Cable 2m	75,00
E3FA-RP12 2M	378871	Plástico Espejo (no incluido) Coaxial 500mm PNP Cable 2m	77,55
E3FA-BP11 2M	378878	Plástico Obj transp Espejo(no incl) 100-500mm PNP Cable 2m	100,70
E3FA-BP12 2M	378879	Plástico Obj transp Espejo(no incl) 0,1-2m PNP Cable 2m	103,40
E3FA-RP21	378880	Plástico Espejo (no incluido) 0,1-4m PNP Conector M12	73,80
E3FA-RP22	378881	Plástico Espejo (no incluido) Coaxial 500mm PNP Conector M12	76,20
E3FA-BP21	378888	Plástico Obj transp Espejo(no incl) 100-500mm PNP Conector M12	99,50
E3FA-BP22	378889	Plástico Obj. transp. Espejo (no incl.) 0,1-2m PNP Conector M12	102,10
E3FB-RN11 2M	378891	Metal Espejo (no incluido) 0,1-4m NPN Cable 2m	81,40
E3FB-RN12 2M	378892	Metal Espejo (no incluido) Coaxial 500mm NPN Cable 2m	84,00
E3FB-BN11 2M	378899	Metal Obj transp Espejo(no incl) 100-500mm NPN Cable 2m	107,20
E3FB-BN12 2M	378900	Metal Obj transp Espejo(no incl) 0,1-2m NPN Cable 2m	109,90
E3FB-RN21	378902	Metal Espejo (no incluido) 0,1-4m NPN Conector M12	80,15
E3FB-RN22	378903	Metal Espejo (no incluido) Coaxial 500mm NPN Conector M12	82,70
E3FB-BN21	378910	Metal Obj transp Espejo(no incl) 100-500mm NPN Conector M12	105,90
E3FB-BN22	378911	Metal Obj transp Espejo(no incl) 0,1-2m NPN Conector M12	108,60
E3FB-RP11 2M	378913	Metal Espejo (no incluido) 0,1-4m PNP Cable 2m	81,40
E3FB-RP12 2M	378914	Metal Espejo (no incluido) Coaxial 500mm PNP Cable 2m	84,00
E3FB-BP11 2M	378921	Metal Obj transp Espejo(no incl) 100-500mm PNP Cable 2m	107,20
E3FB-BP12 2M	378922	Metal Obj transp Espejo(no incl) 0,1-2m PNP Cable 2m	109,90
E3FB-RP21	378924	Metal Espejo (no incluido) 0,1-4m PNP Conector M12	80,15
E3FB-RP22	378925	Metal Espejo (no incluido) Coaxial 500mm PNP Conector M12	82,70
E3FB-BP21	378932	Metal Obj transp Espejo(no incl) 100-500mm PNP Conector M12	105,90
E3FB-BP22	378933	Metal Obj transp Espejo(no incl) 0,1-2m PNP Conector M12	108,60
E3F1-RN11 2M	378935	Plástico Espejo (no incluido) 0,1-3m NPN Cable 2m Lite	41,02

OMRON PVPR 2023

E3F1-RN21	378939	Plástico Espejo (no incluido) 0,1-3m NPN Conector M12 Lite	39,75
E3F1-RP11 2M	378943	Plástico Espejo (no incluido) 0,1-3m PNP Cable 2m Lite	41,02
E3F1-RP21	378947	Plástico Espejo (no incluido) 0,1-3m PNP Conector M12 Lite	39,75
E3RA-RN11 2M	378951	Plástico Axial Espejo (no incluido) 0,1-3m NPN Cable 2m	77,55
E3RA-RN21	378956	Fotocélula, M18 radial, cuerpo de plástico, LED rojo, reflexión sobre espejo, 0,1	76,20
E3RA-RP11 2M	378961	Plástico Espejo (no incluido) 0,1-3m PNP Cable 2m	76,20
E3RA-RP21	378966	Plástico Espejo (no incluido) 0,1-3m PNP Conector M12	76,20
E3RB-RN11 2M	378971	Metal Radial Espejo (no incluido) 0,1-3m NPN Cable 2m	84,00
E3RB-RN21	378976	Metal Radial Espejo (no incluido) 0,1-3m NPN Conector M12	82,70
E3RB-RP11 2M	378981	Metal Radial Espejo (no incluido) 0,1-3m PNP Cable 2m	84,00
E3RB-RP21	378986	Metal Radial Espejo (no incluido) 0,1-3m PNP Conector M12	82,70
E3JK-RR12 5M	379009	Fotocélula 50x50 Multialim. Espejo Polariz 6m Relé Cable 5m LITE	98,70
E3S-DBP21T	388938	Plástico Obj transp Espejo(no incl) Potenciómetro 4,5m PNP M12 PRO+	170,70
E3S-DBP21	388939	Plástico Obj transp Espejo(no incl) SmartTeach 4,5m PNP M12 PRO+	197,50
E3S-DBP22T	388940	Plástico Obj transp Espejo(no incl) Potenciómetro 0,7m PNP M12 PRO+	170,70
E3S-DBP22	388941	Plástico Obj transp Espejo(no incl) SmartTeach 0,7m PNP M12 PRO+	197,50
E3ZM-R81H 10M	392246	Fotocélula, rectangular, retrorreflectiva, cuerpo SUS, IP69K, 4 m, sin regulador d	220,80
E3Z-B61-M1J 0.3M	392624	Objetos transparentes cc 3h Espejo 0,5m NPN 0,3M cable M12	159,00
E3S-DBN21T	393257	Plástico Obj transp Espejo(no incl) Potenciómetro 4,5m NPN M12 PRO+	170,70
E3S-DBN21	393258	Plástico Obj transp Espejo(no incl) SmartTeach 4,5m NPN M12 PRO+	197,50
E3S-DBN22T	393259	Plástico Obj transp Espejo(no incl) Potenciómetro 0,7m NPN M12 PRO+	170,70
E3S-DBN22	393260	Plástico Obj transp Espejo(no incl) SmartTeach 0,7m NPN M12 PRO+	197,50
E3F1-RP21-10	401861	Multi Pack E3F1 incluye 10 unidades E3F1-RP21	354,80
E3JK-RR12-1 5M	406331	Fotocélula 50x50 Multialim. Espejo Pol 6m Relé Cable 5m LITE + E39R1S	114,30
E3FA-RN11 5M	419142	Plástico Espejo (no incluido) 0,1-4m NPN Cable 5m	78,85
E3FA-RP11 5M	419143	Plástico Espejo (no incluido) 0,1-4m PNP Cable 5m	78,85
E3FB-RP11 5M	419153	Metal Espejo (no incluido) 0,1-4m PNP Cable 5m	86,60
E3Z-R86H	658924	Ecológica cc 3h Espejo 4m PNP M8 Antisabotaje	127,30
E3JK-RR13 2M	669200	Photoelectric sensor, square body, IR LED , retro-reflective, non-polarized, 7m, A	89,60
E3FA-RP21-F2	659017	Plástico Espejo (no incluido) 0,1-4m PNP Con luz por defecto Con.M12	73,80
E3FA-RP21-E019	659018	Plástico Espejo (no incl) 0,1-4m PNP Con luz por defecto Sin potenciometro M12	73,80
E3FB-RP21-F2	659019	Metal Espejo (no incluido) 0,1-4m PNP Con luz por defecto M12	80,15
E3FA-RP11-F2 2M	659025	Plástico Espejo (no incluido) 0,1-4m PNP Cable 2m Light ON	75,00

OMRON PVPR 2023

E3ZM-B81T 5M	659237	Photoelectric sensor, transparent, retro-reflective 500mm with adjuster, metal	244,90
E3S-DBN11 2M	668055	Plástico Obj transp Espejo(no incl) SmartTeach 4,5m NPN Cable 2m PRO+	245,30
E3S-DBN11T 2M	668062	Plástico Obj transp Espejo(no incl) Pot. 4,5m NPN Cable 2m PRO+	251,80
E3S-DBP32T	668057	Plástico Obj transp Espejo(no incl) Pot. 0,7m PNP Cable 0.3m M12 PRO+	303,20
E3S-DBP12 2M	668054	Plástico Obj transp Espejo(no incl) SmartTeach 0,7m PNP Cable 2m PRO+	245,30
E3S-DBN32	668056	Plást. Obj transp Espejo(no incl) SmartT. 0,7m NPN Cable 0.3m M12 PRO+	296,70
E3S-DBP11T 2M	668066	Plástico Obj transp Espejo(no incl) Pot. 4,5m PNP Cable 2m PRO+	251,80
E3S-DBP31	668069	Plást. Obj transp Espejo(no incl) SmartT. 4,5m PNP Cable 0.3m M12 PRO+	296,70
E3S-DBN12 2M	668067	Plástico Obj transp Espejo(no incl) SmartTeach 0,7m NPN Cable 2m PRO+	245,30
E3S-DBN31T	668058	Plástico Obj transp Espejo(no incl) Pot. 4,5m NPN Cable 0.3m M12 PRO+	303,20
E3S-DBP12T 2M	668068	Plástico Obj transp Espejo(no incl) Pot. 0,7m PNP Cable 2m PRO+	251,80
E3S-DBP32	668059	Plást. Obj transp Espejo(no incl) SmartT. 0,7m PNP Cable 0.3m M12 PRO+	296,70
E3S-DBN12T 2M	668063	Plástico Obj transp Espejo(no incl) Pot. 0,7m NPN Cable 2m PRO+	251,80
E3S-DBP11 2M	668061	Plástico Obj transp Espejo(no incl) SmartTeach 4,5m PNP Cable 2m PRO+	245,30
E3S-DBN31	668065	Plást. Obj transp Espejo(no incl) SmartT. 4,5m NPN Cable 0.3m M12 PRO+	296,70
E3S-DBN32T	668064	Plástico Obj transp Espejo(no incl) Pot. 0,7m NPN Cable 0.3m M12 PRO+	303,20
E3S-DBP31T	668060	Plástico Obj transp Espejo(no incl) Pot. 4,5m PNP Cable 0.3m M12 PRO+	303,20
E3FC-BP21 2M	659450	Inox Obj transp Espejo(no incl) 100-500mm PNP Conector M12	120,30
E3FC-BP11 2M	659444	Inox Obj transp Espejo(no incl) 100-500mm PNP Cable 2m	121,50
E3FC-RP11 2M	659446	Inox Espejo (no incluido) 0,1-4m PNP Cable 2m	96,90
E3FC-RP11 5M	659453	Inox Espejo (no incluido) 0,1-4m PNP Cable 5m	102,10
E3FC-RN21	659425	Inox Espejo (no incluido) 0,1-4m NPN Conector M12	95,65
E3FC-RP21	659455	Inox Espejo (no incluido) 0,1-4m PNP Conector M12	95,65
E3FC-RN11 2M	659427	Inox Espejo (no incluido) 0,1-4m NPN Cable 2m	96,90
E3FC-BN21	670301	Photoelectric sensor, M18 threaded barrel, stainless steel, red LED, retro-reflect	143,40
E3JK-RP11 2M	668833	Fotocélula 50x50 Multialim. Espejo 7m PNP Cable 2m LITE	83,15
E3JK-RN11 2M	668832	Fotocélula 50x50 Multialim. Espejo 7m NPN Cable 2m LITE	83,15
E3JK-RR12 2M	668829	Fotocélula 50x50 Multialim. Espejo Polariz 6m Relé Cable 2m LITE	89,60
E3JK-RN12 2M	668831	Fotocélula 50x50 Multialim. Espejo Polariz 6m NPN Cable 2m LITE	83,15
E3JK-RR11 2M	668844	Fotocélula 50x50 Multialim. Espejo 7m Relé Cable 2m LITE	89,60
E3JK-RP12 2M	668836	Fotocélula 50x50 Multialim. Espejo Polariz 6m PNP Cable 2m LITE	83,15
E3Z-R81-IL2 2M	671092	Ecológica cc 3h Espejo 4m PNP Cable 2m IO LINK COM2	152,70
E3Z-R81-IL3 2M	671110	Ecológica cc 3h Espejo 4m PNP Cable 2m IO LINK COM3	152,70

OMRON PVPR 2023

E3Z-R86-IL3	671109	Ecológica cc 3h Espejo 4m PNP M8 IO LINK COM3	152,70
E3Z-R81-IL3 5M	671106	Ecológica cc 3h Espejo 4m PNP Cable 5m IO LINK COM3	160,40
E3Z-R81-M1TJ-IL3 0.3M	671094	Ecológica cc 3h Espejo 4m PNP Cable M12 0.3m IO LINK COM3	163,00
E3Z-R81-IL2 5M	671099	Ecológica cc 3h Espejo 4m PNP Cable 5m IO LINK COM2	160,40
E3Z-R81-M1TJ-IL2 0.3M	671095	Ecológica cc 3h Espejo 4m PNP Cable M12 0.3m IO LINK COM2	163,00
E3Z-R86-IL2	671093	Ecológica cc 3h Espejo 4m PNP M8 IO LINK COM2	152,70
E3ZR-CR81L-M1TJ 0.3M	674905	Fotocélula, compacta cuadrada, con cuerpo de SUS, resistente al aceite, función	190,20
E3ZR-CR61L-M1TJ 0.3M	674900	Fotocélula, compacta cuadrada, con cuerpo de SUS, resistente al aceite, función	190,20
E3ZR-CR81D 2M	674923	Fotocélula, compacta cuadrada, con cuerpo de SUS, resistente al aceite, función	231,00
E3ZR-CR61D-M1TJ 0.3M	674924	Fotocélula, compacta cuadrada, con cuerpo de SUS, resistente al aceite, función	190,20
E3ZR-CR81D-M1TJ 0.3M	674927	Fotocélula, compacta cuadrada, con cuerpo de SUS, resistente al aceite, función	190,20
E3Z-R81 2M	685615	Ecológica cc 3h Espejo 4m PNP Cable 2M	152,70
E3Z-R61 2M	685914	Ecológica cc 3h Espejo 4m NPN Cable 2M	152,70
E3Z-R66	685915	Ecológica cc 3h Espejo 4m NPN M8	152,70
E3Z-R86	685916	Ecológica cc 3h Espejo 4m PNP M8	152,70
E3ZM-R81-S1J 0.3M	689631	Fotocélula, reflexión sobre espejo, cuerpo de metal, IP69K, 4 m, M12 de acero in	291,60
E3C-LR11N 2M	707113	Laser sensor head, coaxial retro-reflective, 7 m, variable spot, 2 m cable	589,50
E3C-LR12N 2M	707112	Laser sensor head, coaxial retro-reflective, 7 m, 2 mm spot diameter, fixed spot,	589,50
E3C-LR15N 2M	707111	Laser sensor head, coaxial retro-reflective, 7 m, variable spot, light intensity opt	822,50
CJ1W-NC281	332458	Módulo Posicionador 2 ejes ETHERCAT (CJ1 y CJ2)	1 633,00
CJ1W-NC481	332459	Módulo Posicionador 4 ejes ETHERCAT (CJ1 y CJ2)	2 621,00
CJ1W-NC881	332460	Módulo Posicionador 8 ejes ETHERCAT (CJ1 y CJ2)	3 197,00
CJ1W-NCF81	339848	Módulo Posicionador 16 ejes ETHERCAT (CJ1 y CJ2)	4 486,00
CJ1W-NC482	339849	Módulo Posicionador 4 ejes + I/O ETHERCAT (CJ1 y CJ2)	2 621,00
CJ1W-NC882	339850	Módulo Posicionador 8 ejes + I/O ETHERCAT (CJ1 y CJ2)	3 197,00
CJ1W-NCF82	354622	Módulo Posicionador 16 ejes + I/O ETHERCAT (CJ1 y CJ2)	4 079,00
CJ1W-NCF71	323225	Módulo posicionador 16 ejes (ML-II) CJ1	4 859,00
CJ1W-NC271	323608	Módulo posicionador 2 ejes (ML-II) CJ1	2 184,00
CJ1W-NC471	323609	Módulo posicionador 4 ejes (ML-II) CJ1	3 177,00
CS1W-NCF71	229314	Módulo posicionador 16 ejes (ML-II) CS1	4 859,00
CS1W-NC271	255291	Módulo posicionador 2 ejes (ML-II) CS1	1 713,00
CS1W-NC471	255292	Módulo posicionador 4 ejes (ML-II) CS1	2 307,00
CJ1W-NC234	280904	Módulo posicionador por pulsos para serie CJ, 2 ejes 500KHz, line driver, sincron	4 215,00

OMRON PVPR 2023

CJ1W-NC133	323221	Módulo posicionador 1 eje LINE DRIVER 500KHz CJ1	1 998,00
CJ1W-NC233	323222	Módulo posicionador 2 ejes LINE DRIVER 500KHz CJ1	3 610,00
CJ1W-NC113	323223	Módulo posicionador 1 eje 500kHz CJ1	1 805,00
CJ1W-NC213	323224	Módulo posicionador 2 ejes 500kHz CJ1	2 613,00
CJ1W-NC433	323226	Módulo posicionador 4 ejes LINE DRIVER 500KHz CJ1	5 500,00
CJ1W-NC413	323227	Módulo posicionador 4 ejes 500kHz CJ1	3 815,00
CS1W-NC113	106116	Módulo posicionador 1 eje 500kHz CS1	1 805,00
CS1W-NC233	135631	Módulo posicionador 2 ejes 500kHz CS1 Linedriver	2 982,00
CS1W-NC413	149304	Módulo posicionador 4 ejes 500kHz CS1	3 815,00
CS1W-NC213	154840	Módulo posicionador 2 ejes 500kHz CS1	2 613,00
CPM2C-PA201	135898	Módulo Fuente Alimentación 230Vca	174,90
C200HW-PA204	159548	Fuente Alimentación 120/240Vca	489,80
C200HW-PA204S	159549	Fuente Alimentación 120/240Vca 24Vcc	601,00
C200HW-PD024	159550	Fuente Alimentación 24 VDC	731,50
C200HW-PA204R	159579	Fuente Alimentación 120/240Vca con Salida RUN	564,00
C200HW-PA209R	159591	Fuente Alimentación Alta Capacidad 120/240Vca con	884,50
C200HW-PD025	197966	Fuente Alimentación 24 VDC	1 029,00
CJ1W-PA202	136004	Fuente de alimentación 100 a 240Vca 5Vcc 2,8A Relé	223,40
CJ1W-PD025	136016	Fuente de Alimentación 24Vcc 25W	331,70
CJ1W-PA205C	183314	Fuente de Alimentación AC Display Status Mantenimiento	378,90
CJ1W-PD022	315604	Fuente de Alimentación 24Vcc 19,6W	176,10
CJ1W-PA205R	386939	Fuente de Alimentación 100 a 240Vca 5Vcc 5A Relé RUN 25W	318,10
CS1D-PA207R	135743	Fuente Alimentación 200/240 Vca para CS1 Dúplex	1 035,00
CS1D-PD024	168047	Fuente Alimentación 24 Vcc para CS1 Dúplex	1 035,00
CS1D-PD025	197965	Fuente Alimentación 24 Vcc 40 W para CS1 Dúplex	1 496,00
NJ-PA3001	355312	Sysmac CPU NJ Fuente de Alimentación 100-240 VAC	416,70
NJ-PD3001	355313	Sysmac CPU NJ Fuente de Alimentación 24 VDC	416,70
NX-PA9001	418671	Sysmac CPU NX Fuente de Alimentación 100-240 VAC	1 110,00
NX-PD7001	418672	Sysmac CPU NX Fuente de Alimentación 24 VDC	861,50
CK3W-PD028	682492	Unidad de fuente de alimentación CK3W, 5 Vcc/24 Vcc, corriente máxima 8 A (5	358,50
CK3W-PD048	684962	Unidad de fuente de alimentación CK3W para CK3M-CPU1[1], 5 V CC/24 V CC, c	358,50
R88D-KT01H	285527	Drive Accurax G5 Analógico/ Pulsos, 100W, 200V	1 338,00
R88D-KT02H	285528	Drive Accurax G5 Analógico/ Pulsos, 200W, 200V	1 366,00

OMRON PVPR 2023

R88D-KT04H	285529	Drive Accurax G5 Analógico/Pulsos, 400W, 200V	1 410,00
R88D-KT08H	285530	Drive Accurax G5 Analógico/ Pulsos, 750W, 200V monofásico	1 550,00
R88D-KT10H	285531	Drive Accurax G5 Analógico/ Pulsos, 1kW, 200V	2 055,00
R88D-KT15H	285532	Drive Accurax G5 Analógico/Pulsos, 1.5kW, 200V	2 547,00
R88D-KT06F	285533	Drive Accurax G5 Analógico/ Pulsos, 600W, 400V	1 619,00
R88D-KT10F	285534	Drive Accurax G5 Analógico/ Pulsos, 1kW, 400V	1 648,00
R88D-KT15F	285535	Drive Accurax G5 Analógico/ Pulsos, 1.5kW, 400V	1 843,00
R88D-KT20F	285536	Drive Accurax G5 Analógico/ Pulsos, 2kW, 400V	2 222,00
R88D-KT30F	285537	Drive Accurax G5 Analógico/ Pulsos, 3kW, 400V	2 406,00
R88D-KT50F	285538	Drive Accurax G5 Analógico/ Pulsos, 5kW, 400V	3 254,00
R88D-KT04H-L	336933	Drive Accurax G5 Analógico/Pulsos Motores Lineales, 400W, 200V	1 410,00
R88D-KT15H-L	336936	Drive Accurax G5 Analógico/Pulsos Motores Lineales, 750W, 200V	2 547,00
R88D-KT08H-L	340298	Drive Accurax G5 Analógico/Pulsos Motores Lineales, 750W, 200V	1 550,00
R88D-KT15F-L	351596	Drive Accurax G5 Analógico/Pulsos Motores Lineales, 1.5Kv, 400V	1 952,00
R88D-KT75F	352677	Drive Accurax G5 Analógico/Pulsos, 7.5kW, 400V	5 565,00
R88D-KT150F	352678	Drive Accurax G5 Analógico/Pulsos, 15kW, 400V	7 940,00
R88D-KT50H	354040	Accurax G5 Series servo drive, analog/ Pulse type, 5KW, 200VAC three phase	4 234,00
R88D-KT01H	703047	Accurax G5 servo drive, 1~ 200 VAC, analog/pulse type, 100 W	1 346,00
R88D-KT02H	703046	Accurax G5 servo drive, 1~ 200 VAC, analog/pulse type, 200 W	1 372,00
R88D-KT04H	703045	Accurax G5 servo drive, 1~ 200 VAC, analog/pulse type, 400 W	1 415,00
R88D-KT08H	703044	Accurax G5 servo drive, 1~ 200 VAC, analog/pulse type, 750 W	1 557,00
R88D-GT01H	346799	Drive Serie G Analógico/Pulsos 100W 200V	1 168,00
R88D-GT02H	346800	Drive Serie G Analógico/Pulsos 200W 200V	1 168,00
R88D-GT04H	346801	Drive Serie G Analógico/Pulsos 400W 200V	1 203,00
R88D-GT08H	346802	Drive Serie G Analógico/Pulsos 750W 200V	1 418,00
R88D-GT15H	364998	Drive Serie G Analógico/Pulsos 1.5kW 200V	2 732,00
R88D-GT02L	669408	G-series servo drive A/P 0.2kW, 110V	1 806,00
R88D-GT04L	669409	G-series servo drive A/P. 0.4kW, 110V	2 288,00
SGDV-2R8A01A	330203	Servopack Sigma-5 Pulsos/Analógico 200V 400w Motor Rotativo	2 185,00
SGDV-1R9D01A	330206	Servopack Sigma-5 A/P 400V 0.5Kw Motor Rotativo (Yaskawa Brand)	1 864,00
SGDV-5R5A01A	330210	Servopack Sigma-5 A/P 200V 750w Motor Rotativo (Yaskawa Brand)	2 216,00
SGDV-3R5D01A	330213	Servopack Sigma-5 400V 1Kw A/P Motor rotativo (Yaskawa Brand)	2 076,00
SGDV-5R4D01A	330218	Servopack Sigma-5 A/P 400V 1.5Kw Motor Rotativo	2 479,00

OMRON PVPR 2023

SGDV-8R4D01A	330221	Servopack Sigma-5 A/P 400V 2Kw Motor Rotativo (Yaskawa Brand)	3 213,00
SGDV-120D01A	330225	Servopack Sigma-5 A/P 400V 3Kw Motor Rotativo (Yaskawa Brand)	3 459,00
SGDV-170D01A	330228	Servopack Sigma-5 400V 5Kw A/P Motor rotativo (Yaskawa Brand)	4 580,00
SGDV-1R6A01A	333083	Servopack Sigma-5 A/P 200V 200w Motor Rotativo (Yaskawa Brand)	2 047,00
SGDV-210D01A	392867	Sigma 5 Servo Amplifier 6.00kW 3ph 400V Analog/Pulse Rotary.	5 945,00
SGDV-260D01A	392869	Servopack Sigma-5 A/P 400V 7.5Kw Motor Rotativo	8 755,00
R88D-KN01H-ECT	352679	Drive Accurax G5 ETHERCAT, 100W, 200V	1 338,00
R88D-KN02H-ECT	352680	Drive Accurax G5 ETHERCAT, 200W, 200V	1 366,00
R88D-KN04H-ECT	352681	Drive Accurax G5 ETHERCAT, 400W, 200V	1 423,00
R88D-KN08H-ECT	352682	Drive Accurax G5 ETHERCAT, 750W, 200V	1 506,00
R88D-KN10H-ECT	352683	Drive Accurax G5, ETHERCAT, 1KW, 200V	1 705,00
R88D-KN15H-ECT	352684	Drive Accurax G5 ETHERCAT, 1.5KW, 200V	2 055,00
R88D-KN06F-ECT	352685	Drive Accurax G5 ETHERCAT, 600W, 400V	1 352,00
R88D-KN10F-ECT	352686	Drive Accurax G5 ETHERCAT, 1KW, 400V	1 423,00
R88D-KN15F-ECT	352687	Drive Accurax G5, ETHERCAT, 1.5KW, 400V	1 592,00
R88D-KN20F-ECT	352688	Drive Accurax G5 ETHERCAT, 2KW, 400V	1 930,00
R88D-KN30F-ECT	352689	Drive Accurax G5 ETHERCAT, 3KW, 400V	2 307,00
R88D-KN50F-ECT	352690	Drive Accurax G5 ETHERCAT, 5KW, 400V	2 348,00
R88D-KN75F-ECT	353421	Drive Accurax G5 ETHERCAT , 7.5KW, 400V	5 300,00
R88D-KN150F-ECT	353422	Drive Accurax G5 ETHERCAT, 15KW, 400V	7 405,00
R88D-KN20H-ECT	355424	Drive Accurax G5 ETHERCAT, 2KW, 3-230Vac	2 687,00
R88D-KN01H-ECT-L	356046	Drive Accurax G5 ETHERCAT Motores Lineales, 100W, 200V	1 564,00
R88D-KN02H-ECT-L	356047	Drive Accurax G5 ETHERCAT Motores Lineales, 200W, 200V	1 605,00
R88D-KN04H-ECT-L	356048	Drive Accurax G5 ETHERCAT Motores Lineales, 400W, 200V	1 663,00
R88D-KN08H-ECT-L	356049	Drive Accurax G5 ETHERCAT Motores Lineales, 750W, 200V	1 774,00
R88D-KN10H-ECT-L	356050	Drive Accurax G5 ETHERCAT Motores Lineales, 1KW, 200V	2 167,00
R88D-KN15H-ECT-L	356051	Drive Accurax G5 ETHERCAT Motores Lineales, 1.5KW, 200V	2 645,00
R88D-KN20H-ECT-L	356052	Drive Accurax G5 ETHERCAT Motores Lineales, 2KW, 200V	2 898,00
R88D-KN06F-ECT-L	356057	Drive Accurax G5 ETHERCAT Motores Lineales, 600W, 400V	1 762,00
R88D-KN10F-ECT-L	356058	Drive Accurax G5 ETHERCAT Motores Lineales, 1KW, 400V	1 984,00
R88D-KN15F-ECT-L	356059	Drive accurax G5 ETHERCAT Motores Lineales, 1.5KW, 400V	2 000,00
R88D-KN20F-ECT-L	356060	Drive Accurax G5 ETHERCAT Motores Lineales, 3KW, 400V	2 337,00
R88D-KN30F-ECT-L	356061	Drive Accurax G5 ETHERCAT Motores Lineales, 3KW, 400V	2 645,00

OMRON PVPR 2023

R88D-KN50F-ECT-L	356062	Drive Accurax G5 ETHERCAT Motores Lineales, 5KW, 400V	3 254,00
R88D-KN75F-ECT-L	356063	Drive Accurax G5 ETHERCAT Motores Lineales, 7.5KW, 400V	5 600,00
R88D-KN150F-ECT-L	356064	Drive Accurax G5 ETHERCAT Motores Lineales, 15KW, 400V	7 405,00
R88D-KN50H-ECT	360698	Servodrive Accurax G5, 1~ 230 VAC, 5.0 kW, EtherCAT	4 045,00
R88D-1SN04H-ECT	670727	Servodrive 1S, tipo EtherCAT, 400 W, 1~ 230 VAC	1 143,00
R88D-1SN30H-ECT	689469	Servoaccionamiento 1S, tipo EtherCAT, 3 kW, 3~ 230 V CA	1 913,00
R88D-1SN06F-ECT	670720	Servodrive 1S, tipo EtherCAT, 600 W, 3~ 400 VAC	1 176,00
R88D-1SN20F-ECT	670728	Servodrive 1S, tipo EtherCAT, 2 kW, 3~ 400 VAC	1 588,00
R88D-1SN08H-ECT	670726	Servodrive 1S, tipo EtherCAT, 800 W, 1~ 230 VAC	1 176,00
R88D-1SN15H-ECT	670724	Servodrive 1S, tipo EtherCAT, 1.5 kW, 1~ 230 VAC	1 703,00
R88D-1SN20H-ECT	691061	1S servo drive, EtherCAT type, 2 kW, 3~ 230 VAC	1 863,00
R88D-1SN30F-ECT	670722	Servodrive 1S, tipo EtherCAT, 3 kW, 3~ 400 VAC	1 728,00
R88D-1SN01H-ECT	670725	Servodrive 1S, tipo EtherCAT, 100 W, 1~ 230 VAC	874,00
R88D-1SN02H-ECT	670719	Servodrive 1S, tipo EtherCAT, 200 W, 1~ 230 VAC	1 073,00
R88D-1SN10F-ECT	670723	Servodrive 1S, tipo EtherCAT, 1 kW, 3~ 400 VAC	1 261,00
R88D-1SN15F-ECT	670721	Servodrive 1S, tipo EtherCAT, 1.5 kW, 3~ 400 VAC	1 304,00
R88D-1SN55H-ECT	691197	1S servo drive, EtherCAT type, 5.5 kW, 3~ 230 VAC	4 589,00
R88D-1SN55F-ECT	689220	Servodrive 1S, tipo EtherCAT, 5,5 kW, 3~400 V CA	2 640,00
R88D-1SN75F-ECT	689221	Servodrive 1S, tipo EtherCAT, 7,5 kW, 3~400 V CA	4 693,00
R88D-1SN150F-ECT	689222	Servodrive 1S, tipo EtherCAT, 15 kW, 3~400 V CA	7 480,00
R88D-1SAN02H-ECT	693630	Servoaccionamiento 1SA con seguridad, tipo EtherCAT, 200 W, 1~ 230 VCA	1 308,00
R88D-1SAN04H-ECT	693631	Servoaccionamiento 1SA con seguridad, tipo EtherCAT, 400 W, 1~ 230 VCA	1 395,00
R88D-1SAN08H-ECT	693632	Servoaccionamiento 1SA con seguridad, tipo EtherCAT, 800 W, 1~ 230 VCA	1 433,00
R88D-1SAN15H-ECT	695500	Servoaccionamiento 1SA con seguridad, tipo EtherCAT, 1.5 kW, 1~ 230 V CA	2 077,00
R88D-1SAN10F-ECT	695499	Servoaccionamiento 1SA con seguridad, tipo EtherCAT, 1 kW, 3~ 400 V CA	1 536,00
R88D-1SAN15F-ECT	695498	Servoaccionamiento 1SA con seguridad, tipo EtherCAT, 1.5 kW, 3~ 400 VCA	1 591,00
R88D-1SAN20F-ECT	695497	Servoaccionamiento 1SA con seguridad, tipo EtherCAT, 2 kW, 3~ 400 VAC	1 937,00
R88D-1SAN30F-ECT	695496	Servoaccionamiento 1SA con seguridad, tipo EtherCAT, 3 kW, 3~ 400 V CA	2 109,00
SGDV-1R9DE1A	351779	Servopack Sigma-5 Especial 400V 0.5Kw Motor Rotativo	2 323,00
SGDV-3R5DE1A	351780	Servopack Sigma-5 Especial 400V 1Kw Motor Rotativo	2 446,00
SGDV-5R4DE1A	351781	Servopack Sigma-5 Especial 400V 1.5Kw Motor Rotativo	2 767,00
SGDV-8R4DE1A	351782	Servopack Sigma-5 Especial 400V 2Kw Motor Rotativo	2 952,00
SGDV-120DE1A	351783	Servopack Sigma-5 Especial 400V 3Kw Motor Rotativo	3 428,00

OMRON PVPR 2023

SGDV-170DE1A	351784	Servopack Sigma-5 Especial 400V 5Kw Motor Rotativo	4 229,00
SGDV-R90AE1A	351786	Servopack Sigma-5 Especial 200V 100w Motor Rotativo	2 446,00
SGDV-1R6AE1A	351787	Servopack Sigma-5 Especial 200V 200w Motor Rotativo	2 479,00
SGDV-2R8AE1A	351788	Servopack Sigma-5 Especial 200V 400w Motor Rotativo (Yaskawa Brand)	2 602,00
SGDV-5R5AE1A	351789	Servopack Sigma-5 Especial 200V 750w Motor Rotativo	2 969,00
SGDV-200AE1A	375060	Servopack Sigma-5 Especial 200V 2.9Kw Motor Rotativo	4 897,00
SGDV-750JE1A	410777	Servopack Sigma-5 Especial 400V 30Kw Motor Rotativo	12 120,00
SGDV-101JE1A	411788	Sigma5 servo driver 37kW DC power input, I/F type for rotary motor	12 750,00
SGDV-131JE1A	658951	Sigma 5 Servo Amplifier 55kW 3ph 400V Other Network Type	12 450,00
SGDV-750JE1A002000	698584	Sigma5 servo driver 30 kW DC power input, I/F type for rotary motor, with coated	16 480,00
R88D-KN01H-ML2	285539	Drive Accurax G5 Mechatrolink-II, 100W, 200V	1 663,00
R88D-KN02H-ML2	285540	Drive Accurax G5 Mechatrolink-II, 200W, 200V	1 705,00
R88D-KN04H-ML2	285541	Drive Accurax G5 Mechatrolink-II, 400W, 200V	1 829,00
R88D-KN08H-ML2	285542	Drive Accurax G5 Mechatrolink-II, 750W, 200V	2 013,00
R88D-KN10H-ML2	285543	Drive Accurax G5 Mechatrolink-II, 1kW, 200V	2 533,00
R88D-KN15H-ML2	285544	Drive Accurax G5 Mechatrolink-II , 1,5 kW, 200V	3 121,00
R88D-KN06F-ML2	285545	Drive Accurax G5 Mechatrolink-II, 600W, 400V	1 873,00
R88D-KN10F-ML2	285546	Drive Accurax G5 Mechatrolink-II, 1kW, 400V	2 323,00
R88D-KN15F-ML2	285547	Drive Accurax G5 Mechatrolink-II, 1.5kW, 400V	2 337,00
R88D-KN20F-ML2	285548	Drive Accurax G5 Mechatrolink-II, 2kW, 400V	2 714,00
R88D-KN30F-ML2	285549	Drive Accurax G5 Mechatrolink-II , 3kW, 400V	2 898,00
R88D-KN50F-ML2	285550	Drive Accurax G5 Mechatrolink-II , 5kW, 400V	3 814,00
R88D-KN20H-ML2	355425	Accurax G5 servo drive, 1~ 200 VAC, MECHATROLINK II type, 2.0 kW	2 714,00
R88D-GN01H-ML2	285522	Drive Serie G Mechatrolink-II 100W 200V	1 583,00
R88D-GN02H-ML2	285523	Drive Serie G Mechatrolink-II 200W 200V	1 583,00
R88D-GN04H-ML2	285524	Drive Serie G Mechatrolink-II 400W 200V	1 636,00
R88D-GN08H-ML2	285525	Drive Serie G Mechatrolink-II 750W 200V	2 010,00
SGDV-210D11A	392868	Servopack Sigma-5 ML-II 400V 6Kw Motor Rotativo	7 595,00
SGDV-260D11A	392870	Servopack Sigma-5 ML-II 400V 7.5Kw Motor Rotativo (Yaskawa Brand)	8 800,00
SGDV-120A11A-008000	329515	Servopack Sigma-5 200V ML2 Firmware Especial	3 613,00
SGDV-1R9D11A	330208	Servopack Sigma-5 ML2 400V 0.5Kw Motor Rotativo (Yaskawa Brand)	2 185,00
SGDV-3R5D11A	330215	Servopack Sigma-5 400V 1Kw ML-II Motor rotativo (Yaskawa Brand)	2 446,00
SGDV-8R4D11A	330223	Servopack Sigma-5 400V 2Kw ML-II Motor Rotativo (Yaskawa Brand)	3 384,00

OMRON PVPR 2023

SGDV-120D11A	330227	Servopack Sigma-5 ML-II 400V 3Kw Motor Rotativo (Yaskawa Brand)	3 613,00
SGDV-170D11A	330230	Servopack Sigma-5 400V 5Kw ML-II Motor rotativo (Yaskawa Brand)	5 030,00
SGDV-R90A11A	333082	Servopack Sigma-5 ML-II 200V 100w Motor Rotativo (Yaskawa Brand)	2 293,00
SGDV-1R6A11A	333084	Servopack Sigma-5 ML-II 200V 200w Motor Rotativo (Yaskawa Brand)	2 371,00
SGDV-2R8A11A	333085	Servopack Sigma-5 ML-II 200V 400w Motor Rotativo (Yaskawa Brand)	2 479,00
SGDV-5R5A11A	333086	Servopack Sigma-5 ML-II 200V 750w Motor Rotativo (Yaskawa Brand)	2 602,00
SGDV-5R4D11A	333087	Servopack Sigma-5 ML-II 400V 1.5Kw Motor Rotativo	2 767,00
SGDV-1R6A15A	351388	Servopack Sigma-5 ML-II 200V 200w Motor Lineal (Yaskawa Brand)	2 307,00
SGDV-7R6A11A	375106	Servopack Sigma-5 1.5Kw ML2 trifásico 200V	2 997,00
SGDV-370D01A	262170	Servopack Sigma-5 400V 15Kw A/P Motor rotativo (Yaskawa Brand)	10 800,00
R88D-GP08H	285526	Drive SS2, Entrada de pulsos, 750W, 200V	1 144,00
R7D-BP01H	285887	Drive SS2, Entrada de pulsos, 100W, 200V	789,50
R7D-BP02HH	285888	Drive SS2, Entrada de pulsos, 200W, 200V	789,50
R7D-BP04H	285889	Drive SS2, Entrada de pulsos, 400W, 200V	852,00
R88M-G10030H-S2	285890	Serie G/SS2 motor 100W, 200V, 3000RPM, 0.32Nm	615,50
R88M-G20030H-S2	285891	Serie G/SS2 motor 200W, 200V, 3000RPM, 0,64N.m.	662,50
R88M-G40030H-S2	285892	Serie G/SS2 motor 400W, 200V, 3000RPM, 1,3N.m.	742,50
R88M-G10030H-BS2	285893	Serie G/SS2 motor 100W, 200V, 3000RPM, 0,32N.m, freno	1 099,00
R88M-G20030H-BS2	285894	Serie G/SS2 motor 200W, 200V, 3000RPM, 0,64N.m, freno	1 115,00
R88M-G40030H-BS2	285895	Serie G/SS2 motor 400W, 200V, 3000RPM, 1,3N.m, freno	1 160,00
R88M-G75030H-S2	286727	Serie G/SS2 motor 750W, 200V, 3000RPM 2,4N.m.	1 009,00
R88M-G75030H-BS2	286728	Serie G/SS2 motor 750W, 200V, 3000RPM 2,4N.m, freno	1 432,00
R88M-G10030T-S2	313364	Serie G/SS2 motor 100W, 200V, 3000RPM, 0.32Nm, ENC ABS	1 189,00
R88M-G1K030T-S2	317939	Serie G Motor 1KW, 200V, 3000RPM, 3.18Nm, ENC ABS	2 693,00
R88M-G20030T-S2	317940	Serie G/SS2 motor 200W, 200V, 3000RPM, 0.64Nm, ENC ABS	1 478,00
R88M-G40030T-S2	317942	Serie G/SS2 motor 400W, 200V, 3000RPM, 1.3Nm, ENC ABS	1 626,00
R88M-G75030T-S2	317943	Serie G/SS2 motor 750W, 200V, 3000RPM, 2.4Nm, ENC ABS	1 960,00
R88M-G05030H-S2	322924	Serie G/SS2 motor 50W, 200V, 3000RPM, 0.16Nm	615,50
R88M-G05030H-BS2	322925	Serie G/SS2 motor 100W, 200V, 3000RPM, 0,16N.m, freno	1 099,00
R88M-G10030T-BS2	332276	Serie G/SS2 motor 100W, 200V, 3000RPM 0,32N.m, freno, ENC ABS	1 807,00
R88M-G20030T-BS2	332277	Serie G/SS2 motor 200W, 200V, 3000RPM, 0.64Nm, freno, ENC ABS	1 972,00
R88M-G40030T-BS2	332278	Serie G/SS2 motor 400W, 200V, 3000RPM, 1,3N.m, freno, ENC ABS	2 167,00
R88M-G75030T-BS2	332279	Serie G/SS2 motor 750W, 200V, 3000RPM, 2,4N.m, freno, ENC ABS	2 544,00

OMRON PVPR 2023

R88M-G1K530T-BS2	355419	Serie G Motor 1.5KW, 200V, 3000RPM, 4.77Nm, ENC ABS, freno	3 950,00
R88M-G1K530T-S2	356590	Serie G Motor 1.5KW, 200V, 3000RPM, 4.77Nm, ENC ABS	3 152,00
R88M-G20030H-OS2	374330	Serie G/SS2 motor 200W, 200V, 3000RPM, 0,64N.m, Oil Seal	581,00
R88M-G20030T-S2-D	378044	Serie G/SS2 motor 200W, 200V, 3000RPM, ENC ABS, Hypertac	1 566,00
R88M-G20030T-BS2-D	378045	Serie G/SS2 motor 200W, 200V, 3000RPM, freno, ENC ABS, Hypertac	2 078,00
R88M-G40030H-S2-D	378046	Serie G/SS2 motor 400W, 200V, 3000RPM, 1,3N.m, Hypertac	843,00
R88M-G40030H-BS2-D	378047	Serie G/SS2 motor 400W, 200V, 3000RPM, 1,3N.m, freno, Hypertac	1 251,00
R88M-G40030T-S2-D	378048	Serie G/SS2 motor 400W, 200V, 3000RPM, ENC ABS, Hypertac	1 716,00
R88M-G40030T-BS2-D	378049	Serie G/SS2 motor 400W, 200V, 3000RPM, freno, ENC ABS, Hypertac	2 258,00
R88M-G75030H-S2-D	378050	Serie G/SS2 motor 750W, 200V, 3000RPM 2,4N.m. Conector Cilíndrico	1 115,00
R88M-G75030H-BS2-D	378051	Serie G/SS2 motor 750W, 200V, 3000RPM 2,4N.m, freno, Hypertac	1 522,00
R88M-G75030T-S2-D	378052	Serie G/SS2 motor 750W, 200V, 3000RPM, ENC ABS, Hypertac	2 065,00
R88M-G75030T-BS2-D	378053	Serie G/SS2 motor 750W, 200V, 3000RPM, freno, ENC ABS, Hypertac	2 633,00
R88M-G20030H-BS2-D	378066	Serie G/SS2 motor 200W, 200V, 3000RPM, 0,64N.m, freno, Hypertac	1 205,00
R88M-G10030H-S2-D	378071	Serie G/SS2 motor 100W, 200V, 3000RPM, 0.32Nm, Hypertac	708,00
R88M-G10030H-BS2-D	378072	Serie G/SS2 motor 100W, 200V, 3000RPM, 0,32N.m, freno, Hypertac	1 189,00
R88M-G10030T-S2-D	378073	Serie G/SS2 motor 100W, 200V, 3000RPM, ENC ABS, Hypertac	1 280,00
R88M-G10030T-BS2-D	378074	Serie G/SS2 motor 100W, 200V, 3000RPM, freno, ENC ABS, Hypertac	1 897,00
R88M-G20030H-S2-D	378075	Serie G/SS2 motor 200W, 200V, 3000RPM, 0,64N.m, Hypertac	768,50
R88M-G20030L-S2	375792	AC Servomotor, With INC Encoder 200 W, 100 VAC, With Key / Without Brake, 3	615,00
R88M-G40030L	659661	G-series servo motor 400W, 110V	742,50
R88M-G40030L-S2	689029	G-series servo motor 110V, 400W	578,00
R88M-G20030T-S2	703012	G-Series AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, absolute	1 478,00
R88M-G40030T-S2	703013	G-Series AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, absolute	1 626,00
R88M-G75030T-S2	703014	G-Series AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, absolute	1 960,00
R88M-G75030T-S2-D	703019	G-Series AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, absolute, with circ	2 065,00
R88M-G10030T-BS2	703021	G-Series AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, absolute, Brake	1 807,00
R88M-G40030T-BS2	703023	G-Series AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, absolute, Brake	2 167,00
R88M-G75030T-BS2	703024	G-Series AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, absolute, Brake	2 544,00
R88M-G10030T-BS2-D	703026	G-Series AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, absolute, Brake,	1 897,00
R88M-G20030T-BS2-D	703027	G-Series AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, absolute, Brake,	2 078,00
R88M-G75030T-BS2-D	703029	G-Series AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, absolute, Brake, v	2 633,00
R88M-K05030H-S2	285551	Accurax G5 Motor 50W, 200V, 3000RPM, 0.16Nm	887,00

OMRON PVPR 2023

R88M-K10030H-S2	285552	Accurax G5 Motor 100W, 200V, 3000RPM, 0.32Nm	887,00
R88M-K20030H-S2	285553	Accurax G5 Motor 200W, 200V, 3000RPM, 0.64Nm	1 028,00
R88M-K40030H-S2	285554	Accurax G5 motor, 400W, 200V, 3000RPM, 1.3Nm	1 169,00
R88M-K75030H-S2	285555	Accurax G5 Motor 750W, 200V, 3000RPM, 2.4Nm	1 450,00
R88M-K1K030H-S2	285556	Accurax G5 Motor 1kW, 200V, 3000RPM, 3.18Nm	1 774,00
R88M-K1K530H-S2	285557	Accurax G5 Motor 1.5kW, 200V, 3000RPM, 4.77Nm	2 041,00
R88M-K75030F-S2	285558	Accurax G5 Motor 750W, 400V, 3000RPM, 2.4Nm	1 818,00
R88M-K1K030F-S2	285559	Accurax G5 Motor 1kW, 400V, 3000RPM, 3.18Nm	1 818,00
R88M-K1K530F-S2	285560	Accurax G5 Motor 1.5kW, 400V, 3000RPM, 4.77Nm	2 000,00
R88M-K2K030F-S2	285561	Accurax G5 Motor 2kW, 400V, 3000RPM, 6.37Nm	2 222,00
R88M-K3K030F-S2	285562	Accurax G5 Motor 3kW, 400V, 3000RPM, 9.55Nm	2 658,00
R88M-K4K030F-S2	285563	Accurax G5 Motor 4kW, 400V, 3000RPM, 12.7Nm	3 432,00
R88M-K5K030F-S2	285564	Accurax G5 Motor 5kW, 400V, 3000RPM, 15.9Nm	4 926,00
R88M-K05030H-BS2	285565	Accurax G5 Motor 50W, 200V, 3000RPM, 0.16Nm, freno	1 366,00
R88M-K10030H-BS2	285566	Accurax G5 Motor 100W, 200V, 3000RPM, 0.32Nm, freno	1 395,00
R88M-K20030H-BS2	285567	Accurax G5 Motor 200W, 200V, 3000RPM, 0.64Nm, freno	1 522,00
R88M-K40030H-BS2	285568	Accurax G5 Motor 400W, 200V, 3000RPM, 1.3Nm, freno	1 705,00
R88M-K75030H-BS2	285569	Accurax G5 Motor 750W, 200V, 3000RPM, 2.4Nm, freno	2 182,00
R88M-K1K530H-BS2	285570	Accurax G5 Motor 1.5KW, 200V, 3000RPM, 4.77Nm, freno	2 645,00
R88M-K75030F-BS2	285571	Accurax G5 Motor 750W, 400V, 3000RPM, 2.4Nm, freno	2 362,00
R88M-K1K030F-BS2	285572	Accurax G5 Motor 1kW, 400V, 3000RPM, 3.18Nm, freno	2 362,00
R88M-K1K530F-BS2	285573	Accurax G5 Motor 1.5kW, 400V, 3000RPM, 4.77Nm, freno	2 631,00
R88M-K2K030F-BS2	285574	Accurax G5 Motor 2kW, 400V, 3000RPM, 6.37Nm, freno	2 996,00
R88M-K3K030F-BS2	285575	Accurax G5 Motor 3kW, 400V, 3000RPM, 9.55Nm, freno	3 656,00
R88M-K4K030F-BS2	285576	Accurax G5 Motor 4kW, 400V, 3000RPM, 12.7Nm, freno	4 268,00
R88M-K5K030F-BS2	285577	Accurax G5 Motor 5kW, 400V, 3000RPM, 15.9Nm, freno	5 645,00
R88M-K1K020H-S2	285578	Accurax G5 Motor 1KW, 200V, 2000RPM, 4.77Nm	1 254,00
R88M-K1K520H-S2	285579	Accurax G5 Motor 1.5KW, 200V, 2000RPM, 7.16Nm	1 493,00
R88M-K40020F-S2	285580	Accurax G5 Motor 400W, 400V, 2000RPM, 1.91Nm	1 028,00
R88M-K60020F-S2	285581	Accurax G5 Motor 600W, 400V, 2000RPM, 2.86Nm	1 169,00
R88M-K1K020F-S2	285582	Accurax G5 Motor 1.0KW, 400V, 2000RPM, 4.77Nm	1 269,00
R88M-K1K520F-S2	285583	Accurax G5 Motor 1.5KW, 400V, 2000RPM, 7.16Nm	1 395,00
R88M-K2K020F-S2	285584	Accurax G5 Motor 2.0KW, 400V, 2000RPM, 9.55Nm	1 648,00

OMRON PVPR 2023

R88M-K3K020F-S2	285585	Accurax G5 Motor 3.0KW, 400V, 2000RPM, 14.3Nm	2 055,00
R88M-K4K020F-S2	285586	Accurax G5 Motor 4.0KW, 400V, 2000RPM, 19.1Nm	2 159,00
R88M-K5K020F-S2	285587	Accurax G5 Motor 5.0KW, 400V, 2000RPM, 23.9Nm	2 774,00
R88M-K1K020H-BS2	285588	Accurax G5 Motor 1KW, 200V, 2000RPM, 4.77Nm, freno	1 648,00
R88M-K1K520H-BS2	285589	Accurax G5 motor 1.5KW, 200V, 2000RPM, 7.16Nm, freno	1 957,00
R88M-K40020F-BS2	285590	Accurax G5 Motor 400W, 400V, 2000RPM, 1.91Nm, freno	1 438,00
R88M-K60020F-BS2	285591	Accurax G5 Motor 600W, 400V, 2000RPM, 2.86Nm, freno	1 705,00
R88M-K1K020F-BS2	285592	Accurax G5 Motor 1.0KW, 400V, 2000RPM, 4.77Nm, freno	1 858,00
R88M-K1K520F-BS2	285593	Accurax G5 Motor 1.5KW, 400V, 2000RPM, 7.16Nm, freno	1 984,00
R88M-K2K020F-BS2	285594	Accurax G5 Motor 2.0KW, 400V, 2000RPM, 9.55Nm, freno	2 337,00
R88M-K3K020F-BS2	285595	Accurax G5 Motor 3.0KW, 400V, 2000RPM, 14.3Nm freno	2 730,00
R88M-K4K020F-BS2	285596	Accurax G5 Motor 4.0KW, 400V, 2000RPM, 19.1Nm, freno	2 854,00
R88M-K5K020F-BS2	285597	Accurax G5 Motor 5.0KW, 400V, 2000RPM, 23.9Nm, freno	3 528,00
R88M-K90010H-S2	285598	Accurax G5 Motor 900w, 200V, 1000RPM, 8.59Nm	1 858,00
R88M-K90010F-S2	285599	Accurax G5 Motor 900w, 400V, 1000RPM, 8.59Nm	1 858,00
R88M-K2K010F-S2	285600	Accurax G5 Motor 2kW, 400V, 1000RPM, 19.1Nm	2 617,00
R88M-K3K010F-S2	285601	Accurax G5 Motor 3kW, 400V, 1000RPM, 28.7Nm	3 447,00
R88M-K90010F-BS2	285602	Accurax G5 Motor 900W, 400V, 1000RPM, 8.59Nm, freno	2 420,00
R88M-K2K010F-BS2	285603	Accurax G5 Motor 2kW, 400V, 1000RPM, 19.1Nm, freno	3 347,00
R88M-K3K010F-BS2	285604	Accurax G5 Motor 3kW, 400V, 1000RPM, 28.7Nm, freno	4 161,00
R88M-K1K030H-BS2	322929	Accurax G5 Motor 1KW, 200V, 3000RPM, 3.18Nm, freno	2 307,00
R88M-K90010H-BS2	322930	Accurax G5 Motor 900w, 200V, 1000RPM, 8.59Nm, freno	2 222,00
R88M-K90010T-S2	322931	Accurax G5 Motor 900W, 200V, 1000RPM, 8.59Nm, ENC ABS	2 182,00
R88M-K90010C-S2	322932	Accurax G5 Motor 900W, 400V, 1000RPM, 8.59Nm, ENC ABS	2 182,00
R88M-K2K010C-S2	322933	Accurax G5 Motor 2kW, 400V, 1000RPM, 19.1Nm, ENC ABS	2 954,00
R88M-K3K010C-S2	322934	Accurax G5 Motor 3kW, 400V, 1000RPM, 28.7Nm, ENC ABS	3 768,00
R88M-K90010T-BS2	322935	Accurax G5 Motor 900W, 200V, 1000RPM, 8.59Nm, freno, ENC ABS	2 574,00
R88M-K90010C-BS2	322936	Accurax G5 Motor 900w, 400V, 1000RPM, 8.59Nm, freno, ENC ABS	2 757,00
R88M-K2K010C-BS2	322937	Accurax G5 Motor 2kW, 400V, 1000RPM, 19.1Nm, freno, ENC ABS	3 656,00
R88M-K3K010C-BS2	322938	Accurax G5 Motor 3kW, 400V, 1000RPM, 28.7Nm, freno, ENC ABS	4 484,00
R88M-K05030T-S2	322939	Accurax G5 Motor 50w, 200V, 3000RPM, 0.16Nm, ENC ABS	1 282,00
R88M-K10030T-S2	322940	Accurax G5 Motor 100W, 200V, 3000RPM, 0.32Nm, ENC ABS	1 254,00
R88M-K20030T-S2	322941	Accurax G5 Motor 200w, 200V, 3000RPM, 0.64Nm, ENC ABS	1 382,00

OMRON PVPR 2023

R88M-K40030T-S2	322942	Accurax G5 Motor 400w, 200V, 3000RPM, 1.3Nm, ENC ABS	1 522,00
R88M-K75030T-S2	322943	Accurax G5 Motor 750w, 200V, 3000RPM, 2.4Nm, ENC ABS	1 829,00
R88M-K1K030T-S2	322944	Accurax G5 Motor 1KW, 200V, 3000RPM, 3.18Nm, ENC ABS	2 096,00
R88M-K1K530T-S2	322945	Accurax G5 Motor 1.5KW, 200V, 3000RPM, 4.77Nm, ENC ABS	2 420,00
R88M-K75030C-S2	322946	Accurax G5 Motor 750w, 400V, 3000RPM, 2.39Nm, ENC ABS	2 139,00
R88M-K1K030C-S2	322947	Accurax G5 Motor 1KW, 400V, 3000RPM, 3.18Nm, ENC ABS	2 155,00
R88M-K1K530C-S2	322948	Accurax G5 Motor 1.5KW, 400V, 3000RPM, 4.77Nm, ENC ABS	2 574,00
R88M-K2K030C-S2	322949	Accurax G5 Motor 2KW, 400V, 3000RPM, 6.37Nm, ENC ABS	2 589,00
R88M-K3K030C-S2	322950	Accurax G5 Motor 3KW, 400V, 3000RPM, 9.55Nm, ENC ABS	3 065,00
R88M-K4K030C-S2	322951	Accurax G5 Motor 4KW, 400V, 3000RPM, 12.7Nm, ENC ABS	3 857,00
R88M-K5K030C-S2	322952	Accurax G5 Motor 5KW, 400V, 3000RPM, 15.9Nm, ENC ABS	5 365,00
R88M-K05030T-BS2	322953	Accurax G5 Motor 50W, 200V, 3000RPM, 0.16Nm, freno, ENC ABS	1 689,00
R88M-K10030T-BS2	322954	Accurax G5 Motor 100w, 200V, 3000RPM, 0.32Nm, freno, ENC ABS	1 745,00
R88M-K20030T-BS2	322955	Accurax G5 Motor 200w, 200V, 3000RPM, 0.64Nm, freno, ENC ABS	1 887,00
R88M-K40030T-BS2	322956	Accurax G5 Motor 400w, 200V, 3000RPM, 1.3Nm, freno, ENC ABS	2 082,00
R88M-K75030T-BS2	322957	Accurax G5 Motor 750w, 200V, 3000RPM, 2.39Nm, freno, ENC ABS	2 518,00
R88M-K1K030T-BS2	322958	Accurax G5 Motor 1KW, 200V, 3000RPM, 3.18Nm, freno, ENC ABS	2 658,00
R88M-K1K530T-BS2	322959	Accurax G5 Motor 1.5KW, 200V, 3000RPM, 4.77Nm, freno, ENC ABS	3 053,00
R88M-K75030C-BS2	322960	Accurax G5 Motor 750W, 400V, 3000RPM, 2.39Nm, freno, ENC ABS	2 687,00
R88M-K1K030C-BS2	322961	Accurax G5 Motor 1.0KW, 400V, 3000RPM, 3.18Nm, freno, ENC ABS	2 687,00
R88M-K1K530C-BS2	322962	Accurax G5 Motor 1.5KW, 400V, 3000RPM, 4.77Nm, freno, ENC ABS	3 053,00
R88M-K2K030C-BS2	322963	Accurax G5 Motor 2.0KW, 400V, 3000RPM, 6.37Nm, freno, ENC ABS	3 392,00
R88M-K3K030C-BS2	322964	Accurax G5 Motor 3.0KW, 400V, 3000RPM, 9.55Nm, freno, ENC ABS	4 105,00
R88M-K4K030C-BS2	322965	Accurax G5 Motor 4.0KW, 400V, 3000RPM, 12.7Nm, freno, ENC ABS	4 639,00
R88M-K5K030C-BS2	322966	Accurax G5 Motor 5.0KW, 400V, 3000RPM, 15.9Nm, freno, ENC ABS	6 020,00
R88M-K1K020T-S2	322967	Accurax G5 Motor 1KW, 200V, 2000RPM, 4.77Nm, ENC ABS	1 564,00
R88M-K1K520T-S2	322968	Accurax G5 Motor 1.5KW, 200V, 2000RPM, 7.16Nm, ENC ABS	1 818,00
R88M-K40020C-S2	322969	Accurax G5 Motor 400W, 400V, 2000RPM, 1.91Nm, ENC ABS	1 366,00
R88M-K60020C-S2	322970	Accurax G5 Motor 600W, 400V, 2000RPM, 2.86Nm, ENC ABS	1 619,00
R88M-K1K020C-S2	322971	Accurax G5 Motor 1KW, 400V, 2000RPM, 4.77Nm, ENC ABS	1 705,00
R88M-K1K520C-S2	322972	Accurax G5 Motor 1.5KW, 400V, 2000RPM, 7.16Nm, ENC ABS	1 829,00
R88M-K2K020C-S2	322973	Accurax G5 Motor 2KW, 400V, 2000RPM, 9.55Nm, ENC ABS	2 027,00
R88M-K3K020C-S2	322974	Accurax G5 Motor 3KW, 400V, 2000RPM, 14.3Nm, ENC ABS	2 435,00

OMRON PVPR 2023

R88M-K4K020C-S2	322975	Accurax G5 Motor 4KW, 400V, 2000RPM, 19.1Nm, ENC ABS	2 554,00
R88M-K5K020C-S2	322976	Accurax G5 Motor 5KW, 400V, 2000RPM, 23.9Nm, ENC ABS	3 089,00
R88M-K1K020T-BS2	322977	Accurax G5 Motor 1KW, 200V, 2000RPM, 4.77Nm, freno, ENC ABS	1 984,00
R88M-K1K520T-BS2	322978	Accurax G5 Motor 1.5KW, 200V, 2000RPM, 7.16Nm, freno, ENC ABS	2 307,00
R88M-K40020C-BS2	322979	Accurax G5 Motor 400W, 400V, 2000RPM, 1.91Nm, freno, ENC ABS	1 774,00
R88M-K60020C-BS2	322980	Accurax G5 Motor 600W, 400V, 2000RPM, 2.86Nm, ENC ABS, freno	2 096,00
R88M-K1K020C-BS2	322981	Accurax G5 Motor 1KW, 400V, 2000RPM, 4.77Nm, freno, ENC ABS	2 250,00
R88M-K1K520C-BS2	322982	Accurax G5 Motor 1.5KW, 400V, 2000RPM, 7.16Nm, freno, ENC ABS	2 362,00
R88M-K2K020C-BS2	322983	Accurax G5 Motor 2KW, 400V, 2000RPM, 9.55Nm, freno, ENC ABS	2 687,00
R88M-K3K020C-BS2	322984	Accurax G5 Motor 3KW, 400V, 2000RPM, 14.3Nm, freno, ENC ABS	3 137,00
R88M-K4K020C-BS2	322985	Accurax G5 Motor 4KW, 400V, 2000RPM, 19.1Nm, freno, ENC ABS	3 282,00
R88M-K5K020C-BS2	322986	Accurax G5 Motor 5KW, 400V, 2000RPM, 23.9Nm, freno, ENC ABS	3 843,00
R88M-K20030H-OS2	345287	Accurax G5 Motor 200W, 200V, 3000RPM, 0.64Nm, OIL SEAL	1 126,00
R88M-K1K520F-OS2	348637	Accurax G5 Motor 1.5KW, 400V, 2000RPM, 7.16Nm, OIL SEAL	1 478,00
R88M-K60020F-BOS2	348638	G5 Series AC servo motor, 600 W, 400 VAC, 2000 rpm, 2.86 Nm, incremental, with encoder	1 730,00
R88M-K15K015C-BOS2	352691	Accurax G5 Motor 15kW, 400V, 1500RPM, 95.5Nm, freno, ENC ABS, Oil	10 700,00
R88M-K6K010C-S2	352695	Accurax G5 Motor 6kW, 400V, 1000RPM, 57.3Nm, ENC ABS	5 630,00
R88M-K7K515C-S2	352696	Accurax G5 Motor 7.5kW, 400V, 1500RPM, 47.8Nm, ENC ABS	5 630,00
R88M-K15K015C-S2	352697	Accurax G5 Motor 15kW, 400V, 1500RPM, 95.5Nm, ENC ABS	8 320,00
R88M-K6K010C-BOS2	352701	Accurax G5 Motor 6kW, 400V, 1000RPM, 57.3Nm, freno, ENC ABS, Oil	6 490,00
R88M-K7K515C-BOS2	352702	Accurax G5 motor, 7.5kW 400V 1500RPM, 47.8Nm, freno, ENC ABS, Oil	6 490,00
R88M-K3K030F-B	352741	Accurax G5 Motor, 3kW, 400V, 3000RPM, 9.55Nm, inc., freno	3 656,00
R88M-K11K015C-S2	352743	Accurax G5 motor, 11kW, 400V, 1500RPM, 70Nm, ENC ABS	6 570,00
R88M-K11K015C-BOS2	352745	Accurax G5 Motor 11kW, 400V, 1500RPM, 70Nm, freno, ENC ABS, Oil	8 250,00
R88M-K2K030H-S2	354007	Accurax G5 Motor 2kW, 3-230Vac, 3000RPM, 6.37Nm.	2 687,00
R88M-K20030H-O	354009	G5 series AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, Incremental encoder	1 121,00
R88M-K5K030H-S2	354012	G5 Series AC servo motor, 5.0KW, 200vac, 3000RPM, 15.9Nm, incremental	3 239,00
R88M-K3K030H-BS2	354013	Accurax G5 Motor 3kW, 3-230Vac, 3000RPM, 9.55Nm., freno	3 359,00
R88M-K4K030H-BS2	354014	Accurax G5 Motor 4kW, 3-230Vac, 3000RPM, 12.7Nm., freno	3 788,00
R88M-K2K030T-S2	354016	G5 series AC servo motor, 2 kW, 200 VAC, 3000 rpm, 6.37 Nm, Absolute encoder	2 400,00
R88M-K5K030T-BS2	354023	G5 series AC servo motor, 5 kW, 200 VAC, 3000 rpm, 15.9 Nm, Absolute encoder	4 277,00
R88M-K5K020T-BS2	354038	G5 series AC servo motor, 5 kW, 200 VAC, 2000 rpm, 23.9 Nm, Absolute encoder	3 662,00
R88M-K40030H-OS2	354063	Accurax G5 Motor 400W, 200V, 3000RPM, 1.3Nm, OIL SEAL	1 352,00

OMRON PVPR 2023

R88M-K20030H-BO	354107	G5 series AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, Incremental encoder	1 802,00
R88M-K75030H-OS2	354796	Accurax G5 Motor 750W, 200V, 3000RPM, 2.4Nm, OIL SEAL	2 096,00
R88M-K1K030F-OS2	354797	Accurax G5 Motor 1 kW, 400V 3000RPM, 3,18 Nm, encoder incremental, con jua	1 942,00
R88M-K20030H-BOS2	356384	Accurax G5 Motor 200W, 200V, 3000RPM, 0.64Nm, freno, Oil	1 802,00
R88M-K4K510C-S2	356385	Accurax G5 Motor 4.5Kw, 400V, 1000RPM, 43Nm, ENC ABS	4 323,00
R88M-K3K020C-BOS2	356698	Accurax G5 Motor, 3KW, 400V, 2000RPM, 14.3Nm, freno, ENC ABS, Oil	3 486,00
R88M-K7K515C-OS2	357030	Accurax G5 Servomotor, 7.5kW, 400vac, 1500RPM, 47.8Nm, abs,OilSeal	5 765,00
R88M-K75030F-OS2	366123	G5 series AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, Incremental encoder	1 944,00
R88M-K2K030F-BOS2	372397	Accurax G5 Motor 2kW, 400V, 3000RPM, 6.37Nm., freno, Oil	3 009,00
R88M-K90010F-OS2	373206	G5 series AC servo motor, 900 W, 400 VAC, 1000 rpm, 8.59 Nm, Incremental encoder	1 987,00
R88M-K2K010F-OS2	373207	G5 series AC servo motor, 2 kW, 400 VAC, 1000 rpm, 19.1 Nm, Incremental encoder	2 742,00
R88M-K2K010F-BOS2	373210	G5 series AC servo motor, 2 kW, 400 VAC, 1000 rpm, 19.1 Nm, Incremental encoder	3 468,00
R88M-K4K510C-OS2	373212	G5 series AC servo motor, 4.5 kW, 400 VAC, 1000 rpm, 43 Nm, Absolute encoder	4 417,00
R88M-K4K510C-BOS2	373213	Accurax G5 Motor 4,5kW, 400V, 1000 rpm, 43 Nm, encoder absoluto, con freno	5 005,00
R88M-K3K030F-BOS2	374827	Accurax G5 Motor, 3kW, 400V, 3000RPM, 9.55Nm, inc., freno, Oil seal	3 798,00
R88M-KH1K020F-S1	374909	Accurax G5H Motor 1.0KW, 400V, 2000RPM, 4.77Nm	1 395,00
R88M-KH1K520F-S1	374910	Accurax G5H Motor 1.5KW, 400V, 2000RPM, 7.16Nm	1 536,00
R88M-KH2K020C-S1	375948	Accurax G5H Motor 2KW, 400V, 2000RPM, 9.55Nm, ENC ABS	2 237,00
R88M-KH3K020C-S1	375949	Accurax G5H Motor 3KW, 400V, 2000RPM, 14.3Nm, ENC ABS	2 673,00
R88M-K2K020F-BOS2	377242	Accurax G5 Motor 2.0KW, 400V, 2000RPM, 9.55Nm, freno, Oil seal	2 462,00
R88M-KH1K020F-BS1	377699	Accurax G5H Motor 1.0KW, 400V, 2000RPM, 4.77Nm, freno	2 055,00
R88M-KH1K020C-S1	377700	Accurax G5H Motor 1KW, 400V, 2000RPM, 4.77Nm, ENC ABS	1 873,00
R88M-KH1K020C-BS1	377701	Accurax G5H Motor 1KW, 400V, 2000RPM, 4.77Nm, freno, ENC ABS	2 478,00
R88M-KH1K520F-BS1	377702	Accurax G5H Motor 1.5KW, 400V, 2000RPM, 7.16Nm, freno	2 182,00
R88M-KH1K520C-S1	377703	Accurax G5H Motor 1.5KW, 400V, 2000RPM, 7.16Nm, ENC ABS	2 027,00
R88M-KH1K520C-BS1	377704	Accurax G5H Motor 1.5KW, 400V, 2000RPM, 7.16Nm, freno, ENC ABS	2 601,00
R88M-KH2K020F-BS1	377705	Accurax G5H Motor 2KW, 400V, 2000RPM, 9.55Nm, freno	2 574,00
R88M-KH2K020C-BS1	377706	Accurax G5H Motor 2KW, 400V, 2000RPM, 9.55Nm, freno, ENC ABS	2 967,00
R88M-KH3K020F-BS1	377707	Accurax G5H Motor 3.0KW, 400V, 2000RPM, 14.3Nm freno	3 009,00
R88M-KH3K020C-BS1	377708	Accurax G5H Motor 3KW, 400V, 2000RPM, 14.3Nm, freno, ENC ABS	3 447,00
R88M-KH4K020F-S1	377709	Accurax G5H Motor 4KW, 400V, 2000RPM, 19.1Nm	2 361,00
R88M-KH4K020F-BS1	377710	Accurax G5H Motor 4KW, 400V, 2000RPM, 19.1Nm, freno	3 144,00
R88M-KH4K020C-S1	377711	Accurax G5H Motor 4KW, 400V, 2000RPM, 19.1Nm, ENC ABS	2 829,00

OMRON PVPR 2023

R88M-KH4K020C-BS1	377712	Accurax G5H Motor 4KW, 400V, 2000RPM, 19.1Nm, freno, ENC ABS	3 595,00
R88M-KH5K020F-S1	377713	Accurax G5H Motor 5KW, 400V, 2000RPM, 23.9Nm	3 062,00
R88M-KH5K020F-BS1	377714	Accurax G5H Motor 5KW, 400V, 2000RPM, 23.9Nm, freno	3 899,00
R88M-KH5K020C-S1	377715	Accurax G5H Motor 5KW, 400V, 2000RPM, 23.9Nm, ENC ABS	3 403,00
R88M-KH5K020C-BS1	377716	Accurax G5H Motor 5KW, 400V, 2000RPM, 23.9Nm, freno, ENC ABS	4 226,00
R88M-KH7K515C-S1	377717	Accurax G5H Motor 7.5kW, 400V, 1500RPM, 47.8Nm, ENC ABS	6 195,00
R88M-KH2K020F-S1	377859	Accurax G5H Motor 2KW, 400V, 2000RPM, 9.55Nm	1 818,00
R88M-KH3K020F-S1	377860	Accurax G5H Motor 3KW, 400V, 2000RPM, 14.3Nm	2 268,00
R88M-KH7K515C-BS1	377862	Accurax G5H Motor 7.5kW 400V 1500RPM, 47.8Nm, freno, ENC ABS	7 135,00
R88M-KH20030H-S2-D	378076	Servomotor G5 de Alta Inercia, 230 VAC, 200 W, 3000 rpm, enc inc	1 270,00
R88M-KH75030H-BS2-D	378085	Servomotor G5 de Alta Inercia, 230 VAC, 750 W, 3000 rpm, enc inc, freno	2 424,00
R88M-K2K030C-BOS2	380405	G5 Motor 2KW, 400V, 3000RPM, 6.37Nm, freno, ENC ABS, Oil Seal	3 558,00
R88M-K3K020F-BOS2	382707	Accurax G5 Motor 3kW, 400V, 3000RPM, 14.3Nm., freno, Oil Seal	2 799,00
R88M-K5K030F-B	386590	Accurax G5 Motor 5kW, 400V, 3000RPM, 15.9Nm, freno	5 645,00
R88M-K2K030H-BS2	410308	Accurax G5 Motor 2kW, 3-230Vac, 3000RPM, 6.37Nm., freno	2 294,00
R88M-K75030C-BOS2	668108	Accurax G5 Motor 750W, 400V, 3000RPM, encoder absoluto, con freno, con jun	2 805,00
R88M-K4K030C-BOS2	685563	G5 series AC servo motor, 4 kW, 400 VAC, 3000 rpm, 12.7 Nm, Absolute encode	3 806,00
R88M-K75030F-BOS2	668109	G5 series motor 750W 400V 3000RPM, with incremental encoder, brake and oil	2 394,00
R88M-K75030H-BOS2	672008	Accurax G5 Motor 750W, 200V, 3000RPM, 2.4Nm, OIL SEAL, freno	2 533,00
R88M-K5K030C-BOS2	685564	G5 series AC servo motor, 5 kW, 400 VAC, 3000 rpm, 15.9 Nm, Absolute encode	4 854,00
R88M-K40020F-BOS2	701414	G5 series AC servo motor, 400 W, 400 VAC, 2000 rpm, 1.91 Nm, Incremental enc	1 462,00
R88M-K20030H-S2	703055	G5 series AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, Incremental enc	1 033,00
R88M-K40030H-S2	703054	G5 series AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, Incremental enc	1 174,00
R88M-K75030H-S2	703053	G5 series AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, Incremental enc	1 458,00
R88M-K20030H-BS2	703050	G5 series AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, Incremental enc	1 528,00
R88M-K75030H-BS2	703048	G5 series AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, Incremental enc	2 192,00
SGMAH-04A1A6CD-OY	112591	Motor 400W 3000rpm Interconec. Con freno encoder absol.	15 430,00
SGMJV-01ADA61	249130	Servomotor Sigma-5 200V 100w 3.000 r.p.m. Enc. INC 20 bits	1 216,00
SGMAV-C2A3A21	251434	Servomotor Sigma-5 200V 150w 3000 r.p.m. Eje recto	2 032,00
SGMGV-55DDA6F	255482	Sigma 5 driver, 400vac, 5.5kW, 35Nm	4 374,00
SGMGV-55DDA6H	255483		5 530,00
SGMGV-75DDA6F	255484	Servomotor Sigma-5 400V 7.5Kw 1.5000 r.p.m.	5 810,00
SGMGV-75DDA6H	255485	Servomotor Sigma-5 400V 7.5Kw 1.5000 r.p.m. con freno	8 250,00

OMRON PVPR 2023

SGMGV-1EDDA6F	255488	Servomotor Sigma-5 400V 15Kw 1.5000 r.p.m.	11 510,00
SGMAV-04A3A61	280151	Servomotor Sigma-5 200V 400w 3000 r.p.m. Encoder ABS	2 185,00
SGMEV-03DDA61	305184	Servomotor Sigma-5 SGMEV 400V 300w 3000 r.p.m.	1 940,00
SGMAV-06A3A21	320491	Servomotor Sigma-5 200V 550w 3000 r.p.m. ENC ABS Eje sin Chaveta	2 752,00
SGMSV-50DDA6F-OY	324429	Servomotor Sigma-5 400V 5Kw 3000 r.p.m.	3 734,00
SGMSV-30DDA6H-OY	328035	Servomotor Sigma-5 400V 3Kw 3000 r.p.m. con freno	3 523,00
SGMSV-30D3A6H	328322	Servomotor Sigma-5 400V 3Kw 3000 r.p.m. Encoder ABS y con freno	4 457,00
SGMAV-01ADA61	329148	Servomotor Sigma-5 200V 100w 3000 r.p.m.	1 170,00
SGMAV-04A3A6C	329823	Servomotor Sigma-5 200V 400w 3000 r.p.m. Encoder ABS y con freno	2 952,00
SGMAV-01A3A61	330236	Servomotor Sigma-5 200V 100w 3000 r.p.m. Encoder ABS	1 785,00
SGMAV-02A3A61	330239	Servomotor Sigma-5 200V 200w 3000 r.p.m. Encoder ABS	1 986,00
SGMAV-02A3A6C	330240	Servomotor Sigma-5 200V 200w 3000 r.p.m. Enc. ABS con freno	2 076,00
SGMAV-02ADA61	330241	Servomotor Sigma-5 200V 200w 3000 r.p.m.	1 432,00
SGMAV-04ADA61	330243	Servomotor Sigma-5 200V 400w 3000 r.p.m.	1 633,00
SGMAV-04ADA6C	330244	Servomotor Sigma-5 200V 400w 3000 r.p.m. con freno	2 399,00
SGMAV-06ADA6C	330248	Servomotor Sigma-5 200V 650w 3000 r.p.m. con freno	2 937,00
SGMAV-08A3A61	330249	Servomotor Sigma-5 200V 750w 3000 r.p.m. Encoder ABS	2 602,00
SGMAV-08A3A6C	330250	Servomotor Sigma-5 200V 750w 3000 r.p.m. Enc. ABS y freno	3 029,00
SGMAV-08ADA61	330251	Servomotor Sigma-5 200V 750w 3000 r.p.m.	2 032,00
SGMAV-08ADA6C	330252	Servomotor Sigma-5 200V 750w 3.000r.p.m. con freno	2 891,00
SGMAV-10ADA61	330255	Servomotor Sigma-5 200V 1Kw 3000r.p.m.	2 032,00
SGMAV-C2A3A61	330260	Servomotor Sigma-5 200V 150w 3000 r.p.m. Encoder ABS	2 047,00
SGMEV-02ADA61	330268		1 091,00
SGMEV-04ADA61	330277	Servomotor Sigma-5 SGMEV 200V 400w 3000 r.p.m.	1 633,00
SGMEV-04ADA6C	330278		1 900,00
SGMEV-04DDA61	330281	Servomotor Sigma-5 SGMEV 400V 400w 3000 r.p.m.	1 940,00
SGMEV-04DDA6C	330282		2 089,00
SGMEV-07DDA61	330285	AC Motor 400V 3ph, 0.65kW(2.07Nm rated,7.16Nm peak) 20bit IncEnc	2 405,00
SGMEV-07DDA6C	330286	Servomotor Sigma-5 SGMEV 400V 650w 3000 r.p.m. con freno	2 847,00
SGMEV-08ADA61	330289	Servomotor Sigma-5 SGMEV 200V 750w 3000 r.p.m.	1 742,00
SGMEV-08DDA61	330293	Servomotor Sigma-5 SGMEV 400V 800w 3000 r.p.m.	2 416,00
SGMEV-15DDA61	330300		3 231,00
SGMGV-05DDA6F	330308	Servomotor Sigma-5 400V 450W 1.5000 r.p.m.	1 352,00

OMRON PVPR 2023

SGMGV-09D3A6F	330310	Servomotor Sigma-5 400V 850W 1.5000 r.p.m. encoder absoluto	2 170,00
SGMGV-20DDA6H	330321	Sigma V, AC servo motor, 1.8kW, 1500rpm, 11.5Nm, dust seal with brake.	2 976,00
SGMGV-30D3A6F	330322	Sigma V, AC servo motor, 2.9 kW, 1500 rpm, 18.6 Nm, absolute, dust seal	2 731,00
SGMGV-30D3A6H	330323	Servomotor Sigma-5 400V 3Kw 1.5000 r.p.m. encoder absoluto y freno	4 366,00
SGMJV-01A3A61	330329	Servomotor Sigma-5 200V 100w 3.000 rpm Enc. ABS 20 bits	1 594,00
SGMJV-02AAA61	330335	Servomotor Sigma-5 200V 200w 3.000 rpm Enc. INC 20 bits	1 170,00
SGMJV-02ADA61	330337	Servomotor Sigma-5 200V 200w 3.000 r.p.m. Enc. INC 20 bits	1 432,00
SGMJV-04A3A61	330339	Servomotor Sigma-5 230V 400w 3000 r.p.m. Encoder ABS	2 185,00
SGMJV-04A3A6C	330340	Sigma V, AC servo motor, 400W, 3000rpm, 1.27Nm, absolute, with brake	4 290,00
SGMJV-04AAA61	330341	Servomotor Sigma-5 230V 400w 3000 r.p.m.	1 633,00
SGMJV-04ADA61	330343	Servomotor Sigma-5 200V 400w 3.000 r.p.m. Enc. INC 20 bits	1 633,00
SGMJV-08A3A61	330345	Servomotor Sigma-5 230V 750w 3000 r.p.m. Encoder ABS	2 602,00
SGMJV-08A3A6C	330346	Servomotor Sigma-5 230V 750w 3000 r.p.m. Encoder ABS y con freno	3 474,00
SGMJV-08ADA61	330349	Servomotor Sigma-5 200V 750w 3.000 r.p.m. Enc. INC 20 bits	2 032,00
SGMSV-10DDA6F-OY	330355	Servomotor Sigma-5 400V 1Kw 3000 r.p.m.	2 202,00
SGMSV-10DDA6H-OY	330356	Servomotor Sigma-5 400V 1Kw 3000 r.p.m. con freno	2 232,00
SGMSV-15DDA6F-OY	330357	Servomotor Sigma-5 400V 1.5Kw 3000 r.p.m.	2 371,00
SGMSV-15DDA6H-OY	330358	Sigma V, AC servo motor, 1.5kW, 3000rpm, 4.9Nm, 13 bit, with brake	2 746,00
SGMSV-20DDA6F-OY	330359	Servomotor Sigma-5 400V 2Kw 3000 r.p.m.	2 555,00
SGMSV-20DDA6H-OY	330360	Servomotor Sigma-5 400V 2Kw 3000 r.p.m. con freno	2 984,00
SGMSV-30DDA6F-OY	330361	Servomotor Sigma-5 400V 3Kw 3000 r.p.m.	2 723,00
SGMSV-40DDA6H-OY	330363	Servomotor Sigma-5 400V 4Kw 3000 r.p.m. con freno	4 457,00
SGMGV-55D3A6H	354368	Servomotor Sigma-5 400V 5.5Kw 1.5000 r.p.m. encoder absoluto y freno	9 320,00
SGMGV-09DDA6F	355345	Servomotor Sigma-5 400V 850W 1.5000 r.p.m.	1 771,00
SGMGV-09DDA6H	355346	AC Motor 400V 3ph,0.85kW (5.39Nm rated, 13.8Nm peak) 20bit IncEnc, DustS +	2 059,00
SGMGV-13DDA6F	355347	Servomotor Sigma-5 400V 1.3Kw 1.500 r.p.m.	1 708,00
SGMGV-13DDA6H	355348	AC Motor 400V 3ph,1.30kW (8.34Nm rated, 23.3Nm peak) 20bit IncEnc, DustS +	2 184,00
SGMGV-20DDA6F	355349	Servomotor Sigma-5 SGMGV 400V 2Kw 1500 r.p.m.	2 101,00
SGMGV-30DDA6F	355353	Servomotor Sigma-5 SGMGV 400V 3Kw 1500 r.p.m.	2 631,00
SGMGV-30DDA6H	355354	Sigma V, AC servo motor, 2.9 kW, 1500 rpm, 18.6 Nm, dust seal with brake	3 032,00
SGMGV-44DDA6F	355355	Servomotor Sigma-5 400V 4.4Kw 1.5000 r.p.m.	3 062,00
SGMGV-44DDA6H	355356	Sigma V, AC servo motor, 4.4kW, 1500rpm, 28.4Nm, dust seal with brake.	3 926,00
SGMSV-40D3A6H	328652	Servomotor Sigma-5 400V 4Kw 3000 r.p.m. Enc. ABS con freno	4 917,00

OMRON PVPR 2023

SGMJV-04ADA6C	330344	Sigma V, AC servo motor, 400W, 3000rpm, 1.27Nm, with brake	3 908,00
SGMVV-2BD3B6N	410792	Servomotor Sigma-5 400V 22Kw 1.5000 r.p.m. ENC. ABS.	19 530,00
SGMVV-3ZD3B6N	658946	Sigma5 Motor 400V 3ph,30kW (191Nm rated, 478Nm peak) 1.500 rpm, 20bit Ab	20 970,00
SGMVV-3GD3B6G	658949	Sigma5 Motor 400V 3ph,37kW (236Nm rated, 589Nm peak) 1.500 rpm, Brake+D	29 190,00
SGMVV-5ED3B6N	658952	Sigma5 Motor 400V 3ph,55kW (350Nm rated, 875Nm peak) 1.500 rpm, 20bit Ab	21 280,00
R88E-AECT0230E-S2	419077	Integrated Motor 2.55 Nm 880 W 80x80mm Absoluto	3 223,00
R88E-AECT0330E-S2	419078	Integrated Motor 3.2 Nm 1 kW 80x80mm Absoluto	3 389,00
R88E-AECT0430E-S2	419079	Integrated Motor 4.3 Nm 1.35 kW 100x100mm Absoluto	3 501,00
R88E-AECT0530E-S2	419080	Integrated Motor 5.0 Nm 1.57 kW 100x100mm Absoluto	4 164,00
R88E-AECT1130E-S2	419081	Integrated Motor 11.7 Nm 3.67 kW 142x142mm Absoluto	6 740,00
R88E-AECT2530E-S2	419082	Integrated Motor 25 Nm 7.85 kW 190x190mm Absoluto	10 350,00
R88E-AECT0230E-BS2	419083	Integrated Motor 2.55 Nm 880 W 80x80mm Absoluto y Freno	3 765,00
R88E-AECT0330E-BS2	419084	Integrated Motor 3.2 Nm 1 kW 80x80mm Absoluto y Freno	3 916,00
R88E-AECT0430E-BS2	419085	Integrated Motor 4.3 Nm 1.35 kW 100x100mm Absoluto y Freno	4 027,00
R88E-AECT0530E-BS2	419086	Integrated Motor 5.0 Nm 1.57 kW 100x100mm Absoluto y Freno	4 692,00
R88E-AECT1130E-BS2	419087	Integrated Motor 11.7 Nm 3.67 kW 142x142mm Absoluto y Freno	7 445,00
R88E-AECT2530E-BS2	419088	Integrated Motor 25 Nm 7.85 kW 190x190mm Absoluto y Freno	11 030,00
R88E-AECT0230D-S2	419089	Integrated Motor 2.55 Nm 880 W 80x80mm Incremental	2 641,00
R88E-AECT0330D-S2	419090	Integrated Motor 3.2 Nm 1 kW 80x80mm Incremental	2 776,00
R88E-AECT0430D-S2	419091	Integrated Motor 4.3 Nm 1.35 kW 100x100mm Incremental	2 890,00
R88E-AECT0530D-S2	419092	Integrated Motor 5.0 Nm 1.57 kW 100x100mm Incremental	3 528,00
R88E-AECT1130D-S2	419093	Integrated Motor 11.7 Nm 3.67 kW 142x142mm Incremental	6 130,00
R88E-AECT2530D-S2	419094	Integrated Motor 25 Nm 7.85 kW 190x190mm Incremental	9 555,00
R88E-AECT0230D-BS2	419095	Integrated Motor 2.55 Nm 880 W 80x80mm Incremental y Freno	3 137,00
R88E-AECT0330D-BS2	419096	Integrated Motor 3.2 Nm 1 kW 80x80mm Incremental y Freno	3 293,00
R88E-AECT0430D-BS2	419097	Integrated Motor 4.3 Nm 1.35 kW 100x100mm Incremental y Freno	3 403,00
R88E-AECT0530D-BS2	419098	Integrated Motor 5.0 Nm 1.57 kW 100x100mm Incremental y Freno	4 042,00
R88E-AECT1130D-BS2	419099	Integrated Motor 11.7 Nm 3.67 kW 142x142mm Incremental y Freno	6 815,00
R88E-AECT2530D-BS2	419100	Integrated Motor 25 Nm 7.85 kW 190x190mm Incremental y Freno	10 250,00
R88E-AECT0230D	419113	Integrated AC servo motor, 880 W, 560 VDC, 3000 rpm, 2.55 Nm, Incremental e	2 641,00
R88E-AECT0230D-B	419119	Integrated AC servo motor, 880 W, 560 VDC, 3000 rpm, 2.55 Nm, Incremental e	3 137,00
R88M-1M10030T	689219	1S AC servo motor, 100 W, 230 VAC, 3000 rpm, 0.318 Nm, absolute encoder, no	816,50
R88M-1M40030T	685078	1S AC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, absolute encoder, no k	1 130,00

OMRON PVPR 2023

R88M-1M75030T-B	685079	1S AC servo motor, 750 W, 230 VAC, 3000 rpm, 2.39 Nm, absolute encoder, with	1 754,00
R88M-1M20030T	693914	1S AC servo motor, 200 W, 230 VAC, 3000 rpm, 0.637 Nm, absolute encoder, no	961,50
R88M-1M75030T-S2	670744	1S AC servo motor, 750 W, 230 VAC, 3000 rpm, 2.39 Nm, encoder absoluto	1 325,00
R88M-1M20030T-BS2	670746	1S AC servo motor, 200 W, 230 VAC, 3000 rpm, 0.637 Nm, encoder absoluto, co	1 325,00
R88M-1M40030T-BS2	670749	1S AC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, encoder absoluto, con	1 530,00
R88M-1M1K020C-B	693915	1S AC servo motor, 1 kW, 400 VAC, 2000 rpm, 4.77 Nm, absolute encoder, with	1 663,00
R88M-1M60020C-OS2	687736	1S AC servo motor, 600 W, 400 VAC, 2000 rpm, 2.86 Nm, absolute encoder, with	1 305,00
R88M-1M75030T	685080	1S AC servo motor, 750 W, 230 VAC, 3000 rpm, 2.39 Nm, absolute encoder, no k	1 398,00
R88M-1M75030T-OS2	675331	1S AC servo motor, 750 W, 230 VAC, 3000 rpm, 2.39 Nm, absolute encoder, with	1 434,00
R88M-1M40030T-S2	670755	1S AC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, encoder absoluto	1 130,00
R88M-1M75030T-BS2	670759	1S AC servo motor, 750 W, 230 VAC, 3000 rpm, 2.39 Nm, encoder absoluto, con	1 760,00
R88M-1M2K020C-B	693916	1S AC servo motor, 2 kW, 400 VAC, 2000 rpm, 9.55 Nm, absolute encoder, with	2 081,00
R88M-1M20030T-B	693917	1S AC servo motor, 200 W, 230 VAC, 3000 rpm, 0.637 Nm, absolute encoder, wi	1 331,00
R88M-1M20030T-S2	670733	1S AC servo motor, 200 W, 230 VAC, 3000 rpm, 0.637 Nm, encoder absoluto	970,00
R88M-1M20030T-OS2	684247	1S AC servo motor, 200 W, 230 VAC, 3000 rpm, 0.637 Nm, absolute encoder, wi	994,00
R88M-1M10030T-BOS2	680062	1S AC servo motor, 100 W, 230 VAC, 3000 rpm, 0.318 Nm, absolute encoder, wi	1 343,00
R88M-1M40030T-BOS2	679421	1S AC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, absolute encoder, with	1 559,00
R88M-1M1K020C	693918	1S AC servo motor, 1 kW, 400 VAC, 2000 rpm, 4.77 Nm, absolute encoder, no ke	1 415,00
R88M-1M10030T-BS2	670732	1S AC servo motor, 100 W, 230 VAC, 3000 rpm, 0.318 Nm, encoder absoluto, co	1 248,00
R88M-1M40030T-B	693919	1S AC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, absolute encoder, with	1 524,00
R88M-1M10030T-S2	670742	1S AC servo motor, 100 W, 230 VAC, 3000 rpm, 0.318 Nm, encoder absoluto	906,00
R88M-1M10030T-OS2	680123	Servomotor 1S CA, 100 W, 230 V CA, 3000 rpm, 0,318 Nm, encoder absoluto, co	925,50
R88M-1M40030T-OS2	675330	1S AC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, absolute encoder, with	1 261,00
R88M-1L1K530T-S2	672255	1S AC servo motor, 1.5 kW, 230 VAC, 3000 rpm, 4.77 Nm, encoder absoluto	1 785,00
R88M-1L2K030C-S2	672257	1S AC servo motor, 2 kW, 400 VAC, 3000 rpm, 6.37 Nm, encoder absoluto	2 208,00
R88M-1L1K030T-BS2	672245	1S AC servo motor, 1 kW, 230 VAC, 3000 rpm, 3.18 Nm, encoder absoluto, con f	1 901,00
R88M-1L1K030C	689104	Servomotor 1S CA, 1 kW, 400 V CA, 3000 rpm, 3,18 Nm, encoder absoluto, sin ll	1 723,00
R88M-1L2K030T-BS2	695701	1S AC servo motor, 2 kW, 230 VAC, 3000 rpm, 6.37 Nm, absolute encoder, with	2 603,00
R88M-1L1K530C-BS2	672249	1S AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, encoder absoluto, cor	2 273,00
R88M-1L3K030C-BS2	672251	1S AC servo motor, 3 kW, 400 VAC, 3000 rpm, 9.55 Nm, encoder absoluto, con f	3 056,00
R88M-1L75030C-BS2	672253	1S AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, encoder absoluto, con	1 953,00
R88M-1L1K030C-BOS2	685442	Servomotor 1S CA, 1 kW, 400 Vca, 3000 rpm, 3,18 Nm, encoder absoluto, con fr	2 154,00
R88M-1L2K030C-OS2	683190	1S AC servo motor, 2 kW, 400 VAC, 3000 rpm, 6.37 Nm, absolute encoder, with	2 246,00

OMRON PVPR 2023

R88M-1L1K530T-BS2	672246	1S AC servo motor, 1.5 kW, 230 VAC, 3000 rpm, 4.77 Nm, encoder absoluto, con f	2 247,00
R88M-1L3K030T-BS2	689491	Servomotor 1S AC, 3 kW, 230 VCA, 3000 rpm, 9.55 Nm, encoder absoluto, con f	3 035,00
R88M-1L1K030C-S2	672248	1S AC servo motor, 1 kW, 400 VAC, 3000 rpm, 3.18 Nm, encoder absoluto	1 723,00
R88M-1L2K030C-BS2	672244	1S AC servo motor, 2 kW, 400 VAC, 3000 rpm, 6.37 Nm, encoder absoluto, con f	2 594,00
R88M-1L3K030C-BOS2	673718	1S AC servo motor, 3 kW, 400 VAC, 3000 rpm, 9.55 Nm, encoder absoluto, con f	3 145,00
R88M-1L2K030C-BOS2	673719	1S AC servo motor, 2 kW, 400 VAC, 3000 rpm, 6.37 Nm, encoder absoluto, con f	2 683,00
R88M-1L1K530C-S2	672250	1S AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, encoder absoluto	1 875,00
R88M-1L1K030C-BS2	672247	1S AC servo motor, 1 kW, 400 VAC, 3000 rpm, 3.18 Nm, encoder absoluto, con f	2 029,00
R88M-1L2K030C	680400	1S AC servo motor, 2 kW, 400 VAC, 3000 rpm, 6.37 Nm, absolute encoder, no ke	2 208,00
R88M-1L3K030C	680403	1S AC servo motor, 3 kW, 400 VAC, 3000 rpm, 9.55 Nm, absolute encoder, no ke	2 517,00
R88M-1L1K030T-S2	672254	1S AC servo motor, 1 kW, 230 VAC, 3000 rpm, 3.18 Nm, encoder absoluto	1 517,00
R88M-1L75030C-S2	672256	1S AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, encoder absoluto	1 696,00
R88M-1L3K030C-S2	672252	1S AC servo motor, 3 kW, 400 VAC, 3000 rpm, 9.55 Nm, encoder absoluto	2 517,00
R88M-1L75030C-BOS2	695806	1S AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, absolute encoder, with	2 074,00
R88M-1L1K530C-BOS2	695776	1S AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, absolute encoder, with	2 394,00
R88M-1M2K020C	693920	1S AC servo motor, 2 kW, 400 VAC, 2000 rpm, 9.55 Nm, absolute encoder	1 605,00
R88M-1M90010T-S2	679967	1S AC servo motor, 900 W, 230 VAC, 1000 rpm, 8.59 Nm, encoder absoluto	1 595,00
R88M-1M90010C-S2	679980	1S AC servo motor, 900 W, 400 VAC, 1000 rpm, 8.59 Nm, encoder absoluto	1 517,00
R88M-1M90010C-BS2	679976	1S AC servo motor, 900 W, 400 VAC, 1000 rpm, 8.59 Nm, encoder absoluto, con	1 973,00
R88M-1M2K020T-S2	695012	1S AC servo motor, 2 kW, 200 VAC, 2000 rpm, 9.55 Nm, absolute encoder	1 605,00
R88M-1M1K020C-S2	679958	1S AC servo motor, 1 kW, 400 VAC, 2000 rpm, 4.77 Nm, encoder absoluto	1 195,00
R88M-1M3K020C-BS2	679972	1S AC servo motor, 3 kW, 400 VAC, 2000 rpm, 14.32 Nm, encoder absoluto, con	2 339,00
R88M-1M3K020C-OS2	684248	1S AC servo motor, 3 kW, 400 VAC, 2000 rpm, 14.3 Nm, absolute encoder, with	1 898,00
R88M-1M3K020C-BOS2	679977	1S AC servo motor, 3 kW, 400 VAC, 2000 rpm, 14.32 Nm, encoder absoluto, con	2 428,00
R88M-1M3K010C-S2	679975	1S AC servo motor, 3 kW, 400 VAC, 1000 rpm, 28.65 Nm, encoder absoluto	3 100,00
R88M-1M1K020T-S2	679974	Servomotor 1S CA, 1 kW, 230 V CA, 2000 rpm, 4,77 Nm, encoder absoluto	1 343,00
R88M-1M1K520C-S2	679978	1S AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, encoder absoluto	1 395,00
R88M-1M2K020C-S2	679952	1S AC servo motor, 2 kW, 400 VAC, 2000 rpm, 9.55 Nm, encoder absoluto	1 605,00
R88M-1M3K020C-S2	679984	1S AC servo motor, 3 kW, 400 VAC, 2000 rpm, 14.32 Nm, encoder absoluto	1 882,00
R88M-1M1K020C-BS2	679973	1S AC servo motor, 1 kW, 400 VAC, 2000 rpm, 4.77 Nm, encoder absoluto, con f	1 657,00
R88M-1M90010T-BS2	679951	1S AC servo motor, 900 W, 230 VAC, 1000 rpm, 8.59 Nm, encoder absoluto, con	2 055,00
R88M-1M1K520T-BS2	679957	1S AC servo motor, 1.5 kW, 230 VAC, 2000 rpm, 7.16 Nm, encoder absoluto, con	1 875,00
R88M-1M3K020C	689105	Servomotor 1S CA, 3 kW, 400 V CA, 2000 rpm, 14,32 Nm, encoder absoluto	1 836,00

OMRON PVPR 2023

R88M-1M3K010C-BS2	679950	1S AC servo motor, 3 kW, 400 VAC, 1000 rpm, 28.65 Nm, encoder absoluto, con	3 555,00
R88M-1M1K520C-B	693921	1S AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, absolute encoder, wit	1 839,00
R88M-1M1K520T-S2	679979	1S AC servo motor, 1.5 kW, 230 VAC, 2000 rpm, 7.16 Nm, encoder absoluto	1 414,00
R88M-1M1K520C-BS2	679985	1S AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, encoder absoluto, con	1 855,00
R88M-1M2K020C-BS2	679953	1S AC servo motor, 2 kW, 400 VAC, 2000 rpm, 9.55 Nm, encoder absoluto, con f	2 062,00
R88M-1M2K010C-BS2	680412	1S AC servo motor, 2 kW, 400 VAC, 1000 rpm, 19.1 Nm, encoder absoluto, con f	2 877,00
R88M-1M2K010C-S2	680268	1S AC servo motor, 2 kW, 400 VAC, 1000 rpm, 19.1 Nm, encoder absoluto	2 413,00
R88M-1M1K020T-BS2	680427	Servomotor 1S CA, 1 kW, 230 Vca, 2000 rpm, 4,77 Nm, encoder absoluto, con fr	1 805,00
R88M-1M20030H-BS2	681570	Servomotor 1S CA, 200 W, 230 Vca, 3000 rpm, 0,637 Nm, encoder incremental,	1 059,00
R88M-1M1K020H-BS2	681569	Servomotor 1S CA, 1 kW, 230 Vca, 2000 rpm, 4,77 Nm, encoder incremental, co	1 716,00
R88M-1L1K530H-BS2	681574	Servomotor 1S CA, 1,5 kW, 230 Vca, 3000 rpm, 4,77 Nm, encoder incremental, c	2 135,00
R88M-1M1K520H-S2	681577	Servomotor 1S CA, 1,5 kW, 230 V CA, 2000 rpm, 7,16 Nm, encoder incremental	1 342,00
R88M-1L1K030H-S2	681573	Servomotor 1S CA, 1 kW, 230 V CA, 3000 rpm, 3,18 Nm, encoder incremental	1 440,00
R88M-1M1K020H-S2	681575	Servomotor 1S CA, 1 kW, 230 V CA, 2000 rpm, 4,77 Nm, encoder incremental	1 276,00
R88M-1L1K530H-S2	681568	Servomotor 1S CA, 1,5 kW, 230 V CA, 3000 rpm, 4,77 Nm, encoder incremental	1 696,00
R88M-1M10030H-S2	681572	Servomotor 1S CA, 100 W, 230 V CA, 3000 rpm, 0,318 Nm, encoder incremental	725,00
R88M-1M40030H-BS2	681566	Servomotor 1S CA, 400 W, 230 Vca, 3000 rpm, 1,27 Nm, encoder incremental, c	1 225,00
R88M-1M20030H-S2	681565	Servomotor 1S CA, 200 W, 230 V CA, 3000 rpm, 0,637 Nm, encoder incremental	776,00
R88M-1M10030H-BS2	681576	Servomotor 1S CA, 100 W, 230 Vca, 3000 rpm, 0,318 Nm, encoder incremental,	997,00
R88M-1M40030H-S2	681571	Servomotor 1S CA, 400 W, 230 V CA, 3000 rpm, 1,27 Nm, encoder incremental	905,50
R88M-1L1K030H-BS2	681567	Servomotor 1S CA, 1 kW, 230 Vca, 3000 rpm, 3,18 Nm, encoder incremental, co	1 805,00
R88M-1M75030H-S2	681561	Servomotor 1S CA, 750 W, 230 V CA, 3000 rpm, 2,39 Nm, encoder incremental	1 059,00
R88M-1M75030H-BS2	681563	Servomotor 1S CA, 750 W, 230 Vca, 3000 rpm, 2,39 Nm, encoder incremental, c	1 410,00
R88M-1M1K520H-BS2	681564	Servomotor 1S CA, 1,5 kW, 230 Vca, 2000 rpm, 7,16 Nm, encoder incremental, c	1 781,00
R88M-1M60020C-S2	681594	Servomotor 1S CA, 600 W, 400 V CA, 2000 rpm, 2,86 Nm, encoder absoluto	1 086,00
R88M-1M40020C-BS2	681595	Servomotor 1S CA, 400 W, 400 Vca, 2000 rpm, 1,91 Nm, encoder absoluto, con f	1 451,00
R88M-1M40020C-BOS2	684249	1S AC servo motor, 400 W, 400 VAC, 2000 rpm, 1.91 Nm, absolute encoder, with	1 511,00
R88M-1M60020C-BS2	681596	Servomotor 1S CA, 600 W, 400 Vca, 2000 rpm, 2,86 Nm, encoder absoluto, con f	1 522,00
R88M-1M40020C-S2	681597	Servomotor 1S CA, 400 W, 400 V CA, 2000 rpm, 1,91 Nm, encoder absoluto	1 053,00
R88M-1M05030T	688121	Servomotor 1S CA, 50 W, 230 V CA, 3000 rpm, 0,159 Nm, encoder absoluto	921,50
R88M-1M05030T-S2	684741	Servomotor 1S CA, 50 W, 230 V CA, 3000 rpm, 0,159 Nm, encoder absoluto	934,00
R88M-1M05030T-BS2	684892	Servomotor 1S CA, 50 W, 230 VCA, 3000 rpm, 0.159 Nm, encoder absoluto, con	1 144,00
R88M-1M1K520C	693922	1S AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, absolute encoder	1 380,00

OMRON PVPR 2023

R88M-1L4K030C-S2	689223	Servomotor 1S CA, 4 kW, 400 V CA, 3000 rpm, 12,7 Nm, encoder absoluto	3 063,00
R88M-1L4K030C-BS2	689224	Servomotor 1S CA, 4 kW, 400 V CA, 3000 rpm, 12,7 Nm, encoder absoluto, con f	3 681,00
R88M-1L5K030C-S2	689225	Servomotor 1S CA, 5 kW, 400 V CA, 3000 rpm, 15,9 Nm, encoder absoluto	3 908,00
R88M-1L5K030C-BS2	689226	Servomotor 1S CA, 5 kW, 400 V CA, 3000 rpm, 15,9 Nm, encoder absoluto, con f	4 534,00
R88M-1L5K030C-BOS2	695622	1S AC servo motor, 5 kW, 400 VAC, 3000 rpm, 15.9 Nm, absolute encoder, with	4 557,00
R88M-1M4K015C-S2	689227	Servomotor 1S CA, 4 kW, 400 V CA, 1500 rpm, 25,5 Nm, encoder absoluto	2 271,00
R88M-1M4K015C-BS2	689228	Servomotor 1S CA, 4 kW, 400 V CA, 1500 rpm, 25,5 Nm, encoder absoluto, con f	2 896,00
R88M-1M5K515C-S2	689229	Servomotor 1S CA, 5,5 kW, 400 V CA, 1500 rpm, 35,0 Nm, encoder absoluto	2 555,00
R88M-1M5K515C-BS2	689230	Servomotor 1S CA, 5,5 kW, 400 V CA, 1500 rpm, 35,0 Nm, encoder absoluto, cor	3 179,00
R88M-1M7K515C-S2	689231	Servomotor 1S CA, 7,5 kW, 400 V CA, 1500 rpm, 47,8 Nm, encoder absoluto	4 601,00
R88M-1M7K515C-BS2	689232	Servomotor 1S CA, 7,5 kW, 400 V CA, 1500 rpm, 47,8 Nm, encoder absoluto, cor	5 220,00
R88M-1M7K515C-BOS2	695764	1S AC servo motor, 7.5 kW, 400 VAC, 1500 rpm, 47.8 Nm, absolute encoder, wit	5 345,00
R88M-1M11K015C-S2	689233	Servomotor 1S CA, 11 kW, 400 V CA, 1500 rpm, 70,0 Nm, encoder absoluto	5 365,00
R88M-1M11K015C-BS2	689234	Servomotor 1S CA, 11 kW, 400 V CA, 1500 rpm, 70,0 Nm, encoder absoluto, con	6 490,00
R88M-1M15K015C-S2	689235	Servomotor 1S CA, 15 kW, 400 V CA, 1500 rpm, 95,5 Nm, encoder absoluto	6 785,00
R88M-1M15K015C-BS2	689236	Servomotor 1S CA, 15 kW, 400 V CA, 1500 rpm, 95,5 Nm, encoder absoluto, con	7 905,00
R88M-1M4K015T-S2	700667	1S AC servo motor, 4 kW, 230 VAC, 1500 rpm, 25.5 Nm, absolute encoder	2 251,00
R88M-1M4K015T-BS2	707375	1S AC servo motor, 4 kW, 230 VAC, 1500 rpm, 25.5 Nm, absolute encoder, with	2 580,00
R88M-1AM20030T-S2	695596	Servomotor 1SA AC, 200 W, 230 VCA, 3000 rpm, 0.637 Nm, encoder absoluto	1 183,00
R88M-1AM20030T-BS2	695595	Servomotor 1SA AC, 200 W, 230 VCA, 3000 rpm, 0.637 Nm, encoder absoluto, c	1 616,00
R88M-1AM40030T-S2	695600	Servomotor 1SA AC, 400 W, 230 VCA, 3000 rpm, 1.27 Nm, encoder absoluto	1 380,00
R88M-1AM40030T-BS2	695599	Servomotor 1SA AC, 400 W, 230 VCA, 3000 rpm, 1.27 Nm, encoder absoluto, co	1 866,00
R88M-1AM75030T-S2	695602	Servomotor 1SA AC, 750 W, 230 VCA, 3000 rpm, 2.39 Nm, encoder absoluto	1 616,00
R88M-1AM75030T-BS2	695601	Servomotor 1SA AC, 750 W, 230 VCA, 3000 rpm, 2.39 Nm, encoder absoluto, co	2 146,00
R88M-1AL1K030T-S2	695580	Servomotor 1SA AC, 1 kW, 230 VCA, 3000 rpm, 3.18 Nm, encoder absoluto	1 851,00
R88M-1AL1K030T-BS2	695579	Servomotor 1SA AC, 1 kW, 230 VCA, 3000 rpm, 3.18 Nm, encoder absoluto, con	2 320,00
R88M-1AL1K530T-S2	695584	Servomotor 1SA AC, 1.5 kW, 230 VCA, 3000 rpm, 4.77 Nm, encoder absoluto	2 179,00
R88M-1AL1K530T-BS2	695583	Servomotor 1SA AC, 1.5 kW, 230 VCA, 3000 rpm, 4.77 Nm, encoder absoluto, co	2 740,00
R88M-1AM1K515T-S2	695594	Servomotor 1SA AC, 1.5 kW, 230 VCA, 1500 rpm, 9.55 Nm, encoder absoluto	1 725,00
R88M-1AM1K515T-BS2	695593	Servomotor 1SA AC, 1.5 kW, 230 VCA, 1500 rpm, 9.55 Nm, encoder absoluto, co	2 288,00
R88M-1AL75030C-S2	695590	Servomotor 1SA AC, 750 W, 400 VCA, 3000 rpm, 2.39 Nm, encoder absoluto	2 069,00
R88M-1AL75030C-BS2	695589	Servomotor 1SA AC, 750 W, 400 VCA, 3000 rpm, 2.39 Nm, encoder absoluto, co	2 381,00
R88M-1AL1K030C-S2	695578	Servomotor 1SA AC, 1 kW, 400 VCA, 3000 rpm, 3.18 Nm, encoder absoluto	2 101,00

OMRON PVPR 2023

R88M-1AL1K030C-BS2	695577	Servomotor 1SA AC, 1 kW, 400 VCA, 3000 rpm, 3.18 Nm, encoder absoluto, con	2 475,00
R88M-1AL1K530C-S2	695582	Servomotor 1SA AC, 1.5 kW, 400 VCA, 3000 rpm, 4.77 Nm, encoder absoluto	2 288,00
R88M-1AL1K530C-BS2	695581	Servomotor 1SA AC, 1.5 kW, 400 VCA, 3000 rpm, 4.77 Nm, encoder absoluto, co	2 773,00
R88M-1AL2K030C-S2	695586	Servomotor 1SA AC, 2 kW, 400 VCA, 3000 rpm, 6.37 Nm, encoder absoluto	2 695,00
R88M-1AL2K030C-BS2	695585	Servomotor 1SA AC, 2 kW, 400 VCA, 3000 rpm, 6.37 Nm, encoder absoluto, con	3 164,00
R88M-1AL3K030C-S2	695588	Servomotor 1SA AC, 3 kW, 400 VCA, 3000 rpm, 9.55 Nm, encoder absoluto	3 070,00
R88M-1AL3K030C-BS2	695587	Servomotor 1SA AC, 3 kW, 400 VCA, 3000 rpm, 9.55 Nm, encoder absoluto, con	3 726,00
R88M-1AM1K515C-S2	695592	Servomotor 1SA AC, 1.5 kW, 400 VCA, 1500 rpm, 9.55 Nm, encoder absoluto	1 703,00
R88M-1AM1K515C-BS2	695591	Servomotor 1SA AC, 1.5 kW, 400 VCA, 1500 rpm, 9.55 Nm, encoder absoluto, co	2 262,00
R88M-1AM3K015C-S2	695598	Servomotor 1SA AC, 3 kW, 400 VCA, 1500 rpm, 19.1 Nm, encoder absoluto	2 294,00
R88M-1AM3K015C-BS2	695597	Servomotor 1SA AC, 3 kW, 400 VCA, 1500 rpm, 19.1 Nm, encoder absoluto, con	2 852,00
SGMCS-35E3B11-E	678696	DIRECT DRIVE 35N.m. modelo E encoder absoluto	17 690,00
R88M-GP10030H-S2	285896	Serie G/SS2 motor cúbico 100W, 200V, 3000RPM, 0.32Nm	646,00
R88M-GP20030H-S2	285897	Serie G/SS2 motor cúbico 200W, 200V, 3000RPM, 0.64Nm	677,50
R88M-GP40030H-S2	285898	Serie G/SS2 motor cúbico 400W, 200V, 3000RPM, 1.3Nm	799,00
R88M-GP10030H-BS2	322926	Serie G/SS2 motor cúbico 100W, 200V, 3000RPM, 0.32Nm, freno	1 129,00
R88M-GP20030H-BS2	322927	Serie G/SS2 motor cúbico 200W, 200V, 3000RPM, 0.64Nm, freno	1 144,00
R88M-GP40030H-BS2	322928	Serie G/SS2 motor cúbico 400W, 200V, 3000RPM, 1.3Nm, freno	1 311,00
R88M-GP10030H-S2-D	378054	Serie G/SS2 motor cúbico 100W, 200V, 3000RPM, 0.32Nm, Hypertac	739,00
R88M-GP10030H-BS2-D	378055	Serie G/SS2 motor cúbico 100W, 200V, 3000RPM, freno, Hypertac	1 220,00
R88M-GP20030H-S2-D	378058	Serie G/SS2 motor cúbico 200W, 200V, 3000RPM, 0.64Nm, Hypertac	768,50
R88M-GP20030H-BS2-D	378059	Serie G/SS2 motor cúbico 200W, 200V, 3000RPM, freno, Hypertac	1 235,00
R88M-GP40030H-S2-D	378062	Serie G/SS2 motor cúbico 400W, 200V, 3000RPM, 1.3Nm, Hypertac	889,50
R88M-GP40030H-BS2-D	378063	Serie G/SS2 motor cúbico 400W, 200V, 3000RPM, freno, Hypertac	1 401,00
R88M-GP40030T-S2	703032	G-Series Flat type AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, absolute	1 533,00
SGLFM-50675-AC	168437	Motor lineal Magnet Track Tipo FW50 675mm	2 096,00
SGLFW-50D380BPD-E	677867	Bobina de motor lineal, tipo F, núcleo de hierro, altura de imán de 50 mm, 400 V	3 494,00
SGLFM-50945AC-E	677866	Guía magnética lineal, tipo F, núcleo de hierro, ancho de imán de 50 mm, longitu	2 820,00
SGLFW-1ZD200BPD-E	677868	Bobina de motor lineal, tipo F, núcleo de hierro, altura de imán de 95 mm, 400 V	1 454,00
SGLFM-50675AC-E	677865	Guía magnética lineal, tipo F, núcleo de hierro, ancho de imán de 50 mm, longitu	2 096,00
SGLFM-1Z405AC-E	678375	Guía magnética de motor lineal tipo F con núcleo de hierro, longitud de imán de	2 115,00
SGLFM-1Z675-AC-E	678766	Guía magnética (Magnet) 1Z 675 mm	3 172,00
SGLFM-35756-AC	679472	Magnetic Way w/ magnet cover Length 756mm for SGLFW-35xxxxx	4 876,00

OMRON PVPR 2023

SGLFW-50D200BPD-E	683972	Motor Lineal Coil Tipo FW 400V 280N Hall Interc.	2 115,00
R88L-EC-FM-03096-A	324253	Accurax G5: Motor Lineal Omron Imán Tipo FM03 96mm	174,10
R88L-EC-FM-03144-A	324254	Accurax G5: Motor Lineal Omron Imán Tipo FM03 144mm	239,20
R88L-EC-FM-03384-A	324255	Accurax G5: Motor Lineal Omron Imán Tipo FM03 384mm	538,50
R88L-EC-FM-06192-A	324256	Accurax G5: Motor Lineal Omron Imán Tipo FM06 192mm	483,90
R88L-EC-FM-06288-A	324257	Accurax G5: Motor Lineal Omron Imán Tipo FM06 288mm	629,50
R88L-EC-FM-11192-A	324258	Accurax G5: Motor Lineal Omron Imán Tipo FM11 192mm	834,00
R88L-EC-FM-11288-A	324259	Accurax G5: Motor Lineal Omron Imán Tipo FM11 288mm	1 090,00
R88L-EC-GW-0303-ANPS	324815	Accurax G5: Motor Lineal Omron Coil Tipo GW0303 (sin conectores)	943,50
R88L-EC-GW-0306-ANPS	324816	Accurax G5: Motor Lineal Omron Coil Tipo GW0306 (sin conectores)	1 193,00
R88L-EC-GW-0503-ANPS	324822	Accurax linear motor ironless coil, mg width 50mm, 3-coil model, w/o connectors	1 142,00
R88L-EC-GW-0506-ANPS	324823	Accurax linear motor ironless coil, mg width 50mm, 6-coil model, w/o connectors	1 431,00
R88L-EC-GW-0503-APLS	324825	Accurax linear motor ironless coil, mg width 50mm, 3-coil model, with connectors	1 738,00
R88L-EC-GW-0506-APLS	324826	Accurax linear motor ironless coil, mg width 50mm, 6-coil model, with connectors	1 750,00
R88L-EC-GW-0706-ANPS	324830	Accurax linear motor ironless coil, mg width 70mm, 6-coil model, w/o connectors	1 613,00
R88L-EC-GW-0709-ANPS	324831	Accurax G5: Motor Lineal Omron Tipo GW0709 sin conectores	1 902,00
R88L-EC-GW-0706-APLS	324833	Accurax linear motor ironless coil, mg width 70mm, 6-coil model, with connectors	1 919,00
R88L-EC-GW-0709-APLS	324834	Accurax G5: Motor Lineal Omron Tipo GW0709 con conectores	2 210,00
R88L-EC-GM-03090-A	324836	Accurax G5: Motor Lineal Omron Imán Tipo GM03 90mm	491,70
R88L-EC-GM-03120-A	324837	Accurax G5: Motor Lineal Omron Imán Tipo GM03 120mm	555,50
R88L-EC-GM-03390-A	324838	Accurax G5: Motor Lineal Omron Imán Tipo GM03 390mm	1 712,00
R88L-EC-GM-05126-A	324839	Accurax linear motor iron core magnet track, mg width 50mm, 126mm length	864,00
R88L-EC-GM-05168-A	324840	Accurax linear motor iron core magnet track, mg width 50mm, 168mm length	1 045,00
R88L-EC-GM-05546-A	324842	Accurax linear motor iron core magnet track, mg width 50mm, 546mm length	3 049,00
R88L-EC-GM-07114-A	324843	Accurax linear motor iron core magnet track, mg width 70mm, 114mm length	1 179,00
R88L-EC-GM-07171-A	324844	Accurax G5: Motor Lineal Omron Imán Tipo GM07 171mm	1 758,00
R88L-EC-GM-07456-A	324845	Accurax linear motor iron core magnet track, mg width 30mm, 456mm length	4 226,00
R88L-EC-FW-0306-ANPC	352720	Accurax G5: Motor Lineal Omron Tipo FW0306 sin conectores	913,00
R88L-EC-FW-0306-APLC	352722	Accurax linear motor iron core coil, mg width 30mm, 6-coil model, with connectors	1 218,00
R88L-EC-FW-0606-ANPC	352723	Accurax G5: Motor Lineal Omron Tipo FW0606 sin conectores	1 119,00
R88L-EC-FW-0609-ANPC	352724	Accurax linear motor iron core coil, mg width 60mm, 9-coil model, w/o connectors	1 070,00
R88L-EC-FW-0612-ANPC	352725	Accurax G5: Motor Lineal Omron Tipo FW0612 sin conectores	1 193,00
R88L-EC-FW-0606-APLC	352726	Accurax G5: Motor Lineal Omron Tipo FW0606	1 238,00

OMRON PVPR 2023

R88L-EC-FW-0609-APLC	352727	Accurax G5: Motor Lineal Omron Tipo FW0609	1 355,00
R88L-EC-FW-0612-APLC	352728	Accurax G5: Motor Lineal Omron Coil Tipo FW0612	1 502,00
R88L-EC-FW-1112-ANPC	352729	Accurax G5: Motor Lineal Omron Tipo FW1112 sin conectores	2 340,00
R88L-EC-FW-1115-ANPC	352730	Accurax G5: Motor Lineal Omron Tipo FW1115 sin conectores	2 120,00
R88L-EC-FW-1112-APLC	352731	Accurax G5: Motor Lineal Omron Tipo FW1112	2 372,00
R88L-EC-FW-1115-APLC	352732		2 920,00
R88L-EC-FW-0615-BNPS	373022	Accurax G5: Motor Lineal TECNOTION Tipo FW0615 sin conectores	2 883,00
TBW18N	374646	Accurax G5: Motor Lineal TECNOTION Coil Tipo TBW18N	4 104,00
R88L-EC-GW-0309-ANPS	377215	Accurax G5: Motor Lineal Omron Coil Tipo GW0309 (sin conectores)	1 445,00
R88L-EC-FW0312-ANPS	382822	Accurax G5: Motor Lineal TECNOTION Tipo FW0312 sin conectores	2 326,00
R88L-EC-FW-0624-ANPS	387763	Accurax G5: Motor Lineal TECNOTION Tipo FW0624 sin conectores	4 310,00
STC-FDR-SW01	702966	Factory drive recorder for SENTECH cameras	1 171,00
ESTT-YB177-MV1S	143433	Thermotools Soft. Configuración Cont. Temperatura	239,40
EST2-2C-MV4	242527	Cx-Thermo Soft. Configuración contr. Temperatura V4.0	149,10
Sysdrive Selector CD	139363	Software selección variadores (CD educativo)	22,71
CX-DRIVE 2.9	379897	Software CX Drive v2.9 (licencia)	196,90
WS02-EDMC1-V2	231328	SYSMAC SPU-Host Data Link Software	2 632,00
WS02-SPTC1-V2	246863	SYSMAC SPU Unit Setting Software	935,00
WS02-CFSC1-EV3	354910	Configurador de red de Seguridad DeviceNet	975,00
WS02-CFSC1-EV3-UP	354914	Actualización a V3.30 Configurador de red de Seguridad DeviceNet	211,20
WS02-G9SP01-V2	393620	G9SP Configurator 1 lincencia WIN-2000/XP/Vista	640,50
RT6-S100002	685093	Licencia, Software, TM External Vision	1 066,00
RT6-S100005	685091	Licencia, Software, TMFlow Editor - OffLínea AOI	635,50
16500-80000	695552	License Bundle, Education, Cobot Offline Editing	179,70
16500-80001	695551	License Bundle, Education, Cobot Vision Tools	1 138,00
RT6-S100006	701372	License, Software, Omron TM Operator Suite	1 885,00
RT6-S100009	701369	License, Software, Omron TM Runtime & Palletizing Wizard	426,60
RT6-S200001	703482	Licencia, TMFlow Editor	635,50
RT6-S100000	703481	Licencia, Software, TM Identify & Measure	2 598,00
RT6-S100002	703480	Licencia, Software, TM External Vision	1 066,00
RT6-S100003	703479	Licencia, Software, TM OCR	731,00
RT6-S100005	703478	Licencia, Software, TMFlow Editor - OffLínea AOI	635,50
CXONE-LT01-EV4	313838	Software CX-One Lite v4 - 1 Licencia para nuevo usuario	487,50

OMRON PVPR 2023

CXONE-LTCD-EV4	313839	Software CX-One Lite v4 - CD (sin licencia)	52,65
CXONE-AL01-EV4	324682	Software CX-One v4 - 1 Licencia para nuevo usuario	2 206,00
CXONE-AL03-EV4	324683	Software CX-One v4 - 3 Licencias para nuevos usuarios	4 461,00
CXONE-AL10-EV4	324684	Software CX-One v4 - 10 Licencias para nuevos usuarios	8 650,00
CXONE-AL01-EV4-UP	324688	Software CX-One v4 - 1 Licencia de Actualización	792,50
CXONE-AL03-EV4-UP	324689	Software CX-One v4 - 3 Licencias de Actualización	1 300,00
CXONE-AL10-EV4-UP	324690	Software CX-One v4 - 10 Licencias de Actualización	2 958,00
CXONE-AL30-EV4-UP	324691	Software CX-One v4 - 30 licencias de actualización	6 930,00
CXONE-DVD-EV4	324695	Software CX-One v4 - DVD (sin licencia)	52,65
CXONE-DVD-TRIAL	337312	Versión TRIAL de CX-One	46,14
CXONE-LT01-EV4-SP	365020	Software CX-One Lite v4 - 1 Licencia para nuevo usuario	459,40
CXONE-ALXXD-V4-ED	659568	Software CX-One v4 - EDUCATIONAL Edition	2 168,00
Trajexia Tools	221306	Trajexia - Software de programación	240,70
PDE-U-IE2PA	392413	Licencia de Software Profesional MotionWorks IEC V2.xx Yaskawa	1 848,00
PDE-U-IE3PE	668415	Licencia de Software Profesional MotionWorks IEC V2.xx Yaskawa	1 959,00
NS-NSDC1-V6	175832	Software de programación Terminal Programable NS	698,50
NS-NSDC1-V6S	175833	Software de programación Terminal Programable NS	225,80
SYSMAC-SE200D	355294	Sysmac Studio Standard Edition DVD	52,65
SYSMAC-SE201L	355295	Sysmac Studio Standard Edition 1 Licencia	2 906,00
SYSMAC-SE203L	355296	Sysmac Studio Standard Edition 3 Licencias	6 980,00
SYSMAC-SE210L	355297	Sysmac Studio (solo licencia), 10 usuarios (requiere DVD de instalación SYSMAC-	13 590,00
SYSMAC-SE230L	355298	Sysmac Studio license only, 30 user (requires SYSMAC-SE200D installation DVD,	28 530,00
SYSMAC-SE250L	355299	Sólo licencia de Sysmac Studio, 50 usuarios (requiere el DVD de instalación de SY	39 350,00
SYSMAC-SE2XXL	355300	Sysmac Studio license only, site license (requires SYSMAC-SE200D installation DV	61 550,00
SYSMAC-VE001L	356659	SYSMAC Studio Vision Edition 1 Licencia	500,50
SYSMAC-ME001L	377593	Licencia de usuario de Sysmac Studio Measurement Edition 1	364,50
SYSMAC-AL0100D	382783	Sysmac Application Library: DVD	58,65
SYSMAC-AL0101L	382784	Sysmac Application Library: Licencia	586,50
SYSMAC-NE001L	410039	Sysmac Studio NX-IO Edition - 1 Licencia	487,50
SYSMAC-HE001L	410040	Sysmac Studio HMI Edition - 1 Licencia	487,50
SYSMAC-SE2XXL-ED	659565	Sysmac Studio v1 - EDUCATIONAL Edition	2 854,00
SYSMAC-HE001L-CC	659567	Sysmac Studio HMI Edition - 1 Licencia (CX-One users)	487,50
SYSMAC-NE001L-CC	659566	Sysmac Studio NX-IO Edition - 1 Licencia (CX-One users)	487,50

OMRON PVPR 2023

SYSMAC-LE210L	672792	Sysmac Studio Lite, sólo licencia, 10 usuarios (requiere el DVD de descarga o instalador)	5 595,00
SYSMAC-LE201L	672883	Sysmac Studio Lite - 1 Licencia	1 401,00
SYSMAC-LE203L	672793	Sysmac Studio Lite, sólo licencia, 3 usuarios (requiere descargar SYSMAC-SE2000L)	2 851,00
SYSMAC-LU501L	673371	Sysmac Studio Actualización de LITE a STANDARD - 1 Licencia	1 509,00
SYSMAC-DE001L	673372	Sysmac Studio Drive Edition	203,40
SYSMAC-LU503L	673374	3-user licence only, upgrade version, for Sysmac Studio Lite to Sysmac Studio Standard	3 356,00
SYSMAC-RTNC0000D	679805	DVD Runtime NC16 (HMI CNC)	50,85
SYSMAC-RTNC0001L	679804	USB Dongle NC16 (HMI CNC)	1 630,00
SYSMAC-RTNC0101D	679803	DVD Kit Desarrollo Software NC16 (HMI CNC)	2 860,00
SYSMAC-TA401L	680950	Sysmac Studio Team Edition, licencia para 1 usuario	662,50
SYSMAC-TA403L	680952	Sysmac Studio Team Edition, licencia para 3 usuarios	1 348,00
SYSMAC-TA410L	680951	Sysmac Studio Team Edition, licencia para 10 usuarios	2 625,00
SYSMAC-TA430L	680954	Licencia de 30 usuarios de Sysmac Studio Team Option	5 525,00
SYSMAC-TA450L	680953	Sysmac Studio Team Option 50 Users License	7 645,00
SYSMAC-TA4XXL	680955	Sysmac Studio Team Option Site License	11 930,00
SYSMAC-FE001L	684740	Sysmac Studio Safety Edition is a license including necessary setting functions for safety	787,00
SYSMAC-ZPA002005L	685583	AI Predictive Maintenance Library (Ball Screw), 5 Licence	924,00
SYSMAC-AICSTENGE01L	693649	AI Controller Data Mining license only, single user (requires SYSMAC-AICSTENGE00L)	4 918,00
SYSMAC-AICSTENGE10L	703167	AI Controller Data Mining license only, 10 users (requires SYSMAC-AICSTENGE00L)	19 710,00
SYSMAC-AICSTENGE30L	703168	AI Controller Data Mining license only, 30 users (requires SYSMAC-AICSTENGE00L)	39 400,00
SYSMAC-AICSTENGE50L	703169	AI Controller Data Mining license only, 50 users (requires SYSMAC-AICSTENGE00L)	54 250,00
SYSMAC-AICSTE00D	685589	Plataforma AI Controller Standard Software	48,60
SYSMAC-AICSTE01L	685590	Plataforma AI Controller Standard Software, 1 licencia	2 311,00
SYSMAC-SA401L-64	695814	Licencia para 1 usuario de Sysmac Studio 3D Simulation Option (64 bits)	599,00
SYSMAC-SA403L-64	695813	Licencia para 3 usuarios de Sysmac Studio 3D Simulation Option (64 bits)	2 275,00
SYSMAC-SA410L-64	695812	Licencia para 10 usuarios de Sysmac Studio 3D Simulation Option (64 bits)	4 549,00
SYSMAC-SA430L-64	695811	Licencia para 30 usuarios de Sysmac Studio 3D Simulation Option (64 bits)	9 555,00
SYSMAC-SA450L-64	695810	Licencia para 50 usuarios de Sysmac Studio 3D Simulation Option (64 bits)	13 210,00
SYSMAC-SA4XXL-64	695809	Licencia de usuario de sitio de Sysmac Studio 3D Simulation Option (64 bits)	20 480,00
SYSMAC-AICMSENGE01L	703170	AI Controller Data Mining, Model setting edition license only, single user (requires SYSMAC-AICSTE00D)	1 926,00
SYSMAC-AICMSENGE10L	703171	AI Controller Data Mining, Model setting edition license only, 10 users (requires SYSMAC-AICSTE00D)	7 720,00
SYSMAC-AICMSENGE30L	703172	AI Controller Data Mining, Model setting edition license only, 30 users (requires SYSMAC-AICSTE00D)	15 370,00
SYSMAC-AICMSENGE50L	703173	AI Controller Data Mining, Model setting edition license only, 50 users (requires SYSMAC-AICSTE00D)	21 150,00

OMRON PVPR 2023

ZEN-SOFT01-V4	240995	Software del ZEN versión 4.0	185,30
CX-LITE-EV2	249713	Software CX-Lite ver. 2	599,00
CX-OPC-EV2	249714	Software CX-OPC ver. 2	1 136,00
CX-SUPERVISOR-UPGR-V3	313841	CX-Supervisor v3 - Actualización para licencia de desarrollo	792,50
CX-SUPERVISOR-V4	695839	Software CX-Supervisor Developer, requiere el software Runtime CX-SUPERVISOR	1 129,00
CX-SUPERVISOR-UPGR-V4	696221	Actualización del software CX-Supervisor Developer de V3 a V4.0	765,50
CX-SUPERVISOR-RUN-ME-V4	695998	CX-Supervisor v3 - Runtime Machine Edition (Incluye llave USB)	1 129,00
CX-SUPERVISOR-RUN-PLUS-V4	695997	CX-Supervisor v3 - Runtime Plus (incluye llave USB)	1 714,00
CX-SUPERVISOR-TRIAL-V4	696220	Versión de prueba de CX-Supervisor V4, con 2 horas de comunicación (y otras licencias)	61,15
CX-SUPERVISOR-DEV-SUB-01L	707404	CX-Supervisor V4 Developer package (1 License Soft Activation annual subscription)	351,00
CX-SUPERVISOR-RUN-ME-01L-V4	707403	CX-Supervisor V4 Machine Edition Runtime (1 License Soft Activation)	961,50
CX-SUPERVISOR-RUN-PLUS-01L-V4	707402	CX-Supervisor V4 PLUS Runtime package (1 License Soft Activation)	1 566,00
NS-NSRCL1	235310	NS-Runtime (ejecuta aplicación NS en PC) - Licencia 1 usuario	1 656,00
NS-NSRCL3	235311	NS-Runtime (ejecuta aplicación NS en PC) - Licencia 3 usuarios	4 619,00
NS-NSRCL10	238765	NS-Runtime (ejecuta aplicación NS en PC) - Licencia 10 usuarios	13 940,00
SYSMAC-GATEWAY-RUN-V1	330816	Middleware de comunicaciones para PC. Además, admite comunicaciones CIP y	730,00
CX-COMPOLET-EV1-01L	342189	CX-Compolet v1 1 user (CX-Compolet + Sysmac Gateway + FinsGateway)	908,50
CX-COMPOLET-EV1-05L	342190	CX-Compolet v1 5 users (CX-Compolet + Sysmac Gateway + FGW)	3 228,00
CX-COMPOLET-EV1-10L	342191	CX-Compolet v1 10 users (CX-Compolet + Sysmac Gateway + FGW)	5 395,00
CX-COMPOLET-EV1-XXL	342192	CX-Compolet v1 Licencia Corporativa (CX-Compolet + SGW + FGW)	17 010,00
KWP-OMRNF0-PRD	678801	Servidor OPC-UA Kepware (Drivers Omron KepServerEX) versión 6	1 185,00
DEV3	685384	Movicon SCADA Editor, 1 licencia	2 311,00
NA-RTSM	694868	Sólo DVD de instalación de Soft-NA, para Windows 10 Pro de 64 bits (requiere licencia)	47,88
NA-RTLD01	694867	Soft-NA, para Windows 10 Pro de 64 bits, 1 licencia para mochila USB	1 793,00
NA-RTLD10	695307	Soft-NA, for Windows 10 Pro 64 bit, 10 x USB Dongle License	16 520,00
ASTEL-B	695822	Service Agreement (SA) Basic Yearly Subscription	1 284,00
ASTEL-P	695821	Service Agreement (SA) PRO Yearly Subscription	2 565,00
DEV4	696211	Movicon SCADA Editor, 1 licencia	2 311,00
DEV403L	696292	Movicon 4 SCADA Editor 3 Licenses package	3 232,00
DEV410L	696291	Movicon 4 SCADA Editor 10 Licenses package	6 470,00
RTC4	696452	MOVICON NEXT V4 Run Time Client	1 826,00
RTCS4-F-20K-5W-M-3D	702930	Movicon Pro Runtime Scada 20,000 Tags, 3D Graphic Client Option , MultiDrive	12 660,00
RTC4-3D	702929	Movicon Pro RuntimeScada Client, 3D Graphic Client Option	2 554,00

OMRON PVPR 2023

RTCS3-F-100K	685388	Movicon Pro Runtime Scada 100,000 Tags	11 930,00
RTC3-1K	686003	Movicon Pro RuntimeScada Client 1,000 Tags	852,00
RTC3-100K	686004	Movicon Pro Runtime Scada Client 100,000 Tags	3 342,00
RTH3-4K	686274	Movicon OEM Runtime Scada Client-Server, 4000 etiquetas	2 386,00
RTCS3-F-5K-1W20	688391	Movicon Next Pro RunTime Client Server, 5000 etiquetas, opción de 1 cliente we	6 210,00
RTCS3-F-5K-2W-M	690664	Movicon Next Pro RunTime Client Server 5000 tags 2x Webclient + Multidriver (	7 300,00
RTCS3-F-5K-8W	690665	Movicon Pro SCADA. Client/Server 5000 tag + 8 Web Clients	9 240,00
RTCS3-F-100K-6W-M	692773	Movicon Next Pro RunTime Client Server 100.000 tags 6x Webclient option+ M	20 730,00
RTCS3-F-20K-3W-A	692905	Movicon Next Pro RunTime Client Server 20.000 tags+ 3xWeb Client Option + Al	10 660,00
RTCS3-F-5K-1W-O	693985	Movicon Next Pro RunTime Client Server 5000 tags 1x Web Client Option +OPC-	7 065,00
RTCS3-PLX1	694020	ProLean 1 OEE + Movicon Pro RunTime	4 022,00
RTCS3-PLX5	694021	ProLean 5 OEE + Movicon Pro RunTime	9 895,00
RTCS3-PLX10	694022	ProLean 10 OEE + Movicon Pro RunTime	11 970,00
RTCS3-PLX15	694023	ProLean 15 OEE + Movicon Pro RunTime	14 910,00
RTH4-2K-5W-H	696269	MOVICON 4 RunTime Client-Server 2000 tag OEM+ 5x Web Clients Option+Histo	3 948,00
RTH4-2K-1W-H-3D	696268	MOVICON 4 RunTime Client-Server 2000 tag OEM+1xWeb Client Option+Histori	2 941,00
RTH4-4K-5W-0	696278	MOVICON 4 RunTime Client-Server 4000 tag OEM+5xWeb Client Option	3 847,00
RTH4-4K-0W-H-3D	696274	MOVICON 4 RunTime Client-Server 4000 tag OEM+Historian and Data logger+3D	3 199,00
RTH4-4K-0W-0-3D	696271	MOVICON 4 RunTime Client-Server 4000 tag OEM+3D Option	2 592,00
RTH4-2K-0W-0-3D	696263	Movicon OEM RunTime Client-Server, 2000 etiquetas + opción 3D	2 031,00
RTH4-2K-0W-H-3D	696265	MOVICON 4 RunTime Client-Server 2000 tag OEM+Historian and Data logger+3D	2 639,00
RTH4-2K-0W-H	696264	Movicon OEM Runtime Client-Server, 2000 etiquetas, con opción Historian y Da	2 432,00
RTH4-2K-0W-0	696262	MOVICON 4 RunTime Client-Server 2000 tag OEM	1 826,00
RTH4-4K-0W-H	696272	MOVICON 4 RunTime Client-Server 4000 tag OEM with Historian and Dataloger	2 993,00
RTH4-4K-0W-0	696270	MOVICON 4 RunTime Client-Server 4000 tag OEM	2 386,00
RTH4-2K-1W-H	696267	MOVICON 4 RunTime Client-Server 2000 tag OEM with Historian and Dataloger	2 735,00
RTH4-2K-1W-0	696266	MOVICON 4 RunTime Client-Server 2000 tag OEM with 1 webclient option	2 128,00
RTH4-4K-1W-H	696277	Movicon OEM Runtime Client-Server, 4000 etiquetas, con opción Historian y Da	3 298,00
RTH4-4K-1W-0	696276	MOVICON 4 RunTime Client-Server 4000 tag OEM with 1 webclient option	2 692,00
RTCS4-F-20K-1W	696444	Movicon Next Pro RunTime Client Server 20.000 tags 1x Web Client Option	8 270,00
RTCS4-F-5K-5W-A	696443	Movicon Next Pro RunTime Client Server 5000 tags 5x Web Client Option +Alarn	10 580,00
RTCS4-F-5K-M	696458	Movicon Next Pro RunTime Client Server 5000 tags +Multidriver (32) option	6 235,00
RTCS4-F-5K-A	696457	Movicon Next Pro RunTime Client Server 5000 tags +Alarm Dispatcher	6 235,00

OMRON PVPR 2023

RTCS4-F-20K	696456	Movicon Pro Runtime Scada 20,000 Tags	7 300,00
RTCS4-F-40K	696455	Movicon Pro Runtime Scada 40,000 Tags	8 395,00
RTCS4-F-5K	696454	Movicon Pro Runtime Scada 5,000 Tags	5 350,00
RTCS4-F-5K-1W	696453	Movicon Pro SCADA. Client/Server 5000 tag + 1 Web client	6 210,00
RTCS4-F-5K-5W-O-AS-3D	696438	Movicon Pro SCADA. Client/Server 5000 tag + 5 Web client + OPC-UA Server + A	12 420,00
RTH4-4K-2W-H-1DRV	699036	Movicon OEM Runtime Client-Server 4.000 tags + 2 Web Clients + Historian+Dat	3 807,00
RTCS4-F-5K-1W-O	700418	Movicon Pro Runtime Scada 5,000 Tags + 1 x Movicon Web Client+ OPC-UA Serv	7 180,00
RTCS4-F-5K-O	700707	Movicon Pro Runtime Scada 5,000 Tags + OPC-UA Server Option	6 330,00
RTH4-4K-2W-H	700822	Movicon OEM Runtime Client-Server 4.000 tags + Movicon SCADA OEM Historia	3 603,00
RTH4-4K-0W-H-A	702767	Movicon OEM Runtime Client-Server 4.000 tags, Historian+Data Logger+ Report	3 602,00
RTCS4-F-5K-3W	703615	Movicon Pro Runtime Scada 5,000 Tags + 3 x Webclient options	7 910,00
RTH4-4K-4W-H	706999	Movicon OEM Runtime Client-Server 4.000 tags + Historian+ Data Logger + 4 We	4 208,00
RTCS4-F-5K-3W-AS	707431	Movicon Pro Runtime Scada 5,000 Tags with 3xWeb Client option, Alarm Dispat	9 015,00
RTCS4-F-20K-5W-A-M	708634	Movicon Pro Runtime Scada 20,000 Tags, 5 Web Clients, Alarm Dispatcher (SMS	12 100,00
CS1W-BC033	135557	Bastidor CPU 3 huecos	274,10
CS1W-BC053	135558	Bastidor CPU 5 huecos	293,50
CS1W-BC083	135559	Bastidor CPU 8 huecos	406,50
CS1W-BI033	135560	Bastidor Expansor 3 huecos	321,70
CS1W-BI053	135561	Bastidor Expansor 5 huecos	364,80
CS1W-BI083	135562	Bastidor Expansor 8 huecos	507,00
CS1W-BI103	135563	Bastidor Expansor 10 huecos	635,00
CS1W-BC032	135564	Bastidor CPU sólo CS1 3 huecos	254,60
CS1W-BI102	135565	Bastidor Expansor sólo CS1 10 huecos	607,00
CS1W-BI082	135566	Bastidor Expansor sólo CS1 8 huecos	478,00
CS1D-BC052	135744	Bastidor CPU 5 Huecos para Duplicar PS y CPU	1 610,00
CS1W-BC102	142525	Bastidor CPU sólo CS1 10 huecos	478,00
CS1W-BC082	145864	Bastidor CPU sólo CS1 8 huecos	364,80
CS1D-BI092	149080	Bastidor Expansor 9 Huecos para Duplicar PS	1 610,00
CS1W-BC052	151291	Bastidor CPU sólo CS1 5 huecos	274,10
CS1W-BC103	156857	Bastidor CPU 10 huecos	507,00
CS1W-BI052	158069	Bastidor Expansor sólo CS1 5 huecos	335,40
CS1D-BC082S	168308	Bastidor CPU 8 Huecos para Duplicar PS	1 063,00
CS1D-BC042D	236902	Bastidor CPU 5 Huecos para Duplicar PS y CPU con C	1 610,00

OMRON PVPR 2023

CS1D-BI082D	236903	Bastidor Expansor 8-9 Huecos con Conexión Dual	1 595,00
CS1D-DPL01	152430	Módulo Dúplex	1 735,00
CS1D-DPL02D	236901	Módulo Dúplex para Sistema Dual	1 735,00
CJ1W-IC101	315594	Módulo Expansión Control E/S	277,60
CJ1W-II101	315595	Módulo Expansión Interface E/S	277,60
CS1W-IC102	135633	Módulo de Control para Rack de Expansión Larga Distancia	1 496,00
CS1W-II102	135634	Módulo Interface para Rack de Expansión Larga Distancia	1 050,00
CS1D-IC102D	236904	Unidad de Expansión de CPU para Conexión Dual	825,00
CS1D-II102D	236905	Unidad de Expansión de Expansor para Conexión Dual	825,00
GRT1-TBR	212292	Unidad SmartSlice distribuidora derecha	55,40
GRT1-TBL	212293	Unidad SmartSlice distribuidora izquierda	103,20
CK3W-EXM01	689323	CK3W Expansion Master Unit	439,90
CK3W-EXS02	689324	CK3W Expansion Slave Unit	439,90
NX-TBX01	375656	Unidad NX - Conexión de Apantallamientos	47,19
NX-PC0010	686036	Unidad NX - Conexiones 16xIOG 5-24VDC	47,67
NX-PC0020	686037	Unidad NX - Conexiones 16xIOV 5-24VDC	47,67
NX-PC0030	686038	Unidad NX - Conexiones 8xIOV + 8xIOG 5-24VDC	47,67
NX-PD1000	686039	Unidad NX - Alimentación Adicional Unidades 24VDC Sin Aislamiento	121,30
NX-PF0630	686040	Unidad NX - Alimentación Adicional E/S 5-24VDC	59,00
NX-PF0730	686041	Unidad NX - Alimentación Adicional E/S 5-24VDC 10A	59,00
GRT1-PD2	212291	Unidad SmartSlice de Alimentación de las E/S	55,40
GRT1-PD8	235177	Unidad SmartSlice de Separación de Alimentación, 8xV + 4xG	55,40
GRT1-PD8-1	235178	Unidad SmartSlice de Separación de Alimentación, 4xV + 8xG	55,40
GRT1-PC8	235179	Unidad SmartSlice de Conexión de Alimentación, 8xV + 4xG	55,40
GRT1-PC8-1	235180	Unidad SmartSlice de Conexión de Alimentación, 4xV + 8xG	55,40
GRT1-PD2G	246035	Unidad SmartSlice de Alimentación de las E/S con P	70,50
E2K-C25ME2	104692	Capacitivo cc 3h 25mm NPN NC Cable 2m	198,00
E2K-X15MY1 5M	104693	Proximity sensor, capacitive, M30, unshielded, 15 mm, AC, 2-wire, NO, 5 m cable	86,15
E2K-X4ME1 5M	106107	Capacitivo Roscado cc 3h 4mm M12 NPN NA Cable 5m	135,20
E2K-X4MY2	106108	Capacitivo Roscado ca 2h 4mm M12 NC Cable 2m	68,95
E2KQ-X10ME1 2M	131770	Capacitivo cc 3h 10mm M18 NPN NA Cable 2m	320,90
E2K-X4ME1	131774	Capacitivo Roscado cc 3h 4mm M12 NPN NA Cable 2m	131,20
E2K-X8ME1	131775	Capacitivo Roscado cc 3h 8mm M18 NPN NA Cable 2m	147,00

OMRON PVPR 2023

E2K-X8ME2	131776	Capacitivo roscado cc 3h 8mm M18 NPN NC Cable 2m	147,00
E2K-X15ME1	131777	Capacitivo Roscado cc 3h 15mm M30 NPN NA Cable 2m	159,10
E2K-X15ME2	131779	Capacitivo Roscado cc 3h 15mm M30 NPN NC Cable 2m	159,10
E2K-X4MY1	131780	Capacitivo Roscado ca 2h 4mm M12 NA Cable 2m	66,45
E2K-X8MY1	131781	Capacitivo Roscado ca 2h 8mm M18 NA Cable 2m	70,15
E2K-X8MY1 5M	131782	Proximity sensor, capacitive, M18, unshielded, 8 mm, AC, 2-wire, NO, 5 m cable	80,00
E2K-X4MF1	131783	Capacitivo Roscado cc 3h 4mm M12 PNP NA Cable 2m	131,20
E2K-X4MF2	131785	Capacitivo Roscado cc 3h 4mm M12 PNP NC Cable 2m	131,20
E2K-X15MF1	131788	Capacitivo Roscado cc 3h 15mm M30 PNP NA Cable 2m	159,10
E2K-X15MF2	131790	Capacitivo Roscado cc 3h 15mm M30 PNP NC Cable 2m	159,10
E2K-C25MY1	131840	Capacitivo ca 2h 25mm NA Cable 2m	243,30
E2K-C25ME1	131841	Capacitivo cc 3h 25mm NPN NA Cable 2m	198,00
E2K-C25MF2	131842	Capacitivo cc 3h 25mm PNP NC Cable 2m	198,00
E2K-C20MC1 2M	131848	Proximity sensor, capacitive, 34 mm dia, unshielded, 20 mm, DC, 3-wire, NPN-NO	465,90
E2K-C20MT1 2M	131850	Capacitivo ca/cc 20mm NA Cable 2m	651,50
E2K-C25MF1	147129	Capacitivo cc 3h 25mm PNP NA Cable 2m	198,00
E2K-X4ME2	147130	Capacitivo Roscado cc 3h 4mm M12 NPN NC Cable 2m	131,20
E2K-X15MY1	148233	Capacitivo Roscado ca 2h 15mm M30 NA Cable 2m	76,30
E2K-X8MF1	151474	Capacitivo Roscado cc 3h 8mm M18 PNP NA Cable 2m	147,00
E2K-X15MY2	153714	Capacitivo Roscado ca 2h 15mm M30 NC Cable 2m	80,00
E2K-X8MF1 5M	157071	Capacitivo Roscado cc 3h 8mm M18 PNP NA Cable 5m	157,90
E2K-X8MF2	157072	Capacitivo Roscado cc 3h 8mm M18 PNP NC Cable 2m	147,00
E2K-X8MY2	157412	Capacitivo Roscado ca 2h 8mm M18 NC Cable 2m	71,40
E2K-X8MF1-M5J 1M	392426	Capacitivo Roscado cc 3h 8mm M18 PNP NA 1M cable M8 3 pines	147,00
E2K-F10MC1	106106	Capacitivo Plano cc 3h 10mm NPN NA Cable 2m	110,20
E2K-F10MC2	131854	Capacitivo Plano cc 3h 10mm NPN NC Cable 2m	110,20
E2K-L13MC1 2M	131855	Sensor nivel liquidos D11mm NPN	242,40
E2K-L26MC1 2M	153644	Sensor nivel liquidos D26mm NPN	162,70
E2K-F10MC1-A 2M	171939	Capacitivo Plano cc 3h 10mm NPN NA Cable 2m	140,60
E2K-F10MC2-A 2M	171940	Interface de Comunicaciones	140,60
EE-1009	127847	Conector soldar para EE-SX67,-SX47,-SY67,-SPY31/41,-SPX303,-SPW311	4,66
EE-1002	142712	Conector soldar para EE-SPX301/401, EE-SPY30/40, EE-SPZ301/401	5,19
EE-1001	379735	Conector para fotomicrosensor 15mohm	4,35

OMRON PVPR 2023

EE-1001-1	379736	Conector para fotomicrosensores, 4 pines, terminales soldados, puente entre L y N	4,64
XS2G-D421	107630	Sin cable Recto Macho cc 4 hilos Soldar M12	15,62
XS2G-D423	107631	Field assembly connector, M12 straight plug (male), 4-poles, A coded, solder con	15,91
XS2G-D4C3	107632	Sin cable Recto Macho cc 4 hilos 4mm Crimpar M12	13,25
XS2G-D4C5	107633	Sin cable Recto cc 4 hilos Tornillo M12	13,25
XS2G-D4S1	107634	Sin cable Recto cc 4 hilos Tornillo M12	14,42
XS2G-D4S5	107637	Sin cable Recto cc 4 hilos Tornillo M12	14,70
XS2G-D5S7	107639	Sin cable Recto Hembra 5 hilos Tornillo	30,85
XS2G-A421	107640	Sin cable Recto Macho ca 2 hilos Soldar M12	15,91
XS2P-D421-2	107653	Conector M12 para panel rosca posterior CC 4 pines Soldar	21,53
XS2P-D422-2	107654	Conector M12 para panel rosca frontal CC 4 pines Soldar	21,12
XS2P-A422-2	107656	Conector M12 para panel rosca frontal CA 4 pines Soldar	22,87
XS2P-A422-1	107657	Conector M12 para panel rosca frontal CA 4 pines DIP	29,81
XS2C-D421	107733	Sin cable Recto Soldar M12	15,73
XS2C-D422	107734	Sin cable Acodado Soldar M12	15,73
XS2C-D424	107736	Sin cable Acodado cc Soldar M12	16,04
XS2C-D4C3	107738	Sin cable Recto cc Crimpar M12 Cable 4mm	13,12
XS2C-D5S7	107743	Sin cable Recto Hembra 5 hilos Tornillo	30,85
XS2C-D4S7	107744	Sin cable Recto Hembra cc 4 hilos Tornillo	18,33
XS2C-A421	107745	Sin cable Recto CA Soldar M12	16,04
XS2C-A422	107746	Sin cable Acodado CA Soldar M12	16,04
XS2G-D4S7	146013	Sin cable Recto Macho cc 4 hilos Tornillo	17,24
XS2M-D423	146349	Conector montaje panel CC pines Soldar	5,24
XS2C-D4S2	147522	Sin cable Acodado cc 4 hilos Tornillo M12	14,29
XS2G-D4C1	147528	Field assembly connector, M12 straight plug (male), 4-poles, A coded, crimp con	13,25
XS2G-D422	147529	Sin cable Acodado Macho cc 4 hilos Soldar M12	15,91
XS2P-D422-1	149199	Conector M12 para panel rosca frontal CC 4 pines DIP	23,82
XS2C-D4S1	155975	Sin cable Recto cc 4 hilos Tornillo M12	14,29
XS2P-A421-2	156299	Conector M12 para panel rosca posterior CA 4 pines Soldar	22,87
Y92E-M12PVC5Sconf-H	224496	Sin cable recto 5hilos M12	17,48
Y92E-MM12PVC5Sconf-H	224498	Sin cable recto Macho 5hilos M12	18,75
Y92E-M12PVC4AconfLED-H	224780	Sin cable Acodado 4 hilos M12 led	30,91
XS3P-M421-1	250807	Panel mount connector, M8 socket (female), 4 poles, front or rear lock, with DIP	9,95

OMRON PVPR 2023

XS3P-M421-2	250809	Panel mount connector, M8 socket (female), 4 poles, front or rear lock, with solder cup	9,94
XS3P-M422-2	250810	Panel mount connector, M8 socket (female), 4 poles, rear lock, with solder cup	14,12
XS3M-K421-2	250952	Conector montaje panel 4h para soldar	7,52
XS2G-D424	256450	Sin cable Acodado Macho cc 4 hilos Soldar M12 Diametro 4mm	15,79
XS5P-D426-5	257487	Conector Panel Mounting M12 4h Rear Lock Smart click 0.5m	30,76
XS5C-D421	269067	Conector M12 sin cable Recto Hembra 4 hilos Smart click Soldar	17,12
XS5C-D4S3	269071	Field assembly connector, Smartclick M12 straight socket (female), 4-poles, A coded	19,07
XS5C-D5S7	269078	Field assembly connector, Smartclick M12 straight socket (female), 5-poles, A coded	22,18
XS5C-D422	269083	Conector M12 sin cable Acodado Hembra 4 hilos Smart click Soldar	17,12
XS5C-D4S2	269086	Sin cable Acodado cc 4 hilos Tornillo M12	18,98
XS5C-D4S4	269087	Sin cable Acodado cc 4 hilos Tornillo M12	18,03
XS5G-D421	269092	Conector M12 sin cable Recto Macho 4 hilos Smart click Soldar	17,00
XS5G-D5S7	269103	Field assembly connector, Smartclick M12 straight plug (male), 5-poles, A coded	16,27
XS5G-D422	269105	Conector M12 sin cable Acodado Macho 4 hilos Smart click Soldar	17,00
XS2P-D522-2	269995	Panel mount connector, M12 socket (female), 5 poles, A coded, front lock, with	27,66
XS2C-D5S1	374557	M12 Sin cable Recto Hembra 5 hilos Tornillo Cable 6mm	30,85
XS2C-D5S2	374558	M12 Sin cable Acodado Hembra 5 hilos Tornillo Cable 6mm	30,85
XS2G-D5S2	374559	M12 Sin cable Acodado Macho 5 hilos Tornillo Cable 6mm	30,85
XS2G-D5S1	374560	M12 Sin cable Recto Macho 5 hilos Tornillo Cable 6mm	30,26
XS5C-D418	377248	Conector M12 sin cable IDC Recto Hembra 4 hilos Smart click	18,22
XS5G-D418	377249	Conector M12 sin cable IDC Recto Macho 4 hilos Smart click	18,22
XS2G-S005	393250	Conector M12 confeccionable Macho Puente 1&2 3&4	20,85
XS8A-0441	107556	Conector para sensores y modulos SRT	7,24
Y92E-M08PVC3Sconf-L	206327	Sin cable Recto 3 hilos M8	29,13
Y92E-M12PVC4Aconf-L	206333	Sin cable Acodado 4 hilos M12	17,35
Y92E-M12PVC4Sconf-L	206334	Sin cable Recto 4 hilos M12	17,35
Y92E-M12PVC5Aconf-L	206337	Sin cable Acodado 5 hilos M12	25,11
Y92E-MM12PVC4Aconf-L	206557	Sin cable Acodado Macho 4 hilos M12	17,35
Y92E-MM12PVC4Sconf-L	206558	Sin cable Recto Macho 4 hilos M12	17,35
Y92E-M08PVC4Aconf-L	206579	Sin cable Acodado 4 hilos M8	35,22
Y92E-M08PVC4Sconf-L	206580	Sin cable Recto 4 hilos M8	29,13
Y92E-MM08PVC3Sconf-L	206581	Sin cable recto Macho 3hilos M8	24,81
Y92E-MM08PVC4Sconf-L	206582	Sin cable Recto Macho 4 hilos M8	24,81

OMRON PVPR 2023

Y92E-MM08PVC4Aconf-H	323402	Sin cable acodado Macho 4hilos M8	24,81
Y92E-M08PVC3Aconf-L	324520	Sin cable Acodado 3 hilos M8	35,22
XS2M-D424-4	703697	Panel mount connector, M12 plug (male), 4 poles, A coded, metal body plug, scr	13,81
XS5M-D526-4	700242	Conector de montaje en panel, conector M12 Smartclick (macho), 5 polos, código	20,43
XS6G-T421-1	357515	Conector RJ45	42,31
CJ1W-TB101	169437	Conector de Bypass para Controller Link	158,30
XW4B-05C1-H1-D	107476	Conector DeviceNet Tornillo	36,21
SCN1-TH4	111795	Conector 1 derivación Cable plano Compobus/S	18,12
SCN1-TH4T	111796	Conector fin de línea Cable plano Compobus/S	18,12
DCN1-1C	133602	Derivador 1 línea con conector	139,80
DCN1-3C	133603	Derivador 3 Líneas (con conectores)	201,30
DCN1-1P	133604	Derivador 1 línea para fuente de alimentación	261,00
DCN2-1	133605	Derivador 1 Macho 2 Hembras IP67	69,70
DRS2-1	133611	Conector Resistencia Fin Línea IP67 Macho	55,05
DRS1-T	133617	Fin de línea	36,21
DCN1-3	142238	Derivador 3 líneas	171,20
SCN1-TH4E	143146	Conector alargador Cable plano Compobus/S	18,12
DRS2-2	149766	Conector Resistencia Fin Línea IP67 Hembra	55,05
XW4B-05C4-T-D	150732	Conector DeviceNet Screwless	55,05
DCN1-1	152044	Derivador 1 línea	117,10
SRS2-1	152645	Macho recto 4 hilos Resistencia terminación Com.	55,05
DCN1-2R	164729	Derivador 1 línea con Conectores y Resistencia Fin	283,80
DCN1-1NC	164731	Derivador 1 Línea Screwless Conexión Frontal	102,60
DCN3-11	164733	Conector IP67 T-Branch	82,85
DCN3-12	164734	Conector IP67 T-Branch M12	69,70
DRS3-1	164735	Conector Resistencia Fin Línea IP67 Macho Cable Gr	55,05
XW4B-05C4-TF-D	167725	Conector DeviceNet multi-branching Tornillo	55,05
DCN1-3NC	226006	Derivador 3 Líneas Screwless Conexión Frontal	154,30
DCN4-TR4	226112	Conector Componet T-Branch Línea Troncal IP20	18,12
DCN4-BR4	226113	Conector Componet de Línea IP20	18,12
DCN4-TB4	226114	Conector Componet Terminales a Tornillo IP20	36,21
DCN4-MD4	226115	Conector Componet en Y IP20	18,12
DCN4-TM4	226116	Terminación Componet IP20	18,12

OMRON PVPR 2023

XW4G-05C4-TF-D	231438	Conector DeviceNet multi-branching Screwless	55,05
DCN4-BR4D	249459	DeviceNet conversion connector for thin cable to standard flatcable	18,91
SRS1-T	338264	Final de Línea CompoBus/S 2 Hilos	22,53
CS1W-CE561	153114	Conector Fujitsu 56 pines soldar para Unidades 96 puntos	50,70
CJ-WM01-18P-5	172166	Set 5 Bloques Terminales Screwless para CJ1	241,00
CJ-OD507-18P-5	210956	Set 5 Bloques Terminales Tornillo para CJ1	155,40
GRT1-BT1-5	231594	Set 5 Terminales Screwless SmartSlice para Pre-Cableado	86,65
NX-TBA082	380141	Conector de presión sin tornillos con 8 terminales de cableado (marcados A+B) d	12,72
NX-TBA122	380142	Conector de presión sin tornillos con 12 terminales de cableado (marcados A+B)	13,44
NX-TBA162	380143	Repuesto NX - Conector Frontal, 16 Terminales, 10 A	14,47
NX-TBB162	380145	Conector de presión sin tornillos con 16 terminales de cableado (marcados C+D)	13,44
NX-TBC082	380146	Repuesto NX - Conector Frontal, 8 Terminales, 10 A	15,75
C500-CE401	103043	Conector módulo alta dens. 32p	49,45
C500-CE243	146377	Conector módulo alta dens. 24p Conector Presión	64,35
C500-CE241	157398	Conector módulo alta dens.24p Conector Soldadura	33,42
C500-CE242	159066	Conector Módulo alta dens. 24p Conector Crimpado	49,45
C500-CE402	159067	Conector de 40 pines para Crimpar	100,10
C500-CE403	159068	FCN connector, 40 pin, pressure weld type	80,65
C500-CE404	159089	Conector módulo alta dens. 32p soldar	64,35
C500-CE405	159090	Conector Fujitsu 40 pines crimpar	113,20
XS2R-D426-5	106034	Conector Y macho-hembra	78,85
XS3R-M426-1	107541	M8 Conector en Y 2 Salidas independientes	78,85
XS2R-D422-1	107659	Conector en T para modulos pasivos	62,05
XS2R-D422-5	107660	Conector en T para modulos pasivos	72,20
XS2R-D426-1	107661	Conector Y macho-hembra	80,40
XS2R-D426-B11-F	107662	Cable en Y con 3 M12 0,5 m	94,85
XS2R-D526-S001-2	107665	Conector T para Pick up sensors 2m	126,80
XS2R-D526-S001-5	107666	Conector T para Pick up sensors 5m	141,70
XS2R-D526-S003	107667	Conector T para Pick up sensors	109,60
XS2R-D427-5	107668	Conector Y macho-hembra	61,40
XS2R-D424-1	171571	Conector en T para modulos pasivos Conex. Cadena	93,50
XS2R-D423-1	196507	Conector en T para modulos pasivos Bifurcador	69,60
XS5R-D426-1	237217	Conector Y conexión sensor estandar e IO-Link	66,25

OMRON PVPR 2023

XS3R-M426-5	249479	M8 Conector en Y Salidas paralelo OR	80,40
XS3R-M426-1C51-A	249480	M8 Conector en Y 2 Salidas independientes Con cable 0,5m - Conector	83,10
XS3R-M426-1011-A	249541	M8 Conector en Y 2 Salidas independientes Con cable 1m - Conector	84,50
XS3R-M426-1021-A	249542	M8 Conector en Y 2 Salidas independientes Con cable 2m - Conector	93,95
XS3R-M426-1031-A	249543	M8 Conector en Y 2 Salidas independientes Con cable 3m - Conector	99,50
XS3R-M426-1020-A	249544	M8 Conector en Y 2 Salidas independientes Con cable 2m a punteras	81,80
XS3R-M426-1050-A	249545	M8 Conector en Y 2 Salidas independientes Con cable 5m a punteras	88,60
XS5R-D427-5	674263	Conector T Aliment. GX IO-Link M12 SmartClick	41,46
NE1A-SCPU01-V1 VER2.0	231688	Controlador de red DNet de seguridad 16E-8S-4T V1	2 044,00
NE1A-SCPU02 VER2.0	231689	Controlador de red Dnet de seguridad 40E-8S-8T V2	3 068,00
NE1A-EDR01	241369	Router Ethernet/IP-DeviceNet	1 271,00
NE0A-SCPU01 VER1.0	256854	Controlador de seguridad 12E-6S-2T V1	1 271,00
NE1A-SCPU01-EIP VER1.0	313543	Controlador de red DNet de seguridad 16E-8S-4T EIP	2 232,00
NE1A-SCPU02-EIP VER1.0	313544	Controlador de red DNet de seguridad 40E-8S-8T EIP	3 202,00
G9SP-N10S	342713	Controlador de seguridad 10E-4S-4T-4S aux	582,50
G9SP-N10D	342714	Controlador de seguridad 10E-16S-6T	760,00
G9SP-N20S	342715	Controlador de seguridad 20E-8S-6T	682,50
DST1-MRD08SL-1	353655	Módulo de E/S remotas de Seguridad 4E-4S-4T	1 042,00
DST1-XD0808SL-1	353657	Módulo de E/S remotas de Seguridad 8E-8S-4T	1 309,00
DST1-ID12SL-1	353672	Módulo de E/S remotas de Seguridad 12E-4T	948,50
DST1-MD16SL-1	353673	Módulo de E/S remotas de Seguridad 8E-8S-4T	1 069,00
82611-0010 CM-EIP-1	364929	Interface Ethernet IP para G9SP	367,00
F3SP-B1P	346846	Controlador para F3SN/H 3 NA + 1 NC	459,90
G9SA-501 AC/DC24	346847	Módulo Seguridad 5PST-NA SPST-NC 24Vca/cc	419,80
G9SA-321-T075 AC/DC24	346848	Módulo Seguridad 3PST-NA SPST-NC DPST-NA Temp. OFF 7,5s 24Vca/cc	450,40
G9SB-2002-A AC/DC24	346849	Módulo Seguridad 2PST-NA 17,5mm 24Vca/cc Auto reset	200,80
G9SB-2002-C AC/DC24	346850	Módulo Seguridad 2PST-NA 17,5mm 24Vca/cc Reset manual	200,80
G9SB-3010 DC24	346851	Módulo Seguridad 3PST-NA SPST-NC 17,5mm 24Vcc Ruptura directa	237,90
G9SB-3012-C AC/DC24	346852	Módulo Seguridad 3PST-NA SPST-NC 22,5mm 24Vca/cc Reset manual	237,90
G9SA-301 AC/DC24	346855	Módulo Seguridad 3PST-NA SPST-NC 24Vca/cc	291,10
G9SA-EX031-T15	347771	Módulo expansor para G9SA 3PST-NA Retardo 15sg	256,10
G9SA-EX031-T30	347772	Unidad expansión para G9SA, 3PST-NA 2 a 30 seg retardo desactivación categoría	239,20
G9SA-501 AC100-240	347774	Módulo Seguridad 5PST-NA SPST-NC 100/240 Vac	433,10

OMRON PVPR 2023

G9SA-321-T075 AC100-240	347775	Módulo Seguridad 3PST-NA SPST-NC DPST-NA Temp. OFF 7,5s 100/240Vca	519,00
G9SA-321-T15 AC100-240	347776	Módulo Seguridad 3PST-NA SPST-NC DPST-NA Temp. OFF 15s 100-240Vca	470,50
G9SA-321-T30 AC100-240	347777	Módulo Seguridad 3PST-NA SPST-NC DPST-NA Temp. OFF 30s 100-240Vca	441,20
G9SA-TH301 AC100-240	347778	Módulo Seguridad Bimanual 3PST-NA SPST-NC 100-240Vca	429,00
G9SA-321-T15 AC/DC24	347783	Módulo Seguridad 3PST-NA SPST-NC DPST-NA Temp. OFF 15s 24Vca/cc	426,40
G9SA-321-T30 AC/DC24	347784	Módulo Seguridad 3PST-NA SPST-NC DPST-NA Temp. OFF 30s 24Vca/cc	450,40
G9SA-TH301 AC/DC24	347785	Módulo Seguridad Bimanual 3PST-NA SPST-NC 24Vca/cc	348,60
G9SA-EX301	347786	Módulo expansor para G9SA 3PST-NA	188,00
G9SA-EX031-T075	347787	Unidad expansión para G9SA, 3PST-NA 0.5 a 7.5 seg retardo desactivación categ	254,60
G9SA-301 AC100-240	347788	Módulo Seguridad 3PST-NA SPST-NC 100-240Vca	382,30
G9SA-301-P DC24	347789	Relé de seguridad, 3PST-NA (Categoría 4) 5 A, SPST-NC auxiliar, entrada de 1 o 2	382,30
G9SB-200-B AC/DC24	347790	Módulo Seguridad 2PST-NA 17,5mm 24Vca/cc Auto reset +Común	200,80
G9SB-200-D AC/DC24	347791	Módulo Seguridad 2PST-NA 17,5mm 24Vca/cc Reset manual +Común	200,80
G9SB-3012-A AC/DC24	347792	Módulo Seguridad 3PST-NA SPST-NC 22,5mm 24Vca/cc Auto reset	237,90
G9SB-301-B AC/DC24	347793	Módulo Seguridad 3PST-NA SPST-NC 22,5mm 24Vca/cc Auto reset +Común	237,90
G9SB-301-D AC/DC24	347794	Módulo Seg. 3PST-NA SPST-NC 22,5mm 24Vca/cc Reset manual +Común	237,90
G9SX-EX041-T-RT DC24	353660	Expansion unit (to be used with advanced unit), 4PST-NO off delay relay outputs	252,70
G9SX-EX041-T-RC DC24	353661	Módulo expansión 4PST-NA salidas retardo desconexión (3 A) 1 salida electrónica	252,70
G9SX-ADA222-T15-RT DC24	353664	Módulo Seg. 4 Salidas(t15s.)/2 Entradas 2AND 35mm 24Vcc	473,50
G9SX-ADA222-T15-RC DC24	353665	Módulo seguridad avanzado, 2 NA (1 A), 2 NA retardo desconexión (0-15s), 2 NA	471,50
G9SX-AD322-T150-RT DC24	353666	Módulo Seg. 5 Salidas(2 temp. 150s)/2 Entradas 1AND 35mm 24Vcc	424,20
G9SX-AD322-T150-RC DC24	353667	Módulo seguridad avanzado, 3 NA (1 A), 2 NA retardo desconexión (0-150s), 2 NA	432,40
G9SX-SM032-RT	353668	Módulo Seg. Monitorización parada 3Salidas 2AUX 24Vcc	788,50
G9SX-SM032-RC	353669	Módulo Seg. Monitorización parada 3Salidas 2AUX 24Vcc Screwless	788,50
G9SX-LM224-F10-RT	353670	Módulo Seg. Baja Vel. 2 OSSDs 2 Sal. Vel. Lenta 4 AUX 45 mm Torn.	1 110,00
G9SX-LM224-F10-RC	353671	Baja velocidad 4Entradas 5Salidas 4Aux 45mm Screwless	1 083,00
G9SX-AD322-T15-RT DC24	353676	Módulo Seg. 5 Salidas(2 temp.)/2 Entradas 1AND 35mm 24Vcc	424,20
G9SX-AD322-T15-RC DC24	353677	Módulo Seg. 5 Salidas(2 temp)/2 Entradas 1AND 35mm 24Vcc Screwless	432,40
G9SX-BC202-RT DC24	353678	Módulo Seg. 2 Salidas/2 Entradas 2AND 22,5mm 24Vcc	289,70
G9SX-BC202-RC DC24	353679	Módulo Seg. 2 Salidas/2 Entradas 2AND 22,5mm 24Vcc Screwless	285,70
G9SX-EX401-RC DC24	353681	Módulo expansión 4PST-NO 22,5mm 24Vcc	275,10
G9SX-NS202-RT DC24	353682	Módulo Seg. D40A 2 Salidas 2 Aux AND 22,5mm 24Vcc	306,80
G9SX-NS202-RC DC24	353683	Módulo seguridad para FC sin contacto D40A, 2 salidas electrónicas, 2 salidas au	281,20

OMRON PVPR 2023

G9SX-NSA222-T03-RT DC24	353684	Módulo Seg. D40A 2 Sal 2 T3s. 2 Aux AND 35mm 24Vcc Tornillo	496,30
G9SX-NSA222-T03-RC DC24	353685	Módulo Seg. D40A 2 Sal 2 T3s. 2 Aux AND 35mm 24Vcc screwless	496,30
G9SX-GS226-T15-RT DC24	353686	Unidad de conmutación de protección de seguridad con dos modos de funciona	696,00
G9SX-GS226-T15-RC DC24	353687	Módulo seguridad con 2 modos de operación, terminales conexión rápida	635,50
G9SR-BC201-RC	395791	Módulo Seguridad Básico 2 OSSDs 2A 1Aux 17,6mm 24Vcc Rearme M/A	159,90
G9SR-AD201-RC	395792	Módulo Seguridad Avanzado 2PST-NA 5A 1Aux 22,5mm 24Vcc Rearme M/A	173,60
G9SR-EX031-T90-RC	395793	Módulo Expansión para G9SR-AD 3PST-NA 5A 22,5mm 24Vcc	173,60
G9SA-321-T30-300 AC/DC24	396478	Módulo Seguridad 3PST-NA SPST-NC DPST-NA Temp. OFF 30s 24Vca/cc Trop.	561,00
G9SA-321-T075-300 AC/DC24	396479	Módulo Seguridad 3PST-NA SPST-NC DPST-NA Temp. OFF 7.5s 24Vca/cc Trop.	561,00
G9SA-301-300 AC/DC24	396480	Safety relay unit, 3PST-NO (Category 4) 5A, SPST-NC aux, 1 or 2 channel input	291,10
G9SE-221-T05 DC24	679416	Relé de seguridad, 24 V CC, 4 salidas de seguridad de 5 A máx. (2+2 con 5 s de re	255,00
G9SE-201 DC24	679415	Relé de seguridad, 24 V CC, 2 salidas de seguridad de 5 A máx., salida aux.	147,80
G9SE-401 DC24	679414	Relé de seguridad, 24 V CC, 4 salidas de seguridad de 5 A máx., salida aux.	161,40
G9SE-221-T30 DC24	679413	Relé de seguridad, 24 V CC, 4 salidas de seguridad de 5 A máx. (2+2 con 30 s de r	255,00
H8PS-8BF	119514	8 Salidas NPN Superficial/carril DIN	895,50
H8PS-8BP	119515	8 salidas PNP Montaje panel	895,50
H8PS-8BFP	119516	8 Salidas PNP Superficial/carril DIN	895,50
H8PS-8B	142010	8 Salidas NPN Montaje panel	895,50
H8PS-16B	169008	16 Salidas NPN Montaje en Panel	1 403,00
H8PS-16BF	169009	16 Salidas NPN Montaje Superfie/Carril	1 403,00
H8PS-16BP	169010	16 Salidas PNP Montaje en Panel	1 403,00
H8PS-16BFP	169011	16 Salidas PNP Montaje Superfie/Carril DIN	1 403,00
H8PS-32B	169012	32 Salidas NPN Montaje en Panel	1 844,00
H8PS-32BF	169013	32 Salidas NPN Montaje Superfie/Carril	1 844,00
H8PS-32BP	169014	32 Salidas PNP Montaje en Panel	1 844,00
H8PS-32BFP	169015	32 Salidas PNP Montaje Superfie/Carril	1 844,00
H8BM-RB DC24	238302	Contador	1 046,00
H7GP-TDB	243923	Contador tiempo LCD 6 dígitos Negro 12/24Vcc	259,90
H7GP-T	243928	Contador tiempo LCD 6 dígitos Gris 100/240Vca	259,90
H7GP-TD	243929	Contador tiempo LCD 6 dígitos Gris 12/24Vcc	221,00
H7GP-TB	243932	Contador tiempo LCD 6 dígitos Gris	259,90
H7ET-NV1-BH	672670	Temporizador contador, 7 dígitos, autoalimentado, m.s o h.m , entrada universa	149,70
H7ET-N1	672657	Tiempo LCD Gris Ent. sin tensión 999h-9999h	124,50

OMRON PVPR 2023

H7ET-NV-B	672692	Tiempo LCD Negro Ent. tensión PNP/NPN 3999d	127,10
H7ET-NFV	672681	Tiempo LCD Gris Ent. multitensión ca/cc	156,30
H7ET-NV1	672658	Tiempo LCD Gris Ent. tensión PNP/NPN 9999h	140,30
H7ET-NV1-H	672684	Temporizador contador, 7 dígitos, autoalimentado, m.s o h.m , entrada universal	149,70
H7ET-N1-B	672662	Temporizador contador, 7 dígitos, autoalimentado, m.s o h.m, entrada sin tensión	121,70
H7ET-NV1-B	672668	Tiempo LCD Negro Ent. tensión PNP/NPN 9999h	140,30
H7ET-NFV1	672674	Tiempo LCD Gris Ent. multitensión ca/cc	163,10
H7ET-NV	672665	Tiempo LCD Gris Ent. tensión PNP/NPN 3999d	127,10
H7ET-N	672656	Tiempo LCD Gris Ent. sin tensión 999999,9h-3999d	117,70
H7ET-NV-BH	672671	Tiempo LCD ilum fondo negro entrada PNP/NPN	135,20
H7ET-NFV1-B	672688	Tiempo LCD Negro Ent. multitensión ca/cc	163,10
H7ET-N-B	672672	Tiempo LCD Negro Ent. sin tensión	112,30
H7ET-NV-H	672664	Tiempo LCD ilum fondo gris entrada PNP/NPN	135,20
H7ET-NFV-B	672663	Tiempo LCD Negro Ent. multitensión ca/cc	156,30
H7GP-C	243926	Totalizador LCD 6 dígitos Gris 100/240Vca	259,90
H7GP-CD	243927	Totalizador LCD 6 dígitos Gris 12/24Vcc	221,00
H7GP-CB	243930	Totalizador LCD, 6 dígit, negro, 100/240Vca	251,40
H7GP-CDB	243931	Totalizador LCD 6 dígitos Negro 12/24Vcc	230,50
H7BX-A	241306	72x72 SPST 1 Etapa 6 dígit. Sal. Trans 100-240Vca	738,50
H7BX-AW	241307	72x72 SPST 2 Etapas 6 dígit. Sal. Trans 100 a 240 VA	738,50
H7BX-AD1	241308	72x72 SPST 1 Etapa 6 dígit. Sal. Trans 24VAC/12 a 24VDC	738,50
H7BX-AWD1	241309	72x72 SPST 2 Etapas 6 dígit. Sal. Trans 24Vca/12 a 2	738,50
H7AN-2DM 100-240VAC	243904	Contador con preselección 72x72 mm	766,00
H7AN-4D 100-240VAC	243905	Contador con preselección 72x72 mm	766,00
H7AN-4DM 100-240VAC	243906	Contador con preselección 72x72 mm	832,00
H7AN-WE4DM 100-240VAC	243907	Contador con 2 preselecciones 72x72 mm	792,00
H7HP-C8B	243924	Totalizador LCD 8 dígitos Negro 12/24Vcc	365,90
H7HP-C8DB	243925	Contador totalizador, 8 dígitos, 12-24VDC, 30 o 5kHz, carcasa negra	305,80
H7HP-A	243933	Totalizador/Contador LCD 6 dígitos Gris 100/240Vca	336,70
H7HP-AD	243934	Totalizador/Contador LCD 6 dígitos Gris 12-24Vcc	276,70
H7HP-C8	243935	Totalizador LCD 8 dígitos Gris 100/240Vca	365,90
H7HP-C8D	243936	Totalizador LCD 8 dígitos Gris 12/24Vcc	305,80
H7HP-AB	243937	Totalizador/Contador LCD 6 dígitos Gris 100/240Vca	339,40

OMRON PVPR 2023

H7HP-ADB	243938	Totalizador/Contador LCD 6 dígitos Negro 12/24Vcc	326,70
H7CX-AU-N	311857	SPDT 2 Etapas 6 dig. Sal Relé y TR 100-240Vca	336,70
H7CX-AUD1-N	311858	SPDT 2 Etapas 6 dig. Sal Relé y TR 12-24Vcc/24Vca	336,70
H7CX-AUSD1-N	311859	Contador, 6 dígitos, terminal a tornillo, 7 multifunciones, salida transistor, 12-24	328,20
H7CX-A-N	668633	SPDT Estándar 6 dig. Sal. relé 100-240VAC	335,00
H7CX-AS-N	668613	SPDT Estándar 6 dig. Sal. Trans. 100-240Vac	325,40
H7CX-A4SD-N	668601	SPST Estándar 4 dig. Sal. Trans. 12-24VDC/24VAC	287,50
H7CX-A11D1-N	668595	SPDT Básico 6 dig. Sal. relé 12-24Vcc/24Vca 11pin	339,40
H7CX-A11-N	668611	SPDT Básico 6 dig. Sal. relé 100-240Vca 11pin	339,40
H7CX-AD-N	668628	SPDT Estándar 6 dig. Sal. relé 12-24Vcc	349,20
H7CX-A4WSD-N	668630	DPDT 2 Etapas 4 dig. Sal. Relé 12-24Vcc	328,20
H7CX-A11S-N	668619	SPDT Básico 6 dig. Sal. transistor 100-240Vca 11pin	339,40
H7CX-A114D1-N	668600	SPDT Básico 4 dig. Sal. relé 12-24Vcc/24Vca 11pin	339,40
H7CX-A4D-N	668621	SPDT Básico 12-24Vdc 4 dig.	324,20
H7CX-AWSD-N	668608	SPDT Básico 12-24Vdc 6 dig. Salida Trt. Conf. 2 et	364,50
H7CX-A4W-N	668590	SPDT Básico 100-240Vac 4 dig. Conf. 2 etapas	364,50
H7CX-A11SD1-N	668606	SPDT Básico 6 dig. Sal. Trt 12-24Vcc/24Vca 11pin	310,10
H7CX-A4-N	668623	SPDT Básico 4 dig. Sal. relé 100-240Vca	324,20
H7CX-AW-N	668588	SPDT 2 Etapas 6 dig. Sal. Relé 100-240Vca	360,30
H7CX-AWD1-N	668634	SPDT 2 Etapas 6 dig. Sal. Relé 12-24Vcc/24Vca	364,50
H7CX-AWSD1-N	668591	Contador, 6 dígitos, terminal a tornillo, 7 multifunciones, salida transistor, 12-10	375,50
H7CX-A114-N	668637	SPDT Básico 4 dig. Sal. relé 100-240Vca 11pin	328,20
H7CX-A114S-N	668638	SPDT Básico 4 dig. Sal. transistor 100-240Vca 11pin	337,90
H7CX-A4S-N	668639	SPDT Básico 100-240Vac Sal. Trans. 4 dig. Conf. 2 etapas	304,50
H7CX-AWS-N	668643	SPDT 2 Etapas 6 dig. Sal. Trt. 100-240Vca	342,00
H7EC-NFV	672659	Totalizador LCD Gris 20Hz Ent. multitensión 24x48	141,70
H7EC-NV-H	672690	Totalizador LCD ilum fondo gris 30Hz-1kHz	108,30
H7EC-NFV-B	672683	Totalizador LCD Negro 20Hz Ent. multitensión 24x48	141,70
H7EC-NLP	672689	Totalizador LCD para PCB 30Hz Ent. sin tensión	66,30
H7EC-N-B	672677	Totalizador LCD Negro 30Hz Ent. sin tensión 24x48	97,50
H7EC-NV	672660	Totalizador LCD Gris 30Hz-1kHz PNP/NPN	97,50
H7EC-NV-B	672691	Totalizador LCD Negro 30Hz-1kHz PNP/NPN	97,50
H7EC-NV-BH	672661	Totalizador LCD ilum fondo Negro 30Hz-1kHz PNP/NPN	112,30

OMRON PVPR 2023

H7EC-N	672687	Totalizador LCD Gris 30Hz Ent. sin tensión 24x48	97,50
H7CC-A11	700351	Contador digital, enchufable, 11 pines, 48 x 48 mm, IP66, 6 dígitos de cuenta, m	319,00
H7CC-A11S	700352	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, multifunction: 1-	319,00
H7CC-A11D	700353	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, multifunction: 1-	319,00
H7CC-A11SD	700354	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, multifunction: 1-	319,00
H7CC-A	700355	Contador digital, enchufable, terminales roscados, 48 x 48 mm, IP66, 6 dígitos d	319,00
H7CC-AS	700356	Digital counter, plug-in, screw terminals, 48x48 mm, IP66, 6 count digits, multifu	319,00
H7CC-AD	700357	Digital counter, plug-in, screw terminals, 48x48 mm, IP66, 6 count digits, multifu	319,00
H7CC-ASD	700358	Digital counter, plug-in, screw terminals, 48x48 mm, IP66, 6 count digits, multifu	319,00
H7CC-AW	700359	Contador digital, terminales roscados, 48 x 48 mm, IP66, 6 dígitos de recuento, r	357,20
H7CC-AWS	700360	Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction:	357,20
H7CC-AWD	700361	Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction:	357,20
H7CC-AWSD	700362	Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction:	357,20
H7CC-AU	700363	Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction:	357,20
H7CC-AUD	700364	Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction:	357,20
H7CC-A8	700369	Digital counter, plug-in, 8-pin, 48x48 mm, IP66, 6 count digits, multifunction: 1-s	331,80
H7CC-A8D	700370	Digital counter, plug-in, 8-pin, 48x48 mm, IP66, 6 count digits, multifunction: 1-s	331,80
H7CX-R11D1-N	668598	SPDT Tacómetro 6 dig. Sal. relé 12-24Vcc/24Vca 11pin	347,50
H7CX-R11-N	668615	SPDT Tacómetro 6 dig. Sal. relé 100-240Vca 11pin	341,00
H7CX-R11W-N	668632	SPDT+SPST Tacómetro 6 dig. Sal. relé 100/240Vca 11pin	516,00
H7CX-R11WD1-N	668612	Tacometro, enchufable, 11-pin, DIN48x48mm, IP66, multifunción, (SPDT + SPST)	460,10
H7ER-NV-BH	672686	Tacómetro LCD Negro Ent. cc PNP/NPN 4 dígitos 24x48	156,30
H7ER-NV1-H	672679	Tacómetro autoalimentado, 5 dígitos, 1/60 /600ppr, entrada universal, carcasa g	143,00
H7ER-NV-B	672667	Tacómetro LCD Negro Ent. cc PNP/NPN 4 dígitos 24x48	136,60
H7ER-NV1-BH	672685	tacómetro 5 dígitos, autoalimentado, 1/60/600pps, entrada sin tensión, carcasa	143,00
H7ER-N	672673	LCD Gris Ent. sin tensión	135,20
H7ER-N-B	672666	LCD Negro Ent. sin tensión	135,20
H7ER-NV1	672678	Tacómetro LCD Gris Ent. cc PNP/NPN 5 dígitos	143,00
H7ER-NV1-B	672675	tacómetro 5 dígitos, autoalimentado, 1/60/600pps, entrada sin tensión, carcasa	143,00
H7ER-NV	672680	Tacómetro LCD Gris Ent. cc PNP/NPN 4 dígitos	143,00
H7ER-NV-H	672669	LCD ilum fondo gris Entrad c.c PNP/	155,10
H7CC-R11	700365	Contador digital, enchufable, 11 pines, 48x48 mm, IP66, 6 dígitos de cuenta, tac	357,20
H7CC-R11D	700366	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, tachometer, SPD	357,20

OMRON PVPR 2023

H7CC-R11W	700367	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, tachometer, SPD	357,20
H7CC-R11WD	700368	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, tachometer, SPD	357,20
E6C3-AG5C-C 360P/R 2M	103666	Absoluto 360cpr Gray NPN 12-24 Vcc Connector 2m	604,50
E6F-AB5B 360 2M	106003	Absoluto 360cpr BCD PNP 12-24Vcc Cable 2m	714,00
E6CP-AG5C-C 256 2M	106174	Absoluto 256cpr Gray NPN 12-24Vcc Levas 2m	277,30
E6CP-AG5C-C 256 5M	128074	Absoluto 256cpr Gray NPN 12-24Vcc Levas 5m	322,80
E6F-AB5C 360 2M	128104	Absoluto 360cpr BCD NPN 12-24Vcc Cable 2m	714,00
E6F-AG5C 256 2M	128105	Absoluto 256ppr Gray NPN 12-24Vcc Cable 2m	630,50
E6F-AG5B 256 2M	128107	Absoluto 256ppr Gray PNP 12-24Vcc Cable 2m	586,50
E6F-AG5B 360 2M	128108	Absoluto 360ppr Gray PNP 12-24Vcc Cable 2m	605,50
E6F-AG5B 720 2M	128109	Absoluto 720ppr Gray PNP 12-24Vcc Cable 2m	630,50
E6F-AG5B 1024 2M	128110	Absoluto 1024ppr Gray PNP 12-24Vcc Cable 2m	714,00
E6CP-AG5C 256 2M	128169	Absoluto 256cpr Gray NPN 12-24Vcc Cable 2m	249,20
E6C3-AG5C 256P/R 2M	128224	Absoluto 360cpr Gray NPN 12-24 Vcc Conector 2m	562,50
E6C3-AG5C 360P/R 2M	128225	Absoluto 360cpr Gray NPN 12-24 Vcc Cable 2m	562,50
E6C3-AG5C 720P/R 2M	128226	Absoluto 720cpr Gray NPN 12-24 Vcc Conector 2m	562,50
E6C3-AG5C 1024P/R 2M	128227	Absoluto 1024 Gray NPN 12-24 Vcc Conector 2m	562,50
E6C3-AN5C 40P/R 2M	128229	Absoluto 40ppr Binario NPN 12-24 Vcc Cable 2m	547,50
E6C3-AG5B 720P/R 2M	128234	Absoluto 360cpr Gray PNP 12-24 Vcc Cable 2m	562,50
E6C3-AG5B 1024P/R 2M	128235	Absoluto 1024cpr Gray PNP 12-24Vcc Cable 2m	580,50
E6C3-AN5B 40P/R 2M	128237		669,50
E6C3-AB5B 6P/R 2M	128238	Absoluto 6ppr BCD PNP 12-24Vcc Cable 2m	580,50
E6C3-AB5B 12P/R 2M	128239	Absoluto 12ppr BCD PNP 12-24Vcc Cable 2m	567,00
E6C3-AG5B 256P/R 1M	128244	Absoluto 256cpr Gray PNP 12-24 Vcc Cable 1m	562,50
E6C3-AB5B 6P/R 1M	128246	Absoluto 6ppr BCD PNP 12-24Vcc Cable 1m	567,00
E6C3-AB5B 8P/R 1M	128247	Encoder, absolute, 8ppr, 9-bit, 12-24 VDC, PNP open collector, BCD output, 1m	567,00
E6C3-AN1E 256P/R 1M	128249	Encoder, absolute, 256ppr, 9-bit, 5 VDC, NPN open collector, binary output, 1m	651,00
E6F-AG5C-C 256 2M	145524	Absoluto 256cpr Gray NPN 12-24Vcc Conector 2m	592,50
E6C3-AG5C-C 256P/R 2M	145873	Absoluto 256cpr Gray NPN 12-24 Vcc Conector 2m	604,50
E6CP-AG5C 256 5M	146080	Absoluto 256cpr Gray NPN 12-24Vcc Cable 5m	297,50
E6F-AB3C-C 360 5M	146573	Absoluto 360cpr BCD NPN 5-12Vcc Conector 5m	908,50
E6F-AG5C 360 2M	148068	Absoluto 360cpr Gray NPN 12-24Vcc Cable 2m	630,50
E6C3-AB5C 12P/R 1M	149114	Absoluto 12ppr BCD NPN 12-24Vcc Cable 1m	567,00

OMRON PVPR 2023

E6F-AB3C 360 2M	149716	Absoluto 360cpr BCD NPN 5-12Vcc Cable 2m	857,00
E6C3-AN5C 32P/R 1M	151298	Encoder, absolute, 32ppr, 9-bit, 12-24 VDC, NPN open collector, binary output, 1	538,00
E6C3-AB5B 8P/R 2M	152460	Absoluto 8ppr BCD PNP 12-24Vcc Cable 2m	580,50
E6F-AB3C-C 360 2M	154208	Absoluto 360cpr BCD NPN 5-12Vcc Conector 2m	857,00
E6C3-AG5C-C 360P/R 1M	155472	Absoluto 360cpr Gray NPN 12-24 Vcc Conector 1m	604,50
E6C3-AN5C 40P/R 1M	155473	Absoluto 40ppr Binario NPN 12-24 Vcc Cable 1m	538,00
E6C3-AG5B 360P/R 2M	156885	Absoluto 360cpr Gray PNP 12-24 Vcc Cable 2m	562,50
E6C3-AG5C-C 720P/R 2M	168881	Absoluto 720cpr Gray NPN 12-24 Vcc Cable 2m	542,50
E6F-AG5C-C 360 2M	168882	Absoluto 360cpr Gray NPN 12-24Vcc Conector 2m	592,50
E6F-AG5C-C 720 2M	168883	Absoluto 720cpr Gray NPN 12-24Vcc Conector 2m	592,50
E6C3-CWZ3EH 1024P/R 1M	103668	Incremental ABZ 1024ppr NPN 5-12Vcc Cable 1m	408,50
E6C3-CWZ3XH 800P/R 1M	103669	Incremental ABZ 800ppr Driver 5-12Vcc Cable 1m	395,00
E6C3-CWZ3EH 100P/R 2M	104492	Incremental ABZ 100ppr NPN 5-12Vcc Cable 2m	408,50
E6A2-CS5C 10P/R 0.5M	105483	Incremental A 10ppr NPN 12-24Vcc	199,80
E6C3-CWZ5GH 600P/R 1M	105920	Incremental ABZ 600ppr Push-Pull 12-24Vcc Cable 1m	395,00
E6C3-CWZ3XH 1024P/R 1M	105921	Incremental ABZ 1024ppr Driver 5-12Vcc Cable 1m	408,50
E6H-CWZ3X 1000P/R 0.5M	127978	Incremental ABZ 1000ppr Driver 5-12Vcc. Eje hueco	679,50
E6H-CWZ3X 2000P/R 0.5M	127980	Incremental ABZ 2000ppr Driver 5-12Vcc. Eje hueco	882,00
E6H-CWZ3X 3600P/R 0.5M	127981	Incremental ABZ 3600ppr Driver 5-12Vcc. Eje hueco	855,00
E6H-CWZ6C 360P/R 0.5M	128071	Incremental ABZ 360ppr NPN 5-24 Vcc. Eje hueco	654,50
E6H-CWZ6C 1000P/R 0.5M	128072	Incremental encoder, Hollow shaft, NPN open collector, 5-24VDC, 1000ppr	728,50
E6H-CWZ6C 1500P/R 0.5M	128073	Incremental ABZ 1500ppr NPN 5-24 Vcc. Eje hueco	679,50
E6F-CWZ5G 100P/R 2M	128111	Incremental ABZ 100ppr Complement 12-24Vcc	630,50
E6F-CWZ5G 200P/R 2M	128112	Incremental ABZ 200ppr Complement 12-24Vcc	630,50
E6F-CWZ5G 1000P/R 2M	128114	Incremental ABZ 1000ppr Complement 12-24Vcc	630,50
E6C3-CWZ3XH 2000P/R 1M	128122	Incremental ABZ 2000ppr Driver 5-12Vcc Cable 1m	421,90
E6C3-CWZ3XH 2500P/R 1M	128123	Incremental ABZ 2500ppr Driver 5-12Vcc Cable 1m	421,90
E6C3-CWZ3EH 800P/R 2M	128170	Incremental ABZ 800ppr NPN 5-12Vcc Cable 2m	408,50
E6C3-CWZ3EH 1000P/R 2M	128171	Incremental ABZ 1000ppr NPN 5-12Vcc Cable 2m	421,90
E6C3-CWZ3EH 1024P/R 2M	128172	Incremental ABZ 1024ppr NPN 5-12Vcc Cable 2m	421,90
E6C3-CWZ3EH 1200P/R 2M	128173	Incremental ABZ 1200ppr NPN 5-12Vcc Cable 2m	421,90
E6C3-CWZ3EH 1500P/R 2M	128174	Incremental ABZ 1500ppr NPN 5-12Vcc Cable 2m	421,90
E6C3-CWZ3EH 1800P/R 2M	128175	Incremental ABZ 1800ppr NPN 5-12Vcc Cable 2m	421,90

OMRON PVPR 2023

E6C3-CWZ3EH 2048P/R 2M	128176	Incremental ABZ 2048ppr NPN 5-12Vcc Cable 2m	435,20
E6C3-CWZ3EH 2500P/R 2M	128177	Incremental ABZ 2500ppr NPN 5-12Vcc Cable 2m	421,90
E6C3-CWZ3EH 3600P/R 2M	128178	Incremental ABZ 3600ppr NPN 5-12Vcc Cable 2m	421,90
E6C3-CWZ3XH 100P/R 2M	128179	Incremental ABZ 100ppr Driver 5-12Vcc Cable 2m	408,50
E6C3-CWZ3XH 300P/R 2M	128180	Incremental ABZ 300ppr Driver 5-12Vcc Cable 2m	408,50
E6C3-CWZ3XH 500P/R 2M	128181	Incremental ABZ 500ppr Driver 5-12Vcc Cable 2m	408,50
E6C3-CWZ3XH 720P/R 2M	128182	Incremental ABZ 720ppr Driver 5-12Vcc Cable 2m	408,50
E6C3-CWZ3XH 800P/R 2M	128183	Incremental ABZ 800ppr Driver 5-12Vcc Cable 2m	408,50
E6C3-CWZ3XH 1000P/R 2M	128184	Incremental ABZ 1000ppr Driver 5-12Vcc Cable 2m	421,90
E6C3-CWZ3XH 1024P/R 2M	128185	Incremental ABZ 1024ppr Driver 5-12Vcc Cable 2m	421,90
E6C3-CWZ3XH 1200P/R 2M	128186	Incremental ABZ 1200ppr Driver 5-12Vcc Cable 2m	421,90
E6C3-CWZ3XH 1800P/R 2M	128187	Incremental ABZ 1800ppr Driver 5-12Vcc Cable 2m	421,90
E6C3-CWZ3XH 2000P/R 2M	128188	Incremental ABZ 2000ppr Driver 5-12Vcc Cable 2m	435,20
E6C3-CWZ3XH 2048P/R 2M	128189	Incremental ABZ 2048ppr Driver 5-12Vcc Cable 2m	421,90
E6C3-CWZ5GH 200P/R 1M	128190	Incremental ABZ 200ppr Push-Pull 12-24Vcc 1m	395,00
E6C3-CWZ5GH 300P/R 1M	128191	Incremental ABZ 300ppr Push-Pull 12-24Vcc Cable 1m	395,00
E6C3-CWZ5GH 360P/R 1M	128192	Incremental ABZ 100ppr Push-Pull 12-24Vcc Cable 1m	395,00
E6C3-CWZ5GH 500P/R 1M	128193	Incremental ABZ 500ppr Push-Pull 12-24Vcc Cable 1m	395,00
E6C3-CWZ5GH 800P/R 1M	128194	Incremental ABZ 800ppr Push-Pull 12-24Vcc 1m	395,00
E6C3-CWZ5GH 1200P/R 1M	128195	Incremental ABZ 1200ppr Push-Pull 12-24Vcc 1m	408,50
E6C3-CWZ5GH 1800P/R 1M	128196	Incremental ABZ 1800ppr Push-Pull 12-24Vcc 1m	408,50
E6C3-CWZ5GH 2048P/R 1M	128197	Incremental ABZ 2048ppr Push-Pull 12-24Vcc 1m	421,90
E6C3-CWZ5GH 3600P/R 1M	128198	Incremental ABZ 3600ppr Push-Pull 12-24Vcc 2m	421,90
E6C3-CWZ3EH 200P/R 1M	128199	Incremental ABZ 200ppr NPN 5-12Vcc Cable 1m	395,00
E6C3-CWZ3EH 300P/R 1M	128200	Incremental ABZ 300ppr NPN 5-12Vcc Cable 1m	395,00
E6C3-CWZ3EH 500P/R 1M	128201	Incremental ABZ 500ppr NPN 5-12Vcc Cable 1m	395,00
E6C3-CWZ3EH 600P/R 1M	128202	Incremental ABZ 600ppr NPN 5-12Vcc Cable 1m	395,00
E6C3-CWZ3EH 800P/R 1M	128203	Incremental ABZ 800ppr NPN 5-12Vcc Cable 1m	395,00
E6C3-CWZ3EH 1200P/R 1M	128204	Incremental ABZ 1200ppr NPN 5-12Vcc Cable 1m	408,50
E6C3-CWZ3EH 1500P/R 1M	128205	Incremental ABZ 1500ppr NPN 5-12Vcc Cable 1m	408,50
E6C3-CWZ3EH 1800P/R 1M	128206	Incremental ABZ 1800ppr NPN 5-12Vcc Cable 1m	408,50
E6C3-CWZ3EH 2000P/R 1M	128207	Incremental ABZ 2000ppr NPN 5-12Vcc Cable 1m	421,90
E6C3-CWZ3EH 2048P/R 1M	128208	Incremental ABZ 2048ppr NPN 5-12Vcc Cable 1m	421,90

OMRON PVPR 2023

E6C3-CWZ3EH 2500P/R 1M	128209	Incremental ABZ 2500ppr NPN 5-12Vcc Cable 2m	435,20
E6C3-CWZ3EH 3600P/R 1M	128210	Incremental ABZ 3600ppr NPN 5-12Vcc Cable 1m	421,90
E6C3-CWZ3XH 100P/R 1M	128211	Incremental ABZ 100ppr Driver 5-12Vcc Cable 1m	395,00
E6C3-CWZ3XH 200P/R 1M	128212	Incremental ABZ 200ppr Driver 5-12Vcc Cable 1m	395,00
E6C3-CWZ3XH 360P/R 1M	128213	Incremental ABZ 360ppr Driver 5-12Vcc Cable 1m	395,00
E6C3-CWZ3XH 720P/R 1M	128214	Incremental ABZ 720ppr Driver 5-12Vcc Cable 1m	395,00
E6C3-CWZ3XH 1000P/R 1M	128215	Incremental ABZ 1000ppr Driver 5-12Vcc Cable 1m	408,50
E6C3-CWZ3XH 1500P/R 1M	128216	Incremental ABZ 1500ppr Driver 5-12Vcc Cable 1m	408,50
E6C3-CWZ3XH 1800P/R 1M	128217	Incremental ABZ 1800ppr Driver 5-12Vcc Cable 1m	408,50
E6C3-CWZ5GH 600P/R 2M	128251	Incremental ABZ 600ppr Push-Pull 12-24Vcc Cable 2m	408,50
E6C3-CWZ5GH 720P/R 2M	128252	Incremental ABZ 720ppr Push-Pull 12-24Vcc 2m	421,90
E6C3-CWZ5GH 800P/R 2M	128253	Incremental ABZ 800ppr Push-Pull 12-24Vcc 2m	408,50
E6C3-CWZ5GH 1200P/R 2M	128254	Incremental ABZ 1200ppr Push-Pull 12-24Vcc Cable 2m	421,90
E6C3-CWZ5GH 1500P/R 2M	128255	Incremental ABZ 1500ppr Push-Pull 12-24Vcc Cable 2m	421,90
E6C3-CWZ5GH 1800P/R 2M	128256	Incremental ABZ 1800ppr Push-Pull 12-24Vcc Cable 2m	421,90
E6C3-CWZ5GH 2000P/R 2M	128257	Incremental ABZ 2000ppr Push-Pull 12-24Vcc 2m	421,90
E6C3-CWZ5GH 2048P/R 2M	128258	Incremental ABZ 2048ppr Push-Pull 12-24Vcc Cable 2m	435,20
E6C3-CWZ5GH 2500P/R 2M	128259	Incremental ABZ 2500ppr Push-Pull 12-24Vcc 2m	421,90
E6C3-CWZ5GH 3600P/R 2M	128260	Incremental ABZ 3600ppr Push-Pull 12-24Vcc 2m	421,90
E6C3-CWZ3EH 200P/R 2M	128261	Incremental ABZ 200ppr NPN 5-12Vcc Cable 2m	408,50
E6C3-CWZ3EH 300P/R 2M	128262	Incremental ABZ 300ppr NPN 5-12Vcc Cable 2m	408,50
E6C3-CWZ3EH 500P/R 2M	128263	Incremental ABZ 500ppr NPN 5-12Vcc Cable 2m	408,50
E6C3-CWZ3EH 600P/R 2M	128264	Incremental ABZ 600ppr NPN 5-12Vcc Cable 2m	408,50
E6C3-CWZ3EH 720P/R 2M	128265	Incremental ABZ 720ppr NPN 5-12Vcc Cable 2m	408,50
E6A2-CS5C 500P/R 0.5M	128410	Incremental A 500ppr NPN 12-24Vcc Cable 0,5m	223,30
E6A2-CWZ3E 500P/R 0.5M	128412	Incremental ABZ 500ppr Voltaje 24Vcc M12 0,5m	254,30
E6A2-CWZ3C 500P/R 0.5M	128413	Incremental ABZ 500ppr PNP 24Vcc M12 0,5m	254,30
E6A2-CWZ5C 200P/R 0.5M	128414	Incremental ABZ 200ppr NPN 24Vcc M12 0,5m	223,30
E6A2-CWZ5C 500P/R 0.5M	128415	Incremental ABZ 500ppr NPN 24Vcc M12 0,5m	254,30
E6A2-CS3C 10P/R 0.5M	128463	Incremental A 10ppr NPN 5-12Vcc Cable 0,5m	205,10
E6A2-CS3C 60P/R 0.5M	128464	Incremental A 60ppr NPN 5-12Vcc Cable 0,5m	205,10
E6A2-CS3E 60P/R 0.5M	128469	Incremental A 60ppr NPN 5-12Vcc Cable 0,5m	205,10
E6A2-CS3E 100P/R 0.5M	128470	Incremental A 100ppr NPN 5-12Vcc Cable 0,5m	205,10

OMRON PVPR 2023

E6A2-CS3E 200P/R 0.5M	128471	Incremental A 200ppr NPN 5-12Vcc Cable 0,5m	205,10
E6A2-CS5C 60P/R 0.5M	128475	Incremental A 60ppr NPN 12-24Vcc Cable 0,5m	205,10
E6A2-CS5C 200P/R 0.5M	128477	Incremental A 200ppr NPN 24Vcc Cable 0,5m	205,10
E6A2-CS5C 360P/R 0.5M	128479	Incremental A 360ppr NPN 12-24Vcc Cable 0,5m	214,00
E6A2-CW3C 100P/R 0.5M	128480	Incremental AB 100ppr NPN 5-12Vcc Cable 0,5m	223,30
E6A2-CW3C 200P/R 0.5M	128481	Incremental AB 200ppr NPN 5-12Vcc Cable 0,5m	223,30
E6A2-CW3E 200P/R 0.5M	128483	Incremental AB 200ppr NPN 5-12Vcc Cable 0,5m	223,30
E6A2-CW5C 100P/R 0.5M	128484	Incremental AB 100ppr NPN 12-24Vcc Cable 0,5m	223,30
E6A2-CW5C 200P/R 0.5M	128485	Incremental AB 200ppr NPN 12-24Vcc Cable 0,5m	223,30
E6A2-CWZ3C 100P/R 0.5M	128486	Incremental ABZ 100ppr NPN 5-12Vcc Cable 0.5m	246,50
E6A2-CWZ3E 100P/R 0.5M	128487	Incremental ABZ 200ppr PNP 5-12Vcc Cable 0,5m	324,40
E6A2-CS3C 60P/R 2M	128489	Incremental A 60ppr NPN 5-12Vcc	214,00
E6A2-CS3E 300P/R 2M	128494	Incremental A 300ppr NPN 5-12Vcc Cable 2m	218,10
E6A2-CS3E 360P/R 2M	128495	Incremental A 360ppr NPN 5-12Vcc Cable 2m	220,60
E6A2-CS5C 100P/R 2M	128496	Incremental A 100ppr NPN 12-24Vcc	205,10
E6A2-CS5C 300P/R 2M	128497	Incremental A 300ppr NPN 12-24Vcc	214,00
E6A2-CWZ3E 200P/R 2M	128499	Encoder, incremental, 200ppr, 5-12 VDC, NPN voltage output, 0.5m cable	432,40
E6A2-CW5C 100P/R 2M	128501	Incremental AB 100ppr NPN 12-24Vcc	231,10
E6A2-CW5C 200P/R 2M	128502	Incremental AB 200ppr NPN 12-24Vcc	231,10
E6A2-CS3E 500P/R 0.5M	128505	Incremental A 500ppr NPN 5-12Vcc Cable 0,5m	223,30
E6C3-CWZ5GH 200P/R 2M	142535	Incremental ABZ 200ppr Push-Pull 12-24Vcc 1m	421,90
E6A2-CWZ3C 200P/R 0.5M	143267	Incremental ABZ 200ppr NPN 5-12Vcc Cable 0,5m	324,40
E6A2-CS5C 60P/R 2M	143268	Incremental A 60ppr NPN 12-24Vcc	214,00
E6C3-CWZ5GH 360P/R 2M	143732	Incremental ABZ 100ppr Push-Pull 12-24Vcc Cable 2m	408,50
E6C3-CWZ5GH 1000P/R 2M	143733	Incremental ABZ 1000ppr Push-Pull 12-24Vcc 2m	421,90
E6A2-CW5C 500P/R 0.5M	143879	Incremental ABZ 500ppr NPN 5-12Vcc Cable 0.5m	254,30
E6A2-CWZ3C 100P/R 2M	144305	Incremental ABZ 100ppr NPN 5-12Vcc	255,70
E6A2-CWZ3C 200P/R 2M	144306	Incremental ABZ 200ppr NPN 5-12Vcc	332,00
E6C3-CWZ5GH 2000P/R 1M	144784	Incremental ABZ 2000ppr Push-Pull 12-24Vcc 1m	421,90
E6C3-CWZ3EH 100P/R 1M	144785	Incremental ABZ 100ppr NPN 5-12Vcc Cable 1m	395,00
E6C3-CWZ3XH 2500P/R 2M	144787	Incremental ABZ 2048ppr Driver 5-12Vcc Cable 2m	421,90
E6C3-CWZ5GH 1000P/R 1M	145874	Incremental ABZ 1000ppr Push-Pull 12-24Vcc 1m	408,50
E6C3-CWZ5GH 1500P/R 1M	145875	Incremental ABZ 1500ppr Push-Pull 12-24Vcc 1m	408,50

OMRON PVPR 2023

E6C3-CWZ3XH 500P/R 1M	145876	Incremental ABZ 500ppr Driver 5-12Vcc Cable 1m	395,00
E6C3-CWZ3XH 1500P/R 2M	145877	Incremental ABZ 1500ppr Driver 5-12Vcc Cable 2m	421,90
E6C3-CWZ5GH 100P/R 1M	146937	Incremental ABZ 100ppr Push-Pull 12-24Vcc Cable 1m	395,00
E6C3-CWZ3EH 1000P/R 1M	146938	Incremental ABZ 1000ppr NPN 5-12Vcc Cable 1m	408,50
E6C3-CWZ5GH 500P/R 2M	146939	Incremental ABZ 500ppr Push-Pull 12-24Vcc Cable 2m	421,90
E6A2-CS5C 360P/R 2M	147610	Incremental A 360ppr NPN 24Vcc	214,00
E6A2-CWZ5C 360P/R 0.5M	147612	Incremental ABZ 360ppr NPN 24Vcc M12 0,5m	223,30
E6C3-CWZ5GH 720P/R 1M	148018	Incremental ABZ 720ppr Push-Pull 12-24Vcc 1m	395,00
E6C3-CWZ3EH 720P/R 1M	148019	Incremental ABZ 720ppr NPN 5-12Vcc Cable 1m	395,00
E6A2-CW3C 200P/R 2M	148627	Incremental AB 200ppr NPN 5-12Vcc	231,10
E6C3-CWZ5GH 300P/R 2M	149115	Incremental ABZ 300ppr Push-Pull 12-24Vcc Cable 2m	408,50
E6C3-CWZ3EH 360P/R 1M	149116	Incremental ABZ 360ppr NPN 5-12Vcc Cable 1m	395,00
E6C3-CWZ3XH 3600P/R 2M	149118	Incremental ABZ 3600ppr Driver 5-12Vcc Cable 2m	421,90
E6C3-CWZ3XH 3600P/R 1M	150186	Incremental ABZ 3600ppr Driver 5-12Vcc Cable 1m	421,90
E6A2-CW3E 500P/R 0.5M	150418	Incremental AB 500ppr NPN 5-12Vcc Cable 0,5m	247,70
E6A2-CS3C 200P/R 0.5M	150810	Incremental A 200ppr NPN 5-12Vcc Cable 0,5m	199,80
E6C3-CWZ5GH 100P/R 2M	151300	Incremental ABZ 100ppr Push-Pull 12-24Vcc Cable 2m	408,50
E6F-CWZ5G 360P/R 2M	151316	Incremental ABZ 360ppr Complement 12-24Vcc	630,50
E6C3-CWZ3XH 600P/R 2M	152461	Incremental ABZ 600ppr Driver 5-12Vcc Cable 2m	408,50
E6C3-CWZ5GH 2500P/R 1M	153529	Incremental ABZ 2500ppr Push-Pull 12-24Vcc 1m	421,90
E6C3-CWZ3XH 300P/R 1M	153530	Incremental ABZ 300ppr Driver 5-12Vcc Cable 1m	395,00
E6C3-CWZ3XH 2048P/R 1M	153531	Incremental ABZ 2048ppr Driver 5-12Vcc Cable 1m	421,90
E6C3-CWZ3XH 200P/R 2M	153532	Incremental ABZ 200ppr Driver 5-12Vcc Cable 2m	408,50
E6C3-CWZ5GH 1024P/R 2M	154670	Incremental ABZ 1024ppr Push-Pull 12-24Vcc Cable 2m	421,90
E6C3-CWZ3XH 1200P/R 1M	154671	Incremental ABZ 1200ppr Driver 5-12Vcc Cable 1m	408,50
E6H-CWZ6C 500P/R 0.5M	154998	Incremental ABZ 500ppr NPN 5-24 Vcc eje hueco	582,00
E6C3-CWZ5GH 1024P/R 1M	155474	Incremental ABZ 1024ppr Push-Pull 12-24Vcc 1m	421,90
E6C3-CWZ3XH 600P/R 1M	156886	Incremental ABZ 600ppr Driver 5-12Vcc Cable 1m	395,00
E6C3-CWZ3XH 360P/R 2M	156888	Incremental ABZ 360ppr Driver 5-12Vcc Cable 2m	408,50
E6C3-CWZ3EH 2000P/R 2M	158079	Incremental ABZ 2000ppr NPN 5-12Vcc Cable 2m	435,20
E6H-CWZ6C 3600P/R 0.5M	182806	Incremental ABZ 3600ppr NPN 5-24 Vcc. Eje hueco	855,00
E6H-CWZ6C 300P/R 0.5M	195548	Incremental encoder, Hollow shaft, NPN open collector, 5-24VDC, 300ppr	728,50
E6H-CWZ3E 2000P/R 0.5M	214780	Incremental ABZ 2000ppr Tension 5-12Vcc. Eje hueco	798,50

OMRON PVPR 2023

E6B2-CWZ3E 360P/R 0.5M	235917	Incremental ABZ 360ppr NPN 5-12Vcc Cable 0,5m	275,00
E6B2-CWZ1X 50P/R 0.5M	235928	Incremental ABZ 50ppr Driver 5Vcc Cable 0,5m	275,00
E6B2-CWZ1X 200P/R 0.5M	235931	Incremental ABZ 200ppr Driver 5VDC Cabo 0,5m	290,60
E6B2-CWZ1X 360P/R 0.5M	235933	Encoder, incremental, 360ppr, 5 VDC, Line driver 0.5m cable	275,00
E6B2-CWZ1X 500P/R 0.5M	235935	Incremental ABZ 500ppr Driver 5Vcc Cable 0,5m	275,00
E6B2-CWZ1X 1500P/R 0.5M	235938	Incremental ABZ 1500ppr Driver 5Vcc Cable 0,5m	317,70
E6B2-CWZ1X 600P/R 2M	235940	Incremental ABZ 600ppr Driver 5Vcc Cable 2m	290,60
E6B2-CWZ3E 200P/R 2M	235941	Incremental ABZ 200ppr NPN 5-12Vcc Cable 2m	275,00
E6B2-CWZ3E 360P/R 2M	235944	Incremental ABZ 360ppr NPN 5-12Vcc Cable 2m	290,60
E6B2-CWZ6C 20P/R 2M	235952	Incremental ABZ 20ppr NPN 5-24Vcc Cable 2m	275,00
E6B2-CWZ6C 60P/R 2M	235955	Incremental ABZ 60ppr NPN 5-24Vcc Cable 2m	275,00
E6B2-CWZ6C 400P/R 2M	235956	Incremental ABZ 400ppr NPN 5-24Vcc Cable 0,5m	275,00
E6B2-CWZ6C-1 600P/R 0.5M	235957	Encoder rotativo, incremental, 600 ppr, 5-24 V CC, trifásico, salida NPN, cable de	323,80
E6B2-CWZ5B 600P/R 0.5M	235963	Incremental ABZ 600ppr PNP 12-24 Vcc Cable 0,5 m	355,20
E6B2-CWZ5B 600P/R 2M	235964	Incremental ABZ 600ppr PNP 12-24Vcc Cable 2m	348,90
E6B2-CWZ1X 1024P/R 0.5M	235966	Incremental ABZ 1024ppr Driver 5Vcc Cable 0,5m	363,00
E6B2-CWZ1X 100P/R 2M	235968	Incremental ABZ 100ppr Driver 5Vcc Cable 2m	276,40
E6B2-CWZ3E 500P/R 0.5M	235970	Incremental ABZ 500ppr NPN 5-12Vcc Cable 0,5m	275,00
E6B2-CWZ3E 1000P/R 2M	235971	Incremental ABZ 1000ppr NPN 5-12VDC Cable 2m	320,50
E6B2-CWZ1X 1000P/R 2M	235972	Incremental ABZ 1000ppr Driver 5Vcc Cable 2m	329,40
E6B2-CWZ3E 600P/R 2M	235973	Incremental ABZ 600ppr NPN 5-12Vcc Cable 2m	290,60
E6B2-CWZ3E 500P/R 2M	235974	Incremental ABZ 500ppr NPN 5-12Vcc Cable 2m	290,60
E6B2-CWZ3E 100P/R 2M	235975	Incremental ABZ 100ppr NPN 5-12Vcc Cable 2m	275,00
E6B2-CWZ6C 10P/R 2M	235976	Incremental ABZ 10ppr NPN 5-24Vcc Cable 2m	275,00
E6B2-CWZ6C 300P/R 2M	235977	Incremental ABZ 300ppr NPN 5-24Vcc Cable 2m	275,00
E6B2-CWZ6C 50P/R 2M	235978	Incremental ABZ 50ppr NPN 5-24Vcc Cable 2m	275,00
E6B2-CWZ6C 2000P/R 2M	235979	Incremental ABZ 2000ppr NPN 5-24Vcc Cable 2m	329,40
E6B2-CWZ6C-10 1000P/R 5M	235981	Incremental ABZ 1000ppr NPN 5-24Vcc Cable 5m	306,10
E6B2-CWZ5B 100P/R 0.5M	235982	Incremental ABZ 100ppr PNP 12-24Vcc Cable 0,5m	343,60
E6B2-CWZ5B 200P/R 0.5M	235983	Incremental ABZ 200ppr PNP 12-24Vcc Cable 0,5m	343,60
E6B2-CWZ5B 360P/R 0.5M	235984	Incremental ABZ 360ppr PNP 12-24Vcc Cable 0,5m	343,60
E6B2-CWZ5B 500P/R 0.5M	235985	Incremental ABZ 500ppr PNP 12-24Vcc Cable 0,5m	343,60
E6B2-CWZ5B 1000P/R 0.5M	235986	Incremental ABZ 1000ppr PNP 12-24Vcc Cable 0,5m	368,10

OMRON PVPR 2023

E6B2-CWZ5B 2000P/R 0.5M	235987	Incremental ABZ 2000ppr PNP 12-24Vcc Cable 0,5m	381,20
E6B2-CWZ6C 10P/R 0.5M	235988	Incremental ABZ 10ppr NPN 5-24Vcc Cable 0.5m	275,00
E6B2-CWZ6C 30P/R 0.5M	235990	Incremental ABZ 30ppr NPN 5-24Vcc Cable 0,5m	275,00
E6B2-CWZ6C 40P/R 0.5M	235991	Incremental ABZ 40ppr NPN 5-24Vcc Cable 0,5m	275,00
E6B2-CWZ6C 50P/R 0.5M	235992	Incremental ABZ 50ppr NPN 5-24Vcc Cable 0,5m	275,00
E6B2-CWZ6C 200P/R 0.5M	235995	Incremental ABZ 200ppr NPN 5-24 Vcc Cable 0,5m	275,00
E6B2-CWZ6C 360P/R 0.5M	235997	Incremental ABZ 360ppr NPN 5-24Vcc Cable 0,5m	275,00
E6B2-CWZ6C 500P/R 0.5M	235999	Incremental ABZ 500ppr NPN 5-24Vcc Cable 0,5m	275,00
E6B2-CWZ6C 1000P/R 0.5M	236001	Incremental ABZ 1000ppr NPN 5-24Vcc Cable 0,5m	301,20
E6B2-CWZ6C 1500P/R 0.5M	236003	Encoder ABZ 1500ppr NPN 5-24Vcc Cable 0,5m	321,60
E6B2-CWZ6C 1800P/R 0.5M	236004	Encoder ABZ 1800ppr NPN 5-24Vcc Cable 0,5m	329,40
E6B2-CWZ6C 2000P/R 0.5M	236005	Incremental ABZ 2000ppr NPN 5-24Vcc Cable 0,5m	329,40
E6B2-CWZ1X 1000P/R 0.5M	236008	Incremental ABZ 1000ppr Driver 5Vcc Cable 0,5m	301,20
E6B2-CWZ1X 2000P/R 0.5M	236009	Incremental ABZ 2000ppr Driver 5Vcc Cable 0,5m	329,40
E6B2-CWZ6C 100P/R 2M	236010	Incremental ABZ 100ppr NPN 5-24Vcc Cable 2m	275,00
E6B2-CWZ6C 500P/R 2M	236011	Incremental ABZ 500ppr NPN 5-24Vcc Cable 2m	275,00
E6B2-CWZ6C 1000P/R 2M	236012	Incremental ABZ 1000ppr NPN 5-24Vcc Cable 2m	329,40
E6B2-CWZ6C 600P/R 2M	236013	Incremental ABZ 600ppr NPN 5-24Vcc Cable 2m	275,00
E6B2-CWZ6C 360P/R 2M	236014	Incremental ABZ 360ppr NPN 5-24Vcc Cable 2m	275,00
E6B2-CWZ6C 200P/R 2M	236015	Incremental ABZ 200ppr NPN 5-24Vcc Cable 2m	275,00
E6B2-CWZ6C 720P/R 0.5M	236016	Encoder incremental, 720 ppr, 5-24 VCC, salida NPN, cable de 0,5 m	275,00
E6H-CWZ6C 2000P/R 0.5M	244215	Incremental encoder, Hollow shaft, NPN open collector, 5-24VDC, 2000ppr	865,50
E6C3-CWZ3XH-10 3600P/R 5M	246941	Incremental ABZ 3600ppr Driver 5-12VDC Especial Cable 5m Consultar	516,50
E6H-CWZ3X 360P/R 0.5M	247233	Incremental ABZ 360ppr Driver 5-12Vcc. Eje hueco	645,00
E6H-CWZ6C 1024P/R 0.5M	247454	Incremental ABZ 1024ppr NPN 5-24 Vcc. Eje hueco	728,50
E6H-CWZ3X 1024P/R 0.5M	253474	Incremental ABZ 1024ppr Driver 5-12Vcc. Eje hueco	798,50
E6H-CWZ3X 2500P/R 0.5M	254170	Incremental ABZ 2500ppr Driver 5-12Vcc. Eje hueco	882,00
E6C2-CWZ6C 10P/R 2M	257250	Incremental ABZ 10ppr NPN 5-24Vcc Cable 2m	268,50
E6C2-CWZ6C 20P/R 2M	257251	Incremental ABZ 20ppr NPN 5-24Vcc Cable 2m	275,00
E6C2-CWZ6C 30P/R 2M	257252	Incremental ABZ 30ppr NPN 5-24Vcc	275,00
E6C2-CWZ6C 50P/R 2M	257254	Encoder, incremental, 50ppr, 5-24 VDC, NPN output, 2m cable	275,00
E6C2-CWZ6C 60P/R 2M	257255	Incremental ABZ 60ppr NPN 5-24Vcc	275,00
E6C2-CWZ6C 100P/R 2M	257256	Incremental ABZ 100ppr NPN 5-24Vcc Cable 2m	275,00

OMRON PVPR 2023

E6C2-CWZ6C 200P/R 2M	257257	Incremental ABZ 200ppr NPN 5-24Vcc Cable 2m	275,00
E6C2-CWZ6C 360P/R 2M	257259	Incremental ABZ 360ppr NPN 5-24Vcc Cable 2m	275,00
E6C2-CWZ6C 400P/R 2M	257260	Incremental ABZ 400ppr NPN 5-24Vcc Cable 2m	275,00
E6C2-CWZ6C 500P/R 2M	257261	Incremental ABZ 500ppr NPN 5-24Vcc Cable 2m	275,00
E6C2-CWZ6C 600P/R 2M	257262	Incremental ABZ 600ppr NPN 5-24Vcc Cable 2m	278,80
E6C2-CWZ6C 1000P/R 2M	257263	Incremental ABZ 1000ppr NPN 5-24Vcc Cable 2m	329,40
E6C2-CWZ6C 1200P/R 2M	257264	Incremental ABZ 1200ppr NPN 5-24Vcc Cable 2m	338,50
E6C2-CWZ6C 1800P/R 2M	257266	Encoder, incremental, 1800ppr, 5-24 VDC, NPN output, 2m cable	338,50
E6C2-CWZ6C 2000P/R 2M	257267	Incremental ABZ 2000ppr NPN 5-24Vcc Cable 2m	338,50
E6C2-CWZ3E 100P/R 2M	257274	Incremental ABZ 100ppr NPN 5-12Vcc Cable 2m	241,40
E6C2-CWZ3E 360P/R 2M	257277	Incremental ABZ 360ppr NPN 5-12Vcc Cable 2m	276,40
E6C2-CWZ3E 500P/R 2M	257279	Incremental ABZ 500ppr NPN 5-12Vcc Cable 2m	271,10
E6C2-CWZ3E 600P/R 2M	257280	Incremental ABZ 600ppr NPN 5-12Vcc Cable 2m	271,10
E6C2-CWZ3E 1000P/R 2M	257281	Incremental ABZ 1000ppr NPN 5-12Vcc Cable 2m	282,70
E6C2-CWZ3E 2000P/R 2M	257285	Incremental ABZ 2000ppr NPN 5-12Vcc Cable 2m	310,00
E6C2-CWZ1X 10P/R 2M	257286	Incremental ABZ 10ppr Driver 5Vcc Cable 2m	298,10
E6C2-CWZ1X 360P/R 2M	257297	Incremental ABZ 360ppr Driver 5Vcc Cable 2m	298,10
E6C2-CWZ1X 600P/R 2M	257298	Incremental ABZ 600ppr Driver 5Vcc Cable 2m	298,10
E6C2-CWZ1X 1000P/R 2M	257299	Incremental ABZ 1000ppr Driver 5Vcc Cable 2m	329,40
E6C2-CWZ1X 1500P/R 2M	257301	Encoder, incremental, 1500ppr, 5 VDC, Line driver output, 2m cable	335,90
E6C2-CWZ1X 2000P/R 2M	257303	Incremental ABZ 2000ppr Driver 5Vcc Cable 2m	335,90
E6C2-CWZ5B 100P/R 2M	257304	Incremental ABZ 100ppr PNP 12-24Vcc Cable 2m	338,50
E6C2-CWZ5B 200P/R 2M	257305	Incremental ABZ 200ppr PNP 12-24Vcc Cable 2m	338,50
E6C2-CWZ5B 360P/R 2M	257306	Incremental ABZ 360ppr PNP 12-24Vcc Cable 2m	341,10
E6C2-CWZ5B 500P/R 2M	257307	Incremental ABZ 500ppr PNP 12-24Vcc Cable 2m	341,10
E6C2-CWZ5B 600P/R 2M	257308	Incremental ABZ 600ppr PNP 12-24Vcc Cable 2m	352,80
E6C2-CWZ5B 1000P/R 2M	257309	Incremental ABZ 1000ppr PNP 12-24Vcc Cable 2m	372,20
E6C2-CWZ5B 2000P/R 2M	257310	Incremental ABZ 2000ppr PNP 12-24Vcc Cable 2m	379,90
E6C2-CWZ1X 1024P/R 2M	257311	Incremental ABZ 1024ppr Driver 5Vcc Cable 2m	392,70
E6C2-CWZ6C 720P/R 2M	257313	Encoder, incremental, 720ppr, 5-24 VDC, NPN output, 2m cable	412,30
E6C2-CWZ6C 1024P/R 2M	257314	Incremental ABZ 1024ppr NPN 5-24Vcc Cable 2m	370,80
E6C2-CWZ1X 1000P/R 5M	257319	Incremental ABZ 1000ppr Driver 5Vcc Cable 5m	400,70
E6C2-CWZ5B-10 360P/R 5M	257320	Incremental ABZ 360ppr PNP 12-24Vcc Cable 5m	404,50

OMRON PVPR 2023

E6C2-CWZ5B-10 1000P/R 5M	257323		416,20
E6B2-CWZ5B 2000P/R 5M	297194	Incremental ABZ 2000ppr PNP 12-24Vcc Cable 5m	805,00
E6A2-CW5C 360P/R 0.5M	345289	Incremental AB 360ppr NPN 12-24Vcc Cable 0,5m	218,10
E6B2-CWZ6C 1024P/R 0.5M	351619	Incremental ABZ 1024ppr NPN 5-24Vcc Cable 5m	497,70
E6B2-CWZ5B 360P/R 2M	361819	Incremental ABZ 360ppr PNP 12-24Vcc Cable 2m	355,20
E6A2-CWZ5C 100P/R 0.5M	373506	Incremental ABZ 100ppr NPN 24Vcc M12 0,5m	175,20
E6B2-CWZ5B 500P/R 2M	373964	Incremental ABZ 500ppr PNP 12-24Vcc Cable 2m	355,20
E6A2-CW3C 360P/R 2M	377167	Incremental AB 360ppr NPN 5-12Vcc Cable 2m	276,40
E6A2-CWZ3E 360P/R 0.5M	396940	Incremental ABZ 360ppr Voltaje 24Vcc M12 0,5m	403,20
E6H-CWZ3X 2048P/R 0.5M	685618	Incremental encoder, Hollow shaft, Line drive output, 5-12 VDC, 2048 ppr, 0.5 m	1 253,00
E6B2-CWZ5B 200P/R 2M	668490	Encoder, incremental, 200ppr, 12-24 VDC, PNP output, 2m cable.	355,20
E6B2-CWZ5B 100P/R 2M	669380	Incremental ABZ 100ppr PNP 12-24Vcc Cable 2m	356,70
E6C2-CWZ5B-10 2000P/R 5M	685623	Incremental Encoder, 2000 ppr, 12-24 VDC, PNP output, 5 m cable	484,80
E6B2-CWZ1X 1000P/R 5M	699526	Encoder, incremental, 1000 ppr, 5 VDC, Line driver, 5 m cable	377,20
R87T-A4A15MP	113225	Ventilador axial	130,90
R87T-A6A05H	144871	Ventilador axial	275,10
R87T-A4A07H	148619	Ventilador axial	281,20
R87T-A6A07H	149185	Ventilador axial	296,40
R87T-A1A15HP	239681	Ventilador axial	168,40
R87F-A1A15HP	246679	Ventilador axial plástico	97,50
R87F-A4A15-HP	246681	Ventilador axial con terminales	117,70
R87F-A6A15HP	246682	Ventilador axial con terminales	117,70
R87F-A1A13HP	246687	Ventilador axial plástico	78,85
R87F-A4A13HP	246689	Ventilador axial plástico	117,70
R87F-A6A13HP	246690	Ventilador axial con terminales	117,70
R87F-A4A93HP	246694	Ventilador axial con terminales	105,60
R87F-A6A93HP	246695	FUENTE DE ALIMENTACION TRIFASICA	93,50
R87T-A4A05H	684325	AC Axial Fans with Lead Wires, 150x38 mm, 200 V	192,50
R89F-DS1225H	686250	Ventilador axial dc, hoja de plástico, bastidor 120x25, alta velocidad	66,65
R89F-DS1225L	686249	DC Axial fan, plastic blade, frame 120x25, low speed	66,65
R89F-DS1238H	686248	DC Axial fan, plastic blade, frame 120x38, high speed	84,85
R89F-DS1238L	686247	Ventilador axial dc, hoja de plástico, bastidor 120x38, baja velocidad	84,85
R89F-MS0938HP	686246	Ventilador axial ac, hoja de plástico, bastidor 92x38, alta velocidad, terminales	92,60

OMRON PVPR 2023

R89F-MS0938LP	686245	AC Axial fan, plastic blade, frame 92x38, low speed, terminals	92,60
R89F-MS1238HP	686244	AC Axial fan, plastic blade, frame 120x38, high speed, terminals	93,10
R89F-DS1225H-S1	686243	Ventilador axial dc, hoja de plástico, bastidor 120x25, alta velocidad, 1 protector	72,10
R89F-DS1225L-S1	686242	DC Axial fan, plastic blade, frame 120x25, low speed, 1 x finger guard, 4 x M4 x 4	72,10
R89F-DS1238H-S1	686241	DC Axial fan, plastic blade, frame 120x38, high speed, 1 x finger guard, 4 x M4 x 5	90,35
R89F-DS1238L-S1	686240	DC Axial fan, plastic blade, frame 120x38, low speed, 1 x finger guard, 4 x M4 x 5	90,35
R89F-MS0938HP-S1	686239	Ventilador axial ac, hoja de plástico, bastidor 92x38, alta velocidad, 1 protector	109,50
R89F-MS0938LP-S1	686238	AC Axial fan, plastic blade, frame 92x38, low speed, 1 x finger guard, 4 x M4 x 55	109,50
R89F-MS1238HP-S1	686237	AC Axial fan, plastic blade, frame 120x38, high speed, 1 x finger guard, 4 x M4 x 5	110,00
R89F-DS1225H-S2	686236	DC Axial fan, plastic blade, frame 120x25, high speed, 2 x finger guard, 4 x M4 x 4	76,65
R89F-DS1225L-S2	686235	DC Axial fan, plastic blade, frame 120x25, low speed, 2 x finger guard, 4 x M4 x 4	76,65
R89F-DS1238H-S2	686234	DC Axial fan, plastic blade, frame 120x38, high speed, 2 x finger guard, 4 x M4 x 5	94,95
R89F-DS1238L-S2	686233	DC Axial fan, plastic blade, frame 120x38, low speed, 2 x finger guard, 4 x M4 x 5	94,95
R89F-MS0938HP-S2	686232	AC Axial fan, plastic blade, frame 92x38, high speed, 2 x finger guard, 4 x M4 x 55	114,10
R89F-MS0938LP-S2	686231	AC Axial fan, plastic blade, frame 92x38, low speed, 2 x finger guard, 4 x M4 x 55	114,10
R89F-MS1238HP-S2	686230	AC Axial fan, plastic blade, frame 120x38, high speed, 2 x finger guard, 4 x M4 x 5	114,60
R89F-DS0925H	689338	DC Axial fan, plastic blade, frame 92x25, high speed	66,55
R89F-DS0925L	689339	DC Axial fan, plastic blade, frame 92x25, low speed	66,55
R89F-DS0925H-S1	689340	DC Axial fan, plastic blade, frame 92x25, high speed, 1 x finger guard, 4 x M4 x 4	72,35
R89F-DS0925L-S1	689341	DC Axial fan, plastic blade, frame 92x25, low speed, 1 x finger guard, 4 x M4 x 4	72,35
R89F-DS0925H-S2	689342	DC Axial fan, plastic blade, frame 92x25, high speed, 2 x finger guard, 4 x M4 x 4	77,25
R89F-DS0925L-S2	689343	DC Axial fan, plastic blade, frame 92x25, low speed, 2 x finger guard, 4 x M4 x 4	77,25
R87F-A4A83H	694105	Axial Fan, Plastic Blade High-Speed Type, 80x80x25 mm, Lead Wire Type, 200 V	54,25
XW3B-P453-G11	176897	Conector para sensores 3h cc PNP/2h cc 1-4 4puertos	243,70
XW3B-P455-G11	176898	Conector para sensores 3h cc NPN/2h cc 1-4 4puertos	243,70
XW3B-P653-G11	176901	Conector para sensores 3h cc PNP/2h cc 1-4 6puertos	273,70
XW3B-P853-G11	176904	Conector para sensores 3h cc PNP/2h cc 1-4 8puertos	301,40
XW3B-P855-G11	176905	IP67 connector terminal box, 8 x 3 wire NPN or 2 wire DC (no polarity)	259,80
XW3D-P855-G11	355030	Bloque terminales Smartclick 8xM12 8xE/S NPN	396,70
XW3D-P453-G11	355031	Bloque terminales Smartclick 4xM12 4xE/S PNP	262,10
XW3D-P853-G11	355032	Bloque terminales Smartclick 8xM12 8xE/S PNP	396,70
XW3D-P452-G11	355033	Bloque terminales Smartclick 4xM12 4xE/S 2 Hilos CC	262,10
XW3D-P852-G11	355034	Bloque terminales Smartclick 8xM12 8xE/S 2 Hilos CC	396,70

OMRON PVPR 2023

XW3D-P457-G11	355035	Bloque terminales Smartclick 4xM12 8xE/S PNP	336,70
XW3D-P458-G11	355036	Bloque terminales Smartclick 4xM12 8xE/S NPN	336,70
XW3D-P455-G11	355037	Bloque terminales Smartclick 4xM12 4xE/S NPN	262,10
XW2B-50G4	105351	Bloque conector 50 puntos E/S M2.5	173,30
XW2B-34G4	107557	Bloque conector 34 puntos E/S M3	120,00
XW2B-60G4	144212	Bloque conector 60 puntos E/S M2.4	217,30
XW2B-20G4	154108	Bloque conector 20 puntos E/S M2.4	96,00
XW2B-40G4	156303	Bloque conector 40 puntos E/S M2.4	160,00
XW2R-E20G-T	372888	Bloque de Terminales Conexión 1:1 Tornillo Plano 20 pto	70,60
XW2R-E40G-T	372890	Bloque de Terminales Conexión 1:1 Tornillo Plano 40 pto	93,80
XW2R-E60G-T	372891	Bloque de Terminales Conexión 1:1 Tornillo Plano 60 pto	106,80
XW2R-E34G-C1	372893	Bloque de Terminales Omron Fujitsu-MIL Tornillo Plano 32 IN	84,70
XW2R-E34G-C2	372894	Bloque de Terminales Omron MIL-MIL Tornillo Plano 32 IN	84,70
XW2R-E34G-C3	372895	Bloque de Terminales Omron Fujitsu-MIL Tornillo Plano 32 OUT	84,70
XW2R-E34G-C4	372896	Bloque de Terminales Omron MIL-MIL Tornillo Plano 32 OUT	84,70
XW2R-E50G-T	372994	Bloque de Terminales Conexión 1:1 Tornillo Plano 50 pto	101,70
XW2R-E34GD-T	670882	Bloque de terminales de montaje en carril DIN, conector MIL34, abrazadera de t	84,70
G70D-VS0C16 24DC	122097	Módulo 16 relés compacto vertical salida NPN 24Vcc	295,40
G70A-ZIM16-5	377344	Módulo 16 relés entrada 110Vcc 240Vca	243,50
G70A-ZOC16-3 DC24	377345	Módulo 16 Relés Salida NPN 24Vcc	202,00
G70A-ZOC16-4 DC24	377346	Módulo 16 relés, salida PNP 24Vcc	184,00
G7TC-ID16 DC24	377351	Módulo 16 Relés G7T Entrada 24Vdc NPN	531,50
G7TC-OC16-1 24VDC	377355	Bloque de terminales, 16 salidas PNP	438,20
G7TC-OC16 DC24	377357	Bloque de terminales, 16 salidas NPN	444,80
G7VC-OC16 24VDC	121540	16 relés G7T salida relé NPN 24Vcc	362,40
G70V-SID16P	670255	Bloque 16 relés G2RV Entrada plc NPN Push-in+	239,90
G70V-SOC16P-1	670256	Bloque 16 relés G2RV Salida plc PNP Push-in+	217,80
G70V-ZID16P-1	670571	Bloque 16 puntos para G2RV/G3RV Entrada plc PNP Push-in+	144,00
G70V-SID16P-1	670254	Bloque 16 relés G2RV Entrada plc PNP Push-in+	239,90
G70V-ZOM16P	670568	Bloque 16 puntos para G2RV/G3RV Salida plc NPN Push-in+	140,10
G70V-SOC16P	670257	Bloque 16 relés G2RV Salida plc NPN Push-in+	217,80
G70V-ZID16P	670562	Bloque 16 puntos para G2RV/G3RV Entrada plc NPN Push-in+	144,00
G70V-ZOM16P-1	670566	Bloque 16 puntos para G2RV/G3RV Salida plc PNP Push-in+	140,10

OMRON PVPR 2023

G70V-SID16P-1-C16	675388	Relay terminal, PLC Input, 16 channels, internally connected, PNP, Push-in termi	239,90
G70V-SOC16P-1-C4	675390	Terminal de relé, salida PLC, 16 canales, conexión interna, PNP, terminales push	213,70
XW2E-20G5-IN16	107485	Bloque conector 16 entradas con común	92,90
XW2B-50Y5	107575	Bloque 50 puntos para Conector Cuadrado M3.5	197,50
XW2C-20G5-IN16	107576	Bloque conector 20 puntos E/S M3.5	154,90
XW2B-50G5	143060	Bloque conector 50 puntos E/S M2.4	169,60
XW2B-60G5	147532	Bloque conector 60 puntos E/S M3.5	217,30
XW2B-40G5	150730	Bloque conector 40 puntos E/S M3.5	160,00
XW2B-20G5	152948	Bloque conector 20 puntos E/S M3.5	96,00
XW2R-J34G-T	372877	Bloque de Terminales Conexión 1:1 Tornillo Estrella 34 ptos	93,80
XW2R-J34G-C1	372878	Bloque de Terminales Omron Fujitsu-MIL Tornillo Estrella 32 IN	93,80
XW2R-J34G-C2	372879	Bloque de Terminales Omron MIL-MIL Tornillo Estrella 32 IN	93,80
XW2R-J34G-C3	372880	Bloque de Terminales Omron Fujitsu-MIL Tornillo Estrella 32 OUT	93,80
XW2R-J34G-C4	372881	Bloque de Terminales Omron MIL-MIL Tornillo Estrella 32 OUT	93,80
XW2R-J20G-T	372884	Bloque de Terminales Conexión 1:1 Tornillo Estrella 20 ptos	79,50
XW2R-J40G-T	372885	Bloque de Terminales Conexión 1:1 Tornillo Estrella 40 ptos	101,70
XW2R-J50G-T	372886	Bloque de Terminales Conexión 1:1 Tornillo Estrella 50 ptos	106,80
XW2R-J60G-T	372887	Bloque de Terminales Conexión 1:1 Tornillo Estrella 60 ptos	114,60
XW2R-J34G-M1	372987	Bloque de Terminales, carril DIN, MIL40, M3, 32x IN + alimentación, para PLCs M	74,45
XW2R-P34GD-T	670881	Bloque de terminales de montaje en carril DIN, zócalo MIL34, abrazadera de tor	79,50
XW2R-J34GD-T	670880	Bloque de terminales 34 ptos, conector MIL, sin alimentación	47,43
XW2D-50G6	695850	Bloque Conector 50 Puntos E/S Slim	92,90
XW2D-20G6	703441	Bloque conector 20 puntos E/S Slim	63,10
XW2D-34G6	703440	Bloque conector 34 puntos 34 E/S Slim	78,75
XW2D-40G6	703439	Bloque conector 40 puntos E/S Slim	92,90
XW2D-50G6	703436	Bloque Conector 50 Puntos E/S Slim	92,90
XW2F-20G7-IN16	172652	Bloque de Terminales, conector MIL20, 20 entradas, screwless	73,50
XW2F-20G7-OUT16	172653	Bloque de terminales, conector hembra MIL20, 20 puntos de salida, conexiones	73,50
XW2G-40G7	180645	Bloque conector 4 Entradas Contador Colector Abierto	154,90
XW2R-P20G-T	372892	Bloque de Terminales Conexión 1:1 Push-In 20 ptos	59,90
XW2R-P34G-T	372995	Bloque de Terminales Conexión 1:1 Push-In 34 ptos	79,50
XW2R-P40G-T	372996	Bloque de Terminales Conexión 1:1 Push-In 40 ptos	84,70
XW2R-P50G-T	372997	Bloque de Terminales Conexión 1:1 Push-In 50 ptos	93,80

OMRON PVPR 2023

XW2R-P60G-T	372998	Bloque de Terminales Conexión 1:1 Push-In 60 ptos	101,70
XW2R-P34G-C1	372999	Bloque de Terminales Omron Fujitsu-MIL Push-In 32 IN	79,50
XW2R-P34G-C2	373000	Bloque de Terminales Omron MIL-MIL Push-In 32 IN	79,50
XW2R-P34G-C3	373001	Bloque de Terminales Omron Fujitsu-MIL Push-In 32 OUT	79,50
XW2R-P34G-C4	373002	Bloque de Terminales Omron MIL-MIL Push-In 32 OUT	79,50
XW2R-P16GD-C1-COM	410803	Bloque de terminales 16 p (IN), terminales de alimentación - MIL	93,80
XW2R-P32GD-C1-COM	410804	Bloque de terminales 32 p (IN), terminales de alimentación - MIL	139,70
XW2R-P32GD-C2-COM	410805	Bloque de terminales 32 p (IN), terminales de alimentación - MIL	139,70
XW2R-P16GD-C3-COM	410806	Bloque de terminales 16 p (OUT), terminales de alimentación - MIL	93,80
XW2R-P32GD-C3-COM	410807	Bloque de terminales 32 p (OUT), terminales de alimentación - MIL	139,70
XW2R-P32GD-C4-COM	410808	Bloque de terminales 32 p (OUT), terminales de alimentación - MIL	139,70
XW2R-P34GD-C1	690425	Din track mounting terminal, MIL34 socket, push-in spring, 34 points, general-pu	79,50
XW2R-P40MD-COM	671190	Bloque de terminales push-in 50 ptos, común cableado (-)	84,70
XW2R-P40BD-COM	671191	Bloque de terminales push-in 50 ptos, común cableado (+-)	84,70
XW2R-P40PD-COM	671189	Bloque de terminales push-in 50 ptos, común cableado (+)	84,70
XW2R-P34GD-C4	690424	DIN-rail mounting terminal, MIL34 socket, 32 x OUT + power, for Omron PLC	79,50
XW2K-34G-T	707454	General purpose interface wiring system with push-in plus technology, 34 points	50,45
XW2K-40G-T	707453	General purpose interface wiring system with push-in plus technology, 40 points	60,05
XW2K-50G-T	707452	General purpose interface wiring system with push-in plus technology, 50 points	69,65
XW2K-40G-O32B	707450	PLC interface wiring system with push-in plus technology and power supply term	57,65
XW2K-20G-O16A-IN	707448	PLC interface wiring system with push-in plus technology and power supply term	67,25
XW2K-40G-O32A-IN	707447	PLC interface wiring system with push-in plus technology and power supply term	81,65
XW2K-40G-O32C-IN	707446	PLC interface wiring system with push-in plus technology and power supply term	81,65
XW2K-20G-O16B-OUT	707445	PLC interface wiring system with push-in plus technology and power supply term	67,25
XW2K-40G-O32B-OUT	707444	PLC interface wiring system with push-in plus technology and power supply term	81,65
XW2K-40G-O32C-OUT	707443	PLC interface wiring system with push-in plus technology and power supply term	81,65
XW2K-20G-T	709274	General purpose interface wiring system with push-in plus technology, 20 points	35,56
XW2K-34G-T	709275	General purpose interface wiring system with push-in plus technology, 34 points	46,67
XW2K-40G-T	709276	General purpose interface wiring system with push-in plus technology, 40 points	55,60
XW2K-50G-T	709277	General purpose interface wiring system with push-in plus technology, 50 points	64,45
XW2K-40G-O32A	709278	PLC interface wiring system with push-in plus technology and power supply term	53,35
XW2K-40G-O32B	709279	PLC interface wiring system with push-in plus technology and power supply term	53,35
XW2K-40G-O32C	709280	PLC interface wiring system with push-in plus technology and power supply term	53,35

OMRON PVPR 2023

XW2K-20G-O16A-IN	709281	PLC interface wiring system with push-in plus technology and power supply term	62,25
XW2K-40G-O32A-IN	709282	PLC interface wiring system with push-in plus technology and power supply term	75,60
XW2K-40G-O32C-IN	709283	PLC interface wiring system with push-in plus technology and power supply term	75,60
XW2K-20G-O16B-OUT	709284	PLC interface wiring system with push-in plus technology and power supply term	62,25
XW2K-40G-O32B-OUT	709285	PLC interface wiring system with push-in plus technology and power supply term	75,60
XW2K-40G-O32C-OUT	709286	PLC interface wiring system with push-in plus technology and power supply term	75,60
XW2K-COM20P	709287	Interface wiring system with push-in plus technology and common terminals , 10	62,25
XW2K-COM20N	709288	Interface wiring system with push-in plus technology and common terminals , 10	62,25
XW2K-COM20	709289	Interface wiring system with push-in plus technology and common terminals , 10	62,25
M2BJ-B06	116057	Zumbador 16mm 6Vca/Vcc	43,87
M2BJ-B24	116058	Zumbador 16mm. 12-24 Vcc.	43,87
M2BJ-B06A	116059	Zumbador 16mm 6Vca/Vcc	48,26
M2BJ-B24A	116062	Zumbador 16mm. 12-24 Vcc.	48,71
M2BJ-B24B	116063	PULSADOR/INDICADOR (CUADRADO)	44,42
M2BJ-BH24E	116065	Zumbador 16mm. 12-24 Vcc	61,50
M2BJ-BH06D	150674	Zumbador 16mm 6VAC/VDC Alta intensidad, led incorporado	61,50
M2BJ-BH24D	153015	Zumbador a16 mm 6VAC/VDC Alta intensidad	61,50
M2BJ-B24-D	181314	Zumbador 16 mm 12 to 24 VDC sonido estándar	39,41
M16-TG-24D	105392	Indicador luminoso redondo verde	15,06
M16-TR-24D	149678	PULSADOR/INDICADOR 16mm	16,38
M16-TY-24D	156041	PULSADOR/INDICADOR 16mm	15,06
M22N-BN-TRA-RC	661890	Indicador M22N enrasado, ROJO, LED ROJO 24VAC/DC	17,85
M22N-BN-TRA-RE	664399	Indicador M22N enrasado, ROJO, LED ROJO 200/240 VAC	19,91
M22N-BN-TWA-WC	662492	Indicador M22N enrasado, BLANCO, LED BLANCO 24VAC/DC	17,85
M22N-BN-TYA-YC	662491	Indicador M22N enrasado, AMARILLO, LED AMARILLO 24VAC/DC	17,85
M22N-BN-TYA-YE	666629	Indicador M22N enrasado, AMARILLO, LED AMARILLO 200/240 VAC	19,91
M22N-BC-TGA-GC	660568	Indicador M22N enrasado rotulable, VERDE, LED VERDE 24VAC/DC	17,85
M22N-BC-TGA-GA	685136	Indicador M22N grabado plano, tapón de color verde, LED verde, tensión de LED	17,85
M22N-BP-TRA-RC	664713	Indicator M22N projected, CAP COLOR RED, LED RED, LED VOLTAGE 24 VDC	16,91
M22N-BC-TAA-AE	663471	Indicador M22N enrasado rotulable, AZUL, LED AZUL 200/240 VAC	19,91
M22N-BN-TAA-AE	660570	Indicador M22N enrasado, AZUL, LED AZUL 200/240 VAC	19,91
M22N-BN-TGA-GC	662881	Indicador M22N enrasado, VERDE, LED VERDE 24VAC/DC	17,85
M22N-BN-TWA-WE	663462	Indicador M22N enrasado, BLANCO, LED BLANCO 200/240 VAC	19,91

OMRON PVPR 2023

M22N-BN-TGA-GE	662880	Indicador M22N enrasado, VERDE, LED VERDE 200/240 VAC	19,91
M22N-BP-TWA-WC	666276	Indicator M22N projected, CAP COLOR WHITE, LED WHITE, LED VOLTAGE 24 VD	16,91
M22N-BC-TRA-RC	662885	Indicador M22N enrasado rotulable, ROJO, LED ROJO 24VAC/DC	17,85
M22N-BC-TGA-GE	662879	Indicador M22N enrasado rotulable, VERDE, LED VERDE 200/240 VAC	19,91
M22N-BC-TWA-WE	661482	Indicador M22N enrasado rotulable, BLANCO, LED BLANCO 200/240 VAC	19,91
M22N-BC-TAA-AC	660571	Indicador M22N enrasado rotulable, AZUL, LED AZUL 24VAC/DC	17,85
M22N-BC-TRA-RE	664398	Indicador M22N enrasado rotulable, ROJO, LED ROJO 200/240 VAC	19,91
M22N-BC-TWA-WC	660932	Indicador M22N enrasado rotulable, BLANCO, LED BLANCO 24VAC/DC	17,85
M22N-BC-TYA-YC	660935	Indicador M22N enrasado rotulable, AMARILLO, LED AMARILLO 24VAC/DC	17,85
M22N-BN-TAA-AC	660611	Indicador M22N enrasado, AZUL, LED AZUL 24VAC/DC	17,85
M22N-BC-TYA-YE	662878	Indicador M22N enrasado rotulable, AMARILLO, LED AMARILLO 200/240 VAC	19,91
M22N-BN-TAA-AC-P	672588	Indicador M22N enrasado, AZUL, LED AZUL 24VAC/DC Push-in+	19,13
M22N-BC-TYA-YE-P	672598	Indicador M22N enrasado rotulable, AMARILLO, LED AMARILLO 200/240 VAC Pu	22,07
M22N-BC-TRA-RC-P	672579	Indicador M22N enrasado rotulable, ROJO, LED ROJO 24VAC/DC Push-in+	19,13
M22N-BN-TYA-YE-P	672609	Indicador M22N enrasado, AMARILLO, LED AMARILLO 200/240 VAC Push-in+	22,07
M22N-BN-TWA-WE-P	672603	Indicador M22N enrasado, BLANCO, LED BLANCO 200/240 VAC Push-in+	22,07
M22N-BN-TAA-AE-P	672614	Indicador M22N enrasado, AZUL, LED AZUL 200/240 VAC Push-in+	22,07
M22N-BC-TAA-AE-P	672606	Indicador M22N enrasado rotulable, AZUL, LED AZUL 200/240 VAC Push-in+	22,07
M22N-BC-TGA-GE-P	672607	Indicador M22N enrasado rotulable, VERDE, LED VERDE 200/240 VAC Push-in+	22,07
M22N-BC-TYA-YC-P	672582	Indicador M22N enrasado rotulable, AMARILLO, LED AMARILLO 24VAC/DC Push	19,13
M22N-BC-TOA-OC-P	680451	Indicador M22N, grabado en plástico plano, naranja, naranja, 24 V, terminal pus	19,51
M22N-BP-TYA-YC-P	672585	M22N Indicador, Plástico proyectado, amarillo, amarillo, 24V, push-in	19,51
M22N-BC-TWA-YC-P	680450	M22N Indicator, Plastic flat etched, White, White, 24 V, push-in terminal	19,51
M22N-BN-TWA-WC-P	672622	Indicador M22N enrasado, BLANCO, LED BLANCO 24VAC/DC Push-in+	19,13
M22N-BP-TRA-RC-P	672577	M22N Indicador, Plástico proyectado, rojo, rojo, 24V, push-in	19,13
M22N-BN-TRA-RC-P	672594	Indicador M22N enrasado, ROJO, LED ROJO 24VAC/DC Push-in+	19,13
M22N-BC-TRA-RE-P	672592	Indicador M22N enrasado rotulable, ROJO, LED ROJO 200/240 VAC Push-in+	22,07
M22N-BC-TAA-AC-P	672595	Indicador M22N enrasado rotulable, AZUL, LED AZUL 24VAC/DC Push-in+	19,13
M22N-BC-TGA-GC-P	672578	Indicador M22N enrasado rotulable, VERDE, LED VERDE 24VAC/DC Push-in+	19,13
M22N-BC-TWA-WE-P	672576	Indicador M22N enrasado rotulable, BLANCO, LED BLANCO 200/240 VAC Push-in	22,07
M22N-BN-TRA-RE-P	672596	Indicador M22N enrasado, ROJO, LED ROJO 200/240 VAC Push-in+	22,07
M22N-BN-TGA-GC-P	672611	Indicador M22N enrasado, VERDE, LED VERDE 24VAC/DC Push-in+	19,13
M22N-BN-TGA-GE-P	672605	Indicador M22N enrasado, VERDE, LED VERDE 200/240 VAC Push-in+	22,07

OMRON PVPR 2023

M22N-BN-TYA-YC-P	672581	Indicador M22N enrasado, AMARILLO, LED AMARILLO 24VAC/DC Push-in+	19,13
M22N-BC-TWA-WC-P	672612	Indicador M22N enrasado rotulable, BLANCO, LED BLANCO 24VAC/DC Push-in+	19,13
M22-FA	116085	Indicador redondo enrasado azul	7,17
M22-FG	116086	Indicador redondo enrasado verde	7,23
M22-FY	116087	Indicador redondo enrasado amarillo	7,23
M22-FW	151850	Indicador redondo enrasado blanco	7,23
M22-FR	153020	Indicador redondo enrasado rojo	7,23
M16-0	103150	Zócalo para M16 Terminales soldar	2,18
M22-00	116083	Cierre de montaje M22	4,67
M22-00-T1	116084	Indicator socket unit 100V	15,30
M22-00-T2	150677	Cierre de montaje M22 con Transformador 220Vca	15,29
M16-S	153683	PULSADOR/SETA DE EMERGENCIA	39,05
M16-T2-S	206667	Zócalo para M16 trafo 200Vca conex rápida	50,90
GLS-S1	693659	Sensor solo para el conjunto de interruptores magnéticos de proximidad GLS-1	42,41
GLS-1	693661	Magnetic Proximity Sensor, reed switch, sensor and magnet set.	55,00
TL-W5F2	103868	Plano cc 3h Enr 5mm PNP NC	134,10
TL-W5MC2 2M	104697	Plano cc 3h NoEnr 5mm NPN NC Cable 2m	70,15
TL-W5E1	110280	Plano cc 3h Enr 5mm 3 hilos NPN NA	134,10
TL-W5F1	110282	Plano cc 3h Enr 5mm PNP NA Cable 2m	134,10
TL-W5F1 5M	110283	Sensor de proximidad, inductivo, apantallado, 5 mm, 3 hilos CC, PNP-NA, cable d	142,60
TL-W5E2	110284	Plano cc 3h Enr 5mm 3 hilos NPN NC	134,10
TL-W5MC1 2M	110287	Plano cc 3h NoEnr 5mm NPN NA Cable 2m	70,15
TL-W3MC1 2M	110288	Plano cc 3h NoEnr 3mm NPN NA Cable 2m	70,30
TL-W1R5MC1	110289	Plano cc 3h NoEnr 1,5mm NPN NA	85,05
TL-W3MC2 2M	110292	Plano cc 3h NoEnr 3mm NPN NC Cable 2m	70,30
TL-W3MB1 2M	110294	Plano cc 3h NoEnr 3mm PNP NA Cable 2m	70,30
TL-W5MB1 2M	110295	Plano cc 3h NoEnr 5mm PNP NA Cable 2m	70,15
TL-W1R5MB1	110296	Plano cc 3h NoEnr 1,5mm PNP NA Cable 2m	86,40
TL-W5MD1 2M	110298	Plano cc 2h NoEnr 5mm NPN NA Cable 2m	71,10
TL-W5MD15 2M	110300	Plano cc 2h NoEnr 5mm NPN NA Cable 5m	71,50
TL-W5MD2 2M	110301	Plano cc 2h NoEnr 5mm NC	71,10
TL-W20ME1	110302	Plano cc 3h NoEnr 20mm NPN NA	140,00
TL-W20ME2	110304	Plano cc 3h NoEnr 20mm NPN NC	132,70

OMRON PVPR 2023

TL-W3MB2	110305	Plano cc 3h NoEnr 3mm PNP NC Cable 2m	90,80
TL-W3MC1-R 2M	110306	Plano cc 3h NoEnr 3mm NPN NA Cable robótico	83,55
TL-W3MB1 5M	110307	Plano cc 3h NoEnr 3mm PNP NA Cable 5m	102,80
TL-W3MB1-R 2M	110312	Proximity sensor, inductive, unshielded, 3mm, DC, 3-wire, PNP-NO, 2m robotic c	112,20
TL-W5MB1 5M	110313	Plano cc 3h NoEnr 5mm PNP NA Cable 5m	77,85
TL-Q5MC1 2M	110518	Cuadrado cc 3h NoEnr 5mm NA NPN	74,60
TL-Q5MC2 2M	110520	Cuadrado cc 3h NoEnr 5mm NC NPN	73,25
TL-Q5MC1-2 2M	110522	Detector de proximidad cuadrado	101,80
TL-Q5MD1 2M	110526	Cuadrado cc 2h NoEnr 5mm NA Cable 2m	104,60
TL-Q5MC15	110527	Cuadrado cc 3h NoEnr 2mm NA NPN	113,20
TL-Q5MB1 2M	110528	Cuadrado cc 3h NoEnr 2mm NA PNP Cable 2m	113,20
TL-N7MD1 5M	110580	Cuadrado cc 2h NoEnr 7mm NA Cable 5m	215,00
TL-N7MD2 2M	110583	Cuadrado cc 2h NoEnr 7mm NC Cable 2m	157,80
TL-N20ME2-M1J 0.3M	110590	Cuadrado cc 3h NoEnr 20mm NC NPN Conector M12 + Cable 0,3M	413,90
TL-N10ME1 2M	110591	Cuadrado cc 3h NoEnr 10mm NA NPN Cable 5m	166,40
TL-N12MD1 2M	110593	Cuadrado cc 2h NoEnr 12mm NA Cable 2m	149,20
TL-N10ME2 2M	110595	Cuadrado cc 3h NoEnr 10mm NC NPN Cable 5m	166,40
TL-W5MB2 2M	144995	Plano cc 3h NoEnr 5mm PNP NC Cable 2m	70,15
TL-N20ME1 2M	146106	Inductive proximity sensor, 20 mm, unshielded, NPN/NO, 2 m cable	156,00
TL-N20MD1-M1GJ 0.3M	149299	Cuadrado cc 2h NoEnr 20mm NA Conector M12 + Cable 0,3M	413,90
TL-W5MC1 5M	150373	Plano cc 3h NoEnr 5mm NPN NA Cable 5m	83,55
TL-N7MD1 2M	151479	Cuadrado cc 2h NoEnr 7mm NA Cable 2m	186,30
TL-N5ME1 2M	153722	Detector de proximidad inductivo plano	144,90
TL-Q2MC1	153723	Cuadrado cc 3h NoEnr 2mm NA NPN	207,80
TL-W3MC1 5M	153724	Plano cc 3h NoEnr 3mm NPN NA Cable 5m	69,45
TL-N12MD2 2M	155686	Cuadrado cc 2h NoEnr 12mm NC Cable 2m	159,20
TL-N20ME1 5M	157079	Cuadrado cc 3h NoEnr 20mm NA NPN Cable 5m	305,10
E2S-Q26 1M	231589	Miniatura Cuadrado Frontal 3h NoEnr 2,5mm PNP NC Cable 1m	101,80
E2S-W26 1M	231591	Miniatura Cuadrado Frontal 3h NoEnr 2,5mm PNP NC Cable 1m	101,80
E2S-Q25 2M	231592	Miniatura Cuadrado Frontal 3h NoEnr 2,5mm PNP NA Cable 2m	104,60
E2S-Q21 1M	231595	Miniatura Cuadrado Frontal 2h NoEnr 2,5mm NA Cable 1m	101,80
E2S-Q21B 1M	231596	Miniature rectangular Inductive, end face sensing, unshielded, 2.5mm, 2 wire DC	101,80
E2S-Q22 1M	231597	Miniatura Cuadrado Frontal 2h NoEnr 2,5mm NC Cable 1m	101,80

OMRON PVPR 2023

E2S-Q23 1M	231599	Miniatura Cuadrado Frontal 3h NoEnr 2,5mm NPN NA Cable 1m	101,80
E2S-Q24 1M	231601	Miniatura Cuadrado Frontal 3h NoEnr 2,5mm NPN NC Cable 1m	101,80
E2S-Q25 1M	231602	Miniatura Cuadrado Frontal 3h NoEnr 2,5mm PNP NA Cable 1m	101,80
E2S-W21 1M	231604	Miniatura Cuadrado Laterall 2h NoEnr 2,5mm NA Cable 1m	101,80
E2S-W21B 1M	231605	Miniatura Cuadrado Lateral 2h NoEnr 2,5mm NA Cable 1m	101,80
E2S-W22 1M	231606	Miniatura Cuadrado Laterall 2h NoEnr 2,5mm NC Cable 1m	101,80
E2S-W22B 1M	231607	Miniatura Cuadrado Lateral 2h NoEnr 2,5mm NC Cable 1m	101,80
E2S-W23 1M	231608	Miniatura Cuadrado Lateral 3h NoEnr 2,5mm NPN NA Cable 1m	101,80
E2S-W24 1M	231609	Miniature rectangular Inductive, front face sensing, unshielded, 2.5mm, NPN, NC	101,80
E2S-W25 1M	231610	Miniatura Cuadrado Frontal 3h NoEnr 2,5mm PNP NA Cable 1m	101,80
TL-W5MB1-M5J 0.26M	231966	Sensor de proximidad, inductivo, no blindado, 5 mm, DC, 3 hilos, PNP-NO, cable	70,15
E2S-Q11 1M	233106	Miniatura Cuadrado Frontal 2h NoEnr 1,6mm NA Cable 1m	101,80
E2S-Q11B 1M	233107	Miniature rectangular Inductive, end face sensing, unshielded, 1.6mm, 2 wire DC	101,80
E2S-Q13 1M	233109	Miniatura Cuadrado Frontal 3h NoEnr 1,6mm NPN NA Cable 1m	101,80
E2S-Q14 2M	233112	Miniatura Cuadrado Frontal 3h NoEnr 1,6mm NPN NC Cable 2m	110,40
E2S-Q15 1M	233113	Miniatura Cuadrado Frontal 3h NoEnr 1,6mm PNP NA Cable 1m	101,80
E2S-Q16 1M	233115	Miniatura Cuadrado Frontal 3h NoEnr 1,6mm PNP NC Cable 1m	101,80
E2S-W11 1M	233116	Miniatura Cuadrado Laterall 2h NoEnr 1,6mm NA Cable 1m	101,80
E2S-W11B 1M	233117	Miniature rectangular Inductive, front face sensing, unshielded, 1.6mm, 2 wire DC	101,80
E2S-W12 1M	233118	Miniatura Cuadrado Lateral 2h NoEnr 1,6mm NC Cable 1m	101,80
E2S-W13 1M	233119	Miniatura Cuadrado Laterall 3h NoEnr 1,6mm NPN NA Cable 1m	101,80
E2S-W15 1M	233123	Miniatura Cuadrado Laterall 3h NoEnr 1,6mm PNP NA Cable 1m	101,80
E2S-W16 1M	233125	Miniatura Cuadrado Lateral 3h NoEnr 1,6mm PNP NC Cable 1m	101,80
TL-W5MB1-M1J 0.3M	236994	Plano cc 3h NoEnr 5mm PNP NA Cable 0.3m	70,15
TL-W5MB2 5M	283238	Plano cc 3h NoEnr 5mm PNP NC	82,10
E2S-W25 5M	354859	Miniatura Cuadrado Frontal 3h NoEnr 2,5mm PNP NA Cable 5m	117,70
E2S-W25-M5J 0.3M	357812	Miniatura Cuadrado Frontal 3h NoEnr 2,5mm PNP NA Cable 0,3M + M8	285,20
TL-PP283 2M	151432	Detector de hilos de soldadura 20mm	588,00
E2S-W23 5M	405227	Miniatura Cuadrado Lateral 3h NoEnr 2,5mm NPN NA Cable 5m	117,70
TL-Q5MD2 2M	674886	Cuadrado cc 2h NoEnr 5mm NC Cable 2m	104,60
TL-W3MC2 10M	687630	Proximity sensor, inductive, unshielded, 3 mm, DC, 3-wire, NPN-NC, 10 m cable	145,70
E2S-W21-R 1M	689298	Miniature rectangular Inductive, front face sensing, unshielded, 2.5 mm, 2 wire	103,40
E2S-W21-R 5M	689314	Miniature rectangular Inductive, front face sensing, unshielded, 2.5 mm, 2 wire	103,40

OMRON PVPR 2023

E2S-W23-R 5M	695696	Miniature rectangular Inductive, front face sensing, unshielded, 2.5mm, NPN, NO	24,20
E2S-W23-R 1M	695695	Inductor rectangular en miniatura, detección frontal, sin blindaje, 2,5 mm, NPN, NO	12,94
E2Q5-N20E1-M1	702603	Cuadrado cc 3h Enr 20mm NPN NA Conector M12	65,40
E2Q5-N20E3-M1	702602	Cuadrado cc 3h Enr 20mm NPN NA/NC Conector M12	72,90
E2Q5-N20F1-M1	702601	Cuadrado cc 3h Enr 20mm PNP NA Conector M12	65,40
E2Q5-N20F3-M1	702600	Cuadrado cc 3h Enr 20mm PNP NA/NC Conector M12	72,90
E2Q5-N40ME1-M1	702599	Cuadrado cc 3h NoEnr 40mm NPN NA Conector M12	67,50
E2Q5-N40ME3-M1	702598	Cuadrado cc 3h NoEnr 40mm NPN NA/NC Conector M12	75,70
E2Q5-N40MF1-M1	702597	Cuadrado cc 3h NoEnr 40mm PNP NA Conector M12	67,50
E2Q5-N40MF3-M1	702596	Cuadrado cc 3h NoEnr 40mm PNP NA/NC Conector M12	75,70
E2Q6-N30MF3-H	706926	Cuadrado cc 4h No Enr 30 mm PNP NA/NC M20	103,20
E2Q6-N30ME3-H	706925	Cuadrado cc 4h No Enr 30 mm NPN NA/NC M20	103,20
E2Q6-N20F3-H	706924	Cuadrado cc 4h Enr 20mm PNP NA/NC M20	90,80
E2Q6-N20E3-H	706923	Cuadrado cc 4h Enr 20mm NPN NA/NC M20	90,80
E2FQ-X5F1	131818	Teflonado corto 3h 5mm M18 PNP NA Cable 2m	184,80
E2FQ-X5D1	131825	Teflonado corto 2h 2mm M18 NA CC Cable 2m	209,40
E2FQ-X2D1	131829	Teflonado corto 2h 2mm M12 NA CC Cable 2m	199,70
E2FQ-X2E1	131830	Teflonado corto 2h 2mm M12 NPN NA Cable 2m	184,80
E2FQ-X5E1	131912	Proximity sensor, inductive, PTFE body, short, M18, shielded, 5mm, 3-wire DC, NO	184,80
E2EZ-X4C1	131977	Inmune a virutas Al-Fe Corto 3h Enr 4mm M18 NPN NA	197,90
E2EZ-X4B1	131983	Inmune a virutas Al-Fe Corto 3h Enr 4mm M18 PNP NA	197,90
E2EZ-X8B1	131984	Inductivo inmune a virutas Al-Fe 3h Enr 8mm M30 PNP NA	213,60
E2EC-CR8D1	132394	2h Enr 0.8mm D3mm NA	288,00
E2EC-X4D1	132396	2h Enr 4mm M12 NA	289,20
E2EC-X4D2 2M	132397	Proximity sensor, inductive, M12, Shielded, 4 mm, DC, 2-wire, PW, NO	289,20
E2A-M30KN20-WP-C1 2M	133396	Corto 3h NoEnr 20mm M30 NPN NA Cable 2m	76,80
E2A-M12LN08-WP-C1 2M	133405	Largo 3h NoEnr 8mm M12 NPN NA Cable 2m	59,05
E2A-M18LS08-WP-B1 2M	133427	Largo 3h Enr 8mm M18 PNP NA Cable 2m	64,70
E2A-M30LS15-WP-C1 2M	133440	Largo 3h Enr 15mm M30 NPN NA Cable 2m	79,80
E2A-M30KS15-WP-B1 2M	133445	Corto 3h Enr 15mm M30 PNP NA Cable 2m	76,80
E2A-M30LN30-WP-B1 2M	133446	Largo 3h NoEnr 30mm M30 PNP NA Cable 2m	79,80
E2A-M18KN16-WP-B1 5M	133449	Corto 3h NoEnr 16mm M18 PNP NA Cable 5m	70,55
E2A-M30KS15-WP-B1 5M	133450	Corto 3h Enr 15mm M30 PNP NA Cable 5M	84,25

OMRON PVPR 2023

E2A-M12KN08-WP-B2 2M	133452	Corto 3h NoEnr 8mm M12 PNP NC Cable 2m	57,55
E2A-M18KN16-WP-B2 2M	133453	Corto 3h NoEnr 16mm M18 PNP NC Cable 2m	63,40
E2A-M30KS15-WP-B2 2M	133454	Corto 3h Enr 15mm M30 PNP NC Cable 2m	76,80
E2A-M12KS04-WP-C1 2M	133461	Corto 3h Enr 4mm M12 NPN NA Cable 2m	57,55
E2A-M12KS04-WP-C1 5M	133465	Corto 3h Enr 4mm M12 NPN NA Cable 5m	64,60
E2A-M18KS08-WP-C1 5M	133466	Corto 3h Enr 8mm M18 NPN NA Cable 5m	70,55
E2A-M12KN08-WP-C2 2M	133470	Corto 3h NoEnr 8mm M12 NPN NC Cable 2m	57,55
E2A-M12KN08-WP-B1 2M	133538	Corto 3h NoEnr 8mm M12 PNP NA Cable 2m	57,55
E2A-M18KS08-WP-B1 2M	133539	Corto 3h Enr 8mm M18 PNP NA Cable 2m	63,40
E2A-M30LS15-WP-B1 2M	142327	Largo 3h Enr 15mm M30 PNP NA Cable 2m	79,80
E2EC-CR8D2 2M	143345	Proximity sensor, inductive, Dia 3 mm, Shielded, 0.8 mm, DC, 2-wire, PW, NC	215,00
E2EC-C1R5D1	144377	2h Enr 1.5mm D5.4mm NA	280,80
E2A-M18KS08-WP-B1 5M	145881	Corto 3h Enr 8mm M18 PNP NA Cable 5m	70,55
E2EC-C3D1	147698	2h Enr 3mm D8mm NA	312,40
E2A-M12KN08-WP-C1 5M	149130	Corto 3h NoEnr 8mm M12 NPN NA Cable 5m	64,10
E2FQ-X2F1	149293	Teflonado corto 2h 2mm M12 PNP NA Cable 2m	184,80
E2FQ-X10F1	154863	Teflonado corto 3h 10mm M30 PNP NA Cable 2m	236,70
E2AU-M12KS04-WP-B1 2M	177457	e-mark Corto 3h Enr 4mm M12 PNP NA Cable 2m	74,20
E2A3-M18KS11-WP-B1 2M	183119	Triple alcance corto 3h Enr 11mm M18 PNP NA Cable 2m	109,20
E2A3-M18KS11-WP-C1 2M	183121	Triple alcance corto 3h Enr 11mm M18 NPN NA Cable 2m	107,20
E2A3-M30KS20-WP-C1 2M	183125	Triple alcance corto 3h Enr 20mm M30 NPN NA Cable 2m	132,80
E2A-S08KN04-WP-B1 2M	183895	Inox Corto 3h NoEnr 4mm M8 PNP NA Cable 2m	81,25
E2A-S08KS02-WP-C1 2M	183898	Inox Corto 3h Enr 2mm M8 NPN NA Cable 2m	81,25
E2A-S08LS02-WP-B1 2M	183904	Inox Largo 3h Enr 2mm M8 PNP NA Cable 2m	82,75
E2A-S08KN04-WP-C1 2M	183926	Inox Corto 3h NoEnr 4mm M8 NPN NA Cable 2m	81,25
E2A-S08KS02-WP-B1 2M	183936	Inox Corto 3h Enr 2mm M8 PNP NA Cable 2m	81,25
E2A-S08KS02-WP-B1 5M	183937	Inox Corto 3h Enr 2mm M8 PNP NA Cable 5m	88,75
E2A-S08KS02-WP-B2 2M	183938	Inox Corto 3h Enr 2mm M8 PNP NC Cable 2m	81,25
E2A-S08KS02-WP-C1 5M	183940	Inox Corto 3h Enr 2mm M8 NPN NA Cable 5m	85,80
E2A-S08KS02-WP-C2 2M	183941	Inox Corto 3h Enr 2mm M8 NPN NC Cable 2m	81,25
E2A-S08LN04-WP-B1 2M	183949	Inox Largo 3h NoEnr 4mm M8 PNP NA Cable 2m	82,75
E2A-S08LS02-WP-C1 2M	183965	Inox Largo 3h Enr 2mm M8 NPN NA Cable 2m	82,75
E2A-S08KS01-WP-B1 5M	228773	Inox Corto 3h Enr 1mm M8 PNP NA Cable 5m	84,25

OMRON PVPR 2023

E2FM-X5D1 2M	232112	Extra robusto Inox 2h Enr 5mm M18 Cable 2m	206,10
E2A-M12LN05-WP-B1-TP 5M	232412	Largo 3h NoEnr 5mm M12 PNP NA Conector M12, arandela incluida	62,90
E2E2-X10C1 2M	233024	Largo 3h Enr 10mm M30 NPN NA Cable 2m	81,95
E2E2-X20MD1 2M	233043		128,20
E2E2-X5MY1 2M	233063	Largo 2h NoEnr 5mm M12 NA CA Cable 2m	118,80
E2E2-X5MY2 2M	233065	Largo 2h NoEnr 5mm M12 NC CA Cable 2m	118,80
E2E2-X2Y1 2M	233066	Largo 2h Enr 2mm M12 NA CA Cable 2m	118,80
E2E2-X10MY1 2M	233069	Largo 2h NoEnr 10mm M18 NA CA Cable 2m	120,30
E2E2-X5Y1 2M	233072	Largo 2h Enr 5mm M18 NA CA Cable 2m	120,30
E2E2-X5Y1 5M	233073	Largo 2h Enr 5mm M18 NA CA Cable 5m	128,70
E2E2-X5Y2 2M	233074	Largo 2h Enr 5mm M18 NC CA Cable 2m	120,30
E2E2-X18MY1 2M	233075	Largo 2h NoEnr 18mm M30 NA CA Cable 2m	127,20
E2E2-X18MY2 2M	233077	Largo 2h NoEnr 18mm M30 NC CA Cable 2m	127,20
E2E2-X10Y1 2M	233078	Largo 2h Enr 10mm M30 NA CA Cable 2m	127,20
E2E2-X5Y1-US 5M	233087	Largo 2h Enr 5mm M18 NA CA Cable 5m	124,60
E2E2-X5Y2-US 2M	233088	Largo 2h Enr 5mm M18 NC CA Cable 2m	120,30
E2E2-X18MY2-US 2M	233098	Largo 2h NoEnr 18mm M30 NC CA Cable 2m UL	138,20
E2FM-X1R5B1 2M	233312	Extra robusto Inox 3h Enr 1,5mm M8 PNP NA Cable 2m	187,50
E2F-X10F1 2M	235657	Plástico 3h 10mm M30 PNP NA Cable 2m	83,50
E2F-X2Y2 2M	235659	Plástico 2h 2mm M12 NC CA Cable 2m	101,30
E2F-X10F1 5M	235661	Proximity sensor, plastic body, inductive, M30 shielded, 10 mm, DC 3-wire, PNP	94,60
E2F-X5F1 10M	235664	Plástico 3h 5mm M18 PNP NA cable 10m	134,20
E2F-X10F1 10M	235665	Plástico 3h 10mm M30 PNP NA Cable 10m	134,20
E2F-X2E1 2M	235688	Plástico 3h 2mm M12 NPN NA Cable 2m	75,35
E2F-X2E2 2M	235689	Proximity sensor, plastic body, inductive, M12, shielded, 2 mm, DC, 3-wire, NPN	75,35
E2F-X5E1 2M	235690	Plástico 3h 5mm M18 NPN NA Cable 2m	76,60
E2F-X5E2 2M	235691	Plástico 3h 5mm M18 NPN NC Cable 2m	76,60
E2F-X10E1 2M	235692	Plástico 3h 10mm M30 NPN NA Cable 2m	83,50
E2F-X10E2 2M	235693	Plástico 3h 10mm M30 NPN NC Cable 2m	83,50
E2F-X2F1 2M	235694	Plástico 3h 2mm M12 PNP NA cable 2m	76,60
E2F-X5F1 2M	235696	Plástico 3h 5mm M18 PNP NA Cable 2m	76,60
E2F-X5F2 2M	235697	Plástico 3h 5mm M18 PNP NC Cable 2m	76,60
E2F-X2Y1 2M	235698	Plástico 2h 2mm M12 NA CA Cable 2m	101,30

OMRON PVPR 2023

E2F-X5Y1 2M	235699	Plástico 2h 5mm M18 NA CA Cable 2m	102,60
E2F-X5E1 5M	235705	Plástico 3h 5mm M18 NPN NA Cable 5m	119,20
E2F-X5F1 5M	235707	Plástico 3h 5mm M18 PNP NA cable 5m	119,20
E2F-X5Y2 2M	235709	Plástico 2h 5mm M18 NC Cable 2m	102,60
E2F-X10Y1 2M	235710	Plástico 2h 10mm M30 NA Cable 2m	112,20
E2F-X5Y1 5M	235711	Plástico 2h 5mm M18 NA CA Cable 5m	119,20
E2A-M12KS02-WP-B1 2M	235820	Corto 3h Enr 2mm M12 PNP NA Cable 2m	57,55
E2E-X5E1 2M	238360	Corto 3h cc Enr 5mm M18 NPN NA Cable 2m	94,60
E2E-X5MY2 2M	238388	Corto 2h ca NoEnr 5mm M12 NC Cable 2m	93,05
E2E-X5Y1 2M	238389	Corto 2h ca Enr 5mm M18 NA Cable 2m	96,00
E2E-X5Y2 2M	238390	Corto 2h ca Enr 5mm M18 NC Cable 2m	96,00
E2E-X10MY1 2M	238407	Corto 2h ca NoEnr 10mm M18 NA Cable 2m	96,00
E2E-X10MY2 2M	238408	Corto 2h ca NoEnr 10mm M18 NC Cable 2m	96,00
E2E-X10Y1 2M	238409	Corto 2h ca Enr 10mm M30 NA Cable 2m	104,80
E2E-X10Y2 2M	238410	Corto 2h ca Enr 10mm M30 NC Cable 2m	104,80
E2E-X18MY1 2M	238411	Corto 2h ca NoEnr 18mm M30 NA Cable 2m	104,80
E2E-X18MY2 2M	238412	Corto 2h ca NoEnr 18mm M30 NC Cable 2m	104,80
E2E-X2Y1 2M	238413	Corto 2h ca Enr 2mm M12 NA Cable 2m	93,05
E2E-X2Y2 2M	238414	Corto 2h ca Enr 2mm M12 NC Cable 2m	93,05
E2E-X5MY1 2M	238415	Corto 2h ca NoEnr 5mm M12 NA Cable 2m	93,05
E2E-X10Y1 10M	238418	Proximity sensor, inductive, M30, shielded, 10mm, AC, 2-wire, NO, 10 m cable	128,50
E2E-X5Y1 5M	238421	Corto 2h ca Enr 5mm M18 NA Cable 5m	103,40
E2E-X10MY1 5M	238422	Proximity sensor, inductive, M18, unshielded, 10mm, AC, 2-wire, NO, 5m cable	91,05
E2E-X10Y1 5M	238423	Corto 2h ca Enr 10mm M30 NA Cable 5m	110,50
E2E-X2D1-N 2M	238455	Corto 2h cc Enr 2mm M8 NA Cable 2m	90,15
E2E-X2D1-N 5M	238456	Corto 2h cc Enr 2mm M8 NA Cable 5m	97,50
E2E-X2D2-N 2M	238457	Corto 2h cc Enr 2mm M8 NC Cable 2m	90,15
E2E-X3D1-N 2M	238459	Corto 2h cc Enr 3mm M12 NA Cable 2m	87,20
E2E-X3D1-N 5M	238460	Corto 2h cc Enr 3mm M12 NA Cable 5m	94,60
E2E-X3D2-N 2M	238461	Corto 2h cc Enr 3mm M12 NC Cable 2m	87,20
E2E-X7D1-N 2M	238463	Corto 2h cc Enr 7mm M18 NA Cable 2m	94,60
E2E-X7D1-N 5M	238464	Corto 2h cc Enr 7mm M18 NA Cable 5m	103,50
E2E-X7D2-N 5M	238466	Corto 2h cc Enr 7mm M18 NC Cable 5m	101,30

OMRON PVPR 2023

E2E-X10D1-N 2M	238467	Corto 2h cc Enr 10mm M30 NA Cable 2m	109,30
E2E-X4MD1 2M	238482	Corto 2h cc NoEnr 4mm M8 NA Cable 2m	90,15
E2E-X14MD1 2M	238485	Corto 2h cc NoEnr 14mm M18 NA Cable 2m	94,60
E2E-X20MD1 2M	238487	Corto 2h cc NoEnr 20mm M30 NA Cable 2m	107,90
E2E-X20MD2 2M	238495	Corto 2h cc NoEnr 20mm M30 NC Cable 2m	107,90
E2E-X7D1S 2M	238503	2h cc Enr 7mm M18 NA	91,60
E2E-X10D1S 2M	238504	Corto 2h ca Enr 10mm M30 NA Cable 2m	136,60
E2E-X8MD1S 2M	238505	Corto 2h cc NoEnr 8mm M12 NA Autodiagnostico Conector M12	109,30
E2E-X3T1 2M	238514	2h cc/ca Enr 3mm M12 Cable 2m	107,60
E2E-X7T1 2M	238515	2h cc/ca Enr 7mm M18 Cable 2m	77,10
E2E-X10T1 2M	238516	Corto 2h ca/cc Enr 10mm M30 NA Cable 2m	84,90
E2A-M18KS08-WS-B2-A 2M	239036	Corto 3h Enr 8mm M18 PNP NC 8-14mA Cable 2m	63,40
E2F-X1R5E1 2M	239082	Plástico 3h 1,5mm M8 NPN NA Cable 2m	83,50
E2F-X1R5F1 2M	239083	Plástico 3h 1,5mm M8 PNP NA Cable 2m	90,55
E2E-X5Y2 10M	241035		121,50
E2E-X10MY2 5M	241043	Proximity sensor, inductive, M18, unshielded, 10mm, AC, 2-wire, NC, 5m cable	91,05
E2E-X10T1 5M	241124	2h cc/ca Enr 10mm M30 Cable 5m	94,85
E2A-S08KS02-WP-B1 10M	241819	Inox Corto 3h Enr 2mm M8 PNP NA Cable 10m	99,20
E2A-S12KN08-WP-B1 2M	242075	Inox Corto 3h NoEnr 8mm M12 PNP NA Cable 2m	74,75
E2A-S08LS02-WP-B2 2M	243967	Inox Largo 3h Enr 2mm M8 PNP NC Cable 2m	82,75
E2A-M18KS08-WP-B3 2M	244361	Corto 4h Enr 8mm M18 PNP NA+NC Cable 2m	78,20
E2A-M12LS02-WP-B1-TP 5M	244366	Proximity sensor, inductive, brass-nickel, long body, M12, shielded, 2mm, DC, 3-	69,25
E2V-X2B1 2M	249383	Multi-metal 3h cc Enr 2mm M12 PNP Cable 2m	142,00
E2V-X4B1 2M	249391	Proximity sensor, inductive, all metall sensing, brass-nickel, M12, shielded, 4 mm	148,20
E2A-M18KN16-WP-B1 10M	272191	Corto 3h NoEnr 16mm M18 PNP NA Cable 10m	84,25
E2EH-X3B1 5M	290030	Sensor de proximidad M12, alta temperatura (120 °C), acero inoxidable, rango d	144,80
E2EH-X3B1 2M	290031	Inox Alta tª 3h Enr 3mm M12 NA Cable 2m	137,60
E2EH-X3B2 2M	290033	Inox Alta tª 3h Enr 3mm M12 NC Cable 2m	137,60
E2EH-X3C1 2M	290036	Inox Alta tª 3h Enr 3mm M12 NPN NA Cable 2m	137,60
E2EH-X12B1 5M	290045	Inox Alta tª 3h Enr 12mm M30 NA Cable 5m	207,80
E2EH-X12B1 2M	290046	Inox Alta tª 3h Enr 12mm M30 NA Cable 2m	156,40
E2EH-X12C1 2M	290050	Inox Alta tª 3h Enr 12mm M30 NPN NA Cable 2m	252,20
E2EH-X12D2 2M	290057	Inox Alta tª 2h Enr 12mm M30 NC Cable 2m	144,90

OMRON PVPR 2023

E2EH-X7B1 2M	290059	Inox Alta tª 3h Enr 7mm M18 PNP NA Cable 2m	111,80
E2EH-X7B1 5M	290060	Inox Alta tª 3h Enr 7mm M18 PNP NA Cable 5m	166,40
E2EH-X7B2 2M	290062	Inox Alta tª 3h Enr 7mm M18 NPN NA Cable 2m	111,80
E2EH-X7C1 2M	290065	Inox Alta tª 3h Enr 7mm M18 NPN NA Cable 2m	157,80
E2EH-X7D1-T 5M	290072	Acero Alta tª. 2h 7mm M18 NA Cable 5M No polaridad	148,40
E2EH-X7D2 2M	290073	Inox Alta tª. 2h 7mm M18 NC Cable 2M	137,60
E2EM-X4X2 2M	290084	Inductivo 2h CC Enr 4mm M12 NC Cable 2m	95,25
E2EM-X16MX2 2M	290091	Inductivo 2h CC NoEnr 16mm M18 NC Cable 2m	98,00
E2E-X2D1-U 2M	290127	Corto 2h cc Enr 2mm M8 NA Cable PUR 2m	111,00
E2E-X2D2-U 2M	290128	Corto 2h cc Enr 2mm M8 NC Cable 2m Poliuretano	111,00
E2E-X3D1-U 2M	290129	Corto 2h cc Enr 3mm M30 NA Cable PUR 2m	64,05
E2E-X3D2-U 2M	290130	2h cc Enr 3mm M30 NC Cable PUR 2m	128,10
E2EH-X3D1 2M	290131	Inox Alta tª 2h Enr 3mm M12 NA Cable 2m	119,20
E2EH-X3D1-T	290132	Inox Alta tª 2h Enr 3mm M12 NA Cable 2m No polaridad	139,30
E2EH-X12D1-T	290134	Inox Alta tª 2h Enr 12mm M30 NA Cable 2m No polaridad	157,80
E2EH-X7D1 2M	290135	Sensor de proximidad M18, alta temperatura (120 °C), acero inoxidable, rango d	111,80
E2EH-X7D1-T	290136	Acero Alta tª. 2h 7mm M18 NA Cable 2M No polaridad	144,90
E2EM-X30MX1 2M	290147	Inductivo 2h CC NoEnr 30mm M30 NA Cable 2m	212,40
E2EM-X16MX1 2M	290148	Inductivo 2h CC NoEnr 16mm M18 NA Cable 2m	98,00
E2EZ-X4D1-N 2M	290161	Proximity sensor, inductive, Al swarf resistant, nickel-brass, short body, M18, sh	197,90
E2E-X10D1-U 5M	323231	Proximity sensor, inductive, M30, shielded, 10 mm, DC, 2-wire, NO, 5 m cable P	198,10
E2E-X7D1-U 5M	323233	Proximity sensor, inductive, M18, shielded, 7 mm, DC 2-wire no polarity, NO, 5 r	170,80
E2E-X7D2-U	323238	Corto 2h cc Enr 7mm M18 NC Cable 2m PUR	108,90
E2E-X10D1-U	323240	2h cc Enr 10mm M30 NA Cable PUR 2m	185,80
E2E-X7D1-U 2M	323264	2h cc Enr 7mm M18 NA Cable PUR 2m	108,90
E2EH-X7B2 5M	338122	Inox Alta tª 3h Enr 7mm M18 PNP NC Cable 5m	151,40
E2A-S12KS04-WP-B1 2M	341512	Inox Corto 3h Enr 4mm M12 PNP NA Cable 2m	74,75
E2EH-X7D2 5M	351501	Proximity sensor M18, high temperature (120°C) stainless steel, 7 mm sensing ra	160,30
E2E-C03SR8-WC-C2 2M	375479	Inductivo dia.3mm Enrasado 2mm 3h NPN NC Cable 2m	74,75
E2E-C03N02-WC-B2 2M	375483	Inductivo dia.3mm No enr 2mm 3h PNP NC Cable 2m	115,50
E2E-C03N02-WC-C2 2M	375484	Inductivo dia.3mm No enr 2mm 3h NPN NC Cable 2m	115,50
E2E-S04N02-WC-B2 2M	375491	Inductivo dia.M4 No enr 2mm 3h PNP NC Cable 2m	115,50
E2E-S04N02-WC-C2 2M	375492	Inductivo dia.M4 No enr 2mm 3h NPN NC Cable 2m	115,50

OMRON PVPR 2023

E2E-C04S12-WC-B2 2M	375497	Inductivo dia.4mm Enrasado 1,2mm 3h PNP NC Cable 2m	47,14
E2E-C04N03-WC-B2 2M	375502	Inductivo dia.4mm No enr 3mm 3h PNP NC Cable 2m	74,75
E2E-C04N03-WC-C2 2M	375503	Inductivo dia.4mm No enr 3mm 3h NPN NC Cable 2m	74,75
E2E-S05N03-WC-B2 2M	375516	Inductivo dia.M5 No enr 3mm 3h PNP NC Cable 2m	74,75
E2E-S05N03-WC-C2 2M	375517	Inductivo dia.M5 No enr 3mm 3h NPN NC Cable 2m	74,75
E2E-C06S02-WC-B2 2M	375526	Inductivo dia.6,5mm Enrasado 2mm 3h PNP NC Cable 2m	47,14
E2E-C06N04-WC-B2 2M	375531	Inductivo dia.6,5mm No enr 4mm 3h PNP NC Cable 2m	74,75
E2E-C06N04-WC-C2 2M	375532	Inductivo dia.6,5mm No enr 4mm 3h NPN NC Cable 2m	74,75
E2E-C03SR8-WC-B1 2M	375541	Inductivo dia.3mm Enrasado 2mm 3h PNP NA Cable 2m	74,75
E2E-C03SR8-WC-C1 2M	375542	Inductivo dia.3mm Enrasado 2mm 3h NPN NA Cable 2m	74,75
E2E-C03N02-WC-B1 2M	375544	Inductivo dia.3mm No enr 2mm 3h PNP NA Cable 2m	115,50
E2E-C03N02-WC-C1 2M	375545	Inductivo dia.3mm No enr 2mm 3h NPN NA Cable 2m	115,50
E2E-S04SR8-WC-B1 2M	375546	Inductivo dia.M4 Enrasado 0,8mm 3h PNP NA Cable 2m	87,90
E2E-S04SR8-WC-B2 2M	375547	Inductivo dia.M4 Enrasado 0,8mm 3h PNP NC Cable 2m	74,75
E2E-S04SR8-WC-C1 2M	375548	Inductivo dia.M4 Enrasado 0,8mm 3h NPN NA Cable 2m	74,75
E2E-S04SR8-WC-C2 2M	375549	Inductivo dia.M4 Enrasado 0,8mm 3h NPN NC Cable 2m	74,75
E2E-S04N02-WC-B1 2M	375552	Inductivo dia.M4 No enr 2mm 3h PNP NA Cable 2m	128,60
E2E-S04N02-WC-C1 2M	375553	Inductivo dia.M4 No enr 2mm 3h NPN NA Cable 2m	115,50
E2E-C04S12-WC-B1 2M	375554	Inductivo dia.4mm Enrasado 1,2mm 3h PNP NA Cable 2m	47,14
E2E-C04S12-WC-C1 2M	375555	Inductivo dia.4mm Enrasado 1,2mm 3h NPN NA Cable 2m	47,14
E2E-C04S12-WC-C2 2M	375556	Inductivo dia.4mm Enrasado 1,2mm 3h NPN NC Cable 2m	47,14
E2E-C04N03-WC-B1 2M	375561	Inductivo dia.4mm No enr 3mm 3h PNP NA Cable 2m	74,75
E2E-C04N03-WC-C1 2M	375562	Inductivo dia.4mm No enr 3mm 3h NPN NA Cable 2m	74,75
E2E-S05S12-WC-B1 2M	375563	Inductivo dia.M5 Enrasado 1,2mm 3h PNP NA Cable 2m	53,80
E2E-S05S12-WC-B2 2M	375564	Inductivo dia.M5 Enrasado 1,2mm 3h PNP NC Cable 2m	47,14
E2E-S05S12-WC-C1 2M	375565	Inductivo dia.M5 Enrasado 1,2mm 3h NPN NA Cable 2m	48,05
E2E-S05S12-WC-C2 2M	375566	Inductivo dia.M5 Enrasado 1,2mm 3h NPN NC Cable 2m	48,05
E2E-S05N03-WC-B1 2M	375571	Inductivo dia.M5 No enr 3mm 3h PNP NA Cable 2m	81,35
E2E-S05N03-WC-C1 2M	375572	Inductivo dia.M5 No enr 3mm 3h NPN NA Cable 2m	74,75
E2E-C06S02-WC-B1 2M	375573	Inductivo dia.6,5mm Enrasado 2mm 3h PNP NA Cable 2m	47,14
E2E-C06S02-WC-C1 2M	375574	Inductivo dia.6,5mm Enrasado 2mm 3h NPN NA Cable 2m	47,14
E2E-C06S02-WC-C2 2M	375575	Inductivo dia.6,5mm Enrasado 2mm 3h NPN NC Cable 2m	47,14
E2E-C06N04-WC-B1 2M	375580	Inductivo dia.6,5mm No enr 4mm 3h PNP NA Cable 2m	74,75

OMRON PVPR 2023

E2E-C06N04-WC-C1 2M	375581	Inductivo dia.6,5mm No enr 4mm 3h NPN NA Cable 2m	74,75
E2E-C03SR8-WC-B2 2M	375582	Inductivo dia.3mm Enrasado 2mm 3h PNP NC Cable 2m	74,75
E2B-M18LS05-WP-C1 2M	376083	Inductivo M18 Largo Enrasado 5mm 3h NPN NA Cable 2m Lite	36,08
E2E-C06S02-WC-B1 5M	382443	Inductivo dia.6,5mm Enrasado 2mm 3h PNP NA Cable 5m	49,73
E2E-C03SR8-WC-B1 5M	382444	Inductivo dia.3mm Enrasado 2mm 3h PNP NA Cable 5m	77,45
E2E-C03SR8-WC-B2 5M	382445	Inductivo dia.3mm Enrasado 2mm 3h PNP NC Cable 5m	77,45
E2E-C03N02-WC-B1 5M	382446	Inductivo dia.3mm No enr 2mm 3h PNP NA Cable 5m	118,00
E2E-C03N02-WC-B2 5M	382447	Inductivo dia.3mm No enr 2mm 3h PNP NC Cable 5m	118,00
E2E-C04S12-WC-B1 5M	382448	Inductivo dia.4mm Enrasado 1,2mm 3h PNP NA Cable 5m	49,73
E2E-C04S12-WC-B2 5M	382449	Inductivo dia.4mm Enrasado 1,2mm 3h PNP NC Cable 5m	49,73
E2E-C04N03-WC-B1 5M	382450	Inductivo dia.4mm No enr 3mm 3h PNP NA Cable 5m	77,45
E2E-C04N03-WC-B2 5M	382451	Inductivo dia.4mm No enr 3mm 3h PNP NC Cable 5m	77,45
E2E-C06S02-WC-B2 5M	382452	Inductivo dia.6,5mm Enrasado 2mm 3h PNP NC Cable 5m	49,73
E2E-C06N04-WC-B1 5M	382453	Inductivo dia.6,5mm No enr 4mm 3h PNP NA Cable 5m	77,45
E2E-C06N04-WC-B2 5M	382454	Inductivo dia.6,5mm No enr 4mm 3h PNP NC Cable 5m	77,45
E2E-S05S12-WC-B1 5M	382785	Inductivo dia.M5 Enrasado 1,2mm 3h PNP NA Cable 5m	59,40
E2EM-X16MB1-1 5M	393961	Inductivo 3h CC NoEnr 16mm M18 NA PNP Cable 5m Istobal	60,90
E2EM-X16MB1-1 10M	393962	Inductivo 3h CC NoEnr 16mm M18 NA PNP Cable 10m Istobal	71,40
E2A-M30LN30-WP-B2 2M	133455	Largo 3h NoEnr 30mm M30 PNP NC Cable 2m	79,80
E2A-M30KS15-WP-B2 5M	133460	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M30, apantallado,	84,25
E2A-M30KS15-WP-C1 5M	133467	Corto 3h Enr 15mm M30 NPN NA Cable 2m	84,25
E2A-M18LS08-WP-C2 2M	146852	Largo 3h Enr 8mm M18 NPN NC Cable 2m	64,70
E2A-M30KS15-WP-B1 10M	171615	Corto 3h Enr 15mm M30 PNP NA Cable 10m	96,25
E2A-S08LN04-WP-C1 2M	401324	Inox Largo 3h NoEnr 4mm M8 NPN NA Cable 5m	82,75
E2A-S08KN04-WP-B1 5M	401327	Inox Corto 3h NoEnr 4mm M8 PNP NA Cable 5m	87,30
E2A-S08KN04-WP-B2 2M	401328	Inox Corto 3h NoEnr 4mm M8 PNP NC Cable 2m	81,25
E2A-S08KS02-WP-B2 5M	401329	Inox Corto 3h Enr 2mm M8 PNP NC Cable 5m	88,75
E2A-S08LS02-WP-B1 5M	401330	Inox Largo 3h Enr 2mm M8 PNP NA Cable 5m	106,80
E2A-S08KN04-WP-C2 2M	406770	Inox Corto 3h NoEnr 4mm M8 NPN NC Cable 2m	81,25
E2A-S08LS02-WP-C2 2M	406779	Inox Largo 3h Enr 2mm M8 NPN NC Cable 2m	82,75
E2A-S08LN04-WP-B2 2M	406784	Inox Largo 3h NoEnr 4mm M8 PNP NC Cable 2m	82,75
E2A-M12KS04-WP-D2 2M	411120	Corto 2h Enr 4mm M12 NC Cable 2m	64,35
E2A-S18LS08-WS-C1 2M	656803	Inox Largo 3h Enr 8mm M18 NPN 6mm diam. NA Cable 2m	102,30

OMRON PVPR 2023

E2A-M18KS08-WS-B1 5M	656806	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M18, apantallado, 3	67,30
E2E-C05S01-WC-B2 2M	659348	Inductivo dia.5.4mm Enrasado 1mm 3h PNP NC Cable 2m	47,92
E2A-S08KS02-WP-D1 2M	656810	Inox Corto 2h Enr 2mm M8 NA Cable 2m	84,25
E2EF-QX2D1 2M	680357	Proximity sensor, Metal head for long distance detection, M8, Sn=2 mm, 2-wire,	318,20
E2E-C05S01-WC-C1 2M	659355	Inductivo dia.5.4mm Enrasado 1mm 3h NPN NA Cable 2m	47,92
E2E-C05S01-WC-B1 2M	659356	Inductivo dia.5.4mm Enrasado 1mm 3h PNP NA Cable 2m	47,92
E2E-C05S01-WC-C1-R 2M	680836	Inductivo, diámetro de 5,4 mm, apantallado, 1,0 mm, 3 hilos CC, cable robótico	56,10
E2A-S18KS08-WP-B1 2M	658904	Inox Corto 3h Enr 8mm M18 PNP NA Cable 2m	81,25
E2A-S18KS08-WP-B1 5M	658906	Inox Corto 3h Enr 8mm M18 PNP NA Cable 5m	90,20
E2A-S12LS04-WP-B1 2M	658908	Proximity sensor, inductive, stainless steel, long body, M12, shielded, 4mm, DC,	76,80
E2A-S08KS01-WP-B1 2M	658909	Inox Corto 3h Enr 1mm M8 PNP NA Cable 2m	81,25
E2A-S08KS02-WP-D2 2M	658911	Inox Corto 2h Enr 2mm M8 NC Cable 2m	76,80
E2A-S08KS02-WP-B2-1 0.2M	658912	Inox Corto 3h Enr 2mm M8 PNP NC Cable 200mm cable a conector M8 3pines	106,10
E2A-S30KS15-WP-B1 2M	659221	Inox Corto 3h Enr 15mm M30 PNP NA Cable 2m	1 122,00
E2A-S12KS04-WP-C1 2M	659210	Inox Corto 3h Enr 4mm M12 NPN NA Cable 2m	74,75
E2A-S30KS15-WP-B1 5M	659211	Inox Corto 3h Enr 15mm M30 PNP NA Cable 5m	118,70
E2A-S18KN16-WP-B1 2M	659191	Inox Corto 3h NoEnr 16mm M18 PNP NA Cable 2m	81,25
E2A-M30KS15-WS-C1 2M	659192	Proximity sensor, inductive, brass-nickel, short body, M30, shielded, 15 mm, DC,	88,80
E2A-S18KS08-WP-C1 2M	659214	Inox Corto 3h Enr 8mm M18 NPN NA Cable 2m	81,25
E2A-S08KS01-WP-C1 2M	659193	Inox Corto 3h Enr 1mm M8 NPN NA Cable 2m	81,25
E2A-S12KS04-WP-B1 5M	659215	Inox Corto 3h Enr 4mm M12 PNP NA Cable 5m	82,75
E2A-S08KN04-WP-D1 2M	659196	Inox Corto 2h NoEnr 4mm M8 PNP NA Cable 2m	71,70
E2A-S08KN04-WP-D2 2M	659182	Inox Corto 2h NoEnr 4mm M8 PNP NC Cable 2m	71,70
E2A-S18LS08-WP-C1 2M	659220	Inox Largo 3h Enr 8mm M18 NPN 6mm diam. NA Cable 2m	81,25
E2A-S18LS08-WP-B1 2M	659207	Inox Largo 3h Enr 8mm M18 PNP NA Cable 2m	81,25
E2A-M12KS04-WP-C3 2M	659336	Corto 4h Enr 4mm M12 NPN NA+NC Cable 2m	69,65
E2A-M12KS04-WP-B3 2M	659337	Corto 4h Enr 4mm M12 PNP NA+NC Cable 2m	69,65
E2A-M30KS10-WP-B3 10M	659307	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M30, blindado, 10m	99,90
E2A-M30LS15-WP-B3 2M	659338	Largo 4h Enr 15mm M30 PNP NA+NC Cable 2m	94,75
E2A-S18KS08-WP-B3 10M	659313	Inox Corto 4h Enr 8mm M18 PNP NA+NC Cable 10m	111,30
E2A-S12KS04-WP-B2 2M	659570	Inox Corto 3h Enr 4mm M12 PNP NC Cable 2m	72,45
E2A-S08KN04-WP-B1 10M	659576	Proximity sensor, inductive, stainless steel, short body, M8, unshielded, 4mm, D	107,10
E2E-X3B4-IL2 2M	671227	Inductivo Corto 3h Enr 3mm M12 PNP NA/NC Cable 2m IO LINK COM2	59,25

OMRON PVPR 2023

E2E-X7B4-IL3 2M	671233	Inductivo Corto 3h Enr 7mm M18 PNP NA/NC Cable 2m IO LINK COM3	63,90
E2E-X7B4-IL3 5M	671240	Inductivo Corto 3h Enr 7mm M18 PNP NA/NC Cable 5m IO LINK COM3	71,45
E2E-X10B4-IL2 2M	671229	Inductivo Corto 3h Enr 10mm M30 PNP NA/NC Cable 2m IO LINK COM2	77,55
E2E-X10B4-IL3 2M	671249	Inductivo Corto 3h Enr 10mm M30 PNP NA/NC Cable 2m IO LINK COM3	77,55
E2EQ-X10B4-IL3 2M	671257	Inductivo soldadura 3h cc Enr 10mm M30 NA/NC Cable 2m IO LINK COM3	122,50
E2E-X7B4-IL2 5M	671241	Inductivo Corto 3h Enr 7mm M18 PNP NA/NC Cable 5m IO LINK COM2	71,45
E2E-X10B4-IL2 5M	671228	Inductivo Corto 3h Enr 10mm M30 PNP NA/NC Cable 5m IO LINK COM2	85,05
E2EQ-X3B4-IL3 5M	671239	Inductivo soldadura 3h cc Enr 3mm M12 NA/NC Cable 5m IO LINK COM3	95,80
E2EQ-X7B4-IL2 5M	671246	Inductivo soldadura 3h cc Enr 7mm M18 NA/NC Cable 5m IO LINK COM2	118,00
E2E-X7B4-IL2 2M	671230	Inductivo Corto 3h Enr 7mm M18 PNP NA/NC Cable 2m IO LINK COM2	63,90
E2EQ-X10B4-IL2 2M	671252	Inductivo soldadura 3h cc Enr 10mm M30 NA/NC Cable 2m IO LINK COM2	122,50
E2EQ-X10B4-IL2 5M	671248	Inductivo soldadura 3h cc Enr 10mm M30 NA/NC Cable 5m IO LINK COM2	125,40
E2E-X3B4-IL3 5M	671235	Inductivo Corto 3h Enr 3mm M12 PNP NA/NC Cable 5m IO LINK COM3	65,35
E2E-X10B4-IL3 5M	671243	Inductivo Corto 3h Enr 10mm M30 PNP NA/NC Cable 5m IO LINK COM3	85,05
E2EQ-X7B4-IL3 2M	671256	Inductivo soldadura 3h cc Enr 7mm M18 NA/NC Cable 2m IO LINK COM3	107,60
E2EQ-X3B4-IL2 5M	671232	Inductivo soldadura 3h cc Enr 3mm M12 NA/NC Cable 5m IO LINK COM2	95,80
E2EQ-X3B4-IL3 2M	671259	Inductivo soldadura 3h cc Enr 3mm M12 NA/NC Cable 2m IO LINK COM3	92,85
E2E-X3B4-IL2 5M	671234	Inductivo Corto 3h Enr 3mm M12 PNP NA/NC Cable 5m IO LINK COM2	65,35
E2EQ-X10B4-IL3 5M	671261	Inductivo soldadura 3h cc Enr 10mm M30 NA/NC Cable 5m IO LINK COM3	125,40
E2E-X3B4-IL3 2M	671254	Inductivo Corto 3h Enr 3mm M12 PNP NA/NC Cable 2m IO LINK COM3	59,25
E2EQ-X3B4-IL2 2M	671262	Inductivo soldadura 3h cc Enr 3mm M12 NA/NC Cable 2m IO LINK COM2	92,85
E2EQ-X7B4-IL2 2M	671238	Inductivo soldadura 3h cc Enr 7mm M18 NA/NC Cable 2m IO LINK COM2	107,60
E2EQ-X7B4-IL3 5M	671260	Inductivo soldadura 3h cc Enr 7mm M18 NA/NC Cable 5m IO LINK COM3	118,00
E2ER-X3D1 2M	674771	Inductivo, M12, enrasado, 3 mm, 2 hilos CC, NA, cable PUR de 2 m, resistente al	76,60
E2ERZ-X2D1 2M	674794	Inductivo, M18, enrasado, 2 mm, 2 hilos CC sin polaridad, NA, cable PUR de 2 m,	87,85
E2ERZ-X4D1 2M	674775	Inductivo, M18, enrasado, 4 mm, 2 hilos CC sin polaridad, NA, cable PUR de 2 m,	84,30
E2ER-X7D1 2M	674797	Inductivo, M18, enrasado, 7 mm, 2 hilos CC sin polaridad, NA, cable PUR de 2 m,	87,85
E2ER-X2D1 2M	674805	Inductivo, M8, enrasado, 2 mm, 2 hilos CC, NA, cable PUR de 2 m, resistente al a	79,90
E2B-S08KS01-WP-B1 5M	674488	Inductivo Inox M8 Enrasado 1mm 3h PNP NA Cable 5m Lite	32,29
E2B-S08LN02-WP-C2 5M	674620	Inductivo Inox M8 Largo No enr 2mm 3h NPN NC Cable 5m Lite	34,78
E2B-S08KN04-WP-B2 5M	674626	Inductivo Inox M8 No enr 4mm 3h PNP NC Cable 5m Lite	34,63
E2B-M12KS02-WP-B2 2M	674449	Inductivo M12 Enrasado 2mm 3h PNP NC Cable 2m Lite	30,59
E2B-M12KS02-WP-C1 5M	674499	Inductivo M12 Enrasado 2mm 3h NPN NA Cable 5m Lite	33,20

OMRON PVPR 2023

E2B-M12KS02-WP-C2 5M	674602	Inductivo M12 Enrasado 2mm 3h NPN NC Cable 5m Lite	33,20
E2B-M12LS02-WP-B1 2M	674505	Inductivo M12 Largo Enrasado 2mm 3h PNP NA Cable 2m Lite	32,05
E2B-M12KN05-WP-B2 5M	674347	Inductivo M12 No enr 5mm 3h PNP NC Cable 5m Lite	33,20
E2B-M12KN05-WP-C1 5M	674548	Inductivo M12 No enr 5mm 3h NPN NA Cable 5m Lite	33,20
E2B-M12LN05-WP-B2 5M	674565	Inductivo M12 Largo No enr 5mm 3h PNP NC Cable 5m Lite	34,78
E2B-M12KN08-WP-C2 2M	674356	Inductivo M12 No enr 8mm 3h NPN NC Cable 2m Lite	33,20
E2B-M30LS10-WP-B1 5M	674549	Inductivo M30 Largo Enrasado 10mm 3h PNP NA Cable 5m Lite	42,96
E2B-M30LS15-WP-B2 5M	674353	Inductivo M30 Largo Enrasado 15mm 3h PNP NC Cable 5m Lite	45,83
E2B-M18LS05-WP-C1 2M	674413	Inductivo M18 Largo Enrasado 5mm 3h NPN NA Cable 2m Lite	36,08
E2B-M18LS05-WP-C2 2M	674377	Inductivo M18 Largo Enrasado 5mm 3h NPN NC Cable 2m Lite	36,08
E2B-M18LN10-WP-B1 2M	674401	Inductivo M18 Largo No enr 10mm 3h PNP NA Cable 2m Lite	36,08
E2B-M18LN10-WP-C2 2M	674514	Inductivo M18 Largo No enr 10mm 3h NPN NC Cable 2m Lite	36,08
E2B-M18LN16-WP-B2 5M	674534	Inductivo M18 Largo No enr 16mm 3h PNP NC Cable 5m Lite	41,66
E2B-M18LN16-WP-C2 5M	674344	Inductivo M18 Largo No enr 16mm 3h NPN NC Cable 5m Lite	38,93
E2B-S08KS01-WP-B2 2M	674526	Inductivo Inox M8 Enrasado 1mm 3h PNP NC Cable 2m Lite	29,95
E2B-S08KS02-WP-B2 2M	674677	Inductivo Inox M8 Enrasado 2mm 3h PNP NC Cable 2m Lite	32,29
E2B-S08LS02-WP-C2 2M	674390	Inductivo Inox M8 Largo Enrasado 2mm 3h NPN NC Cable 2m Lite	37,49
E2B-M12KS04-WP-B1 2M	674414	Inductivo M12 Enrasado 4mm 3h PNP NA Cable 2m Lite	33,20
E2B-S08KS01-WP-C2 2M	674345	Inductivo Inox M8 Enrasado 1mm 3h NPN NC Cable 2m Lite	29,95
E2B-S08LS01-WP-B1 5M	674420	Inductivo Inox M8 Largo Enrasado 1mm 3h PNP NA Cable 5m Lite	37,49
E2B-S08LS01-WP-C1 5M	674535	Inductivo Inox M8 Largo Enrasado 1mm 3h NPN NA Cable 5m Lite	37,49
E2B-S08LN02-WP-B1 5M	674379	Inductivo Inox M8 Largo No enr 2mm 3h PNP NA Cable 5m Lite	37,49
E2B-S08LN04-WP-C2 5M	674580	Inductivo Inox M8 Largo No enr 4mm 3h NPN NC Cable 5m Lite	37,49
E2B-M12KS02-WP-B1 5M	674543	Inductivo M12 Enrasado 2mm 3h PNP NA Cable 5m Lite	33,20
E2B-M12LS02-WP-B2 2M	674603	Inductivo M12 Largo Enrasado 2mm 3h PNP NC Cable 2m Lite	32,05
E2B-M12LN05-WP-C2 5M	674372	Inductivo M12 Largo No enr 5mm 3h NPN NC Cable 5m Lite	32,05
E2B-M12LS04-WP-C2 5M	674477	Inductivo M12 Largo Enrasado 4mm 3h NPN NC Cable 5m Lite	37,49
E2B-M12LN08-WP-C1 5M	674617	Inductivo M12 Largo No enr 8mm 3h NPN NA Cable 5m Lite	34,78
E2B-M12LN08-WP-C2 5M	674658	Inductivo M12 Largo No enr 8mm 3h NPN NC Cable 5m Lite	34,78
E2B-M18KS05-WP-B1 5M	674334	Inductivo M18 Enrasado 5mm 3h PNP NA Cable 5m Lite	37,24
E2B-M18KS05-WP-B2 5M	674387	Inductivo M18 Enrasado 5mm 3h PNP NC Cable 5m Lite	37,24
E2B-M30LN20-WP-C2 2M	674419	Inductivo M30 Largo No enr 20mm 3h NPN NC Cable 2m Lite	40,22
E2B-M30KS15-WP-B2 2M	674615	Inductivo M30 Enrasado 15mm 3h PNP NC Cable 2m Lite	45,29

OMRON PVPR 2023

E2B-M18KS05-WP-C2 2M	674460	Inductivo M18 Enrasado 5mm 3h NPN NC Cable 2m Lite	34,50
E2B-M30LN30-WP-B2 2M	674521	Inductivo M30 Largo No enr 30mm 3h PNP NC Cable 2m Lite	42,96
E2B-M30LN30-WP-C1 5M	674464	Inductivo M30 Largo No enr 30mm 3h NPN NA Cable 5m Lite	45,83
E2B-M18KN10-WP-C2 2M	674492	Inductivo M18 No enr 10mm 3h NPN NC Cable 2m Lite	34,50
E2B-M18KS08-WP-C1 2M	674575	Inductivo M18 Enrasado 8mm 3h NPN NA Cable 2m Lite	37,24
E2B-M18LN16-WP-B2 2M	674462	Inductivo M18 Largo No enr 16mm 3h PNP NC Cable 2m Lite	38,93
E2B-M30KS15-WP-C2 2M	674385	Inductivo M30 Enrasado 15mm 3h NPN NC Cable 2m Lite	45,29
E2B-M30LS15-WP-B1 5M	674646	Inductivo M30 Largo Enrasado 15mm 3h PNP NA Cable 5m Lite	45,83
E2B-M30LN30-WP-C2 2M	674539	Inductivo M30 Largo No enr 30mm 3h NPN NC Cable 2m Lite	42,96
E2B-M18LS05-WP-B1 5M	674520	Inductivo M18 Largo Enrasado 5mm 3h PNP NA Cable 5m Lite	38,93
E2B-M18KN10-WP-B2 5M	674597	Inductivo M18 No enr 10mm 3h PNP NC Cable 5m Lite	37,24
E2B-M18LS08-WP-B2 2M	674354	Inductivo M18 Largo Enrasado 8mm 3h PNP NC Cable 2m Lite	38,93
E2B-M18LN16-WP-B1 5M	674634	Inductivo M18 Largo No enr 16mm 3h PNP NA Cable 5m Lite	41,66
E2B-S08KN02-WP-B1 2M	674518	Inductivo Inox M8 No enr 2mm 3h PNP NA Cable 2m Lite	29,95
E2B-S08LS02-WP-B2 5M	674427	Inductivo Inox M8 Largo Enrasado 2mm 3h PNP NC Cable 5m Lite	40,22
E2B-S08KN04-WP-C1 5M	674589	Inductivo Inox M8 No enr 4mm 3h NPN NA Cable 5m Lite	34,63
E2B-S08LN04-WP-B1 2M	674367	Inductivo Inox M8 Largo No enr 4mm 3h PNP NA Cable 2m Lite	37,49
E2B-M12KS02-WP-B1 2M	674327	Inductivo M12 Enrasado 2mm 3h PNP NA Cable 2m Lite	30,59
E2B-M12KS04-WP-C2 5M	674366	Inductivo M12 Enrasado 4mm 3h NPN NC Cable 5m Lite	35,81
E2B-M12LS04-WP-B1 5M	674316	Inductivo M12 Largo Enrasado 4mm 3h PNP NA Cable 5m Lite	37,49
E2B-M12LN08-WP-C1 2M	674522	Inductivo M12 Largo No enr 8mm 3h NPN NA Cable 2m Lite	34,78
E2B-M30KN20-WP-B1 2M	674673	Inductivo M30 No enr 20mm 3h PNP NA Cable 2m Lite	42,32
E2B-M30LN30-WP-B1 2M	674393	Inductivo M30 Largo No enr 30mm 3h PNP NA Cable 2m Lite	42,96
E2B-M18KS08-WP-B1 2M	674516	Inductivo M18 Enrasado 8mm 3h PNP NA Cable 2m Lite	37,24
E2B-M18KS08-WP-B1 5M	674410	Inductivo M18 Enrasado 8mm 3h PNP NA Cable 5m Lite	39,86
E2B-S08KS01-WP-C1 5M	674425	Inductivo Inox M8 Enrasado 1mm 3h NPN NA Cable 5m Lite	32,29
E2B-S08LS01-WP-C2 2M	674503	Inductivo Inox M8 Largo Enrasado 1mm 3h NPN NC Cable 2m Lite	34,78
E2B-S08LN02-WP-B1 2M	674682	Inductivo Inox M8 Largo No enr 2mm 3h PNP NA Cable 2m Lite	34,78
E2B-S08LN02-WP-C1 2M	674591	Inductivo Inox M8 Largo No enr 2mm 3h NPN NA Cable 2m Lite	34,78
E2B-S08KN04-WP-B1 5M	674388	Inductivo Inox M8 No enr 4mm 3h PNP NA Cable 5m Lite	34,63
E2B-M12KS02-WP-B2 5M	674607	Inductivo M12 Enrasado 2mm 3h PNP NC Cable 5m Lite	33,20
E2B-M12LS02-WP-C1 2M	674450	Inductivo M12 Largo Enrasado 2mm 3h NPN NA Cable 2m Lite	32,05
E2B-M12KN05-WP-C2 5M	674311	Inductivo M12 No enr 5mm 3h NPN NC Cable 5m Lite	33,20

OMRON PVPR 2023

E2B-M12LN05-WP-B1 5M	674381	Inductivo M12 Largo No enr 5mm 3h PNP NA Cable 5m Lite	34,78
E2B-M12LN05-WP-C1 5M	674504	Inductivo M12 Largo No enr 5mm 3h NPN NA Cable 5m Lite	32,05
E2B-M12LN08-WP-B1 5M	674439	Inductivo M12 Largo No enr 8mm 3h PNP NA Cable 5m Lite	37,49
E2B-M30LS10-WP-C1 2M	674320	Inductivo M30 Largo Enrasado 10mm 3h NPN NA Cable 2m Lite	40,22
E2B-M30LS10-WP-C1 5M	674515	Inductivo M30 Largo Enrasado 10mm 3h NPN NA Cable 5m Lite	42,96
E2B-M18LS05-WP-B1 2M	674586	Inductivo M18 Largo Enrasado 5mm 3h PNP NA Cable 2m Lite	36,08
E2B-M18LS05-WP-B2 5M	674664	Inductivo M18 Largo Enrasado 5mm 3h PNP NC Cable 5m Lite	38,93
E2B-M18LN10-WP-C2 5M	674315	Inductivo M18 Largo No enr 10mm 3h NPN NC Cable 5m Lite	36,08
E2B-M18LN16-WP-C1 5M	674623	Inductivo M18 Largo No enr 16mm 3h NPN NA Cable 5m Lite	38,93
E2B-S08KS01-WP-B1 2M	674365	Inductivo Inox M8 Enrasado 1mm 3h PNP NA Cable 2m Lite	29,95
E2B-S08KN02-WP-C2 2M	674621	Inductivo Inox M8 No enr 2mm 3h NPN NC Cable 2m Lite	29,95
E2B-S08KN04-WP-B2 2M	674323	Inductivo Inox M8 No enr 4mm 3h PNP NC Cable 2m Lite	32,29
E2B-M12LS04-WP-C2 2M	674331	Inductivo M12 Largo Enrasado 4mm 3h NPN NC Cable 2m Lite	34,78
E2B-M12KN08-WP-C2 5M	674554	Inductivo M12 No enr 8mm 3h NPN NC Cable 5m Lite	35,81
E2B-M18KS05-WP-B1 2M	674572	Inductivo M18 Enrasado 5mm 3h PNP NA Cable 2m Lite	34,50
E2B-M18KN10-WP-B1 2M	674415	Inductivo M18 No enr 10mm 3h PNP NA Cable 2m Lite	34,50
E2B-M18KS08-WP-C2 2M	674406	Inductivo M18 Enrasado 8mm 3h NPN NC Cable 2m Lite	37,24
E2B-M30KS10-WP-C1 2M	674452	Inductivo M30 Enrasado 10mm 3h NPN NA Cable 2m Lite	42,32
E2B-S08KN02-WP-B2 2M	674416	Inductivo Inox M8 No enr 2mm 3h PNP NC Cable 2m Lite	29,95
E2B-S08KS02-WP-C2 2M	674611	Inductivo Inox M8 Enrasado 2mm 3h NPN NC Cable 2m Lite	32,29
E2B-S08LS02-WP-C1 5M	674560	Inductivo Inox M8 Largo Enrasado 2mm 3h NPN NA Cable 5m Lite	40,22
E2B-M12KS02-WP-C2 2M	674538	Inductivo M12 Enrasado 2mm 3h NPN NC Cable 2m Lite	30,59
E2B-M12LS02-WP-C2 5M	674599	Inductivo M12 Largo Enrasado 2mm 3h NPN NC Cable 5m Lite	34,78
E2B-M12LN05-WP-C2 2M	674610	Inductivo M12 Largo No enr 5mm 3h NPN NC Cable 2m Lite	32,05
E2B-M12LS04-WP-B2 2M	674472	Inductivo M12 Largo Enrasado 4mm 3h PNP NC Cable 2m Lite	34,78
E2B-M12KN08-WP-B1 5M	674559	Inductivo M12 No enr 8mm 3h PNP NA Cable 5m Lite	35,81
E2B-M12KN08-WP-C1 5M	674596	Inductivo M12 No enr 8mm 3h NPN NA Cable 5m Lite	35,81
E2B-M12LN08-WP-B2 2M	674523	Inductivo M12 Largo No enr 8mm 3h PNP NC Cable 2m Lite	34,78
E2B-M18KS05-WP-C1 5M	674442	Inductivo M18 Enrasado 5mm 3h NPN NA Cable 5m Lite	37,24
E2B-M30LS10-WP-B2 2M	674619	Inductivo M30 Largo Enrasado 10mm 3h PNP NC Cable 2m Lite	40,22
E2B-M30LN20-WP-B2 2M	674513	Inductivo M30 Largo No enr 20mm 3h PNP NC Cable 2m Lite	40,22
E2B-M30LN20-WP-C1 2M	674482	Inductivo M30 Largo No enr 20mm 3h NPN NA Cable 2m Lite	40,22
E2B-M30LN30-WP-C2 5M	674668	Inductivo M30 Largo No enr 30mm 3h NPN NC Cable 5m Lite	45,83

OMRON PVPR 2023

E2B-M18KN10-WP-C2 5M	674563	Inductivo M18 No enr 10mm 3h NPN NC Cable 5m Lite	37,24
E2B-M18LN10-WP-B1 5M	674409	Inductivo M18 Largo No enr 10mm 3h PNP NA Cable 5m Lite	38,93
E2B-M18LN10-WP-B2 2M	674529	Inductivo M18 Largo No enr 10mm 3h PNP NC Cable 2m Lite	36,08
E2B-M18KS08-WP-C2 5M	674333	Inductivo M18 Enrasado 8mm 3h NPN NC Cable 5m Lite	39,86
E2B-M30KS10-WP-B1 2M	674652	Inductivo M30 Enrasado 10mm 3h PNP NA Cable 2m Lite	42,32
E2B-S08KS02-WP-B1 2M	674576	Inductivo Inox M8 Enrasado 2mm 3h PNP NA Cable 2m Lite	32,29
E2B-S08KN04-WP-C1 2M	674592	Inductivo Inox M8 No enr 4mm 3h NPN NA Cable 2m Lite	32,29
E2B-M12KN05-WP-C2 2M	674360	Inductivo M12 No enr 5mm 3h NPN NC Cable 2m Lite	30,59
E2B-M30LN30-WP-C1 2M	674609	Inductivo M30 Largo No enr 30mm 3h NPN NA Cable 2m Lite	42,96
E2B-M18KN10-WP-C1 2M	674578	Inductivo M18 No enr 10mm 3h NPN NA Cable 2m Lite	34,50
E2B-M18LN10-WP-C1 2M	674321	Inductivo M18 Largo No enr 10mm 3h NPN NA Cable 2m Lite	36,08
E2B-M18LS08-WP-B1 2M	674562	Inductivo M18 Largo Enrasado 8mm 3h PNP NA Cable 2m Lite	38,93
E2B-M18KN16-WP-C2 2M	674467	Inductivo M18 No enr 16mm 3h NPN NC Cable 2m Lite	37,24
E2B-M18KN16-WP-C2 5M	674417	Inductivo M18 No enr 16mm 3h NPN NC Cable 5m Lite	39,86
E2B-M18LN16-WP-B1 2M	674613	Inductivo M18 Largo No enr 16mm 3h PNP NA Cable 2m Lite	38,93
E2B-S08LN02-WP-B2 5M	674644	Inductivo Inox M8 Largo No enr 2mm 3h PNP NC Cable 5m Lite	37,49
E2B-S08KS02-WP-C1 5M	674432	Inductivo Inox M8 Enrasado 2mm 3h NPN NA Cable 5m Lite	34,63
E2B-S08KN04-WP-C2 2M	674495	Inductivo Inox M8 No enr 4mm 3h NPN NC Cable 2m Lite	32,29
E2B-S08LN04-WP-B2 2M	674600	Inductivo Inox M8 Largo No enr 4mm 3h PNP NC Cable 2m Lite	37,49
E2B-S08LN04-WP-B2 5M	674650	Inductivo Inox M8 Largo No enr 4mm 3h PNP NC Cable 5m Lite	40,22
E2B-M12LS02-WP-B2 5M	674362	Inductivo M12 Largo Enrasado 2mm 3h PNP NC Cable 5m Lite	34,78
E2B-M12LS02-WP-C1 5M	674404	Inductivo M12 Largo Enrasado 2mm 3h NPN NA Cable 5m Lite	34,78
E2B-M12LN05-WP-B2 2M	674507	Inductivo M12 Largo No enr 5mm 3h PNP NC Cable 2m Lite	32,05
E2B-M12LN08-WP-B2 5M	674545	Inductivo M12 Largo No enr 8mm 3h PNP NC Cable 5m Lite	37,49
E2B-M30LS10-WP-B2 5M	674665	Inductivo M30 Largo Enrasado 10mm 3h PNP NC Cable 5m Lite	42,96
E2B-M30LN20-WP-B2 5M	674635	Inductivo M30 Largo No enr 20mm 3h PNP NC Cable 5m Lite	42,96
E2B-M30LN20-WP-C1 5M	674551	Inductivo M30 Largo No enr 20mm 3h NPN NA Cable 5m Lite	40,22
E2B-M30KS15-WP-B2 5M	674392	Inductivo M30 Enrasado 15mm 3h PNP NC Cable 5m Lite	48,16
E2B-M30LS15-WP-C2 2M	674465	Inductivo M30 Largo Enrasado 15mm 3h NPN NC Cable 2m Lite	42,96
E2B-M18LS05-WP-B2 2M	674647	Inductivo M18 Largo Enrasado 5mm 3h PNP NC Cable 2m Lite	36,08
E2B-M18LS05-WP-C2 5M	674550	Inductivo M18 Largo Enrasado 5mm 3h NPN NC Cable 5m Lite	38,93
E2B-M18KN10-WP-C1 5M	674336	Inductivo M18 No enr 10mm 3h NPN NA Cable 5m Lite	37,24
E2B-M18KS08-WP-C1 5M	674663	Inductivo M18 Enrasado 8mm 3h NPN NA Cable 5m Lite	39,86

OMRON PVPR 2023

E2B-M18LS08-WP-B2 5M	674577	Inductivo M18 Largo Enrasado 8mm 3h PNP NC Cable 5m Lite	41,66
E2B-M18LN16-WP-C2 2M	674581	Inductivo M18 Largo No enr 16mm 3h NPN NC Cable 2m Lite	38,93
E2B-M30KS10-WP-B1 5M	674643	Inductivo M30 Enrasado 10mm 3h PNP NA Cable 5m Lite	45,29
E2B-M30KS10-WP-B2 2M	674490	Inductivo M30 Enrasado 10mm 3h PNP NC Cable 2m Lite	42,32
E2B-S08LS02-WP-B2 2M	674630	Inductivo Inox M8 Largo Enrasado 2mm 3h PNP NC Cable 2m Lite	37,49
E2B-S08KN04-WP-B1 2M	674604	Inductivo Inox M8 No enr 4mm 3h PNP NA Cable 2m Lite	32,29
E2B-S08LN04-WP-B1 5M	674448	Inductivo Inox M8 Largo No enr 4mm 3h PNP NA Cable 5m Lite	40,22
E2B-M12LN05-WP-C1 2M	674587	Inductivo M12 Largo No enr 5mm 3h NPN NA Cable 2m Lite	32,05
E2B-M12KS04-WP-B1 5M	674429	Inductivo M12 Enrasado 4mm 3h PNP NA Cable 5m Lite	35,81
E2B-M12KS04-WP-B2 5M	674528	Inductivo M12 Enrasado 4mm 3h PNP NC Cable 5m Lite	35,81
E2B-M12KN08-WP-C1 2M	674561	Inductivo M12 No enr 8mm 3h NPN NA Cable 2m Lite	33,20
E2B-M30KN20-WP-B1 5M	674399	Inductivo M30 No enr 20mm 3h PNP NA Cable 5m Lite	45,29
E2B-M30LS15-WP-B1 2M	674537	Inductivo M30 Largo Enrasado 15mm 3h PNP NA Cable 2m Lite	42,96
E2B-M18LS08-WP-C1 5M	674428	Inductivo M18 Largo Enrasado 8mm 3h NPN NA Cable 5m Lite	41,66
E2B-S08KS01-WP-B2 5M	674676	Inductivo Inox M8 Enrasado 1mm 3h PNP NC Cable 5m Lite	32,29
E2B-S08LS01-WP-C1 2M	674570	Inductivo Inox M8 Largo Enrasado 1mm 3h NPN NA Cable 2m Lite	34,78
E2B-S08LS01-WP-C2 5M	674681	Inductivo Inox M8 Largo Enrasado 1mm 3h NPN NC Cable 5m Lite	37,49
E2B-S08KN02-WP-B2 5M	674456	Inductivo Inox M8 No enr 2mm 3h PNP NC Cable 5m Lite	32,29
E2B-S08KN02-WP-C2 5M	674651	Inductivo Inox M8 No enr 2mm 3h NPN NC Cable 5m Lite	32,29
E2B-S08KS02-WP-C2 5M	674502	Inductivo Inox M8 Enrasado 2mm 3h NPN NC Cable 5m Lite	34,63
E2B-S08LS02-WP-B1 5M	674361	Inductivo Inox M8 Largo Enrasado 2mm 3h PNP NA Cable 5m Lite	40,22
E2B-S08LN04-WP-C2 2M	674435	Inductivo Inox M8 Largo No enr 4mm 3h NPN NC Cable 2m Lite	37,49
E2B-M12KN05-WP-B2 2M	674405	Inductivo M12 No enr 5mm 3h PNP NC Cable 2m Lite	30,59
E2B-M12LS04-WP-B2 5M	674667	Inductivo M12 Largo Enrasado 4mm 3h PNP NC Cable 5m Lite	37,49
E2B-M12KN08-WP-B2 5M	674486	Inductivo M12 No enr 8mm 3h PNP NC Cable 5m Lite	35,81
E2B-M18KS05-WP-C2 5M	674352	Inductivo M18 Enrasado 5mm 3h NPN NC Cable 5m Lite	37,24
E2B-M30LS10-WP-B1 2M	674403	Inductivo M30 Largo Enrasado 10mm 3h PNP NA Cable 2m Lite	40,22
E2B-M30KN20-WP-B2 5M	674544	Inductivo M30 No enr 20mm 3h PNP NC Cable 5m Lite	45,29
E2B-M30KN20-WP-C2 2M	674483	Inductivo M30 No enr 20mm 3h NPN NC Cable 2m Lite	42,32
E2B-M30LN20-WP-C2 5M	674641	Inductivo M30 Largo No enr 20mm 3h NPN NC Cable 5m Lite	40,22
E2B-M30LS15-WP-B2 2M	674574	Inductivo M30 Largo Enrasado 15mm 3h PNP NC Cable 2m Lite	42,96
E2B-M30LN30-WP-B1 5M	674496	Inductivo M30 Largo No enr 30mm 3h PNP NA Cable 5m Lite	45,83
E2B-M30LN30-WP-B2 5M	674593	Inductivo M30 Largo No enr 30mm 3h PNP NC Cable 5m Lite	45,83

OMRON PVPR 2023

E2B-M18LS05-WP-C1 5M	674423	Inductivo M18 Largo Enrasado 5mm 3h NPN NA Cable 5m Lite	38,93
E2B-M30KS10-WP-C2 5M	674485	Inductivo M30 Enrasado 10mm 3h NPN NC Cable 5m Lite	45,29
E2B-S08KS01-WP-C1 2M	674631	Inductivo Inox M8 Enrasado 1mm 3h NPN NA Cable 2m Lite	29,95
E2B-S08KN02-WP-C1 2M	674455	Inductivo Inox M8 No enr 2mm 3h NPN NA Cable 2m Lite	29,95
E2B-S08KS02-WP-B1 5M	674438	Inductivo Inox M8 Enrasado 2mm 3h PNP NA Cable 5m Lite	34,63
E2B-S08KS02-WP-B2 5M	674627	Inductivo Inox M8 Enrasado 2mm 3h PNP NC Cable 5m Lite	34,63
E2B-S08LS02-WP-B1 2M	674525	Inductivo Inox M8 Largo Enrasado 2mm 3h PNP NA Cable 2m Lite	37,49
E2B-S08LN04-WP-C1 2M	674501	Inductivo Inox M8 Largo No enr 4mm 3h NPN NA Cable 2m Lite	37,49
E2B-M12KN05-WP-B1 2M	674338	Inductivo M12 No enr 5mm 3h PNP NA Cable 2m Lite	30,59
E2B-M12LS04-WP-C1 2M	674605	Inductivo M12 Largo Enrasado 4mm 3h NPN NA Cable 2m Lite	34,78
E2B-M12KN08-WP-B1 2M	674571	Inductivo M12 No enr 8mm 3h PNP NA Cable 2m Lite	33,20
E2B-M18KS05-WP-C1 2M	674330	Inductivo M18 Enrasado 5mm 3h NPN NA Cable 2m Lite	34,50
E2B-M30KS15-WP-B1 2M	674546	Inductivo M30 Enrasado 15mm 3h PNP NA Cable 2m Lite	45,29
E2B-M18LS08-WP-C1 2M	674567	Inductivo M18 Largo Enrasado 8mm 3h NPN NA Cable 2m Lite	38,93
E2B-M18LS08-WP-C2 2M	674584	Inductivo M18 Largo Enrasado 8mm 3h NPN NC Cable 2m Lite	38,93
E2B-M18KN16-WP-B1 5M	674484	Inductivo M18 No enr 16mm 3h PNP NA Cable 5m Lite	39,86
E2B-M18KN16-WP-B2 2M	674342	Inductivo M18 No enr 16mm 3h PNP NC Cable 2m Lite	37,24
E2B-M18KN16-WP-C1 2M	674655	Inductivo M18 No enr 16mm 3h NPN NA Cable 2m Lite	37,24
E2B-S08KS01-WP-C2 5M	674468	Inductivo Inox M8 Enrasado 1mm 3h NPN NC Cable 5m Lite	32,29
E2B-S08LS01-WP-B1 2M	674556	Inductivo Inox M8 Largo Enrasado 1mm 3h PNP NA Cable 2m Lite	34,78
E2B-S08LS01-WP-B2 2M	674411	Inductivo Inox M8 Largo Enrasado 1mm 3h PNP NC Cable 2m Lite	34,78
E2B-S08KN02-WP-C1 5M	674639	Inductivo Inox M8 No enr 2mm 3h NPN NA Cable 5m Lite	32,29
E2B-S08LN02-WP-B2 2M	674510	Inductivo Inox M8 Largo No enr 2mm 3h PNP NC Cable 2m Lite	34,78
E2B-S08LN02-WP-C1 5M	674660	Inductivo Inox M8 Largo No enr 2mm 3h NPN NA Cable 5m Lite	34,78
E2B-S08LN02-WP-C2 2M	674434	Inductivo Inox M8 Largo No enr 2mm 3h NPN NC Cable 2m Lite	34,78
E2B-S08LS02-WP-C2 5M	674671	Inductivo Inox M8 Largo Enrasado 2mm 3h NPN NC Cable 5m Lite	40,22
E2B-M12LS02-WP-C2 2M	674451	Inductivo M12 Largo Enrasado 2mm 3h NPN NC Cable 2m Lite	32,05
E2B-M30LS10-WP-C2 2M	674670	Inductivo M30 Largo Enrasado 10mm 3h NPN NC Cable 2m Lite	40,22
E2B-M30KN20-WP-C1 5M	674662	Inductivo M30 No enr 20mm 3h NPN NA Cable 5m Lite	45,29
E2B-M30LN20-WP-B1 2M	674497	Inductivo M30 Largo No enr 20mm 3h PNP NA Cable 2m Lite	40,22
E2B-M30KS15-WP-C2 5M	674648	Inductivo M30 Enrasado 15mm 3h NPN NC Cable 5m Lite	48,16
E2B-M18LN10-WP-B2 5M	674618	Inductivo M18 Largo No enr 10mm 3h PNP NC Cable 5m Lite	38,93
E2B-M18LS08-WP-C2 5M	674335	Inductivo M18 Largo Enrasado 8mm 3h NPN NC Cable 5m Lite	41,66

OMRON PVPR 2023

E2B-M30KS10-WP-B2 5M	674339	Inductivo M30 Enrasado 10mm 3h PNP NC Cable 5m Lite	45,29
E2B-M30KS10-WP-C1 5M	674431	Inductivo M30 Enrasado 10mm 3h NPN NA Cable 5m Lite	45,29
E2B-M30KS10-WP-C2 2M	674437	Inductivo M30 Enrasado 10mm 3h NPN NC Cable 2m Lite	42,32
E2B-M12LS02-WP-B1 5M	674669	Inductivo M12 Largo Enrasado 2mm 3h PNP NA Cable 5m Lite	34,78
E2B-M12KN05-WP-C1 2M	674369	Inductivo M12 No enr 5mm 3h NPN NA Cable 2m Lite	30,59
E2B-M12LN05-WP-B1 2M	674433	Inductivo M12 Largo No enr 5mm 3h PNP NA Cable 2m Lite	32,05
E2B-M12KS04-WP-C1 2M	674459	Inductivo M12 Enrasado 4mm 3h NPN NA Cable 2m Lite	33,20
E2B-M12KN08-WP-B2 2M	674322	Inductivo M12 No enr 8mm 3h PNP NC Cable 2m Lite	33,20
E2B-M12LN08-WP-B1 2M	674533	Inductivo M12 Largo No enr 8mm 3h PNP NA Cable 2m Lite	34,78
E2B-M18KS05-WP-B2 2M	674412	Inductivo M18 Enrasado 5mm 3h PNP NC Cable 2m Lite	34,50
E2B-M30KN20-WP-C1 2M	674493	Inductivo M30 No enr 20mm 3h NPN NA Cable 2m Lite	42,32
E2B-M30KS15-WP-C1 5M	674441	Inductivo M30 Enrasado 15mm 3h NPN NA Cable 5m Lite	48,16
E2B-M18KN10-WP-B2 2M	674594	Inductivo M18 No enr 10mm 3h PNP NC Cable 2m Lite	34,50
E2B-M18KS08-WP-B2 2M	674314	Inductivo M18 Enrasado 8mm 3h PNP NC Cable 2m Lite	37,24
E2B-S08LS01-WP-B2 5M	674326	Inductivo Inox M8 Largo Enrasado 1mm 3h PNP NC Cable 5m Lite	37,49
E2B-S08KN02-WP-B1 5M	674343	Inductivo Inox M8 No enr 2mm 3h PNP NA Cable 5m Lite	32,29
E2B-S08LN04-WP-C1 5M	674547	Inductivo Inox M8 Largo No enr 4mm 3h NPN NA Cable 5m Lite	37,49
E2B-M12KN05-WP-B1 5M	674422	Inductivo M12 No enr 5mm 3h PNP NA Cable 5m Lite	33,20
E2B-M12LS04-WP-C1 5M	674324	Inductivo M12 Largo Enrasado 4mm 3h NPN NA Cable 5m Lite	37,49
E2B-M12LN08-WP-C2 2M	674400	Inductivo M12 Largo No enr 8mm 3h NPN NC Cable 2m Lite	34,78
E2B-M30LS10-WP-C2 5M	674382	Inductivo M30 Largo Enrasado 10mm 3h NPN NC Cable 5m Lite	42,96
E2B-M30KN20-WP-C2 5M	674325	Inductivo M30 No enr 20mm 3h NPN NC Cable 5m Lite	45,29
E2B-M30LN20-WP-B1 5M	674601	Inductivo M30 Largo No enr 20mm 3h PNP NA Cable 5m Lite	42,96
E2B-M30LS15-WP-C1 5M	674498	Inductivo M30 Largo Enrasado 15mm 3h NPN NA Cable 5m Lite	45,83
E2B-M30LS15-WP-C2 5M	674511	Inductivo M30 Largo Enrasado 15mm 3h NPN NC Cable 5m Lite	45,83
E2B-M18KN10-WP-B1 5M	674475	Inductivo M18 No enr 10mm 3h PNP NA Cable 5m Lite	37,24
E2B-M18LN10-WP-C1 5M	674509	Inductivo M18 Largo No enr 10mm 3h NPN NA Cable 5m Lite	36,08
E2B-M18KS08-WP-B2 5M	674679	Inductivo M18 Enrasado 8mm 3h PNP NC Cable 5m Lite	39,86
E2B-M18LS08-WP-B1 5M	674585	Inductivo M18 Largo Enrasado 8mm 3h PNP NA Cable 5m Lite	41,66
E2B-M18KN16-WP-B2 5M	674491	Inductivo M18 No enr 16mm 3h PNP NC Cable 5m Lite	39,86
E2B-M18KN16-WP-C1 5M	674661	Inductivo M18 No enr 16mm 3h NPN NA Cable 5m Lite	39,86
E2B-S08KS02-WP-C1 2M	674454	Inductivo Inox M8 Enrasado 2mm 3h NPN NA Cable 2m Lite	32,29
E2B-S08LS02-WP-C1 2M	674590	Inductivo Inox M8 Largo Enrasado 2mm 3h NPN NA Cable 2m Lite	37,49

OMRON PVPR 2023

E2B-S08KN04-WP-C2 5M	674564	Inductivo Inox M8 No enr 4mm 3h NPN NC Cable 5m Lite	34,63
E2B-M12KS02-WP-C1 2M	674380	Inductivo M12 Enrasado 2mm 3h NPN NA Cable 2m Lite	30,59
E2B-M12KS04-WP-B2 2M	674573	Inductivo M12 Enrasado 4mm 3h PNP NC Cable 2m Lite	33,20
E2B-M12KS04-WP-C1 5M	674337	Inductivo M12 Enrasado 4mm 3h NPN NA Cable 5m Lite	35,81
E2B-M12KS04-WP-C2 2M	674500	Inductivo M12 Enrasado 4mm 3h NPN NC Cable 2m Lite	33,20
E2B-M12LS04-WP-B1 2M	674517	Inductivo M12 Largo Enrasado 4mm 3h PNP NA Cable 2m Lite	34,78
E2B-M30KN20-WP-B2 2M	674398	Inductivo M30 No enr 20mm 3h PNP NC Cable 2m Lite	42,32
E2B-M30KS15-WP-B1 5M	674447	Inductivo M30 Enrasado 15mm 3h PNP NA Cable 5m Lite	48,16
E2B-M30KS15-WP-C1 2M	674674	Inductivo M30 Enrasado 15mm 3h NPN NA Cable 2m Lite	45,29
E2B-M30LS15-WP-C1 2M	674555	Inductivo M30 Largo Enrasado 15mm 3h NPN NA Cable 2m Lite	42,96
E2B-M18KN16-WP-B1 2M	674614	Inductivo M18 No enr 16mm 3h PNP NA Cable 2m Lite	37,24
E2B-M18LN16-WP-C1 2M	674453	Inductivo M18 Largo No enr 16mm 3h NPN NA Cable 2m Lite	38,93
E2E-X2R5D2-N 5M	681725	Sensor de proximidad, inductivo, latón-níquel, M12, blindado, 2 mm, NC, cable d	57,35
E2E-X10MD112-R 5M	681729	Sensor de proximidad, inductivo, latón-níquel, M12, no apantallado, 10 mm, NO	78,60
E2E-X11D218-T 5M	681736	Sensor de proximidad, inductivo, latón-níquel, M18, enrasado, 11 mm, NC, cable	73,30
E2E-X20MD2L18-T 2M	681815	Sensor de proximidad, inductivo, latón-níquel, M18, no enrasado, 20 mm, NC, ca	72,20
E2E-X40MD1L30-T 5M	681666	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NO, 5 m ca	97,35
E2E-X2R5D2-T-N 2M	681771	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NC, 2 m cable, D	52,05
E2E-X5D2-R-N 5M	681837	Proximity sensor, inductive, brass-nickel, M18, shielded, 5 mm, NC, 5 m cable ro	107,40
E2E-X5D1-N 2M	681724	Proximity sensor, inductive, brass-nickel, M18, shielded, 5 mm, NO, 2 m cable, D	60,20
E2E-X11D118 5M	681684	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NO, 5 m cable,	73,30
E2E-X20MD1L18-R 2M	681746	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NO, 2 m ca	77,50
E2E-X40MD2L30 2M	681701	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NC, 2 m ca	84,90
E2E-X40MD1L30-T 2M	681841	Sensor de proximidad, inductivo, latón-níquel, M30, no enrasado, 40 mm, NA, ca	84,90
E2EQ-X7D112-T 2M	681881	Sensor de proximidad, inductivo, latón-níquel, recubrimiento contra salpicadura	124,20
E2EQ-X11D118-T 2M	681834	Sensor de proximidad, inductivo, latón-níquel, recubrimiento contra salpicadura	153,50
E2E-X3D28-T 2M	681741	Sensor de proximidad, inductivo, latón-níquel, M8, enrasado, 3 mm, NC, cable d	69,05
E2E-X10MD112-TR 2M	681674	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 2 m ca	73,30
E2E-X20MD2L18-R 5M	681891	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NC, 5 m ca	101,50
E2EQ-X11D218-T 5M	681849	Proximity sensor, inductive, brass-nickel, Spatter-coating, M18, shielded, 11 mm	164,50
E2E-X1R5D2-N 2M	681720	Proximity sensor, inductive, brass-nickel, M8, shielded, 1.5 mm, NC, 2 m cable, D	58,40
E2E-X1R5D2-R-N 2M	681869	Proximity sensor, inductive, brass-nickel, M8, shielded, 1.5 mm, NC, 2 m cable ro	58,40
E2E-X5D2-R-N 2M	681772	Proximity sensor, inductive, brass-nickel, M18, shielded, 5 mm, NC, 2 m cable ro	72,70

OMRON PVPR 2023

E2E-X3D18-T 2M	681658	Sensor de proximidad, inductivo, latón-níquel, M8, enrasado, 3 mm, NA, cable d	69,05
E2E-X3D18-T 5M	681719	Sensor de proximidad, inductivo, latón-níquel, M8, enrasado, 3 mm, NA, cable d	72,20
E2E-X20D130 5M	681897	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NO, 5 m cable,	86,15
E2E-X5D1-R-N 5M	681889	Proximity sensor, inductive, brass-nickel, M18, shielded, 5 mm, NO, 5 m cable rd	107,40
E2E-X5D1-T-N 2M	681643	Sensor de proximidad, inductivo, latón-níquel, M18, enrasado, 5 mm, NA, cable	60,20
E2E-X6MD28-R 5M	681758	Sensor de proximidad, inductivo, acero inoxidable, M8, no blindado, 6 mm, NC, e	79,60
E2E-X6MD28-TR 2M	681700	Sensor de proximidad, inductivo, acero inoxidable, M8, no blindado, 6 mm, NC, e	76,50
E2E-X10MD112-TR 5M	681850	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 5 m ca	78,60
E2E-X20MD1L18-R 5M	681679	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NO, 5 m ca	101,50
E2E-X40MD1L30-R 5M	681759	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NO, 5 m ca	132,10
E2E-X40MD2L30-T 2M	681822	Sensor de proximidad, inductivo, latón-níquel, M30, no enrasado, 40 mm, NC, ca	84,90
E2E-X5D2-T-N 2M	681707	Proximity sensor, inductive, brass-nickel, M18, shielded, 5 mm, NC, 2 m cable, D	60,20
E2E-X10MD112 2M	681829	Sensor de proximidad, inductivo, latón-níquel, M12, no enrasado, 10 mm, NA, ca	70,10
E2E-X20MD2L18 2M	681714	Sensor de proximidad, inductivo, latón-níquel, M18, no enrasado, 20 mm, NC, ca	72,20
E2E-X10MD112-T 5M	681639	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 5 m ca	73,30
E2E-X5D2-N 2M	681825	Proximity sensor, inductive, brass-nickel, M18, shielded, 5 mm, NC, 2 m cable, D	59,55
E2EQ-X3D28 2M	681867	Sensor de proximidad, inductivo, latón-níquel, recubrimiento contra salpicadura	134,00
E2EQ-X20D230-T 5M	681753	Proximity sensor, inductive, brass-nickel, Spatter-coating, M30, shielded, 20 mm	224,60
E2E-X2R5D2-T-N 5M	681898	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NC, 5 m cable, D	55,20
E2E-X3D28 5M	681854	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NC, 5 m cable, DC	72,20
E2E-X6MD18 2M	681745	Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NO, 2 m ca	71,20
E2E-X7D112-R 2M	681806	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NO, 2 m cable rd	73,30
E2E-X11D118-R 2M	681653	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NO, 2 m cable r	75,40
E2E-X11D118-TR 2M	681738	Sensor de proximidad, inductivo, latón-níquel, M18, enrasado, 11 mm, NA, cable	73,30
E2E-X6MD28-T 2M	681901	Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NC, 2 m ca	71,20
E2E-X6MD28-TR 5M	681682	Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NC, 5 m ca	79,60
E2E-X10MD212-R 5M	681710	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NC, 5 m ca	78,60
E2EQ-X3D28-T 2M	681818	Sensor de proximidad, inductivo, latón-níquel, recubrimiento contra salpicadura	135,30
E2E-X1R5D2-T-N 2M	681675	Proximity sensor, inductive, brass-nickel, M8, shielded, 1.5 mm, NC, 2 m cable, D	53,10
E2E-X7D212-TR 5M	681805	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NC, 5 m cable ro	76,50
E2E-X20MD1L18-TR 5M	681704	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NO, 5 m ca	102,60
E2E-X40MD2L30-T 5M	681638	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NC, 5 m ca	97,35
E2E-X40MD2L30-TR 5M	681859	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NC, 5 m ca	133,40

OMRON PVPR 2023

E2EQ-X11D218 5M	681819	Proximity sensor, inductive, brass-nickel, Spatter-coating, M18, shielded, 11 mm	163,50
E2E-X1R5D2-T-N 5M	681655	Proximity sensor, inductive, brass-nickel, M8, shielded, 1.5 mm, NC, 5 m cable, D	56,30
E2E-X2R5D2-R-N 5M	681761	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NC, 5 m cable ro	60,55
E2E-X5D2-TR-N 2M	681793	Proximity sensor, inductive, brass-nickel, M18, shielded, 5 mm, NC, 2 m cable ro	74,35
E2E-X3D18-R 2M	681882	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NO, 2 m cable rob	74,35
E2E-X6MD28 2M	681877	Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NC, 2 m ca	71,20
E2E-X11D118-R 5M	681823	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NO, 5 m cable r	107,40
E2E-X20MD1L18 5M	681765	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NO, 5 m ca	75,40
E2E-X20D130-R 2M	681750	Sensor de proximidad, inductivo, latón-níquel, M30, enrasado, 20 mm, NA, cable	88,50
E2E-X40MD1L30-R 2M	681660	Sensor de proximidad, inductivo, latón-níquel, M30, no enrasado, 40 mm, NA, ca	98,65
E2E-X5D1-TR-N 2M	681860	Proximity sensor, inductive, brass-nickel, M18, shielded, 5 mm, NO, 2 m cable ro	74,35
E2E-X5D1-TR-N 5M	681828	Proximity sensor, inductive, brass-nickel, M18, shielded, 5 mm, NO, 5 m cable ro	108,60
E2E-X20D130-R 5M	681698	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NO, 5 m cable r	121,50
E2E-X20D130-T 5M	681792	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NO, 5 m cable,	86,15
E2E-X40MD1L30 5M	681788	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NO, 5 m ca	97,35
E2EQ-X11D118-T 5M	681762	Sensor de proximidad, inductivo, latón-níquel, recubrimiento contra salpicadura	164,50
E2E-X2R5D1-T-N 2M	681845	Sensor de proximidad, inductivo, latón-níquel, M12, enrasado, 2 mm, NA, cable	52,05
E2E-X1R5D2-TR-N 5M	681757	Proximity sensor, inductive, brass-nickel, M8, shielded, 1.5 mm, NC, 5 m cable ro	61,65
E2E-X6MD18-T 2M	681798	Sensor de proximidad, inductivo, acero inoxidable, M8, sin apantallamiento, 6 m	71,20
E2EQ-X3D18 5M	681868	Proximity sensor, inductive, brass-nickel, Spatter-coating, M8, shielded, 3 mm, N	140,10
E2EQ-X3D18-T 2M	681739	Sensor de proximidad, inductivo, latón-níquel, recubrimiento contra salpicadura	135,30
E2EQ-X7D112 5M	681680	Proximity sensor, inductive, brass-nickel, Spatter-coating, M12, shielded, 7 mm,	129,00
E2EQ-X20D130-T 2M	681807	Sensor de proximidad, inductivo, latón-níquel, recubrimiento contra salpicadura	213,70
E2E-X3D28-TR 2M	681756	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NC, 2 m cable rob	74,35
E2E-X6MD18-T 5M	681650	Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NO, 5 m ca	74,35
E2E-X7D212-T 5M	681754	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NC, 5 m cable, D	71,20
E2E-X10MD212-TR 5M	681654	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NC, 5 m ca	78,60
E2E-X20D230-T 2M	681874	Sensor de proximidad, inductivo, latón-níquel, M30, enrasado, 20 mm, NC, cable	74,35
E2E-X20D130-TR 5M	681673	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NO, 5 m cable r	122,70
E2EQ-X20D230 5M	681779	Proximity sensor, inductive, brass-nickel, Spatter-coating, M30, shielded, 20 mm	223,50
E2EQ-X20D230-T 2M	681787	Sensor de proximidad, inductivo, latón-níquel, recubrimiento contra salpicadura	213,70
E2E-X3D28-R 2M	681678	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NC, 2 m cable rob	74,35
E2E-X3D18-TR 2M	681824	Sensor de proximidad, inductivo, latón-níquel, M8, enrasado, 3 mm, NA, cable ro	72,20

OMRON PVPR 2023

E2E-X7D212-R 2M	681737	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NC, 2 m cable ro	73,30
E2E-X10MD212-R 2M	681820	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NC, 2 m ca	75,40
E2E-X1R5D1-TR-N 2M	681661	Proximity sensor, inductive, brass-nickel, M8, shielded, 1.5 mm, NO, 2 m cable r	56,30
E2E-X2R5D1-T-N 5M	681800	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NO, 5 m cable, D	55,20
E2E-X5D1-R-N 2M	681748	Proximity sensor, inductive, brass-nickel, M18, shielded, 5 mm, NO, 2 m cable ro	72,70
E2E-X3D28-R 5M	681886	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NC, 5 m cable rob	77,50
E2E-X3D28-T 5M	681657	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NC, 5 m cable, DC	72,20
E2E-X3D28-TR 5M	681652	Sensor de proximidad, inductivo, latón-níquel, M8, apantallado, 3 mm, NA, cable	77,50
E2E-X20MD2L18-TR 2M	681670	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NC, 2 m ca	77,50
E2E-X40MD2L30-R 5M	681896	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NC, 5 m ca	132,10
E2E-X40MD2L30-TR 2M	681690	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NC, 2 m ca	99,90
E2EQ-X11D218 2M	681831	Proximity sensor, inductive, brass-nickel, Spatter-coating, M18, shielded, 11 mm	152,20
E2E-X1R5D2-TR-N 2M	681851	Proximity sensor, inductive, brass-nickel, M8, shielded, 1.5 mm, NC, 2 m cable ro	58,40
E2E-X7D212 5M	681634	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NC, 5 m cable, D	71,20
E2E-X10MD212 2M	681900	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NC, 2 m ca	70,10
E2E-X5D1-N 5M	681847	Proximity sensor, inductive, brass-nickel, M18, shielded, 5 mm, NO, 5 m cable, D	57,35
E2E-X11D218-R 2M	681878	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NC, 2 m cable r	75,40
E2E-X40MD2L30 5M	681717	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NC, 5 m ca	97,35
E2E-X40MD2L30-R 2M	681817	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NC, 2 m ca	99,90
E2E-X5D1-T-N 5M	681635	Proximity sensor, inductive, brass-nickel, M18, shielded, 5 mm, NO, 5 m cable, D	70,10
E2E-X6MD18-TR 2M	681810	Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NO, 2 m ca	74,35
E2E-X7D212-TR 2M	681696	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NC, 2 m cable ro	73,30
E2E-X20MD2L18-TR 5M	681905	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NC, 5 m ca	102,60
E2E-X20D230-TR 2M	681852	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NC, 2 m cable r	88,50
E2E-X10MD112-T 2M	681863	Sensor de proximidad, inductivo, latón-níquel, M12, no enrasado, 10 mm, NA, ca	70,10
E2E-X20MD2L18-R 2M	681766	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NC, 2 m ca	77,50
E2EQ-X7D112-T 5M	681728	Sensor de proximidad, inductivo, latón-níquel, recubrimiento contra salpicadura	130,20
E2E-X7D112-TR 5M	681858	Sensor de proximidad, inductivo, latón-níquel, M12, enrasado, 7 mm, NA, cable	76,50
E2E-X40MD1L30-TR 2M	681811	Sensor de proximidad, inductivo, latón-níquel, M30, no enrasado, 40 mm, NA, ca	97,95
E2E-X40MD1L30-TR 5M	681870	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NO, 5 m ca	133,40
E2EQ-X3D28-T 5M	681773	Proximity sensor, inductive, brass-nickel, Spatter-coating, M8, shielded, 3 mm, N	141,20
E2EQ-X7D212 2M	681890	Proximity sensor, inductive, brass-nickel, Spatter-coating, M12, shielded, 7 mm,	123,00
E2E-X2R5D2-R-N 2M	681804	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NC, 2 m cable ro	57,35

OMRON PVPR 2023

E2E-X6MD28-R 2M	681783	Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NC, 2 m cable	76,50
E2E-X7D112-R 5M	681840	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NO, 5 m cable	76,50
E2E-X11D118 2M	681749	Sensor de proximidad, inductivo, latón-níquel, M18, apantallado, 11 mm, NA, cable	70,10
E2E-X11D218 2M	681740	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NC, 2 m cable	70,10
E2E-X11D118-T 2M	681767	Sensor de proximidad, inductivo, latón-níquel, M18, enrasado, 11 mm, NA, cable	70,10
E2E-X20D230 5M	681744	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NC, 5 m cable	86,15
E2E-X40MD1L30 2M	681706	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NO, 2 m cable	84,90
E2EQ-X20D130-T 5M	681838	Proximity sensor, inductive, brass-nickel, Spatter-coating, M30, shielded, 20 mm	224,60
E2E-X1R5D1-T-N 2M	681668	Proximity sensor, inductive, brass-nickel, M8, shielded, 1.5 mm, NO, 2 m cable	53,10
E2E-X1R5D1-T-N 5M	681664	Proximity sensor, inductive, brass-nickel, M8, shielded, 1.5 mm, NO, 5 m cable	56,30
E2E-X10MD212-T 2M	681814	Sensor de proximidad, inductivo, latón-níquel, M12, no enrasado, 10 mm, NC, cable	70,10
E2E-X20D230-T 5M	681894	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NC, 5 m cable	86,15
E2E-X20D230-TR 5M	681760	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NC, 5 m cable	122,70
E2EQ-X7D212 5M	681774	Proximity sensor, inductive, brass-nickel, Spatter-coating, M12, shielded, 7 mm	129,00
E2EQ-X7D212-T 5M	681726	Proximity sensor, inductive, brass-nickel, Spatter-coating, M12, shielded, 7 mm	130,20
E2E-X2R5D2-TR-N 2M	681644	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NC, 2 m cable	57,35
E2E-X6MD18-R 2M	681708	Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NO, 2 m cable	76,50
E2E-X2R5D1-N 2M	681723	Sensor de proximidad, inductivo, latón-níquel, M12, enrasado, 2 mm, NA, cable	52,05
E2E-X7D112-TR 2M	681866	Sensor de proximidad, inductivo, latón-níquel, M12, enrasado, 7 mm, NA, cable	71,20
E2E-X10MD212 5M	681667	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NC, 5 m cable	73,30
E2E-X20MD2L18 5M	681836	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NC, 5 m cable	75,40
E2E-X20D230 2M	681692	Sensor de proximidad, inductivo, latón-níquel, M30, enrasado, 20 mm, NC, cable	74,35
E2E-X1R5D1-N 2M	681795	Sensor de proximidad, inductivo, latón-níquel, M8, enrasado, 1,5 mm, NO, cable	53,10
E2E-X1R5D1-N 5M	681651	Proximity sensor, inductive, brass-nickel, M8, shielded, 1.5 mm, NO, 5 m cable	56,30
E2E-X6MD18-R 5M	681697	Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NO, 5 m cable	79,60
E2E-X2R5D2-N 2M	681808	Sensor de proximidad, inductivo, latón-níquel, M12, enrasado, 2 mm, NC, cable	57,35
E2E-X11D218-TR 5M	681722	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NC, 5 m cable	108,60
E2E-X20MD1L18-T 5M	681699	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NO, 5 m cable	75,40
E2E-X20MD2L18-T 5M	681695	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NC, 5 m cable	75,40
E2EQ-X3D28 5M	681646	Proximity sensor, inductive, brass-nickel, Spatter-coating, M8, shielded, 3 mm, NC	140,10
E2E-X1R5D2-R-N 5M	681803	Proximity sensor, inductive, brass-nickel, M8, shielded, 1.5 mm, NC, 5 m cable	61,65
E2E-X7D212 2M	681640	Sensor de proximidad, inductivo, latón-níquel, M12, enrasado, 7 mm, NC, cable	67,95
E2E-X7D112-T 2M	681843	Sensor de proximidad, inductivo, latón-níquel, M12, enrasado, 7 mm, NA, cable	67,95

OMRON PVPR 2023

E2E-X7D112-T 5M	681778	Sensor de proximidad, inductivo, latón-níquel, M12, enrasado, 7 mm, NA, cable	71,20
E2E-X11D118-T 5M	681786	Sensor de proximidad, inductivo, latón-níquel, M18, enrasado, 11 mm, NA, cable	73,30
E2E-X2R5D1-R-N 2M	681769	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NO, 2 m cable r	57,35
E2E-X3D18-TR 5M	681656	Sensor de proximidad, inductivo, latón-níquel, M8, enrasado, 3 mm, NA, cable r	77,50
E2E-X7D212-T 2M	681780	Sensor de proximidad, inductivo, latón-níquel, M12, enrasado, 7 mm, NC, cable	67,95
E2E-X11D218-T 2M	681659	Sensor de proximidad, inductivo, latón-níquel, M18, enrasado, 11 mm, NC, cable	70,10
E2E-X11D118-TR 5M	681782	Sensor de proximidad, inductivo, latón-níquel, M18, enrasado, 11 mm, NA, cable	108,60
E2E-X20MD1L18-TR 2M	681906	Sensor de proximidad, inductivo, latón-níquel, M18, no enrasado, 20 mm, NA, ca	75,40
E2E-X1R5D2-N 5M	681735	Proximity sensor, inductive, brass-nickel, M8, shielded, 1.5 mm, NC, 5 m cable, D	58,40
E2E-X3D28 2M	681816	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NC, 2 m cable, DC	69,05
E2E-X3D18-R 5M	681895	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NO, 5 m cable rob	77,50
E2E-X7D112 2M	681730	Sensor de proximidad, inductivo, latón-níquel, M12, enrasado, 7 mm, NO, cable	67,95
E2E-X7D112 5M	681712	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NO, 5 m cable, D	71,20
E2E-X11D218 5M	681718	Sensor de proximidad, inductivo, latón-níquel, M18, enrasado, 11 mm, NC, cable	73,30
E2E-X20D130 2M	681883	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NO, 2 m cable,	74,35
E2E-X20D230-R 2M	681691	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NC, 2 m cable r	88,50
E2E-X20D130-T 2M	681768	Sensor de proximidad, inductivo, latón-níquel, M30, enrasado, 20 mm, NA, cable	74,35
E2E-X20D130-TR 2M	681637	Sensor de proximidad, inductivo, latón-níquel, M30, enrasado, 20 mm, NA, cable	94,80
E2EQ-X20D130 5M	681899	Proximity sensor, inductive, brass-nickel, Spatter-coating, M30, shielded, 20 mm	223,50
E2E-X1R5D1-R-N 2M	681812	Proximity sensor, inductive, brass-nickel, M8, shielded, 1.5 mm, NO, 2 m cable r	58,40
E2E-X1R5D1-TR-N 5M	681775	Proximity sensor, inductive, brass-nickel, M8, shielded, 1.5 mm, NO, 5 m cable r	61,65
E2E-X2R5D1-TR-N 5M	681904	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NO, 5 m cable r	60,55
E2E-X6MD28-T 5M	681809	Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NC, 5 m ca	74,35
E2E-X10MD212-TR 2M	681839	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NC, 2 m ca	75,40
E2E-X11D218-R 5M	681755	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NC, 5 m cable r	107,40
E2E-X5D2-T-N 5M	681776	Proximity sensor, inductive, brass-nickel, M18, shielded, 5 mm, NC, 5 m cable, D	70,10
E2E-X3D18 5M	681871	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NO, 5 m cable, DC	72,20
E2E-X20MD1L18 2M	681879	Sensor de proximidad, inductivo, latón-níquel, M18, no enrasado, 20 mm, NO, c	72,20
E2EQ-X11D118 5M	681686	Proximity sensor, inductive, brass-nickel, Spatter-coating, M18, shielded, 11 mm	163,50
E2E-X6MD18-TR 5M	681832	Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NO, 5 m ca	79,60
E2E-X7D212-R 5M	681802	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NC, 5 m cable ro	76,50
E2E-X11D218-TR 2M	681731	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NC, 2 m cable r	75,40
E2EQ-X11D218-T 2M	681789	Sensor de proximidad, inductivo, latón-níquel, recubrimiento contra salpicadura	153,50

OMRON PVPR 2023

E2E-X5D2-TR-N 5M	681645	Proximity sensor, inductive, brass-nickel, M18, shielded, 5 mm, NC, 5 m cable ro	108,60
E2E-X3D18 2M	681665	Sensor de proximidad, inductivo, níquel-latón, M8, apantallado, 3 mm, NA, cable	69,05
E2E-X6MD28 5M	681842	Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NC, 5 m ca	74,35
E2E-X10MD112-R 2M	681790	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 2 m ca	75,40
E2E-X20MD1L18-T 2M	681784	Sensor de proximidad, inductivo, latón-níquel, M18, no enrasado, 20 mm, NA, ca	72,20
E2EQ-X3D18 2M	681648	Sensor de proximidad, inductivo, latón-níquel, recubrimiento contra salpicadura	134,00
E2E-X10MD212-T 5M	681794	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NC, 5 m ca	73,30
E2E-X5D2-N 5M	681702	Proximity sensor, inductive, brass-nickel, M18, shielded, 5 mm, NC, 5 m cable, D	59,55
E2E-X20D230-R 5M	681752	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NC, 5 m cable r	121,50
E2EQ-X7D212-T 2M	681875	Sensor de proximidad, inductivo, latón-níquel, recubrimiento contra salpicadura	124,20
E2EQ-X20D230 2M	681857	Proximity sensor, inductive, brass-nickel, Spatter-coating, M30, shielded, 20 mm	212,40
E2E-X2R5D2-TR-N 5M	681734	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NC, 5 m cable ro	60,55
E2E-X6MD18 5M	681672	Sensor de proximidad, inductivo, acero inoxidable, M8, sin apantallamiento, 6 m	74,35
E2E-X2R5D1-N 5M	681791	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NO, 5 m cable, D	55,20
E2E-X10MD112 5M	681763	Sensor de proximidad, inductivo, latón-níquel, M12, no enrasado, 10 mm, NO, c	73,30
E2EQ-X3D18-T 5M	681641	Sensor de proximidad, inductivo, latón-níquel, recubrimiento contra salpicadura	141,20
E2EQ-X7D112 2M	681764	Proximity sensor, inductive, brass-nickel, Spatter-coating, M12, shielded, 7 mm,	123,00
E2EQ-X11D118 2M	681636	Sensor de proximidad, inductivo, latón-níquel, recubrimiento contra salpicadura	152,20
E2EQ-X20D130 2M	681721	Proximity sensor, inductive, brass-nickel, Spatter-coating, M30, shielded, 20 mm	212,40
E2E-X1R5D1-R-N 5M	681689	Proximity sensor, inductive, brass-nickel, M8, shielded, 1.5 mm, NO, 5 m cable r	61,65
E2E-X2R5D1-R-N 5M	681742	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NO, 5 m cable ro	60,55
E2E-X2R5D1-TR-N 2M	681716	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NO, 2 m cable ro	55,20
E2E-X1R5C18 2M	698871	Proximity sensor, inductive, short SUS body M8, shielded, 1.5 mm, DC, 3-wire, N	63,30
E2E-X1R5C28 2M	699655	Proximity sensor, inductive, short SUS body M8, shielded, 1.5 mm, DC, 3-wire, N	63,30
E2E-X1R5C18 5M	699654	Proximity sensor, inductive, short SUS body M8, shielded, 1.5 mm, DC, 3-wire, N	66,75
E2E-X1R5C28 5M	700087	Proximity sensor, inductive, short SUS body M8, shielded, 1.5 mm, DC, 3-wire, N	66,75
E2E-X1R5C18-R 2M	700040	Proximity sensor, inductive, short SUS body M8, shielded, 1.5 mm, DC, 3-wire, N	66,75
E2E-X2C18 2M	694862	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, NP	63,30
E2E-X2C28 2M	696231	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, NP	63,30
E2E-X2C18 5M	696230	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, NP	66,75
E2E-X2C28 5M	698872	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, NP	66,75
E2E-X3C18 2M	691139	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, N	74,80
E2E-X3C28 2M	699285	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, N	74,80

OMRON PVPR 2023

E2E-X4C18 2M	690190	Sensor de proximidad, inductivo, cuerpo corto de latón M8, enrasado, 4 mm, CC	69,05
E2E-X2MC18 2M	700043	Proximity sensor, inductive, short SUS body M8, unshielded, 2 mm, DC, 3-wire, NPN	63,30
E2E-X2MC28 2M	699653	Proximity sensor, inductive, short SUS body M8, unshielded, 2 mm, DC, 3-wire, NPN	63,30
E2E-X2MC18 5M	700091	Proximity sensor, inductive, short SUS body M8, unshielded, 2 mm, DC, 3-wire, NPN	66,75
E2E-X2MC28 5M	700090	Proximity sensor, inductive, short SUS body M8, unshielded, 2 mm, DC, 3-wire, NPN	69,05
E2E-X2MC18-R 2M	700042	Proximity sensor, inductive, short SUS body M8, unshielded, 2 mm, DC, 3-wire, NPN	66,75
E2E-X4MC18 2M	694861	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, NPN	63,30
E2E-X4MC28 2M	696229	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, NPN	69,05
E2E-X4MC18 5M	698873	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, NPN	66,75
E2E-X4MC28 5M	696144	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, NPN	69,05
E2E-X2C1L8 2M	695086	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, NPN	69,05
E2E-X2C2L8 2M	695085	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, NPN	69,05
E2E-X2C1L8 5M	699649	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, NPN	72,50
E2E-X2C2L8 5M	699648	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, NPN	72,50
E2E-X4C1L8 2M	699437	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, NPN	80,55
E2E-X4MC1L8 2M	696142	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, NPN	69,05
E2E-X4MC2L8 2M	699647	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, NPN	69,05
E2E-X4MC1L8 5M	699646	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, NPN	72,50
E2E-X4MC2L8 5M	699645	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, NPN	72,50
E2E-X8MC1L8 2M	690628	Proximity sensor, inductive, long SUS body M8, unshielded, 8 mm, DC, 3-wire, NPN	80,55
E2E-X1R5B1T8 2M	696140	Proximity sensor, inductive, short SUS body M8, shielded, 1.5 mm, DC, 3-wire, PNP	63,30
E2E-X1R5B28 2M	698874	Proximity sensor, inductive, short SUS body M8, shielded, 1.5 mm, DC, 3-wire, PNP	63,30
E2E-X1R5B1T8 5M	698875	Proximity sensor, inductive, short SUS body M8, shielded, 1.5 mm, DC, 3-wire, PNP	66,75
E2E-X1R5B28 5M	700086	Proximity sensor, inductive, short SUS body M8, shielded, 1.5 mm, DC, 3-wire, PNP	66,75
E2E-X1R5B1T8-R 2M	700039	Sensor de proximidad, inductivo, cuerpo sus, cuerpo corto, M8, blindado, 1.5 mm, DC, 3-wire, PNP	66,75
E2E-X1R5B1T8-R 5M	700085	Proximity sensor, inductive, short SUS body M8, shielded, 1.5 mm, DC, 3-wire, PNP	80,55
E2E-X1R5B28-R 5M	700084	Proximity sensor, inductive, short SUS body M8, shielded, 1.5 mm, DC, 3-wire, PNP	80,55
E2E-X2B1T8 2M	687537	Sensor de proximidad, inductivo, cuerpo corto de SUS, M8, apantallado, 2 mm, DC, 3-wire, PNP	63,30
E2E-X2B28 2M	693989	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, PNP	63,30
E2E-X2B1T8 5M	696139	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, PNP	66,75
E2E-X2B28 5M	696138	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, PNP	66,75
E2E-X2B1T8-R 2M	688110	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, PNP	66,75
E2E-X3B1T8 2M	688107	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, PNP	74,80

OMRON PVPR 2023

E2E-X3B28 2M	691090	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, PNP	75,95
E2E-X3B1T8 5M	691134	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, PNP	78,25
E2E-X3B1T8-R 2M	688106	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, PNP	78,25
E2E-X4B1T8 2M	687532	Sensor de proximidad, inductivo, cuerpo corto de SUS, M8, apantallado, 4 mm, DC, 3-wire, PNP	82,85
E2E-X4B28 2M	693106	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP	80,55
E2E-X4B1T8-R 2M	688103	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP	84,00
E2E-X2MB1T8 2M	698876	Proximity sensor, inductive, SUS short body, M8, unshielded, 2 mm, DC, 3-wire, PNP	63,30
E2E-X2MB28 2M	699657	Proximity sensor, inductive, SUS short body, M8, unshielded, 2 mm, DC, 3-wire, PNP	63,30
E2E-X2MB1T8 5M	700089	Proximity sensor, inductive, short SUS body M8, unshielded, 2 mm, DC, 3-wire, PNP	66,75
E2E-X2MB28 5M	700088	Proximity sensor, inductive, short SUS body M8, unshielded, 2 mm, DC, 3-wire, PNP	72,50
E2E-X2MB1T8-R 2M	700041	Proximity sensor, inductive, SUS short body, M8, unshielded, 2 mm, DC, 3-wire, PNP	66,75
E2E-X4MB1T8 2M	688101	Sensor de proximidad, inductivo, cuerpo corto de SUS, M8, no apantallado, 4 mm, DC, 3-wire, PNP	63,30
E2E-X4MB28 2M	694067	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP	69,05
E2E-X4MB1T8 5M	696136	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP	66,75
E2E-X4MB28 5M	699658	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP	72,50
E2E-X4MB1T8-R 2M	688100	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP	66,75
E2E-X6MB1T8 2M	688095	Proximity sensor, inductive, short SUS body M8, unshielded, 6 mm, DC, 3-wire, PNP	74,80
E2E-X6MB28 2M	698702	Proximity sensor, inductive, short SUS body M8, unshielded, 6 mm, DC, 3-wire, PNP	74,80
E2E-X6MB1T8 5M	701264	Proximity sensor, inductive, short SUS body M8, unshielded, 6 mm, DC, 3-wire, PNP	78,25
E2E-X6MB1T8-R 2M	688094	Proximity sensor, inductive, short SUS body M8, unshielded, 6 mm, DC, 3-wire, PNP	78,25
E2E-X8MB1T8 2M	688089	Sensor de proximidad, inductivo, cuerpo corto de SUS, M8, no apantallado, 8 mm, DC, 3-wire, PNP	80,55
E2E-X8MB28 2M	698699	Proximity sensor, inductive, short SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP	80,55
E2E-X8MB1T8 5M	707331	Proximity sensor, inductive, short SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP	89,25
E2E-X8MB1T8-R 2M	688088	Proximity sensor, inductive, short SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP	84,00
E2E-X1R5B1TL8 2M	698877	Proximity sensor, inductive, SUS long body, M8, shielded, 1.5 mm, DC, 3-wire, PNP	69,05
E2E-X1R5B1TL8 5M	699659	Proximity sensor, inductive, SUS long body, M8, shielded, 1.5 mm, DC, 3-wire, PNP	72,50
E2E-X2B1TL8 2M	688085	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, PNP	69,05
E2E-X2B2L8 2M	696217	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, PNP	69,05
E2E-X2B1TL8 5M	696227	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, PNP	72,50
E2E-X2B2L8 5M	698878	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, PNP	72,50
E2E-X3B1TL8 2M	688082	Proximity sensor, inductive, SUS body, long body, M8, shielded, 3 mm, DC, 3-wire, PNP	74,80
E2E-X3B2L8 2M	698676	Proximity sensor, inductive, long brass body M8, shielded, 3 mm, DC, 3-wire, PNP	74,80
E2E-X4B1TL8 2M	687896	Sensor de proximidad, inductivo, cuerpo largo de SUS, M8, apantallado, 4 mm, DC, 3-wire, PNP	80,55

OMRON PVPR 2023

E2E-X4B2L8 2M	698672	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PN	80,55
E2E-X4MB1TL8 2M	688074	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, P	69,05
E2E-X4MB2L8 2M	696216	Sensor de proximidad, inductivo, cuerpo largo sus M8, no enrasado, 4 mm, CC, 3	69,05
E2E-X4MB1TL8 5M	698879	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, P	72,50
E2E-X4MB2L8 5M	698880	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, P	72,50
E2E-X6MB1TL8 2M	688069	Proximity sensor, inductive, long SUS body M8, unshielded, 6 mm, DC, 3-wire, P	74,80
E2E-X6MB2L8 2M	698696	Proximity sensor, inductive, long SUS body M8, unshielded, 6 mm, DC, 3-wire, P	74,80
E2E-X6MB1TL8 5M	701265	Proximity sensor, inductive, long SUS body M8, unshielded, 6 mm, DC, 3-wire, P	78,25
E2E-X8MB1TL8 2M	688024	Proximity sensor, inductive, long SUS body M8, unshielded, 6 mm, DC, 3-wire, P	80,55
E2E-X8MB2L8 2M	698693	Proximity sensor, inductive, long SUS body M8, unshielded, 8 mm, DC, 3-wire, P	80,55
E2E-X2B1D8 2M	694065	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, PN	63,30
E2E-X4MB1D8 2M	694056	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, P	69,05
E2E-X2C112 2M	698881	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3	57,55
E2E-X2C212 2M	700051	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3	40,27
E2E-X2C112 5M	698882	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3	61,00
E2E-X2C212 5M	700095	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3	61,00
E2E-X2C112-R 2M	700050	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3	61,00
E2E-X4C112 2M	694859	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3	57,55
E2E-X4C212 2M	695800	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3	40,27
E2E-X4C312 2M	694979	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3	57,55
E2E-X4C112 5M	696135	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3	61,00
E2E-X4C212 5M	698883	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3	61,00
E2E-X6C112 2M	691133	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3	69,05
E2E-X6C212 2M	691132	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3	69,05
E2E-X9C112 2M	690191	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3	65,65
E2E-X5MC112 2M	699626	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, D	57,55
E2E-X5MC212 2M	700014	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, D	57,55
E2E-X5MC312 2M	699625	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, D	57,55
E2E-X5MC112 5M	700067	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, D	61,00
E2E-X5MC212 5M	700066	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, D	61,00
E2E-X5MC112-R 2M	700065	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, D	61,00
E2E-X8MC112 2M	694858	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, D	57,55
E2E-X8MC212 2M	696134	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, D	57,55

OMRON PVPR 2023

E2E-X8MC312 2M	698806	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3	57,55
E2E-X8MC112 5M	696133	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3	61,00
E2E-X8MC212 5M	699624	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3	61,00
E2E-X16MC212 2M	689895	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 16 mm, DC, 3	74,80
E2E-X2C1L12 2M	700049	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 2 mm, DC, 3	43,71
E2E-X2C2L12 2M	700048	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 2 mm, DC, 3	43,71
E2E-X2C1L12 5M	700094	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 2 mm, DC, 3	66,75
E2E-X4C1L12 2M	695801	Sensor de proximidad, inductivo, níquel-latón, cuerpo largo, M12, enrasado, 4 mm, DC, 3	43,71
E2E-X4C2L12 2M	695802	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3	43,71
E2E-X4C3L12 2M	698805	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3	63,30
E2E-X4C1L12 5M	698884	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3	66,75
E2E-X4C2L12 5M	698885	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3	66,75
E2E-X9C1L12 2M	688755	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 9 mm, DC, 3	74,80
E2E-X5MC1L12 2M	700064	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 5 mm, DC, 3	63,30
E2E-X5MC2L12 2M	700063	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 5 mm, DC, 3	63,30
E2E-X5MC1L12 5M	700105	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 5 mm, DC, 3	66,75
E2E-X8MC1L12 2M	694856	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3	63,30
E2E-X8MC2L12 2M	698804	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3	63,30
E2E-X8MC3L12 2M	698803	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3	63,30
E2E-X8MC1L12 5M	699623	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3	66,75
E2E-X8MC2L12 5M	699622	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3	66,75
E2E-X2B1T12 2M	698886	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3	57,55
E2E-X2B212 2M	700047	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3	57,55
E2E-X2B1T12 5M	698887	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3	61,00
E2E-X2B212 5M	700093	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3	61,00
E2E-X2B1T12-R 2M	700046	Proximity sensor, inductive, nickel-brass short body, M12, shielded, 2 mm, DC, 3	61,00
E2E-X4B1T12 2M	687525	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M12, apantallado, 4 mm, DC, 3	57,55
E2E-X4B212 2M	694063	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3	57,55
E2E-X4B1T12 5M	695836	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3	61,00
E2E-X4B212 5M	696232	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3	61,00
E2E-X4B1T12-R 2M	688019	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3	61,00
E2E-X6B1T12 2M	687523	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M12, apantallado, 6 mm, DC, 3	69,05
E2E-X6B212 2M	690783	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3	69,05

OMRON PVPR 2023

E2E-X6B1T12-R 2M	688018	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3	72,50
E2E-X9B1T12 2M	687521	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M12, apantallado, 9	74,80
E2E-X9B212 2M	698668	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3	74,80
E2E-X9B1T12 5M	702745	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3	78,25
E2E-X9B1T12-R 2M	688016	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3	78,25
E2E-X5MB1T12 2M	698888	Proximity sensor, inductive, nickel-brass short body, M12, unshielded, 5 mm, DC	57,55
E2E-X5MB212 2M	700062	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC	57,55
E2E-X5MB1T12 5M	699669	Proximity sensor, inductive, nickel-brass short body, M12, unshielded, 5 mm, DC	61,00
E2E-X5MB212 5M	700104	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC	61,00
E2E-X5MB1T12-R 2M	700061	Proximity sensor, inductive, nickel-brass short body, M12, unshielded, 5 mm, DC	61,00
E2E-X8MB1T12 2M	688015	Sensor de proximidad, inductivo, cuerpo corto de níquel-latón, M12, sin apantall	57,55
E2E-X8MB212 2M	694061	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC	57,55
E2E-X8MB1T12 5M	696132	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC	61,00
E2E-X8MB212 5M	698836	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC	61,00
E2E-X8MB1T12-R 2M	688014	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC	61,00
E2E-X10MB1T12 2M	688012	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 10 mm, DC	69,05
E2E-X10MB212 2M	695737	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 10 mm, DC	48,31
E2E-X10MB1T12-R 2M	688011	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 10 mm, DC	72,50
E2E-X16MB1T12 2M	688009	Sensor de proximidad, inductivo, cuerpo corto de níquel-latón, M12, no apantall	74,80
E2E-X16MB212 2M	698690	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 16 mm, DC	74,80
E2E-X16MB1T12-R 2M	688008	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 16 mm, DC	78,25
E2E-X2B1TL12 2M	700045	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3	63,30
E2E-X2B2L12 2M	700044	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 2 mm, DC, 3	59,85
E2E-X2B1TL12 5M	699668	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 2 mm, DC, 3	66,75
E2E-X2B2L12 5M	700092	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 2 mm, DC, 3	66,75
E2E-X4B1TL12 2M	687886	Sensor de proximidad, inductivo, níquel-latón, cuerpo largo, M12, apantallado, 4	63,30
E2E-X4B2L12 2M	694117	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3	59,85
E2E-X4B1TL12 5M	696131	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3	66,75
E2E-X4B2L12 5M	698889	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3	66,75
E2E-X6B1TL12 2M	688006	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 6 mm, DC, 3	69,05
E2E-X6B2L12 2M	698667	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 6 mm, DC, 3	69,05
E2E-X9B1TL12 2M	687882	Sensor de proximidad, inductivo, níquel-latón, cuerpo largo, M12, apantallado, 9	74,80
E2E-X9B2L12 2M	698665	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 9 mm, DC, 3	74,80

OMRON PVPR 2023

E2E-X5MB1TL12 2M	700060	Proximity sensor, inductive, nickel-brass long body, M12, unshielded, 5 mm, DC, 3	63,30
E2E-X5MB2L12 2M	700059	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 5 mm, DC, 3	63,30
E2E-X5MB1TL12 5M	699667	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 5 mm, DC, 3	66,75
E2E-X5MB2L12 5M	700103	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 5 mm, DC, 3	63,30
E2E-X8MB1TL12 2M	688005	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3	63,30
E2E-X8MB2L12 2M	695050	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3	63,30
E2E-X8MB1TL12 5M	696189	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3	66,75
E2E-X8MB2L12 5M	698890	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3	63,30
E2E-X10MB1TL12 2M	688002	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 10 mm, DC, 3	69,05
E2E-X10MB2L12 2M	698689	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 10 mm, DC, 3	69,05
E2E-X16MB1TL12 2M	688000	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 16 mm, DC, 3	74,80
E2E-X16MB2L12 2M	698687	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 16 mm, DC, 3	74,80
E2E-X4B1D12 2M	694161	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3	57,55
E2E-X4B3D12 2M	687877	Sensor de proximidad, inductivo, cuerpo corto de níquel-latón, M12, apantallado, 3	57,55
E2E-X4B3D12 5M	698891	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3	61,00
E2E-X6B3D12 2M	696303	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3	69,05
E2E-X8MB1D12 2M	694159	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3	57,55
E2E-X8MB3D12 2M	694158	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3	57,55
E2E-X8MB3D12 5M	699665	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3	61,00
E2E-X4B3DL12 2M	695083	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3	63,30
E2E-X4B3DL12 5M	698835	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3	66,75
E2E-X8MB3DL12 2M	696302	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3	63,30
E2E-X5C118 2M	699319	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3	57,55
E2E-X5C218 2M	700058	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3	57,55
E2E-X5C118 5M	700102	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3	61,00
E2E-X5C218 5M	700101	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3	61,00
E2E-X5C118-R 2M	700057	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3	61,00
E2E-X8C118 2M	694855	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3	57,55
E2E-X8C218 2M	696130	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3	57,55
E2E-X8C318 2M	689312	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3	57,55
E2E-X8C118 5M	696129	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3	61,00
E2E-X8C218 5M	698892	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3	61,00
E2E-X12C118 2M	691129	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3	69,05

OMRON PVPR 2023

E2E-X12C218 2M	689614	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC	69,05
E2E-X12C218 5M	691128	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC	72,50
E2E-X14C218 2M	689615	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC	74,80
E2E-X14C218 5M	690489	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M18, enrasado, 14	78,25
E2E-X10MC118 2M	699320	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, D	57,55
E2E-X10MC218 2M	700038	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, D	57,55
E2E-X10MC118 5M	700083	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, D	61,00
E2E-X10MC218 5M	700082	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, D	61,00
E2E-X10MC118-R 2M	700037	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, D	61,00
E2E-X16MC118 2M	694854	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, D	57,55
E2E-X16MC218 2M	698893	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, D	57,55
E2E-X16MC318 2M	699664	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, D	57,55
E2E-X16MC118 5M	698894	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, D	61,00
E2E-X16MC218 5M	698895	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, D	61,00
E2E-X5C1L18 2M	699321	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 5 mm, DC, 3	63,30
E2E-X5C2L18 2M	700056	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 5 mm, DC, 3	63,30
E2E-X5C1L18 5M	700100	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 5 mm, DC, 3	66,75
E2E-X8C1L18 2M	696128	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3	63,30
E2E-X8C2L18 2M	698896	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3	63,30
E2E-X8C3L18 2M	698897	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3	63,30
E2E-X8C1L18 5M	698898	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3	66,75
E2E-X8C2L18 5M	699663	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3	66,75
E2E-X10MC1L18 2M	699322	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 10 mm, D	63,30
E2E-X10MC2L18 2M	700036	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 10 mm, D	63,30
E2E-X10MC1L18 5M	700081	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 10 mm, D	66,75
E2E-X16MC1L18 2M	695825	Sensor de proximidad, inductivo, níquel-latón, cuerpo largo, M18, sin blindaje, 1	43,71
E2E-X16MC2L18 2M	698899	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, D	63,30
E2E-X16MC3L18 2M	698900	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, D	63,30
E2E-X16MC1L18 5M	698901	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, D	66,75
E2E-X16MC2L18 5M	699662	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, D	66,75
E2E-X20MC1L18 2M	699323	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 20 mm, D	69,05
E2E-X30MC1L18 2M	699318	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 30 mm, D	74,80
E2E-X5B1T18 2M	698902	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3	57,55

OMRON PVPR 2023

E2E-X5B218 2M	700055	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-	57,55
E2E-X5B1T18 5M	700099	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-	51,80
E2E-X5B218 5M	700098	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-	61,00
E2E-X5B1T18-R 2M	700054	Proximity sensor, inductive, nickel-brass short body, M18, shielded, 5 mm, DC, 3-	61,00
E2E-X8B1T18 2M	687513	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M18, apantallado, 8	57,55
E2E-X8B218 2M	693988	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-	57,55
E2E-X8B1T18 5M	695739	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-	51,80
E2E-X8B218 5M	696127	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-	61,00
E2E-X8B1T18-R 2M	687998	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-	61,00
E2E-X12B1T18 2M	687511	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M18, apantallado, 1	69,05
E2E-X12B218 2M	691088	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-	69,05
E2E-X12B1T18 5M	691126	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-	72,50
E2E-X12B218 5M	691125	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-	72,50
E2E-X12B1T18-R 2M	687997	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-	72,50
E2E-X14B1T18 2M	687509	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M18, apantallado, 1	74,80
E2E-X14B218 2M	698663	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-	74,80
E2E-X14B1T18-R 2M	687996	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-	78,25
E2E-X10MB1T18 2M	699525	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, 1	57,55
E2E-X10MB218 2M	700035	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, 1	57,55
E2E-X10MB1T18 5M	698903	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, 1	61,00
E2E-X10MB218 5M	700080	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, 1	61,00
E2E-X10MB1T18-R 2M	700034	Proximity sensor, inductive, nickel-brass short body, M18, unshielded, 10 mm, D	61,00
E2E-X16MB1T18 2M	687506	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M18, sin apantallar	57,55
E2E-X16MB218 2M	694060	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, 1	57,55
E2E-X16MB1T18 5M	696126	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, 1	61,00
E2E-X16MB218 5M	698904	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, 1	61,00
E2E-X16MB1T18-R 2M	687995	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, 1	61,00
E2E-X5B1TL18 2M	700053	Proximity sensor, inductive, nickel-brass long body, M18, shielded, 5 mm, DC, 3-	63,30
E2E-X5B2L18 2M	700052	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 5 mm, DC, 3-	63,30
E2E-X5B1TL18 5M	700097	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 5 mm, DC, 3-	66,75
E2E-X5B2L18 5M	700096	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 5 mm, DC, 3-	66,75
E2E-X8B1TL18 2M	687959	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-	63,30
E2E-X8B2L18 2M	696125	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-	63,30

OMRON PVPR 2023

E2E-X8B1TL18 5M	696124	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3	66,75
E2E-X8B2L18 5M	699661	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3	66,75
E2E-X12B1TL18 2M	687868	Sensor de proximidad, inductivo, níquel-latón, cuerpo largo, M18, apantallado, 1	69,05
E2E-X12B2L18 2M	698662	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 12 mm, DC,	69,05
E2E-X14B1TL18 2M	687865	Sensor de proximidad, inductivo, níquel-latón, cuerpo largo, M18, apantallado, 1	74,80
E2E-X14B2L18 2M	698660	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 14 mm, DC,	74,80
E2E-X10MB1TL18 2M	700033	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 10 mm, D	63,30
E2E-X10MB2L18 2M	700032	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 10 mm, D	63,30
E2E-X10MB1TL18 5M	700079	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 10 mm, D	66,75
E2E-X16MB1TL18 2M	687991	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, D	63,30
E2E-X16MB2L18 2M	694977	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, D	63,30
E2E-X16MB1TL18 5M	698905	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, D	66,75
E2E-X16MB2L18 5M	699660	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, D	66,75
E2E-X20MB1TL18 2M	687988	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 20 mm, D	69,05
E2E-X20MB2L18 2M	698685	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 20 mm, D	69,05
E2E-X20MB1TL18-R 2M	687987	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 20 mm, D	72,50
E2E-X30MB1TL18 2M	687984	Sensor de proximidad, inductivo, cuerpo largo de níquel-latón, M18, no apantall	74,80
E2E-X30MB2L18 2M	698683	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 30 mm, D	74,80
E2E-X30MB1TL18-R 2M	687983	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 30 mm, D	78,25
E2E-X8B1D18 2M	694156	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3	57,55
E2E-X8B3D18 2M	687862	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M18, apantallado, 8	57,55
E2E-X8B3D18 5M	696123	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3	61,00
E2E-X12B3D18 2M	696301	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC,	69,05
E2E-X16MB1D18 2M	694154	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, D	57,55
E2E-X16MB3D18 2M	694153	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, D	57,55
E2E-X8B3DL18 2M	695082	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3	63,30
E2E-X12B3DL18 2M	688753	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 12 mm, DC,	69,05
E2E-X16MB3DL18 2M	694976	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, D	63,30
E2E-X20MB3DL18 2M	688752	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 20 mm, D	69,05
E2E-X10C130 2M	700031	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC,	66,75
E2E-X10C230 2M	700030	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC,	66,75
E2E-X10C130 5M	700078	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC,	70,20
E2E-X10C230 5M	700077	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC,	70,20

OMRON PVPR 2023

E2E-X10C130-R 2M	700029	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC	70,20
E2E-X15C130 2M	694853	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC	66,75
E2E-X15C230 2M	698834	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC	66,75
E2E-X15C330 2M	694975	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC	72,75
E2E-X15C130 5M	698833	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC	70,20
E2E-X15C230 5M	699621	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC	70,20
E2E-X22C130 2M	687504	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M30, apantallado, 2	80,55
E2E-X22C230 2M	691124	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC	86,30
E2E-X23C230 2M	693947	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC	87,45
E2E-X18MC130 2M	699506	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 18 mm, D	74,80
E2E-X18MC230 2M	700022	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 18 mm, D	80,55
E2E-X18MC130 5M	700072	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 18 mm, D	84,00
E2E-X18MC230 5M	700071	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 18 mm, D	84,00
E2E-X18MC130-R 2M	700021	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 18 mm, D	84,00
E2E-X10C1L30 2M	700028	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 10 mm, DC,	80,55
E2E-X10C2L30 2M	700027	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 10 mm, DC,	80,55
E2E-X10C1L30 5M	700076	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 10 mm, DC,	84,00
E2E-X15C1L30 2M	696300	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC,	80,55
E2E-X15C2L30 2M	698906	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC,	80,55
E2E-X15C3L30 2M	699620	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC,	86,80
E2E-X15C1L30 5M	699619	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC,	84,00
E2E-X15C2L30 5M	699618	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC,	84,00
E2E-X18MC1L30 2M	700019	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 18 mm, D	80,55
E2E-X18MC2L30 2M	700018	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 18 mm, D	80,55
E2E-X18MC1L30 5M	700070	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 18 mm, D	84,00
E2E-X30MC1L30 2M	694851	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, D	80,55
E2E-X30MC2L30 2M	699616	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, D	80,55
E2E-X30MC3L30 2M	699615	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, D	80,55
E2E-X30MC1L30 5M	699614	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, D	84,00
E2E-X30MC2L30 5M	699613	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, D	84,00
E2E-X10B1T30 2M	698907	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC,	68,50
E2E-X10B230 2M	700026	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC,	66,75
E2E-X10B1T30 5M	700075	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC,	70,20

OMRON PVPR 2023

E2E-X10B230 5M	700074	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC, 3	70,20
E2E-X10B1T30-R 2M	700025	Proximity sensor, inductive, nickel-brass short body, M30, shielded, 10 mm, DC, 3	70,20
E2E-X15B1T30 2M	687502	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M30, apantallado, 3	66,75
E2E-X15B230 2M	694058	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3	66,75
E2E-X15B1T30 5M	696122	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3	70,20
E2E-X15B230 5M	696121	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3	70,20
E2E-X15B1T30-R 2M	687980	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3	70,20
E2E-X22B1T30 2M	687500	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M30, apantallado, 3	80,55
E2E-X22B230 2M	691086	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3	80,55
E2E-X22B1T30 5M	700809	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3	84,00
E2E-X22B230 5M	700808	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3	84,00
E2E-X22B1T30-R 2M	687979	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3	89,75
E2E-X23B1T30 2M	687498	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M30, apantallado, 3	87,45
E2E-X23B230 2M	698657	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC, 3	92,05
E2E-X23B1T30-R 2M	687978	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC, 3	95,50
E2E-X18MB1T30 2M	699440	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 18 mm, DC, 3	74,80
E2E-X18MB230 2M	700017	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 18 mm, DC, 3	80,55
E2E-X18MB1T30 5M	700069	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 18 mm, DC, 3	84,00
E2E-X18MB230 5M	700068	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 18 mm, DC, 3	84,00
E2E-X18MB1T30-R 2M	700020	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 18 mm, DC, 3	84,00
E2E-X10B1TL30 2M	700024	Proximity sensor, inductive, nickel-brass long body, M30, shielded, 10 mm, DC, 3	80,55
E2E-X10B2L30 2M	700023	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 10 mm, DC, 3	74,80
E2E-X10B1TL30 5M	700073	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 10 mm, DC, 3	84,00
E2E-X15B1TL30 2M	687977	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3	80,55
E2E-X15B2L30 2M	696120	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3	74,80
E2E-X15B1TL30 5M	696119	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3	84,00
E2E-X15B2L30 5M	698831	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3	78,25
E2E-X22B1TL30 2M	687974	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 22 mm, DC, 3	86,30
E2E-X22B2L30 2M	698651	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 22 mm, DC, 3	86,30
E2E-X23B1TL30 2M	687972	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 23 mm, DC, 3	92,05
E2E-X23B2L30 2M	698649	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 23 mm, DC, 3	92,05
E2E-X18MB1TL30 2M	700016	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 18 mm, DC, 3	80,55
E2E-X18MB2L30 2M	700015	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 18 mm, DC, 3	80,55

OMRON PVPR 2023

E2E-X18MB1TL30 5M	699937	Proximity sensor, inductive, nickel-brass long body, M30, unshielded, 18 mm, DC	84,00
E2E-X30MB1TL30 2M	687970	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC	80,55
E2E-X30MB2L30 2M	696214	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC	80,55
E2E-X30MB1TL30 5M	698830	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC	84,00
E2E-X30MB2L30 5M	699612	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC	84,00
E2E-X30MB1TL30-R 2M	687969	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC	84,00
E2E-X40MB1TL30 2M	687966	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 40 mm, DC	86,30
E2E-X40MB2L30 2M	698655	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 40 mm, DC	89,10
E2E-X40MB1TL30-R 2M	687965	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 40 mm, DC	89,75
E2E-X50MB1TL30 2M	687962	Sensor de proximidad, inductivo, cuerpo largo de níquel-latón, M30, sin apantallamiento	92,05
E2E-X50MB2L30 2M	698653	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 50 mm, DC	96,60
E2E-X50MB1TL30-R 2M	687961	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 50 mm, DC	95,50
E2E-X15B1D30 2M	694151	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC	66,75
E2E-X15B3D30 2M	694068	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC	69,05
E2E-X15B3DL30 2M	695081	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC	87,45
E2E-X15B3DL30 5M	696226	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC	94,80
E2E-X30MB1DL30 2M	694811	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC	80,55
E2E-X30MB3DL30 2M	696299	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC	80,55
E2EQ-X2C18 2M	688310	Sensor de proximidad, inductivo, revestimiento de fluororesina (material base: latón)	107,80
E2EQ-X3C18 2M	688312	Proximity sensor, inductive, Fluororesin coating (base material: brass), M8, shielded	131,80
E2EQ-X2B1T8 2M	688314	Proximity sensor, inductive, Fluororesin coating (base material: brass), M8, shielded	107,80
E2EQ-X3B1T8 2M	688316	Proximity sensor, inductive, Fluororesin coating (base material: brass), M8, shielded	131,80
E2EQ-X4C112 2M	688321	Proximity sensor, inductive, Fluororesin coating (base material: brass), M12, shielded	95,80
E2EQ-X6C112 2M	688323	Proximity sensor, inductive, Fluororesin coating (base material: brass), M12, shielded	119,80
E2EQ-X4B1T12 2M	688325	Proximity sensor, inductive, Fluororesin coating (base material: brass), M12, shielded	95,80
E2EQ-X6B1T12 2M	688327	Proximity sensor, inductive, Fluororesin coating (base material: brass), M12, shielded	119,80
E2EQ-X4B1D12 2M	688330	Proximity sensor, inductive, Fluororesin coating (base material: brass), M12, shielded	95,80
E2EQ-X6B1D12 2M	688333	Proximity sensor, inductive, Fluororesin coating (base material: brass), M12, shielded	119,80
E2EQ-X8C118 2M	688336	Proximity sensor, inductive, Fluororesin coating (base material: brass), M18, shielded	101,80
E2EQ-X12C118 2M	688338	Proximity sensor, inductive, Fluororesin coating (base material: brass), M18, shielded	131,80
E2EQ-X8B1T18 2M	688340	Proximity sensor, inductive, Fluororesin coating (base material: brass), M18, shielded	101,80
E2EQ-X12B1T18 2M	688364	Sensor de proximidad, inductivo, revestimiento de fluororesina (material base: latón)	131,80
E2EQ-X8B1D18 2M	688344	Proximity sensor, inductive, Fluororesin coating (base material: brass), M18, shielded	101,80

OMRON PVPR 2023

E2EQ-X12B1D18 2M	688346	Proximity sensor, inductive, Fluororesin coating (base material: brass), M18, shielded, 2 mm, IP67	131,80
E2EQ-X15C130 2M	688348	Proximity sensor, inductive, Fluororesin coating (base material: brass), M30, shielded, 130 mm, IP67	149,70
E2EQ-X22C130 2M	688350	Proximity sensor, inductive, Fluororesin coating (base material: brass), M30, shielded, 130 mm, IP67	173,70
E2EQ-X15B1T30 2M	688352	Proximity sensor, inductive, Fluororesin coating (base material: brass), M30, shielded, 30 mm, IP67	149,70
E2EQ-X22B1T30 2M	688355	Proximity sensor, inductive, Fluororesin coating (base material: brass), M30, shielded, 30 mm, IP67	173,70
E2EQ-X15B1D30 2M	688357	Proximity sensor, inductive, Fluororesin coating (base material: brass), M30, shielded, 30 mm, IP67	149,70
E2EQ-X22B1D30 2M	688359	Proximity sensor, inductive, Fluororesin coating (base material: brass), M30, shielded, 30 mm, IP67	173,70
E2EW-X2B112 2M	695114	Sensor de proximidad, inductivo, completamente metálico, acero inoxidable 303 M12, blindado, 2 mm, IP67	108,80
E2EW-X2B212 2M	695113	Proximity sensor, inductive, full metal stainless steel 303 M12, shielded, 2 mm, IP67	108,80
E2EW-X2B312 2M	695112	Proximity sensor, inductive, full metal stainless steel 303 M12, shielded, 2 mm, IP67	114,80
E2EW-X2C112 2M	695111	Proximity sensor, inductive, full metal stainless steel 303 M12, shielded, 2 mm, IP67	108,80
E2EW-X2C212 2M	695110	Proximity sensor, inductive, full metal stainless steel 303 M12, shielded, 2 mm, IP67	108,80
E2EW-X5B118 2M	695109	Proximity sensor, inductive, full metal stainless steel 303 M18, shielded, 5 mm, IP67	114,80
E2EW-X5B218 2M	695108	Proximity sensor, inductive, full metal stainless steel 303 M18, shielded, 5 mm, IP67	114,80
E2EW-X5B318 2M	695107	Proximity sensor, inductive, full metal stainless steel 303 M18, shielded, 5 mm, IP67	120,90
E2EW-X10B1T18 2M	695127	Sensor de proximidad, inductivo, completamente metálico, acero inoxidable 303 M18, blindado, 18 mm, IP67	151,10
E2EW-X10B218 2M	695128	Proximity sensor, inductive, full metal stainless steel 303 M18, shielded, 10 mm, IP67	151,10
E2EW-X10B3T18 2M	695129	Proximity sensor, inductive, full metal stainless steel 303 M18, shielded, 10 mm, IP67	157,10
E2EW-X12B1T18 2M	695132	Sensor de proximidad, inductivo, carcasa totalmente metálica en acero inoxidable 303 M18, blindado, 18 mm, IP67	157,10
E2EW-X12B218 2M	695133	Proximity sensor, inductive, full metal stainless steel 303 M18, shielded, 12 mm, IP67	157,10
E2EW-X12B3T18 2M	695134	Proximity sensor, inductive, full metal stainless steel 303 M18, shielded, 12 mm, IP67	163,20
E2EW-X5C118 2M	695106	Proximity sensor, inductive, full metal stainless steel 303 M18, shielded, 5 mm, IP67	114,80
E2EW-X5C218 2M	695105	Proximity sensor, inductive, full metal stainless steel 303 M18, shielded, 5 mm, IP67	114,80
E2EW-X10C118 2M	695227	Proximity sensor, inductive, full metal stainless steel 303 M18, shielded, 10 mm, IP67	151,10
E2EW-X10C218 2M	695138	Proximity sensor, inductive, full metal stainless steel 303 M18, shielded, 10 mm, IP67	151,10
E2EW-X12C118 2M	695228	Proximity sensor, inductive, full metal stainless steel 303 M18, shielded, 12 mm, IP67	157,10
E2EW-X12C218 2M	695140	Proximity sensor, inductive, full metal stainless steel 303 M18, shielded, 12 mm, IP67	157,10
E2EW-X10B130 2M	695142	Proximity sensor, inductive, full metal stainless steel 303 M30, shielded, 10 mm, IP67	127,00
E2EW-X10B230 2M	695143	Proximity sensor, inductive, full metal stainless steel 303 M30, shielded, 10 mm, IP67	127,00
E2EW-X10B330 2M	695144	Proximity sensor, inductive, full metal stainless steel 303 M30, shielded, 10 mm, IP67	133,00
E2EW-X20B1T30 2M	695148	Proximity sensor, inductive, full metal stainless steel 303 M30, shielded, 20 mm, IP67	163,20
E2EW-X20B230 2M	695149	Proximity sensor, inductive, full metal stainless steel 303 M30, shielded, 20 mm, IP67	163,20
E2EW-X20B3T30 2M	695150	Proximity sensor, inductive, full metal stainless steel 303 M30, shielded, 20 mm, IP67	169,20

OMRON PVPR 2023

E2EW-X22B1T30 2M	695154	Proximity sensor, inductive, full metal stainless steel 303 M30, shielded, 22 mm,	169,20
E2EW-X22B230 2M	695155	Proximity sensor, inductive, full metal stainless steel 303 M30, shielded, 22 mm,	169,20
E2EW-X22B3T30 2M	695156	Proximity sensor, inductive, full metal stainless steel 303 M30, shielded, 22 mm,	175,30
E2EW-X10C130 2M	695229	Proximity sensor, inductive, full metal stainless steel 303 M30, shielded, 10 mm,	127,00
E2EW-X10C230 2M	695160	Proximity sensor, inductive, full metal stainless steel 303 M30, shielded, 10 mm,	127,00
E2EW-X20C130 2M	695230	Proximity sensor, inductive, full metal stainless steel 303 M30, shielded, 20 mm,	163,20
E2EW-X20C230 2M	695162	Proximity sensor, inductive, full metal stainless steel 303 M30, shielded, 20 mm,	163,20
E2EW-X22C130 2M	695231	Proximity sensor, inductive, full metal stainless steel 303 M30, shielded, 22 mm,	169,20
E2EW-X22C230 2M	695164	Proximity sensor, inductive, full metal stainless steel 303 M30, shielded, 22 mm,	169,20
E2EW-QX2B112 2M	695104	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M12, sl	127,00
E2EW-QX2B212 2M	695103	Sensor de proximidad, inductivo, revestimiento de fluororesina (material base: S	127,00
E2EW-QX2B312 2M	695102	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M12, sl	133,00
E2EW-QX2C112 2M	695101	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M12, sl	127,00
E2EW-QX2C212 2M	695100	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M12, sl	127,00
E2EW-QX5B118 2M	695099	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M18, sl	133,00
E2EW-QX5B218 2M	695098	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M18, sl	133,00
E2EW-QX5B318 2M	695097	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M18, sl	139,00
E2EW-QX10B1T18 2M	695173	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M18, sl	169,20
E2EW-QX10B218 2M	695174	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M18, sl	169,20
E2EW-QX10B3T18 2M	695175	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M18, sl	175,30
E2EW-QX12B1T18 2M	695179	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M18, sl	175,30
E2EW-QX12B218 2M	695180	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M18, sl	175,30
E2EW-QX12B3T18 2M	695181	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M18, sl	181,30
E2EW-QX5C118 2M	695096	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M18, sl	133,00
E2EW-QX5C218 2M	695095	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M18, sl	133,00
E2EW-QX10C118 2M	695232	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M18, sl	169,20
E2EW-QX10C218 2M	695186	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M18, sl	169,20
E2EW-QX12C118 2M	695233	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M18, sl	175,30
E2EW-QX12C218 2M	695188	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M18, sl	175,30
E2EW-QX10B130 2M	695190	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M30, sl	145,10
E2EW-QX10B230 2M	695191	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M30, sl	145,10
E2EW-QX10B330 2M	695192	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M30, sl	151,10
E2EW-QX20B1T30 2M	695196	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M30, sl	181,30

OMRON PVPR 2023

E2EW-QX20B230 2M	695197	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M30, shielded, 20 mm, DC, 3-wire, PW, NPN	181,30
E2EW-QX20B3T30 2M	695198	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M30, shielded, 30 mm, DC, 3-wire, PW, NPN	187,30
E2EW-QX22B1T30 2M	695202	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M30, shielded, 22 mm, DC, 3-wire, PW, NPN	187,30
E2EW-QX22B230 2M	695203	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M30, shielded, 22 mm, DC, 3-wire, PW, NPN	187,30
E2EW-QX22B3T30 2M	695204	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M30, shielded, 30 mm, DC, 3-wire, PW, NPN	193,40
E2EW-QX10C130 2M	695094	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M30, shielded, 10 mm, DC, 3-wire, PW, NPN	145,10
E2EW-QX10C230 2M	695208	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M30, shielded, 23 mm, DC, 3-wire, PW, NPN	145,10
E2EW-QX20C130 2M	695116	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M30, shielded, 20 mm, DC, 3-wire, PW, NPN	181,30
E2EW-QX20C230 2M	695210	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M30, shielded, 20 mm, DC, 3-wire, PW, NPN	181,30
E2EW-QX22C130 2M	695118	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M30, shielded, 22 mm, DC, 3-wire, PW, NPN	187,30
E2EW-QX22C230 2M	695212	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M30, shielded, 22 mm, DC, 3-wire, PW, NPN	187,30
E2E-C06S02-WC-C1-R 2M	698829	Proximity sensor, inductive, Dia 6.5 mm, Shielded, 2 mm, DC, 3-wire, PW, NPN	53,90
E2E-C06N04-WC-C1-R 2M	698828	Proximity sensor, inductive, Dia 6.5 mm, Non-Shielded, 4 mm, DC, 3-wire, PW, NPN	53,90
E2E-X4MC18 10M	700807	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PW, NPN	75,95
E2E-X2B1T8 10M	700806	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, PN	75,95
E2E-X2B28 10M	700805	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, PN	75,95
E2E-X8MB1T12 10M	700804	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PW, NPN	70,20
E2E-X4B1T12 10M	700803	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PW, NPN	70,20
E2E-X4B1T12 15M	700802	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PW, NPN	78,25
E2E-X4B212 10M	700801	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PW, NPN	70,20
E2E-X4C112 10M	700800	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PW, NPN	70,20
E2E-X10MB1T18 10M	700799	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, DC, 3-wire, PW, NPN	70,20
E2E-X16MB1T18 10M	700798	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PW, NPN	70,20
E2E-X8B1T18 10M	700797	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PW, NPN	61,00
E2E-X8C118 10M	700796	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PW, NPN	70,20
E2E-X8B1TL18 10M	700795	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PW, NPN	75,95
E2E-X10B1T30 10M	700794	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC, 3-wire, PW, NPN	79,40
E2E-X15B1T30 10M	700793	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PW, NPN	79,40
E2E-X15B230 10M	700792	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PW, NPN	79,40
E2E-X22B230 10M	700791	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PW, NPN	93,25
E2EW-X6B1T12 2M	702385	Proximity sensor, inductive, full metal stainless steel 303, M12, shielded, 6 mm, DC, 3-wire, PW, NPN	125,70
E2EW-X6B212 2M	702388	Proximity sensor, inductive, full metal stainless steel 303, M12, shielded, 6 mm, DC, 3-wire, PW, NPN	125,70
E2EW-X6B3T12 2M	702390	Proximity sensor, inductive, full metal stainless steel 303, M12, shielded, 6 mm, DC, 3-wire, PW, NPN	131,60

OMRON PVPR 2023

E2EW-X7B1T12 2M	702396	Proximity sensor, inductive, full metal stainless steel 303, M12, shielded, 7 mm,	131,60
E2EW-X7B212 2M	702399	Proximity sensor, inductive, full metal stainless steel 303, M12, shielded, 7 mm,	131,60
E2EW-X7B3T12 2M	702401	Proximity sensor, inductive, full metal stainless steel 303, M12, shielded, 7 mm,	137,70
E2EW-X6C112 2M	702393	Proximity sensor, inductive, full metal stainless steel 303, M12, shielded, 6 mm,	125,70
E2EW-X7C112 2M	702317	Proximity sensor, inductive, full metal stainless steel 303, M12, shielded, 7 mm,	131,60
E2EW-QX6B1T12 2M	702340	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M12, s	143,60
E2EW-QX6B212 2M	702343	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M12, s	143,60
E2EW-QX6B3T12 2M	702345	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M12, s	149,60
E2EW-QX7B1T12 2M	702352	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M12, s	149,60
E2EW-QX7B212 2M	702355	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M12, s	149,60
E2EW-QX7B3T12 2M	702357	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M12, s	155,60
E2EW-QX6C112 2M	702348	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M12, s	143,60
E2EW-QX6C212 2M	702350	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M12, s	143,60
E2EW-QX7C112 2M	702360	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M12, s	149,60
E2EW-QX7C212 2M	702363	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M12, s	149,60
E2E-X10C130 10M	708870	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC,	91,30
E2E-X2D1-N 2M	708778	Corto 2h cc Enr 2mm M8 NA Cable 2m	90,15
E2E-X2D1-N 5M	708777	Corto 2h cc Enr 2mm M8 NA Cable 5m	97,50
E2E-X2D2-N 2M	708776	Corto 2h cc Enr 2mm M8 NC Cable 2m	90,15
E2E-X3D1-N 2M	708775	Corto 2h cc Enr 3mm M12 NA Cable 2m	87,20
E2E-X3D1-N 5M	708774	Corto 2h cc Enr 3mm M12 NA Cable 5m	94,60
E2E-X3D2-N 2M	708773	Corto 2h cc Enr 3mm M12 NC Cable 2m	87,20
E2E-X3D2-N 5M	708780	Proximity sensor, inductive, M12, shielded, 3 mm, DC, 2-wire, NC, pre-wired, 5 r	93,05
E2E-X7D1-N 2M	708772	Corto 2h cc Enr 7mm M18 NA Cable 2m	94,60
E2E-X7D1-N 5M	708771	Corto 2h cc Enr 7mm M18 NA Cable 5m	103,50
E2E-X7D2-N 2M	708781	Corto 2h cc Enr 7mm M18 NC Cable 2m	94,60
E2E-X7D2-N 5M	708770	Corto 2h cc Enr 7mm M18 NC Cable 5m	101,30
E2E-X10D1-N 2M	708769	Corto 2h cc Enr 10mm M30 NA Cable 2m	109,30
E2E-X10D1-N 5M	708782	Corto 2h Enr 10mm M30 NA Cable 5m	106,40
E2E-X10D2-N 2M	708783	Corto 2h ca Enr 10mm M30 NC Cable 2m	109,30
E2E-X4MD1 2M	708845	Corto 2h cc NoEnr 4mm M8 NA Cable 2m	90,15
E2E-X4MD1 5M	708790	Corto 2h cc NoEnr 4mm M8 NA Cable 5m	100,50
E2E-X8MD1 2M	708756	Corto 2h cc NoEnr 8mm M12 NA Cable 2m	87,20

OMRON PVPR 2023

E2E-X8MD1 5M	708791	Corto 2h cc NoEnr 8mm M12 NA Cable 5m	88,65
E2E-X14MD1 2M	708757	Corto 2h cc NoEnr 14mm M18 NA Cable 2m	94,60
E2E-X14MD1 5M	708792	Proximity sensor, inductive, M18, unshielded, 14mm, DC, 2-wire, NO, 5m cable.	103,20
E2E-X20MD1 2M	708758	Corto 2h cc NoEnr 20mm M30 NA Cable 2m	107,90
E2E-X20MD1 5M	708793	Proximity sensor, inductive, M30, unshielded, 20 mm, DC, 2-wire, NO, 2 m cable	118,50
E2E-X4MD2 2M	708795	Corto 2h cc NoEnr 4mm M8 NC Cable 2m	88,65
E2E-X8MD2 2M	708797	Corto 2h NoEnr 8mm M12 NC	88,65
E2E-X14MD2 2M	708799	Corto 2h cc NoEnr 14mm M18 NC Cable 2m	94,60
E2E-X2D1-R 2M	708801	Corto 2h cc Enr 2mm M8 NA Cable 2m Flexible	120,70
E2E-X3D1-R 5M	708804	Corto 2h cc Enr 3mm M12 NA Cable 5m Robotizado	109,30
E2E-X14MD1 6M	708822	Corto 2h cc NoEnr 14mm M18 NA Cable 6m	106,40
E2E-X3D1-N 10M	708834	Proximity sensor, inductive, M12, shielded, 3 mm, DC, 2-wire, NO, 10 m cable	111,20
E2E-X7D1-N 10M	708835	Proximity sensor, inductive, M18, shielded, 7 mm, DC, 2-wire, NO, 10 m cable	127,30
E2E-X3D1L 2M	708671	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 3 mm, DC, 2	67,95
E2E-X3D2L 2M	708672	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 3 mm, DC, 2	67,95
E2E-X3D1L 5M	708673	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 3 mm, DC, 2	71,20
E2E-X3D15L 2M	708674	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 3 mm, DC, 2	71,35
E2E-X8MD1L 2M	708675	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC	70,10
E2E-X8MD2L 2M	708676	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC	70,10
E2E-X8MD1L 5M	708677	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC	73,30
E2E-X8MD15L 2M	708678	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC	73,65
E2E-X4D1-T 2M	708679	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 2	67,95
E2E-X4D2-T 2M	708680	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 2	67,95
E2E-X7D1L 2M	708683	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 7 mm, DC, 2	70,10
E2E-X7D2L 2M	708684	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 7 mm, DC, 2	70,10
E2E-X7D1L 5M	708685	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 7 mm, DC, 2	73,30
E2E-X7D15L 2M	708686	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 7 mm, DC, 2	73,65
E2E-X14MD1L 2M	708687	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 14 mm, D	72,20
E2E-X14MD2L 2M	708688	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 14 mm, D	72,20
E2E-X14MD1L 5M	708689	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 14 mm, D	75,40
E2E-X14MD15L 2M	708690	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 14 mm, D	75,85
E2E-X8D1-T 2M	708691	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 2	70,10
E2E-X8D2-T 2M	708692	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 2	70,10

OMRON PVPR 2023

E2E-X16MD1L-T 2M	708670	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, D	72,20
E2E-X16MD2L-T 2M	708669	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, D	72,20
E2E-X10D1L 2M	708668	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 10 mm, DC,	74,35
E2E-X10D2L 2M	708667	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 10 mm, DC,	74,35
E2E-X10D1L 5M	708666	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 10 mm, DC,	86,15
E2E-X10D2L 5M	708665	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 10 mm, DC,	86,15
E2E-X10D15L 2M	708695	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 10 mm, DC,	78,05
E2E-X20MD1L 2M	708664	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 20 mm, D	84,90
E2E-X20MD2L 2M	708663	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 20 mm, D	84,90
E2E-X20MD1L 5M	708662	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 20 mm, D	97,35
E2E-X20MD15L 2M	708661	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 20 mm, D	84,90
E2E-X15D1-T 2M	708660	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC,	74,35
E2E-X15D2-T 2M	708659	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC,	74,35
E2E-X30MD1L-T 2M	708696	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, D	84,90
E2E-X30MD2L-T 2M	708697	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, D	84,90
E2A-M12KS04-M1-B1	103677	Corto 3h Enr 4mm M12 PNP NA Conector M12	57,55
E2A-M18LS08-M1-B1	104288	Largo 3h Enr 8mm M18 PNP NA Conector M12	64,70
E2A-M12LN08-M1-B1	133399	Largo 3h NoEnr 8mm M12 PNP NA Conector M12	59,05
E2A-M12LN08-M1-C1	133400	Largo 3h NoEnr 8mm M12 NPN NA Conector M12	59,05
E2A-M18LS08-M1-C1	133425	Largo 3h Enr 8mm M18 NPN NA Conector M12	64,70
E2A-M30LS15-M1-B1	133433	Largo 3h Enr 15mm M30 PNP NA Conector M12	79,80
E2A-M12KN08-M1-B1	133478	Corto 3h NoEnr 8mm M12 PNP NA Conector M12	57,55
E2A-M18KN16-M1-B1	133479	Corto 3h NoEnr 16mm M18 PNP NA Conector M12	63,40
E2A-M30LN30-M1-B1	133481	Largo 3h NoEnr 30mm M30 PNP NA Conector M12	79,80
E2A-M12KS04-M1-B2	133482	Corto 3h Enr 4mm M12 PNP NC Conector M12	57,55
E2A-M18KN16-M1-C1	133487	Corto 3h NoEnr 16mm M18 NPN NA Conector M12	63,40
E2A-M12KS04-M1-C2	133489	Corto 3h Enr 4mm M12 NPN NC Conector M12	57,55
E2A-M18KS08-M1-B1	143612	Corto 3h Enr 8mm M18 PNP NA Conector M12	63,40
E2A-M18KS08-M1-B2	144793	Corto 3h Enr 8mm M18 PNP NC Conector M12	63,40
E2A-M18LS08-M1-B2	146851	Largo 3h Enr 8mm M18 PNP NC Conector M12	64,70
E2A-M12LN08-M1-B2	152246	Largo 3h NoEnr 8mm M12 PNP NC Conector M12	59,05
E2A-M18KS08-M1-C1	152470	Corto 3h Enr 8mm M18 NPN NA Conector M12	63,40
E2A-M18KS08-M1-C2	153536	Corto 3h Enr 8mm M18 NPN NC Conector M12	63,40

OMRON PVPR 2023

E2A-M12LS04-M1-B1	155292	Largo 3h Enr 4mm M12 PNP NA Conector M12	59,05
E2A-S18KS08-M1-B1	168902	Inox Corto 3h Enr 8mm M18 PNP NA Conector M12	81,25
E2A-S18KN16-M1-B1	168903	Inox Largo 3h NoEnr 16mm M18 PNP NA Conector M12	81,25
E2A3-M18KS11-M1-B1	183131	Triple alcance corto 3h Enr 11mm M18 PNP NA M12	117,90
E2A3-M18KS11-M1-B2	183132	Triple alcance corto 3h Enr 11mm M18 PNP NC M12	115,70
E2A3-M18KS11-M1-C1	183133	Triple alcance corto 3h Enr 11mm M18 NPN NA M12	115,70
E2A-M08KN04-M1-B1	183889	Corto 3h NoEnr 4mm M8 PNP NA Conector M12	61,50
E2A-S08KS02-M1-B1	183896	Inox Corto 3h Enr 2mm M8 PNP NA Conector M12	81,25
E2A-S08LN04-M1-B1	183899	Inox Largo 3h NoEnr 4mm M8 PNP NA Conector M12	82,75
E2A-M08KS02-M1-B1	183908	Corto 3h Enr 2mm M8 PNP NA Conector M12	61,50
E2A-M08KS02-M1-B2	183909	Corto 3h Enr 2mm M8 PNP NC Conector M12	61,50
E2A-M08LN04-M1-B1	183911	Largo 3h NoEnr 4mm M8 PNP NA Conector M12	63,40
E2A-S08KN04-M1-B1	183917	Inox Corto 3h NoEnr 4mm M8 PNP NA Conector M12	81,25
E2A-S08KS02-M1-B2	183930	Inox Corto 3h Enr 2mm M8 PNP NC Conector M12	81,25
E2A-S08KS02-M1-C1	183931	Inox Corto 3h Enr 2mm M8 NPN NA Conector M12	81,25
E2A-S08LS02-M1-B1	183956	Inox Largo 3h Enr 2mm M8 PNP NA Conector M12	82,75
E2FM-X1R5B1-M1	224089	Inductivo extra robusto Inox 3h Enr 1,5mm M8 PNP NA M12	191,40
E2FM-X2B1-M1	224090	Inductivo extra robusto Inox 3h Enr 2mm M12 PNP NA M12	165,00
E2FM-X5B1-M1	224091	Inductivo extra robusto Inox 3h Enr 5mm M18 PNP NA M12	191,40
E2FM-X10B1-M1	224092	Inductivo extra robusto Inox 3h Enr 10mm M30 PNP NA M12	227,30
E2A-S08LS02-M1-C1	232019	Inox Largo 3h Enr 2mm M8 NPN NA Conector M12	82,75
E2A-S08LS02-M1-B2	232023	Inox Largo 3h Enr 2mm M8 PNP NC Conector M12	82,75
E2E2-X10MB1-M1	232971	Largo 3h NoEnr 10mm M18 PNP NA Conector M12	73,95
E2E2-X10B1-M1	232977	Largo 3h Enr 10mm M30 PNP NA Conector M12	83,25
E2E2-X10MC1-M1	233001	Largo 3h NoEnr 10mm M18 NPN NA Conector M12	73,95
E2FM-X1R5C1-M1	233317	Inductivo extra robusto Inox 3h Enr 1,5mm M8 NPN NA M12	191,40
E2FM-X2C1-M1	233318	Inductivo extra robusto Inox 3h Enr 2mm M12 NPN NA M12	165,00
E2FM-X5C1-M1	233319	Proximity sensor, inductive, stainless steel face & body, long body, M18, shielded	198,00
E2A-M12KN05-M1-B1	234948	Corto 3h NoEnr 5mm M12 PNP NA Conector M12	57,55
E2A-M12KS02-M1-B1	235819	Corto 3h Enr 2mm M12 PNP NA Conector M12	57,55
E2A-M18KN10-M1-B1	235821	Corto 3h NoEnr 10mm M18 PNP NA Conector M12	63,40
E2E-X2Y1-M1	238432	Corto 2h ca Enr 2mm M12 NA Conector M12	93,05
E2E-X2Y2-M1	238433	Corto 2h ca Enr 2mm M12 NC Conector M12	93,05

OMRON PVPR 2023

E2E-X5Y1-M1	238434	Corto 2h ca Enr 5mm M18 NA Conector M12	96,00
E2E-X5Y2-M1	238435	Corto 2h ca Enr 5mm M18 NC Conector M12	100,30
E2E-X10Y1-M1	238436	Corto 2h ca Enr 10mm M30 NA Conector M12	104,80
E2E-X10Y2-M1	238437	Corto 2h ca Enr 10mm M30 NC Conector M12	104,80
E2E-X5MY1-M1	238438	Corto 2h ca NoEnr 5mm M12 NA Conector M12	93,05
E2E-X5MY2-M1	238439	Corto 2h ca NoEnr 5mm M12 NC Conector M12	93,05
E2E-X10MY1-M1	238440	Corto 2h ca NoEnr 10mm M18 NA Conector M12	96,00
E2E-X10MY2-M1	238441	Cylindrical Proximity Switch, AC 2-Wire Model, Unshielded, M18, Sensing Distan	96,00
E2E-X18MY1-M1	238442	Corto 2h ca NoEnr 18mm M30 NA Conector M12	104,80
E2E-X1R5E1-M1	238443	Corto 3h cc Enr 1,5mm M8 NPN NA Conector M12	90,15
E2E-X3D1-M1	238474	2h cc Enr 3mm M12 NA Conector M12	87,20
E2E-X8MD1-M1	238497	Corto 2h cc NoEnr 8mm M12 NA Conector M12	87,20
E2E-X14MD1-M1	238498	Corto 2h cc NoEnr 14mm M18 NA Conector M12	94,60
E2E-X7D1S-M1	238509	Corto 2h cc Enr 7mm M18 NA Conector M12	116,80
E2E-X2D1-M1G	238529	Corto 2h cc Enr 2mm M8 NA Conector M12	90,15
E2E-X4MD2-M1G	238532	2h NoEnr 4mm M8 NC Conector M12	93,05
E2E-X3D1-M1GJ 0.3M	238533	Corto 2h cc Enr 3mm M18 NA Conector M12 + Cable 0,3m	112,30
E2E-X7D1-M1GJ 0.3M	238534	Corto 2h cc Enr 7mm M18 NA Cable 0,3M+M12	119,70
E2E-X3D1-M1G	238539	Corto 2h cc Enr 3mm M12 NA Conector M12	87,20
E2E-X7D1-M1G	238541	Corto 2h cc Enr 7mm M18 NA Conector M12	94,60
E2E-X8MD1-M1G	238545	Corto 2h cc NoEnr 8mm M12 NA Conector M12	87,20
E2E-X14MD1-M1G	238547	Corto 2h cc NoEnr 14mm M18 NA Conector M12	94,60
E2E-X14MD1-M1GJ 0.3M	238555	Corto 2h cc NoEnr 14mm M18 NA Conector M12 + Cable 0,3m	116,80
E2A-S08KN04-M1-C1	239506	Inox Corto 3h NoEnr 4mm M8 NPN NA Conector M12	81,25
E2E-X7D1-M1GJ-T 0.3M	241133	Corto 2h cc Enr 7mm M18 NA Cable 0,3M+M12 Sin polaridad	118,20
E2A-M18KS08-M1-B3	242078	Corto 4h Enr 8mm M18 PNP NA+NC Conector M12	78,20
E2A-M12LS02-M1-B1	244363	Largo 3h Enr 2mm M12 PNP NA Conector M12	59,05
E2A-M18KS05-M1-B1	244367	Corto 3h Enr 5mm M18 PNP NA Conector M12	63,40
E2A-M18LS05-M1-B1	244368	Largo 3h Enr 5mm M18 PNP NA Conector M12	64,70
E2A-S08KS01-M1-B1	244369	Inox Corto 3h Enr 1mm M8 PNP NA Conector M12	70,55
E2A-M12KS04-M1-B3	244372	Corto 4h Enr 4mm M12 PNP NA+NC Conector M12	69,65
E2A-M12LS04-M1-B3	244373	Largo 4h Enr 4mm M12 PNP NA+NC Conector M12	71,15
E2A-M18KN16-M1-B3	244374	Corto 4h NoEnr 16mm M18 PNP NA+NC Conector M12	78,20

OMRON PVPR 2023

E2A-M18LS08-M1-B3	244375	Largo 4h Enr 8mm M18 PNP NA+NC Conector M12	79,80
E2V-X8B1-M1	249422	Multi-metal 3h cc Enr 8mm M18 PNP NA Conector M12	177,70
E2V-X15B1-M1	249442	Multi-metal 3h cc Enr 15mm M30 PNP NA Conector M12	226,30
E2V-X4B1-M1	249447	Inductivo Multi-metal 3h cc Enr 4mm M12 PNP NA Conector M12	160,50
E2E-X2D1-M1TGJ-U 0.3M	290022	2h cc Enr 2mm M8 NA Conector M12 + Cable PUR 0,3m	146,90
E2E-X2D2-M1TGJ-U 0.3M	290024	Corto 2h cc Enr 2mm M8 NC Conector M12 + Cable 0,3m	149,10
E2E-X3D2-M1TGJ-U 0.3M	290026	Corto 2h cc Enr 3mm M18 NC Conector M12 + Cable 0,3m	144,40
E2E-X3D1-M1TGJ-U 0.3M	290027	2h cc Enr 3mm M30 NA Conector M12 + Cable PUR 0,3m	114,00
E2EH-X3B1-M1	290032	Inox Alta tª 3h Enr 3mm M12 PNP NA M12	133,50
E2EH-X3B2-M1	290034	Inox Alta tª 3h Enr 3mm M12 PNP NC M12	218,00
E2EH-X3C1-M1	290037	Inox Alta tª 3h Enr 3mm M12 NPN NA M12	150,70
E2EH-X3D2-M1G	290044	Inox Alta tª 2h Enr 3mm M12 NC Conector M12 Polaridad	157,80
E2EH-X12B1-M1	290047	Inox Alta tª 3h Enr 12mm M30 PNP NA M12	255,10
E2EH-X12B2-M1	290049	Inox Alta tª 3h Enr 12mm M30 PNP NC M12	255,10
E2EH-X7B1-M1	290061	Inox Alta tª 3h Enr 7mm M18 PNP NA Conector M12	157,80
E2EH-X7B2-M1	290063	Inox Alta tª 3h Enr 7mm M18 PNP NC Conector M12	157,80
E2EH-X7C1-M1	290066	Inox Alta tª 3h Enr 7mm M18 NPN NA Conector M12	157,80
E2EH-X7D1-M1G	290071	Inox Alta tª 2h Enr 7mm M18 NA Conector M12 Polaridad,prewired, M12 plug in	147,40
E2EM-X4X1-M1J 0.3M	290145	Inductivo 2h CC Enr 4mm M12 NA Conector M12 + Cable 0,3m	95,25
E2EZ-X4D1-M1GJ 0.3M	290158	Proximity sensor, inductive, Al swarf resistant, nickel-brass, short body, M18, sh	195,50
E2EZ-X8D1-M1TGJ 0.3M	290162		102,20
E2E-X7D1-M1TGJ-U 0.3M	323236	2h cc Enr 7mm M18 NA Conector M12 + Cable PUR 0,3m	159,90
E2E-X7D2-M1TGJ-U 0.3M	323237	Corto 2h cc Enr 7mm M18 NC Conector M12 + Cable 0,3m	130,70
E2EQ-X10D1G-M1GJ-T 0.3M	324434	Inductivo soldadura 2h cc Enr 10mm M30 NA Latiguillo+M12 85º Sin polaridad	149,80
E2EQ-X10D2R-M1GJ-T4 0.3M	324435	Proximity sensor, inductive, Spatter resistant coating, M12, shielded, 10 mm, DC	155,70
E2EQ-X3D1G-M1GJ-T 0.3M	324436	Inductivo soldadura 2h cc Enr 3mm M12 NA Latiguillo+M12 85º Sin Polaridad	346,50
E2EQ-X7D1G-M1GJ-T 0.3M	324437	Inductivo soldadura 2h cc Enr 7mm M18 NA Latiguillo+M12 85º Sin Polaridad	290,80
E2A-S12KS04-M1-B1	351403	Inox Corto 3h Enr 4mm M12 PNP NA Conector M12	74,75
E2E-X7D2-M1GJ-T 0.3M	353658	Corto 2h cc Enr 7mm M18 NC Conector M12 + Cable 0,3m	147,90
E2FM-X10D1-M1TGJ 0.3M	355190	Proximity sensor, inductive, stainless steel face & body, long body, M30, shielde	216,80
E2FM-X2D1-M1TGJ 0.3M	355192	Proximity sensor, inductive, stainless steel face & body, long body, M12, shielde	169,00
E2FM-X5D1-M1TGJ 0.3M	355194	Proximity sensor, inductive, stainless steel face & body, long body, M18, shielde	192,80
E2FM-X1R5D1-M1TGJ 0.3M	355196	Inductivo extra robusto 2h 1,5mm M8 Cable 0,3M + M12 SmartClick	191,40

OMRON PVPR 2023

E2A-M12KN08-M1-B1-4	368982	Corto 3h NoEnr 8mm M12 PNP NA Conector M12 Pines oro	93,25
E2A-M12KS04-M1-B1-4	368983	Corto 3h Enr 4mm M12 PNP NA Conector M12 Pines oro	86,60
E2B-M12KS04-M1-B1-20	392627	Multi Pack E2B incluye 20 unidades E2B-M12KS04-M1-B1	265,80
E2B-M12LS04-M1-B1-20	392628	Multi Pack E2B incluye 20 unidades E2B-M12LS04-M1-B1	265,80
E2B-M18KS08-M1-B1-20	392629	Multi Pack E2B incluye 20 unidades E2B-M18KS08-M1-B1	319,00
E2A-M30LN30-M1-B2	133484	Largo 3h NoEnr 30mm M30 PNP NC Conector M12	79,80
E2A-M30LN30-M1-C1	133488	Largo 3h NoEnr 30mm M30 NPN NA Conector M12	79,80
E2A-S30KS15-M1-B1	168904	Inox Corto 3h Enr 15mm M30 PNP NA Conector M12	94,75
E2A-S30KN20-M1-B1	168905	Inox Corto 3h NoEnr 20mm M30 PNP NA Conector M12	78,20
E2A-M08LS02-M1-B2	401323	Largo 3h Enr 2mm M8 PNP NC Conector M12	63,40
E2A-S08KN04-M1-B2	401325	Inox Corto 3h NoEnr 4mm M8 PNP NC Conector M12	81,25
E2A-S08KN04-M1-C2	406767	Inox Corto 3h NoEnr 4mm M8 NPN NC Conector M12	81,25
E2A-S08KS02-M1-C2	406771	Inox Corto 3h Enr 2mm M8 NPN NC Conector M12	81,25
E2A-S08LN04-M1-B2	406772	Inox Largo 3h NoEnr 4mm M8 PNP NC Conector M12	82,75
E2A-S08LN04-M1-C1	406773	Inox Largo 3h NoEnr 4mm M8 NPN NA Conector M12	82,75
E2A-S08LS02-M1-C2	406776	Inox Largo 3h Enr 2mm M8 NPN NC Conector M12	82,75
E2A-S12KN08-M1-B1	411139	Inox Corto 3h NoEnr 8mm M12 PNP NA Conector M12	74,75
E2A-S12KS04-M1-C1	656802	Inox Corto 3h Enr 4mm M12 NPN NA Conector M12	74,75
E2A-M12LN05-M1-B1-TP	656805	Sensor de proximidad, inductivo, níquel-latón, cuerpo largo, M12, sin apantallar	60,45
E2EF-QX2D1-M1TGJ 0.3M	674689	Metal Inductivo 2h CC 2mm M8 NA Conector M12 + Cable 0,3m	318,20
E2EF-X2D1-M1TGJ 0.3M	689360	Proximity sensor, stainless steel, metal head, M8, Sn=2 mm, 2-wire, M12 Smart	153,50
E2EF-X7D1-M1TGJ 0.3M	692802	Proximity sensor, Metal head for long distance detection, M18, Shielded, 7 mm,	199,50
E2EF-X3D1-M1TGJ 0.3M	689359	Proximity sensor, stainless steel, metal head for long distance detection, M12, S	159,80
E2A-S12LS04-M1-B1	658903	Inox Largo 3h Enr 4mm M12 PNP NA Conector M12	76,80
E2A-S18LS08-M1-B1	658907	Inox Largo 3h Enr 8mm M18 PNP NA Conector M12	81,25
E2A-S12KS04-M1-B2	659200	Inox Corto 3h Enr 4mm M12 PNP NC Conector M12	74,75
E2A-S18KS08-M1-C1	659223	Inox Corto 3h Enr 8mm M18 NPN NA Conector M12	81,25
E2A-M12KS02-M1-B2	659172	Proximity sensor, inductive, nickel-brass, short body, M12,shielded, 2mm, DC, 3	57,55
E2A-M18KS08-M1G-D1	659161	Corto 2h Enr 8mm M18 NA Conector M12	70,35
E2A-S08KN02-M1-B1	659162	Inox Corto 3h NoEnr 2mm M8 PNP NA Conector M12	81,25
E2A-S12LS04-M1-C1	659218	Proximity sensor, inductive, stainless steel, long body, M12, shielded, 4mm, DC,	76,80
E2A-M12KS04-M1G-D1	659194	Corto 2h Enr 4mm M12 NA Conector M12	64,35
E2A-S12KN05-M1-B2	659175	Proximity sensor, inductive, stainless steel, short body, M12, non-shielded, 5 mm	74,75

OMRON PVPR 2023

E2A-M12LN08-M1-B3	659329	Largo 4h NoEnr 8mm M12 PNP NA+NC Conector M12	71,15
E2A-S12LN08-M1-B3	659303	Proximity sensor, inductive, stainless steel, long body, M12, unshielded, 8mm, D	168,70
E2A-M30LN30-M1-B3	659314	Largo 4h NoEnr 30mm M30 PNP NA+NC Conector M12	94,75
E2A-S12LN08-M1-B1	659613	Inox Largo 3h NoEnr 8mm M12 PNP NA Conector M12	154,90
E2A-M18LS08-M1-C3	667845	Largo 4h Enr 8mm M18 NPN NA+NC Conector M12	79,80
E2A-S18LS08-M1-B3	667850	Inox Largo 3h Enr 8mm M18 PNP NA+NC Conector M12	93,25
E2A-S18KS08-M1-B2	659571	Inox Corto 3h Enr 8mm M18 PNP NC Conector M12	81,25
E2EQ-X3B4-M1TJ-IL3 0.3M	671247	Inductivo soldadura 3h cc Enr 3mm M12 NA/NC Cable M12 0.3m IO LINK COM3	101,70
E2EQ-X3B4-M1TJ-IL2 0.3M	671242	Inductivo soldadura 3h cc Enr 3mm M12 NA/NC Cable M12 0.3m IO LINK COM2	101,70
E2E-X10B4-M1TJ-IL3 0.3M	671237	Inductivo Corto 3h Enr 10mm M30 PNP NA/NC Cable M12 0.3m IO LINK COM3	88,20
E2E-X7B4-M1TJ-IL3 0.3M	671245	Inductivo Corto 3h Enr 7mm M18 PNP NA/NC Cable M12 0.3m IO LINK COM3	76,05
E2EQ-X7B4-M1TJ-IL2 0.3M	671231	Inductivo soldadura 3h cc Enr 7mm M18 NA/NC Cable M12 0.3m IO LINK COM2	120,90
E2EQ-X10B4-M1TJ-IL2 0.3M	671251	Inductivo soldadura 3h cc Enr 10mm M30 NA/NC Cable M12 0.3m IO LINK COM1	131,30
E2E-X7B4-M1TJ-IL2 0.3M	671258	Inductivo Corto 3h Enr 7mm M18 PNP NA/NC Cable M12 0.3m IO LINK COM2	76,05
E2E-X10B4-M1TJ-IL2 0.3M	671250	Inductivo Corto 3h Enr 10mm M30 PNP NA/NC Cable M12 0.3m IO LINK COM2	88,20
E2E-X3B4-M1TJ-IL2 0.3M	671236	Inductivo Corto 3h Enr 3mm M12 PNP NA/NC Cable M12 0.3m IO LINK COM2	68,45
E2E-X3B4-M1TJ-IL3 0.3M	671253	Inductivo Corto 3h Enr 3mm M12 PNP NA/NC Cable M12 0.3m IO LINK COM3	68,45
E2EQ-X7B4-M1TJ-IL3 0.3M	671255	Inductivo soldadura 3h cc Enr 7mm M18 NA/NC Cable M12 0.3m IO LINK COM3	120,90
E2EQ-X10B4-M1TJ-IL3 0.3M	671244	Inductivo soldadura 3h cc Enr 10mm M30 NA/NC Cable M12 0.3m IO LINK COM3	131,30
E2B-M12KS04-M1-C1-20	671223	Multi Pack E2B incluye 20 unidades E2B-M12KS04-M1-C1	265,80
E2B-M12KN08-M1-B1-20	671224	Multi Pack E2B incluye 20 unidades E2B-M12KN08-M1-B1	265,80
E2B-M18KN16-M1-B1-20	671226	Multi Pack E2B incluye 20 unidades E2B-M18KN16-M1-B1	319,00
E2A-M12KS04-M1-B1-20	671541	Multi Pack E2A incluye 20 unidades E2A-M12KS04-M1-B1	601,50
E2A-M12LS04-M1-B1-20	671538	Multi Pack E2A incluye 20 unidades E2A-M12LS04-M1-B1	601,50
E2A-M18KS08-M1-B1-20	671534	Multi Pack E2A incluye 20 unidades E2A-M18KS08-M1-B1	722,00
E2ERZ-X2D1-M1TGJ 0.3M	674778	Inductivo, M12, enrasado, 2 mm, 2 hilos CC sin polaridad, NA, cable PUR de 0,3 m	87,85
E2ER-X3D2-M1TGJ 0.3M	674786	Proximity sensor, inductive, M12, shielded, 3 mm, DC 2-wire no polarity, NC, 0.3	119,50
E2ERZ-X4D1-M1TGJ 0.3M	674807	Inductivo, M18, enrasado, 4 mm, 2 hilos CC sin polaridad, NA, cable PUR de 0,3 m	84,30
E2ER-X3D1-M1TGJ 0.3M	674777	Inductivo, M12, enrasado, 3 mm, 2 hilos CC sin polaridad, NA, cable PUR de 0,3 m	76,60
E2ER-X2D1-M1TGJ 0.3M	674787	Inductivo, M12, enrasado, 2 mm, 2 hilos CC sin polaridad, NA, cable PUR de 0,3 m	79,90
E2ER-X7D1-M1TGJ 0.3M	674769	Inductivo, M18, enrasado, 7 mm, 2 hilos CC sin polaridad, NA, cable PUR de 0,3 m	87,85
E2B-M12LN05-M1-B1	674481	Inductivo M12 Largo No enr 5mm 3h PNP NA Conector M12 Lite	32,05
E2B-M12LN08-M1-C2	674461	Inductivo M12 Largo No enr 8mm 3h NPN NC Conector M12 Lite	34,78

OMRON PVPR 2023

E2B-M30KN20-M1-B2	674376	Inductivo M30 No enr 20mm 3h PNP NC Conector M12 Lite	42,32
E2B-M18LS05-M1-B2	674395	Inductivo M18 Largo Enrasado 5mm 3h PNP NC Conector M12 Lite	36,08
E2B-M18LN10-M1-B1	674532	Inductivo M18 Largo No enr 10mm 3h PNP NA Conector M12 Lite	36,08
E2B-M18KS08-M1-C2	674553	Inductivo M18 Enrasado 8mm 3h NPN NC Conector M12 Lite	37,24
E2B-M18LN16-M1-C2	674349	Inductivo M18 Largo No enr 16mm 3h NPN NC Conector M12 Lite	38,93
E2B-M12KS02-M1-C1	674346	Inductivo M12 Enrasado 2mm 3h NPN NA Conector M12 Lite	30,59
E2B-M12KS04-M1-B1	674633	Inductivo M12 Enrasado 4mm 3h PNP NA Conector M12 Lite	33,20
E2B-M12KN08-M1-B2	674640	Inductivo M12 No enr 8mm 3h PNP NC Conector M12 Lite	33,20
E2B-M12LN05-M1-C2	674384	Inductivo M12 Largo No enr 5mm 3h NPN NC Conector M12 Lite	32,05
E2B-M12LS04-M1-C2	674378	Inductivo M12 Largo Enrasado 4mm 3h NPN NC Conector M12 Lite	34,78
E2B-M30LS10-M1-C1	674569	Inductivo M30 Largo Enrasado 10mm 3h NPN NA Conector M12 Lite	40,22
E2B-M30LS10-M1-C2	674340	Inductivo M30 Largo Enrasado 10mm 3h NPN NC Conector M12 Lite	40,22
E2B-M30LN20-M1-C2	674466	Inductivo M30 Largo No enr 20mm 3h NPN NC Conector M12 Lite	40,22
E2B-M30LS15-M1-B1	674512	Inductivo M30 Largo Enrasado 15mm 3h PNP NA Conector M12 Lite	42,96
E2B-M30LN30-M1-B2	674470	Inductivo M30 Largo No enr 30mm 3h PNP NC Conector M12 Lite	42,96
E2B-M18KS05-M1-C2	674351	Inductivo M18 Enrasado 5mm 3h NPN NC Conector M12 Lite	34,50
E2B-M18LS05-M1-B1	674458	Inductivo M18 Largo Enrasado 5mm 3h PNP NA Conector M12 Lite	36,08
E2B-M18LN10-M1-C2	674540	Inductivo M18 Largo No enr 10mm 3h NPN NC Conector M12 Lite	36,08
E2B-M12KS04-M1-C2	674479	Inductivo M12 Enrasado 4mm 3h NPN NC Conector M12 Lite	33,20
E2B-M30KS15-M1-B1	674318	Inductivo M30 Enrasado 15mm 3h PNP NA Conector M12 Lite	45,29
E2B-M30LN30-M1-B1	674536	Inductivo M30 Largo No enr 30mm 3h PNP NA Conector M12 Lite	42,96
E2B-M30LN30-M1-C1	674595	Inductivo M30 Largo No enr 30mm 3h NPN NA Conector M12 Lite	42,96
E2B-M18KS05-M1-C1	674355	Inductivo M18 Enrasado 5mm 3h NPN NA Conector M12 Lite	34,50
E2B-M12LS02-M1-B2	674446	Inductivo M12 Largo Enrasado 2mm 3h PNP NC Conector M12 Lite	32,05
E2B-M12LN08-M1-B2	674480	Inductivo M12 Largo No enr 8mm 3h PNP NC Conector M12 Lite	34,78
E2B-M30LS10-M1-B2	674463	Inductivo M30 Largo Enrasado 10mm 3h PNP NC Conector M12 Lite	40,22
E2B-M18LS05-M1-C2	674666	Inductivo M18 Largo Enrasado 5mm 3h NPN NC Conector M12 Lite	36,08
E2B-M18KN10-M1-B2	674568	Inductivo M18 No enr 10mm 3h PNP NC Conector M12 Lite	34,50
E2B-M12KS04-M1-B2	674624	Inductivo M12 Enrasado 4mm 3h PNP NC Conector M12 Lite	33,20
E2B-M12LS04-M1-C1	674329	Inductivo M12 Largo Enrasado 4mm 3h NPN NA Conector M12 Lite	34,78
E2B-M12KN08-M1-C1	674637	Inductivo M12 No enr 8mm 3h NPN NA Conector M12 Lite	33,20
E2B-M18KS08-M1-B1	674616	Inductivo M18 Enrasado 8mm 3h PNP NA Conector M12 Lite	37,24
E2B-M18LS08-M1-C1	674445	Inductivo M18 Largo Enrasado 8mm 3h NPN NA Conector M12 Lite	38,93

OMRON PVPR 2023

E2B-M18LN16-M1-B1	674430	Inductivo M18 Largo No enr 16mm 3h PNP NA Conector M12 Lite	38,93
E2B-M30KS10-M1-C1	674506	Inductivo M30 Enrasado 10mm 3h NPN NA Conector M12 Lite	42,32
E2B-M12KN05-M1-B2	674426	Inductivo M12 No enr 5mm 3h PNP NC Conector M12 Lite	30,59
E2B-M30LS10-M1-B1	674386	Inductivo M30 Largo Enrasado 10mm 3h PNP NA Conector M12 Lite	40,22
E2B-M18KS05-M1-B2	674508	Inductivo M18 Enrasado 5mm 3h PNP NC Conector M12 Lite	34,50
E2B-M18KN10-M1-C2	674530	Inductivo M18 No enr 10mm 3h NPN NC Conector M12 Lite	34,50
E2B-M12LS04-M1-B2	674657	Inductivo M12 Largo Enrasado 4mm 3h PNP NC Conector M12 Lite	34,78
E2B-M12KN08-M1-B1	674557	Inductivo M12 No enr 8mm 3h PNP NA Conector M12 Lite	33,20
E2B-M12LN08-M1-C1	674474	Inductivo M12 Largo No enr 8mm 3h NPN NA Conector M12 Lite	34,78
E2B-M18KS08-M1-B2	674473	Inductivo M18 Enrasado 8mm 3h PNP NC Conector M12 Lite	37,24
E2B-M18KN16-M1-B1	674469	Inductivo M18 No enr 16mm 3h PNP NA Conector M12 Lite	37,24
E2B-M18KN16-M1-C1	674368	Inductivo M18 No enr 16mm 3h NPN NA Conector M12 Lite	37,24
E2B-M12LS02-M1-C1	674391	Inductivo M12 Largo Enrasado 2mm 3h NPN NA Conector M12 Lite	32,05
E2B-M12LS02-M1-C2	674653	Inductivo M12 Largo Enrasado 2mm 3h NPN NC Conector M12 Lite	32,05
E2B-M12KN05-M1-C2	674350	Inductivo M12 No enr 5mm 3h NPN NC Conector M12 Lite	30,59
E2B-M30LN20-M1-B1	674649	Inductivo M30 Largo No enr 20mm 3h PNP NA Conector M12 Lite	40,22
E2B-M30LN20-M1-C1	674588	Inductivo M30 Largo No enr 20mm 3h NPN NA Conector M12 Lite	40,22
E2B-M30LN30-M1-C2	674440	Inductivo M30 Largo No enr 30mm 3h NPN NC Conector M12 Lite	42,96
E2B-M18LS05-M1-C1	674583	Inductivo M18 Largo Enrasado 5mm 3h NPN NA Conector M12 Lite	36,08
E2B-M12LS04-M1-B1	674527	Inductivo M12 Largo Enrasado 4mm 3h PNP NA Conector M12 Lite	34,78
E2B-M12LN08-M1-B1	674659	Inductivo M12 Largo No enr 8mm 3h PNP NA Conector M12 Lite	34,78
E2B-M30KN20-M1-B1	674397	Inductivo M30 No enr 20mm 3h PNP NA Conector M12 Lite	42,32
E2B-M30KS15-M1-C1	674394	Inductivo M30 Enrasado 15mm 3h NPN NA Conector M12 Lite	45,29
E2B-M18KS05-M1-B1	674612	Inductivo M18 Enrasado 5mm 3h PNP NA Conector M12 Lite	34,50
E2B-M18KN10-M1-B1	674558	Inductivo M18 No enr 10mm 3h PNP NA Conector M12 Lite	34,50
E2B-M12LN05-M1-B2	674374	Inductivo M12 Largo No enr 5mm 3h PNP NC Conector M12 Lite	32,05
E2B-M30LN20-M1-B2	674632	Inductivo M30 Largo No enr 20mm 3h PNP NC Conector M12 Lite	40,22
E2B-M30KS15-M1-C2	674582	Inductivo M30 Enrasado 15mm 3h NPN NC Conector M12 Lite	45,29
E2B-M18LN10-M1-C1	674531	Inductivo M18 Largo No enr 10mm 3h NPN NA Conector M12 Lite	36,08
E2B-M18KN16-M1-C2	674408	Inductivo M18 No enr 16mm 3h NPN NC Conector M12 Lite	37,24
E2B-M30KS10-M1-B1	674341	Inductivo M30 Enrasado 10mm 3h PNP NA Conector M12 Lite	42,32
E2B-M30KS10-M1-C2	674312	Inductivo M30 Enrasado 10mm 3h NPN NC Conector M12 Lite	42,32
E2B-M12KS02-M1-B1	674680	Inductivo M12 Enrasado 2mm 3h PNP NA Conector M12 Lite	30,59

OMRON PVPR 2023

E2B-M12KN05-M1-C1	674675	Inductivo M12 No enr 5mm 3h NPN NA Conector M12 Lite	30,59
E2B-M18LS08-M1-B1	674628	Inductivo M18 Largo Enrasado 8mm 3h PNP NA Conector M12 Lite	38,93
E2B-M18KN16-M1-B2	674359	Inductivo M18 No enr 16mm 3h PNP NC Conector M12 Lite	37,24
E2B-M12LN05-M1-C1	674348	Inductivo M12 Largo No enr 5mm 3h NPN NA Conector M12 Lite	32,05
E2B-M12KN08-M1-C2	674370	Inductivo M12 No enr 8mm 3h NPN NC Conector M12 Lite	33,20
E2B-M30KN20-M1-C1	674444	Inductivo M30 No enr 20mm 3h NPN NA Conector M12 Lite	42,32
E2B-M30LS15-M1-C1	674541	Inductivo M30 Largo Enrasado 15mm 3h NPN NA Conector M12 Lite	42,96
E2B-M30LS15-M1-C2	674579	Inductivo M30 Largo Enrasado 15mm 3h NPN NC Conector M12 Lite	42,96
E2B-M12KS04-M1-C1	674524	Inductivo M12 Enrasado 4mm 3h NPN NA Conector M12 Lite	33,20
E2B-M30KS15-M1-B2	674418	Inductivo M30 Enrasado 15mm 3h PNP NC Conector M12 Lite	45,29
E2B-M18KS08-M1-C1	674656	Inductivo M18 Enrasado 8mm 3h NPN NA Conector M12 Lite	37,24
E2B-M18LS08-M1-B2	674328	Inductivo M18 Largo Enrasado 8mm 3h PNP NC Conector M12 Lite	38,93
E2B-M18LN16-M1-B2	674542	Inductivo M18 Largo No enr 16mm 3h PNP NC Conector M12 Lite	38,93
E2B-M12KS02-M1-B2	674363	Inductivo M12 Enrasado 2mm 3h PNP NC Conector M12 Lite	30,59
E2B-M12KS02-M1-C2	674566	Inductivo M12 Enrasado 2mm 3h NPN NC Conector M12 Lite	30,59
E2B-M30KN20-M1-C2	674476	Inductivo M30 No enr 20mm 3h NPN NC Conector M12 Lite	42,32
E2B-M18LN10-M1-B2	674598	Inductivo M18 Largo No enr 10mm 3h PNP NC Conector M12 Lite	36,08
E2B-M18LS08-M1-C2	674436	Inductivo M18 Largo Enrasado 8mm 3h NPN NC Conector M12 Lite	38,93
E2B-M30KS10-M1-B2	674489	Inductivo M30 Enrasado 10mm 3h PNP NC Conector M12 Lite	42,32
E2B-M12LS02-M1-B1	674622	Inductivo M12 Largo Enrasado 2mm 3h PNP NA Conector M12 Lite	32,05
E2B-M12KN05-M1-B1	674364	Inductivo M12 No enr 5mm 3h PNP NA Conector M12 Lite	30,59
E2B-M30LS15-M1-B2	674332	Inductivo M30 Largo Enrasado 15mm 3h PNP NC Conector M12 Lite	42,96
E2B-M18KN10-M1-C1	674402	Inductivo M18 No enr 10mm 3h NPN NA Conector M12 Lite	34,50
E2B-M18LN16-M1-C1	674383	Inductivo M18 Largo No enr 16mm 3h NPN NA Conector M12 Lite	38,93
E2E-X11D218-M1TGJ-T 0.3M	681865	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NC, 0.3 m pig-t	85,80
E2EQ-X3D28-M1TGJ 0.3M	681861	Sensor de proximidad, inductivo, latón-níquel, revestimiento de salpicaduras, M	169,80
E2E-X10MD112-M1TGJ 0.3M	681902	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 0.3 m	75,40
E2E-X20D130-M1TGJ-T 0.3M	681732	Sensor de proximidad, inductivo, latón-níquel, M30, enrasado, 20 mm, NA, cable	101,50
E2EQ-X7D212-M1TGJ 0.3M	681777	Proximity sensor, inductive, brass-nickel, Spatter-coating, M12, shielded, 7 mm,	154,80
E2E-X5D1-M1TGJ-T 0.3M	681785	Sensor de proximidad, inductivo, latón-níquel, M18, enrasado, 5 mm, NA, cable	87,00
E2E-X20MD2L18-M1TGJ-T 0.3M	681770	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NC, 0.3 m	88,20
E2E-X20D230-M1TGJ-T 0.3M	681694	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NC, 0.3 m pig-t	101,50
E2E-X6MD18-M1TGJ 0.3M	681876	Sensor de proximidad, inductivo, acero inoxidable, M8, no enrasado, 6 mm, NA,	78,30

OMRON PVPR 2023

E2E-X40MD1L30-M1TGJ 0.3M	681813	Sensor de proximidad, inductivo, latón-níquel, M30, no enrasado, 40 mm, NA, ca	111,20
E2E-X40MD1L30-M1TGJ-T 0.3M	681853	Sensor de proximidad, inductivo, latón-níquel, M30, no enrasado, 40 mm, NA, ca	112,40
E2EQ-X20D130-M1TGJ-T 0.3M	681663	Sensor de proximidad, inductivo, latón-níquel, recubrimiento contra salpicadura	247,70
E2E-X40MD2L30-M1TGJ-T 0.3M	681711	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NC, 0.3 m	112,40
E2E-X10MD212-M1TGJ 0.3M	681709	Sensor de proximidad, inductivo, latón-níquel, M12, no enrasado, 10 mm, NC, ca	75,40
E2EQ-X7D212-M1TGJ-T 0.3M	681856	Sensor de proximidad, inductivo, latón-níquel, recubrimiento contra salpicadura	156,10
E2E-X6MD18-M1TGJ-T 0.3M	681844	Sensor de proximidad, inductivo, acero inoxidable, M8, no enrasado, 6 mm, NA,	78,30
E2E-X10MD112-M1TGJ-T 0.3M	681799	Sensor de proximidad, inductivo, latón-níquel, M12, no enrasado, 10 mm, NA, ca	75,40
E2E-X20D230-M1TGJ 0.3M	681781	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NC, 0.3 m pig-t	99,70
E2EQ-X20D130-M1TGJ 0.3M	681743	Sensor de proximidad, inductivo, latón-níquel, recubrimiento contra salpicadura	246,50
E2EQ-X7D112-M1TGJ 0.3M	681864	Proximity sensor, inductive, brass-nickel, Spatter-coating, M12, shielded, 7 mm,	154,80
E2EQ-X20D230-M1TGJ-T 0.3M	681862	Proximity sensor, inductive, brass-nickel, Spatter-coating, M30, shielded, 20 mm	247,70
E2E-X1R5D1-M1TGJ 0.3M	681687	Proximity sensor, inductive, brass-nickel, M8, shielded, 1.5 mm, NO, 0.3 m pig-ta	66,50
E2E-X3D18-M1TGJ-T 0.3M	681848	Sensor de proximidad, inductivo, latón-níquel, M8, enrasado, 3 mm, NA, cable fl	76,10
E2E-X11D118-M1TGJ-T 0.3M	681715	Sensor de proximidad, inductivo, latón-níquel, M18, enrasado, 11 mm, NA, cable	85,80
E2E-X1R5D1-M1TGJ-T 0.3M	681713	Sensor de proximidad, inductivo, latón-níquel, M8, enrasado, 1,5 mm, NA, cable	66,50
E2E-X20MD2L18-M1TGJ 0.3M	681685	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NC, 0.3 m	79,40
E2E-X20D130-M1TGJ 0.3M	681888	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NO, 0.3 m pig-t	99,70
E2E-X6MD28-M1TGJ-T 0.3M	681642	Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NC, 0.3 m p	78,30
E2E-X5D2-M1TGJ-T 0.3M	681633	Proximity sensor, inductive, brass-nickel, M18, shielded, 5 mm, NC, 0.3 m pig-ta	87,00
E2EQ-X3D18-M1TGJ-T 0.3M	681647	Sensor de proximidad, inductivo, latón-níquel, recubrimiento contra salpicadura	171,10
E2E-X2R5D1-M1TGJ-T 0.3M	681797	Sensor de proximidad, inductivo, latón-níquel, M12, enrasado, 2 mm, NA, cable	63,70
E2E-X5D1-M1TGJ 0.3M	681884	Proximity sensor, inductive, brass-nickel, M18, shielded, 5 mm, NO, 0.3 m pig-ta	85,80
E2E-X2R5D1-M1TGJ 0.3M	681681	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NO, 0.3 m pig-ta	63,70
E2E-X7D212-M1TGJ-T 0.3M	681846	Sensor de proximidad, inductivo, latón-níquel, M12, enrasado, 7 mm, NC, cable	73,30
E2E-X11D218-M1TGJ 0.3M	681751	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NC, 0.3 m pig-t	85,80
E2E-X20MD1L18-M1TGJ-T 0.3M	681677	Sensor de proximidad, inductivo, latón-níquel, M18, no enrasado, 20 mm, NA, ca	88,20
E2EQ-X11D118-M1TGJ-T 0.3M	681705	Sensor de proximidad, inductivo, latón-níquel, recubrimiento contra salpicadura	186,20
E2EQ-X20D230-M1TGJ 0.3M	681903	Proximity sensor, inductive, brass-nickel, Spatter-coating, M30, shielded, 20 mm	246,50
E2E-X1R5D2-M1TGJ 0.3M	681885	Proximity sensor, inductive, brass-nickel, M8, shielded, 1.5 mm, NC, 0.3 m pig-ta	66,50
E2E-X2R5D2-M1TGJ 0.3M	681796	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NC, 0.3 m pig-ta	63,60
E2E-X5D2-M1TGJ 0.3M	681683	Proximity sensor, inductive, brass-nickel, M18, shielded, 5 mm, NC, 0.3 m pig-ta	83,80
E2E-X3D28-M1TGJ 0.3M	681892	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NC, 0.3 m pig-tail,	76,10

OMRON PVPR 2023

E2E-X40MD2L30-M1TGJ 0.3M	681747	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NC, 0.3 m	111,20
E2E-X11D118-M1TGJ 0.3M	681827	Sensor de proximidad, inductivo, latón-níquel, M18, enrasado, 11 mm, NA, cable	85,80
E2EQ-X7D112-M1TGJ-T 0.3M	681821	Sensor de proximidad, inductivo, latón-níquel, recubrimiento contra salpicadura	156,10
E2E-X10MD212-M1TGJ-T 0.3M	681801	Sensor de proximidad, inductivo, latón-níquel, M12, no enrasado, 10 mm, NC, ca	75,40
E2E-X1R5D2-M1TGJ-T 0.3M	681662	Proximity sensor, inductive, brass-nickel, M8, shielded, 1.5 mm, NC, 0.3 m pig-ta	70,50
E2E-X7D212-M1TGJ 0.3M	681873	Sensor de proximidad, inductivo, latón-níquel, M12, enrasado, 7 mm, NC, cable	73,30
E2E-X20MD1L18-M1TGJ 0.3M	681835	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NO, 0.3 m	79,40
E2EQ-X3D18-M1TGJ 0.3M	681826	Proximity sensor, inductive, brass-nickel, Spatter-coating, M8, shielded, 3 mm, N	169,80
E2EQ-X11D218-M1TGJ 0.3M	681855	Proximity sensor, inductive, brass-nickel, Spatter-coating, M18, shielded, 11 mm	184,90
E2E-X7D112-M1TGJ-T 0.3M	681693	Sensor de proximidad, inductivo, latón-níquel, M12, enrasado, 7 mm, NA, cable	73,30
E2EQ-X11D118-M1TGJ 0.3M	681893	Proximity sensor, inductive, brass-nickel, Spatter-coating, M18, shielded, 11 mm	184,90
E2E-X3D28-M1TGJ-T 0.3M	681872	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NC, 0.3 m pig-tail,	76,10
E2EQ-X3D28-M1TGJ-T 0.3M	681688	Proximity sensor, inductive, brass-nickel, Spatter-coating, M8, shielded, 3 mm, N	171,10
E2E-X2R5D2-M1TGJ-T 0.3M	681649	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NC, 0.3 m pig-ta	67,50
E2E-X3D18-M1TGJ 0.3M	681676	Sensor de proximidad, inductivo, latón-níquel, M8, enrasado, 3 mm, NO, cable f	76,10
E2E-X6MD28-M1TGJ 0.3M	681833	Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NC, 0.3 m p	78,30
E2E-X7D112-M1TGJ 0.3M	681887	Sensor de proximidad, inductivo, latón-níquel, M12, enrasado, 7 mm, NO, cable	73,30
E2EQ-X11D218-M1TGJ-T 0.3M	681703	Proximity sensor, inductive, brass-nickel, Spatter-coating, M18, shielded, 11 mm	186,20
E2E-X1R5C18-M1	699628	Sensor de proximidad, inductivo, cuerpo sus corto M8, blindado, 1.5 mm, DC, 3	63,30
E2E-X1R5C28-M1	699990	Proximity sensor, inductive, short SUS body M8, shielded, 1.5 mm, DC, 3-wire, N	63,30
E2E-X2C18-M1	687496	Sensor de proximidad, inductivo, cuerpo corto de SUS, M8, apantallado, 2 mm, c	63,30
E2E-X2C28-M1	694113	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, NP	63,30
E2E-X3C18-M1	691138	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, N	74,80
E2E-X3C28-M1	691137	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, N	74,80
E2E-X4C18-M1TJ 0.3M	694981	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, N	94,35
E2E-X4C18-M1	687538	Sensor de proximidad, inductivo, cuerpo corto de SUS, M8, apantallado, 4 mm, c	82,85
E2E-X4C28-M1	693658	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, N	69,05
E2E-X2MC18-M1	698843	Proximity sensor, inductive, short SUS body M8, unshielded, 2 mm, DC, 3-wire, N	63,30
E2E-X2MC28-M1	699992	Proximity sensor, inductive, short SUS body M8, unshielded, 2 mm, DC, 3-wire, N	63,30
E2E-X4MC18-M1	694860	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, N	63,30
E2E-X4MC28-M1	699652	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, N	63,30
E2E-X2C1L8-M1	696118	Sensor de proximidad, inductivo, cuerpo largo sus M8, blindado, 2 mm, DC, 3 hil	69,05
E2E-X2C2L8-M1	698844	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, NPN	69,05

OMRON PVPR 2023

E2E-X4C1L8-M1	699438	Sensor de proximidad, inductivo, cuerpo largo de latón M8, blindado, 4 mm, DC, 3-wire, NPN	80,55
E2E-X4MC1L8-M1	696188	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, NPN	69,05
E2E-X4MC2L8-M1	699644	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, NPN	69,05
E2E-X1R5B1T8-M1	692763	Proximity sensor, inductive, short SUS body M8, shielded, 1.5 mm, DC, 3-wire, PNP	63,30
E2E-X1R5B28-M1	698845	Proximity sensor, inductive, short SUS body M8, shielded, 1.5 mm, DC, 3-wire, PNP	63,30
E2E-X2B1T8-M1TJ 0.3M	688109	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, PNP	80,55
E2E-X2B1T8-M1	687536	Sensor de proximidad, inductivo, cuerpo corto de SUS, M8, apantallado, 2 mm, DC, 3-wire, PNP	63,30
E2E-X2B28-M1	693951	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, PNP	63,30
E2E-X3B1T8-M1TJ 0.3M	688105	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, PNP	92,05
E2E-X3B1T8-M1	687534	Sensor de proximidad, inductivo, cuerpo corto de SUS, M8, apantallado, 3 mm, DC, 3-wire, PNP	75,95
E2E-X3B28-M1	691089	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, PNP	75,95
E2E-X4B1T8-M1TJ 0.3M	687531	Sensor de proximidad, inductivo, cuerpo corto de SUS, M8, apantallado, 4 mm, DC, 3-wire, PNP	82,85
E2E-X4B1T8-M1	687530	Sensor de proximidad, inductivo, cuerpo corto de SUS, M8, apantallado, 4 mm, DC, 3-wire, PNP	82,85
E2E-X4B28-M1	698681	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP	80,55
E2E-X2MB1T8-M1	698846	Proximity sensor, inductive, SUS short body, M8, unshielded, 2 mm, DC, 3-wire, PNP	63,30
E2E-X2MB28-M1	699991	Proximity sensor, inductive, short SUS body M8, unshielded, 2 mm, DC, 3-wire, PNP	69,05
E2E-X4MB1T8-M1TJ 0.3M	688099	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP	80,55
E2E-X4MB1T8-M1	688098	Sensor de proximidad, inductivo, cuerpo corto de SUS, M8, sin apantallamiento, 4 mm, DC, 3-wire, PNP	63,30
E2E-X4MB28-M1	694066	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP	69,05
E2E-X6MB1T8-M1TJ 0.3M	688093	Proximity sensor, inductive, short SUS body M8, unshielded, 6 mm, DC, 3-wire, PNP	92,05
E2E-X6MB1T8-M1	688092	Sensor de proximidad, inductivo, cuerpo corto de SUS, M8, sin apantallamiento, 6 mm, DC, 3-wire, PNP	74,80
E2E-X6MB28-M1	698701	Proximity sensor, inductive, short SUS body M8, unshielded, 6 mm, DC, 3-wire, PNP	74,80
E2E-X8MB1T8-M1TJ 0.3M	687847	Sensor de proximidad, inductivo, cuerpo corto de SUS, M8, sin apantallamiento, 8 mm, DC, 3-wire, PNP	97,80
E2E-X8MB1T8-M1	687528	Sensor de proximidad, inductivo, cuerpo corto de SUS, M8, sin apantallamiento, 8 mm, DC, 3-wire, PNP	82,85
E2E-X8MB28-M1	698698	Proximity sensor, inductive, short SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP	80,55
E2E-X1R5B1TL8-M1	698847	Proximity sensor, inductive, SUS body, long body, M8, shielded, 1.5 mm, DC, 3-wire, PNP	69,05
E2E-X2B1TL8-M1TJ 0.3M	687898	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, PNP	86,30
E2E-X2B1TL8-M1	687897	Sensor de proximidad, inductivo, cuerpo largo de SUS, M8, apantallado, 2 mm, DC, 3-wire, PNP	69,05
E2E-X2B2L8-M1	694115	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, PNP	69,05
E2E-X3B1TL8-M1TJ 0.3M	688081	Proximity sensor, inductive, long brass body M8, shielded, 3 mm, DC, 3-wire, PNP	92,05
E2E-X3B1TL8-M1	688080	Proximity sensor, inductive, long brass body M8, shielded, 3 mm, DC, 3-wire, PNP	74,80
E2E-X3B2L8-M1	698675	Proximity sensor, inductive, long brass body M8, shielded, 3 mm, DC, 3-wire, PNP	74,80
E2E-X4B1TL8-M1TJ 0.3M	688077	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PNP	97,80

OMRON PVPR 2023

E2E-X4B1TL8-M1	687895	Sensor de proximidad, inductivo, cuerpo largo de SUS, M8, apantallado, 4 mm, d	80,55
E2E-X4B2L8-M1	698671	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PN	80,55
E2E-X4MB1TL8-M1TJ 0.3M	688073	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, P	86,30
E2E-X4MB1TL8-M1	688072	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, P	69,05
E2E-X4MB2L8-M1	696215	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, P	69,05
E2E-X6MB1TL8-M1TJ 0.3M	688068	Proximity sensor, inductive, long SUS body M8, unshielded, 6 mm, DC, 3-wire, P	92,05
E2E-X6MB1TL8-M1	688067	Proximity sensor, inductive, long SUS body M8, unshielded, 6 mm, DC, 3-wire, P	74,80
E2E-X6MB2L8-M1	698695	Proximity sensor, inductive, long SUS body M8, unshielded, 6 mm, DC, 3-wire, P	74,80
E2E-X8MB1TL8-M1TJ 0.3M	688023	Proximity sensor, inductive, long SUS body M8, unshielded, 8 mm, DC, 3-wire, P	97,80
E2E-X8MB1TL8-M1	688022	Proximity sensor, inductive, long SUS body M8, unshielded, 8 mm, DC, 3-wire, P	80,55
E2E-X8MB2L8-M1	698692	Proximity sensor, inductive, long SUS body M8, unshielded, 8 mm, DC, 3-wire, P	80,55
E2E-X2B1D8-M1	694064	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, PNP	63,30
E2E-X3B1D8-M1	689358	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, PNP	75,95
E2E-X4MB1D8-M1	694055	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, P	69,05
E2E-X2B1DL8-M1	693950	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, PNP	69,05
E2E-X2B3DL8-M1	695084	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, PNP	69,05
E2E-X3B1DL8-M1	689356	Proximity sensor, inductive, long brass body M8, shielded, 3 mm, DC, 3-wire, PNP	75,95
E2E-X4MB3DL8-M1	696304	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, P	69,05
E2E-X2C112-M1TJ 0.3M	699999	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3	69,65
E2E-X2C112-M1	699998	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3	57,55
E2E-X2C212-M1	699997	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3	57,55
E2E-X4C112-M1TJ 0.3M	694978	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3	69,65
E2E-X4C112-M1	687527	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M12, apantallado, 4	57,55
E2E-X4C212-M1	694116	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3	57,55
E2E-X4C312-M1	694162	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3	57,55
E2E-X6C112-M1	691131	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3	69,05
E2E-X6C212-M1	691130	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M12, apantallado, 6	69,05
E2E-X9C112-M1TJ 0.3M	687894	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M12, apantallado, 4	92,05
E2E-X9C112-M1	687526	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M12, apantallado, 9	74,80
E2E-X9C212-M1	693664	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3	74,80
E2E-X5MC112-M1	700013	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, D	57,55
E2E-X5MC212-M1	700012	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, D	57,55
E2E-X8MC112-M1	694857	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, D	57,55

OMRON PVPR 2023

E2E-X8MC212-M1	696117	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M12, sin blindaje, 8 mm, DC, 3	57,55
E2E-X8MC312-M1	696116	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3	57,55
E2E-X10MC112-M1	687893	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M12, sin apantallar, 10 mm, DC, 3	69,05
E2E-X16MC112-M1	687892	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M12, sin apantallar, 16 mm, DC, 3	74,80
E2E-X2C1L12-M1	699996	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 2 mm, DC, 3	43,71
E2E-X2C2L12-M1	699995	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 2 mm, DC, 3	43,71
E2E-X2C3L12-M1	699670	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 2 mm, DC, 3	63,30
E2E-X4C1L12-M1	695803	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3	43,71
E2E-X4C2L12-M1	695804	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3	43,71
E2E-X4C3L12-M1	696115	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3	63,30
E2E-X9C1L12-M1	688754	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 9 mm, DC, 3	74,80
E2E-X9C2L12-M1	702623	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 9 mm, DC, 3	74,80
E2E-X5MC1L12-M1	700011	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 5 mm, DC, 3	59,85
E2E-X5MC2L12-M1	700010	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 5 mm, DC, 3	63,30
E2E-X8MC1L12-M1	693118	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3	59,85
E2E-X8MC2L12-M1	698802	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3	63,30
E2E-X8MC3L12-M1	698801	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3	63,30
E2E-X2B1T12-M1TJ 0.3M	698975	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3	74,80
E2E-X2B212-M1TJ 0.3M	699994	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3	74,80
E2E-X2B1T12-M1	698848	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3	57,55
E2E-X2B212-M1	698849	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3	57,55
E2E-X4B1T12-M1TJ 0.3M	687891	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M12, apantallado, 4 mm, DC, 3	74,80
E2E-X4B1T12-M1TJR 0.3M	687890	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M12, apantallado, 4 mm, DC, 3	92,05
E2E-X4B1T12-M1	687524	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M12, apantallado, 4 mm, DC, 3	57,55
E2E-X4B212-M1	694062	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3	57,55
E2E-X6B1T12-M1TJ 0.3M	688017	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3	86,30
E2E-X6B212-M1TJ 0.3M	690782	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3	80,55
E2E-X6B1T12-M1TJR 0.3M	687889	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3	103,60
E2E-X6B1T12-M1	687522	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M12, apantallado, 6 mm, DC, 3	69,05
E2E-X6B212-M1	690781	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3	69,05
E2E-X9B1T12-M1TJ 0.3M	687520	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M12, apantallado, 9 mm, DC, 3	74,80
E2E-X9B212-M1TJ 0.3M	691053	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3	86,30
E2E-X9B1T12-M1TJR 0.3M	687888	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M12, apantallado, 9 mm, DC, 3	109,30

OMRON PVPR 2023

E2E-X9B1T12-M1	687519	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M12, apantallado, 9 mm, DC, 3-	74,80
E2E-X9B212-M1	691054	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-	74,80
E2E-X5MB1T12-M1TJ 0.3M	700009	Proximity sensor, inductive, nickel-brass short body, M12, unshielded, 5 mm, DC, 3-	74,80
E2E-X5MB1T12-M1	698850	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-	57,55
E2E-X5MB212-M1	700008	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-	57,55
E2E-X8MB1T12-M1TJ 0.3M	688013	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-	74,80
E2E-X8MB1T12-M1	687518	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M12, sin apantallar	57,55
E2E-X8MB212-M1	690431	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-	57,55
E2E-X10MB1T12-M1TJ 0.3M	688010	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 10 mm, DC, 3-	86,30
E2E-X10MB1T12-M1	687517	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M12, sin apantallar	69,05
E2E-X10MB212-M1	695738	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 10 mm, DC, 3-	59,85
E2E-X16MB1T12-M1TJ 0.3M	687887	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M12, sin apantallar	92,05
E2E-X16MB1T12-M1	687516	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M12, sin apantallar	74,80
E2E-X16MB212-M1	689613	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 16 mm, DC, 3-	74,80
E2E-X2B1TL12-M1	698851	Proximity sensor, inductive, nickel-brass long body, M12, shielded, 2 mm, DC, 3-	63,30
E2E-X2B2L12-M1	699993	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 2 mm, DC, 3-	63,30
E2E-X4B1TL12-M1TJ 0.3M	687885	Sensor de proximidad, inductivo, níquel-latón, cuerpo largo, M12, apantallado, 4 mm, DC, 3-	80,55
E2E-X4B2L12-M1TJ 0.3M	691007	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-	74,80
E2E-X4B1TL12-M1	688007	Sensor de proximidad, inductivo, cuerpo largo de níquel-latón, M12, apantallado	63,30
E2E-X4B2L12-M1	690432	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-	63,30
E2E-X6B1TL12-M1TJ 0.3M	687884	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 6 mm, DC, 3-	86,30
E2E-X6B1TL12-M1	687883	Sensor de proximidad, inductivo, cuerpo largo de níquel-latón, M12, apantallado	69,05
E2E-X6B2L12-M1	698666	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 6 mm, DC, 3-	69,05
E2E-X9B1TL12-M1TJ 0.3M	687881	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 9 mm, DC, 3-	92,05
E2E-X9B1TL12-M1	687880	Sensor de proximidad, inductivo, cuerpo largo de níquel-latón, M12, apantallado	74,80
E2E-X9B2L12-M1	698664	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 9 mm, DC, 3-	74,80
E2E-X5MB1TL12-M1	698852	Proximity sensor, inductive, nickel-brass long body, M12, unshielded, 5 mm, DC, 3-	63,30
E2E-X5MB2L12-M1	700007	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 5 mm, DC, 3-	63,30
E2E-X8MB1TL12-M1TJ 0.3M	688004	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-	80,55
E2E-X8MB1TL12-M1	688003	Sensor de proximidad, inductivo, cuerpo largo de níquel-latón, M12, sin apantallar	63,30
E2E-X8MB2L12-M1	695049	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-	63,30
E2E-X10MB1TL12-M1TJ 0.3M	688001	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 10 mm, DC, 3-	86,30
E2E-X10MB1TL12-M1	687879	Sensor de proximidad, inductivo, cuerpo largo de níquel-latón, M12, no apantallar	69,05

OMRON PVPR 2023

E2E-X10MB2L12-M1	698688	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 10 mm, D	69,05
E2E-X16MB1TL12-M1TJ 0.3M	687999	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 16 mm, D	92,05
E2E-X16MB1TL12-M1	687878	Sensor de proximidad, inductivo, cuerpo largo de níquel-latón, M12, sin apantallado	74,80
E2E-X16MB2L12-M1	698686	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 16 mm, D	74,80
E2E-X2B1D12-M1	708267	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3	57,55
E2E-X2B3D12-M1	698853	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3	57,55
E2E-X4B3D12-M1TJ 0.3M	699666	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3	74,80
E2E-X4B1D12-M1	690433	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M12, apantallado, 4	57,55
E2E-X4B3D12-M1	694160	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3	57,55
E2E-X6B1D12-M1	689354	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3	69,05
E2E-X6B3D12-M1	687876	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M12, apantallado, 6	69,05
E2E-X5MB3D12-M1	698854	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, D	57,55
E2E-X8MB1D12-M1	690434	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M12, sin apantallar	57,55
E2E-X8MB3D12-M1	689263	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, D	57,55
E2E-X10MB3D12-M1	688591	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 10 mm, D	69,05
E2E-X4B3DL12-M1	687875	Sensor de proximidad, inductivo, níquel-latón, cuerpo largo, M12, apantallado, 4	57,55
E2E-X9B1DL12-M1	696094	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 9 mm, DC, 3	74,80
E2E-X5MB1DL12-M1	689154	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 5 mm, DC	59,85
E2E-X8MB1DL12-M1	689153	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC	59,85
E2E-X8MB3DL12-M1	689262	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC	59,85
E2E-X10MB1DL12-M1	689152	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 10 mm, D	69,05
E2E-X5C118-M1	698855	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3	57,55
E2E-X5C218-M1	700006	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3	57,55
E2E-X5C318-M1	708467	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 4	57,55
E2E-X8C118-M1	687515	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M18, apantallado, 8	57,55
E2E-X8C218-M1	694118	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3	57,55
E2E-X8C318-M1	698856	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3	57,55
E2E-X12C118-M1	687874	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M18, apantallado, 1	69,05
E2E-X12C218-M1	691127	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC	69,05
E2E-X14C118-M1	687514	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M18, apantallado, 1	74,80
E2E-X14C218-M1	693663	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC	74,80
E2E-X10MC118-M1	699989	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, D	57,55
E2E-X10MC218-M1	699988	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, D	57,55

OMRON PVPR 2023

E2E-X16MC118-M1	687873	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M18, sin apantallar	57,55
E2E-X16MC218-M1	694119	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, D	57,55
E2E-X16MC318-M1	694157	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, D	57,55
E2E-X5C1L18-M1	700005	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 5 mm, DC, 3	63,30
E2E-X5C2L18-M1	700004	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 5 mm, DC, 3	63,30
E2E-X8C1L18-M1	696114	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3	63,30
E2E-X8C2L18-M1	698857	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3	63,30
E2E-X8C3L18-M1	696113	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3	64,35
E2E-X14C1L18-M1	689099	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 14 mm, DC,	74,80
E2E-X10MC1L18-M1	699987	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 10 mm, D	51,80
E2E-X10MC2L18-M1	699986	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 10 mm, D	63,30
E2E-X16MC1L18-M1	695824	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, D	51,80
E2E-X16MC2L18-M1	698858	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, D	63,30
E2E-X16MC3L18-M1	698859	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, D	64,00
E2E-X30MC1L18-M1	689098	Sensor de proximidad, inductivo, cuerpo largo de níquel-latón, M18, no apantall	54,15
E2E-X5B1T18-M1TJ 0.3M	700003	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3	74,80
E2E-X5B218-M1TJ 0.3M	700002	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3	74,80
E2E-X5B1T18-M1	698860	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3	57,55
E2E-X5B218-M1	700001	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3	57,55
E2E-X8B1T18-M1TJ 0.3M	687872	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M18, apantallado, 8	74,80
E2E-X8B1T18-M1	687512	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M18, apantallado, 8	57,55
E2E-X8B218-M1	693987	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3	57,55
E2E-X12B1T18-M1TJ 0.3M	687871	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M18, apantallado, 8	86,30
E2E-X12B218-M1TJ 0.3M	699492	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC	86,30
E2E-X12B1T18-M1	687510	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M18, apantallado, 8	69,05
E2E-X12B218-M1	691087	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC	69,05
E2E-X14B1T18-M1TJ 0.3M	687508	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M18, apantallado, 8	74,80
E2E-X14B1T18-M1TJR 0.3M	687870	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC	109,30
E2E-X14B1T18-M1	687507	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M18, apantallado, 8	74,80
E2E-X14B218-M1	689616	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC	74,80
E2E-X10MB1T18-M1TJ 0.3M	699985	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, D	74,80
E2E-X10MB1T18-M1	698861	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, D	57,70
E2E-X10MB218-M1	699984	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, D	57,55

OMRON PVPR 2023

E2E-X16MB1T18-M1TJ 0.3M	687869	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M18, sin apantallar	74,80
E2E-X16MB1T18-M1	687505	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M18, sin apantallar	57,55
E2E-X16MB218-M1	694059	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, D	57,55
E2E-X5B1TL18-M1	698862	Proximity sensor, inductive, nickel-brass long body, M18, shielded, 5 mm, DC, 3-	63,85
E2E-X5B2L18-M1	700000	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 5 mm, DC, 3	59,85
E2E-X8B1TL18-M1TJ 0.3M	687993	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3	80,55
E2E-X8B1TL18-M1	687992	Sensor de proximidad, inductivo, cuerpo largo de níquel-latón, M18, apantallado	63,30
E2E-X8B2L18-M1	694120	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3	59,85
E2E-X12B1TL18-M1TJ 0.3M	687867	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 12 mm, DC,	86,30
E2E-X12B1TL18-M1	687866	Sensor de proximidad, inductivo, cuerpo largo de níquel-latón, M18, apantallado	69,05
E2E-X12B2L18-M1	698661	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 12 mm, DC,	69,05
E2E-X14B1TL18-M1TJ 0.3M	687864	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 14 mm, DC,	92,05
E2E-X14B1TL18-M1	687863	Sensor de proximidad, inductivo, cuerpo largo de níquel-latón, M18, apantallado	74,80
E2E-X14B2L18-M1	698659	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 14 mm, DC,	74,80
E2E-X10MB1TL18-M1	699983	Proximity sensor, inductive, nickel-brass long body, M18, unshielded, 10 mm, D	63,30
E2E-X10MB2L18-M1	699982	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 10 mm, D	63,30
E2E-X16MB1TL18-M1TJ 0.3M	687990	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, D	80,55
E2E-X16MB1TL18-M1	687989	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, D	63,30
E2E-X16MB2L18-M1	695823	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, D	63,30
E2E-X20MB1TL18-M1TJ 0.3M	687986	Sensor de proximidad, inductivo, níquel-latón, cuerpo largo, M18, sin blindaje, 2	86,30
E2E-X20MB1TL18-M1	687985	Sensor de proximidad, inductivo, cuerpo largo de níquel-latón, M18, no apantall	69,05
E2E-X20MB2L18-M1	698684	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 20 mm, D	69,05
E2E-X30MB1TL18-M1TJ 0.3M	687982	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 30 mm, D	92,05
E2E-X30MB1TL18-M1	687981	Sensor de proximidad, inductivo, cuerpo largo de níquel-latón, M18, sin apantall	74,80
E2E-X30MB2L18-M1	698658	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 30 mm, D	74,80
E2E-X5B3D18-M1	708466	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 4	57,55
E2E-X8B3D18-M1TJ 0.3M	687861	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3	69,05
E2E-X8B1D18-M1	694155	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3	57,55
E2E-X8B3D18-M1	687860	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M18, apantallado, 8	57,55
E2E-X12B3D18-M1TJ 0.3M	687859	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC	80,55
E2E-X12B3D18-M1	687858	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M18, apantallado, 1	69,05
E2E-X16MB3D18-M1TJ 0.3M	687857	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, D	69,05
E2E-X16MB1D18-M1	694152	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, D	57,55

OMRON PVPR 2023

E2E-X16MB3D18-M1	687856	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M18, sin apantallar	57,55
E2E-X8B3DL18-M1	687855	Sensor de proximidad, inductivo, cuerpo largo de níquel-latón, M18, apantallado	57,55
E2E-X12B3DL18-M1	687854	Sensor de proximidad, inductivo, cuerpo largo de níquel-latón, M18, apantallado	69,05
E2E-X16MB3DL18-M1	696112	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, D	64,20
E2E-X20MB3DL18-M1	688751	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 20 mm, D	69,05
E2E-X10C130-M1	699981	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M30, apantallado,	70,75
E2E-X10C230-M1	699980	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC	70,75
E2E-X10C330-M1	708465	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC	72,75
E2E-X15C130-M1	694852	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC	70,75
E2E-X15C230-M1	698832	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC	70,75
E2E-X15C330-M1	694974	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC	72,75
E2E-X22C130-M1	687503	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M30, apantallado,	80,55
E2E-X22C230-M1	691123	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC	86,30
E2E-X23C130-M1	689361	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC	87,45
E2E-X23C230-M1	694070	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC	87,45
E2E-X18MC130-M1TJ 0.3M	699972	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 18 mm, D	97,80
E2E-X18MC130-M1	699971	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 18 mm, D	80,55
E2E-X18MC230-M1	699973	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 18 mm, D	80,55
E2E-X10C1L30-M1	699979	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 10 mm, DC,	80,55
E2E-X10C2L30-M1	699978	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 10 mm, DC,	80,55
E2E-X15C1L30-M1	696111	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC,	80,55
E2E-X15C2L30-M1	699617	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC,	80,55
E2E-X15C3L30-M1	698863	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC,	90,35
E2E-X22C1L30-M1	696317	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 22 mm, DC,	87,25
E2E-X23C2L30-M1	694069	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 23 mm, DC,	87,45
E2E-X18MC1L30-M1	699967	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 18 mm, D	80,55
E2E-X18MC2L30-M1	699966	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 18 mm, D	80,55
E2E-X30MC1L30-M1	694850	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, D	80,55
E2E-X30MC2L30-M1	698864	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, D	80,55
E2E-X30MC3L30-M1	698865	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, D	81,15
E2E-X50MC1L30-M1	689617	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 50 mm, D	87,45
E2E-X50MC2L30-M1	689618	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 50 mm, D	87,45
E2E-X10B1T30-M1TJ 0.3M	699977	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC	84,00

OMRON PVPR 2023

E2E-X10B1T30-M1	696110	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC, 3	72,35
E2E-X10B230-M1	699976	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC, 3	69,05
E2E-X15B1T30-M1TJ 0.3M	687901	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M30, apantallado, 3	84,00
E2E-X15B1T30-M1	687501	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M30, apantallado, 3	66,75
E2E-X15B230-M1	694057	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3	69,05
E2E-X22B1T30-M1TJ 0.3M	687853	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M30, apantallado, 3	103,60
E2E-X22B1T30-M1	687499	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M30, apantallado, 3	80,55
E2E-X22B230-M1	691085	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3	81,75
E2E-X23B1T30-M1TJ 0.3M	687852	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M30, apantallado, 3	109,30
E2E-X23B1T30-M1	687497	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M30, apantallado, 3	87,45
E2E-X23B230-M1	698656	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC, 3	92,05
E2E-X18MB1T30-M1TJ 0.3M	699970	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 18 mm, DC, 3	97,80
E2E-X18MB1T30-M1	696323	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 30 mm, DC, 3	74,80
E2E-X18MB230-M1	699969	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 18 mm, DC, 3	74,80
E2E-X10B1TL30-M1	699975	Proximity sensor, inductive, nickel-brass long body, M30, shielded, 10 mm, DC, 3	80,55
E2E-X10B2L30-M1	699974	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 10 mm, DC, 3	74,80
E2E-X15B1TL30-M1TJ 0.3M	687976	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3	97,80
E2E-X15B1TL30-M1	687975	Sensor de proximidad, inductivo, cuerpo largo de níquel-latón, M30, apantallado, 3	80,55
E2E-X15B2L30-M1	694121	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3	74,80
E2E-X22B1TL30-M1TJ 0.3M	687973	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 22 mm, DC, 3	103,60
E2E-X22B1TL30-M1	687851	Sensor de proximidad, inductivo, cuerpo largo de níquel-latón, M30, apantallado, 3	86,30
E2E-X22B2L30-M1	698650	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 22 mm, DC, 3	87,60
E2E-X23B1TL30-M1TJ 0.3M	687971	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 23 mm, DC, 3	109,30
E2E-X23B1TL30-M1	687850	Sensor de proximidad, inductivo, cuerpo largo de níquel-latón, M30, apantallado, 3	92,05
E2E-X23B2L30-M1	698648	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 23 mm, DC, 3	92,05
E2E-X18MB1TL30-M1	699935	Proximity sensor, inductive, nickel-brass long body, M30, unshielded, 18 mm, DC, 3	80,55
E2E-X18MB2L30-M1	699968	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 18 mm, DC, 3	74,80
E2E-X30MB1TL30-M1TJ 0.3M	687968	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3	97,80
E2E-X30MB1TL30-M1	687967	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3	80,55
E2E-X30MB2L30-M1	696109	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3	74,80
E2E-X40MB1TL30-M1TJ 0.3M	687964	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 40 mm, DC, 3	103,60
E2E-X40MB1TL30-M1	687963	Sensor de proximidad, inductivo, cuerpo largo de níquel-latón, M30, sin apantallado, 3	86,30
E2E-X40MB2L30-M1	698654	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 40 mm, DC, 3	92,80

OMRON PVPR 2023

E2E-X50MB1TL30-M1TJ 0.3M	687960	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 50 mm, DC	109,30
E2E-X50MB1TL30-M1	687958	Sensor de proximidad, inductivo, cuerpo largo de níquel-latón, M30, sin apantallado	92,05
E2E-X50MB2L30-M1	689619	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 50 mm, DC	87,45
E2E-X10B3D30-M1	708464	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC	66,75
E2E-X15B3D30-M1TJ 0.3M	699611	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC	94,90
E2E-X15B1D30-M1	694150	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC	70,75
E2E-X15B3D30-M1	687849	Sensor de proximidad, inductivo, cuerpo corto de níquel-latón, M30, apantallado	66,75
E2E-X22B3D30-M1	687848	Sensor de proximidad, inductivo, níquel-latón, cuerpo corto, M30, apantallado, 2	80,55
E2E-X23B1D30-M1	689445	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC	87,45
E2E-X15B3DL30-M1	695080	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC,	92,05
E2E-X22B3DL30-M1	687846	Sensor de proximidad, inductivo, cuerpo largo de níquel-latón, M30, apantallado	80,55
E2E-X30MB1DL30-M1	690007	Sensor de proximidad, inductivo, cuerpo largo de níquel-latón, M30, sin apantallado	74,80
E2E-X30MB3DL30-M1	696108	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC	82,85
E2EQ-X2C18-M1	688311	Proximity sensor, inductive, Fluororesin coating (base material: brass), M8, shielded	107,80
E2EQ-X3C18-M1	688313	Sensor de proximidad, inductivo, revestimiento de fluororesina (material base: l	131,80
E2EQ-X2B1T8-M1TJ 0.3M	688315	Proximity sensor, inductive, Fluororesin coating (base material: brass), M8, shielded	125,90
E2EQ-X2B1T8-M1	688361	Sensor de proximidad, inductivo, revestimiento de fluororesina (material base: b	107,80
E2EQ-X3B1T8-M1TJ 0.3M	688317	Proximity sensor, inductive, Fluororesin coating (base material: brass), M8, shielded	149,70
E2EQ-X3B1T8-M1	688318	Proximity sensor, inductive, Fluororesin coating (base material: brass), M8, shielded	131,80
E2EQ-X2B1D8-M1	688319	Proximity sensor, inductive, Fluororesin coating (base material: brass), M8, shielded	107,80
E2EQ-X3B1D8-M1	688320	Proximity sensor, inductive, Fluororesin coating (base material: brass), M8, shielded	131,80
E2EQ-X4C112-M1	688322	Proximity sensor, inductive, Fluororesin coating (base material: brass), M12, shielded	95,80
E2EQ-X6C112-M1	688324	Proximity sensor, inductive, Fluororesin coating (base material: brass), M12, shielded	119,80
E2EQ-X4B1T12-M1TJ 0.3M	688326	Proximity sensor, inductive, Fluororesin coating (base material: brass), M12, shielded	113,80
E2EQ-X4B1T12-M1	688362	Sensor de proximidad, inductivo, revestimiento de fluororesina (material base: b	95,80
E2EQ-X6B1T12-M1TJ 0.3M	688328	Proximity sensor, inductive, Fluororesin coating (base material: brass), M12, shielded	149,70
E2EQ-X6B1T12-M1	688329	Sensor de proximidad, inductivo, revestimiento de fluororesina (material base: b	119,80
E2EQ-X4B1D12-M1TJ 0.3M	688331	Proximity sensor, inductive, Fluororesin coating (base material: brass), M12, shielded	113,80
E2EQ-X4B1D12-M1	688332	Proximity sensor, inductive, Fluororesin coating (base material: brass), M12, shielded	95,80
E2EQ-X6B1D12-M1TJ 0.3M	688334	Proximity sensor, inductive, Fluororesin coating (base material: brass), M12, shielded	149,70
E2EQ-X6B1D12-M1	688335	Proximity sensor, inductive, Fluororesin coating (base material: brass), M12, shielded	119,80
E2EQ-X8C118-M1	688337	Proximity sensor, inductive, Fluororesin coating (base material: brass), M18, shielded	101,80
E2EQ-X12C118-M1	688339	Proximity sensor, inductive, Fluororesin coating (base material: brass), M18, shielded	131,80

OMRON PVPR 2023

E2EQ-X8B1T18-M1TJ 0.3M	688341	Proximity sensor, inductive, Fluororesin coating (base material: brass), M18, shielded, 2 mm, 1	119,80
E2EQ-X8B1T18-M1	688363	Sensor de proximidad, inductivo, revestimiento de fluororesina (material base: latón), M18, blindado, 2 mm, 1	101,80
E2EQ-X12B1T18-M1TJ 0.3M	688342	Proximity sensor, inductive, Fluororesin coating (base material: brass), M18, shielded, 2 mm, 1	149,70
E2EQ-X12B1T18-M1	688343	Sensor de proximidad, inductivo, revestimiento de fluororesina (material base: latón), M18, blindado, 2 mm, 1	131,80
E2EQ-X8B1D18-M1	688345	Proximity sensor, inductive, Fluororesin coating (base material: brass), M12, shielded, 2 mm, 1	101,80
E2EQ-X12B1D18-M1	688347	Proximity sensor, inductive, Fluororesin coating (base material: brass), M18, shielded, 2 mm, 1	131,80
E2EQ-X15C130-M1	688349	Proximity sensor, inductive, Fluororesin coating (base material: brass), M30, shielded, 2 mm, 1	149,70
E2EQ-X22C130-M1	688351	Proximity sensor, inductive, Fluororesin coating (base material: brass), M30, shielded, 2 mm, 1	173,70
E2EQ-X10B1T30-M1	703536	Proximity sensor, inductive, Fluororesin coating (base material: brass), M30, shielded, 2 mm, 1	149,70
E2EQ-X15B1T30-M1TJ 0.3M	688353	Proximity sensor, inductive, Fluororesin coating (base material: brass), M30, shielded, 2 mm, 1	167,70
E2EQ-X15B1T30-M1	688354	Proximity sensor, inductive, Fluororesin coating (base material: brass), M30, shielded, 2 mm, 1	149,70
E2EQ-X22B1T30-M1TJ 0.3M	688356	Proximity sensor, inductive, Fluororesin coating (base material: brass), M30, shielded, 2 mm, 1	191,60
E2EQ-X22B1T30-M1	688365	Sensor de proximidad, inductivo, revestimiento de fluororesina (material base: latón), M30, blindado, 2 mm, 1	173,70
E2EQ-X15B1D30-M1	688358	Proximity sensor, inductive, Fluororesin coating (base material: brass), M12, shielded, 2 mm, 1	149,70
E2EQ-X22B1D30-M1	688360	Proximity sensor, inductive, Fluororesin coating (base material: brass), M30, shielded, 2 mm, 1	173,70
E2EW-X2B112-M1TJ 0.3M	695120	Sensor de proximidad, inductivo, carcasa totalmente metálica en acero inoxidable, M12, blindado, 2 mm, 1	114,80
E2EW-X2B212-M1TJ 0.3M	695121	Proximity sensor, inductive, full metal stainless steel 303 M12, shielded, 2 mm, 1	114,80
E2EW-X2B312-M1TJ 0.3M	695122	Proximity sensor, inductive, full metal stainless steel 303 M12, shielded, 2 mm, 1	120,90
E2EW-X2C112-M1TJ 0.3M	695213	Proximity sensor, inductive, full metal stainless steel 303 M12, shielded, 2 mm, 1	114,80
E2EW-X2C212-M1TJ 0.3M	695123	Proximity sensor, inductive, full metal stainless steel 303 M12, shielded, 2 mm, 1	114,80
E2EW-X5B118-M1TJ 0.3M	695124	Sensor de proximidad, inductivo, carcasa totalmente metálica en acero inoxidable, M18, blindado, 5 mm, 1	120,90
E2EW-X5B218-M1TJ 0.3M	695125	Proximity sensor, inductive, full metal stainless steel 303 M18, shielded, 5 mm, 1	120,90
E2EW-X5B318-M1TJ 0.3M	695126	Proximity sensor, inductive, full metal stainless steel 303 M18, shielded, 5 mm, 1	127,00
E2EW-X10B1T18-M1TJ 0.3M	695115	Sensor de proximidad, inductivo, carcasa totalmente metálica en acero inoxidable, M18, blindado, 10 mm, 1	157,10
E2EW-X10B218-M1TJ 0.3M	695130	Proximity sensor, inductive, full metal stainless steel 303 M18, shielded, 10 mm, 1	157,10
E2EW-X10B3T18-M1TJ 0.3M	695131	Proximity sensor, inductive, full metal stainless steel 303 M18, shielded, 10 mm, 1	163,20
E2EW-X12B1T18-M1TJ 0.3M	695135	Sensor de proximidad, inductivo, carcasa totalmente metálica en acero inoxidable, M18, blindado, 12 mm, 1	163,20
E2EW-X12B218-M1TJ 0.3M	695136	Proximity sensor, inductive, full metal stainless steel 303 M18, shielded, 12 mm, 1	163,20
E2EW-X12B3T18-M1TJ 0.3M	695117	Sensor de proximidad, inductivo, carcasa totalmente metálica en acero inoxidable, M18, blindado, 12 mm, 1	169,20
E2EW-X5C118-M1TJ 0.3M	695214	Proximity sensor, inductive, full metal stainless steel 303 M18, shielded, 5 mm, 1	120,90
E2EW-X5C218-M1TJ 0.3M	695137	Proximity sensor, inductive, full metal stainless steel 303 M18, shielded, 5 mm, 1	120,90
E2EW-X10C118-M1TJ 0.3M	695215	Proximity sensor, inductive, full metal stainless steel 303 M18, shielded, 10 mm, 1	157,10
E2EW-X10C218-M1TJ 0.3M	695139	Proximity sensor, inductive, full metal stainless steel 303 M18, shielded, 10 mm, 1	157,10

OMRON PVPR 2023

E2EW-X12C118-M1TJ 0.3M	695216	Proximity sensor, inductive, full metal stainless steel 303 M18, shielded, 12 mm,	163,20
E2EW-X12C218-M1TJ 0.3M	695141	Proximity sensor, inductive, full metal stainless steel 303 M18, shielded, 12 mm,	163,20
E2EW-X10B130-M1TJ 0.3M	695145	Sensor de proximidad, inductivo, carcasa totalmente metálica en acero inoxidable	133,00
E2EW-X10B230-M1TJ 0.3M	695146	Proximity sensor, inductive, full metal stainless steel 303 M30, shielded, 10 mm,	133,00
E2EW-X10B330-M1TJ 0.3M	695147	Proximity sensor, inductive, full metal stainless steel 303 M30, shielded, 10 mm,	139,00
E2EW-X20B1T30-M1TJ 0.3M	695151	Sensor de proximidad, inductivo, carcasa totalmente metálica en acero inoxidable	169,20
E2EW-X20B230-M1TJ 0.3M	695152	Proximity sensor, inductive, full metal stainless steel 303 M30, shielded, 20 mm,	169,20
E2EW-X20B3T30-M1TJ 0.3M	695153	Proximity sensor, inductive, full metal stainless steel 303 M30, shielded, 20 mm,	175,30
E2EW-X22B1T30-M1TJ 0.3M	695157	Sensor de proximidad, inductivo, carcasa totalmente metálica en acero inoxidable	175,30
E2EW-X22B230-M1TJ 0.3M	695158	Proximity sensor, inductive, full metal stainless steel 303 M30, shielded, 22 mm,	175,30
E2EW-X22B3T30-M1TJ 0.3M	695159	Proximity sensor, inductive, full metal stainless steel 303 M30, shielded, 22 mm,	181,30
E2EW-X10C130-M1TJ 0.3M	695217	Proximity sensor, inductive, full metal stainless steel 303 M30, shielded, 10 mm,	133,00
E2EW-X10C230-M1TJ 0.3M	695161	Proximity sensor, inductive, full metal stainless steel 303 M30, shielded, 10 mm,	133,00
E2EW-X20C130-M1TJ 0.3M	695218	Proximity sensor, inductive, full metal stainless steel 303 M30, shielded, 20 mm,	169,20
E2EW-X20C230-M1TJ 0.3M	695163	Proximity sensor, inductive, full metal stainless steel 303 M30, shielded, 20 mm,	169,20
E2EW-X22C130-M1TJ 0.3M	695219	Proximity sensor, inductive, full metal stainless steel 303 M30, shielded, 22 mm,	175,30
E2EW-X22C230-M1TJ 0.3M	695165	Proximity sensor, inductive, full metal stainless steel 303 M30, shielded, 22 mm,	175,30
E2EW-QX2B112-M1TJ 0.3M	695166	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M12, sl	133,00
E2EW-QX2B212-M1TJ 0.3M	695167	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M12, sl	133,00
E2EW-QX2B312-M1TJ 0.3M	695168	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M12, sl	139,00
E2EW-QX2C112-M1TJ 0.3M	695220	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M12, sl	133,00
E2EW-QX2C212-M1TJ 0.3M	695169	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M12, sl	133,00
E2EW-QX5B118-M1TJ 0.3M	695170	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M18, sl	139,00
E2EW-QX5B218-M1TJ 0.3M	695171	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M18, sl	139,00
E2EW-QX5B318-M1TJ 0.3M	695172	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M18, sl	145,10
E2EW-QX10B1T18-M1TJ 0.3M	695176	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M18, sl	175,30
E2EW-QX10B218-M1TJ 0.3M	695177	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M18, sl	175,30
E2EW-QX10B3T18-M1TJ 0.3M	695178	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M18, sl	181,30
E2EW-QX12B1T18-M1TJ 0.3M	695182	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M18, sl	181,30
E2EW-QX12B218-M1TJ 0.3M	695183	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M18, sl	181,30
E2EW-QX12B3T18-M1TJ 0.3M	695184	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M18, sl	187,30
E2EW-QX5C118-M1TJ 0.3M	695221	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M18, sl	139,00
E2EW-QX5C218-M1TJ 0.3M	695185	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M18, sl	139,00

OMRON PVPR 2023

E2EW-QX10C118-M1TJ 0.3M	695222	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M18, sl	175,30
E2EW-QX10C218-M1TJ 0.3M	695187	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M18, sl	175,30
E2EW-QX12C118-M1TJ 0.3M	695223	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M18, sl	181,30
E2EW-QX12C218-M1TJ 0.3M	695189	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M18, sl	181,30
E2EW-QX10B130-M1TJ 0.3M	695193	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M30, sl	151,10
E2EW-QX10B230-M1TJ 0.3M	695194	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M30, sl	151,10
E2EW-QX10B330-M1TJ 0.3M	695195	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M30, sl	157,10
E2EW-QX20B1T30-M1TJ 0.3M	695199	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M30, sl	187,30
E2EW-QX20B230-M1TJ 0.3M	695200	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M30, sl	187,30
E2EW-QX20B3T30-M1TJ 0.3M	695201	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M30, sl	193,40
E2EW-QX22B1T30-M1TJ 0.3M	695205	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M30, sl	193,40
E2EW-QX22B230-M1TJ 0.3M	695206	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M30, sl	193,40
E2EW-QX22B3T30-M1TJ 0.3M	695207	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M30, sl	199,50
E2EW-QX10C130-M1TJ 0.3M	695224	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M30, sl	151,10
E2EW-QX10C230-M1TJ 0.3M	695209	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M30, sl	151,10
E2EW-QX20C130-M1TJ 0.3M	695225	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M30, sl	187,30
E2EW-QX20C230-M1TJ 0.3M	695211	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M30, sl	187,30
E2EW-QX22C130-M1TJ 0.3M	695226	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M30, sl	193,40
E2EW-QX22C230-M1TJ 0.3M	695119	Proximity sensor, inductive, fluororesin coating (base material: SUS 303) M30, sl	193,40
E2EW-X6B1T12-M1TJ 0.3M	702387	Proximity sensor, inductive, full metal stainless steel 303, M12, shielded, 6 mm,	131,60
E2EW-X6B3T12-M1TJ 0.3M	702392	Proximity sensor, inductive, full metal stainless steel 303, M12, shielded, 6 mm,	137,70
E2EW-X6B1T12-M1	702386	Proximity sensor, inductive, full metal stainless steel 303, M12, shielded, 6 mm,	125,70
E2EW-X6B212-M1	702389	Proximity sensor, inductive, full metal stainless steel 303, M12, shielded, 6 mm,	125,70
E2EW-X6B3T12-M1	702391	Proximity sensor, inductive, full metal stainless steel 303, M12, shielded, 6 mm,	131,60
E2EW-X7B1T12-M1TJ 0.3M	702398	Proximity sensor, inductive, full metal stainless steel 303, M12, shielded, 7 mm,	137,70
E2EW-X7B3T12-M1TJ 0.3M	702403	Proximity sensor, inductive, full metal stainless steel 303, M12, shielded, 7 mm,	143,60
E2EW-X7B1T12-M1	702397	Proximity sensor, inductive, full metal stainless steel 303, M12, shielded, 7 mm,	131,60
E2EW-X7B212-M1	702400	Proximity sensor, inductive, full metal stainless steel 303, M12, shielded, 7 mm,	131,60
E2EW-X7B3T12-M1	702402	Proximity sensor, inductive, full metal stainless steel 303, M12, shielded, 7 mm,	137,70
E2EW-X6C112-M1	702394	Proximity sensor, inductive, full metal stainless steel 303, M12, shielded, 6 mm,	125,70
E2EW-X6C312-M1	702395	Proximity sensor, inductive, full metal stainless steel 303, M12, shielded, 6 mm,	131,60
E2EW-X7C112-M1	702318	Proximity sensor, inductive, full metal stainless steel 303, M12, shielded, 7 mm,	131,60
E2EW-X7C312-M1	702319	Proximity sensor, inductive, full metal stainless steel 303, M12, shielded, 7 mm,	137,70

OMRON PVPR 2023

E2EW-X10B1T18-M1	702365	Proximity sensor, inductive, full metal stainless steel 303, M18, shielded, 10 mm	149,60
E2EW-X10B218-M1	702366	Proximity sensor, inductive, full metal stainless steel 303, M18, shielded, 10 mm	149,60
E2EW-X10B3T18-M1	702367	Proximity sensor, inductive, full metal stainless steel 303, M18, shielded, 10 mm	155,60
E2EW-X12B1T18-M1	702370	Proximity sensor, inductive, full metal stainless steel 303, M18, shielded, 12 mm	155,60
E2EW-X12B218-M1	702371	Proximity sensor, inductive, full metal stainless steel 303, M18, shielded, 12 mm	155,60
E2EW-X12B3T18-M1	702372	Proximity sensor, inductive, full metal stainless steel 303, M18, shielded, 12 mm	161,60
E2EW-X10C118-M1	702368	Proximity sensor, inductive, full metal stainless steel 303, M18, shielded, 10 mm	149,60
E2EW-X10C318-M1	702369	Proximity sensor, inductive, full metal stainless steel 303, M18, shielded, 10 mm	155,60
E2EW-X12C118-M1	702373	Proximity sensor, inductive, full metal stainless steel 303, M18, shielded, 12 mm	155,60
E2EW-X12C318-M1	702374	Proximity sensor, inductive, full metal stainless steel 303, M18, shielded, 12 mm	161,60
E2EW-X20B1T30-M1	702375	Proximity sensor, inductive, full metal stainless steel 303, M30, shielded, 20 mm	161,60
E2EW-X20B230-M1	702376	Proximity sensor, inductive, full metal stainless steel 303, M30, shielded, 20 mm	161,60
E2EW-X20B3T30-M1	702377	Proximity sensor, inductive, full metal stainless steel 303, M30, shielded, 20 mm	167,50
E2EW-X22B1T30-M1	702380	Proximity sensor, inductive, full metal stainless steel 303, M30, shielded, 22 mm	167,50
E2EW-X22B230-M1	702381	Proximity sensor, inductive, full metal stainless steel 303, M30, shielded, 22 mm	167,50
E2EW-X22B3T30-M1	702382	Proximity sensor, inductive, full metal stainless steel 303, M30, shielded, 22 mm	173,60
E2EW-X20C130-M1	702378	Proximity sensor, inductive, full metal stainless steel 303, M30, shielded, 20 mm	161,60
E2EW-X20C330-M1	702379	Proximity sensor, inductive, full metal stainless steel 303, M30, shielded, 20 mm	167,50
E2EW-X22C130-M1	702383	Proximity sensor, inductive, full metal stainless steel 303, M30, shielded, 22 mm	167,50
E2EW-X22C330-M1	702384	Proximity sensor, inductive, full metal stainless steel 303, M30, shielded, 22 mm	173,60
E2EW-QX6B1T12-M1TJ 0.3M	702342	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M12, s	149,60
E2EW-QX6B3T12-M1TJ 0.3M	702347	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M12, s	155,60
E2EW-QX6B1T12-M1	702341	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M12, s	143,60
E2EW-QX6B212-M1	702344	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M12, s	143,60
E2EW-QX6B3T12-M1	702346	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M12, s	149,60
E2EW-QX7B1T12-M1TJ 0.3M	702354	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M12, s	155,60
E2EW-QX7B3T12-M1TJ 0.3M	702359	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M12, s	161,60
E2EW-QX7B1T12-M1	702353	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M12, s	149,60
E2EW-QX7B212-M1	702356	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M12, s	149,60
E2EW-QX7B3T12-M1	702358	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M12, s	155,60
E2EW-QX6C112-M1	702349	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M12, s	143,60
E2EW-QX6C312-M1	702351	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M12, s	149,60
E2EW-QX7C112-M1TJ 0.3M	702362	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M12, s	155,60

OMRON PVPR 2023

E2EW-QX7C112-M1	702361	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M12, s	149,60
E2EW-QX7C312-M1	702364	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M12, s	155,60
E2EW-QX10B1T18-M1	702320	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M18, s	167,50
E2EW-QX10B218-M1	702321	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M18, s	167,50
E2EW-QX10B3T18-M1	702322	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M18, s	173,60
E2EW-QX12B1T18-M1	702325	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M18, s	173,60
E2EW-QX12B218-M1	702326	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M18, s	173,60
E2EW-QX12B3T18-M1	702327	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M18, s	179,50
E2EW-QX10C118-M1	702323	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M18, s	167,50
E2EW-QX10C318-M1	702324	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M18, s	173,60
E2EW-QX12C118-M1	702328	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M18, s	173,60
E2EW-QX12C318-M1	702329	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M18, s	179,50
E2EW-QX20B1T30-M1	702330	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M30, s	179,50
E2EW-QX20B230-M1	702331	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M30, s	179,50
E2EW-QX20B3T30-M1	702332	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M30, s	185,50
E2EW-QX22B1T30-M1	702335	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M30, s	185,50
E2EW-QX22B230-M1	702336	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M30, s	185,50
E2EW-QX22B3T30-M1	702337	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M30, s	191,50
E2EW-QX20C130-M1	702333	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M30, s	179,50
E2EW-QX20C330-M1	702334	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M30, s	185,50
E2EW-QX22C130-M1	702338	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M30, s	185,50
E2EW-QX22C330-M1	702339	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M30, s	191,50
E2EW-QX3D112-M1TGJ 0.3M	708165	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M12, s	114,50
E2E-X3D1-M1	708785	2h cc Enr 3mm M12 NA Conector M12	87,20
E2E-X7D2-M1	708789	Corto 2h cc Enr 7mm M18 NC Conector M12	82,25
E2E-X8MD1-M1	708800	Corto 2h cc NoEnr 8mm M12 NA Conector M12	87,20
E2E-X7D1-M1GJ-T 0.3M	708760	Corto 2h cc Enr 7mm M18 NA Cable 0,3M+M12 Sin polaridad	118,20
E2E-X2D1-M1G	708762	Corto 2h cc Enr 2mm M8 NA Conector M12	90,15
E2E-X2D2-M1G	708819	2h cc Enr 2mm M8 NC Conector M12	115,30
E2E-X4MD1-M1G	708763	Corto 2h cc NoEnr 4mm M8 NA Conector M12	90,15
E2E-X3D1-M1GJ 0.3M	708764	Corto 2h cc Enr 3mm M18 NA Conector M12 + Cable 0,3m	112,30
E2E-X7D1-M1GJ 0.3M	708765	Corto 2h cc Enr 7mm M18 NA Cable 0,3M+M12	119,70
E2E-X3D1-M1G	708766	Corto 2h cc Enr 3mm M12 NA Conector M12	87,20

OMRON PVPR 2023

E2E-X3D2-M1G	708767	Corto 2h cc Enr 3mm M12 NC Conector M12	87,20
E2E-X7D1-M1G	708768	Corto 2h cc Enr 7mm M18 NA Conector M12	94,60
E2E-X7D2-M1G	708748	Corto 2h cc Enr 7mm M18 NC Conector M12	94,60
E2E-X10D1-M1G	708749	Corto 2h ca Enr 10mm M30 NA Conector M12	109,30
E2E-X8MD1-M1G	708750	Corto 2h cc NoEnr 8mm M12 NA Conector M12	87,20
E2E-X8MD2-M1G	708824	Corto 2h cc NoEnr 8mm M12 NC Conector M12	87,20
E2E-X14MD1-M1G	708751	Corto 2h cc NoEnr 14mm M18 NA Conector M12	94,60
E2E-X20MD1-M1G	708825	Corto 2h cc NoEnr 20mm M30 NA Conector M12	103,50
E2E-X7D1-M1GJ 0.5M	708828	Corto 2h cc Enr 7mm M18 NA Cable 0,5M+M12	127,30
E2E-X7D1-M1GJ 1M	708829	Corto 2h cc Enr 7mm M18 NA Cable 1M+M12	136,00
E2E-X14MD1-M1GJ 0.3M	708753	Corto 2h cc NoEnr 14mm M18 NA Conector M12 + Cable 0,3m	116,80
E2E-X7D2-M1GJ 0.3M	708838	Corto 2h cc Enr 7mm M18 NC Conector M12 + Cable 0,3m	147,90
E2E-X3D2-M1GJ 0.3M	708839	Corto 2h cc Enr 3mm M18 NC Conector M12 + Cable 0,3m	114,40
E2E-X4D1-M1J-T 0.3M	708681	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 2	73,30
E2E-X4D2-M1J-T 0.3M	708682	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 2	73,30
E2E-X8D1-M1J-T 0.3M	708693	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 2	85,80
E2E-X8D1-M1GJ-T-1 0.3M	708694	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 2	90,10
E2E-X15D1-M1J-T 0.3M	708658	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 2	101,50
E2E-X15D1-M1TJ-T 0.3M	708657	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 2	101,50
E2E-X30MD1L-M1J-T 0.3M	708698	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 2	112,40
E2E-X30MD1L-M1TJ-T 0.3M	708699	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 2	112,40
E2EQ-X15D130-M1TJ-T 0.3M	708655	Proximity sensor, inductive, Fluororesin coating (base material: brass), short bod	247,70
E2A-S08KN04-M5-B1	183894	Inox Corto 3h NoEnr 4mm M8 PNP NA Conector M8 3pines	84,25
E2A-S08KS02-M5-C1	183897	Inox Corto 3h Enr 2mm M8 NPN NA Conector M8 3pines	82,75
E2A-S08LN04-M5-C1	183900	Inox Largo 3h NoEnr 4mm M8 NPN NA Conector M8 3pines	87,30
E2A-S08LS02-M5-B1	183903	Inox Largo 3h Enr 2mm M8 PNP NA Conector M8 3pines	87,30
E2A-S08KN04-M5-C1	183921	Inox Corto 3h NoEnr 4mm M8 NPN NA Conector M8 3pines	84,25
E2A-S08KS02-M5-B1	183933	Inox Corto 3h Enr 2mm M8 PNP NA Conector M8 3pines	82,75
E2A-S08KS02-M5-B2	183934	Inox Corto 3h Enr 2mm M8 PNP NC Conector M8 3pines	82,75
E2A-S08LN04-M5-B1	183946	Inox Largo 3h NoEnr 4mm M8 PNP NA Conector M8 3pines	87,30
E2A-S08LN04-M5-B2	183947	Inox Largo 3h NoEnr 4mm M8 PNP NC Conector M8 3pines	87,30
E2A-S08LS02-M5-B2	183959	Inox Largo 3h Enr 2mm M8 PNP NC Conector M8 3pines	87,30
E2A-S08LS02-M5-C1	183960	Inox Largo 3h Enr 2mm M8 NPN NA Conector M8 3pines	87,30

OMRON PVPR 2023

E2A-S08KS02-M5-C2	232021	Inox Corto 3h Enr 2mm M8 NPN NC Conector M8 3pines	82,75
E2A-S08KS02-M5-C1-4	368980	Sensor de proximidad, inductivo, acero inoxidable, cuerpo corto, M8, apantallado	98,20
E2A-S08LS02-M5-C1-4	368981	Inox Largo 3h Enr 2mm M8 NPN NA Conector M8 3pines, pines oro	108,90
E2E-C03SR8-CJ-B1 0.3M	375480	Inductivo dia.3mm Enrasado 2mm 3h PNP NA Cable 0,3 + Conector M8	87,90
E2E-C03SR8-CJ-B2 0.3M	375481	Inductivo dia.3mm Enrasado 2mm 3h PNP NC Cable 0,3 + Conector M8	87,90
E2E-C03SR8-CJ-C2 0.3M	375482	Inductivo dia.3mm Enrasado 2mm 3h NPN NC Cable 0,3 + Conector M8	87,90
E2E-C03N02-CJ-B1 0.3M	375485	Inductivo dia.3mm No enr 2mm 3h PNP NA Cable 0,3 + Conector M8	128,60
E2E-C03N02-CJ-B2 0.3M	375486	Inductivo dia.3mm No enr 2mm 3h PNP NC Cable 0,3 + Conector M8	128,60
E2E-C03N02-CJ-C1 0.3M	375487	Inductivo dia.3mm No enr 2mm 3h NPN NA Cable 0,3 + Conector M8	128,60
E2E-C03N02-CJ-C2 0.3M	375488	Inductivo dia.3mm No enr 2mm 3h NPN NC Cable 0,3 + Conector M8	128,60
E2E-S04SR8-CJ-B2 0.3M	375489	Inductivo dia.M4 Enrasado 0,8mm 3h PNP NC Cable 0,3 + Conector M8	87,90
E2E-S04SR8-CJ-C2 0.3M	375490	Inductivo dia.M4 Enrasado 0,8mm 3h NPN NC Cable 0,3 + Conector M8	87,90
E2E-S04N02-CJ-B1 0.3M	375493	Inductivo dia.M4 No enr 2mm 3h PNP NA Cable 0,3 + Conector M8	128,60
E2E-S04N02-CJ-B2 0.3M	375494	Inductivo dia.M4 No enr 2mm 3h PNP NC Cable 0,3 + Conector M8	128,60
E2E-S04N02-CJ-C1 0.3M	375495	Inductivo dia.M4 No enr 2mm 3h NPN NA Cable 0,3 + Conector M8	128,60
E2E-S04N02-CJ-C2 0.3M	375496	Inductivo dia.M4 No enr 2mm 3h NPN NC Cable 0,3 + Conector M8	128,60
E2E-C04S12-CJ-B2 0.3M	375498	Inductivo dia.4mm Enrasado 1,2mm 3h PNP NC Cable 0,3 + Conector M8	60,60
E2E-C04S12-CJ-C2 0.3M	375499	Inductivo dia.4mm Enrasado 1,2mm 3h NPN NC Cable 0,3 + Conector M8	60,60
E2E-C04S12-MC-B2	375500	Inductivo dia.4mm Enrasado 1,2mm 3h PNP NC Conector M8 3 pines	53,80
E2E-C04S12-MC-C2	375501	Inductivo dia.4mm Enrasado 1,2mm 3h NPN NC Conector M8 3 pines	53,80
E2E-C04N03-CJ-B1 0.3M	375504	Inductivo dia.4mm No enr 3mm 3h PNP NA Cable 0,3 + Conector M8	87,90
E2E-C04N03-CJ-B2 0.3M	375505	Inductivo dia.4mm No enr 3mm 3h PNP NC Cable 0,3 + Conector M8	87,90
E2E-C04N03-CJ-C1 0.3M	375506	Inductivo dia.4mm No enr 3mm 3h NPN NA Cable 0,3 + Conector M8	87,90
E2E-C04N03-CJ-C2 0.3M	375507	Inductivo dia.4mm No enr 3mm 3h NPN NC Cable 0,3 + Conector M8	87,90
E2E-C04N03-MC-B1	375508	Inductivo dia.4mm No enr 3mm 3h PNP NA Conector M8 3 pines	81,35
E2E-C04N03-MC-B2	375509	Inductivo dia.4mm No enr 3mm 3h PNP NC Conector M8 3 pines	81,35
E2E-C04N03-MC-C1	375510	Inductivo dia.4mm No enr 3mm 3h NPN NA Conector M8 3 pines	81,35
E2E-C04N03-MC-C2	375511	Inductivo dia.4mm No enr 3mm 3h NPN NC Conector M8 3 pines	81,35
E2E-S05S12-CJ-B2 0.3M	375512	Inductivo dia.M5 Enrasado 1,2mm 3h PNP NC Cable 0,3 + Conector M8	60,60
E2E-S05S12-CJ-C2 0.3M	375513	Inductivo dia.M5 Enrasado 1,2mm 3h NPN NC Cable 0,3 + Conector M8	60,60
E2E-S05S12-MC-B2	375514	Inductivo dia.M5 Enrasado 1,2mm 3h PNP NC Conector M8 3 pines	53,80
E2E-S05S12-MC-C2	375515	Inductivo dia.M5 Enrasado 1,2mm 3h NPN NC Conector M8 3 pines	53,80
E2E-S05N03-CJ-B1 0.3M	375518	Inductivo dia.M5 No enr 3mm 3h PNP NA Cable 0,3 + Conector M8	74,75

OMRON PVPR 2023

E2E-S05N03-CJ-B2 0.3M	375519	Inductivo dia.M5 No enr 3mm 3h PNP NC Cable 0,3 + Conector M8	87,90
E2E-S05N03-CJ-C1 0.3M	375520	Inductivo dia.M5 No enr 3mm 3h NPN NA Cable 0,3 + Conector M8	87,90
E2E-S05N03-CJ-C2 0.3M	375521	Inductivo dia.M5 No enr 3mm 3h NPN NC Cable 0,3 + Conector M8	87,90
E2E-S05N03-MC-B1	375522	Inductivo dia.M5 No enr 3mm 3h PNP NA Conector M8 3 pines	87,90
E2E-S05N03-MC-B2	375523	Inductivo dia.M5 No enr 3mm 3h PNP NC Conector M8 3 pines	81,35
E2E-S05N03-MC-C1	375524	Inductivo dia.M5 No enr 3mm 3h NPN NA Conector M8 3 pines	81,35
E2E-S05N03-MC-C2	375525	Inductivo dia.M5 No enr 3mm 3h NPN NC Conector M8 3 pines	81,35
E2E-C06S02-CJ-B2 0.3M	375527	Inductivo dia.6,5mm Enrasado 2mm 3h PNP NC Cable 0,3 + Conector M8	60,60
E2E-C06S02-CJ-C2 0.3M	375528	Inductivo dia.6,5mm Enrasado 2mm 3h NPN NC Cable 0,3 + Conector M8	60,60
E2E-C06S02-MC-B2	375529	Inductivo dia.6,5mm Enrasado 2mm 3h PNP NC Conector M8 3 pines	53,80
E2E-C06S02-MC-C2	375530	Inductivo dia.6,5mm Enrasado 2mm 3h NPN NC Conector M8 3 pines	53,80
E2E-C06N04-CJ-B1 0.3M	375533	Inductivo dia.6,5mm No enr 4mm 3h PNP NA Cable 0,3 + Conector M8	87,90
E2E-C06N04-CJ-B2 0.3M	375534	Inductivo dia.6,5mm No enr 4mm 3h PNP NC Cable 0,3 + Conector M8	87,90
E2E-C06N04-CJ-C1 0.3M	375535	Inductivo dia.6,5mm No enr 4mm 3h NPN NA Cable 0,3 + Conector M8	87,90
E2E-C06N04-CJ-C2 0.3M	375536	Inductivo dia.6,5mm No enr 4mm 3h NPN NC Cable 0,3 + Conector M8	87,90
E2E-C06N04-MC-B1	375537	Inductivo dia.6,5mm No enr 4mm 3h PNP NA Conector M8 3 pines	81,35
E2E-C06N04-MC-B2	375538	Inductivo dia.6,5mm No enr 4mm 3h PNP NC Conector M8 3 pines	81,35
E2E-C06N04-MC-C1	375539	Inductivo dia.6,5mm No enr 4mm 3h NPN NA Conector M8 3 pines	81,35
E2E-C06N04-MC-C2	375540	Inductivo dia.6,5mm No enr 4mm 3h NPN NC Conector M8 3 pines	81,35
E2E-C03SR8-CJ-C1 0.3M	375543	Inductivo dia.3mm Enrasado 2mm 3h NPN NA Cable 0,3 + Conector M8	87,90
E2E-S04SR8-CJ-B1 0.3M	375550	Inductivo dia.M4 Enrasado 0,8mm 3h PNP NA Cable 0,3 + Conector M8	115,50
E2E-S04SR8-CJ-C1 0.3M	375551	Inductivo dia.M4 Enrasado 0,8mm 3h NPN NA Cable 0,3 + Conector M8	87,90
E2E-C04S12-CJ-B1 0.3M	375557	Inductivo dia.4mm Enrasado 1,2mm 3h PNP NA Cable 0,3 + Conector M8	60,60
E2E-C04S12-CJ-C1 0.3M	375558	Inductivo dia.4mm Enrasado 1,2mm 3h NPN NA Cable 0,3 + Conector M8	60,60
E2E-C04S12-MC-B1	375559	Inductivo dia.4mm Enrasado 1,2mm 3h PNP NA Conector M8 3 pines	53,80
E2E-C04S12-MC-C1	375560	Inductivo dia.4mm Enrasado 1,2mm 3h NPN NA Conector M8 3 pines	53,80
E2E-S05S12-CJ-B1 0.3M	375567	Inductivo dia.M5 Enrasado 1,2mm 3h PNP NA Cable 0,3 + Conector M8	74,75
E2E-S05S12-CJ-C1 0.3M	375568	Inductivo dia.M5 Enrasado 1,2mm 3h NPN NA Cable 0,3 + Conector M8	60,60
E2E-S05S12-MC-B1	375569	Inductivo dia.M5 Enrasado 1,2mm 3h PNP NA Conector M8 3 pines	60,60
E2E-S05S12-MC-C1	375570	Inductivo dia.M5 Enrasado 1,2mm 3h NPN NA Conector M8 3 pines	53,80
E2E-C06S02-CJ-B1 0.3M	375576	Inductivo dia.6,5mm Enrasado 2mm 3h PNP NA Cable 0,3 + Conector M8	60,60
E2E-C06S02-CJ-C1 0.3M	375577	Inductivo dia.6,5mm Enrasado 2mm 3h NPN NA Cable 0,3 + Conector M8	60,60
E2E-C06S02-MC-B1	375578	Inductivo dia.6,5mm Enrasado 2mm 3h PNP NA Conector M8 3 pines	53,80

OMRON PVPR 2023

E2E-C06S02-MC-C1	375579	Inductivo dia.6,5mm Enrasado 2mm 3h NPN NA Conector M8 3 pines	53,80
E2B-S08KS02-MC-B1-20	392626	Multi Pack E2B incluye 20 unidades E2B-S08KS02-MC-B1	345,00
E2A-S08KN04-M5-B2	401326	Inox Corto 3h NoEnr 4mm M8 PNP NC Conector M8 3pines	84,25
E2A-S08KN04-M5-C2	406768	Inox Corto 3h NoEnr 4mm M8 NPN NC Conector M8 3pines	84,25
E2A-M12KS04-M5-B1	659199	Corto 3h Enr 4mm M12 PNP NA Conector M8 3pines	65,05
E2A-M12KN08-M5-B1	659160	Corto 3h NoEnr 8mm M12 PNP NA Conector M8 3pines	65,05
E2A-M12LS04-M5-B1	659190	Largo 3h Enr 4mm M12 PNP NA Conector M8 3pines	66,15
E2A-M18KS08-M5-B1	659164	Corto 3h Enr 8mm M18 PNP NA Conector M8	71,15
E2A-S12KS04-M5-B1	659216	Inox Corto 3h Enr 4mm M12 NPN NA Conector M8	79,80
E2A-S08KS01-M5-B1	659197	Inox Corto 3h Enr 1mm M8 PNP NA Conector M8 3 pines	84,25
E2A-S12KS04-M5-B2	659605	Inox Corto 3h Enr 4mm M12 NPN NC Conector M8	79,80
E2B-S08KS02-MC-C1-20	671225	Multi Pack E2B incluye 20 unidades E2B-S08KS02-MC-C1	345,00
E2B-S08LS01-MC-C1	674645	Inductivo Inox M8 Largo Enrasado 1mm 3h NPN NA Conector M8 Lite	34,78
E2B-S08LN02-MC-B1	674358	Inductivo Inox M8 Largo No enr 2mm 3h PNP NA Conector M8 Lite	34,78
E2B-S08LN02-MC-C2	674389	Inductivo Inox M8 Largo No enr 2mm 3h NPN NC Conector M8 Lite	34,78
E2B-S08KN04-MC-C2	674654	Inductivo Inox M8 No enr 4mm 3h NPN NC Conector M8 Lite	32,29
E2B-S08KS01-MC-C1	674375	Inductivo Inox M8 Enrasado 1mm 3h NPN NA Conector M8 Lite	29,95
E2B-S08KS02-MC-B1	674396	Inductivo Inox M8 Enrasado 2mm 3h PNP NA Conector M8 Lite	32,29
E2B-S08LN02-MC-B2	674519	Inductivo Inox M8 Largo No enr 2mm 3h PNP NC Conector M8 Lite	34,78
E2B-S08KS01-MC-B1	674421	Inductivo Inox M8 Enrasado 1mm 3h PNP NA Conector M8 Lite	29,95
E2B-S08LS02-MC-B1	674636	Inductivo Inox M8 Largo Enrasado 2mm 3h PNP NA Conector M8 Lite	37,49
E2B-S08LS02-MC-C1	674608	Inductivo Inox M8 Largo Enrasado 2mm 3h NPN NA Conector M8 Lite	37,49
E2B-S08KN04-MC-B1	674629	Inductivo Inox M8 No enr 4mm 3h PNP NA Conector M8 Lite	32,29
E2B-S08LN04-MC-C2	674638	Inductivo Inox M8 Largo No enr 4mm 3h NPN NC Conector M8 Lite	37,49
E2B-S08KS01-MC-B2	674471	Inductivo Inox M8 Enrasado 1mm 3h PNP NC Conector M8 Lite	29,95
E2B-S08KS01-MC-C2	674313	Inductivo Inox M8 Enrasado 1mm 3h NPN NC Conector M8 Lite	29,95
E2B-S08KN02-MC-B1	674678	Inductivo Inox M8 No enr 2mm 3h PNP NA Conector M8 Lite	29,95
E2B-S08KN02-MC-B2	674457	Inductivo Inox M8 No enr 2mm 3h PNP NC Conector M8 Lite	29,95
E2B-S08LS02-MC-B2	674478	Inductivo Inox M8 Largo Enrasado 2mm 3h PNP NC Conector M8 Lite	37,49
E2B-S08LS01-MC-C2	674357	Inductivo Inox M8 Largo Enrasado 1mm 3h NPN NC Conector M8 Lite	34,78
E2B-S08KN02-MC-C1	674443	Inductivo Inox M8 No enr 2mm 3h NPN NA Conector M8 Lite	29,95
E2B-S08KN02-MC-C2	674319	Inductivo Inox M8 No enr 2mm 3h NPN NC Conector M8 Lite	29,95
E2B-S08LS02-MC-C2	674371	Inductivo Inox M8 Largo Enrasado 2mm 3h NPN NC Conector M8 Lite	37,49

OMRON PVPR 2023

E2B-S08LN04-MC-C1	674642	Inductivo Inox M8 Largo No enr 4mm 3h NPN NA Conector M8 Lite	37,49
E2B-S08KS02-MC-C1	674606	Inductivo Inox M8 Enrasado 2mm 3h NPN NA Conector M8 Lite	32,29
E2B-S08KN04-MC-C1	674672	Inductivo Inox M8 No enr 4mm 3h NPN NA Conector M8 Lite	32,29
E2B-S08KN04-MC-B2	674494	Inductivo Inox M8 No enr 4mm 3h PNP NC Conector M8 Lite	32,29
E2B-S08LN04-MC-B2	674373	Inductivo Inox M8 Largo No enr 4mm 3h PNP NC Conector M8 Lite	37,49
E2B-S08LS01-MC-B1	674552	Inductivo Inox M8 Largo Enrasado 1mm 3h PNP NA Conector M8 Lite	34,78
E2B-S08LN02-MC-C1	674407	Inductivo Inox M8 Largo No enr 2mm 3h NPN NA Conector M8 Lite	34,78
E2B-S08KS02-MC-B2	674625	Inductivo Inox M8 Enrasado 2mm 3h PNP NC Conector M8 Lite	32,29
E2B-S08LN04-MC-B1	674487	Inductivo Inox M8 Largo No enr 4mm 3h PNP NA Conector M8 Lite	37,49
E2B-S08LS01-MC-B2	674424	Inductivo Inox M8 Largo Enrasado 1mm 3h PNP NC Conector M8 Lite	34,78
E2B-S08KS02-MC-C2	674317	Inductivo Inox M8 Enrasado 2mm 3h NPN NC Conector M8 Lite	32,29
E2E-X1R5C18-M5	699627	Proximity sensor, inductive, short SUS body M8, shielded, 1.5 mm, DC, 3-wire, NPN	63,30
E2E-X2C18-M5	696145	Sensor de proximidad, inductivo, cuerpo sus corto M8, blindado, 2 mm, DC, 3 hilos	63,30
E2E-X2C28-M5	696187	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, NPN	63,30
E2E-X3C18-M5	691136	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, NPN	74,80
E2E-X3C28-M5	691135	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, NPN	74,80
E2E-X4C18-M5	694980	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, NPN	82,85
E2E-X4C28-M5	707419	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, NPN	82,85
E2E-X4MC18-M5	696143	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, NPN	63,30
E2E-X4MC28-M5	698868	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, NPN	63,30
E2E-X1R5C1L8-M5	699650	Proximity sensor, inductive, long SUS body M8, shielded, 1.5 mm, DC, 3-wire, NPN	69,05
E2E-X2C1L8-M5	696228	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, NPN	69,05
E2E-X2C2L8-M5	698703	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, NPN	69,05
E2E-X4C1L8-M5	699439	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, NPN	80,55
E2E-X4MC1L8-M5	696141	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, NPN	69,05
E2E-X4MC2L8-M5	699656	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, NPN	69,05
E2E-X1R5B1T8-M5	698869	Proximity sensor, inductive, SUS short body, M8, shielded, 1.5 mm, DC, 3-wire, PNP	63,30
E2E-X2B1T8-M5	687535	Sensor de proximidad, inductivo, cuerpo corto de SUS, M8, apantallado, 2 mm, DC	63,30
E2E-X2B28-M5	694114	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, PNP	63,30
E2E-X3B1T8-M5	687533	Sensor de proximidad, inductivo, cuerpo corto de SUS, M8, apantallado, 3 mm, DC	75,95
E2E-X3B28-M5	689462	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, PNP	75,95
E2E-X4B1T8-M5	687529	Sensor de proximidad, inductivo, cuerpo corto de SUS, M8, apantallado, 4 mm, DC	82,85
E2E-X4B28-M5	698679	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP	80,55

OMRON PVPR 2023

E2E-X2MB1T8-M5	699524	Proximity sensor, inductive, short SUS body M8, unshielded, 2 mm, DC, 3-wire, PNP	63,30
E2E-X4MB1T8-M5	688096	Sensor de proximidad, inductivo, cuerpo corto de SUS, M8, no apantallado, 4 mm, DC, 3-wire, PNP	63,30
E2E-X4MB28-M5	695867	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP	63,30
E2E-X6MB1T8-M5	688090	Sensor de proximidad, inductivo, cuerpo corto de SUS, M8, no apantallado, 6 mm, DC, 3-wire, PNP	74,80
E2E-X6MB28-M5	698700	Proximity sensor, inductive, short SUS body M8, unshielded, 6 mm, DC, 3-wire, PNP	74,80
E2E-X8MB1T8-M5	688086	Sensor de proximidad, inductivo, cuerpo corto de SUS, M8, no apantallado, 8 mm, DC, 3-wire, PNP	80,55
E2E-X8MB28-M5	698697	Proximity sensor, inductive, short SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP	80,55
E2E-X1R5B1TL8-M5	698870	Proximity sensor, inductive, SUS long body, M8, shielded, 1.5 mm, DC, 3-wire, PNP	69,05
E2E-X2B1TL8-M5	688083	Sensor de proximidad, inductivo, cuerpo largo de SUS, M8, apantallado, 2 mm, DC, 3-wire, PNP	69,05
E2E-X2B2L8-M5	695866	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, PNP	69,05
E2E-X3B1TL8-M5	688078	Proximity sensor, inductive, long brass body M8, shielded, 3 mm, DC, 3-wire, PNP	74,80
E2E-X3B2L8-M5	698673	Proximity sensor, inductive, long brass body M8, shielded, 3 mm, DC, 3-wire, PNP	74,80
E2E-X4B1TL8-M5	688075	Sensor de proximidad, inductivo, cuerpo largo de latón, M8, apantallado, 4 mm, DC, 3-wire, PNP	80,55
E2E-X4B2L8-M5	698669	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PNP	80,55
E2E-X4MB1TL8-M5	688070	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP	69,05
E2E-X4MB2L8-M5	695864	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP	69,05
E2E-X6MB1TL8-M5	687994	Proximity sensor, inductive, long SUS body M8, unshielded, 6 mm, DC, 3-wire, PNP	74,80
E2E-X6MB2L8-M5	698694	Proximity sensor, inductive, long SUS body M8, unshielded, 6 mm, DC, 3-wire, PNP	74,80
E2E-X8MB1TL8-M5	688020	Proximity sensor, inductive, long SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP	80,55
E2E-X8MB2L8-M5	698691	Proximity sensor, inductive, long SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP	80,55
E2E-X3B1D8-M5	689357	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, PNP	75,95
E2E-X3B1DL8-M5	689355	Proximity sensor, inductive, long brass body M8, shielded, 3 mm, DC, 3-wire, PNP	75,95
E2E-X8MB1DL8-M5	689155	Proximity sensor, inductive, long SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP	82,85
E2A-S08KS01-M3-B1-TP	237659	Sensor de proximidad, inductivo, acero inoxidable, cuerpo corto, M8, apantallado, 2 mm, DC, 3-wire, PNP	85,50
E2E-X2D1-M3G	238563	Corto 2h cc Enr 2mm M8 NA Conector M8	90,15
E2A-S08KS02-M3-B1	242079	Inox Corto 3h Enr 2mm M8 PNP NA Conector M8 4pines	82,75
E2A-S08KS02-M3-B2	244370	Inox Corto 3h Enr 2mm M8 PNP NC Conector M8 4pines	82,75
E2A-S08LS02-M3-B1	244371	Inox Largo 3h Enr 2mm M8 PNP NA Conector M8 4pines	87,30
E2A-S08KN04-M3-B1	659185	Inox Corto 3h NoEnr 4mm M8 PNP NA Conector M8 4pines	84,25
E2A-S08KN04-M3-B2	659169	Inox Corto 3h NoEnr 4mm M8 PNP NC Conector M8 4pines	84,25
E2A-S08LN04-M3-B1	659204	Sensor de proximidad, inductivo, acero inoxidable, cuerpo largo, M8, sin apantallado, 4 mm, DC, 3-wire, PNP	87,30
E2A-S08KS02-M3-C1	659227	Inox Corto 3h Enr 2mm M8 NPN NA Conector M8 4pines	82,75
E2A-S08LS02-M3-B3	659342	Inox Largo 3h Enr 2mm M8 PNP NA+NC Conector M8 4pines	99,20

OMRON PVPR 2023

E2A-S08LN04-M3-B3	667839	Sensor de proximidad, inductivo, acero inoxidable, cuerpo largo, M8, sin apantalla	114,40
E2A-S08KS02-M3-C1-20	671537	Multi Pack E2A incluye 20 unidades E2A-S08KS02-M3-C1	782,00
E2E-X1R5C18-M3	699959	Proximity sensor, inductive, short SUS body M8, shielded, 1.5 mm, DC, 3-wire, N	63,30
E2E-X1R5C28-M3	699960	Proximity sensor, inductive, short SUS body M8, shielded, 1.5 mm, DC, 3-wire, N	63,30
E2E-X2C18-M3	696146	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, NPN	63,30
E2E-X2C28-M3	698708	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, NPN	63,30
E2E-X4C18-M3	698707	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, N	80,55
E2E-X4C28-M3	698706	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, N	80,55
E2E-X2MC18-M3	699961	Proximity sensor, inductive, short SUS body M8, unshielded, 2 mm, DC, 3-wire, N	63,30
E2E-X2MC28-M3	699962	Proximity sensor, inductive, short SUS body M8, unshielded, 2 mm, DC, 3-wire, N	63,30
E2E-X4MC18-M3	698866	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, N	63,30
E2E-X4MC28-M3	699651	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, N	63,30
E2E-X2C1L8-M3	698705	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, NPN	69,05
E2E-X2C2L8-M3	698704	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, NPN	69,05
E2E-X1R5B1T8-M3	698867	Proximity sensor, inductive, SUS short body, M8, shielded, 1.5 mm, DC, 3-wire, P	63,30
E2E-X1R5B28-M3	699963	Proximity sensor, inductive, short SUS body M8, shielded, 1.5 mm, DC, 3-wire, P	63,30
E2E-X2B1T8-M3	688108	Sensor de proximidad, inductivo, cuerpo corto de SUS, M8, apantallado, 2 mm, d	63,30
E2E-X2B28-M3	696137	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, PNP	63,30
E2E-X3B1T8-M3	688104	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, PNP	74,80
E2E-X3B28-M3	698682	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, PNP	74,80
E2E-X4B1T8-M3	688102	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP	80,55
E2E-X4B28-M3	698680	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP	80,55
E2E-X2MB1T8-M3	699964	Proximity sensor, inductive, SUS short body, M8, unshielded, 2 mm, DC, 3-wire, P	63,30
E2E-X2MB28-M3	699965	Proximity sensor, inductive, short SUS body M8, unshielded, 2 mm, DC, 3-wire, P	63,30
E2E-X4MB1T8-M3	688097	Sensor de proximidad, inductivo, cuerpo corto de SUS, M8, no apantallado, 4 mm	63,30
E2E-X4MB28-M3	698678	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, P	63,30
E2E-X6MB1T8-M3	688091	Sensor de proximidad, inductivo, cuerpo corto de SUS, M8, no apantallado, 6 mm	74,80
E2E-X8MB1T8-M3	688087	Proximity sensor, inductive, short SUS body M8, unshielded, 8 mm, DC, 8-wire, P	80,55
E2E-X1R5B1TL8-M3	699671	Proximity sensor, inductive, SUS body, long body, M8, shielded, 1.5 mm, DC, 3-w	69,05
E2E-X2B1TL8-M3	688084	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, PNP	69,05
E2E-X2B2L8-M3	698677	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, PNP	69,05
E2E-X3B1TL8-M3	688079	Proximity sensor, inductive, long brass body M8, shielded, 3 mm, DC, 3-wire, PNP	74,80
E2E-X3B2L8-M3	698674	Proximity sensor, inductive, long brass body M8, shielded, 3 mm, DC, 3-wire, PNP	74,80

OMRON PVPR 2023

E2E-X4B1TL8-M3	688076	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PNP	80,55
E2E-X4B2L8-M3	698670	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PNP	80,55
E2E-X4MB1TL8-M3	688071	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP	69,05
E2E-X4MB2L8-M3	695865	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP	69,05
E2E-X6MB1TL8-M3	688066	Proximity sensor, inductive, long SUS body M8, unshielded, 6 mm, DC, 3-wire, PNP	74,80
E2E-X8MB1TL8-M3	688021	Proximity sensor, inductive, long SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP	80,55
E2E-X3B1DL8-M3	699608	Proximity sensor, inductive, long brass body M8, shielded, 3 mm, DC, 3-wire, PNP	74,80
E2E-X4MD1-M3G	708836	Corto 2h cc NoEnr 4mm M8 NA Conector M8	90,15
E2E-X4MD2-M3G	708837	2h cc NoEnr 4mm M8 NC Conector M8	90,15
E2E-X2D1-M3G	708754	Corto 2h cc Enr 2mm M8 NA Conector M8	90,15
E2E-X2D2-M3G	708755	Corto 2h cc Enr 2mm M8 NC Conector M8	90,15
E2CY-X1R5A 3M	133395	Proximity sensor	179,40
F92A-C-1	149296	Acoplador inductivo M18 5mm	77,45
E2C-EM02-F	176701	Inductivo con amp sep M10x22mm Enr 2mm Rep 2µm Cable 3,5m	562,50
E2E2-X5Y1-M4	233057	Largo 2h Enr 5mm M18 NA CA Conector 1/2-20unf	127,20
E2E2-X5Y2-M4	233058	Largo 2h Enr 10mm M18 NC CA Conector M12	110,50
E2C-EV05	176706	Cabezal de sensor enrasado, 30 x 14 x 4,8 mm plano, distancia de 5 mm (para uso en montaje en placa)	470,40
E2A-M18LS08-WS-B1-M01	667328	Largo 3h Enr 8mm M18 PNP NA	96,25
E2NC-ED01	695037	Sensor head, shielded, cylindrical 5.4 mm diameter, sensing distance 1 mm, repeat accuracy 2 µm	201,50
E2NC-ED01-S	695038	Sensor head, shielded, cylindrical 5.4 mm diameter, sensing distance 1 mm, repeat accuracy 2 µm	231,80
E2NC-ED01-F	707215	Sensor head, shielded, cylindrical 5.4 mm diameter, sensing distance 1 mm, repeat accuracy 2 µm	201,70
E2NC-ED02	695039	Sensor head, shielded, cylindrical 8 mm diameter, sensing distance 2 mm, repeat accuracy 2 µm	213,60
E2NC-ED02-S	695040	Sensor head, shielded, cylindrical 8 mm diameter, sensing distance 2 mm, repeat accuracy 2 µm	243,90
E2NC-ED02-F	707214	Sensor head, shielded, cylindrical 8 mm diameter, sensing distance 2 mm, repeat accuracy 2 µm	213,30
E2NC-EDR6-F	695041	Sensor head, shielded, cylindrical 3 mm diameter, sensing distance 0.6 mm, repeat accuracy 2 µm	207,40
E2NC-EM02	707045	Sensor head, shielded, M10 housing, sensing distance 2 mm, repeat accuracy 2 µm	228,60
E2NC-EM02-S	707213	Sensor head, shielded, M10 housing, sensing distance 2 mm, repeat accuracy 2 µm	265,00
E2NC-EM02-F	707212	Sensor head, shielded, M10 housing, sensing distance 2 mm, repeat accuracy 2 µm	228,60
E2NC-EM02H	707211	Sensor head, heat-resistant, shielded, M12 housing, sensing distance 2 mm, repeat accuracy 2 µm	422,30
E2NC-EM07M	687084	Sensor head, unshielded, M18 housing, sensing distance 7 mm, repeat accuracy 2 µm	246,20
E2NC-EM07M-S	707210	Sensor head, unshielded, M18 housing, sensing distance 7 mm, repeat accuracy 2 µm	284,80
E2NC-EM07M-F	707209	Sensor head, unshielded, M18 housing, sensing distance 7 mm, repeat accuracy 2 µm	246,20
E2NC-EV05	690103	Sensor head, shielded, flat housing, sensing distance 5 mm, repeat accuracy 2 µm	256,80

OMRON PVPR 2023

E2NC-EV05-S	690104	Sensor head, shielded, flat housing, sensing distance 5 mm, repeat accuracy 2 µm	297,70
E2NC-EV05-F	690105	Sensor head, shielded, flat housing, sensing distance 5 mm, repeat accuracy 2 µm	256,80
ZX-ED01T	106188	Cabeza sensora 5,4mm diam.Enr. 1,0mm	1 201,00
ZX-ED02T	106189	Cabeza sensora 8mm diam. Enr. 2,0mm	1 144,00
ZX-EM02T	106190	Cabeza sensora M10 Enr. 2,0mm	1 159,00
ZX-EM07MT	106191	Cabeza sensora M18 Enr. 7,0mm	1 187,00
ZX-EDR5T	143642	Cabeza sensora 3mm diam. Enr. 0,5mm	1 173,00
ZX-EM02HT	162403	Cabeza sensora M12 Enr. 2,0mm Resist. tª 200º	1 949,00
ZX-EV04T	162899	Cabeza sensora plana 4,0mm	1 343,00
R88L-EA-AF-0306-0638-0005	392596		10 630,00
R88L-EA-AF-0303-0302-0005	393150	Accurax G5: Slider Lineal 0303 0302mm Encoder Resolute ABS	9 340,00
R88L-EA-AF-0306-0830-0005	393446	Linear motor	11 220,00
R88L-EA-AF-0306-0926-0005	397470	Accurax G5: Slider Lineal 0306 0926mm Encoder Resolute ABS	11 620,00
R88L-EA-AF-0303-0110-0005	411576		8 425,00
R88L-EA-AF-0303-0494-0005	416235		8 455,00
R88L-EA-AF-0303-0686-0005	417853	Accurax G5: Slider Lineal 0303 0686mm Encoder Resolute ABS	10 300,00
R88L-ES-PP-D158-B300-0001	419006		21 150,00
R88L-EA-AF-0606-0878-0005	668141	Accurax linear motor axis, iron core coil, mg width 60mm, 6-coil mode, 878mm stroke	12 780,00
R88L-EA-AF-1130-0206-0005	669774	Accurax G5: Slider Lineal 1130 0206mm Encoder Resolute ABS	23 520,00
R88L-EA-AF-0612-2030-0005	670076	Linear slider	20 700,00
R88L-EA-AF-0303-2126-0005	670426	Accurax Linear Axes	17 750,00
R88L-ES-PM-C110-B250-0001	671078	Accurax linear motor pick & place system, iron core coils, optical abs encoder system	18 310,00
R88L-EA-AF-0612-3470-0005	672561	Accurax G5: Slider Lineal 0612 3470mm Encoder Resolute ABS	31 540,00
R88L-EA-AF-0306-0542-0005	673724	Accurax linear axes R88L-EA-AF	10 290,00
R88L-EA-AF-1115-0254-0005	674030	Accurax linear motor axis, iron core coil, magnet width 110 mm, 254 mm stroke	16 210,00
R88L-EA-AF-0303-1934-0005	674206	Accurax G5: Slider Lineal 0303 1934mm Encoder Resolute ABS	14 990,00
R88L-ES-XY-8322-0001	675020	Accurax G5: Sistema Lineal XY	20 160,00
R88L-EA-AF-0612-4142-0005	677764	Accurax linear axes	30 740,00
R88L-EA-AF-0612-3470-6303	678503	Accurax linear motor axis, iron core coil, magnet width 60mm, 3470mm stroke,	28 320,00
R88L-EA-AF-0606-1454-0005	678805	Accurax linear motor axis, iron core coil, magnet width 60mm, 1454mm stroke,	15 340,00
R88L-EP-CA-0306-0005	679171	Accurax linear spare part, carriage 0306, iron core coil, magnet width 60mm, op	2 691,00
R88L-EA-AF-0306-0734-2825	679253	Accurax linear motor axis, iron core coil, magnet width 60mm, 734mm stroke, o	14 720,00
R88L-EA-AF-0306-0734-2826	679251	Accurax linear motor axis, iron core coil, magnet width 60mm, 734mm stroke, o	14 720,00

OMRON PVPR 2023

R88L-ES-XY-8921-0001	679452	Accurax linear motor cross table, iron core coils, optical abs encoder system, pri	22 750,00
R88L-EA-AF-0303-1166-0005	679461	Accurax linear motor axis, iron core coil, magnet width 30mm, 1166mm stroke,	12 360,00
R88L-EP-CA-6305	680524	Accurax linear motor axis spare part, single carriage with two encoder heads, irc	6 755,00
R88L-EA-AF-0306-1118-0005	680948	Accurax linear motor axis, iron core coil, R88L-EC-FW-0306-ANPC, magnet width	12 220,00
R88L-EA-AF-0612-0686-0005	681618	Accurax linear motor axis, iron core coil R88L-EC-FW-0612-ANPC. magnet width	12 650,00
R88L-ES-PM-C110-B150-0001	683021	Accurax linear motor pick & place system, iron core coils, optical abs encoder sy	17 660,00
R88L-EA-AF-0306-0254-000E	684258	Accurax linear motor axis, iron core coil R88L-EC-FW-0306-ANPC, magnet width	8 965,00
R88L-ES-PP-D206-B150-0001	684365	Accurax linear motor axis system, horizontal R88L-EC-FW-0609-ANPC 206mm st	24 610,00
R88L-ES-PP-D206-B200-0001	684363	Accurax linear motor axis system, horizontal R88L-EC-FW-0609-ANPC 206mm st	24 810,00
R88L-EA-AF-1115-0158-0005	684434	Accurax linear motor axis, iron core coil R88L-EC-FW-1115-ANPC, magnet width	15 660,00
R88L-EA-AF-1112-0206-0005	684480	Linear axis Accurax	12 920,00
R88L-EA-AF-1112-0302-0005	684612	Accurax linear motor axis, iron core coil R88L-EC-FW-1112-ANPC, magnet width	15 240,00
R88L-EA-AF-0606-0206-0005	684610	Accurax linear motor axis, iron core coil R88L-EC-FW-0606-ANPC, magnet width	9 890,00
R88L-EA-AF-0612-4910-6309	685087	Accurax linear motor axis, iron core coil R88L-EC-FW-0612-ANPC, magnet width	38 430,00
R88L-EA-AF-0303-1646-0005	686123	Accurax linear motor axis, iron core coil R88L-EC-FW-0303-ANPC, magnet width	13 990,00
R88L-EA-AF-0303-1742-0005	687542	Accurax linear motor axis, iron core coil R88L-EC-FW-0303-ANPC, magnet width	14 400,00
R88L-EA-AF-0606-1070-0005	689258	Accurax linear motor axis, iron core coil R88L-EC-FW-0606-ANPC, magnet width	17 620,00
R88L-EA-AF-0606-1550-0105	690321	Accurax linear motor axis, iron core coil R88L-EC-FW-0606-ANPC, magnet width	16 160,00
R88L-EA-AF-0609-1502-0105	690323	Accurax linear motor axis, iron core coil R88L-EC-FW-0609-ANPC, magnet width	16 120,00
R88L-EA-AF-0609-1598-0105	690325	Accurax linear motor axis, iron core coil R88L-EC-FW-0609-ANPC, magnet width	16 640,00
R88L-EA-AF-0612-1550-0105	690327	Accurax linear motor axis, iron core coil R88L-EC-FW-0612-ANPC, magnet width	16 830,00
R88L-EA-AF-0306-1022-0005	690461	Accurax linear motor axis, iron core coil R88L-EC-FW-0306-ANPC, magnet width	13 720,00
R88L-EA-AF-0609-0830-0005	690463	Accurax linear motor axis, iron core coil R88L-EC-FW-0609-ANPC, magnet width	12 530,00
R88L-EA-AF-0612-0782-0005	690465	Accurax linear motor axis, iron core coil R88L-EC-FW-0612-ANPC, magnet width	12 800,00
R88L-EA-AF-0615-1502-0105	690545	Accurax linear motor axis, iron core coil R88L-EC-FW-0615-ANPC, magnet width	19 210,00
R88L-EA-AF-0615-1598-0105	690547	Accurax linear motor axis, iron core coil R88L-EC-FW-0615-ANPC, magnet width	19 600,00
R88L-EA-AF-N118-0254-0005	691048	Accurax linear motor axis, iron core coil TBW18N, magnet width 110mm, 0254m	16 970,00
R88L-EA-AF-N618-0206-0005	691050	Accurax linear motor axis, iron core coil TL8N, magnet width 060mm, 0206mm s	13 090,00
R88L-EA-AF-0612-1358-0005	693893	Accurax linear motor axis, iron core coil R88L-EC-FW-0612-ANPC, magnet width	15 070,00
R88L-EA-AF-0612-0110-0005	694028	Accurax linear motor axis, iron core coil R88L-EC-FW-0612-ANPC, magnet width	9 810,00
R88L-EA-AF-1115-1310-0005	694079	Accurax linear motor axis, iron core coil R88L-EC-FW-1115-ANPC, magnet width	19 530,00
R88L-EA-AF-1112-1262-0005	694883	Accurax linear motor axis, iron core coil R88L-EC-FW-1112-ANPC, magnet width	18 880,00
R88L-EA-AF-0606-0590-0005	694881	Accurax linear motor axis, iron core coil R88L-EC-FW-0606-ANPC, magnet width	11 170,00

OMRON PVPR 2023

R88L-EA-AF-0609-1022-0005	694941	Accurax linear motor axis, iron core coil R88L-EC-FW-0609-ANPC, magnet width	13 210,00
R88L-EA-AF-N118-0158-0005	695730	Accurax linear motor axis, iron core coil TBW18N, magnet width 110 mm, 0158	16 210,00
R88L-EA-AF-0612-0206-0105	695977	Accurax linear motor axis, iron core coil R88L-EC-FW-0612-ANPC, magnet width	12 390,00
R88L-EA-AF-0612-0206-0X05	698911	Accurax linear motor axis, iron core coil R88L-EC-FW-0612-ANPC, magnet width	9 320,00
R88L-EA-AF-1112-0590-0005	699084	Accurax linear motor axis, iron core coil R88L-EC-FW-1112-ANPC, magnet width	17 050,00
R88L-EA-MM-0615-0010-0005	699545	Accurax linear motor axis, R88L-EC-FW-0615-BNPS 100 mm stroke, optical abs e	12 020,00
R88L-EA-AF-1112-1454-0005	699907	Accurax linear motor axis, iron core coil R88L-EC-FW-1112-ANPC, magnet width	19 560,00
R88L-EA-AF-0606-0302-0005	699933	Accurax linear motor axis, iron core coil R88L-EC-FW-0606-ANPC, magnet width	9 830,00
R88L-EA-AF-0609-1022-0X05	700837	Accurax linear motor axis, iron core coil R88L-EC-FW-0609-ANPC, magnet width	12 830,00
R88L-EA-AF-0612-0974-0005	700928	Accurax linear motor axis, iron core coil R88L-EC-FW-0612-ANPC, magnet width	15 540,00
R88L-EA-ZF-0306-0605-NN05	700930	Accurax linear motor axis, vertical, R88L-EC-FW-0306-ANPC 100 mm stroke, opt	10 150,00
R88L-EA-AF-1115-1502-0105	700932	Accurax linear motor axis, iron core coil R88L-EC-FW-0612-ANPC, magnet width	24 400,00
R88L-EA-ZF-0306-0605-NN65	700958	Accurax linear motor axis, vertical, R88L-EC-FW-0306-ANPC 100 mm stroke, opt	8 700,00
R88L-EA-AF-0609-0446-0005	701081	Accurax linear motor axis, iron core coil R88L-EC-FW-0609-ANPC, magnet width	12 410,00
R88L-EA-AF-1115-1118-0005	701337	Accurax linear motor axis, iron core coil R88L-EC-FW-1115-ANPC, magnet width	18 070,00
R88L-EA-ZF-0306-0610-NN65	701403	Accurax linear motor axis, vertical, R88L-EC-FW-0306-ANPC 100 mm stroke, opt	10 970,00
R88L-EA-ZF-0306-I610-NN65	701401	Accurax linear motor axis, vertical, R88L-EC-FW-0306-ANPC 100 mm stroke, opt	11 200,00
R88L-EA-AF-0612-1550-000E	702029	Accurax linear motor axis, iron core coil R88L-EC-FW-0612-ANPC, magnet width	15 700,00
R88L-EA-AF-1112-2126-0005	706882	Accurax linear motor axis, iron core coil R88L-EC-FW-1112-ANPC, magnet width	22 670,00
R88L-EA-AF-1115-0446-0005	708151	Accurax linear motor axis, iron core coil R88L-EC-FW-1115-ANPC, magnet width	14 340,00
R88L-EA-MM-0612-0620-0005	709074	Accurax linear motor axis, R88L-EC-FW-0612-ANPC, 200 mm stroke, optical abs e	12 120,00
SET-3A	111689	Transformador de corriente	123,10
SET-3B	111690	Transformador de corriente	123,10
K8AC-H22CC-FLK	351514	Detector Digital de calentador , SSR control, 2 transistor outputs, 20 to 200 A	537,50
K8AC-H21CN-FLK	353425	Detector digital de rotura de calentador, control SSR DE ACTIVACIÓN/DESACTIV	537,50
K8AK-AS1 100-240VAC	378158	Monofásico Corriente Max ó Min 20-500mA 100-240VAC 1 SPDT	142,60
K8AK-AS1 24VAC/DC	378159	Monofásico Corriente Max ó Min 20-500mA 24VAC/DC 1 SPDT	142,60
K8AK-AS2 100-240VAC	378160	Monofásico Corriente Max ó Min 0,1-8A 100-240VAC 1 SPDT	142,60
K8AK-AS2 24VAC/DC	378161	Monofásico Corriente Max ó Min 0,1-8A 24VAC/DC 1 SPDT	142,60
K8AK-AS3 100-240VAC	378162	Monofásico Corriente Max ó Min 10-200A 110-240VAC 1 SPDT	142,60
K8AK-AS3 24VAC/DC	378163	Monofásico Corriente Max ó Min 10-200A 24VAC/DC 1 SPDT	142,60
K8AK-AW1 100-240VAC	378164	Monofásico Corriente Max y Min 20-500mA 100-240VAC 2 SPDT	156,10
K8AK-AW1 24VAC/DC	378165	Monofásico Corriente Max y Min 20-500mA 24VAC/DC 2 SPDT	156,10

OMRON PVPR 2023

K8AK-AW2 100-240VAC	378166	Monofásico Corriente Max y Min 0,1-8A 100-240VAC 2 SPDT	156,10
K8AK-AW2 24VAC/DC	378167	Monofásico Corriente Max y Min 0,1-8A 24VAC/DC 2 SPDT	156,10
K8AK-AW3 100-240VAC	378168	Monofásico Corriente Max y Min 10-200A 110-240VAC 2 SPDT	156,10
K8AK-AW3 24VAC/DC	378169	Monofásico Corriente Max y Min 10-200A 24VAC/DC 2 SPDT	156,10
K8AC-H22CN-FLK	382842	Detector digital de rotura de calentador, control SSR, 2 salidas transistor, 2 a 200A	435,80
K8AC-H22PC-FLK	689337	Digital heater element burnout detector, 2 to 22 A current input range, one relay	626,00
K8AC-H23PC-FLK	680250	Digital heater Element Burnout detector, 20 to 200A current input range, one relay	493,60
K8DT-AW3CA	669495	Monofásico Corriente Max y Min 10-200 A SPDT 100-240VAC 17.5mm Push-in+	157,00
K8DT-AS3TD	669517	Monofásico Corriente Max ó Min 10-200 A transistor 24V AC/DC 17.5mm Push-in+	143,70
K8DT-AS1CD	669484	Monofásico Corriente Max ó Min 2-500mA SPDT 24V AC/DC 17.5mm Push-in+	143,70
K8DT-AW3TD	669483	Monofásico Corriente Max y Min 10-200 A transistor 24V AC/DC 17.5mm Push-in+	157,00
K8DT-AW1TD	669520	Monofásico Corriente Max y Min 2-500mA transistor 24V AC/DC 17.5mm Push-in+	157,00
K8DT-AW3CD	669514	Monofásico Corriente Max y Min 10-200 A SPDT 24V AC/DC 17.5mm Push-in+	157,00
K8DT-AS1CA	669469	Monofásico Corriente Max ó Min 2-500mA SPDT 100-240VAC 17.5mm Push-in+	143,70
K8DT-AS2TA	669522	Monofásico Corriente Max ó Min 0.1-5 A transistor 100-240VAC 17.5mm Push-in+	143,70
K8DT-AW1CA	669460	Monofásico Corriente Max y Min 2-500mA SPDT 100-240VAC 17.5mm Push-in+	157,00
K8DT-AS2CD	669498	Monofásico Corriente Max ó Min 0.1-5 A SPDT 24V AC/DC 17.5mm Push-in+	143,70
K8DT-AW1CD	669501	Monofásico Corriente Max y Min 2-500mA SPDT 24V AC/DC 17.5mm Push-in+	157,00
K8DT-AS1TD	669518	Monofásico Corriente Max ó Min 2-500mA transistor 24V AC/DC 17.5mm Push-in+	143,70
K8DT-AS3CD	669453	Monofásico Corriente Max ó Min 10-200 A SPDT 24V AC/DC 17.5mm Push-in+	143,70
K8DT-AS2CA	669480	Monofásico Corriente Max ó Min 0.1-5 A SPDT 100-240VAC 17.5mm Push-in+	143,70
K8DT-AS2TD	669494	Monofásico Corriente Max ó Min 0.1-5 A transistor 24V AC/DC 17.5mm Push-in+	143,70
K8DT-AW2CD	669515	Monofásico Corriente Max y Min 0.1-5 A SPDT 24V AC/DC 17.5mm Push-in+	157,00
K8DT-AS1TA	669473	Monofásico Corriente Max ó Min 2-500mA transistor 100-240VAC 17.5mm Push-in+	143,70
K8DT-AS3CA	669458	Monofásico Corriente Max ó Min 10-200 A SPDT 100-240VAC 17.5mm Push-in+	143,70
K8DT-AW2CA	669493	Monofásico Corriente Max y Min 0.1-5 A SPDT 100-240VAC 17.5mm Push-in+	157,00
K8DT-AW3TA	669482	Monofásico Corriente Max y Min 10-200 A transistor 100-240VAC 17.5mm Push-in+	157,00
K8DT-AW1TA	669525	Monofásico Corriente Max y Min 2-500mA transistor 100-240VAC 17.5mm Push-in+	157,00
K8DT-AW2TA	669513	Monofásico Corriente Max y Min 0.1-5 A transistor 100-240VAC 17.5mm Push-in+	157,00
K8DT-AS3TA	669489	Monofásico Corriente Max ó Min 10-200 A transistor 100-240VAC 17.5mm Push-in+	143,70
K8DT-AW2TD	669516	Monofásico Corriente Max y Min 0.1-5 A transistor 24V AC/DC 17.5mm Push-in+	157,00
61F-GP-N8H 230VAC	105293	8 pines Alta sensib invers ON/OFF 240VCA	106,90
61F-GP-N8R 230VAC	105294	Controlador de nivel conductivo, enchufable, 230VAC, dos hilos	92,20

OMRON PVPR 2023

K7L-AT50	117007	Detector de fugas de líquidos Alta impedancia	342,10
61F-GPN-BC 24VDC	143687	Regulador de nivel	188,40
61F-GP-N8L 200VAC 4KM	144169	8 pines Distancia 4km ON/OFF 200VCA	106,90
61F-GP-N8D 100VAC	145276	8 pines General ON/OFF 100VCA Baja sensibilidad	108,30
61F-GP-N8D 230VAC	151827	8 pines General ON/OFF 220VCA,Baja sensibolid	106,90
61F-GP-N 24VAC	156249	Controlador de nivel conductivo, enchufable	117,70
61F-GP-N8H 24VAC	157405	8 pines Alta sensib invers ON/OFF 24VCA	108,30
61F-GP-N 100AC	159891	REGULADOR DE NIVEL	112,30
61F-GP-N 110VAC	159892	Regulador de nivel	111,00
61F-GP-N 200VAC	159893	Floatless level controller, 200 VAC	106,90
61F-GP-NH 100VAC	159898	Controlador de nivel conductivo 11 pines Alta sensibilidad 110VAC	105,60
61F-GP-NT 100VAC	159901		115,30
61F-GP-N8 110VAC	159911	8 pines General ON/OFF 110VCA	97,50
61F-GP-N8 230VAC	159913	8 pines General ON/OFF 230VCA	97,50
61F-GP-N8 24VAC	159915	8 pines General ON/OFF 24VCA	97,50
61F-GP-N8D 220VAC	159916	8 pines General ON/OFF 220VCA Baja sensibilidad	106,90
61F-GP-N8D 24VAC	159917	Controlador de nivel conductivo, compacto, enchufable baja sensibilidad, relay,	106,90
61F-GP-N8H 110VAC	159919	8 pines Alta sensibilidad ON/OFF 110VCA	104,70
61F-GP-N8H 220VAC	159921	8 pines Alta sensibilidad ON/OFF 240VCA	106,90
61F-GP-N8HY 220VAC	159923	8 pines Alta sensibilidad ON/OFF 240VCA	106,90
61F-GP-N8L 230VAC 2KM	159928	8 pines Distancia 2km ON/OFF 220VCA	111,00
61F-GP-N8L 220VAC 4KM	159933	8 pines Distancia 4km ON/OFF 220VCA	106,90
61F-GP-N8-V50 230VAC	159942	8 pines Sensibilid variable ON/OFF 230VCA	128,50
61F-GPN-V50 220VAC	159953		164,40
61F-GPN-BT 24VDC	159956	Controlador de nivel conductivo, enchufable, colector abierto, 24VDC	171,10
61F-GP-N2 110VAC	159968	8 pines 8VCA ON/OFF 110VCA CE	106,90
61F-GP-N2 220VAC	159970	8 pines 8VCA ON/OFF 220VCA CE	106,90
61F-GP-N2 230VAC	159971	8 pines 8VCA ON/OFF 230VCA CE	106,90
61F-GP-N2 24VAC	159972	8 pines 8VCA ON/OFF 24VCA CE	106,90
61F-GP-N 240VAC	159975	8 pines 8VCA ON/OFF 220VCA	89,55
61F-GP-N 230VAC	159981	Floatless level controller, 230 VAC	89,55
K7L-AT50D	163294	Sensor de fluidos conductivo, enchufable, 250K-50Mohms, desc. Dete.	406,50
K7L-U	231846	Regulador de nivel miniatura	342,10

OMRON PVPR 2023

K8AK-LS1 100-240VAC	378185	Relé de nivel 10K A 100K 100-240VAC	99,85
K8AK-LS1 24VAC/DC	378186	Relé de nivel 10K A 100K 24VAC/DC	99,85
K7L-AT50DB	669531	Detector de fugas de líquidos, 250 Kohm a 50Mohm Detec desconexión	415,60
K7L-AT50B	669530	Detector de fugas de líquidos, 250 Kohm a 50Mohm	342,10
K7L-UB	669533	Detector de fugas de líquidos, 1Mohm Larga dist	342,10
K7L-UDB	669532	Detector de fugas de líquidos, 1Mohm Larga dist Detec desconexión	442,40
K8DT-LS1CA	669486	Relé de nivel 10K-100K SPDT 100-240VAC 17.5mm Push-in+	102,00
K8DT-LS1TA	669487	Relé de nivel 10K-100K transistor 100-240VAC 17.5mm Push-in+	102,00
K8DT-LS1CD	669464	Relé de nivel 10K-100K SPDT 24V AC/DC 17.5mm Push-in+	102,00
K8DT-LS1TD	669450	Relé de nivel 10K-100K transistor 24V AC/DC 17.5mm Push-in+	102,00
K7L-AT50DP	676852	Liquid Leakage Sensor Amplifiers with Disconnection Detection function, miniaturized	406,50
61F-GP-NE1 220VAC	683843	Controlador nivel pozo Enchuf. 220Vac	147,60
61F-GP-NE2 220VAC	683842	Controlador nivel pozo y depósito Enchuf. 220Vac	178,40
61F-LS-CP11-NRA	707601	Floatless level switch, plug-in, standard type, 11 pins, relay output, 100-240 VAC	124,20
61F-LS-CP08-NRA	707600	Floatless level switch, plug-in, standard type, 8 pins, relay output, 100-240 VAC	97,20
61F-LS-CP11-SRA	707599	Floatless level switch, plug-in, high functionality type, adjustable sensitivity, sequential	135,00
61F-LS-CP08-SRA	707598	Floatless level switch, plug-in, high functionality type, adjustable sensitivity, sequential	108,00
61F-LS-CP08-SRB	707597	Floatless level switch, plug-in, high functionality type, adjustable sensitivity, sequential	108,00
61F-LS-CP11-BTC	707596	Floatless level switch, plug-in, DC power supply type, 11 pins, transistor output, 100-240 VDC	170,70
61F-LS-CP11-BRC	707595	Floatless level switch, plug-in, DC power supply type, 11 pins, relay output, 24 VDC	170,70
61F-WL-CP11-NRA	707594	Water Leak Detector, plug-in, 11 pins, relay output, 100-240 VAC	135,00
61F-WL-CP08-NRA	707593	Water Leak Detector, plug-in, 8 pins, relay output, 100-240 VAC	124,20
61F-LS-CP11-NE	707592	Floatless level switch, plug-in, adjustable sensitivity, one level, 100-240 VAC	146,90
61F-LS-CP11-ARA	707591	Floatless level switch, plug-in, high functionality type, adjustable sensitivity, advanced	135,00
61F-LS-CP08-ARB	707590	Floatless level switch, plug-in, high functionality type, adjustable sensitivity, advanced	108,00
61F-LS-CP08-ARA	707589	Floatless level switch, plug-in, high functionality type, adjustable sensitivity, advanced	108,00
K3HB-CNB 100-240VAC	180120	Contaje reversible NPN 48x96	558,00
K3HB-CPB 100-240VAC	181447	Contaje reversible PNP 48x96	558,00
K3HB-CPB 24VAC/VDC	181448	Medidor digital de panel, cuenta impulsos Up/Down PNP 24VAC/VDC	509,00
K3HB-SSD 24VAC/DC	118207	Medidor digital de panel, sensor lineal, 24 VAC/DC	988,00
K3HB-SSD 100-240VAC	149988	Entrada para Sensores analogicos 48x96	1 093,00
K3HB-XVD 100-240VAC	168442	Analógico Entrada tensión Vcc 48x96	558,00
K3HB-XVD 24VAC/VDC	168443	Analógico Entrada tensión Vcc 48x96	558,00

OMRON PVPR 2023

K3HB-XAD 100-240VAC	168444	Analógico Entrada corriente Vcc 48x96	549,00
K3HB-XAD 24VAC/VDC	168445	Analógico Entrada corriente Vcc	494,60
K3HB-VLC 100-240VAC	168446	Peso/Dosificación 48x96	549,00
K3HB-VLC 24VAC/VDC	168447	Peso/Dosificación 48x96	537,00
K3HB-HTA 100-240VAC	168448	Temperatura 48x96	649,00
K3HB-HTA 24VAC/VDC	168449	Temperatura	554,50
K3HB-XVA 100-240VAC	168494	Analógico Entrada tensión Vca	522,00
K3HB-XVA 24VAC/VDC	168495	Analógico Entrada tensión Vca	522,00
K3HB-XAA 100-240VAC	168496	Analógico Entrada corriente Vca	522,00
K3HB-XAA 24VAC/VDC	168497	Analógico Entrada corriente Vca	522,00
K3HB-RNB 100-240VAC	180112	Impulsos/Frecuencia NPN	509,00
K3HB-RNB 24VAC/VDC	180113	Medidor digital de panel, medidor de pulsos rotativos , NPN, 24 VAC/DC	509,00
K3HB-RPB 100-240VAC	180114	Impulsos/Frecuencia PNP	509,00
K3HB-RPB 24VAC/VDC	180115	Medidor digital de panel, entrada PNP,100-24VAC/DC	512,00
K3HB-PNB 100-240VAC	180116	Intervalos de tiempo NPN	509,00
K3HB-PNB 24VAC/VDC	180117	Intervalos de tiempo NPN	509,00
K3HB-PPB 100-240VAC	180118	Intervalos de tiempo PNP	509,00
K3HB-PPB 24VAC/VDC	180119	Intervalos de tiempo PNP	526,50
K3HB-CNB 24VAC/VDC	180121	Contaje reversible NPN	509,00
K3GN-NDC 24VDC	227823	Analogía Tensión/Corriente DC NPN 2SPST-NO 24x48	262,50
K3GN-PDC 24VDC	227824	Analogía Tensión/Corriente DC PNP 2SPST-NO 24x48	262,50
K3GN-PDT2 24VDC	227825	Analogía Tensión/Corriente DC PNP 3TRT PNP	262,50
K3GN-NDC-FLK 24VDC	227826	Analogía Tensión/Corriente DC NPN 2SPST-NO RS485 24x48	349,10
K3GN-NDT1-FLK 24VDC	227827	Procesador inteligente de señal, entrada DC de tensión y corriente + NPN 3 x rel	309,00
K3GN-PDC-FLK 24VDC	227828	Analogía Tensión/Corriente DC PNP 2SPST-NO RS485	349,10
K3GN-PDT2-FLK 24VDC	227829	Medidor digital de panel, DC Tensión/corriente + PNP , salida tres PNP RS-485	285,10
K3GN-NDT1 24VDC	227852	Medidor digital de panel, DC Tensión/corriente + NPN , salida tres relés	262,50
K3GN-NDC-L1 24DC	227968	Medidor de panel digital, DIN48x24 mm, corriente/tensión CC + entrada NPN, 2	481,10
K3GN-NDC-L2 24DC	227969	Medidor de panel digital, DIN48x24 mm, corriente/tensión de CC + entrada NPN	481,10
K3MA-J 24VAC/DC	227976	Procesador inteligente de señal, DC entrada de tensión/ corriente, 24 VAC/DC	246,30
K3MA-J-A2 100-240VAC	227977	Analógico Tensión / Corriente DC 2 SPST-NO 48x96	248,90
K3MA-J-A2 24VAC/DC	227978	Analógico Tensión / Corriente DC 2 SPST-NO 48x96	248,90
K3MA-L 100-240VAC	227979	Medidor digital de panel, indicador de temperatura, TC/Pt 100-240VAC	246,30

OMRON PVPR 2023

K3MA-L 24VAC/DC	227980	Temperatura Sin salida 48x96	246,30
K3MA-L-C 100-240VAC	227981	Temperatura 1 SPDT 48x96	248,90
K3MA-L-C 24VAC/DC	227982	Temperatura 1 SPDT 48x96	248,90
K3MA-F 100-240VAC	227983	Procesador inteligente de señal,frecuencia/velocidad, 100-240 VAC	284,40
K3MA-F 24VAC/DC	227984	Procesador inteligente de señal,frecuencia/velocidad, 24 VAC/DC	285,60
K3MA-F-A2 100-240VAC	227985	Frecuencia 2 SPST-NO 48x96	285,60
K3MA-F-A2 24VAC/DC	228009	Frecuencia 2 SPST-NO 48x96	285,60
K3MA-J 100-240VAC	228010	Procesador inteligente de señal, DC entrada de tensión/ corriente, 100-240 VAC	246,30
K8AK-PH1	378178	Trifásico secuencia+Pérdida fase DPDT	121,80
K8AK-PA1	378179	Trifásico Asimetría+Secuencia+Perdida fase 200-240AC	128,80
K8AK-PA2	378180	Trifásico Asimetría+Secuencia+Perdida fase 380-480AC	128,80
K8AK-PM1	378181	Trifásico Tensión Max y Min+Secuencia+Per fase 200-240AC 2 SPDT	169,70
K8AK-PM2	378182	Trifásico Tensión Max y Min+Secuencia+Per fase 380-480AC 2 SPDT	169,70
K8AK-PW1	378183	Trifásico Tensión Max y Min 1 SPDT 200-240VAC 2 SPDT	128,80
K8AK-PW2	378184	Trifásico Tensión Max y Min 1 SPDT 380-480VAC 2 SPDT	128,80
K8DS-PH1	378191	Trifásico Secuencia /pérdida de fase	63,85
K8DS-PU1	387481	Trifásico tensión mínima+Secuencia +Per fase 200-240AC 17,5mm	115,00
K8DS-PU2	387482	Trifásico tensión mínima+Secuencia +Per fase 380-480AC 17,5mm	115,00
K8DS-PM1	387483	Trifásico Tensión Max y Min+Secuencia+Per fase 200-240AC 17,5mm	121,80
K8DS-PM2	387484	Trifásico Tensión Max y Min+Secuencia+Per fase 380-480AC 17,5mm	121,80
K8DS-PA1	387485	Trifásico Asimetría+Secuencia+Perdida fase 200-240AC 17,5mm	83,55
K8DS-PA2	387486	Trifásico Asimetría+Secuencia+Perdida fase 380-480AC 17,5mm	83,55
K8DS-PZ1	387487	Trifásico tensión mínima+Secuencia +Per fase+Sobretensión+asimetria 200-240	135,60
K8DS-PZ2	387488	Trifásico tensión mínima+Secuencia +Per fase+Sobretensión+asimetria 380-480	135,60
K8DT-PZ2TN	669475	Trifásico Tensión Max y Min+Secuencia+Per fase+asimetria 380-480AC transistor	137,10
K8DT-PH1CN	669476	Trifásico secuencia+Pérdida fase SPDT 200-480 VAC 17.5mm Push-in+	66,55
K8DT-PM2TN	669496	Trifásico Tensión Max y Min+Secuencia+Per fase 380-480AC transistor 17.5mm	123,50
K8DT-PZ1CN	669491	Trifásico Tensión Max y Min+Secuencia+Per fase+asimetria 200-240AC SPDT 17	137,10
K8DT-PZ2CN	669497	Trifásico Tensión Max y Min+Secuencia+Per fase+asimetria 380-480AC SPDT 17	137,10
K8DT-PZ1TN	669472	Trifásico Tensión Max y Min+Secuencia+Per fase+asimetria 200-240AC transistor	137,10
K8DT-PM2CN	669510	Trifásico Tensión Max y Min+Secuencia+Per fase 380-480AC SPDT 17.5mm Push	123,50
K8DT-PH1TN	669485	Trifásico secuencia+Pérdida fase transistor 200-480 VAC 17.5mm Push-in+	66,55
K8DT-PM1TN	669481	Trifásico Tensión Max y Min+Secuencia+Per fase 200-240AC transistor 17.5mm	123,50

OMRON PVPR 2023

K8DT-PM1CN	669523	Trifásico Tensión Max y Min+Secuencia+Per fase 200-240AC SPDT 17.5mm Push	123,50
K8AK-TH11S 100-240VAC	378187	Relé monitorización Tª 0-999°C/F 100-240VAC	121,80
K8AK-TH11S 24VAC/DC	378188	Relé monitorización Tª 0-999°C/F 24VAC/DC	121,80
K8AK-TH12S 100-240VAC	378189	Relé monitorización Tª 0-0-1800°C (0-3200°F) 100-240VAC	121,80
K8AK-TH12S 24VAC/DC	378190	Relé monitorización Tª 0-1800°C (0-3200°F) 24VAC/DC	121,80
K8AK-TS1 100-240VAC	387478	Trifásico, termistor 110-240VAC SPDT	63,85
K8AK-TS1 24VAC/DC	387479	Trifásico, termistor 24VAC/DC 2 SPDT SPDT	63,85
K8AK-PT1 100-240VAC	387480	Trifásico, termistor + secuencia + perdida de fase	121,80
K8DT-TH2TA	669462	Relé monitorización Tª 0-1700°C/F 100-240VAC transistor 17.5mm Push-in+	123,50
K8DT-TH1CD	669467	Relé monitorización Tª 0-999°C/F 24V AC/DC SPDT 17.5mm Push-in+	123,50
K8DT-TH1CA	669503	Relé monitorización Tª 0-999°C/F 100-240VAC SPDT 17.5mm Push-in+	123,50
K8DT-TH1TD	669451	Relé monitorización Tª 0-999°C/F 24V AC/DC transistor 17.5mm Push-in+	123,50
K8DT-TH2CA	669461	Relé monitorización Tª 0-1700°C/F 100-240VAC SPDT 17.5mm Push-in+	123,50
K8DT-TH2TD	669459	Relé monitorización Tª 0-1700°C/F 24V AC/DC transistor 17.5mm Push-in+	123,50
K8DT-TH1TA	669506	Relé monitorización Tª 0-999°C/F 100-240VAC transistor 17.5mm Push-in+	123,50
K8DT-TH2CD	669505	Relé monitorización Tª 0-1700°C/F 24V AC/DC SPDT 17.5mm Push-in+	123,50
K8AK-VS2 100-240VAC	378170	Monofásico Tensión Max o Min 1-150VAC/DC 100-240VAC 1 SPDT	142,60
K8AK-VS2 24VAC/DC	378171	Monofásico Tensión Max o Min 1-150VAC/DC 24VAC/DC 1SPDT	142,60
K8AK-VS3 100-240VAC	378172	Monofásico Tensión Max o Min 200-600VAC/DC 100-240VAC 1SPDT	142,60
K8AK-VS3 24VAC/DC	378173	Monofásico Tensión Max o Min 200-600VAC/DC 24VAC/DC 1SPDT	142,60
K8AK-VW2 100-240VAC	378174	Monofásico Tensión Max y Min 1-150VAC/DC 100-240VAC 2 SPDT	156,10
K8AK-VW2 24VAC/DC	378175	Monofásico Tensión Max y Min 1-150VAC/DC 24VAC/DC 2 SPDT	156,10
K8AK-VW3 100-240VAC	378176	Monofásico Tensión Max y Min 20-600V	156,10
K8AK-VW3 24VAC/DC	378177	Monofásico Tensión Max y Min 20-600V	156,10
K8DT-VS3CA	669457	Monofásico Tensión Max o Min 20-600VAC/DC 100-240VAC 1 SPDT 17.5mm Pus	143,70
K8DT-VS2TA	669488	Monofásico Tensión Max o Min 1-150VAC/DC 100-240VAC 1 transistor 17.5mm	143,70
K8DT-VS2CA	669478	Monofásico Tensión Max o Min 1-150VAC/DC 100-240VAC 1 SPDT 17.5mm Push	143,70
K8DT-VS3TA	669463	Monofásico Tensión Max o Min 20-600VAC/DC 100-240VAC 1 transistor 17.5mm	143,70
K8DT-VW2CA	669474	Monofásico Tensión Max y Min 1-150VAC/DC 100-240VAC 1 SPDT 17.5mm Push	157,00
K8DT-VW2TA	669454	Monofásico Tensión Max y Min 1-150VAC/DC 100-240VAC 1 transistor 17.5mm	157,00
K8DT-VS2TD	669512	Monofásico Tensión Max o Min 1-150VAC/DC 24V AC/DC 1 transistor 17.5mm P	143,70
K8DT-VW2CD	669507	Monofásico Tensión Max y Min 1-150VAC/DC 24V AC/DC 1 SPDT 17.5mm Push-	157,00
K8DT-VW2TD	669499	Monofásico Tensión Max y Min 1-150VAC/DC 24V AC/DC 1 transistor 17.5mm P	157,00

OMRON PVPR 2023

K8DT-VW3TA	669524	Monofásico Tensión Max y Min 20-600VAC/DC 100-240VAC 1 transistor 17.5mm	157,00
K8DT-VS3CD	669504	Monofásico Tensión Max o Min 20-600VAC/DC 24V AC/DC 1 SPDT 17.5mm Push	143,70
K8DT-VW3CD	669449	Monofásico Tensión Max y Min 20-600VAC/DC 24V AC/DC 1 SPDT 17.5mm Push	157,00
K8DT-VS3TD	669490	Monofásico Tensión Max o Min 20-600VAC/DC 24V AC/DC 1 transistor 17.5mm	143,70
K8DT-VS2CD	669470	Monofásico Tensión Max o Min 1-150VAC/DC 24V AC/DC 1 SPDT 17.5mm Push-	143,70
K8DT-VW3TD	669456	Monofásico Tensión Max y Min 20-600VAC/DC 24V AC/DC 1 transistor 17.5mm	157,00
K8DT-VW3CA	669452	Monofásico Tensión Max y Min 20-600VAC/DC 100-240VAC 1 SPDT 17.5mm Pus	157,00
E5LC-6	128650	Termómetro digital -20.0°C a 60.0°C Sonda PVC	111,90
E5LC-7	128651	Termómetro digital 30.0°C a 110.0°C	111,90
E5LC-2	128743	Termómetro digital -10.0°C a 40.0°C Sonda PVC	111,90
E5LC-3	128744	Termómetro digital 40.0°C a 90.0°C	110,90
E5LC-4	128745	Termómetro digital 60.0°C a 110.0°C Sonda SUS304	110,90
E5LC-5	145512	Termómetro digital -40.0°C a 40.0°C	111,90
E5LC-1	156401	Termómetro digital -30.0°C a 20.0°C	111,90
E5LC-613	339654	Termómetro digital 6 a 13°C	122,30
K6CM-ISMA-EIP	680571	Monitorización de la condición del motor, CA, trifásica, motor de inducción, mo	1 098,00
K6CM-VBMD-EIP	680562	Monitorización de estado del motor, CA, trifásico, motor de inducción, modelo d	1 087,00
K6CM-VBMA-EIP	680567	Motor Condition Monitoring, AC, 3-phase, Induction motor, Vibration & temper	1 087,00
K6CM-ISMD-EIP	680572	Motor Condition Monitoring, AC, 3-phase, Induction motor, Insulation resistanc	1 098,00
K6PM-THMD-EIP	690911	Dispositivo de monitorización del estado térmico para armarios de control y cua	1 292,00
K6CM-CI2MA-EIP	695077	Monitorización de estado del motor, CA, trifásico, motor de inducción, modelo d	1 467,00
K6CM-CI2MD-EIP	695076	Monitorización de estado del motor, CA, trifásico, motor de inducción, modelo d	1 467,00
K7GE-MGMA	700665	Insulation Resistance Monitoring Device for 3-phase & servo motors, pumps and	1 246,00
K7GE-MGMD	700664	Insulation Resistance Monitoring Device for 3-phase & servo motors, pumps and	1 246,00
K7TM-A2MA	707588	Heater resistance monitoring device, 100 to 240 VAC, transistor control output,	1 296,00
K7TM-A2MD	707587	Heater resistance monitoring device, 24 VAC/VDC, transistor control output, Pus	1 296,00
WES SDW-550	198298	Switch Ethernet 5TX	377,80
WES SDW-532-2MM-SC2	198302	Switch Ethernet Conector SC (3TX/2FX)	985,00
WES SDW-532-2SM-LC15	198320	Switch Ethernet Conector LC (3TX/2FX)	1 599,00
WES SDW-541-SM-LC15	198321	Switch Ethernet Conector LC (4TX/1FX)	1 056,00
WES SDW-541-MM-LC2	212622	Switch Ethernet Conector LC (4TX/1FX)	714,00
WES SDW-532-2MM-LC2	249862	Switch Ethernet Conector LC (3TX/2FX)	985,00
W4S1-03B	274904	Switch Ethernet para EIP 3 TX	269,80

OMRON PVPR 2023

WES SDI-550	353025	Switch 5 x 10/100BaseTX	156,00
WES SDI-541-MM-SC2	353026	Switch 4 x 10/100BaseTX, 1 x 100BaseFX, Multimodo 2 km	271,10
WES SDI-541-SM-SC30	353027	Switch 4 x 10/100BaseTX, 1 x 100BaseFX, Monomodo 30 km	377,80
WES SDI-880	353028	Switch 8 x 10/100BaseTX	305,00
WES SDI-862-MM-SC2	353029	Switch 6 x 10/100BaseTX, 2 x 100BaseFX, Multimodo 2 km	650,00
WES SDI-862-SM-SC30	353030	Switch 6 x 10/100BaseTX, 2 x 100BaseFX, Monomodo 30 km	728,00
WES-VIPER-008	667300	Switch 8 x 10/100BaseTX, M12, IP65 24-110 Vcc	985,00
WES-SDW-550-T5G	673341	Switch Ethernet Gbit, 5 puertos	688,50
WES-SDW-541-F1G-T4G	679126	SDW-series 5-port Gbit Unmanaged Switch - 4 x 10/100BaseTX, 1 x 100BaseFX	808,00
WES SDW-532-SM-SC15	680054	Switch no gestionado de 5 puertos serie SDW, 3 x puertos base T de 10/100 Mb	795,00
W4S1-05D	702123	5-port enhanced Ethernet switch	362,40
CS1W-CIF31	103601	Cable de Conversión USB-serie	315,90
CJ1W-CIF11	147038	Módulo Adaptador RS232 + RS422/485	255,30
WES-MD45 LV	198261	Conversor RS232 a RS422/485 DC DIN	570,50
WES MDW-45 HV	198270	Conversor RS232 a RS422/485 Carril DIN	313,80
WES MDW-45 LV	198271	Conversor RS232 a RS422/485 Carril DIN	313,80
WES EDW-100	221307	Adaptador Serie-Ethernet TCP y UDP 100Mbit/s Carril DIN	678,50
WES MCW-211-MM-SC2	225381	Conversor de Medio Ethernet FO Multimodo 2Km Conector SC	585,00
WES MCW-211-SM-SC15	229504	Conversor de Medio Ethernet FO Monomodo 15Km Conector SC	970,50
WES MCW-211-MM-LC2	230849	Conversor de Medio Ethernet FO Multimodo 2Km Conector LC	585,00
WES EDW-120	241815	Adaptador Serie-Ethernet 2 puertos Carril DIN	728,00
CQM1H-CIF12	250267	Módulo Adaptador puerto periféricos DDK-RS422	402,30
CJ1W-CIF21	317236	Módulo RS232 + RS422/485 Protocolo Control Temperatura	564,50
WES ODW-710-F1	355932	Conversor Punto-a-Punto de FO a Profibus	629,50
WES ODW-710-F2	355933	Conversor Multipunto y Anillo de FO a Profibus	658,00
WES ODW-720-F1	355934	Conversor Punto-a-Punto de FO a RS-232	530,50
WES ODW-720-F2	355935	Conversor Multipunto y Anillo de FO a RS-232	544,50
WES ODW-730-F1	355936	Conversor Punto-a-Punto de FO a RS-422/485	530,50
WES MCW-211-SM-LC15	355938	Conversor de Medio Ethernet FO Monomodo 15Km Conector LC	975,00
WES ODW-730-F2	355949	Conversor Multipunto y Anillo de FO a RS-422/485	544,50
WES DDW-225	358025	Ethernet SHDSL Extender Anillo Redundante WeOS Router	2 354,00
WES DDW-226	673433	Ethernet SHDSL Extender RS232	2 407,00
WES MCW-211-F1G-T1G	683862	Conversor de medios industriales Gbit	1 031,00

OMRON PVPR 2023

WES MCW-211-SM-LC40	699022	Ethernet Media Converter (Copper-to-Fiber), 1 x RJ-45, 10 Mbit/s or 100 Mbit/s	887,50
WES DDW-120	260932	Ethernet SHDSL Extender 5.7Mbit Carril DIN	957,00
WES-DDW-142	382147	Ethernet SHDSL Extender, 2x 10/100 Base-TX, Carril DIN	1 527,00
WES DDW-002-B1	681459	EN 50155 Ethernet Broadband Bridge 1 x 10/100 Mbit/s 1 x 2-wire interface up to 12V	2 451,00
WES RT-310	682749	RT-310 EU, EN 50155 WLAN Access Point	3 963,00
WES RT-320	682962	RT-320 EU, EN 50155 WLAN Client / Bridge / Access Point	4 474,00
WES-RT-220-LV EU	693865	Low power 802.11n, 2 x 2 MIMO, 2 x 100 Mbit/s ETH, AP+client+bridge, 24 VDC	3 432,00
GX-JC03	355830	Derivador de línea EtherCAT 3 puertos	312,30
GX-JC06	355831	Derivador de línea EtherCAT 6 puertos	543,50
GX-JC06-H	669665	Módulo de conexiones EtherCAT de 6 puertos, fuente de alimentación de 24 Vcc	572,50
WES L110-F2G	354310	Switch LynxpPlus 8x10/100BaseT, 2x100/1000MbpsSFP	1 241,00
WES L108-F2G-S2	355519	Switch Lynx DSS 4TX 2FX 2xRS232/422 WeOS Capa 2	1 869,00
WES L208-F2G-S2	355520	Switch/Router Lynx DSS 4TX 2FX 2xRS232/422 WeOS Capa 3	2 224,00
WES L105-S1	375699	Automation, Control Systems, Special Control System - WES, WES L105-S1	1 329,00
WES L205-S1	375700	Automation, Control Systems, Special Control System - WES, WES L205-S1	1 522,00
WES L106-F2G	375703	Switch Lynx 4x10/100BaseT, 2x100/1000Mbps SFP	1 070,00
WES L206-F2G	375704	Switch/Router Lynx 4x 10/100 Base-TX RJ-45 + 2x SFP	1 615,00
WES RFI-219-F4G-T7G-F8	658928	Switch industrial RedFox, 7 x RJ45 Gbit/s, 4 x transceivers 1 Gbit/s, 8 x transceivers 100 Mbit/s	5 130,00
WES-RFIR-227-F4G-T7G-AC	668825	Router Switch Industrial Redfox, Rack 19", Capa 3, 27xETH (11Gb)	4 946,00
WES-RFI-219-T3G	669106	Switch/Router Redfox 3xGbit + 16x10/100 TX RJ45	3 123,00
WES RFI-219-F4G-T7G	669634	Switch/Router RedFox 7xGbit + 8x10/100 TX RJ45 - 4xGbit SFP	4 504,00
WES RFI-211-T3G	675016	Switch/Router Redfox 3xGbit + 8x10/100 TX RJ45	2 295,00
WES-RFIR-219-F4G-T7G-AC	678807	19" Rack Industrial Routing Switch	4 565,00
WES-RFIR-127-F4G-T7G-AC	678808	19" Managed Industrial Switch	4 019,00
WES-L210-F2G-EX	679128	Serie Lynx +: switch de 8 - 10 puertos con aprobación Managed EX - 8 puertos 100 Mbit/s	1 997,00
WES L210-F2G	679726	Switch Ethernet gestionado con funciones de router	1 762,00
WES RFI-111-F4G-T7G	679729	Conmutador industrial gestionado	2 503,00
WES RFI-211-F4G-T7G	679725	Switch industrial	4 031,00
WES RFIR-227-F4G-T7G-DC	680064	Switch industrial de 19" versión cc, de 16 a 60 Vcc, 7 x RJ45 10/100/1000 Mbit/s	4 902,00
WES-VIPER-112A	680254	Switch Gestionado EN 50155, 12x100 Mbit/s, M12, IP67	2 553,00
WES-VIPER-212A	680253	Switch capa 3 WeOS 12x10/100BaseTX IP67 24–110 Vcc	3 591,00
WES-VIPER-112A-P8-HV	680252	Switch 12 x 10/100 Mbit/s, Ethernet TX, M12 (8 con PoE)	3 508,00
WES RFI-207-F4G-T3G	681466	Switch industrial, 3 x 10/100/1000 Mbit/s, Ethernet TX, compatible con transceivers	2 599,00

OMRON PVPR 2023

WES Viper-112A-T5G	681476	EN 50155 Managed Gbps Switch, 5 x 1 Gbps ports, 7 x 100 Mbps ports, 1 x USB p	3 903,00
WES Viper-112A-T3G-P8-HV	681474	EN 50155 Managed Gbps PoE Switch, 3 x 1 Gbps ports, 9 x 100 Mbps ports (whe	4 360,00
WES VIPER-220A-T4G-P8-HV	682964	EN 50155 Managed Gbps PoE Routing Switch, 4 x Gbps, whereof 2 PoE, 16 x 100	6 670,00
WES VIPER-120A-T4G-P8-HV	682965	EN 50155 Managed Gbps PoE Switch, 4 x Gbps Ethernet ports, whereof 2 PoE 6	5 590,00
WES VIPER-012	684983	Unmanaged EN 50155 Switch 12 x 10/100 Mbit/s	1 839,00
WES VIPER-112A-P8-LV	685717	EN 50155 Managed PoE Switch, 12 x 100 Mbps ports, whereof 8 PoE, 1 x USB. 1	3 510,00
WES L206-F2G-EX	690107	Managed EX approved Ethernet Switch with Routing Functionality	1 789,00
WES-REDFOX-5528-T28G-LV	693701	19" Rackmount Managed Ethernet Switch - low voltage version, 24 to 48 VDC, 2	6 120,00
WES-REDFOX-5528-F4G-T24G-LV	693864	19" Rackmount Managed Ethernet Switch - low voltage version, 24 to 48 VDC, 2	6 120,00
WES-REDFOX-5528-F16G-T12G-LV	693897	19" Rackmount Managed Ethernet Switch - low voltage version, 24 to 48 VDC, 1	6 275,00
WES-LYNX-5512-F4G-T8G-LV	694127	Industrial Gigabit Switch, 8 x RJ45, 10/100/1000 Mbit/s, 4 x 100/1000 Mbit/s, SF	2 771,00
WES-REDFOX-5528-E-F16G-T12G-LV	695053	19" Rackmount Managed Ethernet Switch Layer 3 - low voltage version, 24 to 48	8 160,00
WES-REDFOX-5528-E-F4G-T24G-LV	695054	19" Rackmount Managed Ethernet Switch Layer 3 - low voltage version, 24 to 48	7 950,00
WES-REDFOX-5528-E-T28G-LV	695052	19" Rackmount Managed Ethernet Switch Layer 3- low voltage version, 24 to 48	7 950,00
WES RFIR-127-F4G-T7G-DC	699231	19" Rackmount Managed Ethernet Switch DC version, 16 to 60 VDC, 7 x 10/100/	4 952,00
WES LYNX-5512-E-F4G-T8G-LV	699955	Industrial Layer 3 Gigabit Switch, 8 x RJ45, 10/100/1000 Mbit/s, 4 x 100/1000 M	4 049,00
WES LYNX-5612-F4G-T8G-LV	700979	IEC 61850-3 Substation Automation Switch, Layer 2, 8 x RJ45, 10/100/1000 Mbit	3 264,00
WES LYNX-5612-E-F4G-T8G-LV	700978	IEC 61850-3 Substation Automation Switch, Layer 3, 8 x RJ45, 10/100/1000 Mbit	4 410,00
WES TD-23 LV	231323	Modem V23 Multipunto Carril DIN	941,50
3G8F7-CLK23-E	240863	Tarjeta bus PCI Controller Link Par Trenzado	2 342,00
WES PSI-1010G-24V	353032	Switch 2 x 10/100/1000BaseTX, 8 x 10/100BaseTX, PoE, 24 Vcc	893,50
WES PMI-110-F2G	680917	Switch gestionado PoE Gigabit, 8 x RJ-45, 10/100 Mbit/s (8 con capacidad PoE), 2	1 956,00
WES RD-48 LV	198289	Repetidor RS422/485 Carril DIN	707,00
WES MRD-455	658972	Router 4G Industrial 2xRJ45 2xSIM 1xRS232	1 641,00
WES MRD-405	679724	Router industrial móvil de banda ancha/4G	1 156,00
WES BRD-355	680452	Router de banda ancha industrial (ADSL/VDSL),1 x RS-232, 300 bits/s - 115,2 kbit	1 606,00
WES MRD-415	690414	Router industrial móvil de banda ancha/4G	1 519,00
WES MRD-455-NA	700120	Industrial 4G LTE Cellular Router - North America version, 2 x 10/100 Mbit/s, RJ-	1 741,00
RT100-EMM3010	703111	RT1-series SiteManager LAN, 10 Device Agents, 3x Ethernet Ports, 1x Micro SD s	544,50
RT100-4GM3010-G	703110	RT1-series SiteManager 4G Global, 10 Device Agents, 3x Ethernet Ports, 1x Micr	708,50
RT100-W5M3010	703108	RT1-series SiteManager WiFi, 10 Device Agents, 3x Ethernet Ports, 1x Micro SD s	607,00
WES GW1042M-X-QFR-DCN0936	709046	GW1042W SERIES ROUTER. Input Voltage 9-36 VDC, No Isolated Power Input, 2	1 523,00
WES MLC2	340974	Transceiver LC, Multimodo, 2 km, 1310nm	115,30

OMRON PVPR 2023

WES GMLC550-SX	340978	Transceiver 1Gb, LC, Multimodo, 550 m, 850nm, SX	209,50
WES iMLC2-DDM	353041	Transceiver LC, Multimodo, 2 km, -10 a 70°C, DDM	122,50
WES iGMLC2-DDM	353043	Transceiver Gbit, Multimodo, 2 km, DDM (iLine)	385,40
WES iGSLC10-DDM	353044	Transceiver 1Gb LC, Monomodo, 10 km, -10 a 70°C, DDM	626,50
WES GTX100	375705	Transceiver Cobre Gbit RJ-45, 100 m, 0 a +70°	355,40
WES GMLC2-DDM-WeOS	659034	Transceiver Gbit, Multimodo, 2 km, DDM (WeOS)	381,50
WES GSLC20-BiDI-B-DDM	677377	Transceiver Gbit singlemode BiDI 20 km, 1550 / 1310 nm, DDM	746,00
WES GSLC20-BiDI-A-DDM	677412	Transceiver Gbit singlemode BiDI 20 km, 1310 / 1550 nm, DDM	746,00
WES-TX100	679219	10 / 100 Mbit/s copper transceiver RJ45, 100 m	332,60
WES-MRP	680683	Administrador y cliente MRP	110,20
WES GSLC30-DDM	685159	Gbit singlemode transceiver 30 km, 1310 nm, DDM	859,50
WES SLC20-DDM	685158	100 Mbit singlemode transceiver 20 km, 1310 nm, DDM	298,90
WES FACTORY RESET PLUG	693781	Factory Reset Plug X-code (Accessory)	175,20
WES SLC40-DDM	700661	100 Mbit singlemode transceiver 40 km, 1310nm, DDM	460,70
WES SLC80-DDM	700660	Singlemode, 80 km, 1550 nm, DDM	1 290,00
WES-SLC40-BiDI-B-DDM	701233	100 Mbit singlemode BiDi transceiver 40 km, 1550 / 1310nm	658,50
WES GSLC20-BiDI-A	702510	Gbit singlemode BiDI transceiver 20 km, 1310 / 1490 nm	620,50
WES GSLC20-BiDI-B	702511	Gbit singlemode BiDI transceiver 20 km, 1490 / 1310 nm	620,50
KOR-JETWAVE2212G	695240	Industrial Dual 802.11 ac 2.4G/5G 2T2R MIMO Wireless AP/CL	1 515,00
WES PII-2G	680916	Industrial 2-Port PoE Injector	363,50
XG4M-4030-T	427633	Pressure-welded Flat Cable Connector for DRT2-*D32 mL(-1), for AWG28 wires	5,48
XM2S-0911	434757	9-way D-type connector hood with 2.6mm pitch retaining screws	9,99
G7L-1A-T 200/240VAC	121594	SPDT-NA 30A Faston abrazadera en E	25,35
G7L-2A-T 100/120VAC	121620	DPST-NA 25A Faston abrazadera superior	23,78
G7L-2A-T 24VAC	121621	Relé contactor 2NA 25A	21,27
G7L-2A-TUB 200/240VAC	121632	DPST-NA 25A Faston abrazadera superior	24,55
G7L-1A-T 100/120VAC	121688	SPDT-NA 30A Faston abrazadera en E	25,18
G7L-1A-T 24VDC	142102	SPDT-NA 30A Faston abrazadera en E	20,46
G7L-2A-T 200/240VAC	145428	DPST-NA 25A Faston abrazadera E	24,55
G7L-2A-TUB 100/120VAC	145429	DPST-NA 25A Faston abrazadera superior	22,98
G7L-2A-T 12VDC	147652	DPST-NA 25A Faston abrazadera E	19,69
G7L-2A-TUB 24VDC	151905	DPST-NA 25A Faston abrazadera superior	17,95
G7L-1A-TUB 200/240VAC	154242	SPDT-NA 30A Faston abrazadera superior	25,35

OMRON PVPR 2023

G7L-2A-T 24VDC	155030	DPST-NA 25A Faston abrazadera E	19,69
G7L-2A-BUB 200/240VAC	230951	DPST-NA 25A Tornillo abrazadera superior	40,41
G7L-2A-BJ 200/240VAC	230954	DPST-NA 25A Faston abrazadera en E Pulsador prueba	40,89
G7L-1A-BUB 100/120VAC	379268	SPDT NA 100/120 VAC	30,35
EE-SX460-P1	127606	Herradura 5mm LED Luz Vert Conector	9,42
EE-SX3009-P1	127623	Herradura 5mm Vert PC-Board	8,04
EE-SX1042	127697	Herradura 5mm Vert PC-Board	3,00
EE-SV3	127760	Herradura 3.4mm Vert 0,5mm Soldar	8,19
EE-SG3	127788	Réflex 3.6mm	6,77
EE-SX461-P11	142331	Herradura 15mm LED Luz Vert Conector	17,24
EE-SB5	144368	Réflex 5mm Soldar	9,11
EE-SX4009-P1	144373	Herradura 5mm Horiz Conector	7,63
EE-SX4009-P10	192137	Herradura 5mm Horiz Conector	11,40
G6RN-1 5VDC	103183	SPDT Sellado 8A AgNi+baño de oro	6,60
G6RN-1A 24VDC	103184	SPST-NA Sellado 8A AgNi+baño de oro	6,29
G2R-24 12VDC	104060	DPDT 5A Enchuf.LED Indic.	6,08
P6D-04P	113562	Base	10,38
G6RN-1 24VDC	122410	SPDT Sellado 8A AgNi+baño de oro	6,64
G6RN-1A 5VDC	122412	SPST	6,35
G6RN-1A 12VDC	122413	SPST-NA Sellado 8A AgNi+baño de oro	6,22
G6RN-1 12VDC	122505	SPDT Sellado 8A AgNi+baño de oro	6,64
G6D-F4B 24VDC	122884	RELE DE POTENCIA PARA CCTO. IMPRESO	121,30
G6C-1114P-US 12VDC	122952	SPST-NA 10A Monoestable Sellado	12,15
G6B-1114P-US-SV 24VDC	123064	SPST-NA 5A Monoestable	13,16
G6B-1114P-US 24VDC	123113	Relé C.I.	13,16
G6B-1114P-FD-US 24VDC	123116	SPST-NA monoestable laboratorio	13,16
G6B-1174P-US 24VDC	123125	SPST-NA 8A Alta capacidad Monoestable	13,88
G6B-1174P-FD-US 24VDC	123127	SPST-NA 8A Alta capacidad Monoestable	14,89
G5SB-14 24VDC	123527	SPDT 5A Sellado	3,50
G5LE-1 12VDC	123790	SPDT 10A Estanco AgSnO2	4,27
G5LE-1 24VDC	123791	SPDT 10A Estanco AgSnO2	4,27
G4W-2212P-US-TV5 12VDC	124139	Relé C.I.	19,12
G3MC-202P 5VDC	125033	Relé de Estado Sólido	12,15

OMRON PVPR 2023

G2R-2 5VDC	125531	DPDT 5A Enchuf.LED Indic.	5,94
G2R-2-AUL 12VDC	125696	DPDT 5A Enchuf.LED Indic.	14,48
G2RL-1 12VDC	126077	SPDT 12A Bajo perfil Estando	6,14
G6B-1174P-US 12VDC	145749	SPST-NA 8A Alta capacidad Monoestable	13,88
P6B-04P	145776	Para G6B-114P-US	6,02
G6B-1174P-US 5VDC	146806	SPST-NA 8A Alta capacidad monoestable	13,16
G5LE-1-VD 12VDC	150848	SPDT 10A Estando AgSnO2	3,72
G6B-4BND 24VDC	156434	Base + 4 relés G6B	103,70
G6CU-2117P-US 3VDC	157939	Relé C.I.	13,88
G5Q-1A-EU DC24	164258	SPST-NA 10A Alto aislamiento	2,88
G6D-1A-ASI 12VDC	177136	SPST-NA 5A Sellado Aleación Ag	7,48
G6D-1A-ASI DC24	177137	SPST-NA 5A Sellado Aleación Ag	7,75
G2R-1-T 24VAC	177247	Relé de potencia para CI	13,46
G2R-1-T 240VAC	177253	Relé de potencia para CI	18,97
G2R-1A-T 24VDC	177257	SPST-NA 10A Enchuf. Montaje superior	10,53
G2R-1-T DC24	177258	Relé de potencia para CI	6,69
G6D-1A-ASI 5VDC	177476	SPST-NA 5A Sellado Aleación Ag	7,48
G6B-2114P-US DC24	180335	SPST-NA+SPST-NC 5A Monoestable	16,08
G6B-2214P-US DC24	180341	SPST-NA+SPST-NC 5A Monoestable	15,05
G4A-1A-E DC24	227891	Relé C.I.	9,95
G4A-1A-E 12VDC	228254	Relé C.I.	11,10
G3DZ-2R6PL 24VDC	324092	0,6A a 240Vca o 100Vcc Sin paso por cero	21,89
G3S-201PL-PD-US 24VDC	324633	1,1A 3 a 24Vcc Ultra pequeño	38,21
G3RD-X02PN-2 24VDC	343329	Compacto indicador 2A	44,92
G2RL-1 12VDC	354685	SPDT 12A Bajo perfil Estando	6,14
G2RL-1 24VDC	354686	SPDT 12A Bajo perfil Estando	6,34
G2RL-1-E 24VDC	354692	SPDT 12A Bajo perfil Estando	6,34
G2R-1 AC230	369908	SPDT 10A Term. CI Empleo general	10,53
G2R-1 12VDC	369909	SPDT 10A Term. CI Empleo general	4,30
G2R-1 24VDC	369910	SPDT 10A Term. CI Empleo general	4,28
G2R-1A 24VDC	369913	SPDT 10A Enchuf.	3,67
G2R-1 AC110	369936	SPDT 10A Term. CI Empleo general	7,48
G2R-1 AC24	369937	SPDT 10A Term. CI Empleo general	3,85

OMRON PVPR 2023

G2R-1A AC24	370324	SPDT 10A Enchuf.	7,75
G2R-1A-E 24VDC	373753	SPDT 10A Enchuf.	5,16
G2R-1-E 12VDC	373760	SPDT 16A Term. CI Alta capacidad Estanco	5,47
G2R-1-E 24VDC	373761	SPDT 16A Term. CI Alta capacidad Estanco	5,32
G2R-1-E 48VDC	373763	Relay, PCB terminal, high capacity, 8-pin, SPDT, 16 A, 48VDC	5,46
G2R-2 110VAC	379209	DPDT 5A Enchuf.LED Indic.	7,62
G2R-2 230VAC	379213	DPDT 5A, terminales PCB	11,39
G2R-2 24VAC	379214	SPDT 10A Enchuf.	7,48
G2R-2 12VDC	379218	DPDT 5A Enchuf.LED Indic.	5,71
G2R-2 DC24	379219	DPDT 5A Enchuf.LED Indic.	5,95
G2R-2 48VDC	379220	DPDT 5A Base Led indic.	7,02
G2RL-2 12VDC	379435		6,81
G2RL-2 24VDC	379436	DPDT 8A Bajo perfil Estanco	6,81
G2RL-24 24VDC	379448	DPDT 8A Bajo perfil Estanco	8,35
G2R-2 48VAC	379216	DPDT 5A Enchuf.LED Indic.	7,48
G6DN-1A 12VDC	419534	Slim Power Relay, contact SPST 5A/250VAC	7,09
G6AK-234P 24VDC	104407	DPDT	14,48
G6K-2P 24VDC	122561	Realy, subminiature, PCB mounting, DPDT, 0.3A 125VAC, 1A 30VDC	10,26
G6E-134P-US 5VDC	122886	Relé C.I.	7,62
G6E-134P-US 12VDC	122887	Relé C.I.	7,62
G6A-234P-ST-US 24VDC	123359	Relay, PCB terminal, Single-side Stable Type, Fully Sealed, AgPb + Au clad contac	8,63
G5V-1 5VDC	123445	SPDT 1A Sellado Ag+Au-clad	3,98
G5V-1 24VDC	123448	SPDT 1A Sellado Ag+Au-clad	3,98
G5V-2 12VDC	123450	DPDT 2A Estándar Sellado	5,03
G5V-2 24VDC	123451	DPDT 2A Estándar Sellado	5,03
G3SD-Z01P-PD-US 24VDC	124663	1,1A 3 a 26Vcc Ultra pequeño US	29,34
G3SD-Z01P-PE 24VDC	169322	1,1A 3 a 24Vcc Ultra pequeño	32,10
G6J-2P-Y DC24	184391	Relé de Circuito Impreso	11,57
VX-013-1C23	105335	Microrruptor	6,40
D2F-FL	105605	Mini,palan,term CI,estándar, baja FO,1A	2,84
SS-5GL13D	105943	Microrruptor	3,75
D2JW-01K31-MD	106232	Microrruptor propósito general	12,75
VX-01-1A2	108563	Miniature Basic Switch, Pin Plunger, SPDT, 0.1 A AT 30 VDC, OF:0.25N, Solder Te	5,73

OMRON PVPR 2023

VX-015-1A3	108569	MICRORRUPTOR PROPOSITO GENERAL	6,82
1VAP21	108766	Accesorio micro	29,64
V-165-1C5	109451	Palanca corta roldana 16A SPDT Term. Faston (250)	4,51
V-166-1C25	109454	Palanca roldana 16A SPDT Term. Faston (187) Placa derecha	3,98
V-166-1C5	109456	Palanca roldana 16A SPDT Term. Faston (250)	4,51
V-166-1C6	109457	Microrruptor	4,51
V-16-1C26	109502	MICRORRUPTOR PROPOSITO GENERAL	2,21
V-16-1C5	109504	Palanca roldana 16A SPDT Term. Faston (250)	3,79
V-162-1A6	109525	MICRORRUPTOR PROPOSITO GENERAL	2,37
V-162-1C5	109528	Palanca 16A SPDT Term. Faston (250)	4,17
V-163-1C5	109534	Palanca larga SPDT Term. Faston (250)	4,34
V-165-1A5	109542	Microrruptor	4,66
SS-01GL2	111181	MICRORRUPTOR	4,86
SSG-5T-5	111231	Microrruptor	3,43
SS-01GL	111257	Microrruptor Propósito General	5,14
SS-5GL	111423	Palanca 5A FOmax:50g Term. soldar	3,22
SS-5GL13T	111425	Microrruptor	3,58
SS-5GL2	111428	Palanca roldana (rodillo) 5A FOmax:50g Term. soldar	3,75
SS-5GL2T	111429	Microrruptor	3,75
SS-5-FT	111433	Embolo 5A FOmax:50g Conexión Rápida	3,02
SS-5GL-2	111443	Palanca roldana 5A FOmax:50g Term. soldar	2,97
SS-5GL2-F	111463	Microrruptor	4,99
SS-10GL2T	111471	Microrruptor	6,39
J-7	119417	Microrruptor miniatura	29,65
D3V-163-1C5	134970	Microrruptor	4,15
D3V-165-1C5	134973	Microrruptor	4,65
D3V-16-1C5	135069	Émbolo aguja 16A SPDT Soldar	3,35
D3V-16-1A5	135071	Microrruptor	3,93
D2VW-5L1B-1M-20(A)	135106	Microrruptor	9,70
D2SW-3L2M	135144	Sealed subminiature basic switch, hinge roller lever, moulded lead wires	16,66
D2SW-3L2H	135147	Microrruptor 3A Palanca-roldana Soldar	11,36
D2SW-01L1M-0	135161	Microrruptor 0,1A Palanca Cable	21,13
D2MV-1L22-1C2	135186	Microrruptor	7,59

OMRON PVPR 2023

D2MV-1-1C1	135263	MICRORRUPTOR PROPOSITO GENERAL	6,65
D2F-01LD	135388	Microrruptor miniatura	2,71
D2F-01	135440	Mini,embo,term CI,alta sens,empleo genera	2,45
D2F-01L	135442	Microrruptor miniatura	2,84
B3F-1000	137290	6x6 Émbolo plano FO:100g Sin term. tierra	0,59
B3F-1050	137296	6x6 Émbolo saliente FO:100g Sin term. tierra	0,59
B32-1210	137339	Caperuza para B3F	0,42
B3F-1060	137379		0,58
A6D-4100	140123	4 canales Actuación superior	2,70
D3V-165-1C25	142543	Microrruptor	5,10
SS-5GL13D1	142546	MICRORRUPTOR PROPOSITO GENERAL	5,15
SS-10GL2	143148	Palan-rolana 10-1A FOMax:50g Term. soldar	5,54
SS-5GL13	146954	Microrruptor	3,22
SS-5GL-2T	148035	MICRORRUPTOR PROPOSITO GENERAL	3,75
V-165-1C6	148043	Palanca corta roldana 16A SPDT Term. Faston (250)	4,92
D2F-01FL	148685	MICRORRUPTOR	3,02
V-16-1A6	149015	Microrruptor	4,30
SS-5	150073	Embolo 5A FOMax:150g Term. soldar	2,70
SS-5GL111	150075	Palanca 22,6 5A FOMax:50g Term. soldar	3,38
D3V-161-1C5	150195	Microrruptor	3,93
C2U	150985	Pulsador Mano	279,60
D3V-162-1C5	153540	Palanca 1,96N 16A SPDT Soldar	4,10
V-161-1C5	153547	Palanca corta 16A SPDT Term. Faston (250)	3,79
VX-5-1A2	154097	Microrruptor	4,90
VX-5-1A3	154098	Microrruptor	10,08
SS-5T	154686	Embolo 5A FOMax:150g Term. Faston	3,07
B32-1610	154827	Caperuza para B3F 9,5mm Negra	0,58
D2JW-01K21	154924	Microrruptor propósito general	15,97
SS-5-F	156777	Embolo 5A FOMax:50g Term. soldar	3,07
SS-10GL	231164	Palanca 10-1A FOMax:50g Term. soldar	4,86
B3F-4050	238167	12x12 Émbolo saliente FO:130g Sin term. tierra	0,59
B3F-4005	238168	12x12 Émbolo plano FO:260g Sin term. tierra	0,59
D2D-1101	239740	Microrruptor Puerta	9,15

OMRON PVPR 2023

V-103-1A4	258053	Microrruptor	4,65
V-153-1C5	258067	Microrruptor	4,90
V-155-1A6	258068	Microrruptor	3,94
V-155-1C5	258069	Palanca roldana resorte corta SPDT Enchuf.	4,30
V-155-1C6	258070		4,30
V-15-1A5	258072	Microrruptor	5,00
V-156-1A5	258073	Microrruptor	5,40
V-15-1A6	258079	Miniature basic switch	3,60
V-15-1C5	258080	Microrruptor	4,17
V-156-1C5	258082	Microrruptor	4,19
V-152-1A5	293581	Microrruptor	3,86
V-15-1B6	337872	Microrruptor	6,59
V-155-1A5	339415	Microrruptor	4,30
SS-3GPD	393955	Microrruptor Miniatura	1,85
D3V111C5	135026	Miniature basic switch, pin plunger, SPDT, 3A 250VAC, quick connect terminals	1,96
D2VW-5L1-1M	424168	Sealed miniature basic switch, 5 A, moulded lead wires	16,30
D2VW-5L2A-1M	424129	Sealed miniature basic switch, short hinge roller lever, 0.1 A, moulded lead wire	14,55
D2VW-5L1B-1M	424169	Sealed miniature basic switch, long hinge lever, 5 A, SPDT, molded leads wire	15,66
D2VW-5L2-1M	424171	Sealed miniature basic switch, hinge roller lever, 0.1 A, moulded lead wires	16,05
D2VW-5-1M	424177	Sealed miniature basic switch, 5 A 250VAC, SPDT, Pin Pluger, moulded lead wire	14,87
D2VW-5L3-1M	424170	Sealed miniature basic switch, simulated roller lever, 5 A, SPDT	10,37
P7LF-D	113571	55.5 x 51.5 x 35.2	12,57
P7LF-06	113572	Frontal	31,95
P7LF-06D	143521	6 pines	31,95
S82S-7305	112013	Fte. Alimentación CC-CC Entrada 12-24Vcc Salida 5Vcc 3W	166,00
S82S-7312	112014	Power supply, 3W, 12-24 VDC input, 12 VDC 0.25A output, DIN rail mounting	166,00
S82S-7712	112015	Power supply, 7.5W, 12-24 VDC input, 12 VDC 0.6A output, DIN rail mounting	179,50
S82S-7715	112016	FUENTE DE ALIMENTACION MONOFASICA	179,50
S82S-7724	112017	Fuente de Alimentación	179,50
S82S-7727	144187	Corto 2h Enr 4mm M12 NA Conector M12	209,10
S82S-7705	149574	Fuente de Alimentación	179,50
S8VM-03005CD	196188	30W / 5V / 6A Carcasa Carril DIN	190,80
S8VM-05015CD	196194	50W / 15V / 3,5A Carcasa Carril DIN	225,60

OMRON PVPR 2023

S8VM-10015CD	196198	100W / 15V / 7A Carcasa Carril DIN	343,80
S8VS-06024	247532	60W / 24V / 2,5A Carril DIN	167,90
S8VS-09024	247534	90W / 24V / 3,75A Carril DIN	228,70
S8VS-12024	247535	120W / 24V / 5A Carril DIN	228,70
S8VS-18024	247536	180W / 24V / 7,5A Carril DIN	364,40
S8VS-24024	247537	240W / 24V / 10A Carril DIN	384,70
S8JX-G10005CD	249080	100W / 5V / 20A Con carcasa Carril DIN	158,60
S8VS-06024-F	255317	Fuente de alimentación, 60 W, 100-240 VAC , 24 VDC, 2.5 A , DIN , modelo básico	206,40
S8VS-24024-F	255319	240W / 24V / 10A Carril DIN Conexión Rápida	510,50
S8VS-06024A	281057	60W / 24V / 2,5A DIN Display Period mant.	302,20
S8VS-09024A	281058	90W / 24V /3,75A Carril DIN Display Period. mant.	397,30
S8VS-06024B	281059	60W / 24V / 2,5A Carril DIN	302,20
S8VS-12024A	281061	120W / 24V / 5A DIN Display Período mant. Alarma NPN	505,50
S8VS-12024B	281062	120W / 24V / 5A Carril DIN Display Tiempo func.	462,10
S8VS-24024A	281063	240W / 24V / 10A DIN Display Period mant. Alarma NPN	735,50
S8VS-24024B	281064	240W / 24V / 10A Carril DIN Display Tiempo func.	735,50
S8VS-18024A	281065	180W / 24V / 7,5A Carril DIN Display Mantenimiento preventivo .	622,00
S8VS-18024B	281066	180W / 24V / 7,5A Carril DIN Display Tiempo func.	447,60
S8VS-24024AP	281067	240W / 24V / 10A DIN Display Period mant. Alarma PNP	735,50
S8VS-24024BP	281068	240W / 24V / 10A DIN Display Tiempo func. Alarma PNP	735,50
S8VS-09024AP	281069	90W / 24V / 3,75A DIN,Displ.periodmant.alarma PNP	397,30
S8VS-09024BP	281070	90W / 24V / 3,75A DIN Displ. Tiempo func. Alarma PNP	397,30
S8VS-12024AP	281071	120W / 24V / 5A DIN Display Period mant. Alarma PNP	462,10
S8VS-12024BP	281072	120W / 24V / 5A DIN Display Tiempo func. Alarma PNP	462,10
S8VS-18024AP	281073	180W / 24V / 7,5A DIN Display Period mant. Alarma PNP	530,50
S8TS-06024F-E1	307938	Fuente de alimentación modular,60W,100-240VAC de entrada,24VDC 2,5 A de	226,70
S8VS-01524	307948	15W / 24V / 0,65A 22,5mm Carril DIN	97,00
S8TS-03012-E1	323510	Fuente de alimentación modular,30W,100-240VAC de entrada,12VDC 2,5 A de	254,30
S8VS-03012	323512	30W / 12V / 2,5A 22,5mm Carril DIN	144,90
S8VS-48024	323513	480W / 24V / 20A Carril DIN	633,50
S8AS-48008	324222	Fuente+Protector multicircuito 480W/24V/20A 8circuitos	2 165,00
S8VS-01512	324268	15W / 12V / 1,2A 22,5mm Carril DIN	97,00
S8VS-01505	324848	15W / 5V / 2A 22,5mm Carril DIN	97,00

OMRON PVPR 2023

S8VS-03005	324849	30W / 5V / 4A 22,5mm Carril DIN	144,90
S8TS-02505	324850	Fuente de alimentación modular,25W,100-240VAC de entreda,5VDC de salida, DIN	254,30
S8VS-03024	325147	30W / 24V / 1,3A 22,5mm Carril DIN	126,30
S8VS-48024A	333444	480W / 24V / 20A Carril DIN	1 153,00
S8VS-48024B	333445	Fuente de alimentación, 480 W, 100-240 VAC 24 VDC, 20 A DIN con display	1 153,00
S8TS-03012	356088	30W / 12V / 2,5A Term. tornillo Sin Conectores en Bus	241,80
S8AS-24006	356597	Fuente+Protector multicircuito 240W/24V/10A 6circuitos	1 590,00
S8TS-06024	358569	60W / 24V / 2,5A Term. tornillo	181,50
S8TS-06024-E1	358570	60W / 24V / 2,5A Term. tornillo	195,20
S8JX-P30024N	364916	Fuente de alimentación, 300W, 100-240VAC, 24VDC, 14A de salida, DIN	485,40
S8JX-P30024CD	364918	300W / 24V / 14A Con carcasa Carril DIN PFC	513,50
S8JX-P60024N	364919	Fuente de alimentación,600W, 100-240VAC, 24VDC, 27 A	714,00
S8JX-P60024C	364920	Fuente de alimentación,600W, 100-240VAC, 24VDC, 27 A	804,00
S8JX-P60024CD	364921	600W / 24V / 27A Con carcasa Carril DIN PFC	785,00
S8JX-P30012CD	371552	300W / 12V / 27A Con carcasa Carril DIN PFC12Vdc	638,00
S8JX-P60012CD	371561	Fuente de alimentación, 600W, 100-240VAC, 12VDC,53A de salida, DIN	785,00
S8VK-G01505	374164	Fuente de alimentación 15W/5V/3A carril DIN	56,70
S8VK-G01512	374165	Fuente de alimentación 15W/12V/1,2A carril DIN	56,70
S8VK-G01524	374166	Fuente de alimentación 15W/24V/0,65A carril DIN	56,70
S8VK-G03005	374167	Fuente de alimentación 30W/5V/5A carril DIN	70,85
S8VK-G03012	374168	Fuente de alimentación 30W/12V/2.5A carril DIN	70,85
S8VK-G03024	374169	Fuente de alimentación 30W/24V/1.3A carril DIN	70,85
S8VK-G06012	374170	Fuente de alimentación 60W/12V/4.5A carril DIN	93,50
S8VK-G06024	374171	Fuente de alimentación 60W/24V/2.5A carril DIN	93,50
S8VK-G12024	374869	Fuente de alimentación 120W/24V/5A carril DIN	141,70
S8VK-G24024	374870	Fuente de alimentación 240W/24V/10A carril DIN	205,80
S8VK-G24048	374871	Fuente de alimentación 240W/48V/5A carril DIN	205,80
S8VK-G48024	374872	Fuente de alimentación 480W/24V/20A carril DIN	312,30
S8VK-G48048	374873	Fuente de alimentación 480W/48V/10A carril DIN	312,30
S8VK-C06024	375666	Fuente de alimentación 60W/24V/2.5A carril DIN LITE	51,65
S8VK-C12024	375667	Fuente de alimentación 120W/24V/5A carril DIN LITE	78,45
S8VK-C24024	375668	Fuente de alimentación 240W/24V/10A carril DIN LITE	115,50
S8VK-C48024	375669	Fuente de alimentación 480W/24V/20A carril DIN LITE	204,70

OMRON PVPR 2023

S8VK-G48024-400	659368	Fuente de alimentación 480W/48V/20A carril DIN Tropicalizada	375,00
S8VK-G03005-400	659369	Fuente de alimentación 30W/5V/5A carril DIN Tropicalizada	84,20
S8VK-G03012-400	659370	Fuente de alimentación 30W/12V/2.5A carril DIN Tropicalizada	84,20
S8VK-G03024-400	659371	Fuente de alimentación 30W/24V/1.3A carril DIN Tropicalizada	84,20
S8VK-G01524-400	659372	Fuente de alimentación 15W/24V/0.65A carril DIN Tropicalizada	68,30
S8VK-G24048-400	659373	Fuente de alimentación 240W/48V/5A carril DIN Tropicalizada	245,50
S8VK-G12024-400	659374	Fuente de alimentación 120W/24V/5A carril DIN Tropicalizada	169,70
S8VK-G24024-400	659375	Fuente de alimentación 240W/24V/10A carril DIN Tropicalizada	245,50
S8VK-G48048-400	659376	Fuente de alimentación 480W/48V/10A carril DIN Tropicalizada	375,00
S8VK-G01505-400	659377	Fuente de alimentación 15W/5V/3A carril DIN Tropicalizada	68,30
S8VK-G01512-400	659378	Fuente de alimentación 15W/12V/1.2A carril DIN Tropicalizada	68,30
S8VK-G06024-400	659382	Fuente de alimentación 60W/24V/2.5A carril DIN Tropicalizada	112,30
S8VK-G06012-400	659383	Fuente de alimentación 60W/12V/4.5A carril DIN Tropicalizada	112,30
S8VS-18024BE	701367	Power supply, 180W, 100-240 VAC input, 24 VDC 7.5A output, DIN rail mounting	447,60
S8FS-C02512	668777	F. de alimentación, carcasa metálica, 25W, 12VDC, 2.1A, Conexión frontal, LITE	52,40
S8FS-C02515	668792	F. de alimentación, carcasa metálica, 25W, 15VDC, 1.7A, Conexión frontal, LITE	52,40
S8FS-C03505	668767	F. de alimentación, carcasa metálica, 35W, 5VDC, 7A, Conexión frontal, LITE	67,70
S8FS-C20005	668818	F. de alimentación, carcasa metálica, 200W, 5VDC, 40A, Conexión frontal, LITE	158,90
S8FS-C01515J	668790	F. de alimentación, carcasa metálica, 15W, 15VDC, 1A, Conexión lateral, LITE	49,64
S8FS-C07505J	668807	F. de alimentación, carcasa metálica, 75W, 5VDC, 14A, Conexión lateral, LITE	75,95
S8FS-C07548J	668726	F. de alimentación, carcasa metálica, 75W, 48VDC, 1.6A, Conexión lateral, LITE	75,95
S8FS-C35024J	668733	F. de alimentación, carcasa metálica, 350W, 24VDC, 14.6A, Conexión lateral, LITE	234,70
S8FS-C03515	668758	F. de alimentación, carcasa metálica, 35W, 15VDC, 2.4A, Conexión frontal, LITE	67,70
S8FS-C03524	668793	F. de alimentación, carcasa metálica, 35W, 24VDC, 1.5A, Conexión frontal, LITE	67,70
S8FS-C07512	668750	F. de alimentación, carcasa metálica, 75W, 12VDC, 6.2A, Conexión frontal, LITE	75,95
S8FS-C07515	668816	F. de alimentación, carcasa metálica, 75W, 15VDC, 5A, Conexión frontal, LITE	75,95
S8FS-C07548	668797	F. de alimentación, carcasa metálica, 75W, 48VDC, 1.6A, Conexión frontal, LITE	75,95
S8FS-C10048	668736	F. de alimentación, carcasa metálica, 100W, 48VDC, 2.3A, Conexión frontal, LITE	88,35
S8FS-C15005	668773	F. de alimentación, carcasa metálica, 150W, 5VDC, 26A, Conexión frontal, LITE	151,90
S8FS-C15036	668783	F. de alimentación, carcasa metálica, 150W, 36VDC, 4.3A, Conexión frontal, LITE	158,90
S8FS-C15048	668795	F. de alimentación, carcasa metálica, 150W, 48VDC, 3.3A, Conexión frontal, LITE	151,90
S8FS-C20036	668725	F. de alimentación, carcasa metálica, 200W, 36VDC, 5.9A, Conexión frontal, LITE	164,30
S8FS-C01512J	668734	F. de alimentación, carcasa metálica, 15W, 12VDC, 1.3A, Conexión lateral, LITE	49,64

OMRON PVPR 2023

S8FS-C02512J	668812	F. de alimentación, carcasa metálica, 25W, 12VDC, 2.1A, Conexión lateral, LITE	52,40
S8FS-C03515J	668796	F. de alimentación, carcasa metálica, 35W, 15VDC, 2.4A, Conexión lateral, LITE	67,70
S8FS-C05005J	668763	F. de alimentación, carcasa metálica, 50W, 5VDC, 10A, Conexión lateral, LITE	74,60
S8FS-C05012J	668802	F. de alimentación, carcasa metálica, 50W, 12VDC, 4.2A, Conexión lateral, LITE	74,60
S8FS-C07515J	668811	F. de alimentación, carcasa metálica, 75W, 15VDC, 5A, Conexión lateral, LITE	75,95
S8FS-C15036J	668808	F. de alimentación, carcasa metálica, 150W, 36VDC, 4.3A, Conexión lateral, LITE	158,90
S8FS-C05012	668722	F. de alimentación, carcasa metálica, 50W, 12VDC, 4.2A, Conexión frontal, LITE	74,60
S8FS-C05024	668798	F. de alimentación, carcasa metálica, 50W, 24VDC, 2.2A, Conexión frontal, LITE	74,60
S8FS-C10015	668727	F. de alimentación, carcasa metálica, 100W, 15VDC, 7A, Conexión frontal, LITE	88,35
S8FS-C35024	668810	F. de alimentación, carcasa metálica, 350W, 24VDC, 14.6A, Conexión frontal, LITE	234,70
S8FS-C35036	668730	F. de alimentación, carcasa metálica, 350W, 36VDC, 9.7A, Conexión frontal, LITE	241,40
S8FS-C35048	668718	F. de alimentación, carcasa metálica, 350W, 48VDC, 7.32A, Conexión frontal, LITE	234,70
S8FS-C10048J	668752	F. de alimentación, carcasa metálica, 100W, 48VDC, 2.3A, Conexión lateral, LITE	88,35
S8FS-C02505	668781	F. de alimentación, carcasa metálica, 25W, 5VDC, 5A, Conexión frontal, LITE	52,40
S8FS-C05005	668814	F. de alimentación, carcasa metálica, 50W, 5VDC, 10A, Conexión frontal, LITE	74,60
S8FS-C01524J	668755	F. de alimentación, carcasa metálica, 15W, 24VDC, 0.7A, Conexión lateral, LITE	49,64
S8FS-C03512J	668764	F. de alimentación, carcasa metálica, 35W, 12VDC, 3A, Conexión lateral, LITE	67,70
S8FS-C03524J	668731	F. de alimentación, carcasa metálica, 35W, 24VDC, 1.5A, Conexión lateral, LITE	67,70
S8FS-C15024J	668751	F. de alimentación, carcasa metálica, 150W, 24VDC, 6.5A, Conexión lateral, LITE	151,90
S8FS-C20012J	668787	F. de alimentación, carcasa metálica, 200W, 12VDC, 17A, Conexión lateral, LITE	158,90
S8FS-C20024J	668762	F. de alimentación, carcasa metálica, 200W, 24VDC, 8.8A, Conexión lateral, LITE	158,90
S8FS-C35012J	668766	F. de alimentación, carcasa metálica, 350W, 12VDC, 29A, Conexión lateral, LITE	234,70
S8FS-C35036J	668728	F. de alimentación, carcasa metálica, 350W, 36VDC, 9.7A, Conexión lateral, LITE	241,40
S8FS-C02524	668782	F. de alimentación, carcasa metálica, 25W, 24VDC, 1.1A, Conexión frontal, LITE	52,40
S8FS-C10024	668804	F. de alimentación, carcasa metálica, 100W, 24VDC, 4.5A, Conexión frontal, LITE	88,35
S8FS-C20024	668729	F. de alimentación, carcasa metálica, 200W, 24VDC, 8.8A, Conexión frontal, LITE	158,90
S8FS-C35005	668740	F. de alimentación, carcasa metálica, 350W, 5VDC, 60, Conexión frontal, LITE	234,70
S8FS-C01505J	668800	F. de alimentación, carcasa metálica, 15W, 5VDC, 3A, Conexión lateral, LITE	49,64
S8FS-C05015J	668719	F. de alimentación, carcasa metálica, 50W, 15VDC, 3.4A, Conexión lateral, LITE	74,60
S8FS-C05024J	668786	F. de alimentación, carcasa metálica, 50W, 24VDC, 2.2A, Conexión lateral, LITE	74,60
S8FS-C07512J	668789	F. de alimentación, carcasa metálica, 75W, 12VDC, 6.2A, Conexión lateral, LITE	75,95
S8FS-C10012J	668756	F. de alimentación, carcasa metálica, 100W, 12VDC, 8.5A, Conexión lateral, LITE	88,35
S8FS-C15005J	668801	F. de alimentación, carcasa metálica, 150W, 5VDC, 26A, Conexión lateral, LITE	151,90

OMRON PVPR 2023

S8FS-C20005J	668809	F. de alimentación, carcasa metálica, 200W, 5VDC, 40A, Conexión lateral, LITE	158,90
S8FS-C35005J	668753	F. de alimentación, carcasa metálica, 350W, 5VDC, 60A, Conexión lateral, LITE	234,70
S8FS-C05015	668759	F. de alimentación, carcasa metálica, 50W, 15VDC, 3.4A, Conexión frontal, LITE	74,60
S8FS-C05048	668778	F. de alimentación, carcasa metálica, 50W, 48VDC, 1.1A, Conexión frontal, LITE	74,60
S8FS-C10005	668724	F. de alimentación, carcasa metálica, 100W, 5VDC, 20A, Conexión frontal, LITE	88,35
S8FS-C20048	668805	F. de alimentación, carcasa metálica, 200W, 48VDC, 4.43A, Conexión frontal, LITE	158,90
S8FS-C03512	668770	F. de alimentación, carcasa metálica, 35W, 12VDC, 3A, Conexión frontal, LITE	67,70
S8FS-C07505	668779	F. de alimentación, carcasa metálica, 75W, 5VDC, 14A, Conexión frontal, LITE	75,95
S8FS-C10012	668771	F. de alimentación, carcasa metálica, 100W, 12VDC, 8.5A, Conexión frontal, LITE	88,35
S8FS-C15015	668746	F. de alimentación, carcasa metálica, 150W, 15VDC, 10A, Conexión frontal, LITE	151,90
S8FS-C02515J	668788	F. de alimentación, carcasa metálica, 25W, 15VDC, 1.7A, Conexión lateral, LITE	52,40
S8FS-C05048J	668765	F. de alimentación, carcasa metálica, 50W, 48VDC, 1.1A, Conexión lateral, LITE	74,60
S8FS-C10015J	668717	F. de alimentación, carcasa metálica, 100W, 15VDC, 7A, Conexión lateral, LITE	88,35
S8FS-C15015J	668741	F. de alimentación, carcasa metálica, 150W, 15VDC, 10A, Conexión lateral, LITE	151,90
S8FS-C20036J	668723	F. de alimentación, carcasa metálica, 200W, 36VDC, 5.9A, Conexión lateral, LITE	164,30
S8FS-C02505J	668806	F. de alimentación, carcasa metálica, 25W, 5VDC, 5A, Conexión lateral, LITE	52,40
S8FS-C10036J	668776	F. de alimentación, carcasa metálica, 100W, 36VDC, 2.8A, Conexión lateral, LITE	96,70
S8FS-C15012J	668737	F. de alimentación, carcasa metálica, 150W, 12VDC, 12.5A, Conexión lateral, LITE	151,90
S8FS-C15048J	668774	F. de alimentación, carcasa metálica, 150W, 48VDC, 3.3A, Conexión lateral, LITE	151,90
S8FS-C07524	668817	F. de alimentación, carcasa metálica, 75W, 24VDC, 3.2A, Conexión frontal, LITE	75,95
S8FS-C10036	668772	F. de alimentación, carcasa metálica, 100W, 36VDC, 2.8A, Conexión frontal, LITE	96,70
S8FS-C15012	668780	F. de alimentación, carcasa metálica, 150W, 12VDC, 12.5A, Conexión frontal, LITE	151,90
S8FS-C15024	668785	F. de alimentación, carcasa metálica, 150W, 24VDC, 6.5A, Conexión frontal, LITE	151,90
S8FS-C20012	668784	F. de alimentación, carcasa metálica, 200W, 12VDC, 17A, Conexión frontal, LITE	158,90
S8FS-C20048J	668775	F. de alimentación, carcasa metálica, 200W, 48VDC, 4.43A, Conexión lateral, LITE	158,90
S8FS-C35048J	668813	F. de alimentación, carcasa metálica, 350W, 48VDC, 7.32A, Conexión lateral, LITE	234,70
S8FS-C35012	668803	F. de alimentación, carcasa metálica, 350W, 12VDC, 29A, Conexión frontal, LITE	234,70
S8FS-C02524J	668760	F. de alimentación, carcasa metálica, 25W, 24VDC, 1.1A, Conexión lateral, LITE	52,40
S8FS-C03505J	668742	F. de alimentación, carcasa metálica, 35W, 5VDC, 7A, Conexión lateral, LITE	67,70
S8FS-C07524J	668754	F. de alimentación, carcasa metálica, 75W, 24VDC, 3.2A, Conexión lateral, LITE	75,95
S8FS-C10005J	668739	F. de alimentación, carcasa metálica, 100W, 5VDC, 20A, Conexión lateral, LITE	88,35
S8FS-C10024J	668732	F. de alimentación, carcasa metálica, 100W, 24VDC, 4.5A, Conexión lateral, LITE	88,35
S8VK-S12024	669511	Fuente de alimentación 120W/24V/5A carril DIN Push-in+	149,10

OMRON PVPR 2023

S8VK-S06024	669508	Fuente de alimentación 60W/24V/2.5A carril DIN Push-in+	100,60
S8VK-S48024	672486	Fuente de alimentación 480W/24V/20A carril DIN Push-in+	335,10
S8VK-S24024	672485	Fuente de alimentación 240W/24V/10A carril DIN Push-in+	227,90
S8FS-G01512CD	677965	Fuente de alimentación, 15 W, entrada de 100 a 240 V CA, salida 12 V CC, 1,3 A,	64,45
S8FS-G01515C	677959	Power supply, 15 W, 100 to 240 VAC input, 15 VDC, 1 A output, direct mounting	60,35
S8FS-G01524CE	678166	Power supply, 15 W, 100 to 240 VAC input, 24 VDC, 0.65 A output, direct mount	68,55
S8FS-G03024CD	677972	Fuente de alimentación, 30 W, entrada de 100 a 240 V CA, salida 24 V CC, 1,5 A,	77,85
S8FS-G10012CD	677960	Fuente de alimentación, 100 W, entrada de 100 a 240 V CA, salida 12 V CC, 8,5 A	124,90
S8FS-G15024C	677994	Fuente de alimentación, 150 W, entrada de 100 a 240 V CA, salida 24 V CC, 6,5 A	171,70
S8FS-G60024C-W	678127	Power Supply, 600 W, 100 to 240 VAC input, 24 VDC, 27 A output, direct mounti	416,60
S8FS-G01524CD-400	678168	Power supply, 15 W, 100 to 240 VAC input, 24 VDC, 0.65 A output, DIN rail mou	72,50
S8FS-G15024CD-400	678155	Power Supply, 150 W, 100 to 240 VAC input, 24 VDC, 6.5 A output, DIN-rail mou	183,80
S8FS-G01512C	677991	Power supply, 15 W, 100 to 240 VAC input, 12 VDC, 1.3 A output, direct mountin	60,35
S8FS-G01515CD	677976	Fuente de alimentación, 15 W, entrada de 100 a 240 V CA, salida 15 V CC, 1 A, m	64,45
S8FS-G01524CD	678163	Fuente de alimentación, 15 W, entrada de 100 a 240 V CA, salida 24 V CC, 0,65 A	64,45
S8FS-G10015C	678144	Power Supply, 100 W, 100 to 240 VAC input, 15 VDC, 7 A output, direct mountin	120,70
S8FS-G10015CD	678139	Fuente de alimentación, 100 W, entrada de 100 a 240 VCA, 15 VCC, salida de 7 A	124,90
S8FS-G15005C	677995	Power Supply, 150 W, 100 to 240 VAC input, 5 VDC, 21 A output, direct mountin	171,70
S8FS-G15024CE-R	678125	Power Supply, 150 W, 100 to 240 VAC input, 24 VDC, 6.5 A output, direct mount	179,80
S8FS-G60012C	677964	Fuente de alimentación, 600 W, entrada de 100 a 240 V CA, 12 V CC, salida de 5	408,70
S8FS-G60015CD	678149	Power Supply, 600 W, 100 to 240 VAC input, 15 VDC, 40 A output, DIN-rail mour	412,80
S8FS-G60024CD-H	678154	Power Supply, 600 W, 100 to 240 VAC input, 24 VDC, 27 A output, DIN-rail mour	420,70
S8FS-G60024C-WR	678162	Power Supply, 600 W, 100 to 240 VAC input, 24 VDC, 27 A output, direct mounti	416,60
S8FS-G60048CD	678148	Fuente de alimentación, 600 W, entrada de 100 a 240 VCA, salida de 48 VCC y 1	412,80
S8FS-G03005CD	677983	Fuente de alimentación, 30 W, entrada de 100 a 240 V CA, salida 5 V CC, 6 A, m	77,85
S8FS-G05005C	677978	Fuente de alimentación, 50 W, entrada de 100 a 240 V CA, salida 5 V CC, 8 A, m	89,90
S8FS-G10024CDE	678132	Power Supply, 100 W, 100 to 240 VAC input, 24 VDC, 4.5 A output, DIN-rail mou	132,90
S8FS-G10024C-R	678138	Power Supply, 100 W, 100 to 240 VAC input, 24 VDC, 4.5 A output, direct mount	128,90
S8FS-G15012CD	677958	Fuente de alimentación, 150 W, entrada de 100 a 240 VCA, salida 12 VCC, 13 A,	175,90
S8FS-G30012C	677968	Power Supply, 300 W, 100 to 240 VAC input, 12 VDC, 25 A output, direct mounti	301,60
S8FS-G30024C-H	678137	Power Supply, 300 W, 100 to 240 VAC input, 24 VDC, 14 A output, direct mounti	309,70
S8FS-G60024CD-R	678147	Power Supply, 600 W, 100 to 240 VAC input, 24 VDC, 27 A output, DIN-rail mour	420,70
S8FS-G01524C-400	678122	Power supply, 15 W, 100 to 240 VAC input, 24 VDC, 0.65 A output, direct mount	68,55

OMRON PVPR 2023

S8FS-G60024C-400	678173	Power Supply, 600 W, 100 to 240 VAC input, 24 VDC, 27 A output, direct mount	416,60
S8FS-G03012CD	677974	Fuente de alimentación, 30 W, entrada de 100 a 240 V CA, salida 12 V CC, 3 A, m	77,85
S8FS-G03015CD	677963	Fuente de alimentación, 30 W, entrada de 100 a 240 V CA, salida 15 V CC, 2,4 A,	77,85
S8FS-G05012C	677961	Power supply, 50 W, 100 to 240 VAC input, 12 VDC, 4.3 A output, direct mountin	89,90
S8FS-G05015CD	678174	Fuente de alimentación, 50 W, entrada de 100 a 240 VCA, salida de 15 VCC y 3,5	93,95
S8FS-G05024CD	677969	Fuente de alimentación, 50 W, entrada de 100 a 240 V CA, salida 24 V CC, 2,2 A,	93,95
S8FS-G10012C	677966	Power supply, 100 W, 100 to 240 VAC input, 12 VDC, 8.5 A output, direct mount	120,70
S8FS-G15024CE	678141	Power Supply, 150 W, 100 to 240 VAC input, 24 VDC, 6.5 A output, direct mount	179,80
S8FS-G30024C-R	678180	Power Supply, 300 W, 100 to 240 VAC input, 24 VDC, 14 A output, direct mounti	309,70
S8FS-G30048CD	677982	Power Supply, 300 W, 100 to 240 VAC input, 48 VDC, 7 A output, DIN-rail mount	305,60
S8FS-G60024CD-W	678164	Power Supply, 600 W, 100 to 240 VAC input, 24 VDC, 27 A output, DIN-rail moun	420,70
S8FS-G05024C-400	678165	Power supply, 50 W, 100 to 240 VAC input, 24 VDC, 2.2 A output, direct mountin	97,95
S8FS-G03012C	677956	Power supply, 30 W, 100 to 240 VAC input, 12 VDC, 3 A output, direct mounting	73,80
S8FS-G03024CDE	678161	Power supply, 30 W, 100 to 240 VAC input, 24 VDC, 1.5 A output, DIN rail mount	85,85
S8FS-G03024CE	678123	Power supply, 30 W, 100 to 240 VAC input, 24 VDC, 1.5 A output, direct mountin	81,90
S8FS-G05005CD	677957	Fuente de alimentación, 50 W, entrada de 100 a 240 V CA, salida 5 V CC, 8 A, mc	93,95
S8FS-G05024C	677981	Fuente de alimentación, 50 W, entrada de 100 a 240 V CA, salida 24 V CC, 2,2 A,	89,90
S8FS-G05024CDE	678143	Power supply, 50 W, 100 to 240 VAC input, 24 VDC, 2.2 A output, DIN-rail moun	102,00
S8FS-G05024CE	678167	Power supply, 50 W, 100 to 240 VAC input, 24 VDC, 2.2 A output, direct mountin	97,95
S8FS-G30015CD	678124	Power Supply, 300 W, 100 to 240 VAC input, 15 VDC, 20 A output, DIN-rail moun	305,60
S8FS-G30048C	677973	Power Supply, 300 W, 100 to 240 VAC input, 48 VDC, 7 A output, direct mountin	301,60
S8FS-G60024C-H	678140	Power Supply, 600 W, 100 to 240 VAC input, 24 VDC, 27 A output, direct mounti	416,60
S8FS-G15024C-400	678172	Power Supply, 150 W, 100 to 240 VAC input, 24 VDC, 6.5 A output, direct mount	179,80
S8FS-G30024CD-400	678126	Power Supply, 300 W, 100 to 240 VAC input, 24 VDC, 14 A output, DIN-rail moun	313,70
S8FS-G60024CD-400	678142	Power Supply, 600 W, 100 to 240 VAC input, 24 VDC, 27 A output, DIN-rail moun	420,70
S8FS-G01505C	677979	Power supply, 15 W, 100 to 240 VAC input, 5 VDC, 3 A output, direct mounting	60,35
S8FS-G03024C	677990	Power supply, 30 W, 100 to 240 VAC input, 24 VDC, 1.5 A output, direct mountin	73,80
S8FS-G05015C	678146	Power supply, 50 W, 100 to 240 VAC input, 15 VDC, 3.5 A output, direct mountin	89,90
S8FS-G15024CD-R	678135	Power Supply, 150 W, 100 to 240 VAC input, 24 VDC, 6.5 A output, DIN-rail mou	183,80
S8FS-G30012CD	677980	Fuente de alimentación, 300 W, entrada de 100 a 240 V CA, salida 12 V CC, 25 A	305,60
S8FS-G60015C	678157	Power Supply, 600 W, 100 to 240 VAC input, 15 VDC, 40 A output, direct mounti	408,70
S8FS-G60024C-R	678175	Power Supply, 600 W, 100 to 240 VAC input, 24 VDC, 27 A output, direct mounti	416,60
S8FS-G60048C	677993	Fuente de alimentación, 600 W, entrada de 100 a 240 V CA, salida 48 V CC, 13 A	408,70

OMRON PVPR 2023

S8FS-G60024CD-WR	678151	Power Supply, 600 W, 100 to 240 VAC input, 24 VDC, 27 A output, DIN-rail mount	420,70
S8FS-G01524C	678131	Fuente de alimentación, 15 W, entrada de 100 a 240 V CA, salida 24 V CC, 0,65 A	60,35
S8FS-G10005C	677988	Power supply, 100 W, 100 to 240 VAC input, 5 VDC, 16 A output, direct mounting	120,70
S8FS-G10005CD	677985	Fuente de alimentación, 100 W, entrada de 100 a 240 V CA, salida 5 V CC, 16 A,	124,90
S8FS-G10024CD-R	678158	Power Supply, 100 W, 100 to 240 VAC input, 24 VDC, 4.5 A output, DIN-rail mou	132,90
S8FS-G10024CE-R	678153	Power Supply, 100 W, 100 to 240 VAC input, 24 VDC, 4.5 A output, direct moun	128,90
S8FS-G15005CD	677970	Fuente de alimentación, 150 W, entrada de 100 a 240 VCA, salida de 5 VCC y 21	175,90
S8FS-G15012C	677989	Power Supply, 150 W, 100 to 240 VAC input, 12 VDC, 13 A output, direct mounti	171,70
S8FS-G15024C-R	678177	Power Supply, 150 W, 100 to 240 VAC input, 24 VDC, 6.5 A output, direct mount	179,80
S8FS-G15048C	677996	Power Supply, 150 W, 100 to 240 VAC input, 48 VDC, 3.3 A output, direct mount	171,70
S8FS-G15048CD	677967	Fuente de alimentación, 150 W, entrada de 100 a 240 VCA, salida de 48 VCC y 3,	175,90
S8FS-G30024CD-R	678160	Fuente de alimentación, 300 W, entrada de 100 a 240 V CA, salida 24 V CC, 14 A	313,70
S8FS-G60012CD	678150	Fuente de alimentación, 600 W, entrada de 100 a 240 V CA, salida 12 V CC, 50 A	412,80
S8FS-G03024CD-400	678156	Power supply, 30 W, 100 to 240 VAC input, 24 VDC, 1.5 A output, DIN rail mount	85,85
S8FS-G05024CD-400	678176	Power supply, 50 W, 100 to 240 VAC input, 24 VDC, 2.2 A output, DIN-rail moun	102,00
S8FS-G30024C-400	678178	Power Supply, 300 W, 100 to 240 VAC input, 24 VDC, 14 A output, direct mounti	309,70
S8FS-G01505CD	677992	Fuente de alimentación, 15 W, entrada de 100 a 240 V CA, salida 5 V CC, 3 A, mo	64,45
S8FS-G01524CDE	678133	Power supply, 15 W, 100 to 240 VAC input, 24 VDC, 0.65 A output, DIN rail mou	72,50
S8FS-G03005C	677971	Power supply, 30 W, 100 to 240 VAC input, 5 VDC, 6 A output, direct mounting	73,80
S8FS-G03015C	677987	Power supply, 30 W, 100 to 240 VAC input, 15 VDC, 2.4 A output, direct mountir	73,80
S8FS-G05012CD	677962	Fuente de alimentación, 50 W, entrada de 100 a 240 V CA, salida 12 V CC, 4,3 A,	93,95
S8FS-G10024CDE-R	678171	Power Supply, 100 W, 100 to 240 VAC input, 24 VDC, 4.5 A output, DIN-rail mou	132,90
S8FS-G10024CE	678145	Power Supply, 100 W, 100 to 240 VAC input, 24 VDC, 4.5 A output, direct mount	128,90
S8FS-G15015C	678136	Power Supply, 150 W, 100 to 240 VAC input, 15 VDC, 10 A output, direct mounti	171,70
S8FS-G15015CD	678130	Power Supply, 150 W, 100 to 240 VAC input, 15 VDC, 10 A output, DIN-rail moun	175,90
S8FS-G15024CDE	678179	Power Supply, 150 W, 100 to 240 VAC input, 24 VDC, 6.5 A output, DIN-rail mou	183,80
S8FS-G15024CDE-R	678152	Power Supply, 150 W, 100 to 240 VAC input, 24 VDC, 6.5 A output, DIN-rail mou	183,80
S8FS-G30015C	678169	Power Supply, 300 W, 100 to 240 VAC input, 15 VDC, 20 A output, direct mounti	301,60
S8FS-G30024C	675283	Fuente de alimentación, 300 W, entrada de 100 a 240 V CA, salida 24 V CC, 14 A	301,60
S8FS-G30024CD	677975	Fuente de alimentación, 300 W, entrada de 100 a 240 V CA, salida 24 V CC, 14 A	305,60
S8FS-G30024CD-H	678128	Power Supply, 300 W, 100 to 240 VAC input, 24 VDC, 14 A output, DIN-rail moun	313,70
S8FS-G03024C-400	678159	Power supply, 30 W, 100 to 240 VAC input, 24 VDC, 1.5 A output, direct mountir	81,90
S8FS-G10024C-400	678129	Power Supply, 100 W, 100 to 240 VAC input, 24 VDC, 4.5 A output, direct mount	128,90

OMRON PVPR 2023

S8FS-G10024CD-400	678134	Power Supply, 100 W, 100 to 240 VAC input, 24 VDC, 4.5 A output, DIN-rail mou	132,90
S8FS-C01524J SET1	675171	S8FS-C01524J Fuente de alimentación metálica+S82YFSC015DINaccesorio de mc	55,20
S8VK-S03024	675333	Fuente de alimentación 30W/24V/1.3A carril DIN Push-in+	75,20
S8VK-X48024-EIP	680576	Fuente de alimentación tipo libro, 480 W, 24 Vcc, 20 A, montaje en carril DIN, te	442,30
S8VK-X24024A-EIP	680577	Fuente de alimentación tipo libro, 240 W, 24 Vcc, 10 A, montaje en carril DIN, te	365,40
S8VK-X06024-EIP	680578	Fuente de alimentación tipo libro, 60 W, 24 Vcc, 2,5 A, montaje en carril DIN, te	170,70
S8VK-X12024-EIP	680579	Fuente de alimentación tipo libro, 120 W, 24 Vcc, 5 A, montaje en carril DIN, ter	215,40
S8VK-X48024A-EIP	680580	Fuente de alimentación tipo libro, 480 W, 24 Vcc, 20 A, montaje en carril DIN, te	480,80
S8VK-X03005-EIP	680581	Fuente de alimentación tipo libro, 30 W, 5 Vcc, 5 A, montaje en carril DIN, termi	163,10
S8VK-X09024-EIP	680582	Fuente de alimentación tipo libro, 90 W, 24 Vcc, 3,75 A, montaje en carril DIN, t	192,50
S8VK-X24024-EIP	680583	Fuente de alimentación tipo libro, 240 W, 24 Vcc, 10 A, montaje en carril DIN, te	327,00
S8VK-X09024A-EIP	680584	Fuente de alimentación tipo libro, 90 W, 24 Vcc, 3,75 A, montaje en carril DIN, t	230,80
S8VK-X12024A-EIP	680585	Fuente de alimentación tipo libro, 120 W, 24 Vcc, 5 A, montaje en carril DIN, ter	254,00
S8VK-X06012-EIP	680586	Fuente de alimentación tipo libro, 60 W, 12 Vcc, 4,5 A, montaje en carril DIN, te	170,70
S8FS-G10024C-500	708586	Power Supply, 100 W, 100 to 240 VAC input, 24 VDC, 4.5 A output, direct mount	120,70
S8FS-G10024CD-500	708585	Power Supply, 100 W, 100 to 240 VAC input, 24 VDC, 4.5 A output, DIN-rail mou	124,90
S8FS-G15024C-500	708584	Power Supply, 150 W, 100 to 240 VAC input, 24 VDC, 6.5 A output, direct mount	171,70
S8FS-G15024CD-500	708583	Power Supply, 150 W, 100 to 240 VAC input, 24 VDC, 6.5 A output, DIN-rail mou	175,90
S8FS-G30024C-500	708725	Power supply, 300 W, 100 to 240 VAC input, 24 VDC 14 A output, without EAC c	301,60
S8FS-G30024CD-500	708726	Power Supply, 300 W, 100 to 240 VAC input, 24 VDC, 14 A output, DIN-rail mour	305,60
S8FS-G60024C-500	708727	Power supply, 600 W, 100 to 240 VAC input, 24 VDC 27 A output, without EAC c	408,70
S8FS-G60024CD-500	708728	Power Supply, 600 W, 100 to 240 VAC input, 24 VDC, 27 A output, DIN-rail mour	412,80
S8VK-T12024	382729	F.alimentación trifásica 120W / 5A / 24V carril DIN	171,30
S8VK-T24024	382730	F.alimentación trifásica 240W / 10A / 24V carril DIN	243,20
S8VK-T48024	386429	F.alimentación trifásica 480W / 20A / 24V carril DIN	371,20
S8VK-T96024	386430	F.alimentación trifásica 960W / 40A / 24V carril DIN	558,00
S8VK-T96024-400	659379	F.alimentación trifásica 960W / 40A / 24V carril DIN Tropicalizada	672,00
S8VK-T12024-400	659380	F.alimentación trifásica 120W / 5A / 24V carril DIN Tropicalizada	205,90
S8VK-T24024-400	659384	F.alimentación trifásica 240W / 10A / 24V carril DIN Tropicalizada	292,70
S8VK-T48024-400	659385	F.alimentación trifásica 480W / 20A / 24V carril DIN Tropicalizada	445,90
S8VK-WA24024	688154	Fuente de alimentación trifásica, 240 W, 24 V cc, 10 A, montaje en carril DIN	277,80
S8VK-WA48024	688155	Fuente de alimentación trifásica, 480 W, 24 V cc, 20 A, montaje en carril DIN	378,90
S8VK-WA96024	688156	Fuente de alimentación trifásica, 960 W, 24 V cc, 40 A, montaje en carril DIN	569,00

OMRON PVPR 2023

S8VK-WB24024	699600	Fuente de alimentación trifásica, 400 VCA, 240 W, 24 VCC, 10 A, montaje en car	320,30
S8VK-WB48024	699601	3-phase power supply, 400 VAC, 480 W, 24 VDC, 20 A, DIN rail mounting	418,90
S8VK-WB96024	699602	3-phase power supply, 400 VAC, 960 W, 24 VDC, 40 A, DIN rail mounting	666,00
S8VK-WB24048	699603	3-phase power supply, 400 VAC, 240 W, 48 VDC, 5 A, DIN rail mounting	320,30
S8VK-WB48048	699604	3-phase power supply, 400 VAC, 480 W, 48 VDC, 10 A, DIN rail mounting	418,90
S8VK-WB96048	699605	3-phase power supply, 400 VAC, 960 W, 48 VDC, 20 A, DIN rail mounting	666,00
S8BA-24D24D480LF	668091	UPS DC/DC para armario de control con batería integrada 20A/480W	1 199,00
S8BA-24D24D240LF	668092	UPS DC/DC para armario de control con batería integrada 10A/240W	1 091,00
S8BA-24D24D120LF	668093	UPS DC/DC para armario de control con batería integrada 5A/120W	1 036,00
S8BA-24D24D360LF	668096	UPS DC/DC para armario de control con batería integrada 15A/360W	1 145,00
BU3002SWG	678550	UPS, tipo torre, CA-CA, 3000 VA, 2100 W	3 485,00
BU1002SWG	678549	UPS, tipo torre, CA-CA, 1000 VA, 700 W	1 554,00
S8BA-24D24D480SBF	683502	UPS, carril DIN, con batería individual, CC-CC, 20 A, 480 W	295,00
S8BA-S480L	683501	UPS, carril DIN, batería para S8BA (con batería individual), 3,9 Ah	588,00
S8BA-24D24D960SBF	683500	UPS, carril DIN, con batería individual, CC-CC, 40 A, 960 W	420,50
S8BA-S960L	683499	UPS, carril DIN, batería para S8BA (con batería individual), 7,8 Ah	907,50
E8F2-A01C	127912	Presostato Display 2 salidas NPN. 0-100Kpa	349,60
E8F2-AN0C	127913	Presostato Display 2 salidas NPN 0 -101 kPa	367,00
E8F2-B10C	127914	Display 2 salidas NPN. 0-1 MPa	367,00
E8F2-AN0B-1.0-0	127915	Presostato Display 2 salidas PNP. Neg. 0-101Kpa	367,00
E8F2-A01B	127916	Presostato Display 2 salidas PNP. 0-100Kpa	367,00
E8F2-B10B	127917	Presostato Display 2 salidas PNP. 0-1 MPa	367,00
E8PC-010D	684382	Pressure sensor, liquid and gas, -0.1 to 1 MPa, PNP, IO-Link COM2, analog, displa	845,50
E8PC-100D	684383	Pressure sensor, liquid, 0 to 10 MPa, PNP, IO-Link COM2, analog, display MPa or	845,50
E8PC-400D	684384	Pressure sensor, liquid, 0 to 40 MPa, PNP, IO-Link COM2, analog, display MPa or	845,50
E8PC-010T	684385	Pressure sensor, liquid and gas, -0.1 to 1 MPa, PNP, IO-Link COM3, analog, displa	845,50
E8PC-100T	684386	Pressure sensor, liquid, 0 to 10 MPa, PNP, IO-Link COM3, analog, display MPa or	845,50
E8PC-400T	684387	Pressure sensor, liquid, 0 to 40 MPa, PNP, IO-Link COM3, analog, display MPa or	845,50
E8PC-010	684388	Pressure sensor, liquid and gas, -0.1 to 1 MPa, NPN, analog, display MPa only	845,50
E8PC-100	684389	Pressure sensor, liquid, 0 to 10 MPa, NPN, analog, display MPa only	845,50
E8PC-400	684390	Pressure sensor, liquid, 0 to 40 MPa, NPN, analog, display MPa only	845,50
E8PC-010D-E	684391	Pressure sensor, liquid and gas, -0.1 to 1 MPa, PNP, IO-Link COM2, analog	845,50
E8PC-100D-E	684392	Pressure sensor, liquid, 0 to 10 MPa, PNP, IO-Link COM2, analog	845,50

OMRON PVPR 2023

E8PC-400D-E	684393	Pressure sensor, liquid, 0 to 40 MPa, PNP, IO-Link COM2, analog	845,50
E8PC-010T-E	684394	Sensor de presión, para líquido y gas, -0,1 a 1 MPa, PNP, IO-Link COM3, analógico	845,50
E8PC-100T-E	684395	Sensor de presión, para líquido, 0 a 10 MPa, PNP, IO-Link COM3, analógico	845,50
E8PC-400T-E	684396	Pressure sensor, liquid, 0 to 40 MPa, PNP, IO-Link COM3, analog	845,50
E8PC-010-E	684397	Pressure sensor, liquid and gas, -0.1 to 1 MPa, NPN, analog	845,50
E8PC-100-E	684398	Pressure sensor, liquid, 0 to 10 MPa, NPN, analog	845,50
E8PC-400-E	684399	Pressure sensor, liquid, 0 to 40 MPa, NPN, analog	845,50
NX1-Motion-Startkit	674179	Kit de iniciación de NX1 - Motion	3 670,00
NX1-Position-Startkit	674177	Kit de iniciación de NX1 - Posicionamiento	2 506,00
NX1P-SMARTDATA-STARTKIT	683463	Smart Data kit incl: NX1P2-9024DT1; NX-PF0630; NX-ILM400; E3Z-L81-M1TJ-IL3-	3 670,00
NX1P-SEALING-STARTKIT	683461	Sealing kit incl: NX1P2-9024DT1; NX-PF0630; NX-TC2405; S8VK-S06024, cables a	3 670,00
NX1P-SMARTDATA-UPGRKIT	683459	Smart Data UPGR kit incl: NX1P2-9024DT1; NX-PF0630; NX-ILM400; E3Z-L81-M1	3 670,00
NX1P-SEALING-UPGRKIT	683457	Sealing UPGR kit incl: NX1P2-9024DT1; NX-PF0630; NX-TC2405; S8VK-S06024, ca	3 670,00
NX1-OPC-SQL-OVERSAMP-KIT	685674	NX1 OPC-UA, SQL with Analog Oversampling kit incl: NX102-9020; NX-HAD402; I	5 255,00
NX1-OPC-SQL-MOTION-KIT	685676	NX1 OPC-UA, SQL with Motion kit incl: NX102-1120; NX-PF0630; NX-ID3417; NX	5 255,00
NX1-OPC-SQL-KIT	685678	NX1 OPC-UA, SQL kit incl: NX102-9020; NX-PF0630; NX-ID3417; NX-OD3256; S8V	3 779,00
CP2E-N30+NB7 STARTER KIT	692755	CP2E-N30 + NB7 Starter kit. Includes: CP2E-N30DR-D (18x 24VDC inputs, 12x rel	1 266,00
CP2E-N14+NB7+SW KIT	692753	CP2E-N14 + NB7 + SW Starter kit. Includes: CP2E-N14DR-D (8x 24VDC inputs, 6x	1 266,00
EDU CP2E-N30 KIT	693359	CP2E-N30 Starter kit only for Educational scope. Includes: CP2E-N30DR-D (18x 2	1 093,00
EDU CP2E-N30 + NB7 KIT	693357	CP2E-N30 + NB7 HMI kit only for Educational scope. Includes: CP2E-N30DR-D (18	1 841,00
EDU NX1P2 MOTION KIT	693355	NX1P2 MOTION KIT only for Educational Scope. Includes: NX1P21040DT1 (24 In	2 785,00
EDU NX1P2 POSITION KIT	693353	NX1P2 POSITION KIT only for Educational Scope. Includes: NX1P29B24DT1 (14 In	1 076,00
NB7W-ETN-CP1-KIT	374130	Other, others, Promotional Item, NB7W-ETN-CP1 KIT	2 005,00
SYSMACSAFETYEXTDEMO1	392535	Democase - Sysmac Safety Standalone	10 110,00
NJ1 STARTER KIT	656302	Starter Kit NJ1	5 600,00
NJ1 SQL STARTER KIT	669042	Starter Kit NJ1 SQL	5 600,00
SYSMACDEMOCASEV4	672495	Democase Sysmac V4 con NJ-SQL	16 000,00
SYSMACDEMOCASEV4 NX1	672758	Democase Sysmac V4 con NX1	13 220,00
CORE SENSOR DEMOCASE	701316	Core sensor democase (3 x E3AS, 3 x E3Z, 4 x E3T, 1 x E3FA, 1 x E3S-DC, 1 x E3S-D	7 455,00
G9SP-STARTER-KIT	355626	Kit G9SP-N20S + CP1W-ME05M + S8VM-03024CD + Cable USB + Soft G9SP	569,50
A22NE-G9SR-J7KC-KIT2	692893	Kit safety solution basic option 2 including: 3 A22NE-M-P202-C, 1 G9SR-AD201-R	398,90
SAFETY-SYSMAC-EXP-KIT1	693037	Safety Solution standalone NX-EIC and NX-SL3300 with safety and standard I/O's	1 571,00
SAFETY-SYSMAC-EXP-KIT2	693039	Safety Solution NX102 and NX-SL3300 with safety and standard I/O's Kit, full sta	3 170,00

OMRON PVPR 2023

CARTDETECTKITPROTALM	706943	Safety Carton Detection Protective Stop and Alarm with 4 sensors: Protective St	1 048,00
I4-VISION-PROMO	706978	I4L Vision promotion kit - Contains STC-MBS500-POE, 3Z4S-LE SV-2514H, 10m G	1 425,00
V600-CA5D02	224996	Controlador ID. 2 antenas. RS232/422/485. Display.USB	2 042,00
V600-CHUD 1.9M	184017	Lector/Grabador de mano. Puerto USB. Cable 1,9m	1 314,00
V600-CH1D-V2	224797	Controlador de mano RS-232	1 257,00
V680-CA5D01-V2	237733	Controlador 13,56 Mhz 1 antena RS232/422/485	1 485,00
V680-CA5D02-V2	237736	Controlador 13,56 Mhz 2 antenas RS232/422/485	2 642,00
V680-CH1D-PSI	245173	Controlador de mano RS-232. Conexion terminal.	1 400,00
V680-CH1D	245174	Controlador de mano RS-232. Conexion PC/PLC.	1 400,00
V680-CHUD 1.9M	245176	Controlador de mano USB Cable 1,9m	1 400,00
V680S-HMD66-ETN	376240	Antena 120x120 e Controlador Ethernet Modbus TCP IP67 24Vcc	1 414,00
V680S-HMD64-ETN	376241	Antena 75x750 e Controlador Ethernet Modbus TCP IP67 24Vcc	1 160,00
V600-H11	108952	Antena 530KHz 53x40x23mm Cable 2m	459,00
V600-H11 5M	108953	Antena 530KHz 53x40x23mm Cable 5m	493,20
V600-H11 10M	108954	Antena 530KHz 53x40x23mm Cable 10m	512,00
V600-HS51 2M	108955	Antena 530KHz Cilíndrica M12 Cable 2m	271,00
V600-HS61 2M	108956	Antena 530Khz 30,5x18x10 Cable 2m	239,80
V600-HAR91 0.5M	108960	Controlador 8 bits NPN L	659,50
V600-HAM81 0.5M	108964	Controlador 8 bits PNP L/E	757,50
V600-HAR81 0.5M	108965	Controlador 8 bits PNP L	697,50
V600-HS63-2 8M	108966	Antena 530KHz 57x40x18mm Cable 8m (Teflón)	1 556,00
V600-HAM42-DRT	108967	Controlador DeviceNet	998,50
V600-H52	142792	Antena 530KHz D22x85mm	532,00
V600-HAR92 0.5M	144941	Controlador 16 bits NPN L	800,50
V600-HS63 2M	146058	Antena 530KHz 57x40x18mm Cable 2m	256,80
V600-HS63-R 2M	148194		464,00
V600-HA51 2M	151533	Pre-Amplificador de antena 530KHz 73.8x22.6x36.5mm Cable 2m	556,50
V600-HAM91 0.5M	152698	Controlador 8 bits NPN L/E	757,50
V600-HA51 5M	155641	Pre-Amplificador de antena 530KHz 73.8x22.6x36.5mm Cable 5m	577,00
V640-HS61 2M	163157	Antena 134KHz Cilíndrica M12 Cable 2m	379,80
V680-HA63B 5M	231855	Amplificador para etiquetas 2Kbytes 5m	492,50
V680-HS52-W 2M	231857	Antena 13.56Mhz cilíndrica Cable 2m IP67G	224,70
V680-HS52-W 12.5M	231858	Antena 13.56Mhz cilíndrica Cable 12,5m IP67G	265,40

OMRON PVPR 2023

V680-HS52-R 2M	231859	Antena 13.56Mhz cilindrica Cable 2m flexible IP67G	320,70
V680-HS63-W 2M	231861	Antena 13,56Mhz 40x53x23mm Cable 2m	202,10
V680-HS63-W 12.5M	231862	Antena 13,56Mhz 40x53x23mm Cable 12,5m	261,20
V680-HS63-R 2M	231863	Antena 13,56Mhz 40x53x23mm Flexible Cable 2m	312,30
V680-HS63-R 12.5M	231864	Antena 13,56Mhz 40x53x23mm Flexible Cable 12,5m	698,50
V680-HA63A 5M	231865	Amplificador para etiquetas 1Kbytes 5m	489,70
V680-HA63A 10M	231866	V680 Amplificador unidad, para 1KB ID Etiquetas, 10m cable	724,50
V680-HS65-R 12.5M	239181	Antena 13.56Mhz 100x100x30mm Cable 12,5m	820,50
V680-HS65-W 2M	239182	Antena 13,56Mhz 100x100x30mm Cable 2m	235,90
V680-HS65-W 12.5M	239183	Antena 13,56Mhz 100x100x30mm Cable 12.5m	298,10
V680-HS51 2M	245177	Antena 13.56Mhz cilindrica Cable 2m IP67G	213,60
V680-HAM42-DRT	246937	Controlador DeviceNet	876,00
V680-HAM81	246939	Controlador 13.56Mhz 16 bits PNP L/E	586,50
V680-H01-V02	260925	Antena 13,56Mhz 250x200x35mm Cable 0,5m	2 628,00
V680-HAM42-PRT	360621	Controlador Profibus	1 343,00
V680S-HMD63-PNT	419011	Antena 50x50 y Controlador Profinet IP67 24Vcc	673,50
V680S-HMD64-PNT	419012	Antena 75x75 y Controlador Profinet IP67 24Vcc	904,50
V680S-HMD66-PNT	419013	Antena 120x120 y Controlador Profinet IP67 24Vcc	1 130,00
V680S-HMD63-ETN	419014	Antena 50x50 e Controlador Ethernet Modbus TCP IP67 24Vcc	863,00
V680S-HMD63-EIP	419015	Antena 50x50 y Controlador Ethernet/IP IP67 24Vcc	673,50
V680S-HMD64-EIP	419016	Antena 75x75 y Controlador Ethernet/IP IP67 24Vcc	904,50
V680S-HMD66-EIP	419017	Antena 120x120 y Controlador Ethernet/IP IP67 24Vcc	1 130,00
V780-HMD68-ETN-EU	680457	Unidad de lectura/escritura RFID V780, 250 × 250 × 70 mm (An. x Al. x Pr.), Ethe	2 530,00
V780-HMD68-EIP-EU	687037	Unidad de lectura/escritura RFID V780, 250 × 250 × 70 mm (An. x Al. x Pr.), Ethe	2 570,00
V780-HMD68-EIP-RU	693102	Unidad de lectura/escritura RFID V780, 250 × 250 × 70 mm (An. × al. × Pr.), Ethe	3 315,00
V780-HMD68-ETN-EU-S	693100	Unidad de lectura/escritura RFID V780, 250 × 250 × 70 mm (An. × al. × Pr.), Ethe	3 373,00
V640-HS61-R 2M	694355	CIDRW Head, Standard Communication Model	192,30
V640-HS62-R	694149	CIDRW Head, Long Range Communication Model	286,50
V600-D23P53	104653	Etiqueta EEPROM 256Bytes D8x5mm IP67	80,05
V600-D23P54	108931	Etiqueta EEPROM 256Bytes D12x6mm IP67	82,85
V600-D23P61	108932	Etiqueta EEPROM 256Bytes 34x34x6 IP67	92,75
V600-D23P72	108933	Etiqueta EEPROM 256Bytes 50x54x1.5 IP66	64,45
V600-D23P66N	108942	Etiqueta EEPROM 256Bytes 34x34x3.5 IP68	30,82

OMRON PVPR 2023

V600-D23P55	108943	Etiqueta EEPROM 256Bytes Compacta D8x5mm IP67	31,81
V600-D23P71	157128	Etiqueta EEPROM 256Bytes 84x54x1.5 IP66	82,85
V680-D2KF52M	231852	Etiqueta FRAM 2Kbytes cilíndrica D8mmx5mm	40,11
V680-D1KP52MT	237730	Etiqueta EEPROM 1Kbytes cilíndrica D8mmx5mm	26,28
V680-D1KP66T	237731	Etiqueta EEPROM 1Kbyte cuadrada 34x34x3,5 IP68	26,83
V680-D1KP66MT	237732	Etiqueta EEPROM 1Kbyte cuadrada metal 34x34x3,5 IP	34,46
V680-D1KP66T-SP	249188	Etiqueta EEPROM 1Kbytes Cuadrado PFA 95x36,5x6,5mm	157,10
V680-D1KP53M	323787	Tag V680, I-CODE SLI, EEPROM, 1 kB de memoria de usuario, redondo, 10 mm d	26,93
V680-D1KP54T	346282	Etiqueta V680S EEPROM Sin Bat 1KByte Sup no metálica dia 20mm	28,25
V680-D1KP58HTN	376211	Etiqueta V680S EEPROM Sin Bat 1KByte Alta temperatura dia 80mm	137,20
V680S-D8KF67	386315	Etiqueta V680S EEPROM Sin Bat 8KByte Sup no metálica 40x40x5	147,30
V680S-D8KF67M	386316	Etiqueta V680S EEPROM Sin Bat 8KByte Sup metálica 40x40x5	171,10
V680S-D2KF68	386317	Etiqueta V680S EEPROM Sin Bat 2KByte Sup no metálica 86x54x10	47,71
V680S-D2KF68M	386318	Etiqueta V680S EEPROM Sin Bat 2KByte Sup metálica 86x54x10	76,45
V680S-D8KF68	386319	Etiqueta V680S EEPROM Sin Bat 8KByte Sup no metálica 86x54x10	174,00
V680S-D8KF68M	386320	Etiqueta V680S EEPROM Sin Bat 8KByte Sup metálica 86x54x10	199,30
V680S-D2KF67	386321	Etiqueta V680S EEPROM Sin Bat 2KByte Sup no metálica 40x40x5	40,11
V680S-D2KF67M	386322	Etiqueta V680S EEPROM Sin Bat 2KByte Sup metálica 40x40x5	66,80
V600-D8KF04	684616	V600 ID Etiqueta, rectangular	241,40
V680-D1KP52M-BT11	681959	V680 RFID Etiqueta, Montaje perno tipo, M8 x 12 mm, 1 Kbyte, 20 piezas por pa	1 511,00
V780-A-JIME-Z3BLI-10	680458	Etiqueta RF V780, 150 x 14 x 6 mm (An. x Al. x Pr.), 1 MB de memoria, IP68, caja	1 163,00
EJ1N-TC4B-QQ	225930	EJ1 Mod. 4 Lazos Sal Tensión Screwless	927,50
EJ1N-TC2B-QNHB	225931	EJ1 Mod. 2 Lazos Sal Tensión HB Eventos Screwless	814,00
EJ1N-TC4A-QQ	225934	EJ1 Mod. 4 Lazos Sal Tensión Tornillo	927,50
EJ1N-TC2A-QNHB	225935	EJ1 Mod. 2 Lazos Sal Tensión HB Eventos Tornillo	814,00
EJ1N-TC2A-CNB	232402	EJ1 Mod. 2 Lazos Sal Corriente HB Eventos Tornillo	927,50
E5DC-RX2ASM-000	377921	Ent. Universal, salida rele,2Aux,Ac 100,240,22,5X96	221,40
E5DC-RX2DSM-000	377922	Ent. Universal, salida rele,2Aux,24Vcc/Vca,22,5X96	221,40
E5DC-RX2ASM-002	377923	Ent. Universal, salida rele, 2 Aux,com RS485, HBA, Ac 100,240,22,5X96	308,60
E5DC-RX2DSM-002	377924	Ent. Universal, salida rele, 2 Aux,com RS485, HBA,24Vcc/Vca,22,5X96	308,60
E5DC-RX0ASM-015	377925	Ent. Universal, salida rele, com RS485,Ac 100,240,22,5X96	242,20
E5DC-RX0DSM-015	377926	Ent. Universal, salida rele, com RS485,24Vcc/Vca,22,5X96	242,20
E5DC-RX2ASM-017	377927	Ent. Universal, salida rele,2 Aux,1 evento, HBA, Ac 100,240,22,5X96	270,90

OMRON PVPR 2023

E5DC-RX2DSM-017	377928	Ent. Universal, salida rele,2 Aux,1 evento, HBA, 24Vcc/Vca,22,5X96	270,90
E5DC-QX2ASM-000	377929	Ent. Universal, salida SSR,2 Aux, Ac 100,240,22,5X96	221,40
E5DC-QX2DSM-000	377930	Ent. Universal, salidaSSR ,2 Aux, 24Vcc/Vca,22,5X96	221,40
E5DC-QX2ASM-002	377931	Ent. Universal, salida SSR,2 Aux,com RS485, HBA, Ac 100,240,22,5X96	308,60
E5DC-QX2DSM-002	377932	Ent. Universal, salidaSSR ,2 Aux,com RS 485,HBA, 24Vcc/Vca,22,5X96	308,60
E5DC-QX0ASM-015	377933	Ent. Universal, salida SSR, com RS485,Ac 100,240,22,5X96	242,20
E5DC-QX0DSM-015	377934	Ent. Universal, salida SSR, com RS485,24Vcc/Vca,22,5X96	242,20
E5DC-QX2ASM-017	377935	Ent. Universal, salida SSR,2 Aux,1 evento, HBA, Ac 100,240,22,5X96	270,90
E5DC-CX2ASM-000	377937	Ent. Universal, salida corriente,2Aux,Ac 100,240,22,5X96	326,80
E5DC-CX2DSM-000	377938	Ent. Universal, salida corriente,2 Aux, 24Vcc/Vca,22,5X96	326,80
E5DC-CX0ASM-015	377939	Ent. Universal, salida corriente, com RS485,Ac 100,240,22,5X96	361,80
E5DC-CX0DSM-015	377940	Ent. Universal, salida corriente, com RS485, 24Vcc/Vca,22,5X96	361,80
E5DC-CX2ASM-015	377941	Ent. Universal, salida corriente,2 Aux, com RS485,Ac 100,240,22,5X96	395,60
E5DC-CX2DSM-015	377942	Ent. Universal, salida corriente,2 Aux, com RS 485 24Vcc/Vca,22,5X96	395,60
E5DC-CX2ASM-016	377943	Ent. Universal, salida corriente,2 Aux,1 evento, ,Ac 100,240,22,5X96	356,60
E5DC-CX2DSM-016	377944	Ent. Universal, salida corriente,2 Aux,1 evento, 24Vcc/Vca,22,5X96	356,60
E5CC-RW0DUM-000	386697	Control de temperatura, 48x48 mm,enchufable, PV/SV1 lazo, SPDT relé	224,00
E5CC-RW1DUM-000	386698	Control de temperatura, 48x48 mm,enchufable, PV/SV1 lazo, SPDT relé	239,50
E5CC-QX0AUM-000	386701	Control de temperatura, 48x48 mm,enchufable, PV/SV1 lazo, 1 x 12VDC pulsos	224,00
E5CC-QX0DUM-000	386702	Control de temperatura, 48x48 mm,enchufable, PV/SV1 lazo, 1 x 12VDC pulsos	224,00
E5CC-QX1DUM-000	386703	Control de temperatura, 48x48 mm,enchufable, PV/SV1 lazo, 1 x 12VDC pulsos	239,50
E5CC-CX0AUM-000	386706	Control de temperatura, 48x48 mm,enchufable, PV/SV1 lazo, 1 x 0/4-20mA corr	270,90
E5CC-CX0DUM-000	386707	Control de temperatura, 48x48 mm,enchufable, PV/SV1 lazo, 1 x 0/4-20mA corr	270,90
E5CC-CX1AUM-000	386708	Control de temperatura, 48x48 mm,enchufable, PV/SV1 lazo, 1 x 0/4-20mA corr	283,90
E5CC-CX1DUM-000	386709	Control de temperatura, 48x48 mm,enchufable, PV/SV1 lazo, 1 x 0/4-20mA corr	283,90
E5CC-RW0AUM-000	386712	Control de temperatura, 48x48 mm,enchufable, PV/SV1 lazo, SPDT relé	224,00
E5CC-RW1AUM-000	386713	Control de temperatura, 48x48 mm,enchufable, PV/SV1 lazo, SPDT relé	239,50
E5CC-QX1AUM-000	386714	Control de temperatura, 48x48 mm,enchufable, PV/SV1 lazo, 1 x 12VDC pulsos	239,50
E5DC-QX2DSM-017	377936	Ent. Universal, salida SSR,2 Aux,1 evento, HBA, 24Vcc/Vca,22,5X96	270,90
E5DC-RX2ABM-000	687810	Temp. controller, PRO, DIN Rail 22.5 mm, Uni. I/P, 1 x Rel. OUT, 2 AUX, No cov.,	224,20
E5DC-RX2DBM-000	687809	Temp. controller, PRO, DIN Rail 22.5 mm, Uni. I/P, 1 x Rel. OUT, 2 AUX, No cov.,	224,20
E5DC-RX2ABM-002	687808	Temp. controller, PRO, DIN Rail 22.5 mm, Uni. I/P, 1 x Rel. OUT, 2 AUX, RS-485, H	304,90
E5DC-RX2DBM-002	687807	Temp. controller, PRO, DIN Rail 22.5 mm, Uni. I/P, 1 x Rel. OUT, 2 AUX, RS-485, H	304,90

OMRON PVPR 2023

E5DC-RX0ABM-015	687806	Temp. controller, PRO, DIN Rail 22.5 mm, Uni. I/P, 1 x Rel. OUT, No AUX, RS-485	242,70
E5DC-RX0DBM-015	687805	Temp. controller, PRO, DIN Rail 22.5 mm, Uni. I/P, 1 x Rel. OUT, No AUX, RS-485	242,70
E5DC-QX2ABM-000	687804	Temp. controller, PRO, DIN Rail 22.5 mm, Uni. I/P, 1 x 12 VDC pulse OUT, 2 AUX,	224,20
E5DC-QX2DBM-000	687803	Temp. controller, PRO, DIN Rail 22.5 mm, Uni. I/P, 1 x 12 VDC pulse OUT, 2 AUX,	224,20
E5DC-QX2ABM-002	687802	Temp. controller, PRO, DIN Rail 22.5 mm, Uni. I/P, 1 x 12 VDC pulse OUT, 2 AUX,	304,90
E5DC-QX2DBM-002	687801	Controlador de temperatura, PRO, carril DIN 22.5 mm, universal I/P, 1 X 12 VDC	304,90
E5DC-QX0ABM-015	687800	Temp. controller, PRO, DIN Rail 22.5 mm, Uni. I/P, 1 x 12 VDC pulse OUT, No AU	242,70
E5DC-QX0DBM-015	687799	Controlador de temperatura, PRO, carril DIN de 22,5 mm, I/P universal, 1 salida	242,70
E5DC-CX2ABM-000	687798	Temp. controller, PRO, DIN Rail 22.5mm, Uni. I/P, 1x0/4-20 mA curr. OUT, 2 AU	331,00
E5DC-CX2DBM-000	687797	Temp. controller, PRO, DIN Rail 22.5 mm, Uni. I/P, 1x0/4-20 mA curr. OUT, 2 AU	331,00
E5DC-CX0ABM-015	687796	Temp. controller, PRO, DIN Rail 22.5 mm, Uni. I/P, 1x0/4-20 mA curr. OUT, No A	379,50
E5DC-CX0DBM-015	687795	Temp. controller, PRO, DIN Rail 22.5 mm, Uni. I/P, 1x0/4-20 mA curr. OUT, No A	379,50
E5DC-CX2ABM-015	687794	Temp. controller, PRO, DIN Rail 22.5mm, Uni. I/P, 1x0/4-20 mA curr. OUT, 2 AU	392,00
E5DC-CX2DBM-015	687793	Temp. controller, PRO, DIN Rail 22.5 mm, Uni. I/P, 1x0/4-20 mA curr. OUT, 2 AU	392,00
E5AR-CC43DWW-FLK 24VAC/DC	129536	4 Lazos 4 Event 4 Sal corr. 4 Alarm. SPDT RS485	2 824,00
E5CSV-R1T-500 100-240 VAC	229455	Termopar/Pt100 1 alarma Salida relé	217,00
E5CSV-Q1T-500 100-240 VAC	229456	Termopar/Pt100 1 alarma Salida tensión	217,00
E5CSV-R1TD-500 24VAC/DC	229457	Termopar/Pt100 1 alarma Salida relé	217,00
E5CSV-Q1TD-500 24VAC/DC	229458	Termopar/Pt100 1 alarma Salida tensión	217,00
E5CSV-R1P-W 100-240 VAC	230833	Controlador de temperatura, 1/16DIN (48 x 48mm), salida relé, PT100 entrada,	217,00
E5AN-HAA3BFM-500 100-240 VAC	246760	Entrada universal 3 sal aux Ent evento Sal. Transfer 96x96	937,50
E5AN-HPRR2BM-500 100-240 VAC	246762	Entrada universal Válvula motorizada 96x96	795,00
E5AN-HAA2HBMD-500 24VAC/DC	246764	Entrada universal 2 sal aux HB 96x96	781,00
E5AN-HAA2HHBFMD-500 24VAC/DC	246766	Entrada universal 2 sal aux HB trif. Sal. Transfer 96x96	795,00
E5AN-HPRR2BMD-500 24VAC/DC	246770	Ent. Universal Válvula motorizada 96x96	795,00
E5AN-HPRR2BFMD-500 24VAC/DC	246771	Ent. Universal Válvula motorizada Sal. Transfer 96x96	795,00
E5CN-HV2M-500 100-240 VAC	246772	Entrada universal 2 Alarmas Salida Tensión	586,50
E5CN-HQ2MD-500 24VAC/DC	246773	Entrada universal 2 Alarmas Salida Pulsos	475,60
E5CN-HC2MD-500 24VAC/DC	246774	Entrada universal 2 Alarmas Salida Corriente	586,50
E5CN-HV2MD-500 24VAC/DC	246775	Entrada universal 2 Alarmas Salida Tensión	586,50
E5EN-HAA2HHBFM-500 100-240 VAC	246777	Entrada universal 2 sal aux HB trif. Sal. Transfer 48x96	755,00
E5EN-HAA3BFM-500 100-240 VAC	246779	Entrada Universal 3 Alarmas Salida Transfer 48x96	767,50
E5EN-HPRR2BFM-500 100-240 VAC	246781	Ent. Universal Válvula motorizada Transfer 48x96	767,50

OMRON PVPR 2023

E5EN-HAA2HBMD-500 24VAC/DC	246782	Entrada universal 2 sal aux HB 48x96	728,00
E5EN-HAA2HHBFMD-500 24VAC/DC	246784	Controlador de temperatura, PROplus, ,1/4 DIN, (48 x 96)mm,2 x OUT option,2 x	755,00
E5EN-HPRR2BMD-500 24VAC/DC	246788	Ent. Universal Válvula motorizada 48x96	740,50
E5EN-HPRR2BFMD-500 24VAC/DC	246789	Ent. Universal Válvula motorizada Transfer 48x96	755,00
E5AN-HAA2HBM-500 100-240 VAC	246790	Entrada universal 2 sal aux HB 96x96	781,00
E5AN-HAA2HHBFM-500 100-240 VAC	246791	Entrada universal 2 sal aux HB trif. Sal. Transfer 96x96	795,00
E5CN-HR2M-500 100-240 VAC	246792	Entrada universal 2 Alarmas Salida Relé	475,60
E5CN-HQ2M-500 100-240 VAC	246793	Entrada universal 2 Alarmas Salida Pulsos	475,60
E5CN-HC2M-500 100-240 VAC	246794	Entrada universal 2 Alarmas Salida Corriente	586,50
E5CN-HR2MD-500 24VAC/DC	246795	Entrada universal 2 Alarmas Salida Relé	475,60
E5EN-HAA2HBM-500 100-240 VAC	246796	Entrada universal 2 sal aux HB 48x96	728,00
E5EN-HPRR2BM-500 100-240 VAC	246797	Ent. Universal Válvula motorizada 48x96	740,50
E5L-A 0-100	277251	Termómetro Analógico 0°C a 100°C	120,50
E5L-C 0-100	277254	Termómetro digital 0°C a 100°C incluido Termistor	150,70
E5L-C 100-200	277255	Control de temperatura básico, control ON/OFF	163,40
E5CB-R1TC 100-240 VAC	352123	Termopar Salida Relé 1 Alarma 48x48	190,50
E5CB-R1P 100-240 VAC	352124	Pt100 Salida Relé 1 Alarma 48x48	190,50
E5CB-R1TCD 24VAC/DC	352125	Termopar Salida Relé 1 Alarma 48x48	190,50
E5CB-R1PD 24VAC/DC	352126	Pt100 Salida Relé 1 Alarma 48x48	190,50
E5CB-Q1TC 100-240 VAC	352127	Termopar Salida Tensión 1 Alarma 48x48	190,50
E5CB-Q1P 100-240 VAC	352128	Pt100 Salida Tensión 1 Alarma 48x48	190,50
E5CB-Q1TCD 24VAC/DC	352129	Termopar Salida Tensión 1 Alarma 48x48	190,50
E5CB-Q1PD 24VAC/DC	352130	Pt100 Salida Tensión 1 Alarma 48x48	190,50
E5AN-HTAA2HBM-500 100-240 VAC	352162	Programable Entrada universal 2 sal aux HB 96x96	756,50
E5AN-HTAA2HBMD-500 24VAC/DC	352167	Programable Entrada universal 2 sal aux HB 96x96	756,50
E5AN-HTAA3BFMD-500 24VAC/DC	352169	Control de temperatura avanzado , entrada universal, panel, 96x96mm, visualiza	929,00
E5CN-HTR2M-500 100-240 VAC	352172	Programable Entrada Universal Sal. Relé 2 sal aux 48x48	532,50
E5CN-HTQ2M-500 100-240 VAC	352173	Programable Entrada Universal Sal. SSR 2 sal aux 48x48	514,00
E5CN-HTC2M-500 100-240 VAC	352174	Programable Entrada Universal Salida Corriente 2 sal aux 48x48	534,00
E5CN-HTV2M-500 100-240 VAC	352175	Programable Entrada Universal Sal. Tensión 2 sal aux 48x48	625,00
E5CN-HTR2MD-500 24VAC/DC	352176	Programable Entrada Universal Sal. Relé 2 sal aux 48x48 24 VAC/VDC	532,50
E5CN-HTQ2MD-500 24VAC/DC	352177	Control de temperatura avanzado, panel, 48x48mm I/P (TC,RTD,Lin)PV/SV displa	514,00
E5CN-HTC2MD-500 24VAC/DC	352178	Programable Entrada Universal Salida Corriente 2 sal aux 48x48	526,00

OMRON PVPR 2023

E5CN-HTV2MD-500 24VAC/DC	352179	Programable Entrada Universal Sal. Tensión 2 sal aux 48x48	526,00
E5EN-HTAA2HBM-500 100-240 VAC	352180	Programable Entrada Universal 2 Alarmas Rotura Calentador Monof. 48x96	740,50
E5EN-HTAA3BFM-500 100-240 VAC	352182	Programable Entrada Universal 3 Alarmas Ent Evento Sal Transfer 48x96	926,00
E5EN-HTAA2HBMD-500 24VAC/DC	352185	Programable Entrada Universal 2 Alarmas Rotura Calentador Monof. 48x96	740,50
E5EN-HTAA3BFMD-500 24VAC/DC	352187	Programable Entrada Universal 3 Alarmas Ent Evento Sal Transfer 48x96	926,00
E5CC-RX3D5M-001	356262	Ent Universal 3 Alarmas Sal Relé 2 Evt HBA 24Vcc/Vca 48x48	346,20
E5CC-QX3D5M-003	356276	Ent Universal 3 Alarmas Sal SSR RS485 HBA Trif. 24Vcc/Vca 48x48	354,10
E5CC-QQ3A5M-000	356283	Ent Universal 3 Alarmas 2 Sal SSR 100-240Vca 48x48	270,90
E5CC-CX3A5M-006	356299	Ent Universal 3 Alarmas Sal Corriente 2 Evt TranS 100-240Vca 48x48	495,80
E5EC-RX4A5M-000	356305	Ent Universal 4 Alarmas Sal Relé 100-240Vca 48x96	356,60
E5EC-RX4D5M-000	356306	Ent Universal 4 Alarmas Sal Relé 24Vcc/Vca 48x96	356,60
E5EC-RX4A5M-009	356307	Ent Universal 4 Alarmas Sal Relé RS485 HBA Trif. 100-240Vca 48x96	574,00
E5EC-RX4D5M-009	356308	Ent Universal 4 Alarmas Sal Relé RS485 HBA Trif. 24Vcc/Vca 48x96	574,00
E5EC-RX4A5M-010	356309	Ent Universal 4 Alarmas Sal Relé 4 Evt HBA 100-240Vca 48x96	448,90
E5EC-RX4D5M-010	356310	Ent Universal 4 Alarmas Sal Relé 4 Evt HBA 24Vcc/Vca 48x96	448,90
E5EC-RX4A5M-011	356311	Ent Univ 4 Alarmas Sal Relé 6 Evt HBA RSP Transfer 100-240Vca 48x96	633,50
E5EC-RX4D5M-011	356312	Ent Univ 4 Alarmas Sal Relé 6 Evt HBA RSP Transfer 24Vcc/Vca 48x96	633,50
E5EC-QX4A5M-000	356313	Ent Universal 4 Alarmas Sal SSR 100-240Vca 48x96	356,60
E5EC-QX4D5M-000	356314	Ent Universal 4 Alarmas Sal SSR 24Vcc/Vca 48x96	356,60
E5EC-QX4A5M-009	356315	Ent Universal 4 Alarmas Sal SSR RS485 HBA Trif. 100-240Vca 48x96	574,00
E5EC-QX4D5M-009	356316	Ent Universal 4 Alarmas Sal SSR RS485 HBA Trif. 24Vcc/Vca 48x96	574,00
E5EC-QX4A5M-010	356317	Ent Universal 4 Alarmas Sal SSR 4 Evt HBA 100-240Vca 48x96	448,90
E5EC-QX4D5M-010	356318	Ent Universal 4 Alarmas Sal SSR 4 Evt HBA 24Vcc/Vca 48x96	448,90
E5EC-QX4A5M-011	356319	Ent Univ 4 Alarmas Sal SSR 6 Evt HBA RSP Transfer 100-240Vca 48x96	633,50
E5EC-QX4D5M-011	356320	Ent Univ 4 Alarmas Sal SSR 6 Evt HBA RSP Transfer 24Vcc/Vca 48x96	633,50
E5EC-RR4A5M-000	356321	Ent Universal 4 Alarmas 2 Sal Relé 100-240Vca 48x96	359,40
E5EC-RR4A5M-010	356325	Ent Universal 4 Alarmas 2 Sal Relé alarma HB 4 Evento 100-240Vca 48x96	543,00
E5EC-RR4A5M-011	356327	Ent Univ 4 Alarmas 2 Sal Relé 6 Evt HBA RSP Transfer 100-240Vca 48x96	678,00
E5EC-QQ4A5M-000	356329	Ent Universal 4 Alarmes 2 Saí. 2 SSR 100-240Vac 48x96	400,80
E5EC-QQ4D5M-000	356330	Ent Universal 4 Alarmas 2 Sal SSR 24Vcc/Vca 48x96	400,80
E5EC-QQ4A5M-011	356335	Ent Universal 4 Alarmas 2 Sal SSR 6 Evt HBA RSP Transfer 100-240Vca 48x96	692,00
E5EC-QR4A5M-000	356337	Ent Universal 4 Alarmas 2 Sal SSR/Relé 100-240Vca 48x96	400,80
E5EC-QR4D5M-000	356338	Ent Universal 4 Alarmas 2 Sal SSR/Relé 24Vcc/Vca 48x96	400,80

OMRON PVPR 2023

E5EC-QR4A5M-011	356343	CT, 48x96 mm, salida 1: 12 VDC/ salida 2: relé, 110-240 VAC opción 011	678,00
E5EC-QR4D5M-011	356344	CT, 48x96 mm, salida 1: 12 VDC/ salida 2: relé, 24 VAC/VDC opción 011	678,00
E5EC-CX4A5M-000	356345	Ent Universal 4 Alarmas Sal Corriente 100-240Vca 48x96	456,90
E5EC-CX4D5M-000	356346	Ent Universal 4 Alarmas Sal Corriente 24Vcc/Vca 48x96	458,10
E5EC-CX4A5M-004	356347	Ent Universal 4 Alarmas Sal Corriente RS485 2 Evt 100-240Vca 48x96	587,00
E5EC-CX4D5M-004	356348	Ent Universal 4 Alarmas Sal Corriente RS485 2 Evt 24Vcc/Vca 48x96	587,00
E5EC-CX4A5M-005	356349	Ent Universal 4 Alarmas Sal Corriente 4 Evt 100-240Vca 48x96	493,20
E5EC-CX4D5M-005	356350	CT, 48x96 mm, 1 salida de corriente, 24 VAC/VDC opción 005	493,20
E5EC-CX4A5M-013	356351	Ent Univ 4 Alarmas Sal. Corriente 6 Evt RSP Transf 100-240Vca 48x96	678,00
E5EC-CX4D5M-013	356352	CT, 48x96 mm, 1 salida de corriente, 24 VAC/VDC opción 013	661,00
E5EC-CX4A5M-014	356353	Ent Univ 4 Alarmas,Sal. Corriente4,Evt RSP Transf,RS485,100-240Vca 48x96	717,50
E5EC-CC4A5M-000	356355	Ent Universal 4 Alarmas 2 Sal Corriente 100-240Vc 48x96	638,00
E5EC-CC4A5M-004	356357	Ent Universal 4 Alarmas 2 Sal Corriente RS485 2 Evt 100-240Vc 48x96	651,50
E5EC-CC4A5M-013	356361	CT, 48x96 mm, salidas 1 y 2 de corriente , 110-240 VAC opción 013	638,00
E5EC-CC4A5M-014	356363	CT, 48x96 mm, salidas 1 y 2 de corriente , 110-240 VAC opción 014	795,00
E5AC-RX4A5M-000	374687	Ent Univ 4 Alarmas Sal Relé 100-240Vca 96x96	419,20
E5AC-RX4D5M-000	374688	Ent Univ 4 Alarmas Sal Relé 24Vcc/Vca 96x96	419,20
E5AC-RX4A5M-009	374689	Ent Univ 4 Alarmas Sal Relé 2 Evt RS485 HBA Trif 100-240Vca 96x96	594,50
E5AC-RX4D5M-009	374690	Ent Univ 4 Alarmas Sal Relé 2 Evt RS485 HBA Trif 24Vcc/Vca 96x96	594,50
E5AC-RX4A5M-010	374691	Ent Univ 4 Alarmas Sal Relé 4 Evt HBA 100-240Vca 96x96	552,50
E5AC-RX4D5M-010	374692	Ent Univ 4 Alarmas Sal Relé 4 Evt HBA 24Vcc/Vca 96x96	552,50
E5AC-RX4A5M-011	374693	Ent Univ 4 Alarmas Sal Relé 6 Evt HBA RSP Transf 100-240Vca 96x96	678,00
E5AC-RX4D5M-011	374694	Ent Univ 4 Alarmas Sal Relé 6 Evt HBA RSP Transf 24Vcc/Vca 96x96	678,00
E5AC-QX4A5M-000	374695	Ent Univ 4 Alarmas Sal SSR 100-240Vca 96x96	419,20
E5AC-QX4D5M-000	374696	Ent Univ 4 Alarmas Sal SSR 24Vcc/Vca 96x96	419,20
E5AC-QX4A5M-009	374697	Ent Univ 4 Alarmas Sal SSR 2 Evt RS485 HBA Trif 100-240Vca 96x96	594,50
E5AC-QX4D5M-009	374698	Ent Univ 4 Alarmas Sal SSR 2 Evt RS485 HBA Trif 24Vcc/Vca 96x96	594,50
E5AC-QX4A5M-010	374699	Ent Univ 4 Alarmas Sal SSR 4 Evt HBA 100-240Vca 96x96	552,50
E5AC-QX4D5M-010	374700	Ent Univ 4 Alarmas Sal SSR 4 Evt HBA 24Vcc/Vca 96x96	552,50
E5AC-QX4A5M-011	374701	Ent Univ 4 Alarmas Sal SSR 6 Evt HBA RSP Transf 100-240Vca 96x96	678,00
E5AC-QX4D5M-011	374702	Ent Univ 4 Alarmas Sal SSR 6 Evt HBA RSP Transf 24Vcc/Vca 96x96	678,00
E5AC-RR4A5M-000	374703	Ent Univ 4 Alarmas 2 Sal Relé 100-240Vca 96x96	461,90
E5AC-RR4D5M-000	374704	Ent Univ 4 Alarmas 2 Sal Relé 24Vcc/Vca 96x96	461,90

OMRON PVPR 2023

E5AC-RR4A5M-009	374705	Ent Univ 4 Alarmas 2 Sal Relé 2 Evt RS485 HBA Trif 100-240Vca 96x96	637,00
E5AC-RR4D5M-009	374706	Ent Univ 4 Alarmas 2 Sal Relé 2 Evt RS485 HBA Trif 24Vcc/Vca 96x96	637,00
E5AC-RR4A5M-010	374707	Ent Univ 4 Alarmas 2 Sal Relé 4 Evt HBA 100-240Vca 96x96	592,50
E5AC-RR4D5M-010	374708	Ent Univ 4 Alarmas 2 Sal Relé 4 Evt HBA 24Vcc/Vca 96x96	592,50
E5AC-RR4A5M-011	374709	Ent Univ 4 Alarmas 2 Sal Relé 6 Evt HBA RSP Transf 100-240Vca 96x96	717,50
E5AC-RR4D5M-011	374710	Ent Univ 4 Alarmas 2 Sal Relé 6 Evt HBA RSP Transf 24Vcc/Vca 96x96	717,50
E5AC-QQ4A5M-000	374711	Ent Univ 4 Alarmas 2 Sal SSR 100-240Vca 96x96	461,90
E5AC-QQ4D5M-000	374712	Ent Univ 4 Alarmas 2 Sal SSR 24Vcc/Vca 96x96	461,90
E5AC-QQ4A5M-009	374713	Ent Univ 4 Alarmas 2 Sal SSR 2 Evt RS485 HBA Trif 100-240Vca 96x96	637,00
E5AC-QQ4D5M-009	374714	Ent Univ 4 Alarmas 2 Sal SSR 2 Evt RS485 HBA Trif 24Vcc/Vca 96x96	637,00
E5AC-QQ4A5M-010	374715	Ent Univ 4 Alarmas 2 Sal SSR 4 Evt HBA 100-240Vca 96x96	592,50
E5AC-QQ4D5M-010	374716	Ent Univ 4 Alarmas 2 Sal SSR 4 Evt HBA 24Vcc/Vca 96x96	592,50
E5AC-QQ4A5M-011	374717	Ent Univ 4 Alarmas 2 Sal SSR 6 Evt HBA RSP Transf 100-240Vca 96x96	717,50
E5AC-QQ4D5M-011	374718	Ent Univ 4 Alarmas 2 Sal SSR 6 Evt HBA RSP Transf 24Vcc/Vca 96x96	717,50
E5AC-QR4A5M-000	374719	Ent Univ 4 Alarmas 2 Sal SSR/Relé 100-240Vca 96x96	461,90
E5AC-QR4D5M-000	374720	Ent Univ 4 Alarmas 2 Sal SSR/Relé 24Vcc/Vca 96x96	461,90
E5AC-QR4A5M-009	374721	Ent Univ 4 Alarmas 2 Sal SSR/Relé 2 Evt RS485 HBA Trif 100-240Vca 96x96	637,00
E5AC-QR4D5M-009	374722	Ent Univ 4 Alarmas 2 Sal SSR/Relé 2 Evt RS485 HBA Trif 24Vcc/Vca 96x96	637,00
E5AC-QR4A5M-010	374723	Ent Univ 4 Alarmas 2 Sal SSR/Relé 4 Evt HBA 100-240Vca 96x96	592,50
E5AC-QR4D5M-010	374724	Ent Univ 4 Alarmas 2 Sal SSR/Relé 4 Evt HBA 24Vcc/Vca 96x96	592,50
E5AC-QR4A5M-011	374725	Ent Univ 4 Alarmas 2 Sal SSR/Relé 6 Evt HBA RSP Transf 100-240Vca 96x96	717,50
E5AC-QR4D5M-011	374726	Ent Univ 4 Alarmas 2 Sal SSR/Relé 6 Evt HBA RSP Transf 24Vcc/Vca 96x96	717,50
E5AC-CX4A5M-000	374727	Ent Univ 4 Alarmas Sal Corriente 100-240Vca 96x96	527,00
E5AC-CX4D5M-000	374728	Ent Univ 4 Alarmas Sal Corriente 24Vcc/Vca 96x96	538,50
E5AC-CX4A5M-004	374729	Ent Univ 4 Alarmas Sal Corriente RS485 2 Evt 100-240Vca 96x96	665,50
E5AC-CX4D5M-004	374730	Ent Univ 4 Alarmas Sal Corriente RS485 2 Evt 24Vcc/Vca 96x96	665,50
E5AC-CX4A5M-005	374731	Ent Universal 4 Alarmas Sal Corriente 4 Evt 100-240Vca 96x96	611,00
E5AC-CX4D5M-005	374732	Ent Universal 4 Alarmas Sal Corriente 4 Evt 24Vcc/Vca 96x96	611,00
E5AC-CX4A5M-013	374733	Ent Univ 4 Alarmas Sal Corriente 6 Evt RSP Transf 100-240Vca 96x96	743,50
E5AC-CX4D5M-013	374734	Ent Univ 4 Alarmas Sal Corriente 6 Evt RSP Transf 24Vcc/Vca 96x96	743,50
E5AC-CX4A5M-014	374735	Ent Univ 4 Alarmas Sal Corriente 4 Evt RS485 RSP Transf 100-240Vca 96x96	770,00
E5AC-CX4D5M-014	374736	Ent Univ 4 Alarmas Sal Corriente 4 Evt RS485 RSP Transf 24Vcc/Vca 96x96	770,00
E5AC-CC4A5M-000	374737	Ent Universal 4 Alarmas 2 Sal Corriente 100-240Vca 96x96	628,50

OMRON PVPR 2023

E5AC-CC4D5M-000	374738	Ent Universal 4 Alarmas 2 Sal Corriente 24Vcc/Vca 96x96	628,50
E5AC-CC4A5M-004	374739	Ent Universal 4 Alarmas 2 Sal Corriente RS485 2 Evt 100-240Vca 96x96	730,00
E5AC-CC4D5M-004	374740	Ent Universal 4 Alarmas 2 Sal Corriente RS485 2 Evt 24Vcc/Vca 96x96	730,00
E5AC-CC4A5M-005	374741	Ent Universal 4 Alarmas 2 Sal Corriente 4 Evt 100-240Vca 96x96	692,00
E5AC-CC4D5M-005	374742	Ent Universal 4 Alarmas 2 Sal Corriente 4 Evt 24Vcc/Vca 96x96	692,00
E5AC-CC4A5M-013	374743	Ent Univ 4 Alarmas 2 Sal. Corriente 6 Evt RSP Transf 100-240Vca 96x96	821,00
E5AC-CC4D5M-013	374744	Ent Univ 4 Alarmas 2 Sal. Corriente 6 Evt RSP Transf 24Vcc/Vca 96x96	821,00
E5AC-CC4A5M-014	374745	Ent Univ 4 Alarmas 2 Corriente 4 Evt RS485 RSP Transf 100-240Vca 96x96	846,50
E5AC-CC4D5M-014	374746	Ent Univ 4 Alarmas 2 Corriente 4 Evt RS485 RSP Transf 24Vcc/Vca 96x96	846,50
E5AC-PR4A5M-000	374747	Ent Univ 4 Alarmas Valvula Motor 100-240Vca 96x96	638,00
E5AC-PR4A5M-004	374748	Ent Universal 4 Alarmas Valvula Motor RS485 2 Evt 100-240Vca 96x96	730,00
E5AC-PR4A5M-014	374749	Ent Univ 4 Alarmas Valvula Motor 4 Evt RS485 RSP Transf 100-240Vca 96x96	846,50
E5AC-PR4D5M-000	374750	Ent Universal 4 Alarmas Valvula Motor 24Vcc/Vca 96x96	638,00
E5AC-PR4D5M-004	374751	Ent Universal 4 Alarmas Valvula Motor RS485 2 Evt 24Vcc/Vca 96x96	730,00
E5AC-PR4D5M-014	374752	Ent Univ 4 Alarmas Valvula Motor 4 Evt RS485 RSP Transf 24Vcc/Vca 96x96	846,50
E5AC-CQ4A5M-000	374753	Ent Univ 4 Alarmas 2 Sal SSR/Corriente 100-240Vca 96x96	544,00
E5AC-CQ4D5M-000	374754	Ent Univ 4 Alarmas 2 Sal SSR/Corriente 24Vcc/Vca 96x96	544,00
E5AC-CQ4A5M-009	374755	Ent Univ 4 Alarmas 2 Sal SSR/Corriente 2 Evt RS485 HBA Trif 100-240Vca 96x96	717,50
E5AC-CQ4D5M-009	374756	Ent Univ 4 Alarmas 2 Sal SSR/Corriente 2 Evt RS485 HBA Trif 24Vcc/Vca 96x96	717,50
E5AC-CQ4A5M-010	374757	Ent Univ 4 Alarmas 2 Sal SSR/Corriente 4 Evt HBA 100-240Vca 96x96	665,50
E5AC-CQ4D5M-010	374758	Ent Univ 4 Alarmas 2 Sal SSR/Corriente 4 Evt HBA 24Vcc/Vca 96x96	665,50
E5AC-CQ4A5M-011	374759	Ent Univ 4 Alarmas 2 Sal SSR/Corriente 6 Evt HBA RSP Transf 100-240Vca 96x96	795,00
E5AC-CQ4D5M-011	374760	Ent Univ 4 Alarmas 2 Sal SSR/Corriente 6 Evt HBA RSP Transf 24Vcc/Vca 96x96	795,00
E5EC-PR4A5M-000	374773	Ent Universal 4 Alarmas Valvula Motor 100-240Vca 48x96	552,50
E5EC-PR4A5M-004	374774	Ent Universal 4 Alarmas Valvula Motor RS485 2 Evt 100-240Vca 48x96	649,50
E5EC-PR4A5M-014	374775	Ent Univ 4 Alarmas Valvula Motor 4 Evt RS485 RSP Transf 100-240Vca 48x96	795,00
E5EC-PR4D5M-000	374776	Ent Universal 4 Alarmas Valvula Motor 24Vcc/Vca 48x96	552,50
E5EC-PR4D5M-004	374777	Ent Universal 4 Alarmas Valvula Motor RS485 2 Evt 24Vcc/Vca 48x96	649,50
E5EC-PR4D5M-014	374778	Ent Univ 4 Alarmas Valvula Motor 4 Evt RS485 RSP Transf 24Vcc/Vca 48x96	795,00
E5C2-R20K 100-240VAC 0-800	378341	ON/OFF Termopar K 0-800°C 48x48	147,00
E5C2-R20K 100-240VAC 0-1000	378342	ON/OFF Termopar K 0-1000°C 48x48	147,00
E5C2-R20K 100-240VAC 0-1200	378343	ON/OFF Termopar K 0-1200°C 48x48	147,00
E5C2-R40K 100-240VAC 0-200	378346	Proporcional Termopar K 0-200°C 48x48	147,00

OMRON PVPR 2023

E5C2-R40K 100-240VAC 0-400	378347	Proporcional Termopar K 0-400°C 48x48	147,00
E5C2-R40K 100-240VAC 0-600	378348	Proporcional Termopar K 0-600°C 48x48	147,00
E5C2-R40K 100-240VAC 0-800	378349	Proporcional Termopar K 0-800°C 48x48	147,00
E5C2-R20J 100-240VAC 0-200	378350	ON/OFF Termopar J 0-200°C 48x48	147,00
E5C2-R20J 100-240VAC 0-300	378351	ON/OFF Termopar J 0-300°C 48x48	147,00
E5C2-R20J 100-240VAC 0-400	378352	ON/OFF Termopar J 0-400°C 48x48	147,00
E5C2-R20P-D 100-240VAC -50-50	378353	ON/OFF Pt -50-50°C 48x48	147,00
E5C2-R20P-D 100-240VAC 0-50	378354	ON/OFF Pt 0-50°C 48x48	147,00
E5C2-R20P-D 100-240VAC 0-300	378355	ON/OFF Pt 0-300°C 48x48	147,00
E5C2-R20P-D 100-240VAC 0-400	378356	ON/OFF Pt 0-400°C 48x48	147,00
E5C2-R20G 100-240VAC 0-100	378358	Control de temperatura básico, 48x48, panel, ON/OFF , salida relé, termoresiste	147,00
E5C2-R20K 100-240VAC 0-200	378359	ON/OFF Termopar K 0-200°C 48x48	147,00
E5C2-R20K 100-240VAC 0-400	378360	ON/OFF Termopar K 0-400°C 48x48	147,00
E5C2-R20K 100-240VAC 0-600	378361	ON/OFF Termopar K 0-600°C 48x48	147,00
E5C2-R40K 100-240VAC 0-300	378362	Proporcional Termopar K 0-300°C 48x48	147,00
E5C2-R20P-D 100-240VAC 0-100	378363	ON/OFF Pt 0-100°C 48x48	147,00
E5C2-R20P-D 100-240VAC 0-200	378364	ON/OFF Pt 0-200°C 48x48	147,00
E5AC-TCX4A5M-005	385170	Ctrl.Temp,Ent.Univ,Sal.Corr,4sal.aux,4Ent Evt,100-240VAC,Tornillo,96x96	717,50
E5AC-TCX4D5M-005	385171	Ctrl.Temp,Ent.Univ,Sal.Corr,4sal.aux,4Ent Evt,24Vcc/Vac,Tornillo,96x96	717,50
E5AC-TCC4A5M-005	385172	Ctrl.Temp,Ent.Univ,2Sal.Corr,4sal.aux,4Ent Evt,100-240VAC,Tornillo,96x96	756,50
E5AC-TCC4D5M-005	385173	Ctrl.Temp,Ent.Univ,2Sal.Corr,4sal.aux,4Ent Evt,24Vcc/Vac,Tornillo,96x96	756,50
E5EC-TCX4A5M-005	385174	Ctrl.Temp,Ent.Univ,Sal.Corr,4sal.aux,4Ent Evt,100-240VAC,Tornillo,48x96	649,50
E5EC-TCX4D5M-005	385175	Ctrl.Temp,Ent.Univ,Sal.Corr,4sal.aux,4Ent Evt,24Vcc/Vac,Tornillo,48x96	649,50
E5EC-TCC4A5M-005	385176	Ctrl.Temp,Ent.Univ,2Sal.Corr,4sal.aux,4Ent Evt,100-240VAC,Tornillo,48x96	692,00
E5EC-TCC4D5M-005	385177	Ctrl.Temp,Ent.Univ,2Sal.Corr,4sal.aux,4Ent Evt,24Vcc/Vac,Tornillo,48x96	692,00
E5AC-TRX4A5M-000	385178	Ctrl.Temp,Ent.Univ,Sal.relé,4sal.aux,100-240VAC,Tornillo,96x96	649,50
E5AC-TRX4D5M-000	385179	Ctrl.Temp,Ent.Univ,Sal.relé,4sal.aux,24Vcc/Vac,Tornillo,96x96	649,50
E5AC-TRX4A5M-008	385180	Ctrl.Temp,Ent.Univ,Sal.relé,4sal.aux,HBA,RS485,2Ent Evt,100-240VAC,Tornillo,96x96	770,00
E5AC-TRX4D5M-008	385181	Ctrl.Temp,Ent.Univ,Sal.relé,4sal.aux,HBA,RS485,2Ent Evt,24Vcc/Vac,Tornillo,96x96	770,00
E5AC-TRX4A5M-010	385182	Ctrl.Temp,Ent.Univ,Sal.relé,4sal.aux,HBA,4Ent Evt100-240VAC,Tornillo,96x96	717,50
E5AC-TRX4D5M-010	385183	Ctrl.Temp,Ent.Univ,Sal.relé,4sal.aux,HBA,4Ent Evt,24Vcc/Vac,Tornillo,96x96	717,50
E5AC-TRX4A5M-019	385184	Ctrl.Temp,Ent.Univ,Sal.relé,4sal.aux,HBA,6Ent Evt,sal.tranf,100-240VAC,Tornillo,96x96	770,00
E5AC-TRX4D5M-019	385185	Ctrl.Temp,Ent.Univ,Sal.relé,4sal.aux,HBA,6Ent EVT,sal.tranf24Vcc/Vac,Tornillo,96x96	770,00

OMRON PVPR 2023

E5AC-TQX4A5M-000	385186	Ctrl.Temp,Ent.Univ,Sal.SSR,4sal.aux,100-240VAC,Tornillo,96x96	649,50
E5AC-TQX4D5M-000	385187	Ctrl.Temp,Ent.Univ,Sal.SSR,4sal.aux,24Vcc/Vac,Tornillo,96x96	649,50
E5AC-TQX4A5M-008	385188	Ctrl.Temp,Ent.Univ,Sal.SSR,4sal.aux,HBA,RS485,2Ent Evt,100-240VAC,Tornillo,96x96	770,00
E5AC-TQX4D5M-008	385189	Ctrl.Temp,Ent.Univ,Sal.SSR,4sal.aux,HBA,RS485,2Ent Evt,24Vcc/Vac,Tornillo,96x96	770,00
E5AC-TQX4A5M-010	385190	Ctrl.Temp,Ent.Univ,Sal.SSR,4sal.aux,HBA,4Ent Evt100-240VAC,Tornillo,96x96	717,50
E5AC-TQX4D5M-010	385191	Ctrl.Temp,Ent.Univ,Sal.SSR,4sal.aux,HBA,4Ent Evt,24Vcc/Vac,Tornillo,96x96	717,50
E5AC-TQX4A5M-019	385192	Ctrl.Temp,Ent.Univ,Sal.SSR,4sal.aux,HBA,6Ent Evt,sal.tranf,100-240VAC,Tornillo,96x96	770,00
E5AC-TQX4D5M-019	385193	Ctrl.Temp,Ent.Univ,Sal.SSR,4sal.aux,HBA,6Ent Evt,sal.tranf,24Vcc/Vac,Tornillo,96x96	770,00
E5AC-TRR4A5M-000	385194	Ctrl.Temp,Ent.Univ,2Sal.relé,4sal.aux,100-240VAC,Tornillo,96x96	665,50
E5AC-TRR4D5M-000	385195	Ctrl.Temp,Ent.Univ,2Sal.relé,4sal.aux,24Vcc/Vac,Tornillo,96x96	665,50
E5AC-TRR4A5M-008	385196	Ctrl.Temp,Ent.Univ,2Sal.relé,4sal.aux,HBA,RS485,2Ent Evt,100-240VAC,Tornillo,96x96	781,00
E5AC-TRR4D5M-008	385197	Ctrl.Temp,Ent.Univ,2Sal.relé,4sal.aux,HBA,RS485,2Ent Evt,24Vcc/Vac,Tornillo,96x96	781,00
E5AC-TRR4A5M-010	385198	Ctrl.Temp,Ent.Univ,2Sal.relé,4sal.aux,HBA,4Ent Evt100-240VAC,Tornillo,96x96	730,00
E5AC-TRR4D5M-010	385199	Ctrl.Temp,Ent.Univ,2Sal.relé,4sal.aux,HBA,4Ent Evt,24Vcc/Vac,Tornillo,96x96	730,00
E5AC-TRR4A5M-019	385200	Ctrl.Temp,Ent.Univ,2Sal.relé,4sal.aux,HBA,6Ent EVT,sal.tranf,100-240VAC,Tornillo,96x96	781,00
E5AC-TRR4D5M-019	385201	Ctrl.Temp,Ent.Univ,2Sal.relé,4sal.aux,HBA,6Ent EVT,sal.tranf,24Vcc/Vac,Tornillo,96x96	781,00
E5AC-TQQ4A5M-000	385202	Ctrl.Temp,Ent.Univ,Sal.2xSSR,4sal.aux,100-240VAC,Tornillo,96x96	665,50
E5AC-TQQ4D5M-000	385203	Ctrl.Temp,Ent.Univ,Sal.2xSSR,4sal.aux,24Vcc/Vac,Tornillo,96x96	665,50
E5AC-TQQ4A5M-008	385204	Ctrl.Temp,Ent.Univ,Sal.2xSSR,4sal.aux,HBA,RS485,2Ent Evt,100-240VAC,Tornillo,96x96	781,00
E5AC-TQQ4D5M-008	385205	Ctrl.Temp,Ent.Univ,Sal.2xSSR,4sal.aux,HBA,RS485,2Ent Evt,24Vcc/Vac,Tornillo,96x96	781,00
E5AC-TQQ4A5M-010	385206	Ctrl.Temp,Ent.Univ,Sal.2xSSR,4sal.aux,HBA,4Ent Evt100-240VAC,Tornillo,96x96	730,00
E5AC-TQQ4D5M-010	385207	Ctrl.Temp,Ent.Univ,Sal.2xSSR,4sal.aux,HBA,4Ent Evt,24Vcc/Vac,Tornillo,96x96	730,00
E5AC-TQQ4A5M-019	385208	Ctrl.Temp,Ent.Univ,Sal.2xSSR,4sal.aux,HBA,6Ent EVT,sal.tranf,100-240VAC,Tornillo,96x96	781,00
E5AC-TQQ4D5M-019	385209	Ctrl.Temp,Ent.Univ,Sal.2xSSR,4sal.aux,HBA,6Ent Evt,sal.tranf,24Vcc/Vac,Tornillo,96x96	781,00
E5AC-TQR4A5M-000	385210	Ctrl.Temp,Ent.Univ,Sal.SSR,Sal.relé,4sal.aux,100-240VAC,Tornillo,96x96	665,50
E5AC-TQR4D5M-000	385211	Ctrl.Temp,Ent.Univ,Sal.SSR,Sal.relé,4sal.aux,24Vcc/Vac,Tornillo,96x96	665,50
E5AC-TQR4A5M-008	385212	Ctrl.Temp,Ent.Univ,Sal.SSR,Sal.relé,4sal.aux,HBA,RS485,2Ent Evt,100-240VAC,Tornillo,96x96	781,00
E5AC-TQR4D5M-008	385213	Ctrl.Temp,Ent.Univ,Sal.SSR,Sal.relé,4sal.aux,HBA,RS485,2Ent Evt,24Vcc/Vac,Tornillo,96x96	781,00
E5AC-TQR4A5M-010	385214	Ctrl.Temp,Ent.Univ,Sal.SSR,Sal.relé,4sal.aux,HBA,4Ent Evt100-240VAC,Tornillo,96x96	730,00
E5AC-TQR4D5M-010	385215	Ctrl.Temp,Ent.Univ,Sal.SSR,Sal.relé,4sal.aux,HBA,4Ent Evt,24Vcc/Vac,Tornillo,96x96	730,00
E5AC-TQR4A5M-019	385216	Ctrl.Temp,Ent.Univ,Sal.SSR,Sal.relé,4sal.aux,HBA,6Ent Evt,sal.tranf,100-240VAC,Tornillo,96x96	781,00
E5AC-TQR4D5M-019	385217	Ctrl.Temp,Ent.Univ,Sal.SSR,Sal.relé,4sal.aux,HBA,6Ent Evt,sal.tranf,24Vcc/Vac,Tornillo,96x96	781,00
E5AC-TCX4A5M-000	385218	Ctrl.Temp,Ent.Univ,Sal.Corr,4sal.aux,100-240VAC,Tornillo,96x96	678,00

OMRON PVPR 2023

E5AC-TCX4D5M-000	385219	Ctrl.Temp,Ent.Univ,Sal.Corr,4sal.aux,24Vcc/Vac,Tornillo,96x96	678,00
E5AC-TCX4A5M-004	385220	Ctrl.Temp,Ent.Univ,Sal.Corr,4sal.aux,RS485,2Ent Evt,100-240VAC,Tornillo,96x96	770,00
E5AC-TCX4D5M-004	385221	Ctrl.Temp,Ent.Univ,Sal.Corr,4sal.aux,RS485,2Ent Evt,24Vcc/Vac,Tornillo,96x96	770,00
E5AC-TCX4A5M-021	385222	Ctrl.Temp,Ent.Univ,Sal.Corr,4sal.aux,6Ent Evt, sal.tranf,100-240VAC,Tornillo,96x96	770,00
E5AC-TCX4D5M-021	385223	Ctrl.Temp,Ent.Univ,Sal.Corr,4sal.aux,6Ent Evt, sal.tranf,24Vcc/Vac,Tornillo,96x96	770,00
E5AC-TCX4A5M-022	385224	Ctrl.Temp,Ent.Univ,Sal.Corr,4sal.aux,RS485,4Ent Evt,sal.tranf,100-240VAC,Tornillo,96x96	821,00
E5AC-TCX4D5M-022	385225	Ctrl.Temp,Ent.Univ,Sal.Corr,4sal.aux,RS485,4Ent Evt,sal.tranf,24Vcc/Vac,Tornillo,96x96	821,00
E5AC-TCC4A5M-000	385226	Ctrl.Temp,Ent.Univ,2Sal.Corr,4sal.aux,100-240VAC,Tornillo,96x96	717,50
E5AC-TCC4D5M-000	385227	Ctrl.Temp,Ent.Univ,2Sal.Corr,4sal.aux,24Vcc/Vac,Tornillo,96x96	717,50
E5AC-TCC4A5M-004	385228	Ctrl.Temp,Ent.Univ,2Sal.Corr,4sal.aux,RS485,2Ent Evt,100-240VAC,Tornillo,96x96	808,00
E5AC-TCC4D5M-004	385229	Ctrl.Temp,Ent.Univ,2Sal.Corr,4sal.aux,RS485,2Ent Evt,24Vcc/Vac,Tornillo,96x96	808,00
E5AC-TCC4A5M-021	385230	Ctrl.Temp,Ent.Univ,2Sal.Corr,4sal.aux,6Ent Evt,sal.tranf,100-240VAC,Tornillo,96x96	808,00
E5AC-TCC4D5M-021	385231	Ctrl.Temp,Ent.Univ,2Sal.Corr,4sal.aux,6Ent Evt,sal.tranf,24Vcc/Vac,Tornillo,96x96	808,00
E5AC-TCC4A5M-022	385232	Ctrl.Temp,Ent.Univ,2Sal.Corr,4sal.aux,RS485,4Ent Evt,sal.tranf,100-240VAC,Tornillo,96x96	860,50
E5AC-TCC4D5M-022	385233	Ctrl.Temp,Ent.Univ,2Sal.Corr,4sal.aux,RS485,4Ent Evt,sal.tranf,24Vcc/Vac,Tornillo,96x96	860,50
E5AC-TCQ4A5M-000	385234	Ctrl.Temp,Ent.Univ,Sal.Corr,SSR,4sal.aux,100-240VAC,Tornillo,96x96	692,00
E5AC-TCQ4D5M-000	385235	Ctrl.Temp,Ent.Univ,Sal.Corr,SSR,4sal.aux,24Vcc/Vac,Tornillo,96x96	692,00
E5AC-TCQ4A5M-008	385236	Ctrl.Temp,Ent.Univ,Sal.Corr,SSR,4sal.aux,HBA,RS485,2Ent Evt,100-240VAC,Tornillo,96x96	808,00
E5AC-TCQ4D5M-008	385237	Ctrl.Temp,Ent.Univ,Sal.Corr,SSR,4sal.aux,HBA,RS485,2Ent Evt,24Vcc/Vac,Tornillo,96x96	808,00
E5AC-TCQ4A5M-010	385238	Ctrl.Temp,Ent.Univ,Sal.Corr,SSR,4sal.aux,HBA,4Ent Evt100-240VAC,Tornillo,96x96	756,50
E5AC-TCQ4D5M-010	385239	Ctrl.Temp,Ent.Univ,Sal.Corr,SSR,4sal.aux,HBA,4Ent Evt,24Vcc/Vac,Tornillo,96x96	756,50
E5AC-TCQ4A5M-019	385240	Ctrl.Temp,Ent.Univ,Sal.Corr,SSR,4sal.aux,HBA,6Ent Evt,sal.tranf,100-240VAC,Tornillo,96x96	808,00
E5AC-TCQ4D5M-019	385241	Ctrl.Temp,Ent.Univ,Sal.Corr,SSR,4sal.aux,HBA,6Ent Evt,sal.tranf,24Vcc/Vac,Tornillo,96x96	808,00
E5CC-TRX3A5M-000	385242	Ctrl.Temp,Ent.Univ,Sal.relé,3sal.aux,100-240VAC,Tornillo,48x48	465,90
E5CC-TRX3D5M-000	385243	Ctrl.Temp,Ent.Univ,Sal.relé,3sal.aux,24Vcc/Vac,Tornillo,48x48	465,90
E5CC-TRX3A5M-001	385244	Ctrl.Temp,Ent.Univ,Sal.relé,3sal.aux,HBA,2Ent Evt,100-240VAC,Tornillo,48x48	513,00
E5CC-TRX3D5M-001	385245	Ctrl.Temp,Ent.Univ,Sal.relé,3sal.aux,HBA,2Ent Evt,24Vcc/Vac,Tornillo,48x48	513,00
E5CC-TRX3A5M-003	385246	Ctrl.Temp,Ent.Univ,Sal.relé,3sal.aux,HBA,RS485,100-240VAC,Tornillo,48x48	560,00
E5CC-TRX3D5M-003	385247	Ctrl.Temp,Ent.Univ,Sal.relé,3sal.aux,HBA,RS485,24Vcc/Vac,Tornillo,48x48	560,00
E5CC-TRX3A5M-005	385248	Ctrl.Temp,Ent.Univ,Sal.relé,3sal.aux,4Ent Evt,100-240VAC,Tornillo,48x48	506,50
E5CC-TRX3D5M-005	385249	Ctrl.Temp,Ent.Univ,Sal.relé,3sal.aux,4Ent Evt,24Vcc/Vac,Tornillo,48x48	506,50
E5CC-TRX3A5M-006	385250	Ctrl.Temp,Ent.Univ,Sal.relé,3sal.aux,sal.tranf,100-240VAC,Tornillo,48x48	533,50
E5CC-TRX3D5M-006	385251	Ctrl.Temp,Ent.Univ,Sal.relé,3sal.aux,2Ent Evt,sal.tranf,24Vcc/Vac,Tornillo,48x48	533,50

OMRON PVPR 2023

E5CC-TQX3A5M-000	385252	Ctrl.Temp,Ent.Univ,Sal.SSR,3sal.aux,100-240VAC,Tornillo,48x48	465,90
E5CC-TQX3D5M-000	385253	Ctrl.Temp,Ent.Univ,Sal.SSR,3sal.aux,24Vcc/Vac,Tornillo,48x48	465,90
E5CC-TQX3A5M-001	385254	Ctrl.Temp,Ent.Univ,Sal.SSR,3sal.aux,HBA,2Ent Evt,,100-240VAC,Tornillo,48x48	513,00
E5CC-TQX3D5M-001	385255	Ctrl.Temp,Ent.Univ,Sal.SSR,3sal.aux,HBA,2Ent Evt,24Vcc/Vac,Tornillo,48x48	513,00
E5CC-TQX3A5M-003	385256	Ctrl.Temp,Ent.Univ,Sal.SSR,3sal.aux,HBA,RS485,100-240VAC,Tornillo,48x48	560,00
E5CC-TQX3D5M-003	385257	Ctrl.Temp,Ent.Univ,Sal.SSR,3sal.aux,HBA,RS485,24Vcc/Vac,Tornillo,48x48	560,00
E5CC-TQX3A5M-005	385258	Ctrl.Temp,Ent.Univ,Sal.SSR,3sal.aux,4Ent Evt,100-240VAC,Tornillo,48x48	506,50
E5CC-TQX3D5M-005	385259	Ctrl.Temp,Ent.Univ,Sal.SSR,3sal.aux,4Ent Evt,24Vcc/Vac,Tornillo,48x48	506,50
E5CC-TQX3A5M-006	385260	Ctrl.Temp,Ent.Univ,Sal.SSR,3sal.aux,2Ent Evt,sal.tranf,100-240VAC,Tornillo,48x4	533,50
E5CC-TQX3D5M-006	385261	Ctrl.Temp,Ent.Univ,Sal.SSR,3sal.aux,2Ent Evt,sal.tranf,24Vcc/Vac,Tornillo,48x48	533,50
E5CC-TQQ3A5M-000	385262	Ctrl.Temp,Ent.Univ,Sal.2xSSR,3sal.aux,100-240VAC,Tornillo,48x48	478,90
E5CC-TQQ3D5M-000	385263	Ctrl.Temp,Ent.Univ,Sal.2xSSR,3sal.aux,24Vcc/Vac,Tornillo,48x48	478,90
E5CC-TQQ3A5M-001	385264	Ctrl.Temp,Ent.Univ,Sal.2xSSR,3sal.aux,HBA,2Ent Evt,100-240VAC,Tornillo,48x48	526,00
E5CC-TQQ3D5M-001	385265	Ctrl.Temp,Ent.Univ,Sal.2xSSR,3sal.aux,HBA,2Ent Evt,24Vcc/Vac,Tornillo,48x48	526,00
E5CC-TQQ3A5M-003	385266	Ctrl.Temp,Ent.Univ,Sal.2xSSR,3sal.aux,HBA,RS485,100-240VAC,Tornillo,48x48	574,00
E5CC-TQQ3D5M-003	385267	Ctrl.Temp,Ent.Univ,Sal.2xSSR,3sal.aux,HBA,RS485,24Vcc/Vac,Tornillo,48x48	574,00
E5CC-TQQ3A5M-005	385268	Ctrl.Temp,Ent.Univ,Sal.2xSSR,3sal.aux,4Ent Evt,100-240VAC,Tornillo,48x48	519,50
E5CC-TQQ3D5M-005	385269	Ctrl.Temp,Ent.Univ,Sal.2xSSR,3sal.aux,4Ent Evt,24Vcc/Vac,Tornillo,48x48	519,50
E5CC-TQQ3A5M-006	385270	Ctrl.Temp,Ent.Univ,Sal.2xSSR,3sal.aux,,2Ent Evt,sal.tranf,100-240VAC,Tornillo,48	547,00
E5CC-TQQ3D5M-006	385271	Ctrl.Temp,Ent.Univ,Sal.2xSSR,3sal.aux,,2Ent Evt,sal.tranf,24Vcc/Vac,Tornillo,48x	547,00
E5CC-TCX3A5M-000	385272	Ctrl.Temp,Ent.Univ,Sal.Corr,3sal.aux,100-240VAC,Tornillo,48x48	492,00
E5CC-TCX3D5M-000	385273	Ctrl.Temp,Ent.Univ,Sal.Corr,3sal.aux,24Vcc/Vac,Tornillo,48x48	492,00
E5CC-TCX3A5M-005	385274	Ctrl.Temp,Ent.Univ,Sal.Corr,3sal.aux,4Ent Evt,100-240VAC,Tornillo,48x48	533,50
E5CC-TCX3D5M-005	385275	Ctrl.Temp,Ent.Univ,Sal.Corr,3sal.aux,4Ent Evt,24Vcc/Vac,Tornillo,48x48	533,50
E5CC-TCX3A5M-006	385276	Ctrl.Temp,Ent.Univ,Sal.Corr,3sal.aux,2Ent Evt,sal.tranf,100-240VAC,Tornillo,48x4	560,00
E5CC-TCX3D5M-006	385277	Ctrl.Temp,Ent.Univ,Sal.Corr,3sal.aux,2Ent Evt,sal.tranf,24Vcc/Vac,Tornillo,48x48	560,00
E5CC-TCX3A5M-004	385278	Ctrl.Temp,Ent.Univ,Sal.Corr,3sal.aux,RS485,2Ent.Evt,100-240VAC,Tornillo,48x48	587,00
E5CC-TCX3D5M-004	385279	Ctrl.Temp,Ent.Univ,Sal.Corr,3sal.aux,RS485,2Ent.Evt,24Vcc/Vac,Tornillo,48x48	587,00
E5CC-TCQ3A5M-000	385280	Ctrl.Temp,Ent.Univ,Sal.Corr,SSR,3sal.aux,100-240VAC,Tornillo,48x48	506,50
E5CC-TCQ3D5M-000	385281	Ctrl.Temp,Ent.Univ,Sal.Corr,SSR,3sal.aux,24Vcc/Vac,Tornillo,48x48	506,50
E5CC-TCQ3A5M-001	385282	Ctrl.Temp,Ent.Univ,Sal.Corr,SSR,3sal.aux,HBA,2Ent Evt,100-240VAC,Tornillo,48x4	553,50
E5CC-TCQ3D5M-001	385283	Ctrl.Temp,Ent.Univ,Sal.Corr,SSR,3sal.aux,HBA,2Ent Evt,24Vcc/Vac,Tornillo,48x48	566,50
E5CC-TCQ3A5M-003	385284	Ctrl.Temp,Ent.Univ,Sal.Corr,SSR,3sal.aux,HBA,RS485,100-240VAC,Tornillo,48x48	601,00

OMRON PVPR 2023

E5CC-TCQ3D5M-003	385285	Ctrl.Temp,Ent.Univ,Sal.Corr,SSR,3sal.aux,HBA,RS485,24Vcc/Vac,Tornillo,48x48	665,50
E5CC-TCQ3A5M-005	385286	Ctrl.Temp,Ent.Univ,Sal.Corr,SSR,3sal.aux,4Ent Evt,100-240VAC,Tornillo,48x48	547,00
E5CC-TCQ3D5M-005	385287	Ctrl.Temp,Ent.Univ,Sal.Corr,SSR,3sal.aux,4Ent Evt,24Vcc/Vac,Tornillo,48x48	557,00
E5CC-TCQ3A5M-006	385288	Ctrl.Temp,Ent.Univ,Sal.Corr,SSR,3sal.aux,,2Ent Evt,sal.tranf,100-240VAC,Tornillo	574,00
E5CC-TCQ3D5M-006	385289	Ctrl.Temp,Ent.Univ,Sal.Corr,SSR,3sal.aux,2Ent Evt,sal.tranf,24Vcc/Vac,Tornillo,48	574,00
E5EC-TRX4A5M-000	385290	Ctrl.Temp,Ent.Univ,Sal.relé,4sal.aux,100-240VAC,Tornillo,48x96	580,50
E5EC-TRX4D5M-000	385291	Ctrl.Temp,Ent.Univ,Sal.relé,4sal.aux,24Vcc/Vac,Tornillo,48x96	580,50
E5EC-TRX4A5M-008	385292	Ctrl.Temp,Ent.Univ,Sal.relé,4sal.aux,HBA,RS485,2Ent Evt,100-240VAC,Tornillo,48	704,00
E5EC-TRX4D5M-008	385293	Ctrl.Temp,Ent.Univ,Sal.relé,4sal.aux,HBA,RS485,2Ent Evt,24Vcc/Vac,Tornillo,48x	704,00
E5EC-TRX4A5M-010	385294	Ctrl.Temp,Ent.Univ,Sal.relé,4sal.aux,HBA,4Ent Evt100-240VAC,Tornillo,48x96	643,00
E5EC-TRX4D5M-010	385295	Ctrl.Temp,Ent.Univ,Sal.relé,4sal.aux,HBA,4Ent Evt,24Vcc/Vac,Tornillo,48x96	643,00
E5EC-TRX4A5M-019	385296	Ctrl.Temp,Ent.Univ,Sal.relé,4sal.aux,HBA,6Ent Evt,sal.tranf,100-240VAC,Tornillo,	704,00
E5EC-TRX4D5M-019	385297	Ctrl.Temp,Ent.Univ,Sal.relé,4sal.aux,HBA,6Ent EVT,sal.tranf24Vcc/Vac,Tornillo,48	704,00
E5EC-TQX4A5M-000	385298	Ctrl.Temp,Ent.Univ,Sal.SSR,4sal.aux,100-240VAC,Tornillo,48x96	580,50
E5EC-TQX4D5M-000	385299	Ctrl.Temp,Ent.Univ,Sal.SSR,4sal.aux,24Vcc/Vac,Tornillo,48x96	580,50
E5EC-TQX4A5M-008	385300	Ctrl.Temp,Ent.Univ,Sal.SSR,4sal.aux,HBA,RS485,2Ent Evt,100-240VAC,Tornillo,48	704,00
E5EC-TQX4D5M-008	385301	Ctrl.Temp,Ent.Univ,Sal.SSR,4sal.aux,HBA,RS485,2Ent Evt,24Vcc/Vac,Tornillo,48x	704,00
E5EC-TQX4A5M-010	385302	Ctrl.Temp,Ent.Univ,Sal.SSR,4sal.aux,HBA,4Ent Evt100-240VAC,Tornillo,48x96	643,00
E5EC-TQX4D5M-010	385303	Ctrl.Temp,Ent.Univ,Sal.SSR,4sal.aux,HBA,4Ent Evt,24Vcc/Vac,Tornillo,48x96	643,00
E5EC-TQX4A5M-019	385304	Ctrl.Temp,Ent.Univ,Sal.SSR,4sal.aux,HBA,6Ent Evt,sal.tranf,100-240VAC,Tornillo,	704,00
E5EC-TQX4D5M-019	385305	Ctrl.Temp,Ent.Univ,Sal.SSR,4sal.aux,HBA,6Ent EVT,sal.tranf,24Vcc/Vac,Tornillo,48	704,00
E5EC-TRR4A5M-000	385306	Ctrl.Temp,Ent.Univ,2Sal.relé,4sal.aux,100-240VAC,Tornillo,48x96	594,50
E5EC-TRR4D5M-000	385307	Ctrl.Temp,Ent.Univ,2Sal.relé,4sal.aux,24Vcc/Vac,Tornillo,48x96	594,50
E5EC-TRR4A5M-008	385308	Ctrl.Temp,Ent.Univ,2Sal.relé,4sal.aux,HBA,RS485,2Ent Evt,100-240VAC,Tornillo,48	717,50
E5EC-TRR4D5M-008	385309	Ctrl.Temp,Ent.Univ,2Sal.relé,4sal.aux,HBA,RS485,2Ent Evt,24Vcc/Vac,Tornillo,48	717,50
E5EC-TRR4A5M-010	385310	Ctrl.Temp,Ent.Univ,2Sal.relé,4sal.aux,HBA,4Ent Evt100-240VAC,Tornillo,48x96	665,50
E5EC-TRR4D5M-010	385311	Ctrl.Temp,Ent.Univ,2Sal.relé,4sal.aux,HBA,4Ent Evt,24Vcc/Vac,Tornillo,48x96	665,50
E5EC-TRR4A5M-019	385312	Ctrl.Temp,Ent.Univ,2Sal.relé,4sal.aux,HBA,6Ent Evt,sal.tranf,100-240VAC,Tornillo	717,50
E5EC-TRR4D5M-019	385313	Ctrl.Temp,Ent.Univ,2Sal.relé,4sal.aux,HBA,6Ent EVT,sal.tranf,24Vcc/Vac,Tornillo,	717,50
E5EC-TQQ4A5M-000	385314	Ctrl.Temp,Ent.Univ,Sal.2xSSR,4sal.aux,100-240VAC,Tornillo,48x96	594,50
E5EC-TQQ4D5M-000	385315	Ctrl.Temp,Ent.Univ,Sal.2xSSR,4sal.aux,24Vcc/Vac,Tornillo,48x96	594,50
E5EC-TQQ4A5M-008	385316	Ctrl.Temp,Ent.Univ,Sal.2xSSR,4sal.aux,HBA,RS485,2Ent Evt,100-240VAC,Tornillo,	717,50
E5EC-TQQ4D5M-008	385317	Ctrl.Temp,Ent.Univ,Sal.2xSSR,4sal.aux,HBA,RS485,2Ent Evt,24Vcc/Vac,Tornillo,48	717,50

OMRON PVPR 2023

E5EC-TQQ4A5M-010	385318	Ctrl.Temp,Ent.Univ,Sal.2xSSR,4sal.aux,HBA,4Ent Evt100-240VAC,Tornillo,48x96	665,50
E5EC-TQQ4D5M-010	385319	Ctrl.Temp,Ent.Univ,Sal.2xSSR,4sal.aux,HBA,4Ent Evt,24Vcc/Vac,Tornillo,48x96	665,50
E5EC-TQQ4A5M-019	385320	Ctrl.Temp,Ent.Univ,Sal.2xSSR,4sal.aux,HBA,6Ent Evt,sal.tranf,100-240VAC,Tornillo,48x96	717,50
E5EC-TQQ4D5M-019	385321	Ctrl.Temp,Ent.Univ,Sal.2xSSR,4sal.aux,HBA,6Ent EVT,sal.tranf,24Vcc/Vac,Tornillo,48x96	717,50
E5EC-TQR4A5M-000	385322	Ctrl.Temp,Ent.Univ,Sal.SSR,Sal.relé,4sal.aux,100-240VAC,Tornillo,48x96	594,50
E5EC-TQR4D5M-000	385323	Ctrl.Temp,Ent.Univ,Sal.SSR,Sal.relé,4sal.aux,24Vcc/Vac,Tornillo,48x96	594,50
E5EC-TQR4A5M-008	385324	Ctrl.Temp,Ent.Univ,Sal.SSR,Sal.relé,4sal.aux,HBA,RS485,2Ent Evt,100-240VAC,Tornillo,48x96	717,50
E5EC-TQR4D5M-008	385325	Ctrl.Temp,Ent.Univ,Sal.SSR,Sal.relé,4sal.aux,HBA,RS485,2Ent Evt,24Vcc/Vac,Tornillo,48x96	717,50
E5EC-TQR4A5M-010	385326	Ctrl.Temp,Ent.Univ,Sal.SSR,Sal.relé,4sal.aux,HBA,4Ent Evt100-240VAC,Tornillo,48x96	665,50
E5EC-TQR4D5M-010	385327	Ctrl.Temp,Ent.Univ,Sal.SSR,Sal.relé,4sal.aux,HBA,4Ent Evt,24Vcc/Vac,Tornillo,48x96	665,50
E5EC-TQR4A5M-019	385328	Ctrl.Temp,Ent.Univ,Sal.SSR,Sal.relé,4sal.aux,HBA,6Ent Evt,sal.tranf,100-240VAC,Tornillo,48x96	717,50
E5EC-TQR4D5M-019	385329	Ctrl.Temp,Ent.Univ,Sal.SSR,Sal.relé,4sal.aux,HBA,6Ent EVT,sal.tranf,24Vcc/Vac,Tornillo,48x96	717,50
E5EC-TCX4A5M-000	385330	Ctrl.Temp,Ent.Univ,Sal.Corr,4sal.aux,100-240VAC,Tornillo,48x96	607,00
E5EC-TCX4D5M-000	385331	Ctrl.Temp,Ent.Univ,Sal.Corr,4sal.aux,24Vcc/Vac,Tornillo,48x96	607,00
E5EC-TCX4A5M-004	385332	Ctrl.Temp,Ent.Univ,Sal.Corr,4sal.aux,RS485,2Ent Evt,100-240VAC,Tornillo,48x96	704,00
E5EC-TCX4D5M-004	385333	Ctrl.Temp,Ent.Univ,Sal.Corr,4sal.aux,RS485,2Ent Evt,24Vcc/Vac,Tornillo,48x96	704,00
E5EC-TCX4A5M-021	385334	Ctrl.Temp,Ent.Univ,Sal.Corr,4sal.aux,6Ent Evt, sal.tranf,100-240VAC,Tornillo,48x96	704,00
E5EC-TCX4D5M-021	385335	Ctrl.Temp,Ent.Univ,Sal.Corr,4sal.aux,6Ent Evt,sal.tranf,24Vcc/Vac,Tornillo,48x96	704,00
E5EC-TCX4A5M-022	385336	Ctrl.Temp,Ent.Univ,Sal.Corr,4sal.aux,RS485,4Ent Evt,sal.tranf,100-240VAC,Tornillo,48x96	756,50
E5EC-TCX4D5M-022	385337	Ctrl.Temp,Ent.Univ,Sal.Corr,4sal.aux,RS485,4Ent Evt,sal.tranf,24Vcc/Vac,Tornillo,48x96	756,50
E5EC-TCC4A5M-000	385338	Ctrl.Temp,Ent.Univ,2Sal.Corr,4sal.aux,100-240VAC,Tornillo,48x96	649,50
E5EC-TCC4D5M-000	385339	Ctrl.Temp,Ent.Univ,2Sal.Corr,4sal.aux,24Vcc/Vac,Tornillo,48x96	649,50
E5EC-TCC4A5M-004	385340	Ctrl.Temp,Ent.Univ,2Sal.Corr,4sal.aux,RS485,2Ent Evt,100-240VAC,Tornillo,48x96	743,50
E5EC-TCC4D5M-004	385341	Ctrl.Temp,Ent.Univ,2Sal.Corr,4sal.aux,RS485,2Ent Evt,24Vcc/Vac,Tornillo,48x96	743,50
E5EC-TCC4A5M-021	385342	Ctrl.Temp,Ent.Univ,2Sal.Corr,4sal.aux,6Ent Evt, sal.tranf,100-240VAC,Tornillo,48x96	743,50
E5EC-TCC4D5M-021	385343	Ctrl.Temp,Ent.Univ,2Sal.Corr,4sal.aux,6Ent Evt, sal.tranf,24Vcc/Vac,Tornillo,48x96	743,50
E5EC-TCC4A5M-022	385344	Ctrl.Temp,Ent.Univ,2Sal.Corr,4sal.aux,RS485,4Ent Evt,sal.tranf,100-240VAC,Tornillo,48x96	795,00
E5EC-TCC4D5M-022	385345	Ctrl.Temp,Ent.Univ,2Sal.Corr,4sal.aux,RS485,4Ent Evt,sal.tranf,24Vcc/Vac,Tornillo,48x96	795,00
E5EC-TCQ4A5M-000	385346	Ctrl.Temp,Ent.Univ,Sal.Corr,SSR,4sal.aux,100-240VAC,Tornillo,48x96	622,00
E5EC-TCQ4D5M-000	385347	Ctrl.Temp,Ent.Univ,Sal.Corr,SSR,4sal.aux,24Vcc/Vac,Tornillo,48x96	622,00
E5EC-TCQ4A5M-008	385348	Ctrl.Temp,Ent.Univ,Sal.Corr,SSR,4sal.aux,HBA,RS485,2Ent Evt,100-240VAC,Tornillo,48x96	743,50
E5EC-TCQ4D5M-008	385349	Ctrl.Temp,Ent.Univ,Sal.Corr,SSR,4sal.aux,HBA,RS485,2Ent Evt,24Vcc/Vac,Tornillo,48x96	743,50
E5EC-TCQ4A5M-010	385350	Ctrl.Temp,Ent.Univ,Sal.Corr,SSR,4sal.aux,HBA,4Ent Evt100-240VAC,Tornillo,48x96	692,00

OMRON PVPR 2023

E5EC-TCQ4D5M-010	385351	Ctrl.Temp,Ent.Univ,Sal.Corr,SSR,4sal.aux,HBA,4Ent Evt,24Vcc/Vac,Tornillo,48x96	692,00
E5EC-TCQ4A5M-019	385352	Ctrl.Temp,Ent.Univ,Sal.Corr,SSR,4sal.aux,HBA,6Ent Evt,sal.tranf,100-240VAC,Tor	743,50
E5EC-TCQ4D5M-019	385353	Ctrl.Temp,Ent.Univ,Sal.Corr,SSR,4sal.aux,HBA,6Ent EVT,sal.tranf,24Vcc/Vac,Torn	743,50
E5CC-RW2AUM-000	386699	Ent. Universal 2 Alarmas Sal Relé 100-240Vca 48x48	229,20
E5CC-RW2DUM-000	386700	Ent. Universal 2 Alarmas Sal Relé 24Vcc/Vca 48x48	229,20
E5CC-QX2AUM-000	386704	Control de temperatura, 48x48 mm,enchufable, PV/SV1 lazo, 1 x 12VDC pulsos	229,20
E5CC-QX2DUM-000	386705	Control de temperatura, 48x48 mm,enchufable, PV/SV1 lazo, 1 x 12VDC pulsos	229,20
E5CC-CX2AUM-000	386710	Control de temperatura, 48x48 mm,enchufable, PV/SV1 lazo, 1 x 0/4-20mA corr	290,20
E5CC-CX2DUM-000	386711	Control de temperatura, 48x48 mm,enchufable, PV/SV1 lazo, 1 x 0/4-20mA corr	290,20
E5GC-RX2A6M-015	392061	Ctrl.Temp,Ent.Univ,Sal.relé,2sal.aux,RS485,100-240VAC,Tornillo,48x24	322,80
E5GC-RX2D6M-015	392062	Ctrl.Temp,Ent.Univ,Sal.relé,2sal.aux,RS485,24Vcc/Vac,Tornillo,48x24	322,80
E5GC-RX2ACM-015	392063	Ctrl.Temp,Ent.Univ,Sal.relé,2sal.aux,RS485,100-240VAC,Conx.rápida,48x24	322,80
E5GC-RX2DCM-015	392064	Ctrl.Temp,Ent.Univ,Sal.relé,2sal.aux,RS485,24Vcc/Vac,Conx.rápida,48x24	322,80
E5GC-RX1A6M-024	392065	Ctrl.Temp,Ent.Univ,Sal.relé,1sal.aux,2Ent Evt,100-240VAC,Tornillo,48x24	276,10
E5GC-RX1D6M-024	392066	Ctrl.Temp,Ent.Univ,Sal.relé,1sal.aux,2Ent Evt,24Vcc/Vac,Tornillo,48x24	276,10
E5GC-RX1ACM-024	392067	Ctrl.Temp,Ent.Univ,Sal.relé,1sal.aux,2Ent Evt,100-240VAC,Conx.rápida,48x24	276,10
E5GC-RX1DCM-024	392068	Ctrl.Temp,Ent.Univ,Sal.relé,1sal.aux,2Ent Evt,24Vcc/Vac,Conx.rápida,48x24	276,10
E5GC-QX2A6M-015	392069	Ctrl.Temp,Ent.Univ,Sal.SSR,2sal.aux,RS485,100-240VAC,Tornillo,48x24	343,70
E5GC-QX2D6M-015	392070	Ctrl.Temp,Ent.Univ,Sal.SSR,2sal.aux,RS485,24Vcc/Vac,Tornillo,48x24	343,70
E5GC-QX2ACM-015	392071	Ctrl.Temp,Ent.Univ,Sal.SSR,2sal.aux,RS485,100-240VAC,Conx.rápida,48x24	320,30
E5GC-QX2DCM-015	392072	Ctrl.Temp,Ent.Univ,Sal.SSR,2sal.aux,RS485,24Vcc/Vac,Conx.rápida,48x24	320,30
E5GC-QX1A6M-024	392073	Ctrl.Temp,Ent.Univ,Sal.SSR,1sal.aux,2Ent Evt,100-240VAC,Tornillo,48x24	295,50
E5GC-QX1D6M-024	392074	Ctrl.Temp,Ent.Univ,Sal.SSR,1sal.aux,2Ent Evt,24Vcc/Vac,Tornillo,48x24	295,50
E5GC-QX1ACM-024	392075	Ctrl.Temp,Ent.Univ,Sal.SSR,1sal.aux,2Ent Evt,100-240VAC,Conx.rápida,48x24	302,20
E5GC-QX1DCM-024	392076	Ctrl.Temp,Ent.Univ,Sal.SSR,1sal.aux,2Ent Evt,24Vcc/Vac,Conx.rápida,48x24	298,10
E5GC-CX2A6M-015	392077	Ctrl.Temp,Ent.Univ,Sal.Corr,2sal.aux,RS485,100-240VAC,Tornillo,48x24	367,10
E5GC-CX2D6M-015	392078	Ctrl.Temp,Ent.Univ,Sal.Corr,2sal.aux,RS485,24Vcc/Vac,Tornillo,48x24	367,10
E5GC-CX2ACM-015	392079	Ctrl.Temp,Ent.Univ,Sal.Corr,2sal.aux,RS485,100-240VAC,Conx.rápida,48x24	367,10
E5GC-CX2DCM-015	392080	Ctrl.Temp,Ent.Univ,Sal.Corr,2sal.aux,RS485,24Vcc/Vac,Conx.rápida,48x24	367,10
E5GC-CX1A6M-024	392081	Ctrl.Temp,Ent.Univ,Sal.Corr,1sal.aux,2Ent Evt,100-240VAC,Tornillo,48x24	316,40
E5GC-CX1D6M-024	392082	Ctrl.Temp,Ent.Univ,Sal.Corr,1sal.aux,2Ent Evt,24Vcc/Vac,Tornillo,48x24	316,40
E5GC-CX1ACM-024	392083	Ctrl.Temp,Ent.Univ,Sal.Corr,1sal.aux,2Ent Evt,100-240VAC,Conx.rápida,48x24	303,30
E5GC-CX1DCM-024	392084	Ctrl.Temp,Ent.Univ,Sal.Corr,1sal.aux,2Ent Evt,24Vcc/Vac,Conx.rápida,48x24	303,30

OMRON PVPR 2023

E5GC-RX0D6M-000	392085	Ctrl.Temp,Ent.Univ,Sal.relé,24Vcc/Vac,Tornillo,48x24	242,20
E5GC-RX1A6M-000	392086	Ctrl.Temp,Ent.Univ,Sal.relé,1sal.aux,100-240VAC,Tornillo,48x24	255,10
E5GC-RX1D6M-000	392087	Ctrl.Temp,Ent.Univ,Sal.relé,1sal.aux,24Vcc/Vac,Tornillo,48x24	255,10
E5GC-RX1ACM-000	392088	Ctrl.Temp,Ent.Univ,Sal.relé,1sal.aux,100-240VAC,Conx.rápida,48x24	255,10
E5GC-RX1A6M-015	392089	Ctrl.Temp,Ent.Univ,Sal.relé,1sal.aux,RS485,100-240VAC,Tornillo,48x24	309,80
E5GC-RX1D6M-015	392090	Ctrl.Temp,Ent.Univ,Sal.relé,1sal.aux,RS485,24Vcc/Vac,Tornillo,48x24	309,80
E5GC-QX0A6M-000	392091	Ctrl.Temp,Ent.Univ,Sal.SSR,100-240VAC,Tornillo,48x24	259,30
E5GC-QX0D6M-000	392092	Ctrl.Temp,Ent.Univ,Sal.SSR,24Vcc/Vac,Tornillo,48x24	259,30
E5GC-QX1A6M-000	392093	Ctrl.Temp,Ent.Univ,Sal.SSR,1sal.aux,100-240VAC,Tornillo,48x24	281,30
E5GC-QX1D6M-000	392094	Ctrl.Temp,Ent.Univ,Sal.SSR,1sal.aux,24Vcc/Vac,Tornillo,48x24	279,70
E5GC-QX1ACM-000	392095	Ctrl.Temp,Ent.Univ,Sal.SSR,1sal.aux,100-240VAC,Conx.rápida,48x24	281,30
E5GC-QX1A6M-015	392096	Ctrl.Temp,Ent.Univ,Sal.SSR,1sal.aux,RS485,100-240VAC,Tornillo,48x24	332,10
E5GC-QX1D6M-015	392097	Ctrl.Temp,Ent.Univ,Sal.SSR,1sal.aux,RS485,24Vcc/Vac,Tornillo,48x24	332,10
E5GC-QX2A6M-023	392098	Ctrl.Temp,Ent.Univ,Sal.SSR,2sal.aux,HBA,100-240VAC,Tornillo,48x24	309,80
E5GC-CX1A6M-000	392099	Ctrl.Temp,Ent.Univ,Sal.Corr,1sal.aux,100-240VAC,Tornillo,48x24	295,50
E5GC-CX1D6M-000	392100	Ctrl.Temp,Ent.Univ,Sal.Corr,1sal.aux,24Vcc/Vac,Tornillo,48x24	295,50
E5GC-RX0A6M-000	392101	Ctrl.Temp,Ent.Univ,Sal.relé,100-240VAC,Tornillo,48x24	242,20
E5GC-RX1DCM-000	392102	Ctrl.Temp,Ent.Univ,Sal.relé,1sal.aux,24Vcc/Vac,Conx.rápida,48x24	255,10
E5GC-QX1DCM-000	392103	Ctrl.Temp,Ent.Univ,Sal.SSR,1sal.aux,24Vcc/Vac,Conx.rápida,48x24	251,40
E5GC-RX0ACM-000	392107	Ctrl.Temp,Ent.Univ,Sal.relé,100-240VAC,Conx.rápida,48x24	242,20
E5GC-RX0DCM-000	392108	Ctrl.Temp,Ent.Univ,Sal.relé,24Vcc/Vac,Conx.rápida,48x24	242,20
E5GC-RX2A6M-000	392109	Ctrl.Temp,Ent.Univ,Sal.relé,2sal.aux,100-240VAC,Tornillo,48x24	269,40
E5GC-RX2D6M-000	392110	Ctrl.Temp,Ent.Univ,Sal.relé,2sal.aux,24Vcc/Vac,Tornillo,48x24	269,40
E5GC-RX2ACM-000	392111	Ctrl.Temp,Ent.Univ,Sal.relé,2sal.aux,100-240VAC,Conx.rápida,48x24	269,40
E5GC-RX2DCM-000	392112	Ctrl.Temp,Ent.Univ,Sal.relé,2sal.aux,24Vcc/Vac,Conx.rápida,48x24	269,40
E5GC-RX1ACM-015	392113	Ctrl.Temp,Ent.Univ,Sal.relé,1sal.aux,RS485,100-240VAC,Conx.rápida,48x24	309,80
E5GC-RX1DCM-015	392114	Ctrl.Temp,Ent.Univ,Sal.relé,1sal.aux,RS485,24Vcc/Vac,Conx.rápida,48x24	309,80
E5GC-RX2A6M-016	392115	Ctrl.Temp,Ent.Univ,Sal.relé,2sal.aux,1Ent Evt,100-240VAC,Tornillo,48x24	282,70
E5GC-RX2D6M-016	392116	Ctrl.Temp,Ent.Univ,Sal.relé,2sal.aux,1Ent Evt,24Vcc/Vac,Tornillo,48x24	282,70
E5GC-RX2ACM-016	392117	Ctrl.Temp,Ent.Univ,Sal.relé,2sal.aux,1Ent Evt,100-240VAC,Conx.rápida,48x24	282,70
E5GC-RX2DCM-016	392118	Ctrl.Temp,Ent.Univ,Sal.relé,2sal.aux,1Ent Evt,24Vcc/Vac,Conx.rápida,48x24	282,70
E5GC-RX2A6M-023	392119	Ctrl.Temp,Ent.Univ,Sal.relé,2sal.aux,HBA,100-240VAC,Tornillo,48x24	289,00
E5GC-RX2D6M-023	392120	Ctrl.Temp,Ent.Univ,Sal.relé,2sal.aux,HBA,24Vcc/Vac,Tornillo,48x24	289,00

OMRON PVPR 2023

E5GC-RX2ACM-023	392121	Ctrl.Temp,Ent.Univ,Sal.relé,2sal.aux,HBA,100-240VAC,Conx.rápida,48x24	289,00
E5GC-RX2DCM-023	392122	Ctrl.Temp,Ent.Univ,Sal.relé,2sal.aux,HBA,24Vcc/Vac,Conx.rápida,48x24	289,00
E5GC-QX0ACM-000	392123	Ctrl.Temp,Ent.Univ,Sal.SSR,100-240VAC,Conx.rápida,48x24	259,30
E5GC-QX0DCM-000	392124	Ctrl.Temp,Ent.Univ,Sal.SSR,24Vcc/Vac,Conx.rápida,48x24	259,30
E5GC-QX2A6M-000	392125	Ctrl.Temp,Ent.Univ,Sal.SSR,2sal.aux,100-240VAC,Tornillo,48x24	287,80
E5GC-QX2D6M-000	392126	Ctrl.Temp,Ent.Univ,Sal.SSR,2sal.aux,24Vcc/Vac,Tornillo,48x24	287,80
E5GC-QX2ACM-000	392127	Ctrl.Temp,Ent.Univ,Sal.SSR,2sal.aux,100-240VAC,Conx.rápida,48x24	283,90
E5GC-QX2DCM-000	392128	Ctrl.Temp,Ent.Univ,Sal.SSR,2sal.aux,24Vcc/Vac,Conx.rápida,48x24	283,90
E5GC-QX1ACM-015	392129	Ctrl.Temp,Ent.Univ,Sal.SSR,1sal.aux,RS485,100-240VAC,Conx.rápida,48x24	319,00
E5GC-QX1DCM-015	392130	Ctrl.Temp,Ent.Univ,Sal.SSR,1sal.aux,RS485,24Vcc/Vac,Conx.rápida,48x24	313,80
E5GC-QX2A6M-016	392131	Ctrl.Temp,Ent.Univ,Sal.SSR,2sal.aux,1Ent Evt,100-240VAC,Tornillo,48x24	302,20
E5GC-QX2D6M-016	392132	Ctrl.Temp,Ent.Univ,Sal.SSR,2sal.aux,1Ent Evt,24Vcc/Vac,Tornillo,48x24	302,20
E5GC-QX2ACM-016	392133	Ctrl.Temp,Ent.Univ,Sal.SSR,2sal.aux,1Ent Evt,100-240VAC,Conx.rápida,48x24	295,50
E5GC-QX2DCM-016	392134	Ctrl.Temp,Ent.Univ,Sal.SSR,2sal.aux,1Ent Evt,24Vcc/Vac,Conx.rápida,48x24	295,50
E5GC-QX2D6M-023	392135	Ctrl.Temp,Ent.Univ,Sal.SSR,2sal.aux,HBA,24Vcc/Vac,Tornillo,48x24	309,80
E5GC-QX2ACM-023	392136	Ctrl.Temp,Ent.Univ,Sal.SSR,2sal.aux,HBA,100-240VAC,Conx.rápida,48x24	302,20
E5GC-QX2DCM-023	392137	Ctrl.Temp,Ent.Univ,Sal.SSR,2sal.aux,HBA,24Vcc/Vac,Conx.rápida,48x24	302,20
E5GC-CX0A6M-000	392138	Ctrl.Temp,Ent.Univ,Sal.Corr,100-240VAC,Tornillo,48x24	282,70
E5GC-CX0D6M-000	392139	Ctrl.Temp,Ent.Univ,Sal.Corr,24Vcc/Vac,Tornillo,48x24	282,70
E5GC-CX0ACM-000	392140	Ctrl.Temp,Ent.Univ,Sal.Corr,100-240VAC,Conx.rápida,48x24	282,70
E5GC-CX0DCM-000	392141	Ctrl.Temp,Ent.Univ,Sal.Corr,24Vcc/Vac,Conx.rápida,48x24	282,70
E5GC-CX1ACM-000	392142	Ctrl.Temp,Ent.Univ,Sal.Corr,1sal.aux,100-240VAC,Conx.rápida,48x24	264,20
E5GC-CX1DCM-000	392143	Ctrl.Temp,Ent.Univ,Sal.Corr,1sal.aux,24Vcc/Vac,Conx.rápida,48x24	282,70
E5GC-CX2A6M-000	392144	Ctrl.Temp,Ent.Univ,Sal.Corr,2sal.aux,100-240VAC,Tornillo,48x24	309,80
E5GC-CX2D6M-000	392145	Ctrl.Temp,Ent.Univ,Sal.Corr,2sal.aux,24Vcc/Vac,Tornillo,48x24	309,80
E5GC-CX2ACM-000	392146	Ctrl.Temp,Ent.Univ,Sal.Corr,2sal.aux,100-240VAC,Conx.rápida,48x24	309,80
E5GC-CX2DCM-000	392147	Ctrl.Temp,Ent.Univ,Sal.Corr,2sal.aux,24Vcc/Vac,Conx.rápida,48x24	309,80
E5GC-CX1A6M-015	392148	Ctrl.Temp,Ent.Univ,Sal.Corr,1sal.aux,RS485,100-240VAC,Tornillo,48x24	354,10
E5GC-CX1D6M-015	392149	Ctrl.Temp,Ent.Univ,Sal.Corr,1sal.aux,RS485,24Vcc/Vac,Tornillo,48x24	354,10
E5GC-CX1ACM-015	392150	Ctrl.Temp,Ent.Univ,Sal.Corr,1sal.aux,RS485,100-240VAC,Conx.rápida,48x24	329,30
E5GC-CX1DCM-015	392151	Ctrl.Temp,Ent.Univ,Sal.Corr,1sal.aux,RS485,24Vcc/Vac,Conx.rápida,48x24	329,30
E5GC-CX2A6M-016	392152	Ctrl.Temp,Ent.Univ,Sal.Corr,2sal.aux,1Ent Evt,100-240VAC,Tornillo,48x24	322,80
E5GC-CX2D6M-016	392153	Ctrl.Temp,Ent.Univ,Sal.Corr,2sal.aux,1Ent Evt,24Vcc/Vac,Tornillo,48x24	322,80

OMRON PVPR 2023

E5GC-CX2ACM-016	392154	Ctrl.Temp,Ent.Univ,Sal.Corr,2sal.aux,1Ent Evt,100-240VAC,Conx.rápida,48x24	322,80
E5GC-CX2DCM-016	392155	Ctrl.Temp,Ent.Univ,Sal.Corr,2sal.aux,1Ent Evt,24Vcc/Vac,Conx.rápida,48x24	322,80
E5GC-QX1ACM-300	415086	Temp. controller PRO,1/32 DIN (24x48mm), screwless terminals, 1 AUX,1 x 12 V	317,20
E5EC-CQ4D5M-011	680588	Temp. controller, PRO, 1/8 DIN (96x48 mm), 1x0/4-20 mA curr. OUT/1 x 12 VDC	397,90
E5EC-TPR4A5M-004	687717	Temp. controller, PRO, 1/8 DIN (96 x 48 mm), Progr., 1 x Valve OUT + Pot, 4 AUX	398,10
E5AC-TPR4A5M-000	673738	Controlador de temperatura, PRO, 1/4 DIN (96 x 96 mm), progr., 1 salida de válv	678,00
E5EC-CQ4A5M-011	680587	Temp. controller, PRO, 1/8 DIN (96x48mm), 1x0/4-20 mA curr. OUT/1 x 12 VDC	397,90
E5EC-TPR4A5M-000	673739	Temp. controller, PRO, 1/8 DIN (96 x 48 mm), Progr., 1 x Valve OUT + Pot, 4 AUX	594,50
E5CC-RX2DBM-004	669555	Ent. Universal 2 Alarmas Sal Relé 2 Evt RS485 24Vcc/Vca Push-in+ 48x48	395,60
E5CC-QX2ABM-000	669546	Ent. Universal 2 Alarmas Sal SSR 100-240 Vca Push-in+ 48x48	276,10
E5EC-RX2DBM-000	669567	Ent. Universal 2 Alarmas Sal Relé 24Vcc/Vca Push-in+ 48x96	356,60
E5EC-RX2ABM-010	669558	Ent. Universal 2 Alarmas Sal Relé 4 Evt HBA 100-240 Vca Push-in+ 48x96	447,50
E5EC-RX4ABM-000	669584	Ent. Universal 4 Alarmas Sal Relé 100-240 Vca Push-in+ 48x96	361,80
E5EC-RX4ABM-011	669548	Ent. Universal 4 Alarmas Sal Relé 4 Evt HBA Transfer RSP 100-240 Vca Push-in+ 4	639,00
E5EC-QX2ABM-010	669576	Ent. Universal 2 Alarmas Sal SSR 4 Evt HBA 100-240 Vca Push-in+ 48x96	447,50
E5EC-QX2DBM-011	669585	Ent. Universal 2 Alarmas Sal SSR 4 Evt HBA Transfer RSP 24Vcc/Vca Push-in+ 48x	633,50
E5EC-QX4ABM-011	669553	Ent. Universal 4 Alarmas Sal SSR 4 Evt HBA Transfer RSP 100-240 Vca Push-in+ 48	639,00
E5CC-RX2DBM-000	669552	Ent. Universal 2 Alarmas Sal Relé 24Vcc/Vca Push-in+ 48x48	276,10
E5CC-RX2ABM-002	669539	Ent. Universal 2 Alarmas Sal Relé RS485 HBA 100-240 Vca Push-in+ 48x48	395,60
E5CC-RX2DBM-002	669577	Ent. Universal 2 Alarmas Sal Relé RS485 HBA 24Vcc/Vca Push-in+ 48x48	395,60
E5CC-QX2DBM-001	669562	Ent. Universal 2 Alarmas Sal SSR 2 Evt HBA 24Vcc/Vca Push-in+ 48x48	351,40
E5CC-QX2DBM-004	669550	Ent. Universal 2 Alarmas Sal SSR 2 Evt RS485 24Vcc/Vca Push-in+ 48x48	324,20
E5EC-QX2ABM-011	669549	Ent. Universal 2 Alarmas Sal SSR 4 Evt HBA Transfer RSP 100-240 Vca Push-in+ 48	633,50
E5CC-RX2ABM-001	669566	Ent. Universal 2 Alarmas Sal Relé 2 Evt HBA 100-240 Vca Push-in+ 48x48	351,40
E5CC-QX2ABM-001	669542	Ent. Universal 2 Alarmas Sal SSR 2 Evt HBA 100-240 Vca Push-in+ 48x48	351,40
E5CC-QX2ABM-006	669581	Ent. Universal 2 Alarmas Sal SSR 2 Evt Transfer 100-240 Vca Push-in+ 48x48	395,60
E5CC-QX2DBM-006	669578	Ent. Universal 2 Alarmas Sal SSR 2 Evt Transfer 24Vcc/Vca Push-in+ 48x48	395,60
E5EC-RX2ABM-000	669537	Ent. Universal 2 Alarmas Sal Relé 100-240 Vca Push-in+ 48x96	356,60
E5EC-RX4ABM-008	669560	Ent. Universal 4 Alarmas Sal Relé 2 Evt HBA 100-240 Vca Push-in+ 48x96	579,50
E5EC-QX2DBM-000	669569	Ent. Universal 2 Alarmas Sal SSR 24Vcc/Vca Push-in+ 48x96	356,60
E5EC-QX2DBM-008	669545	Ent. Universal 2 Alarmas Sal SSR 2 Evt HBA 24Vcc/Vca Push-in+ 48x96	574,00
E5EC-QX4DBM-000	669563	Ent. Universal 4 Alarmas Sal SSR 24Vcc/Vca Push-in+ 48x96	361,80
E5CC-QX2ABM-002	669540	Ent. Universal 2 Alarmas Sal SSR RS485 HBA 100-240 Vca Push-in+ 48x48	395,60

OMRON PVPR 2023

E5CC-RX2ABM-000	669534	Ent. Universal 2 Alarmas Sal Relé 100-240 Vca Push-in+ 48x48	276,10
E5CC-RX2ABM-006	669535	Ent. Universal 2 Alarmas Sal Relé 2 Evt Transfer 100-240 Vca Push-in+ 48x48	395,60
E5CC-RX2DBM-006	669564	Ent. Universal 2 Alarmas Sal Relé 2 Evt Transfer 24Vcc/Vca Push-in+ 48x48	395,60
E5EC-QX4DBM-008	669574	Ent. Universal 4 Alarmas Sal SSR 2 Evt HBA 24Vcc/Vca Push-in+ 48x96	579,50
E5CC-QX2DBM-002	669556	Ent. Universal 2 Alarmas Sal SSR RS485 HBA 24Vcc/Vca Push-in+ 48x48	395,60
E5CC-QX2ABM-004	669575	Ent. Universal 2 Alarmas Sal SSR 2 Evt RS485 100-240 Vca Push-in+ 48x48	324,20
E5EC-RX2DBM-010	669570	Ent. Universal 2 Alarmas Sal Relé 4 Evt HBA 24Vcc/Vca Push-in+ 48x96	447,50
E5EC-QX2ABM-000	669547	Ent. Universal 2 Alarmas Sal SSR 100-240 Vca Push-in+ 48x96	356,60
E5EC-QX2ABM-008	669554	Ent. Universal 2 Alarmas Sal SSR 2 Evt HBA 100-240 Vca Push-in+ 48x96	574,00
E5EC-QX4ABM-008	669582	Ent. Universal 4 Alarmas Sal SSR 2 Evt HBA 100-240 Vca Push-in+ 48x96	579,50
E5EC-QX4DBM-010	669580	Ent. Universal 4 Alarmas Sal SSR 4 Evt HBA 24Vcc/Vca Push-in+ 48x96	452,70
E5EC-RX2ABM-008	669571	Ent. Universal 2 Alarmas Sal Relé 2 Evt HBA 100-240 Vca Push-in+ 48x96	571,50
E5EC-RX2ABM-011	669583	Ent. Universal 2 Alarmas Sal Relé 4 Evt HBA Transfer RSP 100-240 Vca Push-in+ 48x96	632,50
E5EC-RX4ABM-010	669538	Ent. Universal 4 Alarmas Sal Relé 4 Evt HBA 100-240 Vca Push-in+ 48x96	452,70
E5EC-RX4DBM-010	669561	Ent. Universal 4 Alarmas Sal Relé 4 Evt HBA 24Vcc/Vca Push-in+ 48x96	452,70
E5EC-RX4DBM-011	669541	Ent. Universal 4 Alarmas Sal Relé 4 Evt HBA Transfer RSP 24Vcc/Vca Push-in+ 48x96	639,00
E5EC-QX2DBM-010	669579	Ent. Universal 2 Alarmas Sal SSR 4 Evt HBA 24Vcc/Vca Push-in+ 48x96	447,50
E5CC-RX2DBM-001	669559	Ent. Universal 2 Alarmas Sal Relé 2 Evt HBA 24Vcc/Vca Push-in+ 48x48	351,40
E5CC-QX2DBM-000	669543	Ent. Universal 2 Alarmas Sal SSR 24Vcc/Vca Push-in+ 48x48	276,10
E5EC-RX2DBM-011	669551	Ent. Universal 2 Alarmas Sal Relé 4 Evt HBA Transfer RSP 24Vcc/Vca Push-in+ 48x96	632,50
E5EC-RX4DBM-000	669536	Ent. Universal 4 Alarmas Sal Relé 24Vcc/Vca Push-in+ 48x96	361,80
E5EC-RX4DBM-008	669573	Ent. Universal 4 Alarmas Sal Relé 2 Evt HBA 24Vcc/Vca Push-in+ 48x96	579,50
E5EC-QX4ABM-010	669544	Ent. Universal 4 Alarmas Sal SSR 4 Evt HBA 100-240 Vca Push-in+ 48x96	452,70
E5EC-QX4DBM-011	669568	Ent. Universal 4 Alarmas Sal SSR 4 Evt HBA Transfer RSP 24Vcc/Vca Push-in+ 48x96	639,00
E5CC-RX2ABM-004	669565	Ent. Universal 2 Alarmas Sal Relé 2 Evt RS485 100-240 Vca Push-in+ 48x48	395,60
E5EC-RX2DBM-008	669572	Ent. Universal 2 Alarmas Sal Relé 2 Evt HBA 24Vcc/Vca Push-in+ 48x96	571,50
E5EC-QX4ABM-000	669557	Ent. Universal 4 Alarmas Sal SSR 100-240 Vca Push-in+ 48x96	361,80
E5ED-RX4D6M-008	676844	Ctrl. Temp, PRO, 1/8 DIN (96x48mm), sal.relé, 4sal. aux, 2ent.evento, RS-485, H	644,50
E5ED-QX4D6M-000	676849	Ctrl. Temp, PRO, 1/8 DIN (96x48mm), sal.SSR, 4sal. aux, 24VAC/DC	399,50
E5ED-RR4A6M-008	688810	Temp. controller, PRO, 1/8 DIN (96 x 48 mm), 2 x Rel. OUT, 4 AUX, EVT. I/P 2;RS-	410,00
E5ED-QX4A6M-008	676847	Ctrl. Temp, PRO, 1/8 DIN (96x48mm), sal.SSR, 4sal. aux, 2ent.evento, RS-485, H	644,50
E5CD-QX2A6M-000	676834	Controlador de temperatura, PRO, 1/16 DIN (48 x 48 mm), 1 salida de impulsos	303,30
E5CD-QX2A6M-002	676836	Ctrl. Temp, PRO, 1/16 DIN (48x48mm), sal.SSR, 2sal. aux, RS-485, HBA, 100-240	396,50

OMRON PVPR 2023

E5ED-RX4A6M-008	676841	Ctrl. Temp, PRO, 1/8 DIN (96x48mm), sal.relé, 4sal. aux, 2ent.evento, RS-485, H	644,50
E5ED-RX4D6M-010	676845	Ctrl. Temp, PRO, 1/8 DIN (96x48mm), sal.relé, 4sal. aux, 4ent.evento, HBA, 24V	503,00
E5ED-RX4A6M-010	676842	Ctrl. Temp, PRO, 1/8 DIN (96x48mm), sal.relé, 4sal. aux, 4ent.evento, HBA, 100	503,00
E5ED-QX4A6M-010	676848	Ctrl. Temp, PRO, 1/8 DIN (96x48mm), sal.SSR, 4sal. aux, 4ent.evento, HBA, 100	503,00
E5ED-QX4D6M-010	676851	Ctrl. Temp, PRO, 1/8 DIN (96x48mm), sal.SSR, 4sal. aux, 4ent.evento, HBA, 24V	503,00
E5CD-RX2A6M-000	676828	Ctrl. Temp, PRO, 1/16 DIN (48x48mm), sal.relé, 2sal. aux, 100-240 VAC	303,30
E5CD-RX2A6M-001	676829	Ctrl. Temp, PRO, 1/16 DIN (48x48mm), sal.relé, 2sal. aux, 2ent.evento, HBA, 10	387,80
E5CD-RX2D6M-001	676832	Ctrl. Temp, PRO, 1/16 DIN (48x48mm), sal.relé, 2sal. aux, 2ent.evento, HBA, 24	387,80
E5CD-RX2D6M-002	676833	Ctrl. Temp, PRO, 1/16 DIN (48x48mm), sal.relé, 2sal. aux, RS-485, HBA, 24VAC/	396,50
E5ED-RX4D6M-000	676843	Ctrl. Temp, PRO, 1/8 DIN (96x48mm), sal.relé, 4sal. aux, 24VAC/DC	399,50
E5CD-RX2D6M-000	676831	Ctrl. Temp, PRO, 1/16 DIN (48x48mm), sal.relé, 2sal. aux, 24VAC/DC	303,30
E5CD-QX2A6M-001	676835	Ctrl. Temp, PRO, 1/16 DIN (48x48mm), sal.SSR, 2sal. aux, 2ent.evento, HBA, 10	387,80
E5CD-RX2A6M-002	676830	Ctrl. Temp, PRO, 1/16 DIN (48x48mm), sal.relé, 2sal. aux, RS-485, HBA, 100-240	396,50
E5CD-QX2D6M-000	676837	Controlador de temperatura, PRO, 1/16 DIN (48 x 48 mm), 1 salida de impulsos	303,30
E5CD-QX2D6M-002	676839	Ctrl. Temp, PRO, 1/16 DIN (48x48mm), sal.SSR, 2sal. aux, RS-485, HBA, 24VAC/	396,50
E5ED-QX4D6M-008	676850	Ctrl. Temp, PRO, 1/8 DIN (96x48mm), sal.SSR, 4sal. aux, 2ent.evento, RS-485, H	644,50
E5CD-QX2D6M-001	676838	Ctrl. Temp, PRO, 1/16 DIN (48x48mm), sal.SSR, 2sal. aux, 2ent.evento, HBA, 24	387,80
E5ED-RX4A6M-000	676840	Ctrl. Temp, PRO, 1/8 DIN (96x48mm), sal.relé, 4sal. aux, 100-240 VAC	399,50
E5ED-QX4A6M-000	676846	Ctrl. Temp, PRO, 1/8 DIN (96x48mm), sal.SSR, 4sal. aux, 100-240 VAC	399,50
E5ED-RX4ABM-008	680161	Temp. controller, PRO, 1/8 DIN (96 x 48 mm), 1 x Rel. OUT, 4 AUX, EVT. I/P 2;RS-	410,00
E5ED-RX4DBM-008	680162	Temp. controller, PRO, 1/8 DIN (96 x 48 mm), 1 x Rel. OUT, 4 AUX, EVT. I/P 2;RS-	410,00
E5CD-CX2ABM-004	680125	Ent Universal Control Adaptativo 2 Alarmas Sal Corriente 2 Evt RS485 100-240Vca	372,30
E5CD-CX2A6M-006	680994	Temperature controller, PRO, 1/16 DIN (48 x 48 mm), 1x0/4-20 mA curr, 2 AUX,	287,20
E5EC-CX4ABM-000	679860	Temp. controller, PRO, 1/8 DIN (96x48 mm), 1x0/4-20 mA curr. OUT, 4 AUX, 100	455,30
E5CC-CX2DBM-004	679859	Controlador de temperatura, PRO, DIN 1/16 (48 x 48 mm), 1 salida de corriente	465,90
E5CD-RX2ABM-000	680101	Ent Universal Control Adaptativo 2 Alarmas Sal Relé 100-240Vca 48x48	224,00
E5CD-RX2ABM-002	680111	Temp. controller, PRO, 1/16 DIN (48 x 48 mm), 1 x Rel. OUT, 2 AUX,RS-485, Ht. B	319,00
E5CD-QX2ABM-000	680100	Ent Universal Control Adaptativo 2 Alarmas Sal SSR 100-240Vca 48x48	224,00
E5CD-CX2DBM-006	693789	Temp. controller, 1/16 DIN (48x48 mm), 1x0/4-20 mA curr. OUT, 2 AUX,EVT. I/P	263,60
E5ED-RX4DBM-000	680163	Temp. controller, PRO, 1/8 DIN (96 x 48 mm), 1 x Rel. OUT, 4 AUX, 24 VAC/DC	325,40
E5ED-QX4ABM-000	680129	Ent Universal Control Adaptativo 4 Alarmas Sal SSR 100-240Vca 96x48	406,00
E5ED-CX4ABM-000	680164	Temp. controller, PRO, 1/8 DIN (96x48mm),1x0/4-20mA curr. OUT,4 AUX,100-24	355,20
E5ED-CX4DBM-022	680165	Temp. controller, PRO, 1/8 DIN (96x48mm),1x0/4-20mA curr. OUT,4 AUX,24 VA	509,00

OMRON PVPR 2023

E5CD-RX2DBM-000	680102	Ent Universal Control Adaptativo 2 Alarmas Sal Relé 24Vcc/Vca 48x48	224,00
E5CD-QX2ABM-001	680103	Ent Universal Control Adaptativo 2 Alarmas Sal SSR 2 Evt HBA 100-240Vca 48x48	278,50
E5CD-QX2DBM-001	680104	Ent Universal Control Adaptativo 2 Alarmas Sal SSR 2 Evt HBA 24Vcc/Vca 48x48	278,50
E5CD-CX2DBM-004	680126	Ent Universal Control Adaptativo 2 Alarmas Sal Corriente 2 Evt RS485 24Vcc/Vca	372,30
E5EC-CX4ABM-014	679858	Temp. controller, PRO, 1/8 DIN (96x48 mm), 1x0/4-20 mA curr. OUT, 4 AUX,EVT	709,50
E5ED-QX4DBM-010	680166	Temp. controller, PRO, 1/8 DIN (96 x 48 mm), 1 x 12 VDC pulse OUT, 4 AUX, EVT	372,30
E5ED-CX4ABM-022	680167	Controlador de temperatura, PRO, DIN 1/8 (96 x 48 mm), 1x0/4 a 20 mA de salida	509,00
E5EC-CX4ABM-004	679857	Temp. controller, PRO, 1/8 DIN (96x48 mm), 1x0/4-20 mA curr. OUT, 4 AUX,EVT	556,00
E5EC-CX4DBM-000	679856	Temp. controller, PRO, 1/8 DIN (96x48 mm), 1x0/4-20 mA curr. OUT, 4 AUX, 24 V	455,30
E5CD-QX2ABM-002	680110	Ent Universal Control Adaptativo 2 Alarmas Sal SSR RS485 HBA 100-240Vca 48x4	319,00
E5CD-QX2DBM-002	680109	Ent Universal Control Adaptativo 2 Alarmas Sal SSR RS485 HBA 24Vcc/Vca 48x48	319,00
E5CD-CX2DBM-000	680127	Temp. controller, PRO, 1/16 DIN (48 x 48 mm), 1x0/4-20mA curr, 2 AUX, 24 VAC	239,50
E5EC-CX4DBM-014	679855	Temp. controller, PRO, 1/8 DIN (96x48 mm), 1x0/4-20 mA curr. OUT, 4 AUX,EVT	709,50
E5CD-RX2DBM-002	680108	Temp. controller, PRO, 1/16 DIN (48 x 48 mm), 1 x Rel. OUT, 2 AUX,RS-485, Ht. B	319,00
E5EC-CX4DBM-004	679854	Temp. controller, PRO, 1/8 DIN (96x48 mm), 1x0/4-20 mA curr. OUT, 4 AUX,EVT	556,00
E5ED-QX4DBM-008	680168	Ent Universal Control Adaptativo 4 Alarmas Sal SSR 2 Evt RS485 HBA 24Vcc/Vca	410,00
E5ED-CX4DBM-000	680169	Temp. controller, PRO, 1/8 DIN (96x48mm),1x0/4-20mA curr. OUT,4 AUX,24 VA	355,20
E5CC-CX2ABM-000	679853	Temp. controller, PRO, 1/16 DIN (48x48 mm), 1x0/4-20 mA curr. OUT, 2 AUX,10	364,30
E5CC-CX2ABM-004	679852	Temp. controller, PRO, 1/16 DIN (48x48 mm), 1x0/4-20 mA curr. OUT, 2 AUX,EV	465,90
E5CD-RX2DBM-001	680105	Temp. controller, PRO, 1/16 DIN (48 x 48 mm), 1 x Rel. OUT, 2 AUX, EVT. I/P 2, H	278,50
E5CD-QX2DBM-000	680099	Ent Universal Control Adaptativo 2 Alarmas Sal SSR 24Vcc/Vca 48x48	224,00
E5CD-CX2ABM-000	680128	Temp. controller, PRO, 1/16 DIN (48 x 48 mm), 1x0/4-20mA curr, 2 AUX, 100 to	283,90
E5ED-RX4ABM-000	680170	Temp. controller, PRO, 1/8 DIN (96 x 48 mm), 1 x Rel. OUT, 4 AUX, 100 to 240 VA	325,40
E5ED-QX4ABM-010	680171	Temp. controller, PRO, 1/8 DIN (96 x 48 mm), 1 x 12 VDC pulse OUT, 4 AUX, EVT	372,30
E5ED-QX4DBM-000	680172	Ent Universal Control Adaptativo 4 Alarmas Sal SSR 24Vcc/Vca 96x48	325,40
E5CC-CX2DBM-000	679851	Temp. controller, PRO, 1/16 DIN (48x48 mm),1x0/4-20 mA curr. OUT,2 AUX,24 V	364,30
E5CD-RX2ABM-001	680106	Temp. controller, PRO, 1/16 DIN (48 x 48 mm), 1 x Rel. OUT, 2 AUX, EVT. I/P 2, H	278,50
E5ED-RX4ABM-010	680173	Temp. controller, PRO, 1/8 DIN (96 x 48 mm), 1 x Rel. OUT, 4 AUX, EVT. I/P 4, Ht	372,30
E5ED-RX4DBM-010	680174	Temp. controller, PRO, 1/8 DIN (96 x 48 mm), 1 x Rel. OUT, 4 AUX, EVT. I/P 4, Ht	372,30
E5ED-QX4ABM-008	680175	Ent Universal Control Adaptativo 4 Alarmas Sal SSR 2 Evt RS485 HBA 100-240Vca	410,00
E5AC-CQ4ASM-012	680993	Temp. controller, PRO, 1/4 DIN (96x96 mm), 1x0/4-20 mA curr. OUT, 1 x 12 VDC	433,70
E5CC-RX3ASM-000	689404	Controlador de temperatura, 1/16 DIN (48 x 48 mm), 1 salida a relé, 3 AUX, 100-	270,90
E5CC-RX3D5M-000	689405	Controlador de temperatura, 1/16 DIN (48 x 48 mm), 1 salida a relé, 3 AUX, 24 V	270,90

OMRON PVPR 2023

E5CC-RX3A5M-001	689406	Controlador de temperatura, 1/16 DIN (48 x 48 mm), 1 salida a relé, 3 AUX, 2 en	346,20
E5CC-RX3D5M-001	689407	Controlador de temperatura, 1/16 DIN (48 x 48 mm), 1 salida a relé, 3 AUX, 2 en	346,20
E5CC-RX3A5M-003	689408	Controlador de temperatura, 1/16 DIN (48 x 48 mm), 1 salida a relé, 3 AUX, RS-4	354,10
E5CC-RX3D5M-003	689409	Controlador de temperatura, 1/16 DIN (48 x 48 mm), 1 salida a relé, 3 AUX, RS-4	354,10
E5CC-RX3A5M-005	689410	Controlador de temperatura, 1/16 DIN (48 x 48 mm), 1 salida a relé, 3 AUX, 4 en	324,20
E5CC-RX3D5M-005	689411	Controlador de temperatura, 1/16 DIN (48 x 48 mm), 1 salida a relé, 3 AUX, 4 en	324,20
E5CC-RX3A5M-006	689412	Controlador de temperatura, 1/16 DIN (48 x 48 mm), 1 salida a relé, 3 AUX, 2 en	390,40
E5CC-RX3D5M-006	689413	Controlador de temperatura, 1/16 DIN (48 x 48 mm), 1 salida a relé, 3 AUX, 2 en	390,40
E5CC-RX3A5M-007	689414	Controlador de temperatura, 1/16 DIN (48 x 48 mm), 1 salida a relé, 3 AUX, 2 en	390,40
E5CC-RX3D5M-007	689415	Controlador de temperatura, 1/16 DIN (48 x 48 mm), 1 salida a relé, 3 AUX, 2 en	390,40
E5CC-QX3A5M-000	689366	Controlador de temperatura, 1/16 DIN (48 x 48 mm), salida de impulsos de 12 V	270,90
E5CC-QX3D5M-000	689416	Controlador de temperatura, 1/16 DIN (48 x 48 mm), salida de impulsos de 12 V	270,90
E5CC-QX3A5M-001	689417	Controlador de temperatura, 1/16 DIN (48 x 48 mm), salida de impulsos de 12 V	346,20
E5CC-QX3D5M-001	689418	Controlador de temperatura, 1/16 DIN (48 x 48 mm), salida de impulsos de 12 V	346,20
E5CC-QX3A5M-003	689419	Controlador de temperatura, 1/16 DIN (48 x 48 mm), salida de impulsos de 12 V	354,10
E5CC-QX3D5M-003	689420	Controlador de temperatura, 1/16 DIN (48 x 48 mm), salida de impulsos de 12 V	354,10
E5CC-QX3A5M-005	689421	Controlador de temperatura, 1/16 DIN (48 x 48 mm), salida de impulsos de 12 V	324,20
E5CC-QX3D5M-005	689422	Controlador de temperatura, 1/16 DIN (48 x 48 mm), salida de impulsos de 12 V	324,20
E5CC-QX3A5M-006	689423	Controlador de temperatura, 1/16 DIN (48 x 48 mm), salida de impulsos de 12 V	390,40
E5CC-QX3D5M-006	689424	Controlador de temperatura, 1/16 DIN (48 x 48 mm), salida de impulsos de 12 V	390,40
E5CC-QX3A5M-007	689425	Controlador de temperatura, 1/16 DIN (48 x 48 mm), salida de impulsos de 12 V	390,40
E5CC-QX3D5M-007	689426	Controlador de temperatura, 1/16 DIN (48 x 48 mm), salida de impulsos de 12 V	390,40
E5CC-QQ3A5M-000	689367	Controlador de temperatura, 1/16 DIN (48 x 48 mm), 2 salidas de pulsos de 12 V	270,90
E5CC-QQ3D5M-000	689368	Controlador de temperatura, 1/16 DIN (48 x 48 mm), 2 salidas de impulsos de 12 V	270,90
E5CC-QQ3D5M-001	689370	CT, 48x48 mm, salida 1: de corriente / salida 2: 12 VDC, 24 VAC/VDC opción 001	325,30
E5CC-QQ3A5M-003	689371	Controlador de temperatura, 1/16 DIN (48 x 48 mm), 2 salidas de impulsos de 12 V	400,80
E5CC-QQ3D5M-003	689372	CT, 48x48 mm, salida 1: de corriente / salida 2: 12 VDC, 24 VAC/VDC opción 003	343,30
E5CC-QQ3A5M-007	689377	Ent Universal 3 Alarmas 2 Sal SSR 2 Evt RSP 100-240Vca 48x48	383,90
E5CC-CX3A5M-000	689379	Controlador de temperatura, 1/16 DIN (48 x 48 mm), salida de corriente de 0/4-	354,10
E5CC-CX3D5M-000	689380	Controlador de temperatura, 1/16 DIN (48 x 48 mm), salida de corriente de 0/4-	354,10
E5CC-CX3A5M-005	689381	CT, 48x48 mm, 1 salida de corriente, 110-240 VAC opción 005	478,90
E5CC-CX3D5M-005	689382	Controlador de temperatura, 1/16 DIN (48 x 48 mm), salida de corriente de 0/4-	416,40
E5CC-CX3A5M-006	689383	Controlador de temperatura, 1/16 DIN (48 x 48 mm), salida de corriente de 0/4-	495,80

OMRON PVPR 2023

E5CC-CX3D5M-006	689384	Controlador de temperatura, 1/16 DIN (48 x 48 mm), salida de corriente de 0/4-	482,90
E5CC-CX3A5M-007	689385	Controlador de temperatura, 1/16 DIN (48 x 48 mm), salida de corriente de 0/4-	495,80
E5CC-CX3D5M-007	689386	Controlador de temperatura, 1/16 DIN (48 x 48 mm), salida de corriente de 0/4-	482,90
E5CC-CX3A5M-004	689387	Controlador de temperatura, 1/16 DIN (48 x 48 mm), salida de corriente de 0/4-	478,90
E5CC-CX3D5M-004	689388	Controlador de temperatura, 1/16 DIN (48 x 48 mm), salida de corriente de 0/4-	478,90
E5CC-CQ3A5M-001	689391	Controlador de temperatura, 1/16 DIN (48 x 48 mm), salida de corriente de 0/4-	420,60
E5CC-CQ3D5M-003	689393	Ent Universal 3 Alarmas Sal SSR+Corriente RS485 HBA Trif. 24Vcc/Vac 48x48	665,50
E5CC-CQ3D5M-007	689399	Temperature controller, 1/16 DIN (48x48 mm), 0/4-20 mA current output, 12 V	494,40
E5CC-RX2ASM-000	689427	Controlador de temperatura, 1/16 DIN (48 x 48 mm), 1 salida a relé, 2 AUX, sin c	255,10
E5CC-QX2ASM-000	689400	Controlador de temperatura, 1/16 DIN (48 x 48 mm), salida de impulsos de 12 V	255,10
E5CC-QX2DSM-000	689401	Controlador de temperatura, 1/16DIN (48 x 48mm),1 x 12VDC salida de pulsos,2	276,10
E5CC-QX3ASM-004	689428	Ent Univ 3 Alarmas Sal SSR RS485 100-240Vca 48x48 sin protección	319,00
E5CC-QX3DSM-004	689429	Controlador de temperatura, 1/16 DIN (48 x 48 mm), salida de impulsos de 12 V	319,00
H3DT-L1 24-240VAC/DC	669519	17.5mm DIN Multifunción 1xSPDT 24-240 Vcc/Vca Push-in+	90,65
H3DT-HBL 24-48VAC/DC	669466	17.5mm DIN Retardo a OFF 1s-120s 24-48 Vcc/Vca Push-in+	109,70
H3DT-F 24-240VAC/DC	669468	17.5mm DIN ON/OFF 24-240 Vcc/Vca Push-in+	106,60
H3DT-HDL 200-240VAC	669455	17.5mm DIN Retardo a OFF 1s-120s 200-240 Vca Push-in+	109,70
H3DT-A2 24-240VAC/DC	669509	17.5mm DIN Retardo a ON 2xSPDT 24-240 Vcc/Vca Push-in+	86,25
H3DT-HBS 24-48VAC/DC	669492	17.5mm DIN Retardo a OFF 0.1s-12s 24-48 Vcc/Vca Push-in+	109,70
H3DT-HCL 100-120VAC	669465	17.5mm DIN Retardo a OFF 1s-120s 100-120 Vca Push-in+	109,70
H3DT-N1 24-240VAC/DC	669502	17.5mm DIN Estándar 1xSPDT 24-240 Vcc/Vca Push-in+	90,65
H3DT-HCS 100-120VAC	669471	17.5mm DIN Retardo a OFF 0.1s-12s 100-120 Vca Push-in+	109,70
H3DT-L2 24-240VAC/DC	669500	17.5mm DIN Multifunción 2xSPDT 24-240 Vcc/Vca Push-in+	109,70
H3DT-N2 24-240VAC/DC	669448	17.5mm DIN Estándar 2xSPDT 24-240 Vcc/Vca Push-in+	109,70
H3DT-A1 24-240VAC/DC	669477	17.5mm DIN Retardo a ON 1xSPDT 24-240 Vcc/Vca Push-in+	62,00
H3DT-G 24-240VAC/DC	669479	17.5mm DIN Estrella-Triángulo 24-240 Vcc/Vca Push-in+	106,60
H3DT-HDS 200-240VAC	669521	17.5mm DIN Retardo a OFF 0.1s-12s 200-240 Vca Push-in+	109,70
H3DS-ALC	670938	17,5mm DIN Básico Retardo ON Conexión rápida	56,80
H3DS-XLC	670942	17,5mm DIN Retardo ON Conexión rápida	55,90
H3DS-AL AC/DC	670944	17,5mm DIN Básico Retardo a ON	53,25
H3DS-SL AC/DC	670945	17,5mm DIN Estándar	59,50
H3DS-MLC	670941	17,5mm DIN Multifunción Conexión rápida	78,25
H3DS-ML AC/DC	670946	17,5mm DIN Multifunción	68,85

OMRON PVPR 2023

H3DS-FL	670935	17,5mm DIN ON/OFF 6 rangos	94,40
H3DS-GL	670937	17,5mm DIN Estrella-Triáng. 2 rangos	94,40
H3DS-FLC	670940	17,5mm DIN ON/OFF 6 rangos Conexión rápida	98,40
H3DS-XL	670936	17,5mm DIN A 2 hilos Retardo ON	48,49
H3DS-SLC	670939	17,5mm DIN Estándar Conexión rápida	64,75
H3DK-GE 240-440VAC	352023	22.5mm DIN Estrella-Triángulo 2 rangos 240 to 440 VAC	96,20
H3DK-HBL 24-48VAC/DC	668624	22.5mm DIN OFF Rango largo	96,20
H3DK-HCS 100-120VAC	668587	22.5mm DIN OFF Rango corto	96,20
H3DK-M1A DC12	668610	22.5mm DIN Multifunción SPDT 12 V DC 8 Modos	96,20
H3DK-S1A DC12	668629	22.5mm DIN Estándar SPDT 12 V DC 4 Modos	96,20
H3DK-FA DC12	668586	22.5mm DIN ON/OFF 12 V DC	96,20
H3DK-F 24-240VAC/DC	668599	22.5mm DIN ON/OFF	96,20
H3DK-M2A DC12	668594	22.5mm DIN Multifunción DPDT	96,20
H3DK-HCL 100-120VAC	668602	22.5mm DIN OFF Rango largo	96,20
H3DK-S2A DC12	668635	22.5mm DIN Estándar DPDT 12 V DC 4 Modos	96,20
H3DK-GA DC12	668596	22.5mm DIN Estrella-Triángulo 2 rangos 12 V DC	96,20
H3DK-S2 24-240VAC/DC	668622	22.5mm DIN Estándar DPDT	78,85
H3DK-HBS 24-48VAC/DC	668618	22.5mm DIN OFF Rango corto	96,20
H3DK-HDS AC200-240V	668617	22.5mm DIN OFF Rango corto	96,20
H3DK-S1 24-240VAC/DC	668605	22.5mm DIN Estándar SPDT	64,20
H3DK-G 24-240VAC/DC	668604	22.5mm DIN Estrella-Triángulo SPDT/SPDT	96,20
H3DK-M1 24-240VAC/DC	668642	22.5mm DIN Multifunción SPDT	78,85
H3DK-M2 24-240VAC/DC	668641	22.5mm DIN Multifunción DPDT	96,20
H3DK-HDL AC200-240V	668644	22.5mm DIN OFF Rango largo	96,20
H3CA-A DIN	120915	SPDT Superf/carril/panel 48x48 11 pines	217,70
H5CN-XAN 100-240VAC	231099	SPDT LED 48x48 mm.99,99s máx	425,00
H5CN-XBN 100-240VAC	231100	SPDT LED 48x48 mm.99,99s máx	515,00
H5CN-XCN 100-240VAC	231101	SPDT LED 48x48 mm.99m59s máx	414,30
H5CN-XDN 100-240VAC	231102		337,20
H5CN-YBN 100-240VAC	231107	SPDT LED 48x48 mm.99,99s máx	388,80
H5CN-YN 100-240VAC	231108	SPDT LED 48x48 mm.99,99s máx	414,30
H5CN-YN DC12-48	231112	Timer Digital 4 Digit Display 8-PIN	400,70
H3CA-8 DIN 100/110/120VAC	237491	DPDT Superf/carril/panel 48x48 8 pines	171,40

OMRON PVPR 2023

H3CA-8 DIN 200/220/240VAC	237492	DPDT Superf/carril/panel 48x48 8 pines	180,10
H3CA-FA DIN	237497	SPDT superf/carril 48x48 tornillo	346,80
H3CA-A-306 DIN	237499	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), 12 VDC/24-240 VAC/DC, digital, m	301,90
H3CA-A-306	237502	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), 12 VDC/24-240 VAC/DC, digital, m	301,90
H5CZ-L8	367768	Temporizador, enchufable, 8 pines, 1/16 DIN (48 x 48 mm), IP66, 4 dígitos para	232,20
H5CZ-L8D	367769	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual time digits	232,20
H5CZ-L8E	367770	SPDT + instan. SPDT Básico 100-240Vac Octal transistor 48x48	269,60
H3CR-HRL DC100-125 M	667956	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12m, DPDT,	108,30
H3CR-A8E 100-240VAC/100-125VDC	667916	Multifunción 8 pines 2xSPDT 48x48	93,50
H3CR-H8L 24VAC/DC M	667946	DPDT 8 pines M 48x48 24Vcc/Vca	109,60
H3CR-AP AC24-48/DC12-48	667907	Multifunción 11pines 6 modos Relé	86,85
H3CR-FN 100-240VAC/100-125VDC	667915	Cíclico 11 pines Arranque ON 0.05s-300h	129,80
H3CR-A8E 24-48VAC/DC	667957	Multifunción 8 pines 2xSPDT 48x48	93,50
H3CR-G8L AC200-240	667923	Temporizador, enchufable , 8-pin, 1/16DIN (48 x 48mm), estrella- triángulo, 0.5-	109,60
H3CR-G8EL AC200-240	667958	Estr-Triang 8 pines instantáneo 48x48	124,50
H3CR-A-301 100-240AC/100-125DC	667945	Multifunción 48x48	113,60
H3CR-A AC24-48/DC12-48	667959	Mutifunción 11 pines DPDT	80,20
H3CR-A8-301 24-48AC/12-48DC	667940	Multifunción 600h 8 pines DPDT	108,30
H3CR-G8EL 100-120VAC	667941	Estr-Triang 8 pines instantáneo 48x48	124,50
H3CR-A8 AC24-48/DC12-48	667924	Multifunción 8 pines DPDT	80,20
H3CR-HRL DC100-125 S	667948	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12m, DPDT,	105,60
H3CR-H8L 24VAC/DC S	667952	DPDT 8 pines S 48x48 24Vcc/Vca	109,60
H3CR-F 100-240VAC/100-125VDC	667935	Cíclico 11 pines Arranque OFF 0.05s-300h	124,50
H3CR-HRL AC200-240 M	667936	Temporizador, enchufable , 11-pin, 1/16DIN (48 x 48mm), retardo a OFF, 0.05-1	108,30
H3CR-F8N AC24-48/DC12-48	667950	Cíclico 8 pines Arranque ON 0.05s-300h	129,80
H3CR-H8L 100-120VAC M	667931	Temporizador, enchufable, 8 terminales, DIN 1/16 (48 x 48 mm), retardo a la de	101,60
H3CR-A-301 AC24-48/DC12-48	667930	Multifunción 48x48	108,70
H3CR-F8 100-240VAC/100-125VDC	667955	Cíclico 8 pines Arranque OFF 0.05s-300h	129,80
H3CR-AS AC24-48/DC12-48	667962	Mutifunción 11 pines DPDT	80,20
H3CR-F8 24-48VAC/12-48VDC	667922	Cíclico 8 pines Arranque OFF 0.05s-300h	129,80
H3CR-H8L 100-120VAC S	667933	DPDT 8 pines S 48x48 100/120Vca	101,60
H3CR-F8N 100-240VAC/100-125VDC	667913	Cíclico 8 pines Arranque OFF 0.05s-300h	125,70
H3CR-HRL AC200-240 S	667926	Temporizador, enchufable , 11-pin, 1/16DIN (48 x 48mm), retardo a OFF, 0.05-1	108,30

OMRON PVPR 2023

H3CR-HRL 24VAC/DC S	667938	DPDT 11 pines S reset 48x48 24Vca/Vcc	105,60
H3CR-A8S AC24-48/DC12-48	667943	Multifunción 8 pines NPN/PNP	80,20
H3CR-H8L 200-240VAC M	667908	DPDT 8 pines M 48x48 200/240Vca	102,90
H3CR-FN AC24-48/DC12-48	667927	Cíclico 11 pines Arranque ON 0.05s-300h	129,80
H3CR-AP 100-240VAC/100-125VDC	667928	Multifunción 11pines 6 modos Relé	86,85
H3CR-A 100-240VAC/100-125VDC	667919	Mutifunción 11 pines DPDT	80,20
H3CR-F AC24-48/DC12-48	667910	Cíclico 11 pines Arranque OFF 0.05s-300h	129,80
H3CR-H8L 200-240VAC S	667921	DPDT 8 pines S 48x48 200/240Vca	102,90
H3CR-A8 100-240VAC/100-125VDC	667944	Multifunción 8 pines DPDT	80,20
H5CX-A-N	668585	SPDT Estándar 100-240Vac Tornillo	285,70
H5CX-A11S-N	668626	Salida transistor Estándar 100-240Vac Undecal	287,00
H5CX-L8SD-N	668614	SPDT Básico 12-24Vdc/24Vac Octal Transistor	248,40
H5CX-L8-N	668607	SPDT Básico 100-240Vac Octal	235,10
H5CX-L8S-N	668589	Salida Transistor Básico 12-24Vdc/Vac Octal	248,40
H5CX-A11-N	668597	SPDT Estándar 100-240Vac Undecal	285,70
H5CX-L8ED-N	668593	SPDT Económico 12-24Vdc/24Vac Octal	243,20
H5CX-AS-N	668592	Salida Transistor Estándar 100-240Vac Tornillo	287,00
H5CX-L8D-N	668620	SPDT Básico 12-24Vdc/24Vac Octal	235,10
H5CX-BWSD-N	668631	Salida transistor 2 Etapas 6 dig. 12-24Vcc/24Vca Tornillo	351,00
H5CX-AD-N	668625	SPDT Estándar 12-24Vdc/24Vac Tornillo	285,70
H5CX-ASD-N	668609	Salida Transistor Estándar 12-24Vdc/24Vac Tornillo	285,70
H5CX-A11D-N	668627	SPDT Estándar 12-24Vdc/24Vac Undecal	287,00
H5CX-A11SD-N	668603	Temporizador digital 4, enchufable 11, transistor, 12-24 VDC/24VAC	303,20
H5CX-L8E-N	668636	SPDT Básico 100-240Vac Octal	243,20
H3RN-1 24VDC	120361	16mm SPDT 0.1s-10min 24Vcc	75,20
H3RN-11 12VDC	120362	Temporizador enchufable, 5 pines, multifunción, 0,1m-10h SPDT,3A 12 VDC	75,20
H3RN-11 24VAC	120363	16mm SPDT 0.1min-10h 24Vca	75,20
H3RN-2 12VDC	120364	16mm DPST-NA 0.1s-10min 12Vcc	75,20
H3RN-21 12VDC	120365	16mm DPST-NA 0.1min-10h 12Vcc	73,85
H3RN-21 24VDC	120366	Temporizador miniatura enchufable, 8 pines, multifunción,0,1m-10h DPST-NO,3	73,85
H3RN-21 24VAC	120367	16mm DPST-NA 0.1min-10h 24Vca	75,20
H3RN-1 24VAC	145454	16mm SPDT 0.1s-10min 12Vca	75,20
H3RN-1 12VDC	147546	16mm SPDT 0.1s-10min 12Vcc	75,20

OMRON PVPR 2023

H3RN-11 24VDC	148556	16mm SPDT 0.1min-10h 24Vcc	75,20
H3RN-2 24VAC	150751	16mm DPST-NA 0.1s-10min 24Vca	75,20
H3RN-2 24VDC	156331	16mm DPST-NA 0.1s-10min 24Vcc	75,20
H3Y-2 AC24 1S	184688		61,00
H3Y-2 AC24 5S	184689	Temporizador multifunción, enchufable, 8 pin, retardo a on, DPDT, 3 A, 24 VAC S	61,00
H3Y-2 AC24 10S	184690	Miniatura DPDT Autoreset Enchuf/soldar	70,85
H3Y-2 AC24 30S	184691	Miniatura DPDT Autoreset Enchuf/soldar	61,00
H3Y-2 AC24 60S	184692	Temporizador, enchufable, 8 pin,retardo a ON , DPDT, 24 VAC , 60 segundos	61,00
H3YN-4-B DC100-110	669625	4PDT 0.1s-10m 3A 100/110 Vcc Bobina arriba	74,85
H3YN-41-B DC12	669597	4PDT 0.1min-10h 3A 12 Vcc Bobina arriba	74,85
H3RN-21-B 24VDC	669647	16mm DPST-NA 0,1m-10h 3A 24 Vcc Bobina arriba	73,85
H3YN-2-B DC48	669608	DPDT 0.1s-10m 5A 48 Vcc Bobina arriba	70,85
H3YN-21-B DC12	669613	DPDT 0.1min-10h 5A 12 Vcc Bobina arriba	70,85
H3YN-21-B DC24	669612	DPDT 0.1min-10h 5A 24 Vcc Bobina arriba	70,85
H3YN-4-B AC24	669598	4PDT 0.1s-10m 3A 24 Vca Bobina arriba	74,85
H3YN-41-Z-B DC24	669604	4PDT contacto doble 0.1min-10h 3A 24 Vcc Bobina arriba	85,55
H3YN-2-B 100-120VAC	669602	DPDT 0.1s-10m 5A 100/120 Vca Bobina arriba	70,85
H3YN-21-B 100-120VAC	669595	DPDT 0.1min-10h 5A 100/120 Vca Bobina arriba	70,85
H3YN-4-B DC24	669615	4PDT 0.1s-10m 3A 24 Vcc Bobina arriba	74,85
H3RN-2-B 12VDC	669643	16mm DPST-NA 0,1s-10m 3A 12 Vcc Bobina arriba	75,20
H3RN-2-B 24VDC	669644	16mm DPST-NA 0,1s-10m 3A 24 Vcc Bobina arriba	75,20
H3RN-21-B 12VDC	669646	16mm DPST-NA 0,1m-10h 3A 12 Vcc Bobina arriba	73,85
H3YN-2-B AC24	669606	DPDT 0.1s-10m 5A 24 Vca Bobina arriba	70,85
H3YN-2-B DC100-110	669599	DPDT 0.1s-10m 5A 100/110 Vcc Bobina arriba	70,85
H3YN-4-B DC48	669596	4PDT 0.1s-10m 3A 48 Vcc Bobina arriba	74,85
H3YN-41-B AC200-230	669605	4PDT 0.1min-10h 3A 200/230 Vca Bobina arriba	74,85
H3RN-1-B 24VDC	669638	16mm SPDT 0,1s-10m 3A 24 Vcc Bobina arriba	75,20
H3YN-2-B DC12	669620	DPDT 0.1s-10m 5A 12 Vcc Bobina arriba	70,85
H3YN-21-B AC200-230	669600	DPDT 0.1min-10h 5A 200/230 Vca Bobina arriba	70,85
H3YN-21-B DC48	669610	DPDT 0.1min-10h 5A 48 Vcc Bobina arriba	70,85
H3YN-4-B DC125	669621	4PDT 0.1s-10m 3A 125 Vcc Bobina arriba	74,85
H3YN-41-B DC125	669618	4PDT 0.1min-10h 3A 125 Vcc Bobina arriba	74,85
H3RN-11-B 12VDC	669640	16mm SPDT 0,1m-10h 3A 12 Vcc Bobina arriba	75,20

OMRON PVPR 2023

H3YN-41-B AC24	669628	4PDT 0.1min-10h 3A 24 Vca Bobina arriba	74,85
H3RN-1-B 12VDC	669637	16mm SPDT 0,1s-10m 3A 12 Vcc Bobina arriba	75,20
H3RN-11-B 24VDC	669641	16mm SPDT 0,1m-10h 3A 24 Vcc Bobina arriba	75,20
H3RN-2-B 24VAC	669645	16mm DPST-NA 0,1s-10m 3A 24 Vca Bobina arriba	75,20
H3YN-2-B AC200-230	669619	DPDT 0.1s-10m 5A 200/230 Vca Bobina arriba	70,85
H3YN-2-B DC24	669626	DPDT 0.1s-10m 5A 24 Vcc Bobina arriba	70,85
H3YN-2-B DC125	669609	DPDT 0.1s-10m 5A 125 Vcc Bobina arriba	70,85
H3YN-21-B DC100-110	669622	DPDT 0.1min-10h 5A 100/110 Vcc Bobina arriba	70,85
H3YN-41-B 100-120VAC	669603	4PDT 0.1min-10h 3A 100/120 Vca Bobina arriba	74,85
H3YN-41-B DC24	669627	4PDT 0.1min-10h 3A 24 Vcc Bobina arriba	74,85
H3YN-4-Z-B DC24	669614	4PDT contacto doble 0.1s-10m 3A 24 Vcc Bobina arriba	85,55
H3RN-11-B 24VAC	669642	16mm SPDT 0,1m-10h 3A 24 Vca Bobina arriba	75,20
H3YN-41-B DC100-110	669623	4PDT 0.1min-10h 3A 100/110 Vcc Bobina arriba	74,85
H3RN-1-B 24VAC	669639	16mm SPDT 0,1s-10m 3A 24 Vca Bobina arriba	75,20
H3YN-21-B AC24	669617	DPDT 0.1min-10h 5A 24 Vca Bobina arriba	70,85
H3YN-21-B DC125	669616	DPDT 0.1min-10h 5A 125 Vcc Bobina arriba	70,85
H3YN-4-B 100-120VAC	669611	4PDT 0.1s-10m 3A 100/120 Vca Bobina arriba	74,85
H3YN-4-B AC200-230	669624	4PDT 0.1s-10m 3A 200/230 Vca Bobina arriba	74,85
H3YN-4-B DC12	669601	4PDT 0.1s-10m 3A 12 Vcc Bobina arriba	74,85
H3YN-41-B DC48	669607	4PDT 0.1min-10h 3A 48 Vcc Bobina arriba	74,85
H3RN-21-B 24VAC	669648	16mm DPST-NA 0,1m-10h 3A 24 Vca Bobina arriba	75,20
H3Y-2 AC200-230 1S	671584	Miniatura DPDT Autoreset Enchuf/soldar	69,60
H3Y-2 AC200-230 10S	671634	Temporizador, enchufable, 8 pin,retardo a ON , DPDT, 200-230 VAC , 10 segundos	70,85
H3Y-2 AC200-230 60S	671614	Miniatura DPDT Autoreset Enchuf/soldar	70,85
H3Y-2 AC200-230 60M	671653	Miniatura DPDT Autoreset Enchuf/soldar	70,85
H3Y-4 100-120VAC 30S	671561	Minitemporizador	69,60
H3YN-21 AC200-230	671683	DPDT 0.1min-10h 200/230Vca	70,85
H3YN-21 100-120VAC	671570	DPDT 0.1min-10h 100/120Vca	70,85
H3YN-21 DC12	671617	DPDT 0.1min-10h 12Vcc	70,85
H3Y-2 100-120VAC 10S	671550	Timer, plug-in, 8-pin, on-delay, DPDT, 100-120 VAC Supply voltage, 10 Seconds,	70,85
H3Y-2 DC48 10M	671657	Miniatura DPDT Autoreset Enchuf/soldar 10M	69,60
H3Y-2 DC24 0.5S	671710	Temporizador, enchufable, 8 pin,retardo a ON , DPDT, 24 VDC , 0.5 segundos	70,85
H3YN-2 DC48	671646	DPDT 0.1s-10min 24Vcc	70,85

OMRON PVPR 2023

H3Y-2 DC24 3H	671673	Miniatura DPDT Autoreset Enchuf/soldar 3H	70,85
H3Y-2 12DC 1S	671628	Timer, plug-in, 8-pin, on-delay, DPDT, 12 VDC Supply voltage, 1 Seconds, Surface	70,85
H3Y-2 DC12 60S	671588	Temporizador, enchufable, 8 pin,retardo a ON , DPDT, 12 VDC , 60 segundos	70,85
H3Y-4 AC200-230 30S	671725	Temporizador, enchufable, 14 pin,retardo a ON , 4PDT, 200-230 VAC, 30 Segund	83,55
H3YN-4-Z DC24	671590	4PDT 0.1seg-10min 24Vcc	85,55
H3Y-4 DC24 5S	671709	Temporizador miniatura 4PDT 0.04s- 3h	69,60
H3YN-2 AC24	671718	DPDT 0.1s-10min 24Vca	70,85
H3YN-4 AC200-230	671591	4PDT 0.1s-10min 200/230Vca	74,85
H3YN-4 100-120VAC	671690	4PDT 0.1s-10min 100/120Vca	74,85
H3YN-4 DC24	671695	4PDT 0.1s-10min 24Vcc	74,85
H3Y-2 AC200-230 30M	671552	Temporizador, enchufable, 8 pin,retardo a ON , DPDT, 200-230 VAC , 30 minutos	70,85
H3Y-4 AC200-230 60S	671566	Temporizador, enchufable, 14 pin,retardo a ON , 4PDT, 200-230 VAC, 60 Segund	74,85
H3Y-4 DC24 0.5S	671722	Miniatura DPDT Autoreset Enchuf/soldar	69,60
H3Y-4 DC24 1S	671587	Temporizador, enchufable, 14 pin,retardo a ON , 4PDT, 24 VDC, 1 segundos	69,60
H3YN-2 DC24	671562	DPDT 0.1s-10min 24Vcc	70,85
H3YN-21 AC24	671630	DPDT 0.1min-10h 24Vcc	70,85
H3YN-21 DC24	671651	DPDT 0.1min-10h 24Vcc	70,85
H3YN-41 AC200-230	671602	4PDT 0.1min-10h 200/230Vca	74,85
H3YN-41 DC24	671660	4PDT 0.1min-10h 24Vcc	74,85
H3Y-2 AC200-230 0.5S	671696	Temporizador, enchufable, 8 pin,retardo a ON , DPDT, 200-230 VAC , 0.5 second	72,15
H3Y-2 DC24 10S	671620	Miniatura DPDT Autoreset Enchuf/soldar	70,85
H3Y-2 DC24 5M	671593	Temporizador, enchufable, 8 pin,retardo a ON , DPDT, 24 VDC , 5 Min	70,85
H3Y-2 DC24 30M	671674	Temporizador, enchufable, 8 pin,retardo a ON , DPDT, 24 VDC , 30 Min	70,85
H3YN-4 DC12	671669	4PDT 0.1s-10min 12Vcc	74,85
H3YN-41 AC24	671717	Temporizador, enchufable, 14 pines, multifunción, 0,1m-10h,4PDT,3A,24 VAC	74,85
H3YN-41 DC12	671601	4PDT 0.1min-10h 12Vcc	74,85
H3YN-41-Z DC24	671665	4PDT 0.1min-10h 24Vcc	85,55
H3Y-2 AC200-230 30S	671567	Miniatura DPDT Autoreset Enchuf/soldar	70,85
H3Y-2 DC48 30S	671611	Temporizador, enchufable, 8 pin,retardo a ON , DPDT, 48 VDC , 30 segundos	69,60
H3Y-2 DC24 5S	671689	Mini Temporizador	70,85
H3Y-2 DC24 60S	671548	Temporizador, enchufable, 8 pin,retardo a ON , DPDT, 24 VDC , 60 segundos	70,85
H3YN-2 AC200-230	671573	DPDT 0.1s-10min 200/230Vca	70,85
H3YN-2 100-120VAC	671716	DPDT 0.1s-10min 100/120Vca	70,85

OMRON PVPR 2023

H3YN-2 DC100-110	671582	DPDT 0.1s-10min 100-110Vcc	70,85
H3YN-4 DC100-110	671589	4PDT 0,1min-10h 100/110Vcc	74,85
H3Y-2 AC200-230 5M	671633	Temporizador, enchufable, 8 pin,retardo a ON , DPDT, 200-230 VAC , 5 minutos	70,85
H3YN-2 DC12	671626	DPDT 0.1s-10min 12Vcc	70,85
H3YN-4 AC24	671644	4PDT 0.1min-10h 24Vca	74,85
H3YN-4 DC48	671642	4PDT 0.1s-10min 24VDC 48VDC	74,85
H3YN-41 100-120VAC	671595	4PDT 0.1min-10h 100/120Vca	74,85
H5F-B	243646	Temp. Semanal Mont. Superficie/Carril SPST-NA	222,90
H5F-KB	243648	Temp. Semanal Mont. Superficie/Carril SPST-NA	308,30
H5F-FB	243647	Temp. Semanal Mont. Superficie SPST-NA	231,40
H5S-WB2D	243984	Temporizador semanal 2 salidas 24 Vcc	387,40
H5S-WB2	243986	Temporizador semanal 2 salidas 100 a 240 VAC	389,00
H5S-WFB2	243987	Temporizador semanal 2 salidas 100-240 VCA	377,50
H3FA-A 24DC	120563	SPST-NA+NC 1s-10min	75,40
H3FA-B 24DC	120565	SPST-NA+NC 6s-60min	75,40
H3FA-AU 12 VDC	120569	SPST-NA+NC 1s-10min Instantáneo	331,20
H3FA-BU 24DC	120571	SPST-NA+NC 6s-60min Op. instantánea	83,95
H3FA-A 12DC	145449	SPST-NA+NC 1s-10min	75,40
H3FA-SAU 12/24DC	145450	Temporizador con salida SS\$ de 1 seg a 10 min.	94,15
FH-L550-10	670064	Controlador Xpectia lite 4 cámaras	8 870,00
FH-L550	670063	Controlador Xpectia lite 2 cámaras	6 590,00
FZ5-1205	679702	Controlador de visión FZ5, alta calidad, pantalla táctil LCD integrada, 2 cámaras,	11 960,00
FZ5-1200-10	679701	FZ5 vision controller, high grade, integrated LCD touchscreen, 4 camera, NPN	14 650,00
FZ5-1200	679700	Controlador de visión FZ5, alta calidad, pantalla táctil LCD integrada, 2 cámaras,	11 960,00
FZ5-805	679699	Controlador Xpectia LCD 2 cámaras PNP	9 145,00
FZ5-800	679698	Controlador de visión FZ5, calidad estándar, pantalla táctil LCD integrada, 2 cám	9 145,00
FZ5-1205-10	679697	FZ5 vision controller, high grade, integrated LCD touchscreen, 4 camera, PNP	14 650,00
FZ5-805-10	679696	Controlador Xpectia LCD 4 cámaras PNP	11 710,00
FZ5-800-10	679695	FZ5 vision controller, standard grade, integrated LCD touchscreen, 4 camera, NP	11 710,00
FH-2050	684330	Controlador FH de alta velocidad/alto rendimiento de 2 núcleos, NPN/PNP, 2 cá	10 500,00
FH-2050-10	684331	Controlador FH de alta velocidad/alto rendimiento de 2 núcleos, NPN/PNP, 4 cá	13 470,00
FH-2050-20	684332	Controlador FH de alta velocidad/alto rendimiento de 2 núcleos, NPN/PNP, 8 cá	16 570,00
FH-5050	684333	Controlador FH de alta velocidad/alto rendimiento de 4 núcleos, NPN/PNP, 2 cá	12 720,00

OMRON PVPR 2023

FH-5050-10	684334	Controlador FH de alta velocidad/alto rendimiento de 4 núcleos, NPN/PNP, 4 cá	15 650,00
FH-5050-20	684335	Controlador FH de alta velocidad/alto rendimiento de 4 núcleos, NPN/PNP, 8 cá	18 790,00
FH-2050-H	695087	Controlador Xpectia 2 cám. Halcon EtherCAT PNP & NPN	13 620,00
FH-2050-10H	695088	Controlador Xpectia 4 cám. Halcon EtherCAT PNP & NPN	14 930,00
FH-2050-20H	695089	Controlador Xpectia 8 cám. Halcon EtherCAT PNP & NPN	17 740,00
FH-5050-H	695090	Controlador Xpectia Alto grado avanzado 2 cám Halcon EtherCAT PNP & NPN	14 240,00
FH-5050-10H	695091	Controlador Xpectia Alto grado avanzado 4 cám Halcon EtherCAT PNP & NPN	16 940,00
FH-5050-20H	695092	Controlador Xpectia Alto grado avanzado 8 cám Halcon EtherCAT PNP & NPN	19 750,00
FH-5550	695758	FH de alta velocidad / alto rendimiento / almacenamiento ampliado, controlado	13 330,00
FH-5550-10	695759	FH de alta velocidad / alto rendimiento / almacenamiento ampliado, controlado	16 270,00
FH-5550-20	695760	FH de alta velocidad / alto rendimiento / almacenamiento ampliado, controlado	19 390,00
FH-5051	701438	FH high-speed / high performance controller 4-core, NPN/PNP, 2 cameras, W10	12 720,00
FH-5051-10	701439	FH high-speed / high performance controller 4-core, NPN/PNP, 4 cameras, W10	15 650,00
FH-5051-20	701440	FH high-speed / high performance controller 4-core, NPN/PNP, 8 cameras, W10	18 790,00
FH-2051	709312	FH medium speed & performance controller 2-core, NPN/PNP, 2 cameras, W10	10 500,00
FH-2051-10	709311	FH medium speed & performance controller 2-core, NPN/PNP, 4 cameras, W10	13 470,00
FH-2051-20	709310	FH medium speed & performance controller 2-core, NPN/PNP, 8 cameras, W10	16 570,00
FH-5551	709309	FH high-speed / high performance / extended storage, controller 4-core, NPN/P	13 330,00
FH-5551-10	709313	FH high-speed / high performance / extended storage, controller 4-core, NPN/P	16 270,00
FH-5551-20	709314	FH high-speed / high performance / extended storage, controller 4-core, NPN/P	19 390,00
FQ-MS125-ECT	355894	Sensor FQ Pick & place Comunicaciones ethercat Color PNP	3 932,00
FQ-MS125-M-ECT	355895	Sensor FQ Pick & place Comunicaciones ethercat Monocromo PNP	3 629,00
FQ-MS120	355896	Sensor FQ Pick & place Color NPN	3 700,00
FQ-MS125	355897	Sensor FQ Pick & place Color PNP	3 700,00
FQ-MS120-M	355898	Sensor FQ Pick & place Monocromo NPN	3 423,00
FQ-MS125-M	355899	Sensor FQ Pick & place Monocromo PNP	3 423,00
FQ-MS120-ECT	355900	Sensor FQ Pick & place Comunicaciones ethercat Color NPN	3 932,00
FQ-MS120-M-ECT	355901	Sensor FQ Pick & place Comunicaciones ethercat Monocromo NPN	3 629,00
FQ2-S30010F-08	372116	FQ alta res. 0.8Mp FOV: 7,5x4,7-13x8,2 Dist:38-60 NPN	4 334,00
FQ2-S30050F-08	372117	FQ alta res. 0.8Mp FOV: 13x8.2-53x33 Dist:56-215 NPN	4 334,00
FQ2-S30100F-08	372118	FQ alta res. 0.8Mp FOV: 53x33-240x153 Dist:220-970 NPN	4 361,00
FQ2-S30100N-08	372119	FQ alta res. 0.8Mp FOV: 29x18-300x191 Dist:32-380 NPN	5 365,00
FQ2-S35010F-08	372120	Sensor FQ alta res. 0.8Mp FOV: 7,5x4,7-13x8,2 Dist:38-60 PNP	4 334,00

OMRON PVPR 2023

FQ2-S35050F-08	372121	Sensor FQ alta res. 0.8Mp FOV: 13x8.2-53x33 Dist:56-215 PNP	4 334,00
FQ2-S35100F-08	372122	Sensor FQ alta res. 0.8Mp FOV: 53x33-240x153 Dist:220-970 PNP	4 361,00
FQ2-S35100N-08	372123	Sensor FQ alta res. 0.8Mp FOV: 29x18-300x191 Dist:32-380 PNP	5 365,00
FQ2-S30010F-08M	372124	FQ alta res. 0.8Mp Monocromo FOV: 7,5x4,7-13x8,2 Dist:38-60 NPN	4 334,00
FQ2-S30050F-08M	372125	FQ alta res. 0.8Mp Monocromo FOV: 13x8.2-53x33 Dist:56-215 NPN	4 334,00
FQ2-S30100F-08M	372126	FQ alta res. 0.8Mp Monocromo FOV: 53x33-240x153 Dist:220-970 NPN	4 361,00
FQ2-S30100N-08M	372127	Sensor FQ alta res. 0.8Mp Monocromo FOV: 29x18-300x191 Dist:32-380 NPN	5 365,00
FQ2-S35010F-08M	372128	Sensor FQ alta res. 0.8Mp Monocromo FOV: 7,5x4,7-13x8,2 Dist:38-60 PNP	4 334,00
FQ2-S35050F-08M	372129	Sensor FQ alta res. 0.8Mp Monocromo FOV: 13x8.2-53x33 Dist:56-215 PNP	4 334,00
FQ2-S35100F-08M	372130	Sensor FQ alta res. 0.8Mp Monocromo FOV: 53x33-240x153 Dist:220-970 PNP	4 361,00
FQ2-S35100N-08M	372131	Sensor FQ alta res. 0.8Mp Monocromo FOV: 29x18-300x191 Dist:32-380 PNP	5 365,00
FQ2-S30-13	372132	Sensor FQ alta res. 1.3Mp Rosca tipo C NPN	4 072,00
FQ2-S35-13	372133	Sensor FQ alta res. 1.3Mp Rosca tipo C PNP	4 072,00
FQ2-S30-13M	372134	Sensor FQ alta res. 1.3Mp Monocromo Rosca tipo C NPN	4 072,00
FQ2-S35-13M	372135	Sensor FQ alta res. 1.3Mp Monocromo Rosca tipo C PNP	4 072,00
FQ2-S20010F	372138	Sensor FQ estandar FOV:7,5x4,7-13x8,2 Dist:38-60 NPN	2 302,00
FQ2-S20050F	372139	Sensor FQ estandar FOV:13x8.2-53x33 Dist:56-215 NPN	2 302,00
FQ2-S20100F	372140	Sensor FQ estándar FOV:53x33-240x153 Dist:220-970 NPN	2 356,00
FQ2-S20100N	372141	Sensor FQ estandar FOV:29x18-300x191 Dist:32-380 NPN	3 241,00
FQ2-S25010F	372142	Sensor FQ estandar FOV:7,5x4,7-13x8,2 Dist:38-60 PNP	2 302,00
FQ2-S25050F	372143	Sensor FQ estandar FOV:13x8.2-53x33 Dist:56-215 PNP	2 302,00
FQ2-S25100F	372144	Sensor FQ estandar FOV:53x33-240x153 Dist:220-970 PNP	2 356,00
FQ2-S25100N	372145	Sensor FQ estandar FOV:29x18-300x191 Dist:32-380 PNP	3 241,00
FQ2-S10010F	372146	FQ básico FOV:7,5x4,7-13x8,2 Dist:38-60 NPN	1 444,00
FQ2-S10050F	372147	FQ básico FOV:13x8.2-53x33 Dist:56-215 NPN	1 444,00
FQ2-S10100F	372148	FQ básico FOV:53x33-240x153 Dist:220-970 NPN	1 484,00
FQ2-S10100N	372149	FQ básico FOV:29x18-300x191 Dist:32-380 NPN	2 040,00
FQ2-S15010F	372150	FQ básico FOV:7,5x4,7-13x8,2 Dist:38-60 PNP	1 444,00
FQ2-S15050F	372151	FQ básico FOV:13x8.2-53x33 Dist:56-215 PNP	1 444,00
FQ2-S15100F	372152	FQ básico FOV:53x33-240x153 Dist:220-970 PNP	1 484,00
FQ2-S15100N	372153	FQ básico FOV:29x18-300x191 Dist:32-380 PNP	2 040,00
FQ2-S40010F	373115	FQ alta func. FOV: 7,5x4,7-13x8,2 Dist:38-60 NPN	2 977,00
FQ2-S40050F	373116	FQ alta func. FOV: 13x8.2-53x33 Dist:56-215 NPN	2 977,00

OMRON PVPR 2023

FQ2-S40100F	373117	FQ alta func. FOV: 53x33-240x153 Dist:220-970 NPN	3 032,00
FQ2-S40100N	373118	FQ alta func. FOV: 29x18-300x191 Dist:32-380 NPN	3 781,00
FQ2-S45010F	373119	FQ alta func. FOV: 7,5x4,7-13x8,2 Dist:38-60 PNP	2 977,00
FQ2-S45050F	373120	FQ alta func. FOV: 13x8.2-53x33 Dist:56-215 PNP	2 977,00
FQ2-S45100F	373121	FQ alta func. FOV: 53x33-240x153 Dist:220-970 PNP	3 032,00
FQ2-S45100N	373122	FQ alta func. FOV: 29x18-300x191 Dist:32-380 PNP	3 781,00
FQ2-S40010F-M	373123	FQ alta func. Monocromo FOV: 7,5x4,7-13x8,2 Dist:38-60 NPN	2 977,00
FQ2-S40050F-M	373124	FQ alta func. Monocromo FOV: 13x8.2-53x33 Dist:56-215 NPN	2 977,00
FQ2-S40100F-M	373125	FQ alta func. Monocromo FOV: 53x33-240x153 Dist:220-970 NPN	3 032,00
FQ2-S40100N-M	373126	FQ alta func. Monocromo FOV: 29x18-300x191 Dist:32-380 NPN	3 781,00
FQ2-S45010F-M	373127	FQ alta func. Monocromo FOV: 7,5x4,7-13x8,2 Dist:38-60 PNP	2 977,00
FQ2-S45050F-M	373128	FQ alta func. Monocromo FOV: 13x8.2-53x33 Dist:56-215 PNP	2 977,00
FQ2-S45100F-M	373129	FQ alta func. Monocromo FOV: 53x33-240x153 Dist:220-970 PNP	3 032,00
FQ2-S45100N-M	373130	FQ alta func. Monocromo FOV: 29x18-300x191 Dist:32-380 PNP	3 781,00
FQ2-S40010F-08	373131	FQ alta func. alta res. 0.8Mp FOV: 7,5x4,7-13x8,2 Dist:38-60 NPN	5 515,00
FQ2-S40050F-08	373132	FQ alta func. alta res. 0.8Mp FOV: 13x8.2-53x33 Dist:56-215 NPN	5 515,00
FQ2-S40100F-08	373133	FQ alta func. alta res. 0.8Mp FOV: 53x33-240x153 Dist:220-970 NPN	5 585,00
FQ2-S40100N-08	373134	FQ alta func. alta res. 0.8Mp FOV: 29x18-300x191 Dist:32-380 NPN	5 940,00
FQ2-S45010F-08	373135	FQ alta func. alta res. 0.8Mp FOV: 7,5x4,7-13x8,2 Dist:38-60 PNP	5 515,00
FQ2-S45050F-08	373136	FQ alta func. alta res. 0.8Mp FOV: 13x8.2-53x33 Dist:56-215 PNP	5 515,00
FQ2-S45100F-08	373137	FQ alta func. alta res. 0.8Mp FOV: 53x33-240x153 Dist:220-970 PNP	5 585,00
FQ2-S45100N-08	373138	FQ alta func. alta res. 0.8Mp FOV: 29x18-300x191 Dist:32-380 PNP	5 940,00
FQ2-S40010F-08M	373139	FQ alta func. res 0.8Mp Monocr FOV: 7,5x4,7-13x8,2 Dist:38-60 NPN	5 515,00
FQ2-S40050F-08M	373140	FQ alta func. res 0.8Mp Monocr FOV: 13x8.2-53x33 Dist:56-215 NPN	5 515,00
FQ2-S40100F-08M	373141	FQ alta func. res 0.8Mp Monocr FOV: 53x33-240x153 Dist:220-970 NPN	5 585,00
FQ2-S40100N-08M	373142	FQ alta func. res 0.8Mp Monocr FOV: 29x18-300x191 Dist:32-380 NPN	5 940,00
FQ2-S45010F-08M	373143	FQ alta func. res 0.8Mp Monocr FOV: 7,5x4,7-13x8,2 Dist:38-60 PNP	5 515,00
FQ2-S45050F-08M	373144	FQ alta func. res 0.8Mp Monocr FOV: 13x8.2-53x33 Dist:56-215 PNP	5 515,00
FQ2-S45100F-08M	373145	FQ alta func. res 0.8Mp Monocr FOV: 53x33-240x153 Dist:220-970 PNP	5 585,00
FQ2-S45100N-08M	373146	FQ alta func. res 0.8Mp Monocr FOV: 29x18-300x191 Dist:32-380 PNP	5 940,00
FQ2-S45-13	373147	FQ alta func. alta res. 1.3Mp Rosca tipo C PNP	5 210,00
FQ2-S45-13M	373148	FQ alta func. alta res. 1.3Mp Monocromo Rosca tipo C PNP	5 210,00
FQ2-S40-13	373149	FQ alta func. alta res. 1.3Mp Rosca tipo C NPN	5 210,00

OMRON PVPR 2023

FQ2-S40-13M	373150	FQ alta func. alta res. 1.3Mp Monocromo Rosca tipo C NPN	5 210,00
FQ2-CH10010F-M	373181	FQ Lectura OCR FOV:7,5x4,7-13x8,2 Dist:38-60 NPN	2 620,00
FQ2-CH10050F-M	373182	FQ Lectura OCR FOV: 13x8.2-53x33 Dist:56-215 NPN	2 620,00
FQ2-CH15010F-M	373183	FQ Lectura OCR FOV:7,5x4,7-13x8,2 Dist:38-60 PNP	2 620,00
FQ2-CH15050F-M	373184	FQ Lectura OCR FOV: 13x8.2-53x33 Dist:56-215 PNP	2 620,00
FQ2-CH15100F-M	373185	FQ Lectura OCR FOV: 53x33-240x153 Dist:220-970 PNP	2 676,00
FQ2-CH15100N-M	373186	FQ Lectura OCR FOV: 29x18-300x191 Dist:32-380 PNP	3 548,00
FQ2-CH10100F-M	373188	FQ Lectura OCR FOV: 53x33-240x153 Dist:220-970 NPN	2 676,00
FQ2-CH10100N-M	373189	FQ Lectura OCR FOV: 29x18-300x191 Dist:32-380 NPN	3 548,00
9510-5-1.75	682529	LVS-9510 Verificador, 1.75" FoV	7 735,00
9570-C-5	682075	LVS-9570 Cilindro, 1D & 2D Códigos	7 140,00
9580-2D-3	682636	LVS-9580 Mano, 2D Codigo Barras Verificación	5 650,00
7510P-8-220XI4-300DPI	683349	LVS-7510-8-220XI4-300DPI, Integrado con Zebra Xi220 Impresora	23 530,00
7510P-5-ZT610-300DPI	683348	LVS-7510-5-ZT610-300DPI, Integrado con Zebra ZT610 300 DPI Impresora	16 710,00
7510P-8-T8308	683346	LVS-7510 8" con LT, PRINTRONIX T8308, Integrado con Impresora	24 160,00
9580-1D-3	682159	Portátil LVS-9580, verificación de códigos de barras 1D	5 245,00
9510-5-3.0	682319	Verificador LVS-9510, campo de visión de 3"	7 735,00
9510-5-4.5	682336	Verificador LVS-9510, campo de visión de 4,5"	7 735,00
9510-5-6.250	682386	Verificador LVS-9510, campo de visión de 6,25"	7 735,00
9580-C-3	682403	Portátil LVS-9580, verificación de códigos de barras 1D y 2D	7 300,00
9585-DPM	682389	Portátil LVS-9585, 1D, 2D y DPM, iluminación cenital e inclinada 30 grados	9 075,00
7510P-5-ZT610-203DPI	683342	LVS-7510-5-ZT610-203DPI, Integrado con Zebra ZT610 203 DPI Impresora	16 310,00
7510P-5-ZT610-203DPI-PP	683341	LVS-7510-5-ZT610-203DPI, Integrado con Zebra ZT610 203 DPI Impresora, con R	19 090,00
7510P-5-ZT610-300DPI-PP	683340	LVS-7510-5-ZT610-300DPI, Integrated con Zebra ZT610 300 DPI Impresora, con	17 190,00
7510P-8-ZT620-300DPI	683339	LVS-7510-5-ZT620-300DPI, Integrado con Zebra ZT620 300 DPI Impresora	19 200,00
7510P-8-ZT620-300DPI-PP	683338	LVS-7510-5-ZT620-300DPI, Integrado con Zebra ZT620 300 DPI Impresora, con R	19 410,00
9580-DPM-HD	684444	Portátil LVS-9585, cúpula 1D, 2D y DPM e iluminación a 30 grados, alta densidad	8 070,00
7510-5-KIT	693929	LVS-7510 KIT para AIS, 5.4	10 530,00
V275-P46Z61030-CC	699594	V275 print quality inspection system, integrated into a 300-dpi resolution Zebra	16 230,00
V275-P46Z6103P-CC	699593	V275 print quality inspection system, integrated into a 300-dpi resolution Zebra	17 040,00
V275-P46Z61060-CC	699592	V275 print quality inspection system, integrated into a 600 dpi resolution Zebra	19 510,00
V275-P46Z6106P-CC	699591	V275 print quality inspection system, integrated into a 600 dpi resolution Zebra	20 330,00
V275-P86Z62030-CC	699590	V275 print quality inspection engine, integrated into a 300 dpi resolution Zebra	20 330,00

OMRON PVPR 2023

V275-P86Z6203P-CC	699589	V275 print quality inspection engine, integrated into a 300 dpi resolution Zebra 2	21 160,00
9570-1D-5	702581	LVS-9510 Verificador, 1.75" FoV	5 250,00
9580-I-DPM	708731	LVS-9580 Handheld, 1D, 2D & DPM Barcode Verification, Ikea Suppliers	8 070,00
9580-I-3	708743	LVS-9580 Handheld, 1D & 2D Barcode Verification, Ikea suppliers	7 300,00
9585-I-DPM	708744	LVS-9585 Handheld, 1D, 2D & DPM Dome and 30 degree lighting, Ikea suppliers	9 075,00
9510-5-3.0	709129	Verificador LVS-9510, campo de visión de 3	7 735,00
9510-5-4.0	709130	Verificador LVS-9510, campo de visión de 4	7 735,00
9510-5-4.5	709131	Verificador LVS-9510, campo de visión de 4,5	7 735,00
9510-5-6.250	709132	Verificador LVS-9510, campo de visión de 6,25	7 735,00
9580-C-3	709133	Portátil LVS-9580, verificación de códigos de barras 1D y 2D	7 300,00
9580-DPM	709134	Portátil LVS-9580, verificación de códigos de barras 1D, 2D y DPM	8 070,00
9580-DPM-HD	709135	Portátil LVS-9585, cúpula 1D, 2D y DPM e iluminación a 30 grados, alta densidad	8 070,00
9585-DPM	709136	Portátil LVS-9585, 1D, 2D y DPM, iluminación cenital e inclinada 30 grados	9 075,00
9585-DPM-HD	709137	Portátil LVS-9580, verificación de códigos de barras 1D, 2D y DPM, alta densidad	9 075,00
FH-SC04	377453	Cámara FH color Alta resolución 4Mp	7 405,00
FH-SM04	377454	Cámara FH monocromo Alta resolución 4Mp	7 405,00
FH-SC02	377455	Cámara FH color Alta resolución 2Mp	3 564,00
FH-SM02	377456	Cámara FH monocromo Alta resolución 2Mp	3 490,00
FH-SC	377457	Cámara FH color Estándar 640x480	2 157,00
FH-SM	377458	Cámara FH monocromo Estándar 640x480	1 893,00
FH-SC12	384724	Cámara FH color Alta resolución 12Mp	10 750,00
FH-SM12	384725	Cámara FH monocromo Alta resolución 12Mp	10 750,00
FZ-SFC	254741	Camara color estandar miniatura	5 315,00
FZ-SF	254742	Camara monocromo estandar miniatura	5 090,00
FZ-SPC	254743	Camara color estandar miniatura pen	5 450,00
FZ-SP	254744	Camara monocromo estandar miniatura pen	5 315,00
FZ-SQ010F	351977	Camara color estandar FOV:7,5x4,7-13x8,2 Dist:38-60	1 443,00
FZ-SQ050F	351978	Camara color estandar FOV:13x8.2-53x33 Dist:56-215	1 443,00
FZ-SQ100F	351979	Camara color estandar FOV:53x33-240x153 Dist:220-970	1 521,00
FZ-SQ100N	351980	Camara color estandar FOV:29x18-300x191 Dist:32-380	2 078,00
FZ-S	372096	Cámara monocromo estandar	1 641,00
FZ-SC	372097	Cámara color estandar	1 748,00
FZ-SC2M	374930	Cámara color alta resolución (2Mp)	5 145,00

OMRON PVPR 2023

FZ-S2M	375355	Cámara monocromo alta resolución (2Mp)	5 180,00
FH-SM05R	670065	Cámara FH monocromo Alta resolución 5Mp Rolling Shutter	3 039,00
FH-SC05R	670066	Cámara FH color Alta resolución 5Mp Rolling Shutter	3 039,00
FZ-S5M3	679420	Cámara FZ, sensor CMOS de alta resolución 5 megapíxeles, monocromo	10 180,00
FZ-SC5M3	679419	Cámara FZ, sensor CMOS de alta resolución 5 megapíxeles, color	10 290,00
STC-MBS500U3V	681213	Area Scan Camera USB 3.0, 5 MP, monocromo, CMOS Sony IMX264, 2/3", 3,45 µm, 30 fps	1 061,00
STC-MCE132U3V	681151	Area Scan Camera USB 3.0, 1,3 MP, color, CMOS e2v EV76C560, 1/1,8", 5,3 µm, 30 fps	597,50
STC-MBS891U3V	681149	USB 3.0 Escaner Area, 8.9 MP, Monocromo, CMOS Sony IMX255, 1", 3.45 µm, 42 fps, G	3 506,00
STC-MBS123BU3V	681286	USB 3.0 Escaner Area, 12 MP, Monocromo, CMOS Sony IMX253, 1.1", 3.45 µm, 30	4 247,00
STC-MCS123BU3V	681137	Area scan camera USB 3.0, 12 MP, color, CMOS Sony IMX253, 1,1", 3,45 µm, 30	4 247,00
STC-MBS43U3V	681297	Area Scan Camera USB 3.0, 0,4 MP, monocromo, CMOS Sony IMX287, 1/2,9", 6,	508,00
STC-MBE132U3V	681177	Area Scan Camera USB 3.0, 1,3 MP, monocromo, CMOS e2v EV76C560, 1/1,8", 5	591,00
STC-MBS241U3V	681380	Area Scan Camera USB 3.0, 2,3 MP, monocromo, CMOS Sony IMX174, 1/1,2", 5,	1 112,00
STC-CMB200PCL-NIR	681364	Cámara Link Escaner Area, 2 MP, Monocromo, CMOS CMOSIS CMV2000 NIR, 2/3"	1 119,00
STC-CMB401PCL-NIR	681155	Cámara Link Escaner Area, 4 MP, Monocromo, CMOS CMOSIS CMV4000 NIR, 1"	1 653,00
STC-MCS322U3V	681218	Area scan camera USB 3.0, 3,2 MP, color, CMOS Sony IMX252, 1/1,8", 3,45 µm,	1 309,00
STC-MCS891U3V	681328	USB 3.0 Escaner Area, 8.9 MP, Color, CMOS Sony IMX255, 1", 3.45 µm, 42 fps, G	3 544,00
STC-CMB401PCL	681334	Area Scan Camera Camera Link, 4 MP, monocromo, CMOS CMOSIS CMV4000, 1"	1 412,00
STC-CMC401PCL	681307	Area scan camera Camera Link, 4 MP, color, CMOS CMOSIS CMV4000, 1", 5,5 µm	1 489,00
STC-MBS163U3V	681268	Area Scan Camera USB 3.0, 1,6 MP, monocromo, CMOS Sony IMX273, 1/2,9", 3,	591,00
STC-SPB123BPCL	681248	Cámara Link Escaner Area, 12 MP, Monocromo, CMOS Sony IMX253, 1.1", 3.45	4 325,00
STC-MCS241U3V	681156	Area scan camera USB 3.0, 2,3 MP, color, CMOS Sony IMX174, 1/1,2", 5,86 µm,	1 131,00
STC-MBS322U3V	681371	Area Scan Camera USB 3.0, 3,2 MP, monocromo, CMOS Sony IMX252, 1/1,8", 3,	1 291,00
STC-MCA5MUSB3	681221	Area scan camera USB 3.0, 5 MP, color, CMOS Aptina MT9P031, 1/2,5", 2,2 µm,	450,70
STC-CMC200PCL	681370	Area scan camera Camera Link, 2 MP, color, CMOS CMOSIS CMV2000 NIR, 2/3"	1 074,00
STC-MCS231U3V	681244	Area scan camera USB 3.0, 2,3 MP, color, CMOS Sony IMX249, 1/1,2", 5,86 µm,	731,00
STC-MBS312U3V	681154	Area Scan Camera USB 3.0, 3,2 MP, monocromo, CMOS Sony IMX265, 1/1,8", 3,	953,50
STC-SPC891PCL	681259	Cámara Link Escaner Area, 8.9 MP, Color, CMOS Sony IMX255, 1", 3.45 µm, 92 f	3 583,00
STC-SPB510PCL	681204	Area Scan Camera Camera Link, 5 MP, monocromo, CMOS Sony IMX250, 2/3", 3	1 716,00
STC-SPB891PCL	681313	Cámara Link Escaner Area, 8.9 MP, Monocromo, CMOS Sony IMX255, 1", 3.45 µ	3 583,00
STC-MBA5MUSB3	681298	Area Scan Camera USB 3.0, 5 MP, monocromo, CMOS Aptina MT9P031, 1/2,5",	444,50
STC-MBS231U3V	681185	Area Scan Camera USB 3.0, 2,3 MP, monocromo, CMOS Sony IMX249, 1/1,2", 5,	712,00
STC-MBCM401U3V	681160	Area Scan Camera USB 3.0, 4 MP, monocromo, CMOS CMOSIS CMV4000, 1", 5,5	1 449,00

OMRON PVPR 2023

STC-SPB322PCL	681295	Area Scan Camera Camera Link, 3,2 MP, monocromo, CMOS Sony IMX252, 1/1,8"	1 286,00
STC-SPC510PCL	681139	Area scan camera Camera Link, 5 MP, color, CMOS Sony IMX250, 2/3", 3,45 µm	1 755,00
STC-MCS312U3V	681316	Area scan camera USB 3.0, 3,2 MP, color, CMOS Sony IMX265, 1/1,8", 3,45 µm,	972,00
STC-MCCM401U3V	681378	Area scan camera USB 3.0, 4 MP, color, CMOS CMOSIS CMV4000, 1", 5,5 µm, 8	1 519,00
STC-MBS122BU3V	681369	USB 3.0 Escaner Area, 12 MP, Monocromo, CMOS Sony IMX304, 1.1", 3.45 µm,	2 961,00
STC-SPB312PCL	681169	Cámara Link Escaner Area, 3,2 MP, Monocromo, CMOS Sony IMX265, 1/1.8", 3.4	1 036,00
STC-SPB500PCL	681172	Area Scan Camera Camera Link, 5 MP, monocromo, CMOS Sony IMX264, 2/3", 3	1 272,00
STC-MCS43U3V	681148	Area scan camera USB 3.0, 0,4 MP, color, CMOS Sony IMX287, 1/2,9", 6,9 µm, 5	533,50
STC-MCS163U3V	681211	Area scan camera USB 3.0, 1,6 MP, color, CMOS Sony IMX273, 1/2,9", 3,45 µm,	617,50
STC-MCS510U3V	681260	USB 3.0 Escaner Area, 5 MP, Color, CMOS Sony IMX250, 2/3", 3.45 µm, 75 fps, G	1 635,00
STC-CMB200PCL	681271	Area Scan Camera Camera Link, 2 MP, monocromo, CMOS CMOSIS CMV2000, 2	1 011,00
STC-SPC312PCL	681252	Cámara Link Escaner Area, 3.2 MP, Color, CMOS Sony IMX265, 1/1.8", 3.45 µm,	1 056,00
STC-SPC322PCL	681239	Area scan camera Camera Link, 3,2 MP, color, CMOS Sony IMX252, 1/1,8", 3,45	1 309,00
STC-SPC500PCL	681175	Area scan camera Camera Link, 5 MP, color, CMOS Sony IMX264, 2/3", 3,45 µm,	1 291,00
STC-MBCM401U3V-NIR	681191	USB 3.0 Escaner Area, 4 MP, Monocromo, CMOS CMOSIS CMV4000 NIR, 1", 5.5	1 563,00
STC-MCS500U3V	681339	USB 3.0 Escaner Area, 5 MP, Color, CMOS Sony IMX264, 2/3", 3.45 µm, 35 fps, G	1 087,00
STC-MBS510U3V	681283	Area Scan Camera USB 3.0, 5 MP, monocromo, CMOS Sony IMX250, 2/3", 3,45 µ	1 598,00
STC-SPC123BPCL	681144	Cámara Link Escaner Area, 12 MP, Color, CMOS Sony IMX253, 1.1", 3.45 µm, 67	4 325,00
FH-SCX12	684447	Cámara FH, alta velocidad, 12 megapíxeles, montura C, obturador global, color	11 400,00
FH-SC21R	684318	Cámara FH, alta velocidad, 20,4 megapíxeles, montaje en C, obturador giratorio,	9 905,00
FH-SMX	684317	Cámara FH, alta velocidad, 0,4 megapíxeles, montaje en C, obturador global, mo	1 779,00
FH-SMX05	684316	Cámara FH, alta velocidad, 5 megapíxeles, montaje en C, obturador global, mon	6 100,00
FH-SM21R	684315	Cámara FH, alta velocidad, 20,4 megapíxeles, montaje en C, obturador giratorio,	9 905,00
FH-SCX	684314	Cámara FH, alta velocidad, 0,4 megapíxeles, montaje en C, obturador global, col	1 779,00
FH-SCX05	684313	Cámara FH, alta velocidad, 5 megapíxeles, montaje en C, obturador global, color	6 100,00
FH-SMX12	684445	Cámara FH, alta velocidad, 12 Mpixel, montura C, obturador global, monocromo	11 400,00
STC-MB202PCL	681253	Cámara Link Escaner Area, 2 MP, Monocromo, CCD Sony ICX274AL, 1/1.8", 4.4 µ	1 056,00
STC-MB83PCL	681305	Cámara Link Escaner Area, 0.8 MP, Monocromo, CCD Sony ICX204AL, 1/3", 4.65	597,50
STC-HD93SDI-CS	681199	SDI Escaner Area, HD 720p, Color, CCD Sony ICX692AQA, 1/3", 4.08 µm, 60 fps, C	680,50
STC-SC133USB-AL	681243	Area scan camera USB 2.0, 1,3 MP, color, CCD Sony ICX445AQ, 1/3", 3,75 µm, 22	406,50
STC-SPB43PCL	681285	Cámara Link Escaner Area, 0,4 MP, Monocromo, CMOS Sony IMX287, 1/2.9", 6.9	508,00
STC-SPC163PCL	681242	Cámara Link Escaner Area, 12 MP, Color, CMOS Sony IMX273, 1/2.9", 3.45 µm, 1	610,00
STC-CMC120AOPT-F	698808	OPT-C Link Area Scan Camera, 12 MP, Color, CMOS CMV12000 CMV12000, 1.76	6 315,00

OMRON PVPR 2023

STC-CMB120ACXP	681324	CoaXPress Escaner Area, 12 MP, Monocromo, CMOS CMOSIS CMV12000, 1.76",	5 195,00
STC-CMB120ACXP-T	681355	CoaXPress Escaner Area, 12 MP, Monocromo, CMOS CMOSIS CMV12000, 1.76",	6 240,00
STC-CMC120ACXP-T-F	681304	CoaXPress Escaner Area, 12 MP, Color, CMOS CMOSIS CMV12000, 1.76", 5.5 µm	6 520,00
STC-CMB4MCL	681325	Cámara de exploración de área Camera Link, 4 MP, monocroma, CMOS CMOSIS	1 272,00
STC-CMC2MCL	681350	Cámara de exploración de área Camera Link, 2 MP, color, CMOS CMOSIS CMV20	1 475,00
STC-MB43E	681291	Cámara Analógica Escaner Area, 0.4 MP, EIA, Monocromo, CCD Sony ICX408AL,	425,50
STC-MB83USB	681366	Cámara de exploración de área USB 2.0, 0,8 MP, monocroma, CCD Sony ICX204A	431,70
STC-SC133USB-BLL	681145	Cámara de exploración de área USB 2.0, 1,3 MP, color, CCD Sony ICX445AQ, 1/3	349,30
STC-S133UVC-BLL	681379	UVC Escaner Area, 1.2MP, Color, CMOS Sony ISX017, 1/3.2", 3.5µm, 60fps, M12	228,70
STC-CMC120ACXP-T	681345	CoaXPress Escaner Area, 12 MP, Color, CMOS CMOSIS CMV12000, 1.76", 5.5 µm	6 425,00
STC-S133N-CS	681207	TV Format NTSC Escaner Area, 0.65 MP, Color, CMOS Sony ISX017, 1/3.2", 3.5 µ	165,30
STC-MB232PCL	681249	Cámara Link Escaner Area, 2 MP, Monocromo, CCD Sony ICX274AL, 1/1.8", 4.4 µ	1 208,00
STC-HD93DV	681357	Cámara de exploración de área DVI sobre HDMI, HD, 720 p, color, CCD Sony ICX6	591,00
STC-SC133POEHS	681258	Cámara de exploración de área GigE Vision, 1,3 MP, color, CCD Sony ICX445AQ,	571,50
STC-SC83POE	681319	Cámara de exploración de área GigE Vision, 0,8 MP, color, CCD Sony ICX204AK, 1	591,00
STC-MBH42C	681193	Cámara de exploración de área analógica, 0,4 MP, CCIR, monocroma, CCD Sony	521,00
STC-MC33USB	681288	USB 2.0 Escaner Area, 0.3 MP, Color, CCD Sony ICX424AQ, 1/3", 7.4 µm, 60 fps,	374,70
STC-SB133USB-BLCS	681363	Cámara de exploración de área USB 2.0, 1,3 MP, monocroma, CCD Sony ICX445A	336,70
STC-SB33USB-AL	681158	Cámara de exploración de área USB 2.0, 0,3 MP, monocroma, CCD Sony ICX424A	330,20
STC-SC33USB-BLCS	681146	Cámara de exploración de área USB 2.0, 0,3 MP, color, CCD Sony ICX424AQ, 1/3	279,30
STC-CMB401CXP	681190	CoaXPress Escaner Area, 4 MP, Monocromo, CMOS CMOSIS CMV4000, 1", 5.5 µ	1 894,00
STC-HD133DV-CS	681373	DVI over HDMI Escaner Area, HD 720p, Color, CCD Sony ICX445AQA, 1/3", 3.75 µ	597,50
STC-SPB163PCL	681382	Cámara Link Escaner Area, 12 MP, Monocromo, CMOS Sony IMX273, 1/2.9", 3.4	591,00
STC-MC33PCL	681168	Cámara Link Escaner Area, 0.3 MP, Color, CCD Sony ICX424AQ, 1/3", 7.4 µm, 60	469,80
STC-SC202POE	681343	GigE Vision Escaner Area, 2 MP, Color, CCD Sony ICX274AQ, 1/1.8", 4.4 µm, 15 f	813,50
STC-P64FL	681348	Cámara de exploración de área analógica, 0,4 MP, color, CCD Sony ICX649BKA, 1	120,80
STC-MC202USB	681143	Cámara de exploración de área USB 2.0, 2 MP, color, CCD Sony ICX274AQ, 1/1,8	686,50
STC-CMC401CXP	681176	CoaXPress Escaner Area, 4 MP, Color, CMOS CMOSIS CMV4000, 1", 5.5 µm, 142	2 009,00
STC-CMC120ACXP	681251	CoaXPress Escaner Area, 12 MP, Color, CMOS CMOSIS CMV12000, 1.76", 5.5 µm	5 335,00
STC-SB33POE	681230	Cámara de exploración de área GigE Vision, 0,3 MP, monocroma, CCD Sony ICX4	495,10
STC-S133P-L	681311	Cámara de exploración de área en formato de TV PAL, 0,65 MP, color, CMOS So	165,30
STC-SC33POEHS	681225	Cámara de exploración de área GigE Vision, 0,3 MP, color, CCD Sony ICX424AQ,	559,00
STC-MB42C	681337	Cámara Analógica Escaner Area, 0.4 MP, CCIR, Monocromo, CCD Sony ICX419AL	457,20

OMRON PVPR 2023

STC-S133P	681237	TV Format PAL Escaner Area, 0.65 MP, Color, CMOS Sony ISX017, 1/3.2", 3.5 µm	146,20
STC-CMB2MCL	681241	Cámara de exploración de área Camera Link, 2 MP, monocroma, CMOS CMOSIS	1 208,00
STC-HD133SDI	681384	SDI Escaner Area, HD 720p, Color, CCD Sony ICX445AQA, 1/3", 3.75 µm, 60 fps, C	693,50
STC-P64FP	681323	Cámara Analógica Escaner Area, 0.4 MP, Color, CCD Sony ICX649BKA, 1/4", 4.85	127,20
STC-R645PWC	681281	Cámara de exploración de área con cabezal remoto analógico, 0,4 MP, PAL, colo	387,30
STC-HD133SDI-CS	681299	Cámara de exploración de área SDI, HD, 720 p, color, CCD Sony ICX445AQA, 1/3	693,50
STC-MB202USB	681147	Cámara de exploración de área USB 2.0, 2 MP, monocroma, CCD Sony ICX274AL	712,00
STC-SB33USB-BLL	681275	USB 2.0 Escaner Area, 0.3 MP, Monocromo, CCD Sony ICX424AL, 1/3", 7.4 µm, 6	266,80
STC-HD93SDI	681153	SDI Escaner Area, HD 720p, Color, CCD Sony ICX692AQA, 1/3", 4.08 µm, 60 fps, C	680,50
STC-625C3	681293	Cámara Analógica Escaner Area, 0.4 MP, PAL, CCD Sony ICX419AKL, 1/2", 8.3 x 8	393,70
STC-MB33USB	681198	Cámara de exploración de área USB 2.0, 0,3 MP, monocroma, CCD Sony ICX424A	362,00
STC-CMC120ACXP-F	681161	CoaXPress Escaner Area, 12 MP, Color, CMOS CMOSIS CMV12000, 1.76", 5.5 µm	5 425,00
STC-CMB120ACXP-T-F	681308	CoaXPress Escaner Area, 12 MP, Monocromo, CMOS CMOSIS CMV12000, 1.76",	6 315,00
STC-HD133DV	681208	Cámara de exploración de área DVI sobre HDMI, HD, 720 p, color, CCD Sony ICX4	597,50
STC-625NM	681263	Cámara Analógica Escaner Area, 0.4 MP, PAL, CCD Sony ICX419AKL, 1/2", 8.3 x 8	393,70
STC-625PWJ	681367	Cámara de exploración de área analógica, 0,4 MP, PAL, CCD Sony ICX419AKL, 1/	533,50
STC-635PWT	681365	Cámara de exploración de área analógica, 0,4 MP, PAL, CCD Sony ICX639BKA, 1/	412,70
STC-SB133USB-AL	681233	Cámara de exploración de área USB 2.0, 1,3 MP, monocroma, CCD Sony ICX445A	400,10
STC-SC152POE	681159	GigE Vision Escaner Area, 1.3 MP, Color, CCD Sony ICX205AK, 1/2", 4.65 µm, 19	693,50
STC-SC202POEHS	681360	GigE Vision Escaner Area, 2 MP, Color, CCD Sony ICX274AQ, 1/1.8", 4.4 µm, 30 f	940,50
STC-S133N-L	681183	TV Format NTSC Escaner Area, 0.65 MP, Color, CMOS Sony ISX017, 1/3.2", 3.5 µ	165,30
STC-SB133POEHS	681182	Cámara de exploración de área GigE Vision, 1,3 MP, monocroma, CCD Sony ICX4	552,50
STC-SB83POE	681164	Cámara de exploración de área GigE Vision, 0,8 MP, monocroma, CCD Sony ICX2	571,50
STC-635CS3	681353	Cámara de exploración de área analógica, 0,4 MP, PAL, CCD Sony ICX639BKA, 1/	311,20
STC-635PWC	681195	Cámara de exploración de área analógica, 0,4 MP, PAL, CCD Sony ICX639BKA, 1/	431,70
STC-MB133USB	681165	Cámara de exploración de área USB 2.0, 1,3 MP, monocroma, CCD Sony ICX445A	412,70
STC-SB133USB-BSL	681152	USB 2.0 Escaner Area, 1.3 MP, Monocromo, CCD Sony ICX445AL, 1/3", 3.75 µm,	336,70
STC-CMB120AOPT-F	698807	Opt-C Link Area Scan Camera, 12 MP, Monochrome, CMOS CMOSIS CMV12000,	6 315,00
STC-MC232PCL	681141	Cámara Link Escaner Area, 2 MP, Monocromo, CCD Sony ICX274AQ, 1/1.8", 4.4	1 195,00
STC-SB202POE	681300	Cámara de exploración de área GigE Vision, 2 MP, monocroma, CCD Sony ICX274	826,50
STC-MB152USB	681374	Cámara de exploración de área USB 2.0, 1,4 MP, monocroma, CCD Sony ICX205A	571,50
STC-SC33USB-AL	681209	Cámara de exploración de área USB 2.0, 0,3 MP, color, CCD Sony ICX424AQ, 1/3	336,70
STC-S133N	681181	TV Format NTSC Escaner Area, 0.65 MP, Color, CMOS Sony ISX017, 1/3.2", 3.5 µ	146,20

OMRON PVPR 2023

STC-S133P-CS	681359	Cámara de exploración de área en formato de TV PAL, 0,65 MP, color, CMOS Sony	165,30
STC-625PWT	681377	Cámara Analógica Escaner Area, 0.4 MP, PAL, CCD Sony ICX419AKL, 1/2", 8.3 x 8	533,50
STC-MC133USB	681231	Cámara de exploración de área USB 2.0, 1,3 MP, color, CCD Sony ICX445AQ, 1/3	431,70
STC-MC152USB	681255	Cámara de exploración de área USB 2.0, 1,4 MP, color, CCD Sony ICX205AK, 1/2"	565,50
STC-620PWC	681179	Cámara Analógica Escaner Area, 0.4 MP, NTSC, CCD Sony ICX418AKL, 1/2", 9.8 x	495,10
STC-SB152POEHS	681280	Cámara de exploración de área GigE Vision, 1,3 MP, monocroma, CCD Sony ICX2	788,50
STC-S133UVC-BLCS	681166	UVC Escaner Area, 1.2MP, Color, CMOS Sony ISX017, 1/3.2", 3.5µm, 60fps, CS M	228,70
STC-CMB120ACXP-F	681287	CoaXPress Escaner Area, 12 MP, Monocromo, CMOS CMOSIS CMV12000, 1.76",	5 310,00
STC-625PWC	681318	Cámara de exploración de área analógica, 0,4 MP, PAL, CCD Sony ICX419AKL, 1/	552,50
STC-S133UVC-BL	681262	UVC Escaner Area, 1.2MP, Color, CMOS Sony ISX017, 1/3.2", 3.5µm, 60fps, No L	216,20
STC-SPC43PCL	681375	Cámara Link Escaner Area, 0,4 MP, Color, CMOS Sony IMX287, 1/2.9", 6.9 µm, 5	527,00
STC-635PWJ	681381	Cámara de exploración de área analógica, 0,4 MP, PAL, CCD Sony ICX639BKA, 1/	412,70
STC-MC83USB	681342	Cámara de exploración de área USB 2.0, 0,8 MP, color, CCD Sony ICX204AK, 1/3"	444,50
STC-SB33USB-BLCS	681368	Cámara de exploración de área USB 2.0, 0,3 MP, monocroma, CCD Sony ICX424A	266,80
STC-S133UVC-DBL	707305	Board level camera, 1.3 MP, Colour, 60 fps, 1280x960, 1/3.2" sensor, 3.5x3.5, IS	197,90
STC-S133UVC-DBLL	707304	Board level camera, 1.3 MP, Colour, 60 fps, 1280x960, 1/3.2" sensor, 3.5x3.5, IS	207,50
STC-S133UVC-DBLCS	707303	Board level camera, 1.3 MP, Colour, 60 fps, 1280x960, 1/3.2" sensor, 3.5x3.5, IS	207,50
STC-S133UVC-ALL	689497	UVC Area Scan Camera, 1.2 MP, Color, CMOS Sony ISX017, 1/3.2", 3.5 µm, 60 fp	242,90
STC-S133UVC-ALCS	707302	Board level camera, 1.3 MP, Colour, 60 fps, 1280x960, 1/3.2" sensor, 3.5x3.5, IS	265,80
STC-S133UVC-DALL	707301	Board level camera, 1.3 MP, colour, 60 fps, 1280x960, 1/3.2" sensor, 3.5x3.5, IS	265,80
STC-S133UVC-DALCS	703073	UVC Area scan camera, 1.3MP, color, CMOS Sony ISX017, 1/3.2", 3.5µm, 60fps, c	265,80
STC-HD853HDMI	690475	4K HDMI, Area Scan Camera, 4K 2160p, Color, CMOS Sony IMX274, 1/2.5", 1.62	793,50
STC-MB33SS	698580	Cámara de exploración de área progresiva analógica, VGA, Monocromo, RJ33B4	361,30
STC-MB152A	688576	Analog Area Scan Camera, 1.3 MP, Monochrome, CCD Sony ICX205AL, 1/2", 7.6	607,50
STC-SC33USB-BSL	702764	USB 2.0 Area scan camera, 0.3 MP, color, CCD Sony ICX424AQ, 1/3", 7.4 µm, 60	279,10
STC-MBS43POE	690600	Cámara GigE Vision Area Scan, 0.4 MP, Monocromo, CMOS Sony IMX287, 1/2.9"	494,30
STC-MCS43POE	690601	GigE Vision Area Scan Camera, 0.4 MP, Color, CMOS Sony IMX287, 1/2.9", 6.9 µ	494,30
STC-MBS163POE	690602	GigE Vision Area Scan Camera, 1.6 MP, Monochrome, CMOS Sony IMX273, 1/2.9	541,00
STC-MCS163POE	690603	GigE Vision Area Scan Camera, 1.6 MP, Color, CMOS Sony IMX273, 1/2.9", 3.45 µ	541,00
STC-MBS202POE	690604	GigE Vision Area Scan Camera, 2.0 MP, Monochrome, CMOS Sony IMX430, 1/1.7	751,00
STC-MCS202POE	690605	GigE Vision Area Scan Camera, 2.0 MP, Color, CMOS Sony IMX430, 1/1.7", 4.5 µ	751,00
STC-MBS312POE	690606	GigE Vision Area Scan Camera, 3.2 MP, Monochrome, CMOS Sony IMX265, 1/1.8	998,00
STC-MCS312POE	690607	GigE Vision Area Scan Camera, 3.2 MP, Color, CMOS Sony IMX265, 1/1.8", 2048	998,00

OMRON PVPR 2023

STC-MBS500POE	690608	GigE Vision Area Scan Camera, 5.0 MP, Monochrome, CMOS Sony IMX264, 2/3"	1 126,00
STC-MCS500POE	690609	GigE Vision Area Scan Camera, 5.0 MP, Color, CMOS Sony IMX264, 2/3", 3.45 µm	1 126,00
STC-MBS1242POE	690610	GigE Vision Area Scan Camera, 12.0 MP, Monochrome, CMOS Sony IMX226, 1/1"	1 116,00
STC-MCS1242POE	690611	GigE Vision Area Scan Camera, 12.0 MP, Color, CMOS Sony IMX226, 1/1.7", 1.85 µm	1 116,00
STC-MBS2041POE	690612	GigE Vision Area Scan Camera, 20.0 MP, Monochrome, CMOS Sony IMX183, 1"	1 141,00
STC-MCS2041POE	690613	GigE Vision Area Scan Camera, 20.0 MP, Color, CMOS Sony IMX183, 1", 2.4 µm,	1 141,00
STC-S133MIP-ALL	706894	Small board camera, color, 1.3 MP, 60 fps, 1280 x 960, 1/3.2" sensor size, s-mou	226,10
STC-S133MIP-ALCS	706893	Small board camera, color, 1.3 MP, 60fps, 1280 x 960, 1/3.2" sensor size, cs-mou	226,10
STC-S133MIP-DALL	706892	Small board camera, color, 1.3 MP, 60fps, 1280 x 960, 1/3.2" sensor size, S-mou	226,10
STC-S133MIP-DALCS	706891	Small board camera, color, 1.3 MP, 60 fps, 1280 x 960, 1/3.2" sensor size, cs-mo	226,10
STC-S133P-BJ	699192	TV Format PAL Area Scan Camera, 0.65 MP, color, CMOS Sony ISX017, 1/3.2", 3.	169,70
STC-S133MIP	707311	Board level camera, 1.3 MP, colour, 60 fps, 1280x960, 1/3.2" sensor, 3.5x3.5, IS	183,00
STC-S133MIP-CS	707312	Board level camera, 1.3 MP, colour, 60 fps, 1280x960, 1/3.2" sensor, 3.5x3.5, IS	193,80
STC-S133MIP-L	706890	Small board camera, color, 1.3 MP, 60 fps, 1280 x 960, 1/3.2" sensor size. S-mou	193,80
STC-S133MIP-NF	707313	Board level camera, 1.3 MP, Colour, 60 fps, 1280x960, 1/3.2" sensor, 3.5x3.5, IS	150,80
STC-S133MIP-D	707314	Board level camera, 1.3 MP, colour, 60 fps, 1280x960, 1/3.2" sensor, 3.5x3.5, IS	183,00
STC-S133MIP-DCS	707315	Board level camera, 1.3 MP, colour, 60 fps, 1280x960, 1/3.2" sensor, 3.5x3.5, IS	204,40
STC-S133MIP-DL	706889	Small board camera, color, 1.3 MP, 60 fps, 1280 x 960, 1/3.2" sensor size. s-mou	204,40
STC-MBE132POE	695960	GigE Vision Area Scan Camera, 1.3 MP, Monochrome, CMOS EV76C560, 1/1.8",	512,50
STC-MCE132POE	695959	GigE Vision Area Scan Camera, 1.3 MP, Color, CMOS EV76C560, 1/1.8", 5.3 µm,	512,50
STC-MBS52POE	695915	GigE Vision Area Scan Camera, 0.5 MP, Monochrome, CMOS Sony IMX433, 1/1.7"	512,50
STC-MCS52POE	695914	GigE Vision Area Scan Camera, 0.5 MP, Color, CMOS Sony IMX433, 1/1.7", 9.0 µm	512,50
STC-MBA503POE	695913	GigE Vision Area Scan Camera, 5.0 MP, Monochrome, CMOS MT9P031, 1/2.5", 2	549,50
STC-MCA503POE	695912	GigE Vision Area Scan Camera, 5.0 MP, Color, CMOS MT9P031, 1/2.5", 2.2 µm, 1	549,50
STC-MBS642POE	695911	GigE Vision Area Scan Camera, 6.4 MP, Monochrome, CMOS Sony IMX178, 1/1.8"	586,50
STC-MCS642POE	695910	GigE Vision Area Scan Camera, 6.4 MP, Color, CMOS Sony IMX178, 1/1.8", 2.4 µm	586,50
STC-MBA1002POE	695958	GigE Vision Area Scan Camera, 10.0 MP, Monochrome, CMOS MT9J003, 1/2.3",	659,50
STC-MBS881POE	695909	GigE Vision Area Scan Camera, 8.9 MP, Monochrome, CMOS Sony IMX267, 1", 3	2 197,00
STC-MCS881POE	695908	GigE Vision Area Scan Camera, 8.9 MP, Color, CMOS Sony IMX267, 1", 3.45 µm,	2 197,00
STC-MBS122BPOE	694007	GigE Vision Area Scan Camera, 12.0 MP, Monochrome, CMOS Sony IMX304, 1.1"	2 961,00
STC-MCS122BPOE	694006	GigE Vision Area Scan Camera, 12.0 MP, Color, CMOS Sony IMX304, 1.1", 3.45 µ	2 931,00
STC-RBS163U3V-SM121	696390	Cámara de exploración de área USB3.0 con cabezal remoto, 1.6 MP, Monocrom	1 159,00
STC-RCS163U3V-SM121	696409	Remote Head USB3.0 Area Scan Camera, 1.6 MP, Color, CMOS Sony IMX273, 1/2	1 159,00

OMRON PVPR 2023

STC-RBS163U3V-UM121	696389	Remote Head USB3.0 Area Scan Camera, 1.6 MP, Monochrome, CMOS Sony IMX	1 159,00
STC-RCS163U3V-UM121	696408	Remote Head USB3.0 Area Scan Camera, 1.6 MP, Color, CMOS Sony IMX273, 1/2	1 159,00
STC-RBS163U3V-SM12	696388	Remote Head USB3.0 Area Scan Camera, 1.6 MP, Monochrome, CMOS Sony IMX	1 159,00
STC-RCS163U3V-SM12	696407	Remote Head USB3.0 Area Scan Camera, 1.6 MP, Color, CMOS Sony IMX273, 1/2	1 159,00
STC-RBS163U3V-UM12	696387	Remote Head USB3.0 Area Scan Camera, 1.6 MP, Monochrome, CMOS Sony IMX	1 159,00
STC-RCS163U3V-UM12	696406	Remote Head USB3.0 Area Scan Camera, 1.6 MP, Color, CMOS Sony IMX273, 1/2	1 159,00
FJ-SG2	694942	FJ vision camera, Gig-E interface, VGA, greyscale	2 259,00
FJ-SCG2	694943	FJ vision camera, Gig-E interface, VGA, color	2 259,00
FJ-S2MG2	694944	FJ vision camera, Gig-E interface, 2MP, monochrome	3 306,00
FJ-SC2MG2	694945	FJ vision camera, Gig-E interface, 2MP, color	3 306,00
FJ-S5MG2	694946	FJ vision camera, Gig-E interface, 5MP, monochrome	5 460,00
FJ-SC5MG2	694947	FJ vision camera, Gig-E interface, 5MP, color	5 460,00
FJ-SG2-S	694948	FJ vision camera & software license, Gig-E interface, VGA, monochrome	3 627,00
FJ-SCG2-S	694949	FJ vision camera & software license, Gig-E interface, VGA, color	3 627,00
FJ-S2MG2-S	694950	FJ vision camera & software license, Gig-E interface, 2MP, monochrome	4 554,00
FJ-SC2MG2-S	694951	FJ vision camera & software license, Gig-E interface, 2MP, color	4 554,00
FJ-S5MG2-S	694952	FJ vision camera & software license, Gig-E interface, 5MP, monochrome	6 845,00
FJ-SC5MG2-S	694953	FJ vision camera & software license, Gig-E interface, 5MP, color	6 845,00
STC-MBS70BU3V	696370	Cámara de exploración de área USB 3.0, 7.1 MP, Monocromo, CMOS Sony IMX4	2 380,00
STC-MCS70BU3V	696369	USB 3.0 Area Scan Camera, 7.1 MP, Color, CMOS Sony IMX428, 1.1", 4.5 µm, 51	2 380,00
STC-CMB120AOPQ	698800	Opt-C Link Area Scan Camera, 12 MP, Monochrome, CMOS CMOSIS CMV12000,	6 315,00
STC-CMB120AOPQ-F	698799	OPT-C Link Area Scan Camera, 12 MP, Monocromo, CMOS CMV12000, 1.76", 5.5	6 315,00
STC-CMC120AOPQ	698798	Opt-C Link Area Scan Camera, 12 MP, Color, CMOS CMOSIS CMV12000, 1.76", 5	6 315,00
STC-CMC120AOPQ-F	698797	Opt-C Link Area Scan Camera, 12 MP, Color, CMOS CMOSIS CMV12000, 1.76", 5	6 315,00
STC-SPB52PCL	698327	Cámara de escaneo de área de enlace, 0.5 MP, Monocromo, CMOS Sony IMX433	562,00
STC-SPC52PCL	698326	Camera Link Area Scan Camera, 0.5 MP, Color, CMOS Sony IMX433, 1/1.7", 9.0 µ	563,00
STC-SPB202PCL	698325	Camera Link Area Scan Camera, 2.0 MP, Monochrome, CMOS Sony IMX430, 1/1	818,50
STC-SPC202PCL	698324	Camera Link Area Scan Camera, 2.0 MP, Color, CMOS Sony IMX430, 1/1.7", 4.5 µ	818,50
STC-RBS43PCL-SM12	696386	Cámara de cabeza remota Cámara de exploración de área Link, 0.4 MP, Monocr	1 159,00
STC-RBS43PCL-UM12	696385	Remote Head Camera Link Area Scan Camera, 0.4 MP, Monochrome, CMOS Son	1 159,00
STC-RCS43PCL-SM12	696405	Remote Head Camera Link Area Scan Camera, 0.4 MP, Color, CMOS Sony IMX28	1 159,00
STC-RCS43PCL-UM12	696404	Remote Head Camera Link Area Scan Camera, 0.4 MP, Color, CMOS Sony IMX28	1 159,00
STC-RBS163PCL-SM12	696384	Remote Head Camera Link Area Scan Camera, 1.6 MP, Monochrome, CMOS Son	1 159,00

OMRON PVPR 2023

STC-RBS163PCL-UM12	696364	Remote Head Camera Link Area Scan Camera, 1.6 MP, Monochrome, CMOS Sony	1 159,00
STC-RCS163PCL-SM12	696403	Remote Head Camera Link Area Scan Camera, 1.6 MP, Color, CMOS Sony IMX27	1 159,00
STC-RCS163PCL-UM12	696402	Remote Head Camera Link Area Scan Camera, 1.6 MP, Color, CMOS Sony IMX27	1 159,00
STC-MBS231POE	695907	Cámara GigE Vision Area Scan, 2.3 MP, Monocromo, CMOS Sony IMX249, 1/1.2"	757,50
STC-MCS231POE	695906	GigE Vision Area Scan Camera, 2.3 MP, Color, CMOS Sony IMX249, 1/1.2", 5.86 µm	757,50
STC-MBS1242U3V	696368	USB 3.0 Area Scan Camera, 12 MP, Monochrome, CMOS Sony IMX226, 1/1.7", 1.85 µm	1 165,00
STC-MCS1242U3V	696367	USB 3.0 Area Scan Camera, 12 MP, Color, CMOS Sony IMX226, 1/1.7", 1.85 µm	1 165,00
STC-MBS2041U3V	696366	USB 3.0 Area Scan Camera, 20.4 MP, Monochrome, CMOS Sony IMX183, 1", 2.4 µm	1 200,00
STC-MCS2041U3V	696365	USB 3.0 Area Scan Camera, 20.4 MP, Color, CMOS Sony IMX183, 1", 2.4 µm, 18.5 µm	1 200,00
STC-OSB250CL	698579	Camera Link Area Scan Camera, 25 MP, Monochrome, Python 25K, APS-H, 4.5 µm	6 005,00
STC-OSB250CL-F	698578	Camera Link Area Scan Camera, 25 MP, Monochrome, Python 25K, APS-H, 4.5 µm	6 005,00
STC-MBV133U3V-SP	698212	High speed USB 3.0 Area Scan Camera, 1,3 MP, Monochrome, CMOS Sony IMX3	2 636,00
STC-MCV133U3V-SP	698211	High speed USB 3.0 Area Scan Camera, 1,3 MP, Color, CMOS Sony IMX382, 1/3.2"	2 636,00
STC-MBV133U3V-TP	698210	High speed USB 3.0 Area Scan Camera, 1,3 MP, Monochrome, CMOS Sony IMX3	2 636,00
STC-MCV133U3V-TP	698209	High speed USB 3.0 Area Scan Camera, 1,3 MP, Color, CMOS Sony IMX382, 1/3.2"	2 636,00
STC-HD213DV	696468	Cámara de exploración de área (tipo carcasa), DVI a través de HDMI, Full HD 108	630,00
STC-HD213SDI	696467	HD SDI, cámara de exploración de área, Full HD 1080p, color, CMOS Sony IMX29	731,50
STC-HD213DV-CS	696466	Area Scan Camera (cased type), DVI over HDMI, Full HD 1080p, Color, CMOS Son	630,00
STC-HD213SDI-CS	696465	HD SDI, cámara de exploración de área, Full HD 1080p, color, CMOS Sony IMX29	731,50
31940-010-E	699014	Kit, cámara, GigE, POE, 720 x 540, 1/2,9", 282.2 fps, B/N, serie M, cable GigE de	1 055,00
31940-011-E	699012	Kit, camera, GigE, POE, 720 x 540, 1/2,9", 282.2 fps, color, M series, 10 m GigE c	1 055,00
31940-130-E	699010	Kit, camera, GigE, POE, 1280 x 1024, 1/1,8", 61 fps, B/W, M series, 10 m GigE ca	1 077,00
31940-131-E	699008	Kit, camera, GigE, POE, 1280 x 1024, 1/1,8", 61 fps, color, M series, 10 m GigE ca	1 077,00
31940-160-E	699006	Kit, camera, GigE, POE, 1440 x 1088, 1/2,9", 70.7 fps, B/W, M series, 10 m GigE c	1 092,00
31940-161-E	699004	Kit, camera, GigE, POE, 1440 x 1088, 1/2,9", 70.7 fps, color, M Series, 10 m GigE	1 092,00
31940-200-E	699002	Kit, camera, GigE, POE, 1624 x 1240, 1/1,7", 54.6 fps, B/W, M series, 10 m GigE c	1 182,00
31940-201-E	699000	Kit, camera, GigE, POE, 1624 x 1240, 1/1,7", 54.6 fps, color, M series, 10 m GigE	1 182,00
31940-320-E	698998	Kit, camera, GigE, 3.2M, POE, 2048 x 1536 Pixels, 1/1.8", 34.9 fps, B/W, M series	1 242,00
31940-321-E	698996	Kit, camera, GigE, 3.2M, POE, 2048 x 1536 Pixels, 1/1.8", 34.9 fps, color, M serie	1 242,00
31940-500-E	698980	Kit, camera, GigE, POE, 2448 x 2048, 2/3", 21.9 fps, B/W, M series, 10 m GigE ca	1 376,00
31940-501-E	698978	Kit, camera, GigE, POE, 2448 x 2048, 2/3", 21.9 fps, color, M series, 10 m GigE ca	1 376,00
31940-530-E	698994	Kit, camera, GigE, POE, 2592 x 1944, 1/2,5", 14 fps, B/W, M series, 10 m GigE ca	1 038,00
31940-531-E	698992	Kit, camera, GigE, POE, 2592 x 1944, 1/2,5", 14 fps, color, M series, 10 m GigE ca	1 038,00

OMRON PVPR 2023

31940-100-E	698990	Kit, camera, GigE, POE, 3856 x 2764, 1/2,3", 10.3 fps, B/W, M series, 10 m GigE cable	1 098,00
31940-120-E	698988	Kit, camera, GigE, POE, 4000 x 3000, 1/1,7", 9.2 fps, B/W, M series, 10 m GigE cable	1 167,00
31940-121-E	698986	Kit, camera, GigE, POE, 4000 x 3000, 1/1,7", 9.2 fps, Color, M series, 10 m GigE cable	1 167,00
31940-240-E	698984	Kit, camera, GigE, POE, 5472 x 3648, 1", 5.5 fps, B/W, M series, 10 m GigE cable	1 227,00
31940-241-E	698982	Kit, camera, GigE, POE, 5472 x 3648, 1", 5.5 fps, Color, M series, 10 m GigE cable	1 227,00
STC-HD213DVN-B	702558	Area Scan Camera (cased type), DVI over HDMI, Full HD 1080p, color, CMOS Sony	598,50
STC-MCS510CXP6	702735	CoaXPress Area scan camera, 5MP, color, CMOS IMX250, 2/3", 3.45 µm, 98 fps, 1/2.9" sensor, 6.90X6.90	1 934,00
STC-GPB250BPCL	702009	Camera Link Area Scan Camera, 25 MP, monochrome, GMAX0505, 2,5 µm, 30 fps, global shutter	2 126,00
STC-GPC250BPCL	702010	Camera Link Area Scan Camera, 25 MP, color, GMAX0505, 2,5 µm, 30 fps, global shutter	2 126,00
FH-SMDA-GS050B	701170	FH 3D camera, FOV 400x300x200 mm, WD 500 mm, 24 V	15 680,00
STC-BBS43POE-BC	707255	Board level camera, 0.4 MP, monochrome, 282.8 fps, 720x540, 1/2.9" sensor, 6.90X6.90	466,00
STC-BBS43GE-BC	707280	Board level camera, 0.4 MP, monochrome, 282.8 fps, 720x540, 1/2.9" sensor, 6.90X6.90	466,00
STC-BBS43POE-BL	707481	Board level camera, 0.4 MP, monochrome, 282.8 fps, 720x540, 1/2.9" sensor, 6.90X6.90	437,40
STC-BBS43GE-BL	707480	Board level camera, 0.4 MP, monochrome, 282.8 fps, 720x540, 1/2.9" sensor, 6.90X6.90	437,40
STC-BCS43POE-BC	707279	Board level camera, 0.4 MP, colour, 282.8 fps, 720x540, 1/2.9" sensor, 6.90X6.90	466,00
STC-BCS43GE-BC	707278	Board level camera, 0.4 MP, colour, 282.8 fps, 720x540, 1/2.9" sensor, 6.90X6.90	466,00
STC-BCS43POE-BL	707479	Board level camera, 0.4 MP, colour, 282.8 fps, 720x540, 1/2.9" sensor, 6.90X6.90	437,40
STC-BCS43GE-BL	707478	Board level camera, 0.4 MP, colour, 282.8 fps, 720x540, 1/2.9" sensor, 6.90X6.90	437,40
STC-BBS163POE-BC	707277	Board level camera, 1.6 MP, monochrome, 69 fps, 1440x1088, 1/2.9" sensor, 3.45X3.45	528,50
STC-BBS163GE-BC	707276	Board level camera, 1.6 MP, monochrome, 69 fps, 1440x1088, 1/2.9" sensor, 3.45X3.45	528,50
STC-BBS163POE-BL	707477	Board level camera, 1.6 MP, monochrome, 69 fps, 1440x1088, 1/2.9" sensor, 3.45X3.45	495,80
STC-BBS163GE-BL	707476	Board level camera, 1.6 MP, monochrome, 69 fps, 1440x1088, 1/2.9" sensor, 3.45X3.45	495,80
STC-BCS163POE-BC	707275	Board level camera, 1.6 MP, colour, 69 fps, 1440x1088, 1/2.9" sensor, 3.45X3.45	528,50
STC-BCS163GE-BC	707274	Board level camera, 1.6 MP, colour, 69 fps, 1440x1088, 1/2.9" sensor, 3.45X3.45	528,50
STC-BCS163POE-BL	707475	Board level camera, 1.6 MP, colour, 69 fps, 1440x1088, 1/2.9" sensor, 3.45X3.45	495,80
STC-BCS163GE-BL	707474	Board level camera, 1.6 MP, Colour, 69 fps, 1440x1088, 1/2.9" sensor, 3.45X3.45	495,80
STC-BBS202POE-BC	707273	Board level camera, 2 MP, monochrome, 54.6 fps, 1624x1240, 1/1.7" sensor, 4.5X4.5, 1	673,50
STC-BBS202GE-BC	707272	Board level camera, 2 MP, monochrome, 54.6 fps, 1624x1240, 1/1.7" sensor, 4.5X4.5, 1	673,50
STC-BBS202POE-BL	707271	Board level camera, 2 MP, monochrome, 54.6 fps, 1624x1240, 1/1.7" sensor, 4.5X4.5, 1	673,50
STC-BBS202GE-BL	707473	Board level camera, 2 MP, monochrome, 54.6 fps, 1624x1240, 1/1.7" sensor, 4.5X4.5, 1	632,00
STC-BCS202POE-BC	707270	Board level camera, 2 MP, colour, 54.6 fps, 1624x1240, 1/1.7" sensor, 4.5X4.5, 1	673,50
STC-BCS202GE-BC	707269	Board level camera, 2 MP, colour, 54.6 fps, 1624x1240, 1/1.7" sensor, 4.5X4.5, 1	673,50
STC-BCS202POE-BL	707472	Board level camera, 2 MP, colour, 54.6 fps, 1624x1240, 1/1.7" sensor, 4.5X4.5, 1	632,00

OMRON PVPR 2023

STC-BCS202GE-BL	707471	Board level camera, 2 MP, colour, 54.6 fps, 1624x1240, 1/1.7" sensor, 4.5X4.5, I	632,00
STC-BBS312POE-BC	707268	Board level camera, 3.2 MP, monochrome, 34.9 fps, 2048x1536, 1/1.8" sensor, 3	746,00
STC-BBS312GE-BC	707267	Board level camera, 3.2 MP, monochrome, 34.9 fps, 2048x1536, 1/1.8" sensor, 3	746,00
STC-BBS312POE-BL	707470	Board level camera, 3.2 MP, monochrome, 34.9 fps, 2048x1536, 1/1.8" sensor, 3	700,00
STC-BBS312GE-BL	707469	Board level camera, 3.2 MP, monochrome, 34.9 fps, 2048x1536, 1/1.8" sensor, 3	700,00
STC-BCS312POE-BC	707266	Board level camera, 3.2 MP, colour, 34.9 fps, 2048x1536, 1/1.8" sensor, 3.45X3.	746,00
STC-BCS312GE-BC	707265	Board level camera, 3.2 MP, colour, 34.9 fps, 2048x1536, 1/1.8" sensor, 3.45X3.	746,00
STC-BCS312POE-BL	707468	Board level camera, 3.2 MP, colour, 34.9 fps, 2048x1536, 1/1.8" sensor, 3.45X3.	700,00
STC-BCS312GE-BL	707467	Board level camera, 3.2 MP, colour, 34.9 FPS, 2048x1536, 1/1.8" sensor, 3.45X3	700,00
STC-BBS500POE-BC	707264	Board level camera, 5 MP, monochrome, 21.9 fps, 2448x2048, 2/3" sensor, 3.45	870,00
STC-BBS500GE-BC	707050	Board level camera, 5MP, 21.9 fps, 2448 x 2048, 2/3" sensor, 3.45 x 3.45, IMX26	870,00
STC-BCS500POE-BC	707263	Board level camera, 5 MP, colour, 21.9 fps, 2448x2048, 2/3" sensor, 3.45X3.45,	870,00
STC-BCS500GE-BC	707262	Board level camera, 5 MP, colour, 21.9 fps, 2448x2048, 2/3" sensor, 3.45X3.45,	870,00
STC-BBS213POE-BC	707261	Board level camera, 2.1 MP, monochrome, 53 fps, 1920x1080, 1/2.8" sensor, 2.9	518,00
STC-BBS213GE-BC	707095	Board level camera, 2.1MP, 53 fps, 1900 x 1080, 1/2.8" sensor, 2.9 x 2.9, IMX26	518,00
STC-BBS213POE-BL	707466	Board level camera, 2.1 MP, monochrome, 53 fps, 1920x1080, 1/2.8" sensor, 2.9	486,00
STC-BBS213GE-BL	707465	Board level camera, 2.1 MP, monochrome, 53 fps, 1920x1080, 1/2.8" sensor, 2.9	486,00
STC-BCS213POE-BC	706876	GigE Vision small CMOS board camera, color, 2.1 MP, 53 FPS, 1920 x 1080 pixels	506,50
STC-BCS213GE-BC	706877	GigE Vision small CMOS board camera, color, 2.1 MP, 53 FPS, 1920 x 1080 pixels	506,50
STC-BCS213POE-BL	707464	Board level camera, 2.1 MP, colour, 53 fps, 1920x1080, 1/2.8" sensor, 2.9X2.9, I	486,00
STC-BCS213GE-BL	707463	Board level camera, 2.1 MP, colour, 53 fps, 1920x1080, 1/2.8" sensor, 2.9X2.9, I	486,00
STC-BCS213POE-BC-NIR	707260	Board level camera, 2.1 MP, colour, near IR, 53 fps, 1920x1080, 1/2.8" sensor, 2	684,00
STC-BCS213GE-BC-NIR	707259	Board level camera, 2.1MP, Colour, Near IR, 53 FPS, 1920x1080, 1/2.8" sensor, 2	684,00
STC-BCS213POE-BL-NIR	707462	Board level camera, 2.1 MP, colour, near IR, 53 fps, 1920x1080, 1/2.8" sensor, 2	642,00
STC-BCS213GE-BL-NIR	707461	Board level camera, 2.1 MP, colour, near IR, 53 fps, 1920x1080, 1/2.8" sensor, 2	642,00
COE-023-C-POE-060-IR-C	703071	Area scan camera IMX249, CMOS, global shutter, 1920 x 1200, 2.3 MP, 5.86 pix,	1 018,00
STC-BBS1242POE-BC	707258	Board level camera, 12 MP, monochrome, 9.2 fps, 4000x3000, 1/1.7" sensor, 1.8	684,00
STC-BBS1242GE-BC	707094	Board level camera, 12MP, 9.2 fps, 4000 x 3000, 1/1.7" sensor, 1.85 x 1.85, IMX	684,00
STC-BCS1242POE-BC	707257	Board level camera, 12 MP, colour, 9.2 fps, 4000x3000, 1/1.7" sensor, 1.85X1.85	684,00
STC-BCS1242GE-BC	707256	Board level camera, 12 MP, colour, 9.2 fps, 4000x3000, 1/1.7" sensor, 1.85X1.85	684,00
STC-BBS2041POE-BC	707254	Board level camera, 20 MP, monochrome, 5.5 FPS, 5472x3648, 1" sensor, 2.4X2	828,50
STC-BBS2041GE-BC	707093	Board level camera, 20MP, 5.5 fps, 5472 x 3648, 1" sensor, 2.4 x 2.4, IMX183, C	828,50
STC-BCS2041POE-BC	707248	Board level camera, 20 MP, colour, 5.5 FPS, 5472x3648, 1" sensor, 2.4X2.4, IMX	828,50

OMRON PVPR 2023

STC-BCS2041GE-BC	707249	Board level camera, 20 MP, 5.5 fps, 5472 x 3648, 1" sensor, 2.4 x 2.4, IMX183, C	828,50
FH-SMX05-PL	708293	FH polarised camera, high speed, 5 MPixel, C-Mount, global shutter, monochrom	17 170,00
FH-SMX12-PL	708294	FH polarised camera, high speed, 12 MPixel, C-Mount, global shutter, monochro	29 420,00
STC-LBS132POE-SWIR	708322	SWIR camera, 1.3MP, Monochrome, 84 FPS, 1280x1024, 1/2" sensor, 5 x 5, IMX	19 440,00
STC-LBS34POE-SWIR	708323	SWIR camera, 0.3MP, Monochrome, 258 FPS, 640x512, 1/4" sensor, 5 x 5, IMX 9	14 040,00
FS-C2KU7DCLU-M42	681250	Cámara Link Dual Linea Escaner Cámara, 2K, Color, CMOS AWAIBA DR-RGB-2x2K	1 691,00
FS-B2KU7DCLU-F	681376	Cámara Link Dual Linea Escaner Cámara, 2K, Monocromo, CMOS AWAIBA DR-B&W-2K-7, 7 µm	2 078,00
FS-C8KU7DCLU-M72	681142	Camera Link Dual Line Scan Camera, 8 K, color, CMOS AWAIBA DR-RGB-2x8K-7, 7 µm	4 153,00
FS-B2KU7DCLU-M42	681310	Cámara Link Dual Linea Escaner Cámara, 2K, Monocromo, CMOS AWAIBA DR-B&W-2K-7, 7 µm	2 009,00
FS-B2KU7CLU-M42	681338	Cámara Link Linea Escaner, 2K, Monocromo, CMOS AWAIBA DR-B&W-2K-7, 7 µm	1 475,00
FS-B4KU7CLU-M42	681200	Cámara Link Linea Escaner, 4K, Monocromo, CMOS AWAIBA DR-B&W-2x4K-7, 7 µm	1 569,00
FS-B4KU7DCLU-F	681222	Cámara Link Dual Linea Escaner Cámara, 4K, Monocromo, CMOS AWAIBA DR-B&W-4K-7, 7 µm	2 459,00
FS-B16KU35CLU-M72	681217	Cámara lineal Camera Link, 16 K, monocroma, CMOS AWAIBA DR-B&W-16K-3.5, 3.5 µm	3 944,00
FS-B4KU35CLU-C	681351	Cámara Link Linea Escaner, 4K, Monocromo, CMOS AWAIBA DR-B&W-4K-3.5, 3.5 µm	1 672,00
FS-B2KU7CLU-C	681234	Cámara Link Linea Escaner, 2K, Monocromo, CMOS AWAIBA DR-B&W-2K-7, 7 µm	1 482,00
FS-B2KU7CLU-F	681192	Camera Link Line Scan Camera, 2K, monocromo, CMOS AWAIBA DR-B&W-2K-7, 7 µm	1 527,00
FS-B4KU7CLU-F	681140	Camera Link Line Scan Camera, 4K, monocromo, CMOS AWAIBA DR-B&W-4K-7, 7 µm	1 615,00
FS-B8KU7CLU-M72	681292	Cámara Link Linea Escaner, 8K, Monocromo, CMOS AWAIBA DR-B&W-8K-7, 7 µm	2 293,00
FS-C2KU7DCLU-F	681312	Cámara Link Dual Linea Escaner Cámara, 2K, Color, CMOS AWAIBA DR-RGB-2x2K	1 744,00
FS-C2KU7DCLU-C	681206	Cámara Link Dual Linea Escaner Cámara, 2K, Color, CMOS AWAIBA DR-RGB-2x2K	1 704,00
FS-C4KU7DCLU-F	681187	Cámara lineal doble Camera Link, 4K, color, CMOS AWAIBA DR-RGB-2x4K-7, 7 µm	2 046,00
FS-C4KU7DCLU-M42	681224	Cámara Link Dual Linea Escaner Cámara, 4K, Color, CMOS AWAIBA DR-RGB-2x4K	1 996,00
FS-B2KU7DCLU-C	681270	Cámara Link Dual Linea Escaner Cámara, 2K, Monocromo, CMOS AWAIBA DR-B&W-2K-7, 7 µm	1 704,00
FS-B4KU7DCLU-M42	681284	Cámara Link Dual Linea Escaner Cámara, 4K, Monocromo, CMOS AWAIBA DR-B&W-4K-7, 7 µm	2 352,00
FS-B4KU35CLU-F	681223	Cámara Link Linea Escaner, 4K, Monocromo, CMOS AWAIBA DR-B&W-4K-3.5, 3.5 µm	1 709,00
FS-B8KU7DCLU-M72	681214	Cámara Link Dual Linea Escaner Cámara, 8K, Monocromo, CMOS AWAIBA DR-B&W-8K-7, 7 µm	3 932,00
FS-B4KU35CLU-M42	681167	Cámara Link Linea Escaner, 4K, Monocromo, CMOS AWAIBA DR-B&W-4K-3.5, 3.5 µm	1 666,00
FS-B8KU35CLU-F	681247	Cámara Link Linea Escaner, 8K, Monocromo, CMOS AWAIBA DR-B&W-8K-3.5, 3.5 µm	1 957,00
FS-B8KU35CLU-M42	681314	Cámara Link Linea Escaner, 8K, Monocromo, CMOS AWAIBA DR-B&W-8K-3.5, 3.5 µm	1 914,00
FS-B2KU7GES-F	696088	Cámara GigE Line Scan, 2K, Monocromo, CMOS AWAIBA DR-2K-7, 7.0 µm, 51 kHz	1 559,00
FS-B2KU7GES-C	696087	GigE Line Scan Camera, 2K, Monochrome, CMOS AWAIBA DR-2K-7, 7.0 µm, 51 kHz	1 531,00
FS-B2KU7GES-M42	696086	GigE Line Scan Camera, 2K, Monochrome, CMOS AWAIBA DR-2K-7, 7.0 µm, 51 kHz	1 542,00
FS-B4KU7GES-F	696085	GigE Line Scan Camera, 4K, Monochrome, CMOS AWAIBA DR-4K-7, 7.0 µm, 13 kHz	1 681,00

OMRON PVPR 2023

FS-B4KU7GES-M42	696084	GigE Line Scan Camera, 4K, Monochrome, CMOS AWAIBA DR-4K-7, 7.0 µm, 13 k	1 584,00
FS-B8KU35GES-F	696082	GigE Line Scan Camera, 8K, Monochrome, CMOS AWAIBA DR-8K-3.5, 3.5 µm, 13	1 970,00
FS-B8KU35GES-M42	696083	GigE Line Scan Camera, 8K, Monochrome, CMOS AWAIBA DR-8K-3.5, 3.5 µm, 13	1 941,00
FS-B4KU35GES-F	696089	GigE Line Scan Camera, 4K, Monochrome, CMOS AWAIBA DR-4K-3.5, 3.5 µm, 26	1 685,00
FS-B4KU35GES-C	696090	GigE Line Scan Camera, 4K, Monochrome, CMOS AWAIBA DR-4K-3.5, 3.5 µm, 26	1 658,00
FS-B4KU35GES-M42	696091	GigE Line Scan Camera, 4K, Monochrome, CMOS AWAIBA DR-4K-3.5, 3.5 µm, 26	1 657,00
FS-B4KU7DGES-F	699138	GigE Dual Line Scan Camera, 2x 4K, monochrome, CMOS AWAIBA DR-2X4K-7-inv	2 153,00
FS-B4KU7DGES-M42	699137	GigE Dual Line Scan Camera, 2x 4K, monochrome, CMOS AWAIBA DR-2X4K-7-inv	2 117,00
FS-B2KU7DGES-C	699136	GigE Dual Line Scan Camera, 2x 2K, monochrome, CMOS AWAIBA DR-2X2K-7-inv	1 740,00
FS-B2KU7DGES-F	699135	GigE Dual Line Scan Camera, 2x 2K, monochrome, CMOS AWAIBA DR-2X2K-7-inv	1 786,00
FS-B2KU7DGES-M42	699134	GigE Dual Line Scan Camera, 2x 2K, monochrome, CMOS AWAIBA DR-2X2K-7-inv	1 764,00
FS-C4KU7DGES-F	699133	GigE Dual Line Scan Camera, 2x 4K, color, CMOS AWAIBA DR-2X4K-7-inver-	2 153,00
FS-C4KU7DGES-M42	699132	GigE Dual Line Scan Camera, 2x 4K, color, CMOS AWAIBA DR-2X4K-7-inver-R	2 153,00
FS-C2KU7DGES-C	699131	GigE Dual Line Scan Camera, 2x 2K, color, CMOS AWAIBA DR-2X2K-7-inver-RG	1 740,00
FS-C2KU7DGES-F	699130	GigE Dual Line Scan Camera, 2x 2K, color, CMOS AWAIBA DR-2X2K-7-inver-RG	1 786,00
FS-C2KU7DGES-M42	699129	GigE Dual Line Scan Camera, 2x 2K, color, CMOS AWAIBA DR-2X2K-7-inver-RGB,	1 764,00
FQ-CR20010F-M	355267	FQ Lectura código 2D FOV:7,5x4,7-13x8,2 Dist:38-60 NPN	3 536,00
FQ-CR25010F-M	355268	FQ Lectura código 2D FOV:7,5x4,7-13x8,2 Dist:38-60 PNP	3 536,00
FQ-CR25050F-M	355269	FQ Lectura código 2D FOV:13x8.2-53x33 Dist:56-215 PNP	3 536,00
FQ-CR20100F-M	355270	FQ Lectura código 2D FOV:53x33-240x153 Dist:220-970 NPN	3 577,00
FQ-CR25100F-M	355271	FQ Lectura código 2D FOV:53x33-240x153 Dist:220-970 PNP	3 577,00
FQ-CR20100N-M	355272	FQ Lectura código 2D FOV:29x18-300x191 Dist:32-380 NPN	3 821,00
FQ-CR25100N-M	355273	FQ Lectura código 2D FOV:29x18-300x191 Dist:32-380 PNP	3 860,00
FQ-CR20050F-M	355274	FQ Lectura código 2D FOV:13x8.2-53x33 Dist:56-215 NPN	3 536,00
FQ-CR10010F-M	371410	FQ Lectura códigos FOV:7,5x4,7-13x8,2 Dist:38-60 NPN	1 661,00
FQ-CR15010F-M	371411	FQ Lectura códigos FOV:7,5x4,7-13x8,2 Dist:38-60 PNP	1 648,00
FQ-CR10050F-M	371412	FQ Lectura códigos FOV:13x8.2-53x33 Dist:56-215 NPN	1 702,00
FQ-CR15050F-M	371413	FQ Lectura códigos FOV:13x8.2-53x33 Dist:56-215 PNP	1 702,00
FQ-CR10100F-M	371414	FQ Lectura códigos FOV:53x33-240x153 Dist:220-970 NPN	1 715,00
FQ-CR15100F-M	371415	FQ Lectura códigos FOV:29x18-300x191 Dist:32-380 PNP	1 715,00
FQ-CR10100N-M	371416	FQ Lectura códigos FOV:29x18-300x191 Dist:32-380 NPN	2 137,00
FQ-CR15100N-M	371417	FQ Lectura códigos FOV:29x18-300x191 Dist:32-380 PNP	2 137,00
V400-R2CF65	378758	Lector multi-código frontal	1 920,00

OMRON PVPR 2023

V400-R2CF125	378759	Lector multi-código frontal Dist. lect. 125mm	1 920,00
FIS-6300-4007G	700220	Lector de códigos MINI Hawk, alta resolución, SD, serie, 5 Vcc	2 453,00
FIS-6300-4108G	700215	Mini Hawk Alta Resolución, Serie	2 239,00
FIS-6300-5006G	709194	Lector de códigos MINI Hawk, alta velocidad, ultra HD, serie, 5 Vcc	2 453,00
V500-R2CF	378757	Lector código de barras RS-232C. Conector. 5VD	2 000,00
FIS-0003-0002G	700199	Lector de código de barras MS-3, línea única, alta densidad	1 236,00
FIS-0003-0003G	700198	Lector de código de barras MS-3, trama, baja densidad	1 304,00
FIS-0003-0004G	700197	Lector de código de barras MS-3, trama, alta densidad	1 304,00
FIS-0830-0001G	709177	Escáner QX-830, línea única, LD, serie	2 119,00
FIS-0830-0004G	709178	QX-830 Escaner, Rastreo Linea, LD, Serie	2 119,00
FIS-0830-0005G	709179	QX-830 Escaner, Rastreo Linea, MD, Serie	2 119,00
FIS-0830-1002G	709180	Escáner QX-830, línea única, MD, serie y Ethernet	2 359,00
FIS-0830-1003G	709181	Escáner QX-830, línea única, HD, serie y Ethernet	2 359,00
FIS-0830-1004G	709182	Lector de código de barras industrial QX-830, línea de trama, baja densidad, serie	2 359,00
FIS-0830-1005G	709183	Escáner QX-830, línea de trama, MD, serie y Ethernet	2 359,00
FIS-0830-1006G	709184	QX-830 Escaner, Rastreo Linea, HD, Serie & Ethernet	2 359,00
FIS-0870-1004G	709185	Lector de código de barras industrial QX-870, baja densidad, barrido de trama, serie	3 679,00
FIS-0870-1005G	709186	Lector de código de barras industrial QX-870, densidad media, barrido de trama, serie	3 679,00
FIS-0870-1006G	709187	QX-870 Industrial Lector Códigos Barras, Alta Densidad, Barrido Rastreo, Serie+Ethernet	3 454,00
FIS-0003-0001G	709188	Lector de código de barras MS-3, línea única, baja densidad	1 236,00
FIS-0003-0002G	709189	Lector de código de barras MS-3, línea única, alta densidad	1 236,00
FIS-0003-0003G	709190	Lector de código de barras MS-3, trama, baja densidad	1 304,00
FIS-0003-0004G	709191	Lector de código de barras MS-3, trama, alta densidad	1 304,00
FIS-0003-0005G	709192	MS-3 Lector Códigos Barras, Unica Linea, Baja Densidad, Derecha Angulo	1 389,00
FIS-0003-0007G	709193	Lector de código de barras MS-3, trama, baja densidad, ángulo recto	1 456,00
V420-F000M12M-SRX	691331	Lector de códigos V420, 1,2 MP monocromo, objetivo de ángulo medio, enfoque	2 318,00
V430-F000M03M-SRX	691584	Lector de códigos V430, 0,3 MP monocromo, objetivo de ángulo medio, enfoque	2 318,00
V430-F000W12M-SRX	691755	Lector de códigos V430, 1,2 MP monocromo, objetivo gran angular, enfoque auto	2 685,00
V430-F000M12M-SRX	691678	Lector de códigos V430, 1,2 MP monocromo, objetivo de ángulo medio, enfoque	2 685,00
V430-F000L12M-SRX	691738	Lector de códigos V430, 1,2 MP monocromo, objetivo de largo alcance, enfoque	2 685,00
V430-F000M12M-RRX	691702	Lector de códigos V430, 1,2 MP monocromo, objetivo de ángulo medio, enfoque	3 296,00
V320-F050W03M-NNP	697457	V320 lector de códigos, 0.3 MP monocromo, gran angular, enfoque fijo de 50 m	793,50
V320-F050W03M-NNX	697458	V320 lector de códigos, 0.3 MP monocromo, gran angular, enfoque fijo de 50 m	1 406,00

OMRON PVPR 2023

V320-F064W03M-NNP	697459	V320 Code reader, 0.3 MP monochrome, Wide view, Fixed focus 64 mm, No out	793,50
V320-F064W03M-NNX	697460	V320 Code reader, 0.3 MP monochrome, Wide view, Fixed focus 64 mm, No out	1 406,00
V320-F081W03M-NNP	697461	V320 Code reader, 0.3 MP monochrome, Wide view, Fixed focus 81 mm, No out	793,50
V320-F081W03M-NNX	697462	V320 Code reader, 0.3 MP monochrome, Wide view, Fixed focus 81 mm, No out	1 406,00
V320-F102W03M-NNP	697463	V320 Code reader, 0.3 MP monochrome, Wide view, Fixed focus 102 mm, No ou	793,50
V320-F102W03M-NNX	697464	V320 Code reader, 0.3 MP monochrome, Wide view, Fixed focus 102 mm, No ou	1 406,00
V320-F133W03M-NNP	697465	V320 Code reader, 0.3 MP monochrome, Wide view, Fixed focus 133 mm, No ou	793,50
V320-F133W03M-NNX	697466	V320 Code reader, 0.3 MP monochrome, Wide view, Fixed focus 133 mm, No ou	1 406,00
V320-F190W03M-NNP	697467	V320 Code reader, 0.3 MP monochrome, Wide view, Fixed focus 190 mm, No ou	793,50
V320-F190W03M-NNX	697468	V320 Code reader, 0.3 MP monochrome, Wide view, Fixed focus 190 mm, No ou	1 406,00
V320-F300W03M-NNP	697469	V320 Code reader, 0.3 MP monochrome, Wide view, Fixed focus 300 mm, No ou	793,50
V320-F300W03M-NNX	697470	V320 Code reader, 0.3 MP monochrome, Wide view, Fixed focus 300 mm, No ou	1 406,00
V320-F050M03M-NNP	697471	V320 Code reader, 0.3 MP monochrome, Medium view, Fixed focus 50 mm, No	793,50
V320-F050M03M-NNX	697472	V320 Code reader, 0.3 MP monochrome, Medium view, Fixed focus 50 mm, No	1 406,00
V320-F064M03M-NNP	697473	V320 Code reader, 0.3 MP monochrome, Medium view, Fixed focus 64 mm, No	793,50
V320-F064M03M-NNX	697474	V320 Code reader, 0.3 MP monochrome, Medium view, Fixed focus 64 mm, No	1 406,00
V320-F081M03M-NNP	697475	V320 Code reader, 0.3 MP monochrome, Medium view, Fixed focus 81 mm, No	793,50
V320-F081M03M-NNX	697476	V320 Code reader, 0.3 MP monochrome, Medium view, Fixed focus 81 mm, No	1 406,00
V320-F102M03M-NNP	697477	V320 Code reader, 0.3 MP monochrome, Medium view, Fixed focus 102 mm, No	793,50
V320-F102M03M-NNX	697478	V320 Code reader, 0.3 MP monochrome, Medium view, Fixed focus 102 mm, No	1 406,00
V320-F133M03M-NNP	697479	V320 Code reader, 0.3 MP monochrome, Medium view, Fixed focus 133 mm, No	793,50
V320-F133M03M-NNX	697480	V320 Code reader, 0.3 MP monochrome, Medium view, Fixed focus 133 mm, No	1 406,00
V320-F190M03M-NNP	697481	V320 Code reader, 0.3 MP monochrome, Medium view, Fixed focus 190 mm, No	793,50
V320-F190M03M-NNX	697482	V320 Code reader, 0.3 MP monochrome, Medium view, Fixed focus 190 mm, No	1 406,00
V320-F300M03M-NNP	697483	V320 Code reader, 0.3 MP monochrome, Medium view, Fixed focus 300 mm, No	793,50
V320-F300M03M-NNX	697484	V320 lector de códigos, 0.3 MP monocromo, vista media, enfoque fijo de 300 m	1 406,00
V320-F050W12M-NNP	697485	V320 lector de códigos, 1.2 MP monocromo, gran angular, enfoque fijo de 50 m	1 160,00
V320-F050W12M-NNX	697486	V320 Code reader, 1.2 MP monochrome, Wide view, Fixed focus 50 mm, No out	1 772,00
V320-F064W12M-NNP	697487	V320 Code reader, 1.2 MP monochrome, Wide view, Fixed focus 64 mm, No out	1 160,00
V320-F064W12M-NNX	697488	V320 Code reader, 1.2 MP monochrome, Wide view, Fixed focus 64 mm, No out	1 772,00
V320-F081W12M-NNP	697489	V320 Code reader, 1.2 MP monochrome, Wide view, Fixed focus 81 mm, No out	1 160,00
V320-F081W12M-NNX	697490	V320 Code reader, 1.2 MP monochrome, Wide view, Fixed focus 81 mm, No out	1 772,00
V320-F102W12M-NNP	697491	V320 Code reader, 1.2 MP monochrome, Wide view, Fixed focus 102 mm, No ou	1 160,00

OMRON PVPR 2023

V320-F102W12M-NNX	697492	V320 Code reader, 1.2 MP monochrome, Wide view, Fixed focus 102 mm, No ou	1 772,00
V320-F133W12M-NNP	697493	V320 Code reader, 1.2 MP monochrome, Wide view, Fixed focus 133 mm, No ou	1 160,00
V320-F133W12M-NNX	697494	V320 Code reader, 1.2 MP monochrome, Wide view, Fixed focus 133 mm, No ou	1 772,00
V320-F190W12M-NNP	697495	V320 Code reader, 1.2 MP monochrome, Wide view, Fixed focus 190 mm, No ou	1 160,00
V320-F190W12M-NNX	697496	V320 Code reader, 1.2 MP monochrome, Wide view, Fixed focus 190 mm, No ou	1 772,00
V320-F300W12M-NNP	697497	V320 Code reader, 1.2 MP monochrome, Wide view, Fixed focus 300 mm, No ou	1 160,00
V320-F300W12M-NNX	697498	V320 Code reader, 1.2 MP monochrome, Wide view, Fixed focus 300 mm, No ou	1 772,00
V320-F050M12M-NNP	697499	V320 Code reader, 1.2 MP monochrome, Medium view, Fixed focus 50 mm, No	1 160,00
V320-F050M12M-NNX	697500	V320 Code reader, 1.2 MP monochrome, Medium view, Fixed focus 50 mm, No	1 772,00
V320-F064M12M-NNP	697501	V320 Code reader, 1.2 MP monochrome, Medium view, Fixed focus 64 mm, No	1 160,00
V320-F064M12M-NNX	697502	V320 Code reader, 1.2 MP monochrome, Medium view, Fixed focus 64 mm, No	1 772,00
V320-F081M12M-NNP	697503	V320 Code reader, 1.2 MP monochrome, Medium view, Fixed focus 81 mm, No	1 160,00
V320-F081M12M-NNX	697504	V320 Code reader, 1.2 MP monochrome, Medium view, Fixed focus 81 mm, No	1 772,00
V320-F102M12M-NNP	697505	V320 Code reader, 1.2 MP monochrome, Medium view, Fixed focus 102 mm, No	1 160,00
V320-F102M12M-NNX	697506	V320 Code reader, 1.2 MP monochrome, Medium view, Fixed focus 102 mm, No	1 772,00
V320-F133M12M-NNP	697507	V320 Code reader, 1.2 MP monochrome, Medium view, Fixed focus 133 mm, No	1 160,00
V320-F133M12M-NNX	697508	V320 Code reader, 1.2 MP monochrome, Medium view, Fixed focus 133 mm, No	1 772,00
V320-F190M12M-NNP	697509	V320 Code reader, 1.2 MP monochrome, Medium view, Fixed focus 190 mm, No	1 160,00
V320-F190M12M-NNX	697510	V320 Code reader, 1.2 MP monochrome, Medium view, Fixed focus 190 mm, No	1 772,00
V320-F300M12M-NNP	697511	V320 Code reader, 1.2 MP monochrome, Medium view, Fixed focus 300 mm, No	1 160,00
V320-F300M12M-NNX	697512	V320 lector de códigos, 1.2 MP monocromo, vista media, enfoque fijo de 300 m	1 772,00
V320-F050W50C-NNP	697513	Lector de códigos V320, 5.0 MP en color, vista panorámica, enfoque fijo de 50 m	915,50
V320-F050W50C-NNX	697514	V320 Code reader, 5.0 MP color, Wide view, Fixed focus 50 mm, No outer light,	1 528,00
V320-F064W50C-NNP	697515	V320 Code reader, 5.0 MP color, Wide view, Fixed focus 64 mm, No outer light,	915,50
V320-F064W50C-NNX	697516	V320 Code reader, 5.0 MP color, Wide view, Fixed focus 64 mm, No outer light,	1 528,00
V320-F081W50C-NNP	697517	V320 Code reader, 5.0 MP color, Wide view, Fixed focus 81 mm, No outer light,	915,50
V320-F081W50C-NNX	697518	V320 Code reader, 5.0 MP color, Wide view, Fixed focus 81 mm, No outer light,	1 528,00
V320-F102W50C-NNP	697519	V320 Code reader, 5.0 MP color, Wide view, Fixed focus 102 mm, No outer light	915,50
V320-F102W50C-NNX	697520	V320 Code reader, 5.0 MP color, Wide view, Fixed focus 102 mm, No outer light	1 528,00
V320-F133W50C-NNP	697521	V320 Code reader, 5.0 MP color, Wide view, Fixed focus 133 mm, No outer light	915,50
V320-F133W50C-NNX	697522	V320 Code reader, 5.0 MP color, Wide view, Fixed focus 133 mm, No outer light	1 528,00
V320-F190W50C-NNP	697523	V320 Code reader, 5.0 MP color, Wide view, Fixed focus 190 mm, No outer light	915,50
V320-F190W50C-NNX	697524	V320 Code reader, 5.0 MP color, Wide view, Fixed focus 190 mm, No outer light	1 528,00

OMRON PVPR 2023

V320-F300W50C-NNP	697525	V320 Code reader, 5.0 MP color, Wide view, Fixed focus 300 mm, No outer light	915,50
V320-F300W50C-NNX	697526	V320 Code reader, 5.0 MP color, Wide view, Fixed focus 300 mm, No outer light	1 528,00
V320-F050M50C-NNP	697527	V320 Code reader, 5.0 MP color, Medium view, Fixed focus 50 mm, No outer lig	915,50
V320-F050M50C-NNX	697528	V320 Code reader, 5.0 MP color, Medium view, Fixed focus 50 mm, No outer lig	1 528,00
V320-F064M50C-NNP	697529	V320 Code reader, 5.0 MP color, Medium view, Fixed focus 64 mm, No outer lig	915,50
V320-F064M50C-NNX	697530	V320 Code reader, 5.0 MP color, Medium view, Fixed focus 64 mm, No outer lig	1 528,00
V320-F081M50C-NNP	697531	V320 Code reader, 5.0 MP color, Medium view, Fixed focus 81 mm, No outer lig	915,50
V320-F081M50C-NNX	697532	V320 Code reader, 5.0 MP color, Medium view, Fixed focus 81 mm, No outer lig	1 528,00
V320-F102M50C-NNP	697533	V320 Code reader, 5.0 MP color, Medium view, Fixed focus 102 mm, No outer li	915,50
V320-F102M50C-NNX	697534	V320 Code reader, 5.0 MP color, Medium view, Fixed focus 102 mm, No outer li	1 528,00
V320-F133M50C-NNP	697535	V320 Code reader, 5.0 MP color, Medium view, Fixed focus 133 mm, No outer li	915,50
V320-F133M50C-NNX	697536	V320 Code reader, 5.0 MP color, Medium view, Fixed focus 133 mm, No outer li	1 528,00
V320-F190M50C-NNP	697537	V320 Code reader, 5.0 MP color, Medium view, Fixed focus 190 mm, No outer li	915,50
V320-F190M50C-NNX	697538	V320 Code reader, 5.0 MP color, Medium view, Fixed focus 190 mm, No outer li	1 528,00
V320-F300M50C-NNP	697539	V320 Code reader, 5.0 MP color, Medium view, Fixed focus 300 mm, No outer li	915,50
V320-F300M50C-NNX	697540	V320 Code reader, 5.0 MP color, Medium view, Fixed focus 300 mm, No outer li	1 528,00
V330-F050W03M-NNP	697544	V330 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 50 mm, No ou	793,50
V330-F050W03M-NNX	697545	V330 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 50 mm, No ou	1 406,00
V330-F064W03M-NNP	697546	V330 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 64 mm, No ou	793,50
V330-F064W03M-NNX	697547	V330 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 64 mm, No ou	1 406,00
V330-F081W03M-NNP	697548	V330 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 81 mm, No ou	793,50
V330-F081W03M-NNX	697549	V330 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 81 mm, No ou	1 406,00
V330-F102W03M-NNP	697550	V330 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 102 mm, No o	793,50
V330-F102W03M-NNX	697551	V330 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 102 mm, No o	1 406,00
V330-F133W03M-NNP	697552	V330 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 133 mm, No o	793,50
V330-F133W03M-NNX	697553	V330 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 133 mm, No o	1 406,00
V330-F190W03M-NNP	697554	V330 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 190 mm, No o	793,50
V330-F190W03M-NNX	697555	V330 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 190 mm, No o	1 406,00
V330-F300W03M-NNP	697556	V330 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 300 mm, No o	793,50
V330-F300W03M-NNX	697557	V330 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 300 mm, No o	1 406,00
V330-F050M03M-NNP	697558	V330 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 50 mm, No	793,50
V330-F050M03M-NNX	697559	V330 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 50 mm, No	1 406,00
V330-F064M03M-NNP	697560	V330 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 64 mm, No	793,50

OMRON PVPR 2023

V330-F064M03M-NNX	697561	V330 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 64 mm, No	1 406,00
V330-F081M03M-NNP	697562	V330 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 81 mm, No	793,50
V330-F081M03M-NNX	697563	V330 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 81 mm, No	1 406,00
V330-F102M03M-NNP	697564	V330 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 102 mm, N	793,50
V330-F102M03M-NNX	697565	V330 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 102 mm, N	1 406,00
V330-F133M03M-NNP	697566	V330 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 133 mm, N	793,50
V330-F133M03M-NNX	697567	V330 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 133 mm, N	1 406,00
V330-F190M03M-NNP	697568	V330 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 190 mm, N	793,50
V330-F190M03M-NNX	697569	V330 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 190 mm, N	1 406,00
V330-F300M03M-NNP	697570	V330 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 300 mm, N	793,50
V330-F300M03M-NNX	697571	V330 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 300 mm, N	1 406,00
V330-F050W12M-NNP	697572	V330 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 50 mm, No ou	1 160,00
V330-F050W12M-NNX	697573	V330 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 50 mm, No ou	1 772,00
V330-F064W12M-NNP	697574	V330 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 64 mm, No ou	1 160,00
V330-F064W12M-NNX	697575	V330 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 64 mm, No ou	1 772,00
V330-F081W12M-NNP	697576	V330 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 81 mm, No ou	1 160,00
V330-F081W12M-NNX	697577	V330 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 81 mm, No ou	1 772,00
V330-F102W12M-NNP	697578	V330 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 102 mm, No o	1 160,00
V330-F102W12M-NNX	697579	V330 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 102 mm, No o	1 772,00
V330-F133W12M-NNP	697580	V330 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 133 mm, No o	1 160,00
V330-F133W12M-NNX	697581	V330 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 133 mm, No o	1 772,00
V330-F190W12M-NNP	697582	V330 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 190 mm, No o	1 160,00
V330-F190W12M-NNX	697583	V330 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 190 mm, No o	1 772,00
V330-F300W12M-NNP	697584	V330 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 300 mm, No o	1 160,00
V330-F300W12M-NNX	697585	V330 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 300 mm, No o	1 772,00
V330-F050M12M-NNP	697586	V330 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 50 mm, No	1 160,00
V330-F050M12M-NNX	697587	V330 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 50 mm, No	1 772,00
V330-F064M12M-NNP	697588	V330 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 64 mm, No	1 160,00
V330-F064M12M-NNX	697589	V330 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 64 mm, No	1 772,00
V330-F081M12M-NNP	697590	V330 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 81 mm, No	1 160,00
V330-F081M12M-NNX	697591	V330 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 81 mm, No	1 772,00
V330-F102M12M-NNP	697592	V330 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 102 mm, N	1 160,00
V330-F102M12M-NNX	697593	V330 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 102 mm, N	1 772,00

OMRON PVPR 2023

V330-F133M12M-NNP	697594	V330 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 133 mm, N	1 160,00
V330-F133M12M-NNX	697595	V330 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 133 mm, N	1 772,00
V330-F190M12M-NNP	697596	V330 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 190 mm, N	1 160,00
V330-F190M12M-NNX	697597	V330 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 190 mm, N	1 772,00
V330-F300M12M-NNP	697598	V330 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 300 mm, N	1 160,00
V330-F300M12M-NNX	697599	V330 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 300 mm, N	1 772,00
V330-F050W50C-NNP	697600	Lector de códigos V330, 5 MP en color, vista panorámica, enfoque fijo de 50 mm	915,50
V330-F050W50C-NNX	697601	V330 Code Reader, 5 MP color, Wide view, Fixed focus 50 mm, No outer light, X	1 528,00
V330-F064W50C-NNP	697602	V330 Code Reader, 5 MP color, Wide view, Fixed focus 64 mm, No outer light, 1	915,50
V330-F064W50C-NNX	697603	V330 Code Reader, 5 MP color, Wide view, Fixed focus 64 mm, No outer light, X	1 528,00
V330-F081W50C-NNP	697604	V330 Code Reader, 5 MP color, Wide view, Fixed focus 81 mm, No outer light, 1	915,50
V330-F081W50C-NNX	697605	V330 Code Reader, 5 MP color, Wide view, Fixed focus 81 mm, No outer light, X	1 528,00
V330-F102W50C-NNP	697606	V330 Code Reader, 5 MP color, Wide view, Fixed focus 102 mm, No outer light,	915,50
V330-F102W50C-NNX	697607	V330 Code Reader, 5 MP color, Wide view, Fixed focus 102 mm, No outer light,	1 528,00
V330-F133W50C-NNP	697608	V330 Code Reader, 5 MP color, Wide view, Fixed focus 133 mm, No outer light,	915,50
V330-F133W50C-NNX	697609	V330 Code Reader, 5 MP color, Wide view, Fixed focus 133 mm, No outer light,	1 528,00
V330-F190W50C-NNP	697610	V330 Code Reader, 5 MP color, Wide view, Fixed focus 190 mm, No outer light,	915,50
V330-F190W50C-NNX	697611	V330 Code Reader, 5 MP color, Wide view, Fixed focus 190 mm, No outer light,	1 528,00
V330-F300W50C-NNP	697612	V330 Code Reader, 5 MP color, Wide view, Fixed focus 300 mm, No outer light,	915,50
V330-F300W50C-NNX	697613	V330 Code Reader, 5 MP color, Wide view, Fixed focus 300 mm, No outer light,	1 528,00
V330-F050M50C-NNP	697614	V330 Code Reader, 5 MP color, Medium view, Fixed focus 50 mm, No outer ligh	915,50
V330-F050M50C-NNX	697615	V330 Code Reader, 5 MP color, Medium view, Fixed focus 50 mm, No outer ligh	1 528,00
V330-F064M50C-NNP	697616	V330 Code Reader, 5 MP color, Medium view, Fixed focus 64 mm, No outer ligh	915,50
V330-F064M50C-NNX	697617	V330 Code Reader, 5 MP color, Medium view, Fixed focus 64 mm, No outer ligh	1 528,00
V330-F081M50C-NNP	697618	V330 Code Reader, 5 MP color, Medium view, Fixed focus 81 mm, No outer ligh	915,50
V330-F081M50C-NNX	697619	V330 Code Reader, 5 MP color, Medium view, Fixed focus 81 mm, No outer ligh	1 528,00
V330-F102M50C-NNP	697620	V330 Code Reader, 5 MP color, Medium view, Fixed focus 102 mm, No outer lig	915,50
V330-F102M50C-NNX	697621	V330 Code Reader, 5 MP color, Medium view, Fixed focus 102 mm, No outer lig	1 528,00
V330-F133M50C-NNP	697622	V330 Code Reader, 5 MP color, Medium view, Fixed focus 133 mm, No outer lig	915,50
V330-F133M50C-NNX	697623	V330 Code Reader, 5 MP color, Medium view, Fixed focus 133 mm, No outer lig	1 528,00
V330-F190M50C-NNP	697624	V330 Code Reader, 5 MP color, Medium view, Fixed focus 190 mm, No outer lig	915,50
V330-F190M50C-NNX	697625	V330 Code Reader, 5 MP color, Medium view, Fixed focus 190 mm, No outer lig	1 528,00
V330-F300M50C-NNP	697626	V330 Code Reader, 5 MP color, Medium view, Fixed focus 300 mm, No outer lig	915,50

OMRON PVPR 2023

V330-F300M50C-NNX	697627	V330 Code Reader, 5 MP color, Medium view, Fixed focus 300 mm, No outer lig	1 528,00
V420-F050W03M-NNP	697631	V420 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 50 mm, No ou	1 160,00
V420-F050W03M-NNX	697632	V420 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 50 mm, No ou	1 772,00
V420-F050W03M-SRP	697633	Lector de códigos V420, 0.3 MP monocromo, gran angular, enfoque fijo de 50 m	1 284,00
V420-F050W03M-SRX	697634	V420 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 50 mm, Red lig	1 893,00
V420-F050W03M-SWP	697635	V420 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 50 mm, White	1 284,00
V420-F050W03M-SWX	697636	V420 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 50 mm, White	1 893,00
V420-F064W03M-NNP	697637	V420 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 64 mm, No ou	1 160,00
V420-F064W03M-NNX	697638	V420 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 64 mm, No ou	1 772,00
V420-F064W03M-SRP	697639	V420 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 64 mm, Red lig	1 284,00
V420-F064W03M-SRX	697640	V420 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 64 mm, Red lig	1 893,00
V420-F064W03M-SWP	697641	V420 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 64 mm, White	1 284,00
V420-F064W03M-SWX	697642	V420 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 64 mm, White	1 893,00
V420-F081W03M-NNP	697643	V420 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 81 mm, No ou	1 160,00
V420-F081W03M-NNX	697644	V420 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 81 mm, No ou	1 772,00
V420-F081W03M-SRP	697645	V420 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 81 mm, Red lig	1 284,00
V420-F081W03M-SRX	697646	V420 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 81 mm, Red lig	1 893,00
V420-F081W03M-SWP	697647	V420 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 81 mm, White	1 284,00
V420-F081W03M-SWX	697648	V420 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 81 mm, White	1 893,00
V420-F102W03M-NNP	697649	V420 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 102 mm, No o	1 160,00
V420-F102W03M-NNX	697650	V420 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 102 mm, No o	1 772,00
V420-F102W03M-SRP	697651	V420 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 102 mm, Red l	1 284,00
V420-F102W03M-SRX	697652	V420 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 102 mm, Red l	1 893,00
V420-F102W03M-SWP	697653	V420 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 102 mm, Whit	1 284,00
V420-F102W03M-SWX	697654	V420 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 102 mm, Whit	1 893,00
V420-F133W03M-NNP	697655	V420 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 133 mm, No o	1 160,00
V420-F133W03M-NNX	697656	V420 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 133 mm, No o	1 772,00
V420-F133W03M-SRP	697657	V420 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 133 mm, Red l	1 284,00
V420-F133W03M-SRX	697658	V420 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 133 mm, Red l	1 893,00
V420-F133W03M-SWP	697659	V420 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 133 mm, Whit	1 284,00
V420-F133W03M-SWX	697660	V420 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 133 mm, Whit	1 893,00
V420-F190W03M-NNP	697661	V420 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 190 mm, No o	1 160,00
V420-F190W03M-NNX	697662	V420 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 190 mm, No o	1 772,00

OMRON PVPR 2023

V420-F190W03M-SRP	697663	V420 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 190 mm, Red I	1 284,00
V420-F190W03M-SRX	697664	V420 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 190 mm, Red I	1 893,00
V420-F190W03M-SWP	697665	V420 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 190 mm, Whit	1 284,00
V420-F190W03M-SWX	697666	V420 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 190 mm, Whit	1 893,00
V420-F300W03M-NNP	697667	V420 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 300 mm, No o	1 160,00
V420-F300W03M-NNX	697668	V420 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 300 mm, No o	1 772,00
V420-F300W03M-SRP	697669	V420 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 300 mm, Red I	1 284,00
V420-F300W03M-SRX	697670	V420 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 300 mm, Red I	1 893,00
V420-F300W03M-SWP	697671	V420 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 300 mm, Whit	1 284,00
V420-F300W03M-SWX	697672	V420 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 300 mm, Whit	1 893,00
V420-F050M03M-NNP	697673	V420 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 50 mm, No	1 160,00
V420-F050M03M-NNX	697674	V420 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 50 mm, No	1 772,00
V420-F050M03M-SRP	697675	V420 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 50 mm, Red	1 284,00
V420-F050M03M-SRX	697676	V420 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 50 mm, Red	1 893,00
V420-F050M03M-SWP	697677	V420 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 50 mm, Wh	1 284,00
V420-F050M03M-SWX	697678	V420 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 50 mm, Wh	1 893,00
V420-F064M03M-NNP	697679	V420 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 64 mm, No	1 160,00
V420-F064M03M-NNX	697680	V420 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 64 mm, No	1 772,00
V420-F064M03M-SRP	697681	V420 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 64 mm, Red	1 284,00
V420-F064M03M-SRX	697682	V420 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 64 mm, Red	1 893,00
V420-F064M03M-SWP	697683	V420 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 64 mm, Wh	1 284,00
V420-F064M03M-SWX	697684	V420 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 64 mm, Wh	1 893,00
V420-F081M03M-NNP	697685	V420 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 81 mm, No	1 160,00
V420-F081M03M-NNX	697686	V420 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 81 mm, No	1 772,00
V420-F081M03M-SRP	697687	V420 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 81 mm, Red	1 284,00
V420-F081M03M-SRX	697688	V420 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 81 mm, Red	1 893,00
V420-F081M03M-SWP	697689	V420 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 81 mm, Wh	1 284,00
V420-F081M03M-SWX	697690	V420 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 81 mm, Wh	1 893,00
V420-F102M03M-NNP	697691	V420 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 102 mm, N	1 160,00
V420-F102M03M-NNX	697692	V420 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 102 mm, N	1 772,00
V420-F102M03M-SRP	697693	V420 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 102 mm, R	1 284,00
V420-F102M03M-SRX	697694	V420 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 102 mm, R	1 893,00
V420-F102M03M-SWP	697695	V420 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 102 mm, W	1 284,00

OMRON PVPR 2023

V420-F102M03M-SWX	697696	V420 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 102 mm, W	1 893,00
V420-F133M03M-NNP	697697	V420 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 133 mm, N	1 160,00
V420-F133M03M-NNX	697698	V420 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 133 mm, N	1 772,00
V420-F133M03M-SRP	697699	V420 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 133 mm, R	1 284,00
V420-F133M03M-SRX	697700	V420 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 133 mm, R	1 893,00
V420-F133M03M-SWP	697701	V420 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 133 mm, W	1 284,00
V420-F133M03M-SWX	697702	V420 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 133 mm, W	1 893,00
V420-F190M03M-NNP	697703	V420 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 190 mm, N	1 160,00
V420-F190M03M-NNX	697704	V420 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 190 mm, N	1 772,00
V420-F190M03M-SRP	697705	V420 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 190 mm, R	1 284,00
V420-F190M03M-SRX	697706	V420 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 190 mm, R	1 893,00
V420-F190M03M-SWP	697707	V420 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 190 mm, W	1 284,00
V420-F190M03M-SWX	697708	V420 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 190 mm, W	1 893,00
V420-F300M03M-NNP	697709	V420 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 300 mm, N	1 160,00
V420-F300M03M-NNX	697710	V420 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 300 mm, N	1 772,00
V420-F300M03M-SRP	697711	V420 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 300 mm, R	1 284,00
V420-F300M03M-SRX	697712	V420 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 300 mm, R	1 893,00
V420-F300M03M-SWP	697713	V420 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 300 mm, W	1 284,00
V420-F300M03M-SWX	697714	V420 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 300 mm, W	1 893,00
V420-F050W12M-NNP	697715	V420 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 50 mm, No ou	1 528,00
V420-F050W12M-NNX	697716	V420 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 50 mm, No ou	2 137,00
V420-F050W12M-SRP	697717	V420 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 50 mm, Red lig	1 650,00
V420-F050W12M-SRX	697718	V420 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 50 mm, Red lig	2 259,00
V420-F050W12M-SWP	697719	V420 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 50 mm, White	1 650,00
V420-F050W12M-SWX	697720	V420 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 50 mm, White	2 259,00
V420-F064W12M-NNP	697721	V420 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 64 mm, No ou	1 528,00
V420-F064W12M-NNX	697722	V420 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 64 mm, No ou	2 137,00
V420-F064W12M-SRP	697723	V420 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 64 mm, Red lig	1 650,00
V420-F064W12M-SRX	697724	V420 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 64 mm, Red lig	2 259,00
V420-F064W12M-SWP	697725	V420 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 64 mm, White	1 650,00
V420-F064W12M-SWX	697726	V420 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 64 mm, White	2 259,00
V420-F081W12M-NNP	697727	V420 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 81 mm, No ou	1 528,00
V420-F081W12M-NNX	697728	V420 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 81 mm, No ou	2 137,00

OMRON PVPR 2023

V420-F081W12M-SRP	697729	V420 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 81 mm, Red lig	1 650,00
V420-F081W12M-SRX	697730	V420 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 81 mm, Red lig	2 259,00
V420-F081W12M-SWP	697731	V420 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 81 mm, White	1 650,00
V420-F081W12M-SWX	697732	V420 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 81 mm, White	2 259,00
V420-F102W12M-NNP	697733	V420 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 102 mm, No o	1 528,00
V420-F102W12M-NNX	697734	V420 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 102 mm, No o	2 137,00
V420-F102W12M-SRP	697735	V420 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 102 mm, Red l	1 650,00
V420-F102W12M-SRX	697736	V420 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 102 mm, Red l	2 259,00
V420-F102W12M-SWP	697737	V420 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 102 mm, Whit	1 650,00
V420-F102W12M-SWX	697738	V420 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 102 mm, Whit	2 259,00
V420-F133W12M-NNP	697739	V420 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 133 mm, No o	1 528,00
V420-F133W12M-NNX	697740	V420 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 133 mm, No o	2 137,00
V420-F133W12M-SRP	697741	V420 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 133 mm, Red l	1 650,00
V420-F133W12M-SRX	697742	V420 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 133 mm, Red l	2 259,00
V420-F133W12M-SWP	697743	V420 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 133 mm, Whit	1 650,00
V420-F133W12M-SWX	697744	V420 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 133 mm, Whit	2 259,00
V420-F190W12M-NNP	697745	V420 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 190 mm, No o	1 528,00
V420-F190W12M-NNX	697746	V420 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 190 mm, No o	2 137,00
V420-F190W12M-SRP	697747	V420 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 190 mm, Red l	1 650,00
V420-F190W12M-SRX	697748	V420 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 190 mm, Red l	2 259,00
V420-F190W12M-SWP	697749	V420 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 190 mm, Whit	1 650,00
V420-F190W12M-SWX	697750	V420 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 190 mm, Whit	2 259,00
V420-F300W12M-NNP	697751	V420 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 300 mm, No o	1 528,00
V420-F300W12M-NNX	697752	V420 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 300 mm, No o	2 137,00
V420-F300W12M-SRP	697753	V420 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 300 mm, Red l	1 650,00
V420-F300W12M-SRX	697754	V420 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 300 mm, Red l	2 259,00
V420-F300W12M-SWP	697755	V420 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 300 mm, Whit	1 650,00
V420-F300W12M-SWX	697756	V420 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 300 mm, Whit	2 259,00
V420-F050M12M-NNP	697757	V420 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 50 mm, No	1 528,00
V420-F050M12M-NNX	697758	V420 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 50 mm, No	2 137,00
V420-F050M12M-SRP	697759	V420 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 50 mm, Red	1 650,00
V420-F050M12M-SRX	697760	V420 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 50 mm, Red	2 259,00
V420-F050M12M-SWP	697761	V420 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 50 mm, Wh	1 650,00

OMRON PVPR 2023

V420-F050M12M-SWX	697762	V420 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 50 mm, Wh	2 259,00
V420-F064M12M-NNP	697763	V420 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 64 mm, No	1 528,00
V420-F064M12M-NNX	697764	V420 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 64 mm, No	2 137,00
V420-F064M12M-SRP	697765	V420 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 64 mm, Red	1 650,00
V420-F064M12M-SRX	697766	V420 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 64 mm, Red	2 259,00
V420-F064M12M-SWP	697767	V420 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 64 mm, Wh	1 650,00
V420-F064M12M-SWX	697768	V420 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 64 mm, Wh	2 259,00
V420-F081M12M-NNP	697769	V420 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 81 mm, No	1 528,00
V420-F081M12M-NNX	697770	V420 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 81 mm, No	2 137,00
V420-F081M12M-SRP	697771	V420 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 81 mm, Red	1 650,00
V420-F081M12M-SRX	697772	V420 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 81 mm, Red	2 259,00
V420-F081M12M-SWP	697773	V420 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 81 mm, Wh	1 650,00
V420-F081M12M-SWX	697774	V420 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 81 mm, Wh	2 259,00
V420-F102M12M-NNP	697775	V420 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 102 mm, N	1 528,00
V420-F102M12M-NNX	697776	V420 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 102 mm, N	2 137,00
V420-F102M12M-SRP	697777	V420 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 102 mm, Red	1 650,00
V420-F102M12M-SRX	697778	V420 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 102 mm, Red	2 259,00
V420-F102M12M-SWP	697779	V420 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 102 mm, W	1 650,00
V420-F102M12M-SWX	697780	V420 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 102 mm, W	2 259,00
V420-F133M12M-NNP	697781	V420 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 133 mm, N	1 528,00
V420-F133M12M-NNX	697782	V420 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 133 mm, N	2 137,00
V420-F133M12M-SRP	697783	V420 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 133 mm, Red	1 650,00
V420-F133M12M-SRX	697784	V420 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 133 mm, Red	2 259,00
V420-F133M12M-SWP	697785	V420 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 133 mm, W	1 650,00
V420-F133M12M-SWX	697786	V420 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 133 mm, W	2 259,00
V420-F190M12M-NNP	697787	V420 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 190 mm, N	1 528,00
V420-F190M12M-NNX	697788	V420 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 190 mm, N	2 137,00
V420-F190M12M-SRP	697789	V420 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 190 mm, Red	1 650,00
V420-F190M12M-SRX	697790	V420 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 190 mm, Red	2 259,00
V420-F190M12M-SWP	697791	V420 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 190 mm, W	1 650,00
V420-F190M12M-SWX	697792	V420 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 190 mm, W	2 259,00
V420-F300M12M-NNP	697793	V420 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 300 mm, N	1 528,00
V420-F300M12M-NNX	697794	V420 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 300 mm, N	2 137,00

OMRON PVPR 2023

V420-F300M12M-SRP	697795	V420 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 300 mm, R	1 650,00
V420-F300M12M-SRX	697796	V420 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 300 mm, R	2 259,00
V420-F300M12M-SWP	697797	V420 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 300 mm, W	1 650,00
V420-F300M12M-SWX	697798	V420 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 300 mm, W	2 259,00
V420-F050W50C-NNP	697799	V420 Code Reader, 5 MP color, Wide view, Fixed focus 50 mm, No outer light, 1	1 284,00
V420-F050W50C-NNX	697800	V420 Code Reader, 5 MP color, Wide view, Fixed focus 50 mm, No outer light, X	1 893,00
V420-F050W50C-SWP	697801	V420 Code Reader, 5 MP color, Wide view, Fixed focus 50 mm, White light, 1D/2	1 406,00
V420-F050W50C-SWX	697802	V420 Code Reader, 5 MP color, Wide view, Fixed focus 50 mm, White light, X-M	2 015,00
V420-F064W50C-NNP	697803	V420 Code Reader, 5 MP color, Wide view, Fixed focus 64 mm, No outer light, 1	1 284,00
V420-F064W50C-NNX	697804	V420 Code Reader, 5 MP color, Wide view, Fixed focus 64 mm, No outer light, X	1 893,00
V420-F064W50C-SWP	697805	V420 Code Reader, 5 MP color, Wide view, Fixed focus 64 mm, White light, 1D/2	1 406,00
V420-F064W50C-SWX	697806	V420 Code Reader, 5 MP color, Wide view, Fixed focus 64 mm, White light, X-M	2 015,00
V420-F081W50C-NNP	697807	V420 Code Reader, 5 MP color, Wide view, Fixed focus 81 mm, No outer light, 1	1 284,00
V420-F081W50C-NNX	697808	V420 Code Reader, 5 MP color, Wide view, Fixed focus 81 mm, No outer light, X	1 893,00
V420-F081W50C-SWP	697809	V420 Code Reader, 5 MP color, Wide view, Fixed focus 81 mm, White light, 1D/2	1 406,00
V420-F081W50C-SWX	697810	V420 Code Reader, 5 MP color, Wide view, Fixed focus 81 mm, White light, X-M	2 015,00
V420-F102W50C-NNP	697811	V420 Code Reader, 5 MP color, Wide view, Fixed focus 102 mm, No outer light,	1 284,00
V420-F102W50C-NNX	697812	V420 Code Reader, 5 MP color, Wide view, Fixed focus 102 mm, No outer light,	1 893,00
V420-F102W50C-SWP	697813	V420 Code Reader, 5 MP color, Wide view, Fixed focus 102 mm, White light, 1D	1 406,00
V420-F102W50C-SWX	697814	V420 Code Reader, 5 MP color, Wide view, Fixed focus 102 mm, White light, X-N	2 015,00
V420-F133W50C-NNP	697815	V420 Code Reader, 5 MP color, Wide view, Fixed focus 133 mm, No outer light,	1 284,00
V420-F133W50C-NNX	697816	V420 Code Reader, 5 MP color, Wide view, Fixed focus 133 mm, No outer light,	1 893,00
V420-F133W50C-SWP	697817	V420 Code Reader, 5 MP color, Wide view, Fixed focus 133 mm, White light, 1D	1 406,00
V420-F133W50C-SWX	697818	V420 Code Reader, 5 MP color, Wide view, Fixed focus 133 mm, White light, X-N	2 015,00
V420-F190W50C-NNP	697819	V420 Code Reader, 5 MP color, Wide view, Fixed focus 190 mm, No outer light,	1 284,00
V420-F190W50C-NNX	697820	V420 Code Reader, 5 MP color, Wide view, Fixed focus 190 mm, No outer light,	1 893,00
V420-F190W50C-SWP	697821	V420 Code Reader, 5 MP color, Wide view, Fixed focus 190 mm, White light, 1D	1 406,00
V420-F190W50C-SWX	697822	V420 Code Reader, 5 MP color, Wide view, Fixed focus 190 mm, White light, X-N	2 015,00
V420-F300W50C-NNP	697823	V420 Code Reader, 5 MP color, Wide view, Fixed focus 300 mm, No outer light,	1 284,00
V420-F300W50C-NNX	697824	V420 Code Reader, 5 MP color, Wide view, Fixed focus 300 mm, No outer light,	1 893,00
V420-F300W50C-SWP	697825	V420 Code Reader, 5 MP color, Wide view, Fixed focus 300 mm, White light, 1D	1 406,00
V420-F300W50C-SWX	697826	V420 Code Reader, 5 MP color, Wide view, Fixed focus 300 mm, White light, X-N	2 015,00
V420-F050M50C-NNP	697827	V420 Code Reader, 5 MP color, Medium view, Fixed focus 50 mm, No outer light	1 284,00

OMRON PVPR 2023

V420-F050M50C-NNX	697828	V420 Code Reader, 5 MP color, Medium view, Fixed focus 50 mm, No outer light	1 893,00
V420-F050M50C-SWP	697829	V420 Code Reader, 5 MP color, Medium view, Fixed focus 50 mm, White light, 1	1 406,00
V420-F050M50C-SWX	697830	V420 Code Reader, 5 MP color, Medium view, Fixed focus 50 mm, White light, X	2 015,00
V420-F064M50C-NNP	697831	V420 Code Reader, 5 MP color, Medium view, Fixed focus 64 mm, No outer light	1 284,00
V420-F064M50C-NNX	697832	V420 Code Reader, 5 MP color, Medium view, Fixed focus 64 mm, No outer light	1 893,00
V420-F064M50C-SWP	697833	V420 Code Reader, 5 MP color, Medium view, Fixed focus 64 mm, White light, 1	1 406,00
V420-F064M50C-SWX	697834	V420 Code Reader, 5 MP color, Medium view, Fixed focus 64 mm, White light, X	2 015,00
V420-F081M50C-NNP	697835	V420 Code Reader, 5 MP color, Medium view, Fixed focus 81 mm, No outer light	1 284,00
V420-F081M50C-NNX	697836	V420 Code Reader, 5 MP color, Medium view, Fixed focus 81 mm, No outer light	1 893,00
V420-F081M50C-SWP	697837	V420 Code Reader, 5 MP color, Medium view, Fixed focus 81 mm, White light, 1	1 406,00
V420-F081M50C-SWX	697838	V420 Code Reader, 5 MP color, Medium view, Fixed focus 81 mm, White light, X	2 015,00
V420-F102M50C-NNP	697839	V420 Code Reader, 5 MP color, Medium view, Fixed focus 102 mm, No outer light	1 284,00
V420-F102M50C-NNX	697840	V420 Code Reader, 5 MP color, Medium view, Fixed focus 102 mm, No outer light	1 893,00
V420-F102M50C-SWP	697841	V420 Code Reader, 5 MP color, Medium view, Fixed focus 102 mm, White light,	1 406,00
V420-F102M50C-SWX	697842	V420 Code Reader, 5 MP color, Medium view, Fixed focus 102 mm, White light,	2 015,00
V420-F133M50C-NNP	697843	V420 Code Reader, 5 MP color, Medium view, Fixed focus 133 mm, No outer light	1 284,00
V420-F133M50C-NNX	697844	V420 Code Reader, 5 MP color, Medium view, Fixed focus 133 mm, No outer light	1 893,00
V420-F133M50C-SWP	697845	V420 Code Reader, 5 MP color, Medium view, Fixed focus 133 mm, White light,	1 406,00
V420-F133M50C-SWX	697846	V420 Code Reader, 5 MP color, Medium view, Fixed focus 133 mm, White light,	2 015,00
V420-F190M50C-NNP	697847	V420 Code Reader, 5 MP color, Medium view, Fixed focus 190 mm, No outer light	1 284,00
V420-F190M50C-NNX	697848	V420 Code Reader, 5 MP color, Medium view, Fixed focus 190 mm, No outer light	1 893,00
V420-F190M50C-SWP	697849	V420 Code Reader, 5 MP color, Medium view, Fixed focus 190 mm, White light,	1 406,00
V420-F190M50C-SWX	697850	V420 Code Reader, 5 MP color, Medium view, Fixed focus 190 mm, White light,	2 015,00
V420-F300M50C-NNP	697851	V420 Code Reader, 5 MP color, Medium view, Fixed focus 300 mm, No outer light	1 284,00
V420-F300M50C-NNX	697852	V420 Code Reader, 5 MP color, Medium view, Fixed focus 300 mm, No outer light	1 893,00
V420-F300M50C-SWP	697853	V420 Code Reader, 5 MP color, Medium view, Fixed focus 300 mm, White light,	1 406,00
V420-F300M50C-SWX	697854	V420 Code Reader, 5 MP color, Medium view, Fixed focus 300 mm, White light,	2 015,00
V420-F000W03M-NNP	697855	Lector de códigos V420, 0,3 MP monocromo, objetivo gran angular, enfoque aut	1 528,00
V420-F000W03M-NNX	697856	Lector de códigos V420, 0,3 MP monocromo, objetivo gran angular, enfoque aut	2 137,00
V420-F000W03M-SRP	697857	Lector de códigos V420, 0,3 MP monocromo, objetivo gran angular, enfoque aut	1 650,00
V420-F000W03M-SWP	697858	Lector de códigos V420, 0,3 MP monocromo, objetivo gran angular, enfoque aut	1 650,00
V420-F000W03M-SWX	697859	Lector de códigos V420, 0,3 MP monocromo, objetivo gran angular, enfoque aut	2 259,00
V420-F000M03M-NNP	697860	Lector de códigos V420, 0,3 MP monocromo, objetivo de ángulo medio, enfoque	1 528,00

OMRON PVPR 2023

V420-F000M03M-NNX	697861	Lector de códigos V420, 0,3 MP monocromo, objetivo de ángulo medio, enfoque	2 137,00
V420-F000M03M-SRP	697862	Lector de códigos V420, 0,3 MP monocromo, objetivo de ángulo medio, enfoque	1 650,00
V420-F000M03M-SWP	697863	Lector de códigos V420, 0,3 MP monocromo, objetivo de ángulo medio, enfoque	1 650,00
V420-F000M03M-SWX	697864	Lector de códigos V420, 0,3 MP monocromo, objetivo de ángulo medio, enfoque	2 259,00
V420-F000W12M-NNP	697865	Lector de códigos V420, 1,2 MP monocromo, objetivo gran angular, enfoque au	1 893,00
V420-F000W12M-NNX	697866	Lector de códigos V420, 1,2 MP monocromo, objetivo gran angular, enfoque au	2 503,00
V420-F000W12M-SRP	697867	Lector de códigos V420, 1,2 MP monocromo, objetivo gran angular, enfoque au	2 015,00
V420-F000W12M-SWP	697868	Lector de códigos V420, 1,2 MP monocromo, objetivo gran angular, enfoque au	2 015,00
V420-F000W12M-SWX	697869	Lector de códigos V420, 1,2 MP monocromo, objetivo gran angular, enfoque au	2 625,00
V420-F000M12M-NNP	697870	Lector de códigos V420, 1,2 MP monocromo, objetivo de ángulo medio, enfoque	1 893,00
V420-F000M12M-NNX	697871	Lector de códigos V420, 1,2 MP monocromo, objetivo de ángulo medio, enfoque	2 503,00
V420-F000M12M-SWP	697872	Lector de códigos V420, 1,2 MP monocromo, objetivo de ángulo medio, enfoque	2 015,00
V420-F000M12M-SWX	697873	Lector de códigos V420, 1,2 MP monocromo, objetivo de ángulo medio, enfoque	2 625,00
V420-F000W50C-NNP	697874	Lector de códigos V420, 5 MP a color, objetivo gran angular, enfoque automáti	1 650,00
V420-F000W50C-NNX	697875	Lector de códigos V420, 5 MP a color, objetivo gran angular, enfoque automáti	2 259,00
V420-F000W50C-SWP	697876	Lector de códigos V420, 5 MP a color, objetivo gran angular, enfoque automáti	1 772,00
V420-F000W50C-SWX	697877	Lector de códigos V420, 5 MP a color, objetivo gran angular, enfoque automáti	2 381,00
V420-F000M50C-NNP	697878	Lector de códigos V420, 5 MP a color, objetivo de ángulo medio, enfoque autom	1 650,00
V420-F000M50C-NNX	697879	Lector de códigos V420, 5 MP a color, objetivo de ángulo medio, enfoque autom	2 259,00
V420-F000M50C-SWP	697880	Lector de códigos V420, 5 MP a color, objetivo de ángulo medio, enfoque autom	1 772,00
V420-F000M50C-SWX	697881	Lector de códigos V420, 5 MP a color, objetivo de ángulo medio, enfoque autom	2 381,00
V420-F400N12M-NNP	697888	V420 Code Reader, 1.2 MP monochrome, Narrow view, Fixed focus 400 mm, No	1 528,00
V420-F400N12M-NNX	697889	V420 Code Reader, 1.2 MP monochrome, Narrow view, Fixed focus 400 mm, No	2 137,00
V420-F400N12M-SRP	697890	V420 Code Reader, 1.2 MP monochrome, Narrow view, Fixed focus 400 mm, Re	1 650,00
V420-F400N12M-SRX	697891	V420 Code Reader, 1.2 MP monochrome, Narrow view, Fixed focus 400 mm, Re	2 259,00
V420-F400N12M-SWP	697892	V420 Code Reader, 1.2 MP monochrome, Narrow view, Fixed focus 400 mm, WI	1 650,00
V420-F400N12M-SWX	697893	V420 Code Reader, 1.2 MP monochrome, Narrow view, Fixed focus 400 mm, WI	2 259,00
V420-F000N12M-NNP	697894	Lector de códigos V420, 1,2 MP monocromo, objetivo de ángulo estrecho, enfoc	1 893,00
V420-F000N12M-NNX	697895	Lector de códigos V420, 1,2 MP monocromo, objetivo de ángulo estrecho, enfoc	2 503,00
V420-F000N12M-SRP	697896	Lector de códigos V420, 1,2 MP monocromo, objetivo de ángulo estrecho, enfoc	2 015,00
V420-F000N12M-SWP	697897	Lector de códigos V420, 1,2 MP monocromo, objetivo de ángulo estrecho, enfoc	2 015,00
V420-F000N12M-SWX	697898	Lector de códigos V420, 1,2 MP monocromo, objetivo de ángulo estrecho, enfoc	2 625,00
V420-F000L12M-NNP	697899	Lector de códigos V420, 1,2 MP monocromo, objetivo de largo alcance, enfoque	1 893,00

OMRON PVPR 2023

V420-F000L12M-NNX	697900	Lector de códigos V420, 1,2 MP monocromo, objetivo de largo alcance, enfoque	2 503,00
V420-F000L12M-SRP	697901	Lector de códigos V420, 1,2 MP monocromo, objetivo de largo alcance, enfoque	2 015,00
V420-F000L12M-SWP	697902	Lector de códigos V420, 1,2 MP monocromo, objetivo de largo alcance, enfoque	2 015,00
V420-F000L12M-SWX	697903	Lector de códigos V420, 1,2 MP monocromo, objetivo de largo alcance, enfoque	2 625,00
V430-F050W03M-NNP	697912	V430 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 50 mm, No ou	1 528,00
V430-F050W03M-NNX	697913	V430 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 50 mm, No ou	2 137,00
V430-F050W03M-SRP	697914	V430 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 50 mm, Red lig	1 650,00
V430-F050W03M-SRX	697915	V430 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 50 mm, Red lig	2 259,00
V430-F050W03M-SWP	697916	V430 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 50 mm, White	1 650,00
V430-F050W03M-SWX	697917	V430 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 50 mm, White	2 259,00
V430-F064W03M-NNP	697918	V430 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 64 mm, No ou	1 528,00
V430-F064W03M-NNX	697919	V430 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 64 mm, No ou	2 137,00
V430-F064W03M-SRP	697920	V430 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 64 mm, Red lig	1 650,00
V430-F064W03M-SRX	697921	V430 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 64 mm, Red lig	2 259,00
V430-F064W03M-SWP	697922	V430 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 64 mm, White	1 650,00
V430-F064W03M-SWX	697923	V430 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 64 mm, White	2 259,00
V430-F081W03M-NNP	697924	V430 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 81 mm, No ou	1 528,00
V430-F081W03M-NNX	697925	V430 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 81 mm, No ou	2 137,00
V430-F081W03M-SRP	697926	V430 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 81 mm, Red lig	1 650,00
V430-F081W03M-SRX	697927	V430 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 81 mm, Red lig	2 259,00
V430-F081W03M-SWP	697928	V430 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 81 mm, White	1 650,00
V430-F081W03M-SWX	697929	V430 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 81 mm, White	2 259,00
V430-F102W03M-NNP	697930	V430 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 102 mm, No o	1 528,00
V430-F102W03M-NNX	697931	V430 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 102 mm, No o	2 137,00
V430-F102W03M-SRP	697932	V430 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 102 mm, Red I	1 650,00
V430-F102W03M-SRX	697933	V430 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 102 mm, Red I	2 259,00
V430-F102W03M-SWP	697934	V430 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 102 mm, Whit	1 650,00
V430-F102W03M-SWX	697935	V430 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 102 mm, Whit	2 259,00
V430-F133W03M-NNP	697936	V430 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 133 mm, No o	1 528,00
V430-F133W03M-NNX	697937	V430 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 133 mm, No o	2 137,00
V430-F133W03M-SRP	697938	V430 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 133 mm, Red I	1 650,00
V430-F133W03M-SRX	697939	V430 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 133 mm, Red I	2 259,00
V430-F133W03M-SWP	697940	V430 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 133 mm, Whit	1 650,00

OMRON PVPR 2023

V430-F133W03M-SWX	697941	V430 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 133 mm, White	2 259,00
V430-F190W03M-NNP	697942	V430 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 190 mm, No o	1 528,00
V430-F190W03M-NNX	697943	V430 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 190 mm, No o	2 137,00
V430-F190W03M-SRP	697944	V430 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 190 mm, Red I	1 650,00
V430-F190W03M-SRX	697945	V430 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 190 mm, Red I	2 259,00
V430-F190W03M-SWP	697946	V430 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 190 mm, White	1 650,00
V430-F190W03M-SWX	697947	V430 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 190 mm, White	2 259,00
V430-F300W03M-NNP	697948	V430 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 300 mm, No o	1 528,00
V430-F300W03M-NNX	697949	V430 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 300 mm, No o	2 137,00
V430-F300W03M-SRP	697950	V430 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 300 mm, Red I	1 650,00
V430-F300W03M-SRX	697951	V430 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 300 mm, Red I	2 259,00
V430-F300W03M-SWP	697952	V430 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 300 mm, White	1 650,00
V430-F300W03M-SWX	697953	V430 Code Reader, 0.3 MP monochrome, Wide view, Fixed focus 300 mm, White	2 259,00
V430-F050M03M-NNP	697954	V430 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 50 mm, No	1 528,00
V430-F050M03M-NNX	697955	V430 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 50 mm, No	2 137,00
V430-F050M03M-SRP	697956	V430 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 50 mm, Red	1 650,00
V430-F050M03M-SRX	697957	V430 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 50 mm, Red	2 259,00
V430-F050M03M-SWP	697958	V430 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 50 mm, Wh	1 650,00
V430-F050M03M-SWX	697959	V430 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 50 mm, Wh	2 259,00
V430-F064M03M-NNP	697960	V430 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 64 mm, No	1 528,00
V430-F064M03M-NNX	697961	V430 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 64 mm, No	2 137,00
V430-F064M03M-SRP	697962	V430 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 64 mm, Red	1 650,00
V430-F064M03M-SRX	697963	V430 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 64 mm, Red	2 259,00
V430-F064M03M-SWP	697964	V430 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 64 mm, Wh	1 650,00
V430-F064M03M-SWX	697965	V430 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 64 mm, Wh	2 259,00
V430-F081M03M-NNP	697966	V430 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 81 mm, No	1 528,00
V430-F081M03M-NNX	697967	V430 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 81 mm, No	2 137,00
V430-F081M03M-SRP	697968	V430 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 81 mm, Red	1 650,00
V430-F081M03M-SRX	697969	V430 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 81 mm, Red	2 259,00
V430-F081M03M-SWP	697970	V430 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 81 mm, Wh	1 650,00
V430-F081M03M-SWX	697971	V430 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 81 mm, Wh	2 259,00
V430-F102M03M-NNP	697972	V430 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 102 mm, N	1 528,00
V430-F102M03M-NNX	697973	V430 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 102 mm, N	2 137,00

OMRON PVPR 2023

V430-F102M03M-SRP	697974	V430 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 102 mm, Red lig	1 650,00
V430-F102M03M-SWP	697975	V430 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 102 mm, White	1 650,00
V430-F102M03M-SWX	697976	V430 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 102 mm, White	2 259,00
V430-F133M03M-NNP	697977	V430 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 133 mm, No ou	1 528,00
V430-F133M03M-NNX	697978	V430 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 133 mm, No ou	2 137,00
V430-F133M03M-SRP	697979	V430 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 133 mm, Red	1 650,00
V430-F133M03M-SRX	697980	V430 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 133 mm, Red	2 259,00
V430-F133M03M-SWP	697981	V430 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 133 mm, White	1 650,00
V430-F133M03M-SWX	697982	V430 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 133 mm, White	2 259,00
V430-F190M03M-NNP	697983	V430 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 190 mm, No	1 528,00
V430-F190M03M-NNX	697984	V430 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 190 mm, No	2 137,00
V430-F190M03M-SRP	697985	V430 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 190 mm, Red	1 650,00
V430-F190M03M-SRX	697986	V430 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 190 mm, Red	2 259,00
V430-F190M03M-SWP	697987	V430 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 190 mm, White	1 650,00
V430-F190M03M-SWX	697988	V430 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 190 mm, White	2 259,00
V430-F300M03M-NNP	697989	V430 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 300 mm, No	1 528,00
V430-F300M03M-NNX	697990	V430 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 300 mm, No	2 137,00
V430-F300M03M-SRP	697991	V430 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 300 mm, Red	1 650,00
V430-F300M03M-SRX	697992	V430 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 300 mm, Red	2 259,00
V430-F300M03M-SWP	697993	V430 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 300 mm, White	1 650,00
V430-F300M03M-SWX	697994	V430 Code Reader, 0.3 MP monochrome, Medium view, Fixed focus 300 mm, White	2 259,00
V430-F050W12M-NNP	697995	V430 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 50 mm, No ou	1 893,00
V430-F050W12M-NNX	697996	V430 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 50 mm, No ou	2 503,00
V430-F050W12M-SRP	697997	V430 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 50 mm, Red lig	2 015,00
V430-F050W12M-SRX	697998	V430 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 50 mm, Red lig	2 625,00
V430-F050W12M-SWP	697999	V430 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 50 mm, White	2 015,00
V430-F050W12M-SWX	698000	V430 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 50 mm, White	2 625,00
V430-F064W12M-NNP	698001	V430 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 64 mm, No ou	1 893,00
V430-F064W12M-NNX	698002	V430 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 64 mm, No ou	2 503,00
V430-F064W12M-SRP	698003	V430 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 64 mm, Red lig	2 015,00
V430-F064W12M-SRX	698004	V430 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 64 mm, Red lig	2 625,00
V430-F064W12M-SWP	698005	V430 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 64 mm, White	2 015,00
V430-F064W12M-SWX	698006	V430 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 64 mm, White	2 625,00

OMRON PVPR 2023

V430-F081W12M-NNP	698007	V430 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 81 mm, No ou	1 893,00
V430-F081W12M-NNX	698008	V430 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 81 mm, No ou	2 503,00
V430-F081W12M-SRP	698009	V430 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 81 mm, Red lig	2 015,00
V430-F081W12M-SRX	698010	V430 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 81 mm, Red lig	2 625,00
V430-F081W12M-SWP	698011	V430 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 81 mm, White	2 015,00
V430-F081W12M-SWX	698012	V430 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 81 mm, White	2 625,00
V430-F102W12M-NNP	698013	V430 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 102 mm, No o	1 893,00
V430-F102W12M-NNX	698014	V430 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 102 mm, No o	2 503,00
V430-F102W12M-SRP	698015	V430 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 102 mm, Red l	2 015,00
V430-F102W12M-SRX	698016	V430 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 102 mm, Red l	2 625,00
V430-F102W12M-SWP	698017	V430 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 102 mm, Whit	2 015,00
V430-F102W12M-SWX	698018	V430 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 102 mm, Whit	2 625,00
V430-F133W12M-NNP	698019	V430 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 133 mm, No o	1 893,00
V430-F133W12M-NNX	698020	V430 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 133 mm, No o	2 503,00
V430-F133W12M-SRP	698021	V430 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 133 mm, Red l	2 015,00
V430-F133W12M-SRX	698022	V430 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 133 mm, Red l	2 625,00
V430-F133W12M-SWP	698023	V430 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 133 mm, Whit	2 015,00
V430-F133W12M-SWX	698024	V430 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 133 mm, Whit	2 625,00
V430-F190W12M-NNP	698025	V430 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 190 mm, No o	1 893,00
V430-F190W12M-NNX	698026	V430 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 190 mm, No o	2 503,00
V430-F190W12M-SRP	698027	V430 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 190 mm, Red l	2 015,00
V430-F190W12M-SRX	698028	V430 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 190 mm, Red l	2 625,00
V430-F190W12M-SWP	698029	V430 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 190 mm, Whit	2 015,00
V430-F190W12M-SWX	698030	V430 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 190 mm, Whit	2 625,00
V430-F300W12M-NNP	698031	V430 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 300 mm, No o	1 893,00
V430-F300W12M-NNX	698032	V430 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 300 mm, No o	2 503,00
V430-F300W12M-SRP	698033	V430 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 300 mm, Red l	2 015,00
V430-F300W12M-SRX	698034	V430 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 300 mm, Red l	2 625,00
V430-F300W12M-SWP	698035	V430 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 300 mm, Whit	2 015,00
V430-F300W12M-SWX	698036	V430 Code Reader, 1.2 MP monochrome, Wide view, Fixed focus 300 mm, Whit	2 625,00
V430-F050M12M-NNP	698037	V430 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 50 mm, No	1 893,00
V430-F050M12M-NNX	698038	V430 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 50 mm, No	2 503,00
V430-F050M12M-SRP	698039	V430 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 50 mm, Red	2 015,00

OMRON PVPR 2023

V430-F050M12M-SRX	698040	V430 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 50 mm, Red	2 625,00
V430-F050M12M-SWP	698041	V430 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 50 mm, White	2 015,00
V430-F050M12M-SWX	698042	V430 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 50 mm, White	2 625,00
V430-F064M12M-NNP	698043	V430 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 64 mm, No	1 893,00
V430-F064M12M-NNX	698044	V430 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 64 mm, No	2 503,00
V430-F064M12M-SRP	698045	V430 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 64 mm, Red	2 015,00
V430-F064M12M-SRX	698046	V430 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 64 mm, Red	2 625,00
V430-F064M12M-SWP	698047	V430 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 64 mm, White	2 015,00
V430-F064M12M-SWX	698048	V430 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 64 mm, White	2 625,00
V430-F081M12M-NNP	698049	V430 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 81 mm, No	1 893,00
V430-F081M12M-NNX	698050	V430 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 81 mm, No	2 503,00
V430-F081M12M-SRP	698051	V430 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 81 mm, Red	2 015,00
V430-F081M12M-SRX	698052	V430 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 81 mm, Red	2 625,00
V430-F081M12M-SWP	698053	V430 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 81 mm, White	2 015,00
V430-F081M12M-SWX	698054	V430 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 81 mm, White	2 625,00
V430-F102M12M-NNP	698055	V430 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 102 mm, No	1 893,00
V430-F102M12M-NNX	698056	V430 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 102 mm, No	2 503,00
V430-F102M12M-SRP	698057	V430 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 102 mm, Red	2 015,00
V430-F102M12M-SRX	698058	V430 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 102 mm, Red	2 625,00
V430-F102M12M-SWP	698059	V430 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 102 mm, White	2 015,00
V430-F102M12M-SWX	698060	V430 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 102 mm, White	2 625,00
V430-F133M12M-NNP	698061	V430 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 133 mm, No	1 893,00
V430-F133M12M-NNX	698062	V430 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 133 mm, No	2 503,00
V430-F133M12M-SRP	698063	V430 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 133 mm, Red	2 015,00
V430-F133M12M-SRX	698064	V430 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 133 mm, Red	2 625,00
V430-F133M12M-SWP	698065	V430 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 133 mm, White	2 015,00
V430-F133M12M-SWX	698066	V430 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 133 mm, White	2 625,00
V430-F190M12M-NNP	698067	V430 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 190 mm, No	1 893,00
V430-F190M12M-NNX	698068	V430 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 190 mm, No	2 503,00
V430-F190M12M-SRP	698069	V430 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 190 mm, Red	2 015,00
V430-F190M12M-SRX	698070	V430 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 190 mm, Red	2 625,00
V430-F190M12M-SWP	698071	V430 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 190 mm, White	2 015,00
V430-F190M12M-SWX	698072	V430 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 190 mm, White	2 625,00

OMRON PVPR 2023

V430-F300M12M-NNP	698073	V430 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 300 mm, No outer light, 1D/2	1 893,00
V430-F300M12M-NNX	698074	V430 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 300 mm, No outer light, X-M	2 503,00
V430-F300M12M-SRP	698075	V430 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 300 mm, Red light, 1D/2	2 015,00
V430-F300M12M-SRX	698076	V430 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 300 mm, Red light, X-M	2 625,00
V430-F300M12M-SWP	698077	V430 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 300 mm, White light, 1D/2	2 015,00
V430-F300M12M-SWX	698078	V430 Code Reader, 1.2 MP monochrome, Medium view, Fixed focus 300 mm, White light, X-M	2 625,00
V430-F050W50C-NNP	698079	V430 Code Reader, 5 MP color, Wide view, Fixed focus 50 mm, No outer light, 1D/2	1 650,00
V430-F050W50C-NNX	698080	V430 Code Reader, 5 MP color, Wide view, Fixed focus 50 mm, No outer light, X-M	2 259,00
V430-F050W50C-SWP	698081	V430 Code Reader, 5 MP color, Wide view, Fixed focus 50 mm, White light, 1D/2	1 772,00
V430-F050W50C-SWX	698082	V430 Code Reader, 5 MP color, Wide view, Fixed focus 50 mm, White light, X-M	2 381,00
V430-F064W50C-NNP	698083	V430 Code Reader, 5 MP color, Wide view, Fixed focus 64 mm, No outer light, 1D/2	1 650,00
V430-F064W50C-NNX	698084	V430 Code Reader, 5 MP color, Wide view, Fixed focus 64 mm, No outer light, X-M	2 259,00
V430-F064W50C-SWP	698085	V430 Code Reader, 5 MP color, Wide view, Fixed focus 64 mm, White light, 1D/2	1 772,00
V430-F064W50C-SWX	698086	V430 Code Reader, 5 MP color, Wide view, Fixed focus 64 mm, White light, X-M	2 381,00
V430-F081W50C-NNP	698087	V430 Code Reader, 5 MP color, Wide view, Fixed focus 81 mm, No outer light, 1D/2	1 650,00
V430-F081W50C-NNX	698088	V430 Code Reader, 5 MP color, Wide view, Fixed focus 81 mm, No outer light, X-M	2 259,00
V430-F081W50C-SWP	698089	V430 Code Reader, 5 MP color, Wide view, Fixed focus 81 mm, White light, 1D/2	1 772,00
V430-F081W50C-SWX	698090	V430 Code Reader, 5 MP color, Wide view, Fixed focus 81 mm, White light, X-M	2 381,00
V430-F102W50C-NNP	698091	V430 Code Reader, 5 MP color, Wide view, Fixed focus 102 mm, No outer light, 1D/2	1 650,00
V430-F102W50C-NNX	698092	V430 Code Reader, 5 MP color, Wide view, Fixed focus 102 mm, No outer light, X-M	2 259,00
V430-F102W50C-SWP	698093	V430 Code Reader, 5 MP color, Wide view, Fixed focus 102 mm, White light, 1D/2	1 772,00
V430-F102W50C-SWX	698094	V430 Code Reader, 5 MP color, Wide view, Fixed focus 102 mm, White light, X-M	2 381,00
V430-F133W50C-NNP	698095	V430 Code Reader, 5 MP color, Wide view, Fixed focus 133 mm, No outer light, 1D/2	1 650,00
V430-F133W50C-NNX	698096	V430 Code Reader, 5 MP color, Wide view, Fixed focus 133 mm, No outer light, X-M	2 259,00
V430-F133W50C-SWP	698097	V430 Code Reader, 5 MP color, Wide view, Fixed focus 133 mm, White light, 1D/2	1 772,00
V430-F133W50C-SWX	698098	V430 Code Reader, 5 MP color, Wide view, Fixed focus 133 mm, White light, X-M	2 381,00
V430-F190W50C-NNP	698099	V430 Code Reader, 5 MP color, Wide view, Fixed focus 190 mm, No outer light, 1D/2	1 650,00
V430-F190W50C-NNX	698100	V430 Code Reader, 5 MP color, Wide view, Fixed focus 190 mm, No outer light, X-M	2 259,00
V430-F190W50C-SWP	698101	V430 Code Reader, 5 MP color, Wide view, Fixed focus 190 mm, White light, 1D/2	1 772,00
V430-F190W50C-SWX	698102	V430 Code Reader, 5 MP color, Wide view, Fixed focus 190 mm, White light, X-M	2 381,00
V430-F300W50C-NNP	698103	V430 Code Reader, 5 MP color, Wide view, Fixed focus 300 mm, No outer light, 1D/2	1 650,00
V430-F300W50C-NNX	698104	V430 Code Reader, 5 MP color, Wide view, Fixed focus 300 mm, No outer light, X-M	2 259,00
V430-F300W50C-SWP	698105	V430 Code Reader, 5 MP color, Wide view, Fixed focus 300 mm, White light, 1D/2	1 772,00

OMRON PVPR 2023

V430-F300W50C-SWX	698106	V430 Code Reader, 5 MP color, Wide view, Fixed focus 300 mm, White light, X-N	2 381,00
V430-F050M50C-NNP	698107	V430 Code Reader, 5 MP color, Medium view, Fixed focus 50 mm, No outer light	1 650,00
V430-F050M50C-NNX	698108	V430 Code Reader, 5 MP color, Medium view, Fixed focus 50 mm, No outer light	2 259,00
V430-F050M50C-SWP	698109	V430 Code Reader, 5 MP color, Medium view, Fixed focus 50 mm, White light, 1	1 772,00
V430-F050M50C-SWX	698110	V430 Code Reader, 5 MP color, Medium view, Fixed focus 50 mm, White light, X	2 381,00
V430-F064M50C-NNP	698111	V430 Code Reader, 5 MP color, Medium view, Fixed focus 64 mm, No outer light	1 650,00
V430-F064M50C-NNX	698112	V430 Code Reader, 5 MP color, Medium view, Fixed focus 64 mm, No outer light	2 259,00
V430-F064M50C-SWP	698113	V430 Code Reader, 5 MP color, Medium view, Fixed focus 64 mm, White light, 1	1 772,00
V430-F064M50C-SWX	698114	V430 Code Reader, 5 MP color, Medium view, Fixed focus 64 mm, White light, X	2 381,00
V430-F081M50C-NNP	698115	V430 Code Reader, 5 MP color, Medium view, Fixed focus 81 mm, No outer light	1 650,00
V430-F081M50C-NNX	698116	V430 Code Reader, 5 MP color, Medium view, Fixed focus 81 mm, No outer light	2 259,00
V430-F081M50C-SWP	698117	V430 Code Reader, 5 MP color, Medium view, Fixed focus 81 mm, White light, 1	1 772,00
V430-F081M50C-SWX	698118	V430 Code Reader, 5 MP color, Medium view, Fixed focus 81 mm, White light, X	2 381,00
V430-F102M50C-NNP	698119	V430 Code Reader, 5 MP color, Medium view, Fixed focus 102 mm, No outer light	1 650,00
V430-F102M50C-NNX	698120	V430 Code Reader, 5 MP color, Medium view, Fixed focus 102 mm, No outer light	2 259,00
V430-F102M50C-SWP	698121	V430 Code Reader, 5 MP color, Medium view, Fixed focus 102 mm, White light,	1 772,00
V430-F102M50C-SWX	698122	V430 Code Reader, 5 MP color, Medium view, Fixed focus 102 mm, White light,	2 381,00
V430-F133M50C-NNP	698123	V430 Code Reader, 5 MP color, Medium view, Fixed focus 133 mm, No outer light	1 650,00
V430-F133M50C-NNX	698124	V430 Code Reader, 5 MP color, Medium view, Fixed focus 133 mm, No outer light	2 259,00
V430-F133M50C-SWP	698125	V430 Code Reader, 5 MP color, Medium view, Fixed focus 133 mm, White light,	1 772,00
V430-F133M50C-SWX	698126	V430 Code Reader, 5 MP color, Medium view, Fixed focus 133 mm, White light,	2 381,00
V430-F190M50C-NNP	698127	V430 Code Reader, 5 MP color, Medium view, Fixed focus 190 mm, No outer light	1 650,00
V430-F190M50C-NNX	698128	V430 Code Reader, 5 MP color, Medium view, Fixed focus 190 mm, No outer light	2 259,00
V430-F190M50C-SWP	698129	V430 Code Reader, 5 MP color, Medium view, Fixed focus 190 mm, White light,	1 772,00
V430-F190M50C-SWX	698130	V430 Code Reader, 5 MP color, Medium view, Fixed focus 190 mm, White light,	2 381,00
V430-F300M50C-NNP	698131	V430 Code Reader, 5 MP color, Medium view, Fixed focus 300 mm, No outer light	1 650,00
V430-F300M50C-NNX	698132	V430 Code Reader, 5 MP color, Medium view, Fixed focus 300 mm, No outer light	2 259,00
V430-F300M50C-SWP	698133	V430 Code Reader, 5 MP color, Medium view, Fixed focus 300 mm, White light,	1 772,00
V430-F300M50C-SWX	698134	V430 Code Reader, 5 MP color, Medium view, Fixed focus 300 mm, White light,	2 381,00
V430-F000W03M-NNP	698135	Lector de códigos V430, 0,3 MP monocromo, objetivo gran angular, enfoque au	1 893,00
V430-F000W03M-NNX	698136	Lector de códigos V430, 0,3 MP monocromo, objetivo gran angular, enfoque au	2 503,00
V430-F000W03M-SRP	698137	Lector de códigos V430, 0,3 MP monocromo, objetivo gran angular, enfoque au	2 015,00
V430-F000W03M-SRX	696573	Lector de códigos V430, 0,3 MP monocromo, objetivo gran angular, enfoque au	2 318,00

OMRON PVPR 2023

V430-F000W03M-SWP	698138	Lector de códigos V430, 0,3 MP monocromo, objetivo gran angular, enfoque aut	2 015,00
V430-F000W03M-SWX	698139	Lector de códigos V430, 0,3 MP monocromo, objetivo gran angular, enfoque aut	2 625,00
V430-F000M03M-NNP	698140	Lector de códigos V430, 0,3 MP monocromo, objetivo de ángulo medio, enfoque	1 893,00
V430-F000M03M-NNX	698141	Lector de códigos V430, 0,3 MP monocromo, objetivo de ángulo medio, enfoque	2 503,00
V430-F000M03M-SRP	698142	Lector de códigos V430, 0,3 MP monocromo, objetivo de ángulo medio, enfoque	2 015,00
V430-F000M03M-SWP	698143	Lector de códigos V430, 0,3 MP monocromo, objetivo de ángulo medio, enfoque	2 015,00
V430-F000M03M-SWX	698144	Lector de códigos V430, 0,3 MP monocromo, objetivo de ángulo medio, enfoque	2 625,00
V430-F000W12M-NNP	698145	Lector de códigos V430, 1,2 MP monocromo, objetivo gran angular, enfoque aut	2 259,00
V430-F000W12M-NNX	698146	Lector de códigos V430, 1,2 MP monocromo, objetivo gran angular, enfoque aut	2 869,00
V430-F000W12M-SRP	698147	Lector de códigos V430, 1,2 MP monocromo, objetivo gran angular, enfoque aut	2 381,00
V430-F000W12M-SWP	698148	Lector de códigos V430, 1,2 MP monocromo, objetivo gran angular, enfoque aut	2 381,00
V430-F000W12M-SWX	698149	Lector de códigos V430, 1,2 MP monocromo, objetivo gran angular, enfoque aut	2 990,00
V430-F000M12M-NNP	698150	Lector de códigos V430, 1,2 MP monocromo, objetivo de ángulo medio, enfoque	2 259,00
V430-F000M12M-NNX	698151	Lector de códigos V430, 1,2 MP monocromo, objetivo de ángulo medio, enfoque	2 869,00
V430-F000M12M-SRP	698152	Lector de códigos V430, 1,2 MP monocromo, objetivo de ángulo medio, enfoque	2 381,00
V430-F000M12M-SWP	698153	Lector de códigos V430, 1,2 MP monocromo, objetivo de ángulo medio, enfoque	2 381,00
V430-F000M12M-SWX	698154	Lector de códigos V430, 1,2 MP monocromo, objetivo de ángulo medio, enfoque	2 990,00
V430-F000W50C-NNP	698155	Lector de códigos V430, 5 MP a color, objetivo gran angular, enfoque automáti	2 015,00
V430-F000W50C-NNX	698156	Lector de códigos V430, 5 MP a color, objetivo gran angular, enfoque automáti	2 625,00
V430-F000W50C-SWP	698157	Lector de códigos V430, 5 MP a color, objetivo gran angular, enfoque automáti	2 137,00
V430-F000M50C-NNP	698158	Lector de códigos V430, 5 MP a color, objetivo de ángulo medio, enfoque autom	2 015,00
V430-F000M50C-NNX	698159	Lector de códigos V430, 5 MP a color, objetivo de ángulo medio, enfoque autom	2 625,00
V430-F000M50C-SWP	698160	Lector de códigos V430, 5 MP a color, objetivo de ángulo medio, enfoque autom	2 137,00
V430-F400N12M-NNP	698167	V430 Code Reader, 1.2 MP monochrome, Narrow view, Fixed focus 400 mm, No	1 893,00
V430-F400N12M-NNX	698168	V430 Code Reader, 1.2 MP monochrome, Narrow view, Fixed focus 400 mm, No	2 503,00
V430-F400N12M-SRP	698169	V430 Code Reader, 1.2 MP monochrome, Narrow view, Fixed focus 400 mm, Re	2 015,00
V430-F400N12M-SRX	698170	V430 Code Reader, 1.2 MP monochrome, Narrow view, Fixed focus 400 mm, Re	2 625,00
V430-F400N12M-SWP	698171	V430 Code Reader, 1.2 MP monochrome, Narrow view, Fixed focus 400 mm, Wl	2 015,00
V430-F400N12M-SWX	698172	V430 Code Reader, 1.2 MP monochrome, Narrow view, Fixed focus 400 mm, Wl	2 625,00
V430-F000N12M-NNP	698173	Lector de códigos V430, 1,2 MP monocromo, objetivo de ángulo estrecho, enfoc	2 259,00
V430-F000N12M-NNX	698174	Lector de códigos V430, 1,2 MP monocromo, objetivo de ángulo estrecho, enfoc	2 869,00
V430-F000N12M-SRP	698175	Lector de códigos V430, 1,2 MP monocromo, objetivo de ángulo estrecho, enfoc	2 381,00
V430-F000N12M-SWP	698176	Lector de códigos V430, 1,2 MP monocromo, objetivo de ángulo estrecho, enfoc	2 381,00

OMRON PVPR 2023

V430-F000N12M-SWX	698177	Lector de códigos V430, 1,2 MP monocromo, objetivo de ángulo estrecho, enfoque	2 990,00
V430-F000L12M-NNP	698178	Lector de códigos V430, 1,2 MP monocromo, objetivo de largo alcance, enfoque	2 259,00
V430-F000L12M-NNX	698179	Lector de códigos V430, 1,2 MP monocromo, objetivo de largo alcance, enfoque	2 869,00
V430-F000L12M-SRP	698180	Lector de códigos V430, 1,2 MP monocromo, objetivo de largo alcance, enfoque	2 381,00
V430-F000L12M-SWP	698181	Lector de códigos V430, 1,2 MP monocromo, objetivo de largo alcance, enfoque	2 381,00
V430-F000M12M-RWX	698182	Lector de códigos V430, 1,2 MP monocromo, objetivo de ángulo medio, enfoque	3 600,00
V430-F000N12M-RWX	698183	Lector de códigos V430, 1,2 MP monocromo, objetivo de ángulo estrecho, enfoque	3 600,00
V420-F000M12M-SRP	702501	Lector de códigos V420, 1,2 MP monocromo, objetivo de ángulo medio, enfoque	2 015,00
V440-FXXXY50M-NNP	703505	V440-F, no optics, 5 MP, mono, no light, plus mode	2 295,00
V440-FXXXY50M-NNX	703468	V440-F, no optics, 5 MP, mono, C-Mount, X-Mode, Ethernet TCP/IP, EtherNet/IP	2 589,00
V440-STARTERKIT-001	706956	V440 starter kit includes,V440-FXXXY50M-NNX,V440-AM0,98-000134-01,V430-V	2 244,00
V440-STARTERKIT-002	706958	V440 starter kit includes,V440-FXXXY50M-NNX,V440-AM0,98-000134-01,V430-V	1 956,00
V440-STARTERKIT-003	706960	V440 starter kit includes,V440-FXXXY50M-NNX,V440-AM0,,98-000134-01,V430-	1 439,00
V420-F000W03M-SRX	709098	Lector de códigos V420, 0,3 MP monocromo, objetivo gran angular, enfoque aut	1 953,00
V420-F000M03M-SRX	709099	Lector de códigos V420, 0,3 MP monocromo, objetivo de ángulo medio, enfoque	1 953,00
V420-F000W12M-SRX	709100	Lector de códigos V420, 1,2 MP monocromo, objetivo gran angular, enfoque aut	2 318,00
V420-F000M12M-SRX	709101	Lector de códigos V420, 1,2 MP monocromo, objetivo de ángulo medio, enfoque	2 318,00
V420-F000N12M-SRX	709102	Lector de códigos V420, 1,2 MP monocromo, objetivo de ángulo estrecho, enfoc	2 625,00
V420-F000L12M-SRX	709103	Lector de códigos V420, 1,2 MP monocromo, objetivo de largo alcance, enfoque	2 318,00
V430-F102M03M-SRX	709114	Lector de códigos V430, 0.3 MP monocromo, vista media, enfoque fijo de 102 m	2 259,00
V430-F000M03M-SRX	709115	Lector de códigos V430, 0,3 MP monocromo, objetivo de ángulo medio, enfoque	2 318,00
V430-F000W12M-SRX	709116	Lector de códigos V430, 1,2 MP monocromo, objetivo gran angular, enfoque aut	2 685,00
V430-F000M12M-SRX	709117	Lector de códigos V430, 1,2 MP monocromo, objetivo de ángulo medio, enfoque	2 685,00
V430-F000W50C-SWX	709118	Lector de códigos V430, 5 MP a color, objetivo gran angular, enfoque automáti	2 747,00
V430-F000M50C-SWX	709119	Lector de códigos V430, 5 MP a color, objetivo de ángulo medio, enfoque autom	2 747,00
V430-F000N12M-SRX	709120	Lector de códigos V430, 1,2 MP monocromo, objetivo de ángulo estrecho, enfoc	2 990,00
V430-F000L12M-SRX	709121	Lector de códigos V430, 1,2 MP monocromo, objetivo de largo alcance, enfoque	2 685,00
V430-F000L12M-SWX	709122	Lector de códigos V430, 1,2 MP monocromo, objetivo de largo alcance, enfoque	2 990,00
V430-F000M12M-RRX	709123	Lector de códigos V430, 1,2 MP monocromo, objetivo de ángulo medio, enfoque	3 296,00
V430-F000N12M-RRX	709124	Lector de códigos V430, 1,2 MP monocromo, objetivo de ángulo estrecho, enfoc	3 600,00
7211-1133-0000	682525	MicroHAWK ID-20, IP40 Carcasa, USB, WVGA, 0.3 Megapixel, Mono, Estándar De	622,50
7212-2102-0002	684532	MicroHAWK ID-20, IP40 Carcasa, USB, SXGA, 1.2 Megapixel, Mono, Alta Densida	1 123,00
7213-1102-0003	688189	MicroHAWK ID-20, IP40 Case, USB, QSXGA, 5 Megapixel, Color, Standard Density	1 250,00

OMRON PVPR 2023

7211-1064-0002	682483	MicroHAWK ID-20, IP40 Carcasa, USB, WVGA, 0.3 Megapixel, Mono, Estándar De	748,00
7211-1064-0003	684054	MicroHAWK ID-20, IP40 Carcasa, USB, WVGA, 0.3 Megapixel, Mono, Estándar De	1 123,00
7211-1102-0002	683857	MicroHAWK ID-20, IP40 Carcasa, USB, WVGA, 0.3 Megapixel, Mono, Estándar De	748,00
7313-1000-0003	683538	MicroHAWK ID-30, IP54 Carcasa, 5 Vcc, USB, QXGA, 5 Megapixel, Color, Estánd	1 829,00
7212-1081-0002	682462	MicroHAWK ID-20, IP40 Carcasa, USB, SXGA, 1.2 Megapixel, Mono, Estándar De	1 123,00
7212-1133-0002	687257	MicroHAWK ID-20, IP40 Case, USB, SXGA, 1.2 Megapixel, Mono, Standard Densi	1 124,00
7212-2064-0002	683334	MicroHAWK ID-20, IP40 Carcasa, USB, SXGA, 1.2 Megapixel, Mono, Alta Densida	1 123,00
7211-1081-0002	694905	MicroHAWK ID-20, IP40 Case, USB, WVGA, 0.3 Megapixel, Mono, Standard Dens	748,00
7211-1190-0000	684827	MicroHAWK ID-20, IP40 Carcasa, USB, WVGA, 0.3 Megapixel, Mono, Estándar De	622,50
7411-1000-1005	682245	MicroHAWK ID-40, carcasa IP65, 24 Vcc, Ethernet, WVGA, 0,3 megapíxeles, mon	2 650,00
7212-1081-0003	682459	MicroHAWK ID-20, IP40 Carcasa, USB, SXGA, 1.2 Megapixel, Mono, Estándar De	1 123,00
7212-1102-0005	689963	MicroHAWK ID-20, IP40 Case, USB, SXGA, 1.2 Megapixel, Mono, Standard Densi	1 996,00
7212-1102-0003	688188	MicroHAWK ID-20, IP40 Case, USB, SXGA, 1.2 Megapixel, Mono, Standard Densi	1 502,00
7212-2050-0002	689566	MicroHAWK ID-20, IP40 Case, USB, SXGA, 1.2 Megapixel, Mono, High Density, 50	1 124,00
7211-1050-0002	686118	MicroHAWK ID-20, IP40 Case, USB, WVGA, 0.3 Megapixel, Mono, Standard Dens	748,00
7211-1102-0000	682526	MicroHAWK ID-20, carcasa IP40, USB, WVGA, 0,3 megapíxeles, monocromo, der	622,50
7211-2050-0002	683952	MicroHAWK ID-20, IP40 Carcasa, USB, WVGA, 0.3 Megapixel, Mono, Alta Densid	748,00
7211-1102-0005	686114	MicroHAWK ID-20, IP40 Case, USB, WVGA, 0.3 Megapixel, Mono, Standard Dens	1 625,00
7211-2050-0003	685003	MicroHAWK ID-20, IP40 Carcasa, USB, WVGA, 0.3 Megapixel, Mono, Alta Densid	1 123,00
7212-1102-0002	683880	MicroHAWK ID-20, IP40 Carcasa, USB, SXGA, 1.2 Megapixel, Mono, Estándar De	1 123,00
7411-2000-1005	682329	MicroHAWK ID-40, carcasa IP65, 24 V CC, Ethernet, WVGA, 0,3 megapíxeles, mo	2 627,00
HDS-3608-0001	682181	Escáner DPM portátil, con cable, HDS-3608	2 086,00
HDS-3678-0001	682207	Escáner DPM portátil, sin cable, HDS-3678	2 818,00
V410-HDS4608SR	699314	Lector de mano V410-H SR, gris negro, con cable	412,50
V410-HDS4608HC	699313	Lector de mano V410-H HC, blanco, con cable	467,50
V410-HDS4608XD	699312	Lector de mano V410-H XD, gris negro, cableado, con modo X.	687,50
V410-HDS4608SR	709091	Lector de mano V410-H SR, gris negro, con cable	412,50
V410-HDS4608HC	709092	Lector de mano V410-H HC, blanco, con cable	467,50
V410-HDS4608XD	709093	Lector de mano V410-H XD, gris negro, cableado, con modo X.	687,50
HDS-3608-0001	709164	Escáner DPM portátil, con cable, HDS-3608	2 086,00
HDS-3678-0001	709078	Escáner DPM portátil, sin cable, HDS-3678	2 818,00
7211-1102-0100	687765	MicroHAWK MV-20, IP40 Case, USB, WVGA, 0.3 Megapixel, Mono, Standard Der	1 501,00
7211-2050-0100	688118	MicroHAWK MV-20, IP40 Case, USB, WVGA, 0.3 Megapixel, Mono, High Density,	1 501,00

OMRON PVPR 2023

7212-1102-0101	688509	MicroHAWK MV-20, IP40 Case, USB, SXGA, 1.2 Megapixel, Mono, Standard Density	2 413,00
7212-1102-0103	683981	MicroHAWK MV-20, IP40 Carcasa, USB, SXGA, 1.2 Megapixel, Mono, Estándar D	2 840,00
7212-2102-0101	687764	MicroHAWK MV-20, IP40 Case, USB, SXGA, 1.2 Megapixel, Mono, High Density,	2 413,00
7212-2102-0104	687763	MicroHAWK MV-20, IP40 Case, USB, SXGA, 1.2 Megapixel, Mono, High Density,	3 252,00
7212-3064-0100	688027	MicroHAWK MV-20, IP40 Case, USB, SXGA, 1.2 Megapixel, Mono, Ultra High Der	2 002,00
7213-1102-0101	687762	MicroHAWK MV-20, IP40 Case, USB, QXSGA, 5 Megapixel, Color, Standard Densi	2 163,00
7212-1190-0101	688510	MicroHAWK MV-20, IP40 Case, USB, SXGA, 1.2 Megapixel, Mono, Standard Densi	2 413,00
7212-2190-0102	685449	MicroHAWK MV-20, IP40 Carcasa, USB, SXGA, 1.2 Megapixel, Mono, Alta Densid	2 874,00
7212-3400-0102	687761	MicroHAWK MV-20, IP40 Case, USB, SXGA, 1.2 Megapixel, Mono, Ultra High Der	3 003,00
7213-1102-0100	687760	MicroHAWK MV-20, IP40 Case, USB, QXSGA, 5 Megapixel, Color, Standard Densi	1 625,00
7211-1102-0102	687759	MicroHAWK MV-20, IP40 Case, USB, WVGA, 0.3 Megapixel, Mono, Standard Der	2 502,00
7213-1102-0102	687758	MicroHAWK MV-20, IP40 Case, USB, QXSGA, 5 Megapixel, Color, Standard Densi	2 626,00
7212-2102-0103	687757	MicroHAWK MV-20, IP40 Case, USB, SXGA, 1.2 Megapixel, Mono, High Density,	2 870,00
7412-2050-1101	685714	MicroHAWK MV-40, IP65 Carcasa, 24 Vcc, Ethernet, SXGA, 1.2 Megapixel, Mono	3 163,00
7412-4000-2101	686086	MicroHAWK MV-40, carcasa IP65, 24 V CC, Ethernet, SXGA, 1,2 megapíxeles, mo	3 503,00
FHV7H-M004-C	685231	FH Vision Smart Cámara, Alto Rendimiento, Monocromo, 0.4 Mpix Resolución, 6	4 438,00
FHV7H-M016-C	685232	FH Vision Smart Cámara, Alto Rendimiento, Monocromo, 1.6 Mpix Resolución, 3	5 050,00
FHV7H-M032-C	685233	FH Vision Smart Cámara, Alto Rendimiento, Monocromo, 3.2 Mpix Resolución, 3	5 915,00
FHV7H-M050-C	685234	FH Vision Smart Cámara, Alto Rendimiento, Monocromo, 5.0 Mpix Resolución, 3	6 830,00
FHV7H-C004-C	685333	FH Vision Smart Cámara, Alto Rendimiento, Color, 0.4 Mpix Resolución, 6.7 µm	4 438,00
FHV7H-C016-C	685334	FH Vision Smart Cámara, Alto Rendimiento, Color, 1.6 Mpix Resolución, 3.45 µm	5 050,00
FHV7H-C032-C	685335	FH Vision Smart Cámara, Alto Rendimiento, Color, 3.2 Mpix Resolución, 3.45 µm	5 915,00
FHV7H-C050-C	685336	FH Vision Smart Cámara, Alto Rendimiento, Color, 5.0 Mpix Resolución, 3.45 µm	6 830,00
FHV7H-M063R-C	687435	Cámara inteligente FH Vision, alto rendimiento, tipo monocromo, resolución de	5 050,00
FHV7H-M120R-C	687436	Cámara inteligente FH Vision, alto rendimiento, tipo monocromo, resolución de	5 915,00
FHV7H-C063R-C	687437	Cámara inteligente FH Vision, alto rendimiento, color, resolución de 6,3 megapíx	5 050,00
FHV7H-C120R-C	687438	Cámara inteligente FH Vision, alto rendimiento, color, resolución de 12,0 megap	5 915,00
98-000222-01	682596	Cámara GigE VS, 5 MP, monocroma, CMGC50, 2592 x 1944 píxeles, CMOS	2 280,00
FHV7H-M004-S06	685235	FH Vision Smart Cámara, Alto Rendimiento, Monocromo, 0.4 Mpix Resolución, 6	6 010,00
FHV7H-M016-S06	685236	FH Vision Smart Cámara, Alto Rendimiento, Monocromo, 1.6 Mpix Resolución, 3	6 630,00
FHV7H-M032-S06	685237	FH Vision Smart Cámara, Alto Rendimiento, Monocromo, 3.2 Mpix Resolución, 3	7 490,00
FHV7H-M004-S09	685238	FH Vision Smart Cámara, Alto Rendimiento, Monocromo, 0.4 Mpix Resolución, 6	6 010,00
FHV7H-M016-S09	685239	FH Vision Smart Cámara, Alto Rendimiento, Monocromo, 1.6 Mpix Resolución, 3	6 630,00

OMRON PVPR 2023

[illegible]

OMRON PVPR 2023

FHV7H-M032-S12-W	685273	FH Vision Smart Cámara, Alto Rendimiento, Monocromo, 3.2 Mpix Resolución, 3	8 120,00
FHV7H-M004-S16-W	685274	FH Vision Smart Cámara, Alto Rendimiento, Monocromo, 0.4 Mpix Resolución, 6	6 650,00
FHV7H-M016-S16-W	685275	FH Vision Smart Cámara, Alto Rendimiento, Monocromo, 1.6 Mpix Resolución, 3	7 260,00
FHV7H-M032-S16-W	685276	FH Vision Smart Cámara, Alto Rendimiento, Monocromo, 3.2 Mpix Resolución, 3	8 120,00
FHV7H-M004-S25-W	685277	FH Vision Smart Cámara, Alto Rendimiento, Monocromo, 0,4 Mpix Resolución, 6	6 650,00
FHV7H-M016-S25-W	685278	FH Vision Smart Cámara, Alto Rendimiento, Monocromo, 1.6 Mpix Resolución, 3	7 260,00
FHV7H-M032-S25-W	685279	FH Vision Smart Cámara, Alto Rendimiento, Monocromo, 3.2 Mpix Resolución, 3	8 120,00
FHV7H-M004-S06-MC	685280	FH Vision Smart Cámara, Alto Rendimiento, Monocromo, 0.4 Mpix Resolución, 6	7 680,00
FHV7H-M016-S06-MC	685281	FH Vision Smart Cámara, Alto Rendimiento, Monocromo, 1.6 Mpix Resolución, 3	8 285,00
FHV7H-M032-S06-MC	685282	FH Vision Smart Cámara, Alto Rendimiento, Monocromo, 3.2 Mpix Resolución, 3	9 140,00
FHV7H-M004-S09-MC	685321	FH Vision Smart Cámara, Alto Rendimiento, Monocromo, 0.4 Mpix Resolución, 6	7 680,00
FHV7H-M016-S09-MC	685322	FH Vision Smart Cámara, Alto Rendimiento, Monocromo, 1.6 Mpix Resolución, 3	8 285,00
FHV7H-M032-S09-MC	685323	FH Vision Smart Cámara, Alto Rendimiento, Monocromo, 3.2 Mpix Resolución, 3	9 140,00
FHV7H-M004-S12-MC	685324	FH Vision Smart Cámara, Alto Rendimiento, Monocromo, 0.4 Mpix Resolución, 6	7 680,00
FHV7H-M016-S12-MC	685325	FH Vision Smart Cámara, Alto Rendimiento, Monocromo, 1.6 Mpix Resolución, 3	8 285,00
FHV7H-M032-S12-MC	685326	FH Vision Smart Cámara, Alto Rendimiento, Monocromo, 3.2 Mpix Resolución, 3	9 140,00
FHV7H-M004-S16-MC	685327	FH Vision Smart Cámara, Alto Rendimiento, Monocromo, 0.4 Mpix Resolución, 6	7 680,00
FHV7H-M016-S16-MC	685328	FH Vision Smart Cámara, Alto Rendimiento, Monocromo, 1.6 Mpix Resolución, 3	8 285,00
FHV7H-M032-S16-MC	685329	FH Vision Smart Cámara, Alto Rendimiento, Monocromo, 3.2 Mpix Resolución, 3	9 140,00
FHV7H-M004-S25-MC	685330	FH Vision Smart Cámara, Alto Rendimiento, Monocromo, 0.4 Mpix Resolución, 6	7 680,00
FHV7H-M016-S25-MC	685331	FH Vision Smart Cámara, Alto Rendimiento, Monocromo, 1.6 Mpix Resolución, 3	8 285,00
FHV7H-M032-S25-MC	685332	FH Vision Smart Cámara, Alto Rendimiento, Monocromo, 3.2 Mpix Resolución, 3	9 140,00
FHV7H-C004-S06	685337	FH Vision Smart Cámara, Alto Rendimiento, Color, 0.4 Mpix Resolución, 6.7 µm	6 010,00
FHV7H-C016-S06	685338	FH Vision Smart Cámara, Alto Rendimiento, Color, 1.6 Mpix Resolución, 3.45 µm	6 630,00
FHV7H-C032-S06	685339	FH Vision Smart Cámara, Alto Rendimiento, Color, 3.2 Mpix Resolución, 3.45 µm	7 490,00
FHV7H-C004-S09	685340	FH Vision Smart Cámara, Alto Rendimiento, Color, 0.4 Mpix Resolución, 6.7 µm	6 010,00
FHV7H-C016-S09	685341	FH Vision Smart Cámara, Alto Rendimiento, Color, 1.6 Mpix Resolución, 3.45 µm	6 630,00
FHV7H-C032-S09	685342	FH Vision Smart Cámara, Alto Rendimiento, Color, 3.2 Mpix Resolución, 3.45 µm	7 490,00
FHV7H-C004-S12	685343	FH Vision Smart Cámara, Alto Rendimiento, Color, 0.4 Mpix Resolución, 6.7 µm	6 010,00
FHV7H-C016-S12	685344	FH Vision Smart Cámara, Alto Rendimiento, Color, 1.6 Mpix Resolución, 3.45 µm	6 630,00
FHV7H-C032-S12	685345	FH Vision Smart Cámara, Alto Rendimiento, Color, 3.2 Mpix Resolución, 3.45 µm	7 490,00
FHV7H-C004-S16	685346	FH Vision Smart Cámara, Alto Rendimiento, Color, 0.4 Mpix Resolución, 6.7 µm	6 010,00
FHV7H-C016-S16	685347	FH Vision Smart Cámara, Alto Rendimiento, Color, 1.6 Mpix Resolución, 3.45 µm	6 630,00

OMRON PVPR 2023

FHV7H-C032-S16	685348	FH Vision Smart Cámara, Alto Rendimiento, Color, 3.2 Mpix Resolución, 3.45 µm	7 490,00
FHV7H-C004-S25	685349	FH Vision Smart Cámara, Alto Rendimiento, Color, 0.4 Mpix Resolución, 6.7 µm	6 010,00
FHV7H-C016-S25	685350	FH Vision Smart Cámara, Alto Rendimiento, Color, 1.6 Mpix Resolución, 3.45 µm	6 630,00
FHV7H-C032-S25	685351	FH Vision Smart Cámara, Alto Rendimiento, Color, 3.2 Mpix Resolución, 3.45 µm	7 490,00
FHV7H-C004-S06-W	685352	FH Vision Smart Cámara, Alto Rendimiento, Color, 0.4 Mpix Resolución, 6.7 µm	6 650,00
FHV7H-C016-S06-W	685353	FH Vision Smart Cámara, Alto Rendimiento, Color, 1.6 Mpix Resolución, 3.45 µm	7 260,00
FHV7H-C032-S06-W	685354	FH Vision Smart Cámara, Alto Rendimiento, Color, 3.2 Mpix Resolución, 3.45 µm	8 120,00
FHV7H-C004-S06-MC	685355	FH Vision Smart Cámara, Alto Rendimiento, Color, 0.4 Mpix Resolución, 6.7 µm	7 680,00
FHV7H-C016-S06-MC	685356	FH Vision Smart Cámara, Alto Rendimiento, Color, 1.6 Mpix Resolución, 3.45 µm	8 285,00
FHV7H-C032-S06-MC	685357	FH Vision Smart Cámara, Alto Rendimiento, Color, 3.2 Mpix Resolución, 3.45 µm	9 140,00
FHV7H-C004-S09-W	685358	FH Vision Smart Cámara, Alto Rendimiento, Color, 0.4 Mpix Resolución, 6.7 µm	6 650,00
FHV7H-C016-S09-W	685359	FH Vision Smart Cámara, Alto Rendimiento, Color, 1.6 Mpix Resolución, 3.45 µm	7 260,00
FHV7H-C032-S09-W	685360	FH Vision Smart Cámara, Alto Rendimiento, Color, 3.2 Mpix Resolución, 3.45 µm	8 120,00
FHV7H-C004-S09-MC	685361	FH Vision Smart Cámara, Alto Rendimiento, Color, 0.4 Mpix Resolución, 6.7 µm	7 680,00
FHV7H-C016-S09-MC	685362	FH Vision Smart Cámara, Alto Rendimiento, Color, 1.6 Mpix Resolución, 3.45 µm	8 285,00
FHV7H-C032-S09-MC	685363	FH Vision Smart Cámara, Alto Rendimiento, Color, 3.2 Mpix Resolución, 3.45 µm	9 140,00
FHV7H-C004-S12-W	685364	FH Vision Smart Cámara, Alto Rendimiento, Color, 0.4 Mpix Resolución, 6.7 µm	6 650,00
FHV7H-C016-S12-W	685365	FH Vision Smart Cámara, Alto Rendimiento, Color, 1.6 Mpix Resolución, 3.45 µm	7 260,00
FHV7H-C032-S12-W	685366	FH Vision Smart Cámara, Alto Rendimiento, Color, 3.2 Mpix Resolución, 3.45 µm	8 120,00
FHV7H-C004-S12-MC	685367	FH Vision Smart Cámara, Alto Rendimiento, Color, 0.4 Mpix Resolución, 6.7 µm	7 680,00
FHV7H-C016-S12-MC	685368	FH Vision Smart Cámara, Alto Rendimiento, Color, 1.6 Mpix Resolución, 3.45 µm	8 285,00
FHV7H-C032-S12-MC	685369	FH Vision Smart Cámara, Alto Rendimiento, Color, 3.2 Mpix Resolución, 3.45 µm	9 140,00
FHV7H-C004-S16-W	685370	FH Vision Smart Cámara, Alto Rendimiento, Color, 0.4 Mpix Resolución, 6.7 µm	6 650,00
FHV7H-C016-S16-W	685371	FH Vision Smart Cámara, Alto Rendimiento, Color, 1.6 Mpix Resolución, 3.45 µm	7 260,00
FHV7H-C032-S16-W	685372	FH Vision Smart Cámara, Alto Rendimiento, Color, 3.2 Mpix Resolución, 3.45 µm	8 120,00
FHV7H-C004-S16-MC	685373	FH Vision Smart Cámara, Alto Rendimiento, Color, 0.4 Mpix Resolución, 6.7 µm	7 680,00
FHV7H-C016-S16-MC	685374	FH Vision Smart Cámara, Alto Rendimiento, Color, 1.6 Mpix Resolución, 3.45 µm	8 285,00
FHV7H-C032-S16-MC	685375	FH Vision Smart Cámara, Alto Rendimiento, Color, 3.2 Mpix Resolución, 3.45 µm	9 140,00
FHV7H-C004-S25-W	685376	FH Vision Smart Cámara, Alto Rendimiento, Color, 0.4 Mpix Resolución, 6.7 µm	6 650,00
FHV7H-C016-S25-W	685377	FH Vision Smart Cámara, Alto Rendimiento, Color, 1.6 Mpix Resolución, 3.45 µm	7 260,00
FHV7H-C032-S25-W	685378	FH Vision Smart Cámara, Alto Rendimiento, Color, 3.2 Mpix Resolución, 3.45 µm	8 120,00
FHV7H-C004-S25-MC	685379	FH Vision Smart Cámara, Alto Rendimiento, Color, 0.4 Mpix Resolución, 6.7 µm	7 680,00
FHV7H-C016-S25-MC	685229	FH Vision Smart Cámara, Alto Rendimiento, Color, 1.6 Mpix Resolución, 3.45 µm	8 285,00

OMRON PVPR 2023

FHV7H-C032-S25-MC	685230	FH Vision Smart Cámara, Alto Rendimiento, Color, 3.2 Mpix Resolución, 3.45 µm	9 140,00
FHV7H-M016-S25-MC-K	686993	Kit de inicio FHV7, incluido FHV7H-M016-S25-MC, FHV-VNB 2 m FHV-VDB 2 m, F	8 285,00
FHV7H-M063R-S06	687441	Cámara inteligente FH Vision, alto rendimiento, tipo monocromo, resolución de	6 630,00
FHV7H-M063R-S09	687442	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resol	6 630,00
FHV7H-M063R-S12	687443	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resol	6 630,00
FHV7H-M063R-S16	687444	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resol	6 630,00
FHV7H-M063R-S25	687445	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resol	6 630,00
FHV7H-M063R-S06-R	687446	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resol	7 260,00
FHV7H-M063R-S09-R	687447	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resol	7 260,00
FHV7H-M063R-S12-R	687448	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resol	7 260,00
FHV7H-M063R-S16-R	687449	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resol	7 260,00
FHV7H-M063R-S25-R	687450	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resol	7 260,00
FHV7H-M063R-S06-W	687451	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resol	7 260,00
FHV7H-M063R-S09-W	687452	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resol	7 260,00
FHV7H-M063R-S12-W	687453	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resol	7 260,00
FHV7H-M063R-S16-W	687454	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resol	7 260,00
FHV7H-M063R-S25-W	687455	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resol	7 260,00
FHV7H-M004-S06-IR	687456	FH Vision Smart Camera, high performance, monochrome type, 0.4 Mpix resol	6 680,00
FHV7H-M016-S06-IR	687457	FH Vision Smart Camera, high performance, monochrome type, 1.6 Mpix resol	7 280,00
FHV7H-M032-S06-IR	687458	FH Vision Smart Camera, high performance, monochrome type, 3.2 Mpix resol	8 140,00
FHV7H-M063R-S06-IR	687459	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resol	7 280,00
FHV7H-M004-S09-IR	687460	FH Vision Smart Camera, high performance, monochrome type, 0.4 Mpix resol	6 680,00
FHV7H-M016-S09-IR	687461	FH Vision Smart Camera, high performance, monochrome type, 1.6 Mpix resol	7 280,00
FHV7H-M032-S09-IR	687462	FH Vision Smart Camera, high performance, monochrome type, 3.2 Mpix resol	8 140,00
FHV7H-M063R-S09-IR	687463	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resol	7 280,00
FHV7H-M004-S12-IR	687464	FH Vision Smart Camera, high performance, monochrome type, 0.4 Mpix resol	6 680,00
FHV7H-M016-S12-IR	687465	FH Vision Smart Camera, high performance, monochrome type, 1.6 Mpix resol	7 280,00
FHV7H-M032-S12-IR	687466	FH Vision Smart Camera, high performance, monochrome type, 3.2 Mpix resol	8 140,00
FHV7H-M063R-S12-IR	687467	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resol	7 280,00
FHV7H-M004-S16-IR	687468	FH Vision Smart Camera, high performance, monochrome type, 0.4 Mpix resol	6 680,00
FHV7H-M016-S16-IR	687469	FH Vision Smart Camera, high performance, monochrome type, 1.6 Mpix resol	7 280,00
FHV7H-M032-S16-IR	687470	FH Vision Smart Camera, high performance, monochrome type, 3.2 Mpix resol	8 140,00
FHV7H-M063R-S16-IR	687471	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resol	7 280,00

OMRON PVPR 2023

FHV7H-M004-S25-IR	687472	FH Vision Smart Camera, high performance, monochrome type, 0.4 Mpix resolution	6 680,00
FHV7H-M016-S25-IR	687473	FH Vision Smart Camera, high performance, monochrome type, 1.6 Mpix resolution	7 280,00
FHV7H-M032-S25-IR	687474	FH Vision Smart Camera, high performance, monochrome type, 3.2 Mpix resolution	8 140,00
FHV7H-M063R-S25-IR	687475	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution	7 280,00
FHV7H-M063R-S09-MC	687476	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution	8 285,00
FHV7H-M063R-S16-MC	687477	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution	8 285,00
FHV7H-M063R-S25-MC	687478	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution	8 285,00
FHV7H-C063R-S06	687479	Cámara inteligente FH Vision, alto rendimiento, tipo de color, resolución de 6.3	6 630,00
FHV7H-C063R-S09	687480	FH Vision Smart Camera, high performance, color type, 6.3 Mpix resolution, 2.4	6 630,00
FHV7H-C063R-S12	687481	FH Vision Smart Camera, high performance, color type, 6.3 Mpix resolution, 2.4	6 630,00
FHV7H-C063R-S16	687482	FH Vision Smart Camera, high performance, color type, 6.3 Mpix resolution, 2.4	6 630,00
FHV7H-C063R-S25	687483	FH Vision Smart Camera, high performance, color type, 6.3 Mpix resolution, 2.4	6 630,00
FHV7H-C063R-S06-W	687484	FH Vision Smart Camera, high performance, color type, 6.3 Mpix resolution, 2.4	7 260,00
FHV7H-C063R-S06-MC	687485	FH Vision Smart Camera, high performance, color type, 6.3 Mpix resolution, 2.4	8 285,00
FHV7H-C063R-S09-W	687486	FH Vision Smart Camera, high performance, color type, 6.3 Mpix resolution, 2.4	7 260,00
FHV7H-C063R-S09-MC	687487	FH Vision Smart Camera, high performance, color type, 6.3 Mpix resolution, 2.4	8 285,00
FHV7H-C063R-S12-W	687488	FH Vision Smart Camera, high performance, color type, 6.3 Mpix resolution, 2.4	7 260,00
FHV7H-C063R-S12-MC	687489	FH Vision Smart Camera, high performance, color type, 6.3 Mpix resolution, 2.4	8 285,00
FHV7H-C063R-S16-W	687490	FH Vision Smart Camera, high performance, color type, 6.3 Mpix resolution, 2.4	7 260,00
FHV7H-C063R-S16-MC	687432	FH Vision Smart Camera, high performance, color type, 6.3 Mpix resolution, 2.4	8 285,00
FHV7H-C063R-S25-W	687440	FH Vision Smart Camera, high performance, color type, 6.3 Mpix resolution, 2.4	7 260,00
FHV7H-C063R-S25-MC	687439	FH Vision Smart Camera, high performance, color type, 6.3 Mpix resolution, 2.4	8 285,00
FHV7H-M063R-S06-MC	687700	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution	8 285,00
FHV7H-M063R-S12-MC	687701	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution	8 285,00
FHV7H-C016-S25-W-K	688187	Kit de inicio FHV7, incluido FHV7H-C016-S25-W, FHV-VNB 2 m FHV-VDB 2 m, FH	7 555,00
FHV7H-M004-H06	689092	FH Vision Smart Camera, high performance, monochrome type, 0.4 Mpix resolution	6 700,00
FHV7H-M016-H06	689091	FH Vision Smart Camera, high performance, monochrome type, 1.6 Mpix resolution	7 310,00
FHV7H-M032-H06	689090	FH Vision Smart Camera, high performance, monochrome type, 3.2 Mpix resolution	8 175,00
FHV7H-M063R-H06	689089	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution	7 310,00
FHV7H-M004-H19	689088	FH Vision Smart Camera, high performance, monochrome type, 0.4 Mpix resolution	6 700,00
FHV7H-M016-H19	689087	FH Vision Smart Camera, high performance, monochrome type, 1.6 Mpix resolution	7 310,00
FHV7H-M032-H19	689086	FH Vision Smart Camera, high performance, monochrome type, 3.2 Mpix resolution	8 175,00
FHV7H-M063R-H19	689085	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution	7 310,00

OMRON PVPR 2023

FHV7H-M004-H06-R	689084	FH Vision Smart Camera, high performance, monochrome type, 0.4 Mpix resolution	7 335,00
FHV7H-M016-H06-R	689083	FH Vision Smart Camera, high performance, monochrome type, 1.6 Mpix resolution	7 950,00
FHV7H-M032-H06-R	689082	FH Vision Smart Camera, high performance, monochrome type, 3.2 Mpix resolution	8 800,00
FHV7H-M063R-H06-R	689081	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution	7 950,00
FHV7H-M004-H06-W	689080	FH Vision Smart Camera, high performance, monochrome type, 0.4 Mpix resolution	7 335,00
FHV7H-M016-H06-W	689079	FH Vision Smart Camera, high performance, monochrome type, 1.6 Mpix resolution	7 950,00
FHV7H-M032-H06-W	689078	FH Vision Smart Camera, high performance, monochrome type, 3.2 Mpix resolution	8 800,00
FHV7H-M063R-H06-W	689077	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution	7 950,00
FHV7H-M004-H06-IR	689076	FH Vision Smart Camera, high performance, monochrome type, 0.4 Mpix resolution	7 350,00
FHV7H-M016-H06-IR	689075	FH Vision Smart Camera, high performance, monochrome type, 1.6 Mpix resolution	7 965,00
FHV7H-M032-H06-IR	689074	FH Vision Smart Camera, high performance, monochrome type, 3.2 Mpix resolution	8 820,00
FHV7H-M063R-H06-IR	689093	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution	7 965,00
FHV7H-M004-H06-MC	689030	FH Vision Smart Camera, high performance, monochrome type, 0.4 Mpix resolution	8 355,00
FHV7H-M016-H06-MC	689073	FH Vision Smart Camera, high performance, monochrome type, 1.6 Mpix resolution	8 975,00
FHV7H-M032-H06-MC	689072	FH Vision Smart Camera, high performance, monochrome type, 3.2 Mpix resolution	9 820,00
FHV7H-M063R-H06-MC	689071	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution	8 975,00
FHV7H-M004-H19-R	689070	FH Vision Smart Camera, high performance, monochrome type, 0.4 Mpix resolution	7 335,00
FHV7H-M016-H19-R	689069	FH Vision Smart Camera, high performance, monochrome type, 1.6 Mpix resolution	7 950,00
FHV7H-M032-H19-R	689068	FH Vision Smart Camera, high performance, monochrome type, 3.2 Mpix resolution	8 800,00
FHV7H-M063R-H19-R	689067	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution	7 950,00
FHV7H-M004-H19-W	689066	FH Vision Smart Camera, high performance, monochrome type, 0.4 Mpix resolution	7 335,00
FHV7H-M016-H19-W	689065	FH Vision Smart Camera, high performance, monochrome type, 1.6 Mpix resolution	7 950,00
FHV7H-M032-H19-W	689064	FH Vision Smart Camera, high performance, monochrome type, 3.2 Mpix resolution	8 800,00
FHV7H-M063R-H19-W	689063	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution	7 950,00
FHV7H-M004-H19-IR	689062	FH Vision Smart Camera, high performance, monochrome type, 0.4 Mpix resolution	7 350,00
FHV7H-M016-H19-IR	689061	FH Vision Smart Camera, high performance, monochrome type, 1.6 Mpix resolution	7 965,00
FHV7H-M032-H19-IR	689060	FH Vision Smart Camera, high performance, monochrome type, 3.2 Mpix resolution	8 820,00
FHV7H-M063R-H19-IR	689059	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution	7 965,00
FHV7H-M004-H19-MC	689058	FH Vision Smart Camera, high performance, monochrome type, 0.4 Mpix resolution	8 355,00
FHV7H-M016-H19-MC	689057	FH Vision Smart Camera, high performance, monochrome type, 1.6 Mpix resolution	8 975,00
FHV7H-M032-H19-MC	689056	FH Vision Smart Camera, high performance, monochrome type, 3.2 Mpix resolution	9 820,00
FHV7H-M063R-H19-MC	689055	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution	8 975,00
FHV7H-C004-H06	689054	FH Vision Smart Camera, high performance, color type, 0.4 Mpix resolution, 6.9	6 700,00

OMRON PVPR 2023

FHV7H-C016-H06	689053	FH Vision Smart Camera, high performance, color type, 1.6 Mpix resolution, 3.45	7 310,00
FHV7H-C032-H06	689052	FH Vision Smart Camera, high performance, color type, 3.2 Mpix resolution, 3.45	8 175,00
FHV7H-C063R-H06	689051	FH Vision Smart Camera, high performance, color type, 6.3 Mpix resolution, 2.4	7 310,00
FHV7H-C004-H19	689050	FH Vision Smart Camera, high performance, color type, 0.4 Mpix resolution, 6.9	6 700,00
FHV7H-C016-H19	689049	FH Vision Smart Camera, high performance, color type, 1.6 Mpix resolution, 3.45	7 310,00
FHV7H-C032-H19	689048	FH Vision Smart Camera, high performance, color type, 3.2 Mpix resolution, 3.45	8 175,00
FHV7H-C063R-H19	689047	FH Vision Smart Camera, high performance, color type, 6.3 Mpix resolution, 2.4	7 310,00
FHV7H-C004-H06-W	689046	FH Vision Smart Camera, high performance, color type, 0.4 Mpix resolution, 6.9	7 335,00
FHV7H-C016-H06-W	689045	FH Vision Smart Camera, high performance, color type, 1.6 Mpix resolution, 3.45	7 950,00
FHV7H-C032-H06-W	689044	FH Vision Smart Camera, high performance, color type, 3.2 Mpix resolution, 3.45	8 800,00
FHV7H-C063R-H06-W	689043	FH Vision Smart Camera, high performance, color type, 6.3 Mpix resolution, 2.4	7 950,00
FHV7H-C004-H06-MC	689042	FH Vision Smart Camera, high performance, color type, 0.4 Mpix resolution, 6.9	8 355,00
FHV7H-C016-H06-MC	689041	FH Vision Smart Camera, high performance, color type, 1.6 Mpix resolution, 3.45	8 975,00
FHV7H-C032-H06-MC	689040	FH Vision Smart Camera, high performance, color type, 3.2 Mpix resolution, 3.45	9 820,00
FHV7H-C063R-H06-MC	689039	FH Vision Smart Camera, high performance, color type, 6.3 Mpix resolution, 2.4	8 975,00
FHV7H-C004-H19-W	689038	FH Vision Smart Camera, high performance, color type, 0.4 Mpix resolution, 6.9	7 335,00
FHV7H-C016-H19-W	689037	FH Vision Smart Camera, high performance, color type, 1.6 Mpix resolution, 3.45	7 950,00
FHV7H-C032-H19-W	689036	FH Vision Smart Camera, high performance, color type, 3.2 Mpix resolution, 3.45	8 800,00
FHV7H-C063R-H19-W	689035	FH Vision Smart Camera, high performance, color type, 6.3 Mpix resolution, 2.4	7 950,00
FHV7H-C004-H19-MC	689034	FH Vision Smart Camera, high performance, color type, 0.4 Mpix resolution, 6.9	8 355,00
FHV7H-C016-H19-MC	689033	FH Vision Smart Camera, high performance, color type, 1.6 Mpix resolution, 3.45	8 975,00
FHV7H-C032-H19-MC	689032	FH Vision Smart Camera, high performance, color type, 3.2 Mpix resolution, 3.45	9 820,00
FHV7H-C063R-H19-MC	689031	FH Vision Smart Camera, high performance, color type, 6.3 Mpix resolution, 2.4	8 975,00
8017-0000-0100	683389	HAWK MV-4000-20C, 2.0 MP (1920x1200), Color, AV Sensor	6 665,00
8017-0000-0102	683388	HAWK MV-4000-20C, 2.0 MP (1920x1200), Color, AV+VS	7 545,00
8015-0000-0102	683387	HAWK MV-4000-03C, 0.3 MP (640x480), Color, AV+VS	5 840,00
8012-0000-0101	682605	HAWK MV-4000-13, 1.3 MP (1280x1024), Mono, AV	6 675,00
8016-0000-0101	683386	HAWK MV-4000-13C, 1.3 MP (1280x1024), Color, AV	6 405,00
8017-0000-0104	684467	HAWK MV-4000-20C, 2.0 MP (1920x1200), Color, AV+VS+VERIF/OCV	7 960,00
8011-0000-0104	682260	HAWK MV-4000-03, 0.3 MP (640x480), Mono, AV+VS+Verif./OCV	6 470,00
8013-0000-0100	683411	HAWK MV-4000-20, 2.0 MP (1920x1200), Mono, AV Sensor	6 400,00
8013-0000-0103	682262	HAWK MV-4000-20, 2.0 MP (1920x1200), Mono, AV+Verif./OCV	7 960,00
8015-0000-0101	683410	HAWK MV-4000-03C, 0.3 MP (640x480), Color, AV	5 395,00

OMRON PVPR 2023

8017-0000-0101	683409	HAWK MV-4000-20C, 2.0 MP (1920x1200), Color, AV	7 105,00
8011-0000-0103	682251	HAWK MV-4000-03, 0.3 MP (640x480), Mono, AV+Verif./OCV	6 100,00
8014-0000-0104	682256	HAWK MV-4000-50, 5.0 MP (2592x2048), Mono, AV+VS+Verif./OCV	9 420,00
8016-0000-0100	683408	HAWK MV-4000-13C, 1.3 MP (1280x1024), Color, AV Sensor	5 960,00
8011-0000-0102	683407	HAWK MV-4000-03, 0.3 MP (640x480), Mono, AV+VS	5 580,00
8018-0000-0101	683405	HAWK MV-4000-50C, 5.0 MP (2592x2048), Color, AV	8 115,00
8014-0000-0101	683402	HAWK MV-4000-50, 5.0 MP (2592x2048), Mono, AV	7 855,00
8018-0000-0102	683401	HAWK MV-4000-50C, 5.0 MP (2592x2048), Color, AV+VS	8 545,00
8018-0000-0100	683400	HAWK MV-4000-50C, 5.0 MP (2592x2048), Color, AV Sensor	7 670,00
8012-0000-0100	683399	HAWK MV-4000-13, 1.3 MP (1280x1024), Mono, AV Sensor	5 700,00
8012-0000-0104	682252	HAWK MV-4000-13, 1.3 MP (1280x1024), Mono, AV+VS+Verif./OCV	7 560,00
8014-0000-0103	682255	HAWK MV-4000-50, 5.0 MP (2592x2048), Mono, AV+Verif./OCV	9 060,00
8011-0000-0101	683398	HAWK MV-4000-03, 0.3 MP (640x480), Mono, AV	5 140,00
8013-0000-0101	683396	HAWK MV-4000-20, 2.0 MP (1920x1200), Mono, AV	6 850,00
8012-0000-0102	683395	HAWK MV-4000-13, 1.3 MP (1280x1024), Mono, AV+VS	5 580,00
8013-0000-0104	682250	HAWK MV-4000-20, 2.0 MP (1920x1200), Mono, AV+VS+Verif./OCV	8 320,00
8014-0000-0100	683394	HAWK MV-4000-50, 5.0 MP (2592x2048), Mono, AV Sensor	7 410,00
8011-0000-0100	683390	HAWK MV-4000-03, 0.3 MP (640x480), Mono, AV Sensor	4 696,00
8012-0000-0103	682244	HAWK MV-4000-13, 1.3 MP (1280x1024), Mono, AV+Verif./OCV	7 200,00
8016-0000-0102	682681	HAWK MV-4000-13C, 1.3 MP (1280x1024), Color, AV+VS	7 425,00
8013-0000-0102	682453	HAWK MV-4000-20, 2.0 MP (1920x1200), Mono, AV+VS	7 910,00
8014-0000-0102	682452	HAWK MV-4000-50, 5.0 MP (2592x2048), Mono, AV+VS	9 000,00
8015-0000-0100	683420	HAWK MV-4000-03C, 0.3 MP (640x480), Color, AV Sensor	4 951,00
F430-F000W12M-SWA	692160	Cámara inteligente F430, 1,2 MP monocromo, campo de visión ancho, enfoque	3 356,00
F430-F000M12M-SWA	692331	Cámara inteligente F430, 1,2 MP monocromo, campo de visión medio, enfoque	3 356,00
F320-F050W03M-NNS	696578	Cámara inteligente F320, monocromo de 0.3 MP, gran angular, enfoque fijo de 5	793,50
F320-F050W03M-NNA	696579	Cámara inteligente F320, monocromo de 0.3 MP, gran angular, enfoque fijo de 5	1 772,00
F320-F050W03M-NNV	696580	Cámara inteligente F320, monocromo de 0.3 MP, visión amplia, enfoque fijo de	2 381,00
F320-F064W03M-NNS	696581	F320 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 64 mm, No o	793,50
F320-F064W03M-NNA	696582	F320 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 64 mm, No o	1 772,00
F320-F064W03M-NNV	696583	F320 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 64 mm, No o	2 381,00
F320-F081W03M-NNS	696584	F320 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 81 mm, No o	793,50
F320-F081W03M-NNA	696585	F320 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 81 mm, No o	1 772,00

OMRON PVPR 2023

F320-F081W03M-NNV	696586	F320 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 81 mm, No o	2 381,00
F320-F102W03M-NNS	696587	F320 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 102 mm, No	793,50
F320-F102W03M-NNA	696588	F320 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 102 mm, No	1 772,00
F320-F102W03M-NNV	696589	F320 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 102 mm, No	2 381,00
F320-F133W03M-NNS	696590	F320 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 133 mm, No	793,50
F320-F133W03M-NNA	696591	F320 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 133 mm, No	1 772,00
F320-F133W03M-NNV	696592	F320 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 133 mm, No	2 381,00
F320-F190W03M-NNS	696593	F320 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 190 mm, No	793,50
F320-F190W03M-NNA	696594	F320 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 190 mm, No	1 772,00
F320-F190W03M-NNV	696595	F320 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 190 mm, No	2 381,00
F320-F300W03M-NNS	696596	F320 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 300 mm, No	793,50
F320-F300W03M-NNA	696597	F320 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 300 mm, No	1 772,00
F320-F300W03M-NNV	696598	F320 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 300 mm, No	2 381,00
F320-F050M03M-NNS	696599	F320 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 50 mm, N	793,50
F320-F050M03M-NNA	696600	F320 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 50 mm, N	1 772,00
F320-F050M03M-NNV	696601	F320 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 50 mm, N	2 381,00
F320-F064M03M-NNS	696602	F320 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 64 mm, N	793,50
F320-F064M03M-NNA	696603	F320 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 64 mm, N	1 772,00
F320-F064M03M-NNV	696604	F320 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 64 mm, N	2 381,00
F320-F081M03M-NNS	696605	F320 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 81 mm, N	793,50
F320-F081M03M-NNA	696606	F320 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 81 mm, N	1 772,00
F320-F081M03M-NNV	696607	F320 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 81 mm, N	2 381,00
F320-F102M03M-NNS	696608	F320 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 102 mm, N	793,50
F320-F102M03M-NNA	696609	F320 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 102 mm, N	1 772,00
F320-F102M03M-NNV	696610	F320 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 102 mm, N	2 381,00
F320-F133M03M-NNS	696611	F320 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 133 mm, N	793,50
F320-F133M03M-NNA	696612	F320 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 133 mm, N	1 772,00
F320-F133M03M-NNV	696613	F320 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 133 mm, N	2 381,00
F320-F190M03M-NNS	696614	F320 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 190 mm, N	793,50
F320-F190M03M-NNA	696615	F320 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 190 mm, N	1 772,00
F320-F190M03M-NNV	696616	F320 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 190 mm, N	2 381,00
F320-F300M03M-NNS	696617	F320 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 300 mm, N	793,50
F320-F300M03M-NNA	696618	F320 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 300 mm, N	1 772,00

OMRON PVPR 2023

F320-F300M03M-NNV	696619	F320 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 300 mm, N	2 381,00
F320-F050W12M-NNS	696620	F320 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 50 mm, No o	1 160,00
F320-F050W12M-NNA	696621	F320 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 50 mm, No o	2 137,00
F320-F050W12M-NNV	696622	F320 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 50 mm, No o	2 747,00
F320-F064W12M-NNS	696623	F320 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 64 mm, No o	1 160,00
F320-F064W12M-NNA	696624	F320 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 64 mm, No o	2 137,00
F320-F064W12M-NNV	696625	F320 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 64 mm, No o	2 747,00
F320-F081W12M-NNS	696626	F320 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 81 mm, No o	1 160,00
F320-F081W12M-NNA	696627	F320 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 81 mm, No o	2 137,00
F320-F081W12M-NNV	696628	F320 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 81 mm, No o	2 747,00
F320-F102W12M-NNS	696629	F320 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 102 mm, No o	1 160,00
F320-F102W12M-NNA	696630	F320 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 102 mm, No o	2 137,00
F320-F102W12M-NNV	696631	F320 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 102 mm, No o	2 747,00
F320-F133W12M-NNS	696632	F320 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 133 mm, No o	1 160,00
F320-F133W12M-NNA	696633	F320 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 133 mm, No o	2 137,00
F320-F133W12M-NNV	696634	F320 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 133 mm, No o	2 747,00
F320-F190W12M-NNS	696635	F320 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 190 mm, No o	1 160,00
F320-F190W12M-NNA	696636	F320 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 190 mm, No o	2 137,00
F320-F190W12M-NNV	696637	F320 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 190 mm, No o	2 747,00
F320-F300W12M-NNS	696638	F320 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 300 mm, No o	1 160,00
F320-F300W12M-NNA	696639	F320 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 300 mm, No o	2 137,00
F320-F300W12M-NNV	696640	F320 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 300 mm, No o	2 747,00
F320-F050M12M-NNS	696641	F320 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 50 mm, N	1 160,00
F320-F050M12M-NNA	696642	F320 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 50 mm, N	2 137,00
F320-F050M12M-NNV	696643	F320 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 50 mm, N	2 747,00
F320-F064M12M-NNS	696644	F320 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 64 mm, N	1 160,00
F320-F064M12M-NNA	696645	F320 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 64 mm, N	2 137,00
F320-F064M12M-NNV	696646	F320 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 64 mm, N	2 747,00
F320-F081M12M-NNS	696647	F320 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 81 mm, N	1 160,00
F320-F081M12M-NNA	696648	F320 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 81 mm, N	2 137,00
F320-F081M12M-NNV	696649	F320 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 81 mm, N	2 747,00
F320-F102M12M-NNS	696650	F320 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 102 mm, N	1 160,00
F320-F102M12M-NNA	696651	F320 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 102 mm, N	2 137,00

OMRON PVPR 2023

F320-F102M12M-NNV	696652	F320 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 102 mm, No outer light	2 747,00
F320-F133M12M-NNS	696653	F320 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 133 mm, No outer light	1 160,00
F320-F133M12M-NNA	696654	F320 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 133 mm, No outer light	2 137,00
F320-F133M12M-NNV	696655	F320 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 133 mm, No outer light	2 747,00
F320-F190M12M-NNS	696656	F320 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 190 mm, No outer light	1 160,00
F320-F190M12M-NNA	696657	F320 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 190 mm, No outer light	2 137,00
F320-F190M12M-NNV	696658	F320 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 190 mm, No outer light	2 747,00
F320-F300M12M-NNS	696659	F320 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 300 mm, No outer light	1 160,00
F320-F300M12M-NNA	696660	F320 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 300 mm, No outer light	2 137,00
F320-F300M12M-NNV	696661	F320 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 300 mm, No outer light	2 747,00
F320-F050W50C-NNS	696662	F320 Smart Camera, 5.0 MP color, Wide view, Fixed focus 50 mm, No outer light	915,50
F320-F050W50C-NNA	696663	F320 Smart Camera, 5.0 MP color, Wide view, Fixed focus 50 mm, No outer light	1 893,00
F320-F050W50C-NNV	696664	F320 Smart Camera, 5.0 MP color, Wide view, Fixed focus 50 mm, No outer light	2 503,00
F320-F064W50C-NNS	696665	F320 Smart Camera, 5.0 MP color, Wide view, Fixed focus 64 mm, No outer light	915,50
F320-F064W50C-NNA	696666	F320 Smart Camera, 5.0 MP color, Wide view, Fixed focus 64 mm, No outer light	1 893,00
F320-F064W50C-NNV	696667	F320 Smart Camera, 5.0 MP color, Wide view, Fixed focus 64 mm, No outer light	2 503,00
F320-F081W50C-NNS	696668	F320 Smart Camera, 5.0 MP color, Wide view, Fixed focus 81 mm, No outer light	915,50
F320-F081W50C-NNA	696669	F320 Smart Camera, 5.0 MP color, Wide view, Fixed focus 81 mm, No outer light	1 893,00
F320-F081W50C-NNV	696670	F320 Smart Camera, 5.0 MP color, Wide view, Fixed focus 81 mm, No outer light	2 503,00
F320-F102W50C-NNS	696671	F320 Smart Camera, 5.0 MP color, Wide view, Fixed focus 102 mm, No outer light	915,50
F320-F102W50C-NNA	696672	F320 Smart Camera, 5.0 MP color, Wide view, Fixed focus 102 mm, No outer light	1 893,00
F320-F102W50C-NNV	696673	F320 Smart Camera, 5.0 MP color, Wide view, Fixed focus 102 mm, No outer light	2 503,00
F320-F133W50C-NNS	696674	F320 Smart Camera, 5.0 MP color, Wide view, Fixed focus 133 mm, No outer light	915,50
F320-F133W50C-NNA	696675	F320 Smart Camera, 5.0 MP color, Wide view, Fixed focus 133 mm, No outer light	1 893,00
F320-F133W50C-NNV	696676	F320 Smart Camera, 5.0 MP color, Wide view, Fixed focus 133 mm, No outer light	2 503,00
F320-F190W50C-NNS	696677	F320 Smart Camera, 5.0 MP color, Wide view, Fixed focus 190 mm, No outer light	915,50
F320-F190W50C-NNA	696678	F320 Smart Camera, 5.0 MP color, Wide view, Fixed focus 190 mm, No outer light	1 893,00
F320-F190W50C-NNV	696679	F320 Smart Camera, 5.0 MP color, Wide view, Fixed focus 190 mm, No outer light	2 503,00
F320-F300W50C-NNS	696680	F320 Smart Camera, 5.0 MP color, Wide view, Fixed focus 300 mm, No outer light	915,50
F320-F300W50C-NNA	696681	F320 Smart Camera, 5.0 MP color, Wide view, Fixed focus 300 mm, No outer light	1 893,00
F320-F300W50C-NNV	696682	F320 Smart Camera, 5.0 MP color, Wide view, Fixed focus 300 mm, No outer light	2 503,00
F320-F050M50C-NNS	696683	F320 Smart Camera, 5.0 MP color, Medium view, Fixed focus 50 mm, No outer light	915,50
F320-F050M50C-NNA	696684	F320 Smart Camera, 5.0 MP color, Medium view, Fixed focus 50 mm, No outer light	1 893,00

OMRON PVPR 2023

F320-F050M50C-NNV	696685	F320 Smart Camera, 5.0 MP color, Medium view, Fixed focus 50 mm, No outer I	2 503,00
F320-F064M50C-NNS	696686	F320 Smart Camera, 5.0 MP color, Medium view, Fixed focus 64 mm, No outer I	915,50
F320-F064M50C-NNA	696687	F320 Smart Camera, 5.0 MP color, Medium view, Fixed focus 64 mm, No outer I	1 893,00
F320-F064M50C-NNV	696688	F320 Smart Camera, 5.0 MP color, Medium view, Fixed focus 64 mm, No outer I	2 503,00
F320-F081M50C-NNS	696689	F320 Smart Camera, 5.0 MP color, Medium view, Fixed focus 81 mm, No outer I	915,50
F320-F081M50C-NNA	696690	F320 Smart Camera, 5.0 MP color, Medium view, Fixed focus 81 mm, No outer I	1 893,00
F320-F081M50C-NNV	696691	F320 Smart Camera, 5.0 MP color, Medium view, Fixed focus 81 mm, No outer I	2 503,00
F320-F102M50C-NNS	696692	F320 Smart Camera, 5.0 MP color, Medium view, Fixed focus 102 mm, No outer	915,50
F320-F102M50C-NNA	696693	F320 Smart Camera, 5.0 MP color, Medium view, Fixed focus 102 mm, No outer	1 893,00
F320-F102M50C-NNV	696694	F320 Smart Camera, 5.0 MP color, Medium view, Fixed focus 102 mm, No outer	2 503,00
F320-F133M50C-NNS	696695	F320 Smart Camera, 5.0 MP color, Medium view, Fixed focus 133 mm, No outer	915,50
F320-F133M50C-NNA	696696	F320 Smart Camera, 5.0 MP color, Medium view, Fixed focus 133 mm, No outer	1 893,00
F320-F133M50C-NNV	696697	F320 Smart Camera, 5.0 MP color, Medium view, Fixed focus 133 mm, No outer	2 503,00
F320-F190M50C-NNS	696698	F320 Smart Camera, 5.0 MP color, Medium view, Fixed focus 190 mm, No outer	915,50
F320-F190M50C-NNA	696699	F320 Smart Camera, 5.0 MP color, Medium view, Fixed focus 190 mm, No outer	1 893,00
F320-F190M50C-NNV	696700	F320 Smart Camera, 5.0 MP color, Medium view, Fixed focus 190 mm, No outer	2 503,00
F320-F300M50C-NNS	696701	F320 Smart Camera, 5.0 MP color, Medium view, Fixed focus 300 mm, No outer	915,50
F320-F300M50C-NNA	696702	Cámara inteligente F320, color de 5.0 MP, vista media, enfoque fijo de 300 mm,	1 893,00
F320-F300M50C-NNV	696703	F320 Smart Camera, 5.0 MP color, Medium view, Fixed focus 300 mm, No outer	2 503,00
F330-F050W03M-NNS	696704	F330 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 50 mm, No o	793,50
F330-F050W03M-NNA	696705	F330 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 50 mm, No o	1 772,00
F330-F050W03M-NNV	696706	F330 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 50 mm, No o	2 381,00
F330-F064W03M-NNS	696707	F330 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 64 mm, No o	793,50
F330-F064W03M-NNA	696708	F330 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 64 mm, No o	1 772,00
F330-F064W03M-NNV	696709	F330 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 64 mm, No o	2 381,00
F330-F081W03M-NNS	696710	F330 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 81 mm, No o	793,50
F330-F081W03M-NNA	696711	F330 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 81 mm, No o	1 772,00
F330-F081W03M-NNV	696712	F330 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 81 mm, No o	2 381,00
F330-F102W03M-NNS	696713	F330 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 102 mm, No c	793,50
F330-F102W03M-NNA	696714	F330 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 102 mm, No c	1 772,00
F330-F102W03M-NNV	696715	F330 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 102 mm, No c	2 381,00
F330-F133W03M-NNS	696716	F330 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 133 mm, No c	793,50
F330-F133W03M-NNA	696717	F330 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 133 mm, No c	1 772,00

OMRON PVPR 2023

F330-F133W03M-NNV	696718	F330 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 133 mm, No o	2 381,00
F330-F190W03M-NNS	696719	F330 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 190 mm, No o	793,50
F330-F190W03M-NNA	696720	F330 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 190 mm, No o	1 772,00
F330-F190W03M-NNV	696721	F330 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 190 mm, No o	2 381,00
F330-F300W03M-NNS	696722	F330 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 300 mm, No o	793,50
F330-F300W03M-NNA	696723	F330 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 300 mm, No o	1 772,00
F330-F300W03M-NNV	696724	F330 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 300 mm, No o	2 381,00
F330-F050M03M-NNS	696725	F330 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 50 mm, N	793,50
F330-F050M03M-NNA	696726	F330 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 50 mm, N	1 772,00
F330-F050M03M-NNV	696727	F330 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 50 mm, N	2 381,00
F330-F064M03M-NNS	696728	F330 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 64 mm, N	793,50
F330-F064M03M-NNA	696729	F330 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 64 mm, N	1 772,00
F330-F064M03M-NNV	696730	F330 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 64 mm, N	2 381,00
F330-F081M03M-NNS	696731	F330 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 81 mm, N	793,50
F330-F081M03M-NNA	696732	F330 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 81 mm, N	1 772,00
F330-F081M03M-NNV	696733	F330 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 81 mm, N	2 381,00
F330-F102M03M-NNS	696734	F330 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 102 mm, n	793,50
F330-F102M03M-NNA	696735	F330 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 102 mm, n	1 772,00
F330-F102M03M-NNV	696736	F330 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 102 mm, n	2 381,00
F330-F133M03M-NNS	696737	F330 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 133 mm, n	793,50
F330-F133M03M-NNA	696738	F330 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 133 mm, n	1 772,00
F330-F133M03M-NNV	696739	F330 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 133 mm, n	2 381,00
F330-F190M03M-NNS	696740	F330 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 190 mm, n	793,50
F330-F190M03M-NNA	696741	F330 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 190 mm, n	1 772,00
F330-F190M03M-NNV	696742	F330 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 190 mm, n	2 381,00
F330-F300M03M-NNS	696743	F330 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 300 mm, n	793,50
F330-F300M03M-NNA	696744	F330 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 300 mm, n	1 772,00
F330-F300M03M-NNV	696745	F330 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 300 mm, n	2 381,00
F330-F050W12M-NNS	696746	F330 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 50 mm, No o	1 160,00
F330-F050W12M-NNA	696747	F330 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 50 mm, No o	2 137,00
F330-F050W12M-NNV	696748	F330 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 50 mm, No o	2 747,00
F330-F064W12M-NNS	696749	F330 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 64 mm, No o	1 160,00
F330-F064W12M-NNA	696750	F330 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 64 mm, No o	2 137,00

OMRON PVPR 2023

F330-F064W12M-NNV	696751	F330 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 64 mm, No o	2 747,00
F330-F081W12M-NNS	696752	F330 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 81 mm, No o	1 160,00
F330-F081W12M-NNA	696753	F330 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 81 mm, No o	2 137,00
F330-F081W12M-NNV	696754	F330 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 81 mm, No o	2 747,00
F330-F102W12M-NNS	696755	F330 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 102 mm, No o	1 160,00
F330-F102W12M-NNA	696756	F330 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 102 mm, No o	2 137,00
F330-F102W12M-NNV	696757	F330 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 102 mm, No o	2 747,00
F330-F133W12M-NNS	696758	F330 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 133 mm, No o	1 160,00
F330-F133W12M-NNA	696759	F330 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 133 mm, No o	2 137,00
F330-F133W12M-NNV	696760	F330 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 133 mm, No o	2 747,00
F330-F190W12M-NNS	696761	F330 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 190 mm, No o	1 160,00
F330-F190W12M-NNA	696762	F330 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 190 mm, No o	2 137,00
F330-F190W12M-NNV	696763	F330 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 190 mm, No o	2 747,00
F330-F300W12M-NNS	696764	F330 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 300 mm, No o	1 160,00
F330-F300W12M-NNA	696765	F330 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 300 mm, No o	2 137,00
F330-F300W12M-NNV	696766	F330 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 300 mm, No o	2 747,00
F330-F050M12M-NNS	696767	F330 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 50 mm, N	1 160,00
F330-F050M12M-NNA	696768	F330 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 50 mm, N	2 137,00
F330-F050M12M-NNV	696769	F330 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 50 mm, N	2 747,00
F330-F064M12M-NNS	696770	F330 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 64 mm, N	1 160,00
F330-F064M12M-NNA	696771	F330 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 64 mm, N	2 137,00
F330-F064M12M-NNV	696772	F330 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 64 mm, N	2 747,00
F330-F081M12M-NNS	696773	F330 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 81 mm, N	1 160,00
F330-F081M12M-NNA	696774	F330 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 81 mm, N	2 137,00
F330-F081M12M-NNV	696775	F330 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 81 mm, N	2 747,00
F330-F102M12M-NNS	696776	F330 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 102 mm, N	1 160,00
F330-F102M12M-NNA	696777	F330 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 102 mm, N	2 137,00
F330-F102M12M-NNV	696778	F330 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 102 mm, N	2 747,00
F330-F133M12M-NNS	696779	F330 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 133 mm, N	1 160,00
F330-F133M12M-NNA	696780	F330 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 133 mm, N	2 137,00
F330-F133M12M-NNV	696781	F330 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 133 mm, N	2 747,00
F330-F190M12M-NNS	696782	F330 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 190 mm, N	1 160,00
F330-F190M12M-NNA	696783	F330 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 190 mm, N	2 137,00

OMRON PVPR 2023

F330-F190M12M-NNV	696784	F330 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 190 mm, n	2 747,00
F330-F300M12M-NNS	696785	F330 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 300 mm, n	1 160,00
F330-F300M12M-NNA	696786	F330 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 300 mm, n	2 137,00
F330-F300M12M-NNV	696787	F330 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 300 mm, n	2 747,00
F330-F102N12M-NNV	708123	F330 Smart Camera, 1.2 MP monochrome, narrow view, fixed focus 102 mm, nd	2 747,00
F330-F133N12M-NNV	708122	F330 Smart Camera, 1.2 MP monochrome, narrow view, fixed focus 133 mm, nd	2 747,00
F330-F190N12M-NNV	708121	F330 Smart Camera, 1.2 MP monochrome, narrow view, fixed focus 190 mm, nd	2 747,00
F330-F050W50C-NNS	696788	Cámara inteligente F330, 5 MP en color, vista panorámica, enfoque fijo de 50 m	915,50
F330-F050W50C-NNA	696789	F330 Smart Camera, 5 MP color, Wide view, Fixed focus 50 mm, No outer light,	1 893,00
F330-F050W50C-NNV	696790	F330 Smart Camera, 5 MP color, Wide view, Fixed focus 50 mm, No outer light,	2 503,00
F330-F064W50C-NNS	696791	F330 Smart Camera, 5 MP color, Wide view, Fixed focus 64 mm, No outer light,	915,50
F330-F064W50C-NNA	696792	F330 Smart Camera, 5 MP color, Wide view, Fixed focus 64 mm, No outer light,	1 893,00
F330-F064W50C-NNV	696793	F330 Smart Camera, 5 MP color, Wide view, Fixed focus 64 mm, No outer light,	2 503,00
F330-F081W50C-NNS	696794	F330 Smart Camera, 5 MP color, Wide view, Fixed focus 81 mm, No outer light,	915,50
F330-F081W50C-NNA	696795	F330 Smart Camera, 5 MP color, Wide view, Fixed focus 81 mm, No outer light,	1 893,00
F330-F081W50C-NNV	696796	F330 Smart Camera, 5 MP color, Wide view, Fixed focus 81 mm, No outer light,	2 503,00
F330-F102W50C-NNS	696797	F330 Smart Camera, 5 MP color, Wide view, Fixed focus 102 mm, No outer light,	915,50
F330-F102W50C-NNA	696798	F330 Smart Camera, 5 MP color, Wide view, Fixed focus 102 mm, No outer light,	1 893,00
F330-F102W50C-NNV	696799	F330 Smart Camera, 5 MP color, Wide view, Fixed focus 102 mm, No outer light,	2 503,00
F330-F133W50C-NNS	696800	F330 Smart Camera, 5 MP color, Wide view, Fixed focus 133 mm, No outer light,	915,50
F330-F133W50C-NNA	696801	F330 Smart Camera, 5 MP color, Wide view, Fixed focus 133 mm, No outer light,	1 893,00
F330-F133W50C-NNV	696802	F330 Smart Camera, 5 MP color, Wide view, Fixed focus 133 mm, No outer light,	2 503,00
F330-F190W50C-NNS	696803	F330 Smart Camera, 5 MP color, Wide view, Fixed focus 190 mm, No outer light,	915,50
F330-F190W50C-NNA	696804	F330 Smart Camera, 5 MP color, Wide view, Fixed focus 190 mm, No outer light,	1 893,00
F330-F190W50C-NNV	696805	F330 Smart Camera, 5 MP color, Wide view, Fixed focus 190 mm, No outer light,	2 503,00
F330-F300W50C-NNS	696806	F330 Smart Camera, 5 MP color, Wide view, Fixed focus 300 mm, No outer light,	915,50
F330-F300W50C-NNA	696807	F330 Smart Camera, 5 MP color, Wide view, Fixed focus 300 mm, No outer light,	1 893,00
F330-F300W50C-NNV	696808	F330 Smart Camera, 5 MP color, Wide view, Fixed focus 300 mm, No outer light,	2 503,00
F330-F050M50C-NNS	696809	F330 Smart Camera, 5 MP color, Medium view, Fixed focus 50 mm, No outer lig	915,50
F330-F050M50C-NNA	696810	F330 Smart Camera, 5 MP color, Medium view, Fixed focus 50 mm, No outer lig	1 893,00
F330-F050M50C-NNV	696811	F330 Smart Camera, 5 MP color, Medium view, Fixed focus 50 mm, No outer lig	2 503,00
F330-F064M50C-NNS	696812	F330 Smart Camera, 5 MP color, Medium view, Fixed focus 64 mm, No outer lig	915,50
F330-F064M50C-NNA	696813	F330 Smart Camera, 5 MP color, Medium view, Fixed focus 64 mm, No outer lig	1 893,00

OMRON PVPR 2023

F330-F064M50C-NNV	696814	F330 Smart Camera, 5 MP color, Medium view, Fixed focus 64 mm, No outer lig	2 503,00
F330-F081M50C-NNS	696815	F330 Smart Camera, 5 MP color, Medium view, Fixed focus 81 mm, No outer lig	915,50
F330-F081M50C-NNA	696816	F330 Smart Camera, 5 MP color, Medium view, Fixed focus 81 mm, No outer lig	1 893,00
F330-F081M50C-NNV	696817	F330 Smart Camera, 5 MP color, Medium view, Fixed focus 81 mm, No outer lig	2 503,00
F330-F102M50C-NNS	696818	F330 Smart Camera, 5 MP color, Medium view, Fixed focus 102 mm, No outer li	915,50
F330-F102M50C-NNA	696819	F330 Smart Camera, 5 MP color, Medium view, Fixed focus 102 mm, No outer li	1 893,00
F330-F102M50C-NNV	696820	F330 Smart Camera, 5 MP color, Medium view, Fixed focus 102 mm, No outer li	2 503,00
F330-F133M50C-NNS	696821	F330 Smart Camera, 5 MP color, Medium view, Fixed focus 133 mm, No outer li	915,50
F330-F133M50C-NNA	696822	F330 Smart Camera, 5 MP color, Medium view, Fixed focus 133 mm, No outer li	1 893,00
F330-F133M50C-NNV	696823	F330 Smart Camera, 5 MP color, Medium view, Fixed focus 133 mm, No outer li	2 503,00
F330-F190M50C-NNS	696824	F330 Smart Camera, 5 MP color, Medium view, Fixed focus 190 mm, No outer li	915,50
F330-F190M50C-NNA	696825	F330 Smart Camera, 5 MP color, Medium view, Fixed focus 190 mm, No outer li	1 893,00
F330-F190M50C-NNV	696826	F330 Smart Camera, 5 MP color, Medium view, Fixed focus 190 mm, No outer li	2 503,00
F330-F300M50C-NNS	696827	F330 Smart Camera, 5 MP color, Medium view, Fixed focus 300 mm, No outer li	915,50
F330-F300M50C-NNA	696828	F330 Smart Camera, 5 MP color, Medium view, Fixed focus 300 mm, No outer li	1 893,00
F330-F300M50C-NNV	696829	F330 Smart Camera, 5 MP color, Medium view, Fixed focus 300 mm, No outer li	2 503,00
F420-F050W03M-NNS	696830	F420 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 50 mm, No o	1 160,00
F420-F050W03M-NNA	696831	F420 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 50 mm, No o	2 137,00
F420-F050W03M-NNV	696832	F420 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 50 mm, No o	2 747,00
F420-F050W03M-SRS	696833	F420 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 50 mm, Red I	1 284,00
F420-F050W03M-SRA	696834	F420 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 50 mm, Red I	2 259,00
F420-F050W03M-SRV	696835	F420 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 50 mm, Red I	2 869,00
F420-F050W03M-SWS	696836	Cámara inteligente F420, monocromo de 0.3 MP, gran angular, enfoque fijo de 5	1 284,00
F420-F050W03M-SWA	696837	F420 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 50 mm, Whit	2 259,00
F420-F050W03M-SWV	696838	F420 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 50 mm, Whit	2 869,00
F420-F081W03M-NNS	696839	F420 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 81 mm, No o	1 160,00
F420-F081W03M-NNA	696840	F420 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 81 mm, No o	2 137,00
F420-F081W03M-NNV	696841	F420 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 81 mm, No o	2 747,00
F420-F081W03M-SRS	696842	F420 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 81 mm, Red I	1 284,00
F420-F081W03M-SRA	696843	F420 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 81 mm, Red I	2 259,00
F420-F081W03M-SRV	696844	F420 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 81 mm, Red I	2 869,00
F420-F081W03M-SWS	696845	F420 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 81 mm, Whit	1 284,00
F420-F081W03M-SWA	696846	F420 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 81 mm, Whit	2 259,00

OMRON PVPR 2023

F420-F081W03M-SWV	696847	F420 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 81 mm, White	2 869,00
F420-F102W03M-NNS	696848	F420 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 102 mm, No	1 160,00
F420-F102W03M-NNA	696849	F420 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 102 mm, No	2 137,00
F420-F102W03M-NNV	696850	F420 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 102 mm, No	2 747,00
F420-F102W03M-SRS	696851	F420 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 102 mm, Red	1 284,00
F420-F102W03M-SRA	696852	F420 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 102 mm, Red	2 259,00
F420-F102W03M-SRV	696853	F420 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 102 mm, Red	2 869,00
F420-F102W03M-SWS	696854	F420 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 102 mm, Whi	1 284,00
F420-F102W03M-SWA	696855	F420 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 102 mm, Whi	2 259,00
F420-F102W03M-SWV	696856	F420 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 102 mm, Whi	2 869,00
F420-F190W03M-NNS	696857	F420 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 190 mm, No	1 160,00
F420-F190W03M-NNA	696858	F420 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 190 mm, No	2 137,00
F420-F190W03M-NNV	696859	F420 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 190 mm, No	2 747,00
F420-F190W03M-SRS	696860	F420 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 190 mm, Red	1 284,00
F420-F190W03M-SRA	696861	F420 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 190 mm, Red	2 259,00
F420-F190W03M-SRV	696862	F420 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 190 mm, Red	2 869,00
F420-F190W03M-SWS	696863	F420 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 190 mm, Whi	1 284,00
F420-F190W03M-SWA	696864	F420 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 190 mm, Whi	2 259,00
F420-F190W03M-SWV	696865	F420 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 190 mm, Whi	2 869,00
F420-F300W03M-NNS	696866	F420 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 300 mm, No	1 160,00
F420-F300W03M-NNA	696867	F420 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 300 mm, No	2 137,00
F420-F300W03M-NNV	696868	F420 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 300 mm, No	2 747,00
F420-F300W03M-SRS	696869	F420 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 300 mm, Red	1 284,00
F420-F300W03M-SRA	696870	F420 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 300 mm, Red	2 259,00
F420-F300W03M-SRV	696871	F420 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 300 mm, Red	2 869,00
F420-F300W03M-SWS	696872	F420 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 300 mm, Whi	1 284,00
F420-F300W03M-SWA	696873	F420 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 300 mm, Whi	2 259,00
F420-F300W03M-SWV	696874	F420 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 300 mm, Whi	2 869,00
F420-F050M03M-NNS	696875	F420 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 50 mm, N	1 160,00
F420-F050M03M-NNA	696876	F420 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 50 mm, N	2 137,00
F420-F050M03M-NNV	696877	F420 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 50 mm, N	2 747,00
F420-F050M03M-SRS	696878	F420 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 50 mm, R	1 284,00
F420-F050M03M-SRA	696879	F420 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 50 mm, R	2 259,00

OMRON PVPR 2023

F420-F050M03M-SRV	696880	F420 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 50 mm, Re	2 869,00
F420-F050M03M-SWS	696881	F420 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 50 mm, W	1 284,00
F420-F050M03M-SWA	696882	F420 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 50 mm, W	2 259,00
F420-F050M03M-SWV	696883	F420 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 50 mm, W	2 869,00
F420-F081M03M-NNS	696884	F420 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 81 mm, N	1 160,00
F420-F081M03M-NNA	696885	F420 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 81 mm, N	2 137,00
F420-F081M03M-NNV	696886	F420 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 81 mm, N	2 747,00
F420-F081M03M-SRS	696887	F420 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 81 mm, Re	1 284,00
F420-F081M03M-SRA	696888	F420 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 81 mm, Re	2 259,00
F420-F081M03M-SRV	696889	F420 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 81 mm, Re	2 869,00
F420-F081M03M-SWS	696890	F420 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 81 mm, W	1 284,00
F420-F081M03M-SWA	696891	F420 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 81 mm, W	2 259,00
F420-F081M03M-SWV	696892	F420 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 81 mm, W	2 869,00
F420-F102M03M-NNS	696893	F420 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 102 mm, N	1 160,00
F420-F102M03M-NNA	696894	F420 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 102 mm, N	2 137,00
F420-F102M03M-NNV	696895	F420 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 102 mm, N	2 747,00
F420-F102M03M-SRS	696896	F420 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 102 mm, F	1 284,00
F420-F102M03M-SRA	696897	F420 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 102 mm, F	2 259,00
F420-F102M03M-SRV	696898	F420 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 102 mm, F	2 869,00
F420-F102M03M-SWS	696899	F420 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 102 mm, V	1 284,00
F420-F102M03M-SWA	696900	F420 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 102 mm, V	2 259,00
F420-F102M03M-SWV	696901	F420 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 102 mm, V	2 869,00
F420-F190M03M-NNS	696902	F420 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 190 mm, N	1 160,00
F420-F190M03M-NNA	696903	F420 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 190 mm, N	2 137,00
F420-F190M03M-NNV	696904	F420 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 190 mm, N	2 747,00
F420-F190M03M-SRS	696905	F420 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 190 mm, F	1 284,00
F420-F190M03M-SRA	696906	F420 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 190 mm, F	2 259,00
F420-F190M03M-SRV	696907	F420 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 190 mm, F	2 869,00
F420-F190M03M-SWS	696908	F420 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 190 mm, V	1 284,00
F420-F190M03M-SWA	696909	F420 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 190 mm, V	2 259,00
F420-F190M03M-SWV	696910	F420 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 190 mm, V	2 869,00
F420-F300M03M-NNS	696911	F420 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 300 mm, N	1 160,00
F420-F300M03M-NNA	696912	F420 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 300 mm, N	2 137,00

OMRON PVPR 2023

F420-F300M03M-NNV	696913	F420 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 300 mm, n	2 747,00
F420-F300M03M-SRS	696914	F420 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 300 mm, F	1 284,00
F420-F300M03M-SRA	696915	F420 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 300 mm, F	2 259,00
F420-F300M03M-SRV	696916	F420 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 300 mm, F	2 869,00
F420-F300M03M-SWS	696917	F420 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 300 mm, V	1 284,00
F420-F300M03M-SWA	696918	F420 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 300 mm, V	2 259,00
F420-F300M03M-SWV	696919	F420 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 300 mm, V	2 869,00
F420-F050W12M-NNS	696920	F420 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 50 mm, No o	1 528,00
F420-F050W12M-NNA	696921	F420 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 50 mm, No o	2 503,00
F420-F050W12M-NNV	696922	F420 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 50 mm, No o	3 112,00
F420-F050W12M-SRS	696923	F420 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 50 mm, Red l	1 650,00
F420-F050W12M-SRA	696924	F420 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 50 mm, Red l	2 625,00
F420-F050W12M-SRV	696925	F420 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 50 mm, Red l	3 234,00
F420-F050W12M-SWS	696926	F420 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 50 mm, Whit	1 650,00
F420-F050W12M-SWA	696927	F420 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 50 mm, Whit	2 625,00
F420-F050W12M-SWV	696928	F420 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 50 mm, Whit	3 234,00
F420-F081W12M-NNS	696929	F420 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 81 mm, No o	1 528,00
F420-F081W12M-NNA	696930	F420 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 81 mm, No o	2 503,00
F420-F081W12M-NNV	696931	F420 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 81 mm, No o	3 112,00
F420-F081W12M-SRS	696932	F420 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 81 mm, Red l	1 650,00
F420-F081W12M-SRA	696933	F420 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 81 mm, Red l	2 625,00
F420-F081W12M-SRV	696934	F420 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 81 mm, Red l	3 234,00
F420-F081W12M-SWS	696935	F420 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 81 mm, Whit	1 650,00
F420-F081W12M-SWA	696936	F420 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 81 mm, Whit	2 625,00
F420-F081W12M-SWV	696937	F420 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 81 mm, Whit	3 234,00
F420-F102W12M-NNS	696938	F420 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 102 mm, No c	1 528,00
F420-F102W12M-NNA	696939	F420 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 102 mm, No c	2 503,00
F420-F102W12M-NNV	696940	F420 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 102 mm, No c	3 112,00
F420-F102W12M-SRS	696941	F420 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 102 mm, Red	1 650,00
F420-F102W12M-SRA	696942	F420 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 102 mm, Red	2 625,00
F420-F102W12M-SRV	696943	F420 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 102 mm, Red	3 234,00
F420-F102W12M-SWS	696944	F420 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 102 mm, Whi	1 650,00
F420-F102W12M-SWA	696945	F420 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 102 mm, Whi	2 625,00

OMRON PVPR 2023

F420-F102W12M-SWV	696946	F420 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 102 mm, White	3 234,00
F420-F190W12M-NNS	696947	F420 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 190 mm, No	1 528,00
F420-F190W12M-NNA	696948	F420 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 190 mm, No	2 503,00
F420-F190W12M-NNV	696949	F420 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 190 mm, No	3 112,00
F420-F190W12M-SRS	696950	F420 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 190 mm, Red	1 650,00
F420-F190W12M-SRA	696951	F420 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 190 mm, Red	2 625,00
F420-F190W12M-SRV	696952	F420 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 190 mm, Red	3 234,00
F420-F190W12M-SWS	696953	F420 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 190 mm, White	1 650,00
F420-F190W12M-SWA	696954	F420 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 190 mm, White	2 625,00
F420-F190W12M-SWV	696955	F420 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 190 mm, White	3 234,00
F420-F300W12M-NNS	696956	F420 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 300 mm, No	1 528,00
F420-F300W12M-NNA	696957	F420 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 300 mm, No	2 503,00
F420-F300W12M-NNV	696958	F420 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 300 mm, No	3 112,00
F420-F300W12M-SRS	696959	F420 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 300 mm, Red	1 650,00
F420-F300W12M-SRA	696960	F420 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 300 mm, Red	2 625,00
F420-F300W12M-SRV	696961	F420 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 300 mm, Red	3 234,00
F420-F300W12M-SWS	696962	F420 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 300 mm, White	1 650,00
F420-F300W12M-SWA	696963	F420 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 300 mm, White	2 625,00
F420-F300W12M-SWV	696964	F420 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 300 mm, White	3 234,00
F420-F050M12M-NNS	696965	F420 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 50 mm, N	1 528,00
F420-F050M12M-NNA	696966	F420 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 50 mm, N	2 503,00
F420-F050M12M-NNV	696967	F420 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 50 mm, N	3 112,00
F420-F050M12M-SRS	696968	F420 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 50 mm, Re	1 650,00
F420-F050M12M-SRA	696969	F420 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 50 mm, Re	2 625,00
F420-F050M12M-SRV	696970	F420 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 50 mm, Re	3 234,00
F420-F050M12M-SWS	696971	F420 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 50 mm, W	1 650,00
F420-F050M12M-SWA	696972	F420 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 50 mm, W	2 625,00
F420-F050M12M-SWV	696973	F420 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 50 mm, W	3 234,00
F420-F081M12M-NNS	696974	F420 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 81 mm, N	1 528,00
F420-F081M12M-NNA	696975	F420 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 81 mm, N	2 503,00
F420-F081M12M-NNV	696976	F420 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 81 mm, N	3 112,00
F420-F081M12M-SRS	696977	F420 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 81 mm, Re	1 650,00
F420-F081M12M-SRA	696978	F420 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 81 mm, Re	2 625,00

OMRON PVPR 2023

F420-F081M12M-SRV	696979	F420 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 81 mm, R	3 234,00
F420-F081M12M-SWS	696980	F420 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 81 mm, W	1 650,00
F420-F081M12M-SWA	696981	F420 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 81 mm, W	2 625,00
F420-F081M12M-SWV	696982	F420 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 81 mm, W	3 234,00
F420-F102M12M-NNS	696983	F420 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 102 mm, N	1 528,00
F420-F102M12M-NNA	696984	F420 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 102 mm, N	2 503,00
F420-F102M12M-NNV	696985	F420 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 102 mm, N	3 112,00
F420-F102M12M-SRS	696986	F420 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 102 mm, F	1 650,00
F420-F102M12M-SRA	696987	F420 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 102 mm, F	2 625,00
F420-F102M12M-SRV	696988	F420 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 102 mm, F	3 234,00
F420-F102M12M-SWS	696989	F420 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 102 mm, V	1 650,00
F420-F102M12M-SWA	696990	F420 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 102 mm, V	2 625,00
F420-F102M12M-SWV	696991	F420 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 102 mm, V	3 234,00
F420-F190M12M-NNS	696992	F420 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 190 mm, N	1 528,00
F420-F190M12M-NNA	696993	F420 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 190 mm, N	2 503,00
F420-F190M12M-NNV	696994	F420 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 190 mm, N	3 112,00
F420-F190M12M-SRS	696995	F420 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 190 mm, F	1 650,00
F420-F190M12M-SRA	696996	F420 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 190 mm, F	2 625,00
F420-F190M12M-SRV	696997	F420 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 190 mm, F	3 234,00
F420-F190M12M-SWS	696998	F420 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 190 mm, V	1 650,00
F420-F190M12M-SWA	696999	F420 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 190 mm, V	2 625,00
F420-F190M12M-SWV	697000	F420 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 190 mm, V	3 234,00
F420-F300M12M-NNS	697001	F420 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 300 mm, N	1 528,00
F420-F300M12M-NNA	697002	F420 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 300 mm, N	2 503,00
F420-F300M12M-NNV	697003	F420 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 300 mm, N	3 112,00
F420-F300M12M-SRS	697004	F420 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 300 mm, F	1 650,00
F420-F300M12M-SRA	697005	F420 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 300 mm, F	2 625,00
F420-F300M12M-SRV	697006	F420 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 300 mm, F	3 234,00
F420-F300M12M-SWS	697007	F420 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 300 mm, V	1 650,00
F420-F300M12M-SWA	697008	F420 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 300 mm, V	2 625,00
F420-F300M12M-SWV	697009	F420 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 300 mm, V	3 234,00
F420-F050W50C-NNS	697010	F420 Smart Camera, 5 MP color, Wide view, Fixed focus 50 mm, No outer light, N	1 284,00
F420-F050W50C-NNA	697011	F420 Smart Camera, 5 MP color, Wide view, Fixed focus 50 mm, No outer light, N	2 259,00

OMRON PVPR 2023

F420-F050W50C-NNV	697012	F420 Smart Camera, 5 MP color, Wide view, Fixed focus 50 mm, No outer light,	2 869,00
F420-F050W50C-SWS	697013	F420 Smart Camera, 5 MP color, Wide view, Fixed focus 50 mm, White light, Aut	1 406,00
F420-F050W50C-SWA	697014	F420 Smart Camera, 5 MP color, Wide view, Fixed focus 50 mm, White light, Aut	2 381,00
F420-F050W50C-SWV	697015	F420 Smart Camera, 5 MP color, Wide view, Fixed focus 50 mm, White light, Aut	2 990,00
F420-F081W50C-NNS	697016	F420 Smart Camera, 5 MP color, Wide view, Fixed focus 81 mm, No outer light,	1 284,00
F420-F081W50C-NNA	697017	F420 Smart Camera, 5 MP color, Wide view, Fixed focus 81 mm, No outer light,	2 259,00
F420-F081W50C-NNV	697018	F420 Smart Camera, 5 MP color, Wide view, Fixed focus 81 mm, No outer light,	2 869,00
F420-F081W50C-SWS	697019	F420 Smart Camera, 5 MP color, Wide view, Fixed focus 81 mm, White light, Aut	1 406,00
F420-F081W50C-SWA	697020	F420 Smart Camera, 5 MP color, Wide view, Fixed focus 81 mm, White light, Aut	2 381,00
F420-F081W50C-SWV	697021	F420 Smart Camera, 5 MP color, Wide view, Fixed focus 81 mm, White light, Aut	2 990,00
F420-F102W50C-NNS	697022	F420 Smart Camera, 5 MP color, Wide view, Fixed focus 102 mm, No outer light,	1 284,00
F420-F102W50C-NNA	697023	F420 Smart Camera, 5 MP color, Wide view, Fixed focus 102 mm, No outer light,	2 259,00
F420-F102W50C-NNV	697024	F420 Smart Camera, 5 MP color, Wide view, Fixed focus 102 mm, No outer light,	2 869,00
F420-F102W50C-SWS	697025	F420 Smart Camera, 5 MP color, Wide view, Fixed focus 102 mm, White light, Au	1 406,00
F420-F102W50C-SWA	697026	F420 Smart Camera, 5 MP color, Wide view, Fixed focus 102 mm, White light, Au	2 381,00
F420-F102W50C-SWV	697027	F420 Smart Camera, 5 MP color, Wide view, Fixed focus 102 mm, White light, Au	2 990,00
F420-F190W50C-NNS	697028	F420 Smart Camera, 5 MP color, Wide view, Fixed focus 190 mm, No outer light,	1 284,00
F420-F190W50C-NNA	697029	F420 Smart Camera, 5 MP color, Wide view, Fixed focus 190 mm, No outer light,	2 259,00
F420-F190W50C-NNV	697030	F420 Smart Camera, 5 MP color, Wide view, Fixed focus 190 mm, No outer light,	2 869,00
F420-F190W50C-SWS	697031	F420 Smart Camera, 5 MP color, Wide view, Fixed focus 190 mm, White light, Au	1 406,00
F420-F190W50C-SWA	697032	F420 Smart Camera, 5 MP color, Wide view, Fixed focus 190 mm, White light, Au	2 381,00
F420-F190W50C-SWV	697033	F420 Smart Camera, 5 MP color, Wide view, Fixed focus 190 mm, White light, Au	2 990,00
F420-F300W50C-NNS	697034	F420 Smart Camera, 5 MP color, Wide view, Fixed focus 300 mm, No outer light,	1 284,00
F420-F300W50C-NNA	697035	F420 Smart Camera, 5 MP color, Wide view, Fixed focus 300 mm, No outer light,	2 259,00
F420-F300W50C-NNV	697036	F420 Smart Camera, 5 MP color, Wide view, Fixed focus 300 mm, No outer light,	2 869,00
F420-F300W50C-SWS	697037	F420 Smart Camera, 5 MP color, Wide view, Fixed focus 300 mm, White light, Au	1 406,00
F420-F300W50C-SWA	697038	F420 Smart Camera, 5 MP color, Wide view, Fixed focus 300 mm, White light, Au	2 381,00
F420-F300W50C-SWV	697039	F420 Smart Camera, 5 MP color, Wide view, Fixed focus 300 mm, White light, Au	2 990,00
F420-F050M50C-NNS	697040	F420 Smart Camera, 5 MP color, Medium view, Fixed focus 50 mm, No outer lig	1 284,00
F420-F050M50C-NNA	697041	F420 Smart Camera, 5 MP color, Medium view, Fixed focus 50 mm, No outer lig	2 259,00
F420-F050M50C-NNV	697042	F420 Smart Camera, 5 MP color, Medium view, Fixed focus 50 mm, No outer lig	2 869,00
F420-F050M50C-SWS	697043	F420 Smart Camera, 5 MP color, Medium view, Fixed focus 50 mm, White light,	1 406,00
F420-F050M50C-SWA	697044	F420 Smart Camera, 5 MP color, Medium view, Fixed focus 50 mm, White light,	2 381,00

OMRON PVPR 2023

F420-F050M50C-SWV	697045	F420 Smart Camera, 5 MP color, Medium view, Fixed focus 50 mm, White light,	2 990,00
F420-F081M50C-NNS	697046	F420 Smart Camera, 5 MP color, Medium view, Fixed focus 81 mm, No outer lig	1 284,00
F420-F081M50C-NNA	697047	F420 Smart Camera, 5 MP color, Medium view, Fixed focus 81 mm, No outer lig	2 259,00
F420-F081M50C-NNV	697048	F420 Smart Camera, 5 MP color, Medium view, Fixed focus 81 mm, No outer lig	2 869,00
F420-F081M50C-SWS	697049	F420 Smart Camera, 5 MP color, Medium view, Fixed focus 81 mm, White light,	1 406,00
F420-F081M50C-SWA	697050	F420 Smart Camera, 5 MP color, Medium view, Fixed focus 81 mm, White light,	2 381,00
F420-F081M50C-SWV	697051	F420 Smart Camera, 5 MP color, Medium view, Fixed focus 81 mm, White light,	2 990,00
F420-F102M50C-NNS	697052	F420 Smart Camera, 5 MP color, Medium view, Fixed focus 102 mm, No outer li	1 284,00
F420-F102M50C-NNA	697053	F420 Smart Camera, 5 MP color, Medium view, Fixed focus 102 mm, No outer li	2 259,00
F420-F102M50C-NNV	697054	F420 Smart Camera, 5 MP color, Medium view, Fixed focus 102 mm, No outer li	2 869,00
F420-F102M50C-SWS	697055	F420 Smart Camera, 5 MP color, Medium view, Fixed focus 102 mm, White light	1 406,00
F420-F102M50C-SWA	697056	F420 Smart Camera, 5 MP color, Medium view, Fixed focus 102 mm, White light	2 381,00
F420-F102M50C-SWV	697057	F420 Smart Camera, 5 MP color, Medium view, Fixed focus 102 mm, White light	2 990,00
F420-F190M50C-NNS	697058	F420 Smart Camera, 5 MP color, Medium view, Fixed focus 190 mm, No outer li	1 284,00
F420-F190M50C-NNA	697059	F420 Smart Camera, 5 MP color, Medium view, Fixed focus 190 mm, No outer li	2 259,00
F420-F190M50C-NNV	697060	F420 Smart Camera, 5 MP color, Medium view, Fixed focus 190 mm, No outer li	2 869,00
F420-F190M50C-SWS	697061	F420 Smart Camera, 5 MP color, Medium view, Fixed focus 190 mm, White light	1 406,00
F420-F190M50C-SWA	697062	F420 Smart Camera, 5 MP color, Medium view, Fixed focus 190 mm, White light	2 381,00
F420-F190M50C-SWV	697063	F420 Smart Camera, 5 MP color, Medium view, Fixed focus 190 mm, White light	2 990,00
F420-F300M50C-NNS	697064	F420 Smart Camera, 5 MP color, Medium view, Fixed focus 300 mm, No outer li	1 284,00
F420-F300M50C-NNA	697065	F420 Smart Camera, 5 MP color, Medium view, Fixed focus 300 mm, No outer li	2 259,00
F420-F300M50C-NNV	697066	F420 Smart Camera, 5 MP color, Medium view, Fixed focus 300 mm, No outer li	2 869,00
F420-F300M50C-SWS	697067	F420 Smart Camera, 5 MP color, Medium view, Fixed focus 300 mm, White light	1 406,00
F420-F300M50C-SWA	697068	F420 Smart Camera, 5 MP color, Medium view, Fixed focus 300 mm, White light	2 381,00
F420-F300M50C-SWV	697069	F420 Smart Camera, 5 MP color, Medium view, Fixed focus 300 mm, White light	2 990,00
F420-F000W03M-NNS	697070	Cámara inteligente F420, 0,3 MP monocromo, campo de visión ancho, enfoque	1 528,00
F420-F000W03M-NNA	697071	Cámara inteligente F420, 0,3 MP monocromo, campo de visión ancho, enfoque	2 503,00
F420-F000W03M-NNV	697072	Cámara inteligente F420, 0,3 MP monocromo, campo de visión ancho, enfoque	3 112,00
F420-F000W03M-SRS	697073	Cámara inteligente F420, 0,3 MP monocromo, campo de visión ancho, enfoque	1 650,00
F420-F000W03M-SRA	697074	Cámara inteligente F420, 0,3 MP monocromo, campo de visión ancho, enfoque	2 625,00
F420-F000W03M-SRV	697075	Cámara inteligente F420, 0,3 MP monocromo, campo de visión ancho, enfoque	3 234,00
F420-F000W03M-SWS	697076	Cámara inteligente F420, 0,3 MP monocromo, campo de visión ancho, enfoque	1 650,00
F420-F000W03M-SWA	697077	Cámara inteligente F420, 0,3 MP monocromo, campo de visión ancho, enfoque	2 625,00

OMRON PVPR 2023

F420-F000W03M-SWV	696551	Cámara inteligente F420, 0,3 MP monocromo, campo de visión ancho, enfoque	2 929,00
F420-F000M03M-NNS	697078	Cámara inteligente F420, 0,3 MP monocromo, campo de visión medio, enfoque	1 528,00
F420-F000M03M-NNA	697079	Cámara inteligente F420, 0,3 MP monocromo, campo de visión medio, enfoque	2 503,00
F420-F000M03M-NNV	697080	Cámara inteligente F420, 0,3 MP monocromo, campo de visión medio, enfoque	3 112,00
F420-F000M03M-SRS	697081	Cámara inteligente F420, 0,3 MP monocromo, campo de visión medio, enfoque	1 650,00
F420-F000M03M-SRA	697082	Cámara inteligente F420, 0,3 MP monocromo, campo de visión medio, enfoque	2 625,00
F420-F000M03M-SRV	697083	Cámara inteligente F420, 0,3 MP monocromo, campo de visión medio, enfoque	3 234,00
F420-F000M03M-SWS	697084	Cámara inteligente F420, 0,3 MP monocromo, campo de visión medio, enfoque	1 650,00
F420-F000M03M-SWA	697085	Cámara inteligente F420, 0,3 MP monocromo, campo de visión medio, enfoque	2 625,00
F420-F000M03M-SWV	696552	Cámara inteligente F420, 0,3 MP monocromo, campo de visión medio, enfoque	2 929,00
F420-F000W12M-NNS	697086	Cámara inteligente F420, 1,2 MP monocromo, campo de visión ancho, enfoque	1 893,00
F420-F000W12M-NNA	697087	Cámara inteligente F420, 1,2 MP monocromo, campo de visión ancho, enfoque	2 869,00
F420-F000W12M-NNV	697088	Cámara inteligente F420, 1,2 MP monocromo, campo de visión ancho, enfoque	3 478,00
F420-F000W12M-SRS	697089	Cámara inteligente F420, 1,2 MP monocromo, campo de visión ancho, enfoque	2 015,00
F420-F000W12M-SRA	697090	Cámara inteligente F420, 1,2 MP monocromo, campo de visión ancho, enfoque	2 990,00
F420-F000W12M-SRV	697091	Cámara inteligente F420, 1,2 MP monocromo, campo de visión ancho, enfoque	3 600,00
F420-F000W12M-SWS	697092	Cámara inteligente F420, 1,2 MP monocromo, campo de visión ancho, enfoque	2 015,00
F420-F000W12M-SWA	697093	Cámara inteligente F420, 1,2 MP monocromo, campo de visión ancho, enfoque	2 990,00
F420-F000W12M-SWV	696553	Cámara inteligente F420, 1,2 MP monocromo, campo de visión ancho, enfoque	3 296,00
F420-F000M12M-NNS	697094	Cámara inteligente F420, 1,2 MP monocromo, campo de visión medio, enfoque	1 893,00
F420-F000M12M-NNA	697095	Cámara inteligente F420, 1,2 MP monocromo, campo de visión medio, enfoque	2 869,00
F420-F000M12M-NNV	697096	Cámara inteligente F420, 1,2 MP monocromo, campo de visión medio, enfoque	3 478,00
F420-F000M12M-SRS	697097	Cámara inteligente F420, 1,2 MP monocromo, campo de visión medio, enfoque	2 015,00
F420-F000M12M-SRA	697098	Cámara inteligente F420, 1,2 MP monocromo, campo de visión medio, enfoque	2 990,00
F420-F000M12M-SRV	697099	Cámara inteligente F420, 1,2 MP monocromo, campo de visión medio, enfoque	3 600,00
F420-F000M12M-SWS	697100	Cámara inteligente F420, 1,2 MP monocromo, campo de visión medio, enfoque	2 015,00
F420-F000M12M-SWA	697101	Cámara inteligente F420, 1,2 MP monocromo, campo de visión medio, enfoque	2 990,00
F420-F000M12M-SWV	696554	Cámara inteligente F420, 1,2 MP monocromo, campo de visión medio, enfoque	3 296,00
F420-F000W50C-NNS	697102	Cámara inteligente F420, 5 MP a color, campo de visión ancho, enfoque automático	1 650,00
F420-F000W50C-NNA	697103	Cámara inteligente F420, 5 MP a color, campo de visión ancho, enfoque automático	2 625,00
F420-F000W50C-NNV	697104	Cámara inteligente F420, 5 MP a color, campo de visión ancho, enfoque automático	3 234,00
F420-F000W50C-SWS	697105	Cámara inteligente F420, 5 MP a color, campo de visión ancho, enfoque automático	1 772,00
F420-F000W50C-SWA	697106	Cámara inteligente F420, 5 MP a color, campo de visión ancho, enfoque automático	2 747,00

OMRON PVPR 2023

F420-F000W50C-SWV	696555	Cámara inteligente F420, 5 MP a color, campo de visión ancho, enfoque automático	3 051,00
F420-F000M50C-NNS	697107	Cámara inteligente F420, 5 MP a color, campo de visión medio, enfoque automático	1 650,00
F420-F000M50C-NNA	697108	Cámara inteligente F420, 5 MP a color, campo de visión medio, enfoque automático	2 625,00
F420-F000M50C-NNV	697109	Cámara inteligente F420, 5 MP a color, campo de visión medio, enfoque automático	3 234,00
F420-F000M50C-SWS	697110	Cámara inteligente F420, 5 MP a color, campo de visión medio, enfoque automático	1 772,00
F420-F000M50C-SWA	697111	Cámara inteligente F420, 5 MP a color, campo de visión medio, enfoque automático	2 747,00
F420-F000M50C-SWV	696556	Cámara inteligente F420, 5 MP a color, campo de visión medio, enfoque automático	3 051,00
F420-F400N12M-NNS	697121	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Fixed focus 400 mm, N	1 528,00
F420-F400N12M-NNA	697122	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Fixed focus 400 mm, N	2 503,00
F420-F400N12M-NNV	697123	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Fixed focus 400 mm, N	3 112,00
F420-F400N12M-SRS	697124	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Fixed focus 400 mm, R	1 650,00
F420-F400N12M-SRA	697125	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Fixed focus 400 mm, R	2 625,00
F420-F400N12M-SRV	697126	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Fixed focus 400 mm, R	3 234,00
F420-F400N12M-SWS	697127	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Fixed focus 400 mm, W	1 650,00
F420-F400N12M-SWA	697128	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Fixed focus 400 mm, W	2 625,00
F420-F400N12M-SWV	697129	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Fixed focus 400 mm, W	3 234,00
F420-F000N12M-NNS	697130	Cámara inteligente F420, 1,2 MP monocromo, campo de visión estrecho, enfoque automático	1 893,00
F420-F000N12M-NNA	697131	Cámara inteligente F420, 1,2 MP monocromo, campo de visión estrecho, enfoque automático	2 869,00
F420-F000N12M-NNV	697132	Cámara inteligente F420, 1,2 MP monocromo, campo de visión estrecho, enfoque automático	3 478,00
F420-F000N12M-SRS	697133	Cámara inteligente F420, 1,2 MP monocromo, campo de visión estrecho, enfoque automático	2 015,00
F420-F000N12M-SRA	697134	Cámara inteligente F420, 1,2 MP monocromo, campo de visión estrecho, enfoque automático	2 990,00
F420-F000N12M-SRV	697135	Cámara inteligente F420, 1,2 MP monocromo, campo de visión estrecho, enfoque automático	3 600,00
F420-F000N12M-SWS	697136	Cámara inteligente F420, 1,2 MP monocromo, campo de visión estrecho, enfoque automático	2 015,00
F420-F000N12M-SWA	697137	Cámara inteligente F420, 1,2 MP monocromo, campo de visión estrecho, enfoque automático	2 990,00
F420-F000N12M-SWV	697138	Cámara inteligente F420, 1,2 MP monocromo, campo de visión estrecho, enfoque automático	3 600,00
F420-F000L12M-NNS	697139	Cámara inteligente F420, 1,2 MP monocromo, largo alcance, enfoque automático	1 893,00
F420-F000L12M-NNA	697140	Cámara inteligente F420, 1,2 MP monocromo, largo alcance, enfoque automático	2 869,00
F420-F000L12M-NNV	697141	Cámara inteligente F420, 1,2 MP monocromo, largo alcance, enfoque automático	3 478,00
F420-F000L12M-SRS	697142	Cámara inteligente F420, 1,2 MP monocromo, largo alcance, enfoque automático	2 015,00
F420-F000L12M-SRA	697143	Cámara inteligente F420, 1,2 MP monocromo, largo alcance, enfoque automático	2 990,00
F420-F000L12M-SRV	697144	Cámara inteligente F420, 1,2 MP monocromo, largo alcance, enfoque automático	3 600,00
F420-F000L12M-SWS	697145	Cámara inteligente F420, 1,2 MP monocromo, largo alcance, enfoque automático	2 015,00
F420-F000L12M-SWA	697146	Cámara inteligente F420, 1,2 MP monocromo, largo alcance, enfoque automático	2 990,00

OMRON PVPR 2023

F420-F000L12M-SWV	696557	Cámara inteligente F420, 1,2 MP monocromo, largo alcance, enfoque automático	3 296,00
F430-F050W03M-NNS	697147	F430 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 50 mm, No o	1 528,00
F430-F050W03M-NNA	697148	F430 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 50 mm, No o	2 503,00
F430-F050W03M-NNV	697149	F430 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 50 mm, No o	3 112,00
F430-F050W03M-SRS	697150	F430 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 50 mm, Red I	1 650,00
F430-F050W03M-SRA	697151	F430 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 50 mm, Red I	2 625,00
F430-F050W03M-SRV	697152	F430 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 50 mm, Red I	3 234,00
F430-F050W03M-SWS	697153	F430 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 50 mm, Whit	1 650,00
F430-F050W03M-SWA	697154	F430 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 50 mm, Whit	2 625,00
F430-F050W03M-SWV	697155	F430 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 50 mm, Whit	3 234,00
F430-F081W03M-NNS	697156	F430 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 81 mm, No o	1 528,00
F430-F081W03M-NNA	697157	F430 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 81 mm, No o	2 503,00
F430-F081W03M-NNV	697158	F430 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 81 mm, No o	3 112,00
F430-F081W03M-SRS	697159	F430 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 81 mm, Red I	1 650,00
F430-F081W03M-SRA	697160	F430 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 81 mm, Red I	2 625,00
F430-F081W03M-SRV	697161	F430 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 81 mm, Red I	3 234,00
F430-F081W03M-SWS	697162	F430 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 81 mm, Whit	1 650,00
F430-F081W03M-SWA	697163	F430 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 81 mm, Whit	2 625,00
F430-F081W03M-SWV	697164	F430 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 81 mm, Whit	3 234,00
F430-F102W03M-NNS	697165	F430 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 102 mm, No c	1 528,00
F430-F102W03M-NNA	697166	F430 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 102 mm, No c	2 503,00
F430-F102W03M-NNV	697167	F430 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 102 mm, No c	3 112,00
F430-F102W03M-SRS	697168	F430 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 102 mm, Red	1 650,00
F430-F102W03M-SRA	697169	F430 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 102 mm, Red	2 625,00
F430-F102W03M-SRV	697170	F430 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 102 mm, Red	3 234,00
F430-F102W03M-SWS	697171	F430 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 102 mm, Whi	1 650,00
F430-F102W03M-SWA	697172	F430 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 102 mm, Whi	2 625,00
F430-F102W03M-SWV	697173	F430 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 102 mm, Whi	3 234,00
F430-F190W03M-NNS	697174	F430 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 190 mm, No c	1 528,00
F430-F190W03M-NNA	697175	F430 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 190 mm, No c	2 503,00
F430-F190W03M-NNV	697176	F430 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 190 mm, No c	3 112,00
F430-F190W03M-SRS	697177	F430 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 190 mm, Red	1 650,00
F430-F190W03M-SRA	697178	F430 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 190 mm, Red	2 625,00

OMRON PVPR 2023

F430-F190W03M-SRV	697179	F430 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 190 mm, Red	3 234,00
F430-F190W03M-SWS	697180	F430 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 190 mm, Wh	1 650,00
F430-F190W03M-SWA	697181	F430 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 190 mm, Wh	2 625,00
F430-F190W03M-SWV	697182	F430 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 190 mm, Wh	3 234,00
F430-F300W03M-NNS	697183	F430 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 300 mm, No	1 528,00
F430-F300W03M-NNA	697184	F430 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 300 mm, No	2 503,00
F430-F300W03M-NNV	697185	F430 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 300 mm, No	3 112,00
F430-F300W03M-SRS	697186	F430 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 300 mm, Red	1 650,00
F430-F300W03M-SRA	697187	F430 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 300 mm, Red	2 625,00
F430-F300W03M-SRV	697188	F430 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 300 mm, Red	3 234,00
F430-F300W03M-SWS	697189	F430 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 300 mm, Wh	1 650,00
F430-F300W03M-SWA	697190	F430 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 300 mm, Wh	2 625,00
F430-F300W03M-SWV	697191	F430 Smart Camera, 0.3 MP monochrome, Wide view, Fixed focus 300 mm, Wh	3 234,00
F430-F050M03M-NNS	697192	F430 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 50 mm, N	1 528,00
F430-F050M03M-NNA	697193	F430 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 50 mm, N	2 503,00
F430-F050M03M-NNV	697194	F430 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 50 mm, N	3 112,00
F430-F050M03M-SRS	697195	F430 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 50 mm, Re	1 650,00
F430-F050M03M-SRA	697196	F430 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 50 mm, Re	2 625,00
F430-F050M03M-SRV	697197	F430 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 50 mm, Re	3 234,00
F430-F050M03M-SWS	697198	F430 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 50 mm, W	1 650,00
F430-F050M03M-SWA	697199	F430 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 50 mm, W	2 625,00
F430-F050M03M-SWV	697200	F430 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 50 mm, W	3 234,00
F430-F081M03M-NNS	697201	F430 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 81 mm, N	1 528,00
F430-F081M03M-NNA	697202	F430 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 81 mm, N	2 503,00
F430-F081M03M-NNV	697203	F430 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 81 mm, N	3 112,00
F430-F081M03M-SRS	697204	F430 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 81 mm, Re	1 650,00
F430-F081M03M-SRA	697205	F430 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 81 mm, Re	2 625,00
F430-F081M03M-SRV	697206	F430 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 81 mm, Re	3 234,00
F430-F081M03M-SWS	697207	F430 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 81 mm, W	1 650,00
F430-F081M03M-SWA	697208	F430 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 81 mm, W	2 625,00
F430-F081M03M-SWV	697209	F430 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 81 mm, W	3 234,00
F430-F102M03M-NNS	697210	F430 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 102 mm, N	1 528,00
F430-F102M03M-NNA	697211	F430 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 102 mm, N	2 503,00

OMRON PVPR 2023

F430-F102M03M-NNV	697212	F430 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 102 mm, n	3 112,00
F430-F102M03M-SRS	697213	F430 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 102 mm, F	1 650,00
F430-F102M03M-SRA	697214	F430 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 102 mm, F	2 625,00
F430-F102M03M-SRV	697215	F430 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 102 mm, F	3 234,00
F430-F102M03M-SWS	697216	F430 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 102 mm, V	1 650,00
F430-F102M03M-SWA	697217	F430 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 102 mm, V	2 625,00
F430-F102M03M-SWV	697218	F430 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 102 mm, V	3 234,00
F430-F190M03M-NNS	697219	F430 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 190 mm, n	1 528,00
F430-F190M03M-NNA	697220	F430 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 190 mm, n	2 503,00
F430-F190M03M-NNV	697221	F430 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 190 mm, n	3 112,00
F430-F190M03M-SRS	697222	F430 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 190 mm, F	1 650,00
F430-F190M03M-SRA	697223	F430 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 190 mm, F	2 625,00
F430-F190M03M-SRV	697224	F430 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 190 mm, F	3 234,00
F430-F190M03M-SWS	697225	F430 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 190 mm, V	1 650,00
F430-F190M03M-SWA	697226	F430 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 190 mm, V	2 625,00
F430-F190M03M-SWV	697227	F430 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 190 mm, V	3 234,00
F430-F300M03M-NNS	697228	F430 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 300 mm, n	1 528,00
F430-F300M03M-NNA	697229	F430 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 300 mm, n	2 503,00
F430-F300M03M-NNV	697230	F430 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 300 mm, n	3 112,00
F430-F300M03M-SRS	697231	F430 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 300 mm, F	1 650,00
F430-F300M03M-SRA	697232	F430 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 300 mm, F	2 625,00
F430-F300M03M-SRV	697233	F430 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 300 mm, F	3 234,00
F430-F300M03M-SWS	697234	F430 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 300 mm, V	1 650,00
F430-F300M03M-SWA	697235	F430 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 300 mm, V	2 625,00
F430-F300M03M-SWV	697236	F430 Smart Camera, 0.3 MP monochrome, Medium view, Fixed focus 300 mm, V	3 234,00
F430-F050W12M-NNS	697237	F430 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 50 mm, No o	1 893,00
F430-F050W12M-NNA	697238	F430 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 50 mm, No o	2 869,00
F430-F050W12M-NNV	697239	F430 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 50 mm, No o	3 478,00
F430-F050W12M-SRS	697240	F430 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 50 mm, Red I	2 015,00
F430-F050W12M-SRA	697241	F430 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 50 mm, Red I	2 990,00
F430-F050W12M-SRV	697242	F430 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 50 mm, Red I	3 600,00
F430-F050W12M-SWS	697243	F430 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 50 mm, Whit	2 015,00
F430-F050W12M-SWA	697244	F430 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 50 mm, Whit	2 990,00

OMRON PVPR 2023

F430-F050W12M-SWV	697245	F430 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 50 mm, White	3 600,00
F430-F081W12M-NNS	697246	F430 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 81 mm, No o	1 893,00
F430-F081W12M-NNA	697247	F430 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 81 mm, No o	2 869,00
F430-F081W12M-NNV	697248	F430 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 81 mm, No o	3 478,00
F430-F081W12M-SRS	697249	F430 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 81 mm, Red I	2 015,00
F430-F081W12M-SRA	697250	F430 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 81 mm, Red I	2 990,00
F430-F081W12M-SRV	697251	F430 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 81 mm, Red I	3 600,00
F430-F081W12M-SWS	697252	F430 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 81 mm, White	2 015,00
F430-F081W12M-SWA	697253	F430 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 81 mm, White	2 990,00
F430-F081W12M-SWV	697254	F430 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 81 mm, White	3 600,00
F430-F102W12M-NNS	697255	F430 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 102 mm, No c	1 893,00
F430-F102W12M-NNA	697256	F430 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 102 mm, No c	2 869,00
F430-F102W12M-NNV	697257	F430 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 102 mm, No c	3 478,00
F430-F102W12M-SRS	697258	F430 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 102 mm, Red	2 015,00
F430-F102W12M-SRA	697259	F430 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 102 mm, Red	2 990,00
F430-F102W12M-SRV	697260	F430 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 102 mm, Red	3 600,00
F430-F102W12M-SWS	697261	F430 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 102 mm, Whi	2 015,00
F430-F102W12M-SWA	697262	F430 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 102 mm, Whi	2 990,00
F430-F102W12M-SWV	697263	F430 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 102 mm, Whi	3 600,00
F430-F190W12M-NNS	697264	F430 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 190 mm, No c	1 893,00
F430-F190W12M-NNA	697265	F430 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 190 mm, No c	2 869,00
F430-F190W12M-NNV	697266	F430 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 190 mm, No c	3 478,00
F430-F190W12M-SRS	697267	F430 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 190 mm, Red	2 015,00
F430-F190W12M-SRA	697268	F430 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 190 mm, Red	2 990,00
F430-F190W12M-SRV	697269	F430 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 190 mm, Red	3 600,00
F430-F190W12M-SWS	697270	F430 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 190 mm, Whi	2 015,00
F430-F190W12M-SWA	697271	F430 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 190 mm, Whi	2 990,00
F430-F190W12M-SWV	697272	F430 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 190 mm, Whi	3 600,00
F430-F300W12M-NNS	697273	F430 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 300 mm, No c	1 893,00
F430-F300W12M-NNA	697274	F430 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 300 mm, No c	2 869,00
F430-F300W12M-NNV	697275	F430 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 300 mm, No c	3 478,00
F430-F300W12M-SRS	697276	F430 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 300 mm, Red	2 015,00
F430-F300W12M-SRA	697277	F430 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 300 mm, Red	2 990,00

OMRON PVPR 2023

F430-F300W12M-SRV	697278	F430 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 300 mm, Red	3 600,00
F430-F300W12M-SWS	697279	F430 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 300 mm, Wh	2 015,00
F430-F300W12M-SWA	697280	F430 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 300 mm, Wh	2 990,00
F430-F300W12M-SWV	697281	F430 Smart Camera, 1.2 MP monochrome, Wide view, Fixed focus 300 mm, Wh	3 600,00
F430-F050M12M-NNS	697282	F430 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 50 mm, N	1 893,00
F430-F050M12M-NNA	697283	F430 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 50 mm, N	2 869,00
F430-F050M12M-NNV	697284	F430 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 50 mm, N	3 478,00
F430-F050M12M-SRS	697285	F430 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 50 mm, Re	2 015,00
F430-F050M12M-SRA	697286	F430 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 50 mm, Re	2 990,00
F430-F050M12M-SRV	697287	F430 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 50 mm, Re	3 600,00
F430-F050M12M-SWS	697288	F430 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 50 mm, W	2 015,00
F430-F050M12M-SWA	697289	F430 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 50 mm, W	2 990,00
F430-F050M12M-SWV	697290	F430 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 50 mm, W	3 600,00
F430-F081M12M-NNS	697291	F430 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 81 mm, N	1 893,00
F430-F081M12M-NNA	697292	F430 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 81 mm, N	2 869,00
F430-F081M12M-NNV	697293	F430 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 81 mm, N	3 478,00
F430-F081M12M-SRS	697294	F430 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 81 mm, Re	2 015,00
F430-F081M12M-SRA	697295	F430 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 81 mm, Re	2 990,00
F430-F081M12M-SRV	697296	F430 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 81 mm, Re	3 600,00
F430-F081M12M-SWS	697297	F430 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 81 mm, W	2 015,00
F430-F081M12M-SWA	697298	F430 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 81 mm, W	2 990,00
F430-F081M12M-SWV	697299	F430 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 81 mm, W	3 600,00
F430-F102M12M-NNS	697300	F430 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 102 mm, N	1 893,00
F430-F102M12M-NNA	697301	F430 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 102 mm, N	2 869,00
F430-F102M12M-NNV	697302	F430 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 102 mm, N	3 478,00
F430-F102M12M-SRS	697303	F430 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 102 mm, F	2 015,00
F430-F102M12M-SRA	697304	F430 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 102 mm, F	2 990,00
F430-F102M12M-SRV	697305	F430 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 102 mm, F	3 600,00
F430-F102M12M-SWS	697306	F430 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 102 mm, V	2 015,00
F430-F102M12M-SWA	697307	F430 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 102 mm, V	2 990,00
F430-F102M12M-SWV	697308	F430 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 102 mm, V	3 600,00
F430-F190M12M-NNS	697309	F430 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 190 mm, N	1 893,00
F430-F190M12M-NNA	697310	F430 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 190 mm, N	2 869,00

OMRON PVPR 2023

F430-F190M12M-NNV	697311	F430 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 190 mm, n	3 478,00
F430-F190M12M-SRS	697312	F430 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 190 mm, F	2 015,00
F430-F190M12M-SRA	697313	F430 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 190 mm, F	2 990,00
F430-F190M12M-SRV	697314	F430 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 190 mm, F	3 600,00
F430-F190M12M-SWS	697315	F430 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 190 mm, V	2 015,00
F430-F190M12M-SWA	697316	F430 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 190 mm, V	2 990,00
F430-F190M12M-SWV	697317	F430 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 190 mm, V	3 600,00
F430-F300M12M-NNS	697318	F430 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 300 mm, n	1 893,00
F430-F300M12M-NNA	697319	F430 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 300 mm, n	2 869,00
F430-F300M12M-NNV	697320	F430 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 300 mm, n	3 478,00
F430-F300M12M-SRS	697321	F430 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 300 mm, F	2 015,00
F430-F300M12M-SRA	697322	F430 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 300 mm, F	2 990,00
F430-F300M12M-SRV	697323	F430 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 300 mm, F	3 600,00
F430-F300M12M-SWS	697324	F430 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 300 mm, V	2 015,00
F430-F300M12M-SWA	697325	F430 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 300 mm, V	2 990,00
F430-F300M12M-SWV	697326	F430 Smart Camera, 1.2 MP monochrome, Medium view, Fixed focus 300 mm, V	3 600,00
F430-F050W50C-NNS	697327	F430 Smart Camera, 5 MP color, Wide view, Fixed focus 50 mm, No outer light, A	1 650,00
F430-F050W50C-NNA	697328	F430 Smart Camera, 5 MP color, Wide view, Fixed focus 50 mm, No outer light, A	2 625,00
F430-F050W50C-NNV	697329	F430 Smart Camera, 5 MP color, Wide view, Fixed focus 50 mm, No outer light, A	3 234,00
F430-F050W50C-SWS	697330	F430 Smart Camera, 5 MP color, Wide view, Fixed focus 50 mm, White light, Aut	1 772,00
F430-F050W50C-SWA	697331	F430 Smart Camera, 5 MP color, Wide view, Fixed focus 50 mm, White light, Aut	2 747,00
F430-F050W50C-SWV	697332	F430 Smart Camera, 5 MP color, Wide view, Fixed focus 50 mm, White light, Aut	3 356,00
F430-F081W50C-NNS	697333	F430 Smart Camera, 5 MP color, Wide view, Fixed focus 81 mm, No outer light, A	1 650,00
F430-F081W50C-NNA	697334	F430 Smart Camera, 5 MP color, Wide view, Fixed focus 81 mm, No outer light, A	2 625,00
F430-F081W50C-NNV	697335	F430 Smart Camera, 5 MP color, Wide view, Fixed focus 81 mm, No outer light, A	3 234,00
F430-F081W50C-SWS	697336	F430 Smart Camera, 5 MP color, Wide view, Fixed focus 81 mm, White light, Aut	1 772,00
F430-F081W50C-SWA	697337	F430 Smart Camera, 5 MP color, Wide view, Fixed focus 81 mm, White light, Aut	2 747,00
F430-F081W50C-SWV	697338	F430 Smart Camera, 5 MP color, Wide view, Fixed focus 81 mm, White light, Aut	3 356,00
F430-F102W50C-NNS	697339	F430 Smart Camera, 5 MP color, Wide view, Fixed focus 102 mm, No outer light, A	1 650,00
F430-F102W50C-NNA	697340	F430 Smart Camera, 5 MP color, Wide view, Fixed focus 102 mm, No outer light, A	2 625,00
F430-F102W50C-NNV	697341	F430 Smart Camera, 5 MP color, Wide view, Fixed focus 102 mm, No outer light, A	3 234,00
F430-F102W50C-SWS	697342	F430 Smart Camera, 5 MP color, Wide view, Fixed focus 102 mm, White light, Au	1 772,00
F430-F102W50C-SWA	697343	F430 Smart Camera, 5 MP color, Wide view, Fixed focus 102 mm, White light, Au	2 747,00

OMRON PVPR 2023

F430-F102W50C-SWV	697344	F430 Smart Camera, 5 MP color, Wide view, Fixed focus 102 mm, White light, Au	3 356,00
F430-F190W50C-NNS	697345	F430 Smart Camera, 5 MP color, Wide view, Fixed focus 190 mm, No outer light	1 650,00
F430-F190W50C-NNA	697346	F430 Smart Camera, 5 MP color, Wide view, Fixed focus 190 mm, No outer light	2 625,00
F430-F190W50C-NNV	697347	F430 Smart Camera, 5 MP color, Wide view, Fixed focus 190 mm, No outer light	3 234,00
F430-F190W50C-SWS	697348	F430 Smart Camera, 5 MP color, Wide view, Fixed focus 190 mm, White light, Au	1 772,00
F430-F190W50C-SWA	697349	F430 Smart Camera, 5 MP color, Wide view, Fixed focus 190 mm, White light, Au	2 747,00
F430-F190W50C-SWV	697350	F430 Smart Camera, 5 MP color, Wide view, Fixed focus 190 mm, White light, Au	3 356,00
F430-F300W50C-NNS	697351	F430 Smart Camera, 5 MP color, Wide view, Fixed focus 300 mm, No outer light	1 650,00
F430-F300W50C-NNA	697352	F430 Smart Camera, 5 MP color, Wide view, Fixed focus 300 mm, No outer light	2 625,00
F430-F300W50C-NNV	697353	F430 Smart Camera, 5 MP color, Wide view, Fixed focus 300 mm, No outer light	3 234,00
F430-F300W50C-SWS	697354	F430 Smart Camera, 5 MP color, Wide view, Fixed focus 300 mm, White light, Au	1 772,00
F430-F300W50C-SWA	697355	F430 Smart Camera, 5 MP color, Wide view, Fixed focus 300 mm, White light, Au	2 747,00
F430-F300W50C-SWV	697356	F430 Smart Camera, 5 MP color, Wide view, Fixed focus 300 mm, White light, Au	3 356,00
F430-F050M50C-NNS	697357	F430 Smart Camera, 5 MP color, Medium view, Fixed focus 50 mm, No outer lig	1 650,00
F430-F050M50C-NNA	697358	F430 Smart Camera, 5 MP color, Medium view, Fixed focus 50 mm, No outer lig	2 625,00
F430-F050M50C-NNV	697359	F430 Smart Camera, 5 MP color, Medium view, Fixed focus 50 mm, No outer lig	3 234,00
F430-F050M50C-SWS	697360	F430 Smart Camera, 5 MP color, Medium view, Fixed focus 50 mm, White light,	1 772,00
F430-F050M50C-SWA	697361	F430 Smart Camera, 5 MP color, Medium view, Fixed focus 50 mm, White light,	2 747,00
F430-F050M50C-SWV	697362	F430 Smart Camera, 5 MP color, Medium view, Fixed focus 50 mm, White light,	3 356,00
F430-F081M50C-NNS	697363	F430 Smart Camera, 5 MP color, Medium view, Fixed focus 81 mm, No outer lig	1 650,00
F430-F081M50C-NNA	697364	F430 Smart Camera, 5 MP color, Medium view, Fixed focus 81 mm, No outer lig	2 625,00
F430-F081M50C-NNV	697365	F430 Smart Camera, 5 MP color, Medium view, Fixed focus 81 mm, No outer lig	3 234,00
F430-F081M50C-SWS	697366	F430 Smart Camera, 5 MP color, Medium view, Fixed focus 81 mm, White light,	1 772,00
F430-F081M50C-SWA	697367	F430 Smart Camera, 5 MP color, Medium view, Fixed focus 81 mm, White light,	2 747,00
F430-F081M50C-SWV	697368	F430 Smart Camera, 5 MP color, Medium view, Fixed focus 81 mm, White light,	3 356,00
F430-F102M50C-NNS	697369	F430 Smart Camera, 5 MP color, Medium view, Fixed focus 102 mm, No outer li	1 650,00
F430-F102M50C-NNA	697370	F430 Smart Camera, 5 MP color, Medium view, Fixed focus 102 mm, No outer li	2 625,00
F430-F102M50C-NNV	697371	F430 Smart Camera, 5 MP color, Medium view, Fixed focus 102 mm, No outer li	3 234,00
F430-F102M50C-SWS	697372	F430 Smart Camera, 5 MP color, Medium view, Fixed focus 102 mm, White light	1 772,00
F430-F102M50C-SWA	697373	F430 Smart Camera, 5 MP color, Medium view, Fixed focus 102 mm, White light	2 747,00
F430-F102M50C-SWV	697374	F430 Smart Camera, 5 MP color, Medium view, Fixed focus 102 mm, White light	3 356,00
F430-F190M50C-NNS	697375	F430 Smart Camera, 5 MP color, Medium view, Fixed focus 190 mm, No outer li	1 650,00
F430-F190M50C-NNA	697376	F430 Smart Camera, 5 MP color, Medium view, Fixed focus 190 mm, No outer li	2 625,00

OMRON PVPR 2023

F430-F190M50C-NNV	697377	F430 Smart Camera, 5 MP color, Medium view, Fixed focus 190 mm, No outer li	3 234,00
F430-F190M50C-SWS	697378	F430 Smart Camera, 5 MP color, Medium view, Fixed focus 190 mm, White light	1 772,00
F430-F190M50C-SWA	697379	F430 Smart Camera, 5 MP color, Medium view, Fixed focus 190 mm, White light	2 747,00
F430-F190M50C-SWV	697380	F430 Smart Camera, 5 MP color, Medium view, Fixed focus 190 mm, White light	3 356,00
F430-F300M50C-NNS	697381	F430 Smart Camera, 5 MP color, Medium view, Fixed focus 300 mm, No outer li	1 650,00
F430-F300M50C-NNA	697382	F430 Smart Camera, 5 MP color, Medium view, Fixed focus 300 mm, No outer li	2 625,00
F430-F300M50C-NNV	697383	F430 Smart Camera, 5 MP color, Medium view, Fixed focus 300 mm, No outer li	3 234,00
F430-F300M50C-SWS	697384	F430 Smart Camera, 5 MP color, Medium view, Fixed focus 300 mm, White light	1 772,00
F430-F300M50C-SWA	697385	F430 Smart Camera, 5 MP color, Medium view, Fixed focus 300 mm, White light	2 747,00
F430-F300M50C-SWV	697386	F430 Smart Camera, 5 MP color, Medium view, Fixed focus 300 mm, White light	3 356,00
F430-F000W03M-NNS	697387	Cámara inteligente F430, 0,3 MP monocromo, campo de visión ancho, enfoque	1 893,00
F430-F000W03M-NNA	697388	Cámara inteligente F430, 0,3 MP monocromo, campo de visión ancho, enfoque	2 869,00
F430-F000W03M-NNV	697389	Cámara inteligente F430, 0,3 MP monocromo, campo de visión ancho, enfoque	3 478,00
F430-F000W03M-SRS	697390	Cámara inteligente F430, 0,3 MP monocromo, campo de visión ancho, enfoque	2 015,00
F430-F000W03M-SRA	697391	Cámara inteligente F430, 0,3 MP monocromo, campo de visión ancho, enfoque	2 990,00
F430-F000W03M-SRV	697392	Cámara inteligente F430, 0,3 MP monocromo, campo de visión ancho, enfoque	3 600,00
F430-F000W03M-SWS	696558	Cámara inteligente F430, 0,3 MP monocromo, campo de visión ancho, enfoque	1 709,00
F430-F000W03M-SWA	697393	Cámara inteligente F430, 0,3 MP monocromo, campo de visión ancho, enfoque	2 990,00
F430-F000W03M-SWV	696559	Cámara inteligente F430, 0,3 MP monocromo, campo de visión ancho, enfoque	3 296,00
F430-F000M03M-NNS	697394	Cámara inteligente F430, 0,3 MP monocromo, campo de visión medio, enfoque	1 893,00
F430-F000M03M-NNA	697395	Cámara inteligente F430, 0,3 MP monocromo, campo de visión medio, enfoque	2 869,00
F430-F000M03M-NNV	697396	Cámara inteligente F430, 0,3 MP monocromo, campo de visión medio, enfoque	3 478,00
F430-F000M03M-SRS	697397	Cámara inteligente F430, 0,3 MP monocromo, campo de visión medio, enfoque	2 015,00
F430-F000M03M-SRA	697398	Cámara inteligente F430, 0,3 MP monocromo, campo de visión medio, enfoque	2 990,00
F430-F000M03M-SRV	697399	Cámara inteligente F430, 0,3 MP monocromo, campo de visión medio, enfoque	3 600,00
F430-F000M03M-SWS	696560	Cámara inteligente F430, 0,3 MP monocromo, campo de visión medio, enfoque	1 709,00
F430-F000M03M-SWV	696561	Cámara inteligente F430, 0,3 MP monocromo, campo de visión medio, enfoque	3 296,00
F430-F000W12M-NNS	697400	Cámara inteligente F430, 1,2 MP monocromo, campo de visión ancho, enfoque	2 259,00
F430-F000W12M-NNA	697401	Cámara inteligente F430, 1,2 MP monocromo, campo de visión ancho, enfoque	3 234,00
F430-F000W12M-NNV	697402	Cámara inteligente F430, 1,2 MP monocromo, campo de visión ancho, enfoque	3 845,00
F430-F000W12M-SRS	697403	Cámara inteligente F430, 1,2 MP monocromo, campo de visión ancho, enfoque	2 381,00
F430-F000W12M-SRV	697404	Cámara inteligente F430, 1,2 MP monocromo, campo de visión ancho, enfoque	3 967,00
F430-F000W12M-SWS	696562	Cámara inteligente F430, 1,2 MP monocromo, campo de visión ancho, enfoque	2 075,00

OMRON PVPR 2023

F430-F000W12M-SWV	696563	Cámara inteligente F430, 1,2 MP monocromo, campo de visión ancho, enfoque	3 661,00
F430-F000M12M-NNS	697405	Cámara inteligente F430, 1,2 MP monocromo, campo de visión medio, enfoque	2 259,00
F430-F000M12M-NNA	697406	Cámara inteligente F430, 1,2 MP monocromo, campo de visión medio, enfoque	3 234,00
F430-F000M12M-NNV	697407	Cámara inteligente F430, 1,2 MP monocromo, campo de visión medio, enfoque	3 845,00
F430-F000M12M-SRS	697408	Cámara inteligente F430, 1,2 MP monocromo, campo de visión medio, enfoque	2 381,00
F430-F000M12M-SRV	697409	Cámara inteligente F430, 1,2 MP monocromo, campo de visión medio, enfoque	3 967,00
F430-F000M12M-SWS	696564	Cámara inteligente F430, 1,2 MP monocromo, campo de visión medio, enfoque	2 075,00
F430-F000M12M-SWV	696565	Cámara inteligente F430, 1,2 MP monocromo, campo de visión medio, enfoque	3 661,00
F430-F000W50C-NNS	697410	Cámara inteligente F430, 5 MP a color, campo de visión ancho, enfoque automá	2 015,00
F430-F000W50C-NNA	697411	Cámara inteligente F430, 5 MP a color, campo de visión ancho, enfoque automá	2 990,00
F430-F000W50C-NNV	697412	Cámara inteligente F430, 5 MP a color, campo de visión ancho, enfoque automá	3 600,00
F430-F000W50C-SWS	696566	Cámara inteligente F430, 5 MP a color, campo de visión ancho, enfoque automá	2 137,00
F430-F000W50C-SWV	696567	Cámara inteligente F430, 5 MP a color, campo de visión ancho, enfoque automá	3 723,00
F430-F000M50C-NNS	697413	Cámara inteligente F430, 5 MP a color, campo de visión medio, enfoque automá	2 015,00
F430-F000M50C-NNA	697414	Cámara inteligente F430, 5 MP a color, campo de visión medio, enfoque automá	2 990,00
F430-F000M50C-NNV	697415	Cámara inteligente F430, 5 MP a color, campo de visión medio, enfoque automá	3 600,00
F430-F000M50C-SWS	696568	Cámara inteligente F430, 5 MP a color, campo de visión medio, enfoque automá	2 137,00
F430-F000M50C-SWV	696569	Cámara inteligente F430, 5 MP a color, campo de visión medio, enfoque automá	3 723,00
F430-F400N12M-NNS	697425	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Fixed focus 400 mm, N	1 893,00
F430-F400N12M-NNA	697426	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Fixed focus 400 mm, N	2 869,00
F430-F400N12M-NNV	697427	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Fixed focus 400 mm, N	3 478,00
F430-F400N12M-SRS	697428	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Fixed focus 400 mm, R	2 015,00
F430-F400N12M-SRA	697429	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Fixed focus 400 mm, R	2 990,00
F430-F400N12M-SRV	697430	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Fixed focus 400 mm, R	3 600,00
F430-F400N12M-SWS	697431	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Fixed focus 400 mm, W	2 015,00
F430-F400N12M-SWA	697432	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Fixed focus 400 mm, W	2 990,00
F430-F400N12M-SWV	697433	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Fixed focus 400 mm, W	3 600,00
F430-F000N12M-NNS	697434	Cámara inteligente F430, 1,2 MP monocromo, campo de visión estrecho, enfoqu	2 259,00
F430-F000N12M-NNA	697435	Cámara inteligente F430, 1,2 MP monocromo, campo de visión estrecho, enfoqu	3 234,00
F430-F000N12M-NNV	697436	Cámara inteligente F430, 1,2 MP monocromo, campo de visión estrecho, enfoqu	3 845,00
F430-F000N12M-SRS	697437	Cámara inteligente F430, 1,2 MP monocromo, campo de visión estrecho, enfoqu	2 381,00
F430-F000N12M-SRA	697438	Cámara inteligente F430, 1,2 MP monocromo, campo de visión estrecho, enfoqu	3 356,00
F430-F000N12M-SRV	697439	Cámara inteligente F430, 1,2 MP monocromo, campo de visión estrecho, enfoqu	3 967,00

OMRON PVPR 2023

F430-F000N12M-SWS	697440	Cámara inteligente F430, 1,2 MP monocromo, campo de visión estrecho, enfoque	2 381,00
F430-F000N12M-SWV	697441	Cámara inteligente F430, 1,2 MP monocromo, campo de visión estrecho, enfoque	3 967,00
F430-F000L12M-NNS	697442	Cámara inteligente F430, 1,2 MP monocromo, largo alcance, enfoque automático	2 259,00
F430-F000L12M-NNA	697443	Cámara inteligente F430, 1,2 MP monocromo, largo alcance, enfoque automático	3 234,00
F430-F000L12M-NNV	697444	Cámara inteligente F430, 1,2 MP monocromo, largo alcance, enfoque automático	3 845,00
F430-F000L12M-SRS	697445	Cámara inteligente F430, 1,2 MP monocromo, largo alcance, enfoque automático	2 381,00
F430-F000L12M-SRA	697446	Cámara inteligente F430, 1,2 MP monocromo, largo alcance, enfoque automático	3 356,00
F430-F000L12M-SRV	697447	Cámara inteligente F430, 1,2 MP monocromo, largo alcance, enfoque automático	3 967,00
F430-F000L12M-SWS	696570	Cámara inteligente F430, 1,2 MP monocromo, largo alcance, enfoque automático	2 075,00
F430-F000L12M-SWV	696571	Cámara inteligente F430, 1,2 MP monocromo, largo alcance, enfoque automático	3 661,00
F430-F000M12M-RRS	697448	Cámara inteligente F430, 1,2 MP monocromo, campo de visión medio, enfoque	2 990,00
F430-F000M12M-RRA	697449	Cámara inteligente F430, 1,2 MP monocromo, campo de visión medio, enfoque	3 967,00
F430-F000M12M-RRV	697450	Cámara inteligente F430, 1,2 MP monocromo, campo de visión medio, enfoque	4 576,00
F430-F000M12M-RWS	697451	Cámara inteligente F430, 1,2 MP monocromo, campo de visión medio, enfoque	2 990,00
F430-F000M12M-RWV	696572	Cámara inteligente F430, 1,2 MP monocromo, campo de visión medio, enfoque	4 271,00
F430-F000N12M-RRS	697452	Cámara inteligente F430, 1,2 MP monocromo, campo de visión estrecho, enfoque	2 990,00
F430-F000N12M-RRA	697453	Cámara inteligente F430, 1,2 MP monocromo, campo de visión estrecho, enfoque	3 967,00
F430-F000N12M-RRV	697454	Cámara inteligente F430, 1,2 MP monocromo, campo de visión estrecho, enfoque	4 576,00
F430-F000N12M-RWS	697455	Cámara inteligente F430, 1,2 MP monocromo, campo de visión estrecho, enfoque	2 990,00
F430-F000N12M-RWV	697456	Cámara inteligente F430, 1,2 MP monocromo, campo de visión estrecho, enfoque	4 576,00
F430-F000M03M-SWA	709080	Cámara inteligente F430, 0,3 MP monocromo, campo de visión medio, enfoque	2 990,00
F430-F000W12M-SRA	709081	Cámara inteligente F430, 1,2 MP monocromo, campo de visión ancho, enfoque	3 356,00
F430-F000W12M-SWA	709082	Cámara inteligente F430, 1,2 MP monocromo, campo de visión ancho, enfoque	3 356,00
F430-F000M12M-SRA	709083	Cámara inteligente F430, 1,2 MP monocromo, campo de visión medio, enfoque	3 356,00
F430-F000M12M-SWA	709084	Cámara inteligente F430, 1,2 MP monocromo, campo de visión medio, enfoque	3 356,00
F430-F000W50C-SWA	709085	Cámara inteligente F430, 5 MP a color, campo de visión ancho, enfoque automático	3 112,00
F430-F000M50C-SWA	709086	Cámara inteligente F430, 5 MP a color, campo de visión medio, enfoque automático	3 112,00
F430-F000N12M-SWA	709087	Cámara inteligente F430, 1,2 MP monocromo, campo de visión estrecho, enfoque	3 356,00
F430-F000L12M-SWA	709088	Cámara inteligente F430, 1,2 MP monocromo, largo alcance, enfoque automático	3 356,00
F430-F000M12M-RWA	709089	Cámara inteligente F430, 1,2 MP monocromo, campo de visión medio, enfoque	3 967,00
F430-F000N12M-RWA	709090	Cámara inteligente F430, 1,2 MP monocromo, campo de visión estrecho, enfoque	3 967,00
ZAA-2	106396	Palanca con roldana articulada	52,75
ZAQ-22	143850	Émbolo mediano para montaje en panel	56,95

OMRON PVPR 2023

ZAQ-2	152549	Émbolo con roldana para montaje en panel	52,45
M7E-012M	154616	Tapa de terminación display 7 segmentos.	4,63
ZAQ-1	154776	Final de carrera compacto, sensibilidad estándar, IP67 Acción instantanea, SPDT	66,95
SYS-ENC 01	186677	Conversor Line-Driver - Colector Abierto	214,00
5915PC-22T-B30-B00	194622	Ventilador externo FV/HV 18.5Kw-22Kw	641,00
4710KL-05W-B39-BQ1	266020	Ventilador	313,30
SAMMIC-3G3FVPUZ4022DCE-V2-DF	286176	Reactancia Especial Cliente	65,20
REBATE AUTOMATION	354055	Rebate Automation	1,66
REBATE MOTION	354056		1,34
DTOPROMOCIONAL	371945	Descuento Promocional	1,26
DTOADICIONAL	397289	Descuento adicional para esta factura	1,16
ETC740341	406551	L1000 - Repuesto placa de terminales	359,60
ADF-HD67594-A1	407375		1 670,00
ADF-HD67598-A1	407376		1 925,00
PRE-PAYMENT-PLUS	694015	Item for having a sales order for the prepayment, with a prepayment invoice	0,10
PRE-PAYMENT-MINUS	694014	Item for having a sales order for the negative prepayment, with a negative prep	0,10
Y92F-35	107355	Adaptador compacto montaje H7E	6,85
Y92F-76	119559	Adaptador para montaje en panel del H7E	6,85
Y92S-36	119560	Bateria para H7E-N	16,18
Y92S-37	119561	ACCESORIO PARA CONTADOR	2,90
Y92F-77B	119562	Adaptador frontal para H3Y	5,57
Y92A-96B	142011	Cubierta de protección 96x96 mm flexible	17,37
Y92C-30	143215	Adaptador de entrada paralelo	428,30
Y92F-75	154955	Adaptador para montaje en panel 24x48 a 31x72	5,87
Y92F-91	156348	Adaptador para montaje en Carril DIN	39,63
Y92S-41-200	169367	Cable salida H8PS-16/-32 Punteras 2m	114,90
H8PS-SOFT-V1	169369	Software de programación H8PS	136,60
E69-C68B	105487	Acoplamiento encoder D6-D8mm	45,83
E69-2	128219	Pletina de montaje para servo excepto E6A2	20,70
E69-C610B	128458	Acoplamiento encoder D6-D10mm	52,65
E69-FCA03	128460	Pletina montaje encoder Cuadrada	49,36
E69-C06B	128543	Acoplamiento encoder D6mm	28,17
E69-FBA	128544	Pletina montaje encoder E6B2 Cuadrada	16,19

OMRON PVPR 2023

E69-C04B	128545	Acoplamiento encoder D4mm	27,20
E69-FBA-02	128546	Pletina montaje encoder E6B2 Redonda	47,58
E69-FCA	143272	Pletina montaje encoder	16,19
E69-FCA04	143273	Pletina montaje servomotor + E69-2	51,85
E69-C06M	144309	Acoplamiento encoder Metálico D6mm	118,40
E69-FCA02	149717	Pletina montaje encoder Redonda	47,58
E69-C08B	150821	Acoplamiento encoder D8mm	37,12
E69-C10B	156411	Acoplamiento encoder D10mm	43,39
E69-C10M	224046	Acoplamiento encoder Metalico D10mm	132,20
KM20-CTF-5A	380505	CT 5A Tipo clip Cable 7.9mm max	66,45
KM20-CTF-100A	380506	CT 100A Tipo clip Cable 14.5mm max	79,80
KM20-CTF-200A	380507	CT 200A Tipo clip Cable 24mm max	93,00
KM20-CTF-400A	380508	CT 400A Tipo clip Cable 35.5mm max	126,40
KM20-CTF-CB3	380509	Cable 3m para transformador de corriente KM20	30,54
KM20-CTB-5A/50A	380510	CT 5A/50A Montaje panel Cable 8.4mm max	73,10
KM20-CTF-600A	380513	CT 600A Tipo clip Cable 35.5mm max	126,40
KM20-CTF-50A	380519	CT 50A Tipo clip Cable 9.5mm max	66,45
ZN-KMX21-A	387575	Estación de monitorización para KM50	1 129,00
D6FZ-FGX21	392022	Estación de monitorización de caudal de aire para D6FZ	644,00
D6FZ-FC02	392024	Conector en T para D6FZ	128,60
D6FZ-JD3A	392025	Cable M12 a punteras para D6FZ 3m	89,55
D6FZ-JD10A	392026	Cable M12 a punteras para D6FZ 10m	182,90
D6FZ-JD20A	392027	Cable M12 a punteras para D6FZ 20m	307,30
D6FZ-JD3B	392028	Cable M12 para D6FZ 3m	97,20
D6FZ-JD5B	392029	Cable M12 para D6FZ 5m	121,90
D6FZ-JD10B	392030	Cable M12 para D6FZ 10m	182,90
D6FZ-JD20B	392031	Cable M12 para D6FZ 20m	304,30
KM20-CTN250 250A/1A	675404	Transformadores de corriente de tipo clip, corriente nominal primaria 250 A, co	78,00
KM-NCT-E100A	687721	Transformadores de corriente de tipo clip, corriente nominal primaria 100 A, co	110,40
KM-NCT-E250A	687720	Transformadores de corriente de tipo clip, corriente nominal primaria 100 A, co	116,60
KM-NCT-E500A	687719	Transformadores de corriente de tipo clip, corriente nominal primaria 500 A	122,80
ZJ-BAS-MC02A	250532	Cable alimentación ionizador ZJ-BAS 1 conector 2m	56,60
ZJ-BAS-MC15A	250535	Cable alimentación ionizador ZJ-BAS 1 conector 15m	220,60

OMRON PVPR 2023

ZJ-BAS-MC20A	250536	Cable alimentación ionizador ZJ-BAS 1 conector 20m	281,70
ZJ-BAS-MC02B	250537	Cable alimentación ionizador ZJ-BAS 2 conectores 2m	63,15
ZJ-BAS-MC05B	250538	Cable alimentación ionizador ZJ-BAS 2 conectores 5m	99,85
ZJ-BAS-MC10B	250539	Cable alimentación ionizador ZJ-BAS 2 conectores 10m	163,90
ZJ-BAS-MC15B	250540	Cable alimentación ionizador ZJ-BAS 2 conectores 15m	226,40
ZJ-BAS-MC20B	250541	Cable alimentación ionizador ZJ-BAS 2 conectores 20m	291,90
ZJ-BAS-MC07RB	250542	Cable 710mm interconexión ionizadores ZJ-BAS	47,19
ZJ-BAS-MC08RB	250543	Cable 790mm interconexión ionizadores ZJ-BAS	48,68
ZJ-BAS-MC09RB	250544	Cable 950mm interconexión ionizadores ZJ-BAS	50,35
ZJ-BAS-MC11RB	250545	Cable 1100mm interconexión ionizadores ZJ-BAS	53,60
ZJ-BAS-MC15RB	250546	Cable 1510mm interconexión ionizadores ZJ-BAS	55,10
ZJ-BAS-MC17RB	250547	Cable 1750mm interconexión ionizadores ZJ-BAS	56,60
ZJ-BAS-FC02A	250548	Cable E/S ionizador ZJ-BAS 2m	88,00
ZJ-BAS-FC05A	250549	Cable E/S ionizador 5m	129,80
ZJ-BAS-FC10A	250550	Cable E/S ionizador ZJ-BAS 10m	190,90
ZJ-BAS-FC15A	250551	Cable E/S ionizador ZJ-BAS 15m	256,10
ZJ-BAS-FC20A	250552	Cable E/S ionizador ZJ-BAS 20m	321,70
ZJ9-BAS-NT105	250553	Módulo de descarga con electrodos kit 5 unids	293,40
ZJ9-BAS-NT110	250554	Módulo de descarga con electrodos kit 10 unids	581,50
ZJ9-BAS-L01	250555	ZJ-BAS linking bracket	136,60
ZJ9-NDT06FN1	356067	Electrodo de reemplazo para ZJ-FA20	74,70
KS1-ANNS01	236157	Boquilla estandar para ionizador	163,90
KS1-ANSW60	236158	Boquilla cono 60 grados para ionizador	280,00
KS1-ANSW90	236159	Boquilla cono 90 grados para ionizador	280,00
KS1-ANFT90	236160	Ioniser, 90deg flat nozzle	436,80
KS1-ANSB20	236162	Ioniser, straight bar nozzle, 200mm	642,50
KS1-ANSB50	236165	Ionizador KS1 difusor barra rígida 500mm	908,50
KS1-ANDC10	236166	Ionizador KS1 boquilla tipo tubo flexible 100mm	287,40
KS1-AZ03	236179	Ioniser, stainless steel connector (Qty 10)	335,80
KS1-AZ04	236180	Ionizador KS1 filtro de aire	144,60
NY000-AB02	683575	Soporte tipo libro para los siguiente modelos de PC: NYB2C-*1*, NYB35-*1*	72,15
NY000-AS05	684797	SSD MLC, capacidad: 500 GB	1 143,00
NY000-AS04	686288	SSD (MLC) de 128 GB	376,50

OMRON PVPR 2023

NY000-AB04	683687	Soporte tipo libro para los siguiente modelos de PC: NYB35-*0*, NYB2C-*0*, NY	72,15
NY000-AT00	684492	CFast MLC, capacidad: 64 GB	237,00
NY000-AT01	684491	CFast MLC, capacidad: 128 GB	407,90
NY000-AT02	684490	CFast MLC, Capacity: 256 GB	757,50
NY000-AB05	685517	Soporte de montaje de libro para los siguientes modelos de PC: NYB45-*0*	66,95
NY000-AB00	686299	Soporte tipo libro para los siguiente modelos de PC: NYB1E*, NYB17*, NYB27*,	68,45
NY000-AB01	686298	Accesorio de montaje para PC BOX en pared	63,15
NY000-AF00	686297	Ventilador	57,80
NY000-AH00	686296	Disco duro 320GB HDD	190,50
NY000-AS00	686295	Disco duro 32GB SSD (SLC)	1 003,00
NY000-AS01	686294	Disco duro 64GB SSD (SLC)	1 778,00
NY000-AC00 2M	686292	Cable DVI de 2 m	91,95
NY000-AC00 5M	686291	Cable DVI de 5 m	125,00
NY000-AK00	686290	Kit de accesorios: conector de alimentación, soporte de disco + 4 tornillos, sopo	38,06
NY000-AH01	686289	Disco duro de 500 GB:	283,10
NY000-AH02	690445	Disco duro de 500 GB:	283,10
NY000-AK01	702628	Power supply connectors (10 pcs) for NY-series Industrial Box PC and Industrial P	66,15
NY000-AS08	699914	256 SSD (MLC)	551,00
NY000-AS07	699913	1 TB SSD (3DTLC)	795,50
NY000-AB06	707206	VESA bracket 12" for NYM and NYP single layer passive	449,10
NY000-AB07	707216	VESA Bracket 15" for NYM and NYP single layer passive	500,50
NY000-AB08	707218	VESA Bracket 19" for NYM and NYP single layer passive	656,50
NY000-AB09	707220	VESA Bracket 12" for NYP single layer active and dual layer passive	496,60
NY000-AB10	707222	VESA Bracket 15" for NYP single layer active and dual layer passive	650,50
NY000-AB11	707224	VESA Bracket 19" for NYP single layer active and dual layer passive	656,50
NY000-AB12	707226	VESA Handle, addition to all VESA Brackets	525,50
J73KN-A-11	119338	Auxiliar frontal (J7KNA-AR) 1NA+1NC	7,34
J73KN-A-02	119339	Auxiliar frontal (J7KNA-AR) 2NC	7,34
J73KN-A-22	119340	Auxiliar frontal (J7KNA-AR) 2NA+2NC	13,16
J73KN-A-40	119341	Auxiliar frontal (J7KNA-AR) 4NA	13,16
J73KN-AM-11	119342	Auxiliar frontal (J7KNA-09..12) 1NA+1NC	7,34
J73KN-AM-02	119343	Auxiliar frontal (J7KNA-09..12) 2NC	7,34
J73KN-AM-22	119344	Auxiliar frontal (J7KNA-09..12) 2NA+2NC	13,16

OMRON PVPR 2023

J73KN-B-01	119345	Auxiliar frontal (J7KN-10..74) 1NC	3,61
J73KN-B-10	119346	Auxiliar frontal (J7KN-10..74) 1NA	3,61
J73KN-C-11S	119347	Auxiliar lateral (J7KN-24..74) 1NA+1NC	11,81
J73KN-AM-11V	119348	Auxiliar frontal (J7KNAinversor) 1NA+1NC izq	7,34
J73KN-AM-11X	119349	Auxiliar frontal (J7KNAinversor) 1NA+1NC dcho	7,34
J74KN-B-ML	119358	Enclavamiento mecánico (J7KN-10..40)	7,07
J74KN-C-ML	119359	Enclavamiento mecánico (J7KN-50..74)	16,81
J74TK-SM	119375	Base montaje para J7TKN-B Carril DIN	12,76
J74KN-D-ML	147035	Enclav. mecánico (J7KN-85..110)	61,50
J73KN-E22	168572	Auxiliar frontal (J7KN-200) 2NA+2NC	115,20
J74KN-D-RC 24	169758	Supresor RC (J7KNA)12-48AC/DC	17,21
J74KN-D-RC 110	169759	Supresor RC (J7KNA)48-127AC/DC	13,16
J74KN-D-RC 230	169760	Supresor RC (J7KNA)110-250AC/DC	13,16
J73KN-B-01A	183576	Aux. frontal 6Amp (J7KN-10..74) 1NC	7,49
J73KN-B-10A	183577	Aux. frontal 6Amp (J7KN-10..74) 1NA	7,49
J74KN-E-ML	183578	Enclav. mecánico (J7KN-151..176)	74,55
J73KN-D-11S	184145	Auxiliar lateral (J7KN-24..74) 1NA+1NC	39,63
J74KN-LG-10404	184147	Cubierta 1 terminal J7KN	74,55
J74KN-LG-11224	184148	Cubierta 1 terminal J7KN151-176	25,18
J74KN-LG-9030	184149	Additional terminal for motor contactor J7KN50-62	18,44
J73KN-D-11F	190997	Aux. frontal (J7KN-151..176) 1NA+1NC	35,59
J73KN-D-22F	190998	Aux. frontal (J7KN-151-176) 2NA+2NC	49,78
J74KN-P487-1	191000	Etiqueta Contactores J7KN-10...74	0,51
J73KN-B-01U	191890	Aux. frontal (J7KN-10..74) 1NC Apertura retardada	8,57
J73KN-B-10U	191891	Aux. frontal (J7KN-10..74) 1NC Cierre adelantado	8,57
J77MN-11F	234316	Auxiliar frontal para J7MN 1NA+1NC	12,76
J77MN-02F	234317	Auxiliar frontal para J7MN 2NC	14,79
J77MN-20F	234318	Auxiliar frontal para J7MN 2NA	14,79
J77MN-02S	234319	Auxiliar lateral para J7MN 2NC	19,50
J77MN-11S	234320	Auxiliar lateral para J7MN 1NA+1NC	19,50
J77MN-20S	234321	Auxiliar lateral para J7MN 2NA	19,50
J77MN-TA-11S	234322	Alarma lateral para J7MN 6&J7MN9 1NA+1NC	27,22
J77MN-T-11S	234323	Alarma Corto lateral para J7MN 1NA+1NC	27,22

OMRON PVPR 2023

J77MN-U-24	234324	Disparador de Mínima Tensión 24Vca	39,63
J77MN-U-110	234325	Disparador de Mínima Tensión 110Vca	39,63
J77MN-U-230	234326	Disparador de Mínima Tensión 230Vca	39,63
J77MN-U-240	234327	Disparador de Mínima Tensión 240Vca	39,63
J77MN-U-400	234328	Disparador de Mínima Tensión 380Vca	39,63
J77MN-U-415	234329	Disparador de Mínima Tensión 412Vca	39,63
J77MN-S-24	234330	Disparador por emisión de corriente 24Vca	39,63
J77MN-S-110	234331	Disparador por emisión de corriente 110Vca	39,63
J77MN-S-230	234332	Disparador por emisión de corriente 230Vca	39,63
J77MN-S-240	234333	Disparador por emisión de corriente 240Vca	39,63
J77MN-S-400	234334	Disparador por emisión de corriente 400Vca	39,63
J77MN-S-415	234335	Disparador por emisión de corriente 415Vca	39,63
J77MN-K	234338	Protector para J7MN	2,24
J77MN-L	234339	Accesorio para J7MN	13,03
J77MN-HU-3	234341	Adapt carril DIN J7MN3+J7KN10 a 40	13,42
J77MN-HU-6	234342	Adapt carril DIN J7MN6+J7KN24 a 62	14,64
J77MN-HU-9	234343	Adapt carril DIN J7MN9+J7KN50 a 74	21,12
J77MN-VKA-3	234344	Modulo de unión elec+mec J7MN+J7KNA	8,97
J77MN-VKN-3	234345	Modulo de unión elec+mec J7MN+J7KN	8,97
J77MN-VKG-3	234346	Mod de unión elec+mec J7MN+J7KNG	10,05
J77MN-VD-6	234347	Mod de unión elect 63A J7MN+J7KN	21,80
J77MN-VD-9	234348	Mod de unión elect 100A J7MN+J7KN	31,12
J77MN-TB100	234349	Accesorio para J7MN	18,02
J77MN-VD-3	234810	Modulo de unión elect 32A J7MN+J7KN	10,73
J77MN-PF-3R	234811	Caja aislante IP65 J7MN-3R giratorio	29,38
J77MN-PFC-3R	234812	Caja aislante IP65 J7MN-3R giratorio Rojo y amarillo	34,91
J77MN-BTC-63-SEV	236748	Bloque de conexión resistente con Barras Colectoras	14,51
J77MN-DC-6R-315-B	265651	Acoplamiento Puerta 315mm	49,38
J77MN-DC-9R-315-B	265652	Door-coupling, rotary operating mechanisms, black	49,38
J77MN-DC-9R-315-RY	265655	Door-coupling, rotary operating mechanisms, red/yellow	49,38
J77MN-DC-3R-115-RY	265659	Acoplamiento Puerta 115mm Rojo/Ama	40,99
J73KN-A-04	323395	Auxiliar frontal (J7KNA-AR) 4NC	12,76
J74TK-M-AB	353705	Accesorio para montaje independiente J7TKN-AB	20,05

OMRON PVPR 2023

J74-WKR-C	354531	Barras inversoras de giro max. 40A	13,28
J74-WKSD-C	354532	Barras conexión estrella-triángulo J7KN-24...40	15,47
J74KN-D2-ML	354533	Mechanical interlock for 2x J7KN90-115	11,44
J77MN-CPM-3-54-2	355547	Barras colectoras 54mm J7MN (para 2 uds)	11,67
J77MN-CPM-3-54-3	355548	Barras colectoras 54mm J7MN (para 3 uds)	14,24
J77MN-CPM-3-54-4	355549	Barras colectoras 54mm J7MN (para 4 uds)	17,74
J77MN-CPM-3-54-5	355550	Barras colectoras 54mm J7MN (para 4 uds)	17,08
J77MN-BTC-63-EV	355551	Conector 3 polos para J7MN UL489	13,28
J77MN-BTC-63-E	355552	Conector 3 polos para J7MN	13,71
J77MN-TA-63	355553	Protección para terminal sin usar de barras colectoras J77MN	1,99
J77MN-CPM-3-45-2S	355554	Barras colectoras 45mm J7MN (para 2 uds)	10,86
J77MN-CPM-3-45-3S	355555	Barras colectoras 45mm J7MN (para 3 uds)	13,16
J77MN-CPM-3-45-4S	355556	Barras colectoras 45mm J7MN (para 4 uds)	15,73
J77MN-CPM-3-45-5S	355557	Barras colectoras 45mm J7MN (para 5 uds)	19,11
J77MN-BTC-63-SE	355558	Bloque de conexión con Barras Colectoras	12,34
J77MN-TA-63S	355559	Protección para terminal sin usar de barras colectoras J77MN	1,99
J77MN-CPM-3-45-2	355560	Barras colectoras 45mm J7MN (para 2 uds)	10,86
J77MN-CPM-3-45-3	355561	Barras colectoras 45mm J7MN (para 3 uds)	13,16
J77MN-CPM-3-45-4	355562	Barras colectoras 45mm J7MN (para 4 uds)	15,73
J77MN-CPM-3-45-5	355563	Barras colectoras 45mm J7MN (para 5 uds)	18,97
J77MN-CPM-6-55-2	355564	Barras colectoras 55mm J7MN (para 2 uds)	16,54
J74-WKR-A	364945	Barras conex. inversor J7KNA con bloqueo mecánico	11,26
J74-WKR-B2	367391	Barras inversoras de giro max. 22A	11,41
J74-WKSD-B2	367392	Barras conexión estrella-triángulo J7KN-10D...22D	13,84
J74KN-C2-RC110	367393	Supresor RC (J7KN-10..74)48-127AC/DC	13,16
J74KN-C2-RC230	367394	Supresor RC (J7KN-10..74)110-230AC/DC	13,16
J74KN-C2-RC24	367395	Supresor RC (J7KN-10..74)12-48AC/DC	16,94
J74KN-C2-RC400	374075	Supresor RC (J7KN-10..74)230-415AC/DC	16,66
J75KN-P-1039	675306	Adaptador a presión para montar el J7KNU en carril el DIN de 35 mm	2,04
J7KNA-AR 24D	688393	Anti dust cover for J7KNA	5,50
J73KC-AM-11	690083	Módulo de contactos auxiliares para contactor de motores, terminales Push-In P	20,29
J73KC-AM-40	690082	Módulo de contactos auxiliares para contactor de motores, terminales Push-In P	25,13
J73KC-AM-22	690081	Módulo de contactos auxiliares para contactor de motores, terminales Push-In P	25,13

OMRON PVPR 2023

J73KC-AM-04	690080	Módulo de contactos auxiliares para contactor de motores, terminales Push-In Plus	25,13
J73MC-W-10	690079	Módulo de contactos auxiliares para MMS (MPCB), terminales Push-In Plus	28,87
J73MC-W-01	690078	Módulo de contactos auxiliares para MMS (MPCB), terminales Push-In Plus	28,87
J73MC-K-10	690077	Alarm Module for MMS (MPCB), Push-In Plus Terminals	30,35
J74KC-A	690125	Instalación opcional de un contactor de inversión, unidad de interbloqueo	10,59
J75KC-WKR-A	690076	Instalación opcional de un contactor de inversión, cables del kit del conductor de inversión	15,07
J75KC-WKR-B	690124	Instalación opcional de un contactor de inversión, kit de conductor de inversión	20,29
J76KC-RC-1	690075	Supresión de sobretensiones de bobina, unidades de supresor RC	12,08
J76KC-RC-2	690074	Coil-surge suppression, RC suppressor units	12,08
J76KC-RC-3	690073	Supresión de sobretensiones de bobina, unidades de supresor RC	12,08
J76KC-RC-N-1	690084	Supresión de sobretensiones de bobina, unidades de supresor RC	15,81
J76KC-RC-N-2	690072	Coil-surge suppression, RC suppressor units	15,81
J78KC	690123	Herramienta para la extracción de relés de sobrecarga térmica	7,11
J73KC-AM-20	709047	Auxiliary Contact Module for Motor Contactor, Push-In Plus Terminals, Contacts	18,98
J73KC-AM-02	709048	Auxiliary Contact Module for Motor Contactor, Push-In Plus Terminals, Contacts	18,98
J73KC-AM-31	709049	Auxiliary Contact Module for Motor Contactor, Push-In Plus Terminals, Contacts	23,57
J73KC-AM-13	709050	Auxiliary Contact Module for Motor Contactor, Push-In Plus Terminals, Contacts	23,57
J73MC-K-01	709051	Alarm Module for MMS (MPCB), Push-In Plus Terminals	30,35
S82Y-JTC1	111953	Protector de Borna	2,10
S82Y-VS10F	111960	Soporte de montaje frontal (para los modelos de 15, 30 y 60 W)	10,85
S82Y-VS10S	111961	Soporte de montaje lateral (para los modelos de 30 y 60 W)	16,91
S82Y-VS30P	177293	Soporte de montaje lateral para modelos S8VS	18,84
S82Y-VM30D	227133	Soporte montaje carril DIN S8VM-300ç	41,63
S8T-BUS01	307939	Accesorio interconexión paralelo CC y CA	18,97
S8T-BUS11	307940	10 conectores de línea c.c.	147,30
S8T-BUS02	307945	Accesorio interconexión paralelo CA	12,67
S8T-BUS03	307946	FUENTE DE ALIMENTACION MONOFASICA	18,58
S8T-BUS13	307947	10 conectores de línea c.c.	147,30
S8M-CP04-RS	323509	Protector multicircuito 24Vcc	471,40
S8T-DCBU-02	324267	Modulo Buffer para S8**	228,30
S8M-CP04	324847	Protector multicircuito 24Vcc	347,60
S8M-CP04-R	326735	Protector multicircuito 24Vcc	382,80
S82Y-VS-C3P	333210	Cubierta de terminales para S8VS	2,26

OMRON PVPR 2023

S82Y-VS-C4P	333212	Terminal de protección	2,41
S8VK-R10	377513	Modulo de Redundancia 10A	81,55
S8VK-R20	377514	Modulo de Redundancia 20A	111,00
S82Y-VK15P	377515	Soporte de montaje lateral (para los modelos de 15 W)	5,99
S82Y-VK10F	377521	Soporte de montaje frontal (para los modelos de 120, 240 y 480 W)	13,92
S82Y-VK10S	377522	Soporte de montaje lateral (para los modelos de 120 W)	37,36
S82Y-VK20S	377523	Soporte de montaje lateral (para los modelos de 240 W)	41,50
S82Y-JXFAN	392949	Ventilador de repuesto S8JX-G	35,12
S82Y-FSC-C9	668748	Cubierta de terminales, Conexión frontal, 200W, 350W	1,52
S82Y-FSC050DIN	668745	Soporte de montaje, carril DIN, 35W, 50W	4,48
S82Y-FSC150DIN	668768	Soporte de montaje, carril DIN, 75W, 100W, 150W	4,48
S82Y-FSC150DIN-S	668815	Soporte de montaje de carril DIN,, 150W	4,48
S82Y-FSC-C7F	668720	Cubierta de terminales, Conexión lateral, 100W, 150W	1,52
S82Y-FSC350DIN	668791	Soporte de montaje, carril DIN, 75W, 200W, 350W	4,48
S82Y-FSC015DIN-S	668721	Soporte de montaje de carril DIN, 15W	4,40
S82Y-FSC-C9F	668747	Cubierta de terminales, Conexión lateral, 200W, 350W	1,52
S82Y-FSC015DIN	668799	Soporte de montaje, carril DIN, 15W	4,48
S82Y-FSC-C5MF	668744	Cubierta de terminales, Conexión lateral, 15W	1,52
S82Y-FSC-C5F	668757	Cubierta de terminales, Conexión lateral, 25W, 35W, 50W, 75W	1,52
S82Y-FSC025DIN-S	668738	Soporte de montaje de carril DIN, 25W	4,48
S82Y-FSC-C5	668749	Cubierta de terminales, Conexión frontal, 25W, 35W, 50W, 75W	1,52
S82Y-FSC-C7	668769	Cubierta de terminales, Conexión frontal, 100W, 150W	1,52
S82Y-FSC025DIN	668794	Soporte de montaje, carril DIN, 25W	4,48
S8BW-C01	668097	Cable RS232 RJ45/Dsub9Pin 2M	70,40
S8BW-C02	668098	Cable Contact RJ45/ terminales individuales 2M	70,40
BUB3002RW	671159	Accesorio UPS bateria	1 925,00
S8BA-B120L	671160	Accesorio UPS bateria	526,00
BUB2002RW	671158	Accesorio UPS bateria	1 539,00
S82Y-FSG-C5P	679447	Accesorio de cubierta de terminales para modelos de S8FS-G de 15 W, 30 W y 50 W	1,01
S82Y-FSG-C7P	679446	Accesorio de cubierta de terminales para modelos de S8FS-G de 100W, 150W y 200W	1,01
S82Y-FSG-C7P-L	679445	Accesorio de cubierta de terminales para modelos de S8FS-G de 600 W	1,01
S82Y-FSG-30F	679444	Accesorio de soporte de montaje frontal para modelos de S8FS-G de 15 W, 30 W y 50 W	1,45
S82Y-FSG-60F	679443	Accesorio de soporte de montaje frontal para modelos de S8FS-G de 600 W	1,45

OMRON PVPR 2023

BUP100SG	678551	Soporte de montaje para BU1002SWG	209,10
BUP300SG	678552	Soporte de montaje para BU3002SWG	189,90
BP100XSG	678554	Pack de baterías para BU1002SWG	450,00
BP150XSG	678555	Pack de baterías para BU3002SWG	421,90
SC08G	678553	Tarjeta de señal de E/S (salida PNP/NPN) para la familia BU	251,50
S8V-NFS206	680575	Accesorio de filtro de ruido para fuentes de alimentación, tensión nominal 250 V	44,87
S8V-NFS203	680674	Accesorio de filtro de ruido para fuentes de alimentación, tensión nominal 250 V	41,02
S82Y-VKW20F	688159	Accesorio de soporte de montaje frontal para S8VK-W de 240 W	15,02
S82Y-VKW40F	688158	Accesorio de soporte de montaje frontal para S8VK-W de 480 W	15,02
S82Y-VKW90F	688157	Accesorio de soporte de montaje frontal para S8VK-W de 960 W	22,52
S8V-CP0424	689505	Disyuntor electrónico, 4 canales, máx. 10 A por canal, 24 V CC	172,50
S8V-CP0424S	689504	Disyuntor electrónico, 4 canales, 3,8 A por canal, 24 V CC, UL Clase 2	196,00
S8V-CP0824	689503	Disyuntor electrónico, 8 canales, máx. 10 A por canal, 24 V CC	295,80
S82Y-VK90F	703192	Front-mounting bracket for S8VK-T (480 W and 960 W models)	31,71
E89-F4	127885	Soporte montaje panel E8F2	27,71
E8PC-YA-A18	684400	Pressure sensor adapter, R taper thread, male, 6A 1/8, SUS304	118,40
E8PC-YA-A14	684401	Adaptador de sensor de presión, macho de roscar R, 8 A 1/4, SUS304	118,40
E8PC-YA-A38	684402	Adaptador de sensor de presión, macho de roscar R, 10 A 3/8, SUS304	118,40
E8PC-YA-B14N	684403	Adaptador de sensor de presión, rosca paralela G, hembra, 8 A 1/4, SUS304	118,40
E8PC-YA-C18	684404	Pressure sensor adapter, NPT taper thread, male, 6A 1/8, SUS304	118,40
E8PC-YA-C14	684405	Pressure sensor adapter, NPT taper thread, male, 8A 1/4, SUS304	118,40
E8PC-YS	684406	Sensor de presión de mariposa para adaptador macho, SUS304	36,76
E8PC-YS-N	684407	Sensor de presión de mariposa para adaptador hembra, SUS304	36,76
E8PC-YL-1	684408	Pressure sensor O-ring for E8PC-010	36,76
E8PC-YL-2	684409	Pressure sensor O-ring for E8PC-100/400	44,85
E8PC-YL-3	684369	Pressure sensor O-ring for female adaptor G1/4	36,76
ZN-SW11-S	324299	Software visualización Wave Inspire para ZN	3 353,00
ZN9-PF1-S	324300	Replacement filter, particle type	54,60
ZN9-PT4-S	324302	Tubo de escape, 4 m	391,10
ZN9-PT8-S	324303	Exhaust tube, 8m	811,50
ZN9-ACP02-CE	377996	Adaptador AC 100/240V para ZN-PD	138,60
ZN9-ACP03-CE	707121	AC adaptor power supply for ZN particle sensor, input voltage: 240VAC, Euro plu	114,00
KP100L-OP-FAN	354946	Ventilador para inversor fotovoltaico KP100L	287,70

OMRON PVPR 2023

V600-A40 10M	108983	Cable extensión 10m	329,60
V600-A41 20M	108984	Cable extensión 20m	414,90
V600-A42 30M	108985	Cable extensión 30m	494,60
V600-A44 5M	108987	Cable extensión R/W 5m	275,20
V600-A51 20M	108990		1 464,00
V600-A60R 2M	108995	Cable interfaz V600-HAR 2m 20pines	99,85
V600-A61R 5M	108996	Cable interfaz V600-HAR91/81 5m 20 pines	153,00
V600-A61M 5M	108997	Cable interfaz V600-HAM 5m 26pines	192,50
V600-A62R 10M	108998	Cable interfaz V600-HAR 10m 20pines	201,30
V600-A62M 10M	108999	Cable interfaz V600-HAM 10m 26pines	279,60
V600-A86	109000	Soporte etiqueta V600-D23P66	8,03
V600-A60M 2M	145039	Cable interfaz 2m 16 bits	131,40
V680-A80	182277	Tornillos para V680-D1KP58HTN	37,73
V700-A40-W 2M	182282	Cable conexión antena V680-H01- controlador 2m	236,90
V700-A40-W 5M	182283	Cable conexión antena V680-H01- controlador 5m	279,60
V700-A40-W 10M	182284	Cable conexión antena V680-H01- controlador 10m	340,80
V700-A80	227180	Soporte para montaje de etiquetas V700-D23P31	3,04
V680-A60 2M	246934	Cable interfaz V680-HAM 2m 26pines	66,95
V680-A60 5M	246935	Cable interfaz V680-HAM 5m 26pines	107,50
V680-A60 10M	246936	Cable interfaz V680-HAM 10m 26pines	169,60
V680S-A40 10M	376242	Cable extension 10m V680S Conector - conector	298,10
V680S-A40 20M	376243	Cable extension 20m V680S Conector - conector	363,10
V680S-A40 50M	376244	Cable extension 50m V680S Conector - conector	919,00
V680S-A41 2M	376245	Cable V680S 2m Conector antena - RJ45 + alim	219,10
V680S-A41 5M	376246	Cable V680S 5m Conector antena - RJ45 + alim	268,30
V680S-A41 10M	376247	Cable V680S 10m Conector antena - RJ45 + alim	298,10
V680S-A42 2M	376248	Cable V680S 2m Conector antena - Punteras	203,30
V680S-A42 5M	376249	Cable V680S 5m Conector antena - Punteras	247,30
V680S-A42 10M	376250	Cable V680S 10m Conector antena - Punteras	282,50
V680S-A50 10M	693968	V680 Extension Cable for Modbus TCP, 10 m	362,60
V680S-A50 2M	693967	V680 Extension Cable for Modbus TCP, 2 m	157,20
V680S-A50 20M	693966	V680 Extension Cable for Modbus TCP, 20 m	659,50
V680S-A51 2M	709327	V680S ID reader/writer Ethernet and power cable, M12 - RJ45, length 2 m, flexib	170,00

OMRON PVPR 2023

V680S-A51 5M	677525	V680S, lector/grabador de ID, cable Ethernet y de alimentación, M12 - RJ45, lon	318,30
V780-A-TA-133-10	680456	Accesorio de montaje para V780-A-JIME-Z3BLI-10, 180 × 50 × 30 mm (An. × Al. ×	658,50
V680S-A63-S	699286	Connector Cover for V680S-HMD63 -ETN/EIP Slim type	85,95
V680S-A64-S	693832	Connector Cover for V680S-HMD64/66 -ETN/EIP Slim type	75,05
V680S-A63	699287	Connector Cover for V680S-HMD63-ETN Standard type	220,20
V680-A-IMMEG-P03	706949	ID Map Manager English version 03	3 739,00
Y92S-27	103198	Anillo de selección de tiempo fijo	7,65
Y92F-71	107353	Adaptador de montaje en panel	6,59
Y92S-29	107361	Junta de goma	6,29
Y92A-72F1	107396	Cubierta de protección flexible 72x72mm	24,32
Y92A-72C	119930	Cubierta de Protección	8,71
Y92A-48	120050	Cubierta de protección rígida 48x48	6,98
Y92H-3	120086	Clip sujeción para PYF08A/-N y PYF14A/-N	1,82
Y92H-4	120087	Clip sujec para PY08/-QN/-02 y PY14/-QN/-02	1,82
Y92F-78	120088	Adaptador frontal para H3Y	5,79
Y92S-28	120805	Anillo limitador del rango de selección de ti	14,57
Y92P-48GL	120806	Carátula gris claro H3CR (5Y7/1)	7,24
Y92P-48GB	120807	Carátula negra H3CR (N1.5)	7,24
Y92H-7	120808	Clip sujec para bases PL08 y PL11	4,89
Y92H-8	120809	Clip de sujeción H3CR	3,36
Y92F-73	120810	Adaptador de montaje en panel 48x48	6,59
Y92H-2	120937	Clip sujeción para zócalo PF085A	3,43
Y92A-48B	120938	Cubierta de protección rígida 48x48	6,98
Y92A-49N	129704	Cubierta de protección 48x96mm Rígida para panel	102,90
Y92A-72N	142057	Cubierta de protección 72x72mm IP66	111,00
Y92A-48G	142439	Cubierta rígida protección terminales P3G(A), P2CF	4,05
Y92F-90	147555	Base Montaje Carril DIN	5,97
Y92A-96N	148625	Cubierta de protección 96x96mm IP66	130,90
Y92A-48F1	151801	Cubierta de protección flexible 48x48mm	19,10
Y92A-48N	154196	Cubierta de protección 48x48mm IP66	80,20
Y92F-74	155039	Adaptador de montaje en panel	5,01
Y92A-48D	156312	Cubierta de protección plástico blando 48x48	6,98
Y92S-38	235530	Llave de bloqueo para H3DS	14,70

OMRON PVPR 2023

Y92F-30	332154	Anclaje para montaje en panel	5,79
Y92P-CXT4G	351803	Carátula gris claro H7CX (5Y7/1)	9,45
Y92P-CXC4G	351805	Front Panel Light gray, 4-digit counter	9,45
Y92P-CXC6G	351807	Front Panel Light gray, 6-digit counter	9,45
Y92A-D1A	669773	Cubierta de protección frontal para H3DT y K8DT	4,03
Y92F-38	694138	Mounting adapter for H5CX & H3CR for H3AM mounting holes	93,70
E4C-UDA11AN	224795	Amplifier for Ultrasonic E4C head, analog 1-5VDC & transistor output, NPN, 2m cable	646,50
E4C-UDA11	224796	Amplifier for Ultrasonic E4C head, twin output, NPN, 2m cable	552,00
E4C-UDA41	224808	Amplificador ultrasonidos Doble salida	552,00
E4C-UDA41AN	224809	Amplificador ultrasonidos Sal. analogica	506,50
E4PA-P1	323658	Replacement setting plug	65,85
CPM2C-BAT01	157651	Batería CPM2C	95,60
ZEN-BAT01	240970	Batería	94,45
NQ-BAT01	323749	Recambio de batería para terminal NQ (1 unidad)	31,82
NV-BAT01	334090	Battery for NV3Q	38,38
CJ1W-BAT01	659004	Batería para CPUs del CJ1M	87,20
C200H-BAT09	659246	Batería series C200H	77,50
CPM2A-BAT01	659247	Batería CPM2A CQM1H CJ1(-H)	103,70
C500-BAT08	668347	Batería series C, CV, CQM1 y NT	102,70
CS1W-BAT01	668348	Batería de repuesto para CS1	97,35
CP1W-BAT01	678518	Batería para el PLC CP1	30,64
CP2W-BAT02	689916	Batería de la serie CP2 (opcional)	4,90
NX-AUX01	375659	Accesorio NX - Espaciadores Aislamiento Carril DIN (3 uds)	24,91
NT20S-ATT01	113765	Juego de 4 fijaciones universales para NTs	102,90
NS12-ATT01	169549	Adaptador de Montaje de NT625C/631/631C a NS10/12	293,30
NSH5-ATT02	213204	Soporte de pared para NSH5	133,00
NS8-ATT01	229600	Adaptador de montaje para NS8 de los terminales NT600S/620S/620C	237,20
NB-ATT01	364946	Piezas de anclaje para NB (10 unidades)	26,57
NB5Q-ATT01	364951	Adaptador de montaje NT31/NT31C a NB5	80,00
NA-15WATW01	667318	Protección contra el agua a alta presión - NA5W 15"	102,80
NA-7WATW01	667319	Protección contra el agua a alta presión - NA5W 7"	70,70
NA-12WATW01	667320	Protección contra el agua a alta presión - NA5W 12"	83,50
NA-9WATW01	667321	Protección contra el agua a alta presión - NA5W 9"	77,10

OMRON PVPR 2023

XS4R-D424-5	107551	Conector Bifurcación IP67 7/8" 1 macho 2 Hembras de alimentación	86,65
XS4M-D521-1	167693	Conector Macho Montaje Panel Terminales DIP	54,80
NB-CN001	364947	Conector de alimentación (3 piezas)	53,15
XM2S-0911-S003	434739	9-pin D-type connector (male) with connector hood with M2.6 x0.45mm pitch re	54,40
HMI-CN245-V2	703484	9-pin D-type connector (male) with connector hood with M2.6 x 0.45 mm pitch	15,38
CS1W-SP001	168049	Módulo Espaciador de Unidades de E/S	37,05
CP1W-EXT01	209407	Adaptador de Bus de E/S de CJ1 para CP1H	187,40
CJ1W-TER01	136072	Tapa de Terminación	131,70
GRT1-END	212290	Unidad SmartSlice de Fin de Bus	44,90
GRT1-END-M	258405	Unidad SmartSlice de Fin de Bus para ProfiNet	150,40
NX-END01	375657	Accesorio NX - Tapa de Fin	15,75
NX-END02	680107	Unidad NX - Tapa de Fin	19,91
CK3W-TER11	684957	CK3W End Cover (One End Cover is already provided with the CK3M-CPU1[])1 CP	234,20
CP1W-DAM01	247844	Módulo Display para CP1	172,90
HMC-AP001	103192	Adaptador para tarjeta de memoria (PCMCIA)	154,80
EEROM-JD	156923	Memoria	170,90
CP1W-ME05M	209405	Cassette de Memoria para CP1	101,00
ZEN-ME01	240971	Unidad de memoria	81,40
NT-MF261	113645	Expansión de memoria para NT31/NT631	598,50
HMC-EF183	696105	Tarjeta CompactFlash 128 MB	244,90
HMC-EF283	699230	Tarjeta CompactFlash 256 MB	504,00
HMC-EF583	706998	Tarjeta Compact Flash 512 MB	865,50
HMC-SD292	707330	Tarjeta de Memoria SD 2 GB	263,70
HMC-SD492	703610	Tarjeta de Memoria SD 4 GB	396,00
CMPS-PRT11	135949	16 I/O ASIC. TF365TF 200 pcs Compo/S	8 120,00
GCN1-004A	121019	Conjunto 10 cables Terminales Molex	86,65
GCN1-MX005A	121029		49,45
GCN1-100	121103	Cable extensión 1m Terminales Molex	69,35
CS1W-KS001-E	135675	Carátula de consola	37,05
GCN2-100	212294	Cable SmartSlice Distribuidor 100 cm	55,40
DWT-A01	226120	Herramienta Conectores IP20 Componet	800,50
JEPMC-W6022-E	249677	Resistencia fin de línea Mechatrolink II	79,35
DRTA-NY5W-K	338235	Relé de repuesto para DRT2-ROS16	10,53

OMRON PVPR 2023

TB-MA-41P-A6	365406	Repuesto Terminales CP1L Entrada 60 ptos DC	48,09
TB-MA-24P-A5	365588	Repuesto Terminales CP1L Entrada 30 ptos AC	34,21
TB-MA-19P-A7	365589	Repuesto Terminales CP1L Salida 30 ptos AC	27,96
TB-MA-24P-A6	365590	Repuesto Terminales CP1L Entrada 30 ptos DC	34,21
TB-MA-19P-A8	365591	Repuesto Terminales CP1L Salida 30 ptos DC	27,96
TB-MA-29P-A5	365592	Repuesto Terminales CP1L Entrada 40 ptos AC	38,77
TB-MA-24P-A7	365593	Repuesto Terminales CP1L Salida 40 ptos AC	34,21
TB-MA-29P-A6	365594	Repuesto Terminales CP1L Entrada 40 ptos DC	38,77
TB-MA-24P-A8	365595	Repuesto Terminales CP1L Salida 40 ptos DC	34,21
TB-MA-41P-A5	365596	Repuesto Terminales CP1L Entrada 60 ptos AC	54,35
TB-MA-34P-A7	365597	Repuesto Terminales CP1L Salida 60 ptos AC	48,09
TB-MA-34P-A8	365598	Repuesto Terminales CP1L Salida 60 ptos DC	40,30
TB-MA-29P-AS2	365599	Repuesto Terminales CP1H Entrada 40 ptos AC	26,44
TB-MA-24P-AS2	365600	Repuesto Terminales CP1H Salida 40 ptos AC	21,85
TB-MA-29P-AS3	365601	Repuesto Terminales CP1H Entrada 40 ptos DC	26,44
TB-MA-24P-AS3	365602	Repuesto Terminales CP1H Salida 40 ptos DC	21,85
TB-MA-29P-AS4	365603	Repuesto Terminales CP1H Entrada 20 ptos DC	26,44
TB-MA-24P-AS4	365604	Repuesto Terminales CP1H Salida 20 ptos DC	21,85
NX-AUX02	375660	Accesorio NX - Pines de codificación (para 10 unidades NX)	24,91
WES-10WECONNECTTOKENS	677436	10 Tokens para WeConnect	153,10
CP1W-SWB06	239599	Simulador de 6 Entradas Digitales para CP1L	101,00
NT625-KBA01	113692	Cubierta de Protección	145,20
NS12-KBA04	113736	Juego de 5 plantillas antireflectantes para 10/12"	244,20
NS12-KBA05	113737	Juego de 5 cubiertas de protección para 10/12"	457,90
NS7-KBA04	144870	Juego de 5 plantillas antireflectantes para 8"	229,90
NS7-KBA05	147028	Juego de 5 cubiertas de protección para 8"	501,00
NT610C-KBA04	149680	Cubierta protección NT631	128,80
NT30-KBA01	156387	Cubierta protección (productos químicos)	150,20
NT30-KBA04	157457	Cubierta protección (supresora reflejos)	75,55
NT31C-KBA05N	166592	Juego de 5 cubiertas de protección (transparente) para 5"	384,30
NB5Q-KBA04	364950	Cubierta de protección NB5 (5 unidades)	26,57
NB7W-KBA04	364953	Cubierta de protección NB7 (5 unidades)	39,92
NB10W-KBA04	371955	Cubierta de protección NB10 (5 unidades)	59,85

OMRON PVPR 2023

NB3Q-KBA04	371958	Cubierta de protección NB3 (5 unidades)	20,05
NA-7WKBA04	393038	Láminas protectoras anti-reflejos para NA5 7" (5 un.)	115,90
NA-9WKBA04	393039	Láminas protectoras anti-reflejos para NA5 9" (5 un.)	204,20
NA-12WKBA04	393040	Láminas protectoras anti-reflejos para NA5-12W (5 un.)	243,90
NA-15WKBA04	393041	Accessory touch screen (HMI), protective cover sheets for NA5 15" (contains 5 s	373,60
Y92E-B8	107407	Soporte detector de proximidad M8	9,20
Y92E-A34	107409	Soporte detector capacitivo 34diam.	9,44
Y92E-C1R6	107413	Soporte de montaje E2S-1	5,46
Y92E-C2R5	107414	Soporte de montaje E2S-2	7,12
Y92E-D1R6	107415	Soporte de montaje E2S-1	5,36
Y92E-E12	110238	Protector cabeza sensor M12	2,97
Y92E-E18	110239	Protector cabeza sensor M18	2,97
Y92E-E12M	110240	Protector cabeza sensor M12 no enrasado	12,60
Y92E-E30	110241	Protector cabeza sensor M30	2,94
Y92E-E18M	110242	Protector cabeza sensor M18 no enrasado	12,35
Y92E-E30M	110243	Protector cabeza sensor M30 no enrasado	12,35
Y92E-E18-2	110244	Protector soldadura cabeza sensor enr. M18	13,25
Y92E-E30-2	110245	Protector soldadura cabeza sensor enr. M30	14,70
Y92E-B30	144997	Soporte detector de proximidad M30	9,20
Y92E-E12-2	147136	Protector soldadura cabeza sensor enr. M12	11,79
Y92E-D2R5	153729	Soporte de montaje E2S-2	3,86
Y92E-E8-7	171958	Protector cabeza sensor M8	38,23
Y92E-E12-7	171959	Protector cabeza sensor M12	27,11
Y92E-E18-7	171960	Protector cabeza sensor M18	28,17
Y92E-E30-7	171961	Protector cabeza sensor M30	50,15
Y92E-G8	171962	Soporte fijación por brida detector de cilíndrico M8	51,85
Y92E-G12	171963	Soporte fijación por brida detector de cilíndrico M12	56,20
Y92E-G18	171964	Soporte fijación por brida detector de prox M18	58,95
Y92E-G30	171965	Soporte fijación por brida detector de cilíndrico M30	76,25
Y92E-BC18	180666	Soporte a presión detector de prox M18	12,48
Y92E-VM18	258941	Protective cover ring, SUS303, M12, for E3V and E3EZ series	21,35
Y92E-SC03	379149	Soporte sensor proximidad microE2E 3mm diametro	12,73
Y92E-SC04	379150	Soporte Sensor proximidad diam. 4, 2 piezas	12,73

OMRON PVPR 2023

Y92E-SC06	379151	Soporte sensor proximidad microE2E 6mm diametro	13,13
Y92E-SS05	379153	Soporte sensor proximidad microE2E M5	9,85
Y92E-ST05-05	379155	Tubo espiral de acero inoxidable para protección contra rotura de cable, M5, 0,5	54,60
ZX-XBE2	143639	Soporte de montaje del preamplificador Carril DIN	57,20
ZX-XBE1	157978	Soporte de montaje del preamplificador	14,14
Y92E-B12	681044	Soporte de montaje para sensores, tamaño M12	9,20
Y92E-B18	681043	Soporte de montaje para sensores, tamaño M18	9,20
Y92E-J12R18	681671	Goma para posicionador IP67 para M12 Prox	4,15
Y92E-J8R12	681727	Goma para posicionador IP67 para M8 Prox	3,77
Y92E-J18S30	681880	Posicionador de fundas de montaje para M18 Prox	23,30
Y92E-J12S18	681733	Mounting Sleeves e-jpg para Prox M12 Prox	15,21
Y92E-J18R30	681830	Goma para posicionador IP67 para M18 Prox	4,75
Y92E-J8S12	681669	Posicionador de fundas de montaje para M8 Prox	14,22
Y92E-BC08	688180	Soporte de montaje para sensores, tamaño M8, tipo palanca de bisagra	11,80
GLS-M1	693660	Imán solo para el conjunto de interruptores magnéticos de proximidad GLS-1	27,67
Y92E-NWM30-N1	695283	Clamping nut set for PROX M30, 2 nuts brass nickel plated, 2 toothed washer ga	12,11
Y92E-NWM12-N1	695282	Clamping nut set for PROX M12, 2 nuts brass nickel plated, 2 toothed washer ga	5,29
Y92E-NWM18-N1	695281	Clamping nut set for PROX M18, 2 nuts brass nickel plated, 2 toothed washer ga	7,07
ZX-EDA11 2M	106186	Ampli. Inductivo NPN 3 salidas digit.+1analógica	1 259,00
ZX-EDA41 2M	147926	Ampli. Inductivo PNP 3 salidas digit.+1analógica	1 259,00
E2CY-SD11 2M	357975	Inductive proximity sensor amplifier, non-ferrous metal targets, NPN, 2 m cable	213,60
E2NC-EA21 2M	695035	High precision inductive sensor amplifier, 2 outputs, 1 input, DC, NPN, 2 m cable	268,40
E2NC-EA51 2M	687083	High precision inductive sensor amplifier, 2 outputs, 1 input, DC, PNP, 2 m cable	268,30
E2NC-EA7	707181	High precision inductive sensor amplifier, 1 output, 1 input, DC, NPN, system cor	256,80
E2NC-EA9	707180	High precision inductive sensor amplifier, 1 output, 1 input, DC, PNP, system cor	256,80
E2NC-EA7TW	707179	High precision inductive sensor amplifier, 2 output, DC, NPN, system connector	256,80
E2NC-EA9TW	695036	High precision inductive sensor amplifier, 2 output, DC, PNP system connector	256,10
E2NC-EA0	690102	High precision inductive sensor, communication unit	534,50
ERF-150WJ101	138124	Resistencia freno plana 100ohm 150W 3%ED	40,70
ERF-150WJ201	138125	Resistencia freno plana 200ohm 150W 3%ED	40,70
ERF-150WJ301	138126	Resistencia freno plana 300ohm 150W 3%ED	40,70
ERF-150WJ751	138127	Resistencia freno plana 750ohm 150W 3%ED	40,70
ERF-150WJ620	143539	Resistencia freno plana 62ohm 150W 3%ED	40,70

OMRON PVPR 2023

ERF-150WJ401	147919	Resistencia freno plana 400ohm 150W 3%ED	40,70
ERF-150WJ700	148902	Resistencia freno plana 70ohm 150W 3%ED	40,70
A1000-REV00K4100-IE	239854	Resistencia freno 400W 100ohm	50,25
A1000-REV00K5075-IE	239855	Resistencia freno 500W 75ohm (V1000)	61,45
A1000-REV00K6050-IE	239856	Resistencia freno 600W 50ohm	85,00
A1000-REV00K9040-IE	239857	Resistencia freno 900W 40ohm	163,30
A1000-REV04K0032-IE	241631	Resistencia freno 4000W 32ohm	524,00
A1000-REV00K4030-IE	241659	Resistencia freno 400W 30ohm	50,25
A1000-REV00K6013-IE	241661	Resistencia freno 600W 13ohm	85,00
A1000-REV00K9010-IE	241662	Resistencia freno 900W 10ohm	163,30
A1000-REV02K0010-IE	241825	Resistencia freno 2000W 10ohm	418,80
A1000-REJOK15400-IE	250560	Resistencia freno 190W 400ohm (J1000)	50,25
A1000-REJOK15300-IE	250561	Resistencia freno 190W 300ohm (J1000)	50,25
A1000-REJOK15200-IE	250562	Resistencia freno 190W 200ohm (J1000)	50,25
A1000-REJOK15100-IE	250563	Resistencia freno 190W 100ohm (J1000)	50,25
A1000-REJOK15070-IE	250564	Resistencia freno 190W 70ohm (J1000)	50,25
A1000-REJOK15062-IE	250565	Resistencia freno 190W 62ohm (J1000)	50,25
A1000-REJOK10750-IE	250566	Resistencia freno 60W 750ohm (J1000)	39,20
A1000-REV00K9132-IE	281442	Resistencia freno 900W 132ohm	167,90
AX-REM00K1400-IE	324010	Resistencia freno protegida 400ohm 190W	32,04
AX-REM00K1200-IE	324011	Resistencia freno protegida 200ohm 110W	30,59
AX-REM00K2070-IE	324012	Resistencia freno protegida 70ohm 200W	36,04
AX-REM00K4075-IE	324013	Resistencia freno protegida 75ohm 400W	49,97
AX-REM00K4035-IE	324014	Resistencia freno protegida 35ohm 400W	51,35
AX-REM00K2200-IE	324015	Resistencia freno protegida 200ohm 200W	36,04
AX-REM00K5120-IE	324016	Resistencia freno protegida 120ohm 500W	61,15
AX-REM00K2120-IE	324017	Resistencia freno protegida 120ohm 200W	37,52
AX-REM00K6100-IE	324018	Resistencia freno protegida 100ohm 600W	84,55
AX-REM00K9070-IE	324019	Resistencia freno protegida 70ohm 900W	162,60
AX-REM01K9070-IE	324020	Resistencia freno protegida 70ohm 1900W	272,20
AX-REM02K1070-IE	324021	Resistencia freno protegida 70ohm 2100W	432,80
AX-REM03K5035-IE	324022	Resistencia freno protegida 35ohm 3500W	599,50
AX-REM00K6035-IE	324023	Resistencia freno protegida 35ohm 600W	84,55

OMRON PVPR 2023

AX-REM00K9020-IE	324024	Resistencia freno protegida 20ohm 900W	162,60
AX-REM01K9017-IE	324025	Resistencia freno protegida 17ohm 1900W	272,20
AX-REM02K1017-IE	324026	Resistencia freno protegida 17ohm 2100W	432,80
AX-REM00K9017-IE	324027	Resistencia freno protegida 17ohm 900W	162,60
AX-REM03K5010-IE	324028	Resistencia freno protegida 10ohm 3500W	599,50
AX-REM19K0030-IE	324029	Resistencia freno IP44 19000W 30ohm	658,00
AX-REM19K0020-IE	324030	Resistencia freno IP44 19000W 20ohm	658,00
AX-REM38K0012-IE	324031	Resistencia freno IP44 38000W 12ohm	859,00
AX-REM19K0008-IE	324032	Resistencia freno IP44 19000W 8ohm	658,00
AX-REM19K0006-IE	324033	Resistencia freno IP44 19000W 6ohm	658,00
AX-REM19K0032-IE	355610	Resistencia freno protegida 32ohm 19000W	633,50
AX-REM02K1110-IE	355611	Resistencia freno protegida 110ohm 2100W	420,90
AX-REM03K5085-IE	355612	Resistencia freno protegida 85ohm 3500W	583,50
AX-REM01K9032-IE	364996	Resistencia freno protegida 32ohm 1900W	272,20
AX-REM01K9050-IE	364997	Resistencia freno protegida 50ohm 1900W	272,20
BRD-CBV-405 32R	185997	Braking resistor, 32 Ohm, length 405mm.	138,60
BRD-CBV-405 100R	186007	Braking resistor, 100 Ohm, length 405mm.	138,60
3G3IV-PERF1300WJ47	200248	Resistencia freno plana 47ohm 1300W 3%ED	93,95
3G3IV-RN45P5CUB-ECOM	200250	Resistencia freno cubierta 520W 100ohm	155,70
3G3IV-RN47P5CUB-ECOM	200251	Resistencia freno cubierta 780W 75ohm	168,20
3G3IV-RN4011CUB-ECOM	200252	Resistencia freno cubierta 1040W 50ohm	171,00
3G3IV-RN4015CUB-ECOM	200253	Resistencia freno cubierta 1560W 40ohm	225,70
3G3IV-RN4018CUB-ECOM	227838	Resistencia freno cubierta 4800W 32Ohm	633,50
3G3IVRN3000H600W-ECOMCUB	245196	Resistencia Cubierta 300 omhs, 600W	239,50
3G3IV-PERF1300WJ100	352152	Resistencia freno plana 100ohm 1300W 3%ED	100,90
3G3IV-PERF1300WJ70	354542	Resistencia freno plana 70ohm 1300W 3%ED	100,90
AX-REM00K3250-IE	668169	Braking resistor, 250 ohm, 300 W nominal	47,64
MRCF 3000 25R	684629	Braking resistor, 25 Ohm, 3000 W nominal	292,30
MRCF 6000 16R	684630	Braking resistor, 16 Ohm, 6000 W nominal	1 013,00
NRIT IP20 10K 8R	684631	Braking resistor, 8 Ohm, 10 kW nominal	604,00
MRIG IP23 G30K 20R	688055	Braking resistor, 20 ohm, 30 kW nominal IP23	2 261,00
HPM-UL-00900 070R J00000	688064	UL Braking resistor, 70 ohm, 270 W nominal	121,70
MRIC0080K0004RKOMR01	702590	4 GHPR To form dipole A-B 4R - 120 kW installed power, 80 kW nominal power	11 080,00

OMRON PVPR 2023

MRIC30060K03R5KOMR02	702589	3 GHPR To form dipole A-B 3R5 - 80 kW installed power, 55 kW nominal power	3 015,00
MRIC30D40K0000KOMR03	702588	1 GHPR To form dipole:A-B 16R5 – 16.5 kW installed power, 11 kW nominal power	5 915,00
AX-BCR4015045-TE	324034	Unidad frenado 400V 15A / 45A	848,00
AX-BCR4017068-TE	324035	Unidad frenado 400V 17A / 68A	892,00
AX-BCR4035090-TE	324036	Unidad frenado 400V 35A / 90A	1 324,00
AX-BCR4070130-TE	324037	Unidad frenado 400V 70A / 130A	1 742,00
AX-BCR2035090-TE	324039	Unidad frenado 220V 35A / 90A	1 310,00
AX-BCR2070130-TE	324040	Unidad frenado 220V 70A / 130A	1 642,00
AX-BCR4090240-TE	325091	Unidad frenado 400V 90A / 240A	2 716,00
AX-BCR4100330-TE	355792	Braking unit 400V, permanent 110A/36KVA, Peak 330A/120KVA, 2.3 ohm min	2 965,00
CDBR-4030D	356394	Unidad frenado 400V 30kW 15A	702,00
CDBR-4045D	356395	Unidad frenado 400V 45kW 18A	791,50
AX-BMS4035090-TE	372603	Unidad frenado 400V 35A / 90A (maestro-esclavo)	1 454,00
AX-BCR4110500-TE	375110	Unidad frenado 400V 110A / 500A	3 478,00
AX-BCR2015045-TE	378151	Braking unit 200 V, permanent 15 A/5.5 KVA, peak 45A/16 KVA, 8 ohm min	1 070,00
CDBR-4220D	392600	Unidad frenado 400V 220kW 80A	3 463,00
D1KIT40030AAAAB	669394	Conjunto regenerador 400V 30kw	9 835,00
D1KIT40060AAAAB	669395	Conjunto regenerador 400V 60kw	16 830,00
D1KIT40370AAAAB	669396	Conjunto regenerador 400V 370kw	80 450,00
D1KIT40130AAAAB	669397	Conjunto regenerador 400V 130kw	27 190,00
D1KIT40185AAAAB	669398	Conjunto regenerador 400V 185kw	37 150,00
D1KIT40040AAAAB	669399	Conjunto regenerador 400V 40kw	10 920,00
D1KIT40020AAAAB	669400	Conjunto regenerador 400V 20kw	6 875,00
D1KIT40010AAAAB	669401	Conjunto regenerador 400V 10kw	5 045,00
D1KIT40270AAAAB	669402	Conjunto regenerador 400V 270kw	64 450,00
D1KIT40005AAAAB	669403	Conjunto regenerador 400V 5kw	4 304,00
D1KIT40100AAAAB	669404	Conjunto regenerador 400V 100kw	20 460,00
D1KIT40630AAAAB	672494	Converter D1000, 400 V, 630 kW, IP20, incl. Input Reactor, Harmonic Filter, EMC	142 700,00
R1KIT40210AAAAA	672514	R1000 - Conjunto regenerador 400V 210kw	19 890,00
R1KIT40017AAAAA	672515	R1000 - Conjunto regenerador 400V 17kw	3 513,00
R1KIT40003AAAAA	672516	R1000 - Conjunto regenerador 400V 3.5kw	2 299,00
R1KIT40053AAAAA	672517	R1000 - Conjunto regenerador 400V 53kw	7 580,00
R1KIT40073AAAAA	672518	R1000 - Conjunto regenerador 400V 73kw	9 400,00

OMRON PVPR 2023

R1KIT40028AAAAA	672519	R1000 - Conjunto regenerador 400V 28kw	4 593,00
R1KIT40043AAAAA	672520	R1000 - Conjunto regenerador 400V 43kw	6 085,00
R1KIT40020AAAAA	672521	R1000 - Conjunto regenerador 400V 20kw	3 917,00
R1KIT40005AAAAA	672522	R1000 - Conjunto regenerador 400V 5kw	2 433,00
R1KIT40014AAAAA	672523	R1000 - Conjunto regenerador 400V 14kw	2 974,00
R1KIT40010AAAAA	672524	R1000 - Conjunto regenerador 400V 10kw	2 635,00
R1KIT40105AAAAA	672525	R1000 - Conjunto regenerador 400V 105kw	11 630,00
R1KIT40150AAAAA	672526	R1000 - Conjunto regenerador 400V 150kw	14 360,00
R1KIT40300AAAAA	672527	R1000 - Conjunto regenerador 400V 300kw	23 930,00
R1KIT40007AAAAA	672528	R1000 - Conjunto regenerador 400V 7kw	2 433,00
R1KIT40035AAAAA	672529	R1000 - Conjunto regenerador 400V 35kw	5 270,00
D1KIT20020ABAAA	672941	Conjunto regenerador 200V 20kw	10 380,00
CDBR-4090D	698971	Unidad frenado 400V 90kW 30A	2 347,00
3G3RV-PFI2100-E	139044	Filtro entrada 220VAC trifasico 100A (E7/F7/L7/G7)	858,00
3G3RV-PFI3060-E	139051	Filtro entrada 400V trifásico 60A (E7/F7/L7/G7)	363,80
3G3RV-PFI2035-SE	139058	Filtro entrada 220VAC trifasico 35A (E7/F7/L7/G7)	404,90
3G3RV-PFI3010-SE	139178	Filtro entrada 400V trifásico 10A (E7/F7/L7/G7)	197,00
3G3RV-PFI3018-SE	139179	Filtro entrada 400V trifásico 18A (E7/F7/L7/G7)	220,70
3G3RV-PFI3035-SE	139180	Filtro entrada 400V trifásico 35A (E7/F7/L7/G7)	285,60
3G3MV-PFI2030-E	139701	Filtro entrada 220V Trifásico 30A (V7)	307,70
3G3JV-PFI2020-E	139704	Filtro entrada 220VAC Trifásico 20A (J7)	327,10
3G3JV-PFI3010-E	150336	Filtro entrada 400VAC trifásico 10A (J7)	179,40
3G3IV-PFI-3080E	155654	Filtro entrada 400V trifásico 80A	1 691,00
3G3EV-PFI1015E	158423	Filtro entrada 200 monofásico 15A	141,10
3G3FV-PFI4025E	158427	Filtro entrada 400V trifásico 25A	374,00
3G3FV-PFI4280E	158431	Filtro entrada 400V trifásico 280A	2 401,00
3G3MV-PFI1010-E-LL	180473	Filtro entrada 220V monofásico 10A (V7) Baja corri	102,80
3G3MV-PFI1020-E-LL	180474	Filtro entrada 220V monofásico 20A (V7) Baja corri	109,60
3G3JV-PFI3020-E-IT	180497		144,50
3G3RV-PFI3060-E-IT	180749	E7Z/F7Z/L7Z footprint RFI filter, 60A, 415VAC, 3-phase, for 15 & 18.5kW units, IT	379,70
3G3RV-PFI3070-E-IT	180763	Filtro entrada 400V Trifásico 1.1kW	554,50
3G3RV-PFI3100-E-IT	180764	Trifásico 400V 1.5kW	773,50
3G3RV-PFI3800-E	183988	Filtro entrada 400V trifásico 800A (E7/F7/L7/G7)	6 515,00

OMRON PVPR 2023

3G3RV-PFI3100-SE	227094	Filtro entrada 400V trifásico 100A (E7/F7/L7/G7)	628,00
A1000-FIV1010-RE	234925	Filtro entrada 200V monofásico 10A (V1000)	45,82
A1000-FIV1020-RE	234926	Filtro entrada 200V monofásico 20A (V1000)	56,40
A1000-FIV1030-RE	234927	Filtro entrada 200V monofásico 30A (V1000)	76,15
A1000-FIV1040-RE	234928	Filtro entrada 200V monofásico 40A (V1000)	114,30
A1000-FIV3005-RE	234929	Filtro entrada 400V trifásico 5A (V1000)	76,15
A1000-FIV3010-RE	234930	Filtro entrada 400V trifásico 10A (V1000)	104,00
A1000-FIV3020-RE	234931	Filtro entrada 400V trifásico 20A (V1000)	128,00
A1000-FIV3030-RE	234932	Filtro entrada 400V trifásico 30A (V1000)	157,10
A1000-FIV2010-RE	234933	Filtro entrada 200V trifásico 10A (V1000)	143,40
A1000-FIV2020-RE	234934	Filtro entrada 200V trifásico 20A (V1000)	174,10
A1000-FIV2030-RE	234935	Filtro entrada 200V trifásico 30A (V1000)	194,40
A1000-FIV3050-RE	236939	Filtro entrada 400V trifásico 50A (V1000)	345,80
A1000-FIV2060-RE	236940	Filtro entrada 200V trifásico 60A (V1000)	333,00
A1000-FIV2100-RE	236941	Filtro entrada 200V trifásico 100A (V1000)	455,00
A1000-FIV2080-RE	241542	V1000 footprint RFI filter, 80 A, 3~ 200 VAC, for 11 kW drives	455,30
A1000-REV00K4020-IE	241660	Resistencia freno 400W 20ohm	49,97
A1000-FIV3005-RE-IT	241687	J1000/V1000 footprint RFI filter, 5A, 400 VAC, three phase, for 0.37 to 0.55KW d	85,25
A1000-FIV3010-RE-IT	241688	Filtro entrada 400V trifásico 10A (V1000) especial IT	128,20
A1000-FIV3020-RE-IT	241689	J1000/V1000 footprint RFI filter, 20A, 400 VAC, three phase, 4.0KW drives	160,20
A1000-FIV3030-RE-IT	241690	Filtro entrada 400V trifásico 30A (V1000) especial IT	211,30
A1000-FIV3050-RE-IT	241691	Filtro entrada 400V trifásico 50A (V1000) especial IT	461,20
A1000-FIV1010-RE-LL	241692	Filtro entrada 220V monofásico 10A Baja corriente	87,05
A1000-FIV1020-RE-LL	241693	Filtro entrada 220V monofásico 20A Baja corriente	98,90
A1000-FIV1030-RE-LL	241694	Filtro entrada 220V monofásico 30A Baja corriente	128,00
A1000-FIV1040-RE-LL	241695	Filtro entrada 200V monofásico 40A (V1000) Baja Fuga	121,10
A1000-FIV2020-RE-LL	241697	Filtro entrada 200V trifásico 20A (V1000) Baja Fuga	213,20
A1000-FIV2060-RE-LL	241699	Filtro entrada 200V trifásico 60A (V1000) Baja Fuga	342,80
A1000-FIV3005-RE-LL	241702	Filtro entrada 400V trifásico 5A (V1000) Baja Corr	85,00
A1000-FIV3010-RE-LL	241703	Filtro entrada 400V trifásico 10A (V1000) Baja Cor	109,20
A1000-FIV3020-RE-LL	241704	Filtro entrada 400V trifásico 20A (V1000) Baja Corriente	138,40
A1000-FIV1010-SE	246710	Q2V/V1000/J1000 Filtro entrada 200V monofásico 10A	36,04
A1000-FIV1040-SE	246713	Q2V/V1000 Filtro entrada 200V Monofásico (40 Amp)	89,95

OMRON PVPR 2023

A1000-FIV3005-SE	246714	Q2V/V1000/J1000 Filtro entrada 400V trifásico 5A (V1000)	59,80
A1000-FIV2020-SE	246720	Q2V/V1000/J1000 Filtro entrada 200V trifásico 20A (V1000)	137,10
A1000-FIV2030-SE	246721	VQ2V/V1000/J1000 Filtro entrada 200V trifásico (30 Amp)	153,20
AX-FIJ1023-RE	283808	Filtro entrada 200V monofásico 23A (JX)	77,75
AX-FIR3053-RE	283814	Filtro entrada 400V trifásico 53A (RX)	317,90
AX-FIR3064-RE	283815	Filtro entrada 400V trifásico 64A (RX)	369,00
AX-FIR3100-RE	283816	Filtro entrada 400V trifásico 100A (RX)	513,00
AX-FIR3130-RE	283817	Filtro entrada 400V trifásico 130A (RX)	598,50
AX-FIM1010-RE	283818	Filtro entrada 200V monofásico 10A (MX2)	45,82
AX-FIM1014-RE	283819	Filtro entrada 200V monofásico 14A (MX2)	56,40
AX-FIM1024-RE	283820	Filtro entrada 200V monofásico 24A (MX2)	77,90
AX-FIM3005-RE	297862	Filtro entrada 400V trifásico 5A (MX2)	76,15
AX-FIM3010-RE	297863	Filtro entrada 400V trifásico 10A (MX2)	104,00
AX-FIM3014-RE	297864	Filtro entrada 400V trifásico 14A (MX2)	131,30
AX-FIM3030-RE	297865	Filtro entrada 400V trifásico 30A (MX2)	158,80
AX-FIM3050-RE	297866	Filtro entrada 400V trifásico 50A (MX2)	345,80
AX-FIR3250-RE	315586	Filtro entrada 400V trifásico 250A (RX)	1 570,00
AX-FIR3320-RE	315587	Filtro entrada 400V trifásico 320A (RX)	1 861,00
AX-FIR2053-RE	315589	Filtro entrada 200V trifásico 53A (RX)	345,70
AX-FIR2110-RE	315590	Filtro entrada 200V trifásico 110A (RX)	675,50
AX-FIR2145-RE	315591	Filtro entrada 200V trifásico 145A (RX)	806,50
AX-FIM2010-RE	317930	Filtro entrada 200V trifásico 10A (MX2)	143,40
AX-FIM2020-RE	317931	Filtro entrada 200V trifásico 20A (MX2)	175,80
AX-FIM2030-RE	317932	Filtro entrada 200V trifásico 30A (MX2)	194,40
AX-FIM2060-RE	317933	Filtro entrada 200V trifásico 60A (MX2)	288,10
AX-FIM2080-RE	317934	Filtro entrada 200V trifásico 80A (MX2)	455,00
AX-FIM2100-RE	317935	Filtro entrada 200V trifásico 100A (MX2)	456,70
AX-FIJ2006-RE	318183	Filtro entrada 200V trifásico 6A (JX)	137,60
AX-FIJ2020-RE	318184	Filtro entrada 200V trifásico 20A (JX)	198,40
AX-FIJ2040-RE	318185	Filtro entrada 200V trifásico 40A (JX)	248,70
AX-FIM1010-RE-LL	324535	Filtro entrada 200V monofásico 10A (MX2) Baja corriente	49,58
AX-FIM1014-RE-LL	324536	Filtro entrada 200V monofásico 14A (MX2) Baja corriente	60,15
AX-FIM1024-RE-LL	324537	Filtro entrada 200V monofásico 24A (MX2) Baja corriente	81,45

OMRON PVPR 2023

AX-FIM2010-RE-LL	324538	Filtro entrada 200V trifásico 10A (MX2) Baja corriente	179,10
AX-FIM3005-RE-LL	324544	Filtro entrada 400V trifásico 5A (MX2) Baja corriente	79,60
AX-FIM3010-RE-LL	324545	Filtro entrada 400V trifásico 10A (MX2) Baja Corriente	109,20
AX-FIM3014-RE-LL	324546	Filtro entrada 400V trifásico 14A (MX2) baja fuga	141,60
AX-FIM3030-RE-LL	324547	Filtro entrada 400V trifásico 30A (MX2) baja fuga	174,10
AX-FIM3050-RE-LL	324548	Filtro entrada 400V trifásico 50A (MX2) baja fuga	362,90
AX-FIR3030-RE-LL	324554	Filtro entrada 400V trifásico 30A (RX) Baja corriente	173,80
AX-FIM2060-RE-IT	324576	Filtro entrada 200V trifásico 60A (MX2). Filtro especial IT	275,30
AX-FIM2080-RE-IT	324577	Filtro entrada 200V trifásico 80A (MX2) Filtro especial IT	400,40
AX-FIM3005-RE-IT	324579	Filtro especial IT	105,90
AX-FIM3010-RE-IT	324580	Filtro especial IT	145,80
AX-FIM3014-RE-IT	324581	Filtro especial IT	192,20
AX-FIM3030-RE-IT	324582	Filtro especial IT	240,20
AX-FIM3050-RE-IT	324583	Filtro especial IT	461,20
AX-FIR3100-RE-IT	324592	RX footprint RFI filter, 100A, 400VAC, 3-phase, for 37kW models, IT installation	571,50
FN258-16-29	325213	Filtro Especial UL Schaffner 480 VAC 20A	218,00
FN258-7-29	325214	Filtro Especial UL Schaffner 480 VAC 7A	174,60
FN258-30-33	325215	Filtro Especial UL Schaffner 480 VAC 26.5A	565,50
A1000-FIA3024-RE	328908	Filtro entrada 400V trifásico 24A (A1000-L1000)	174,50
A1000-FIA3044-RE	328909	Filtro entrada 400V trifásico 44A (A1000-L1000)	328,70
A1000-FIA3052-RE	328910	Filtro entrada 400V trifásico 52A (A1000-L1000)	398,00
A1000-FIA3071-RE	328911	Filtro entrada 400V trifásico 71A (A1000-L1000)	493,50
A1000-FIA3105-RE	328912	Filtro entrada 400V trifásico 105A (A1000-L1000)	638,50
A1000-FIA3170-RE	328913	Filtro entrada 400V trifásico 170A (A1000-L1000)	1 236,00
A1000-FIA3300-RE	328914	Filtro entrada 400V trifásico 330A (A1000-L1000)	2 130,00
A1000-FIA3480-RE	328915	Filtro entrada 400V trifásico 480A (A1000-L1000)	2 685,00
A1000-FIA3660-RE	328916	Filtro entrada 400V trifásico 660A (A1000-L1000)	3 364,00
A1000-FIA2052-RE	328917	Filtro entrada 200V trifásico 52A (A1000-L1000)	336,40
A1000-FIA2068-RE	328918	Filtro entrada 200V trifásico 68A (A1000-L1000)	405,70
A1000-FIA2096-RE	328919	Filtro entrada 200V trifásico 96A (A1000-L1000)	467,20
A1000-FIA3071-RE-IT	353986		367,20
A1000-FIA3105-RE-IT	353987		718,00
AX-FIM1010-SE-V1	354492	Filtro entrada 200V monofásico 10A (MX2)	36,04

OMRON PVPR 2023

AX-FIM1024-SE-V1	354493	Filtro entrada 200V monofásico 24A (MX2)	61,15
AX-FIM2010-SE-V1	354494	Filtro entrada 200V trifásico 10A (MX2)	112,80
AX-FIM2020-SE-V1	354495	Filtro entrada 200V trifásico 20A (MX2)	138,40
AX-FIM2030-SE-V1	354496	Filtro entrada 200V trifásico 30A (MX2)	153,20
AX-FIM2080-SE-V1	354498	Filtro entrada 200V trifásico 80A (MX2)	315,10
AX-FIM2100-SE-V1	354499	Filtro entrada 200V trifásico 100A (MX2)	316,50
AX-FIM3005-SE-V1	354500	Filtro entrada 400V trifásico 5A (MX2)	59,80
AX-FIM3010-SE-V1	354501	Filtro entrada 400V trifásico 12A (MX2)	81,90
AX-FIM3014-SE-V1	354502	Filtro entrada 400V trifásico 14A (MX2)	103,30
AX-FIM3050-SE-V1	354504	Filtro entrada 400V trifásico 50A (MX2)	272,20
AX-FIL3010-SE	355042	Filtro entrada 400V trifásico 10A (LX)	143,80
AX-FIL3015-SE	355043	Filtro entrada 400V trifásico 15A (LX)	167,90
AX-FIL3030-SE	355044	Filtro entrada 400V trifásico 30A (LX)	218,30
AX-FIL3053-SE	355045	Filtro entrada 400V trifásico 53A (LX)	435,90
FN3268-30-33	355570	RFI filter, low leakage, 30A, three phase.	316,10
FN5045-180-99	357679	LC Sine Wave Filter for Motor Drives	12 300,00
A1000-FIA3024-RE-IT	364822	Inverter accessories emc filters g1000 series	107,00
A1000-FIA3044-RE-IT	364823		238,60
A1000-FIA3300-RE-IT	377400		2 393,00
A1000-FIV2010-SE-V1	385715	Q2V/V1000 Filtro entrada 200V trifásico 10A (V1000)	112,80
A1000-FIV2100-SE-V1	385717	Filtro entrada 200V trifásico 100A (V1000)	315,10
A1000-FIV3030-SE-V1	385718	Q2V/V1000 Filtro entrada 400V trifásico 30A (V1000)	123,50
A1000-FIV1010-SE-LL	386159	Q2V/V1000/J1000 Filtro entrada 200V AC monofásico 10A Baja corriente	68,55
A1000-FIV1040-SE-LL	386162	Q2V/V1000 Filtro entrada 200V AC monofásico 40A (V1000) Baja Fuga	95,25
A1000-FIV2020-SE-LL	386164	Q2V/V1000/J1000 Filtro entrada 200V AC trifásico 20A (V1000) Baja Fuga	147,60
A1000-FIV3005-SE-LL	386166	Q2V/V1000/J1000 Filtro entrada 400V AC trifásico 5A (V1000) Baja Corr	66,85
A1000-FIV3030-SE-LL	386169	Q2V/V1000 Filtro A1000 EMC accesorio para variadores de frecuencia	136,20
A1000-FIV3050-SE-LL	386170	Q2V/V1000 Filtro entrada 400V AC trifásico 50A Baja Corriente	272,20
AX-FIM1010-SE-LL	386171	Filtro entrada 200V monofásico 10A (MX2) Baja corriente	39,02
AX-FIM1014-SE-LL	386172	Filtro entrada 200V monofásico 14A (MX2) Baja corriente	47,30
AX-FIM1024-SE-LL	386173	Filtro entrada 200V monofásico 24A (MX2) Baja corriente	64,05
AX-FIM2020-SE-LL	386174	Filtro EMC MX2 accesorio para variadores de frecuencia	202,40
AX-FIM3005-SE-LL	386177	Filtro entrada 400V trifásico 5A (MX2) Baja corriente	62,60

OMRON PVPR 2023

AX-FIM3010-SE-LL	386178	Filtro entrada 400V trifásico 10A (MX2) Baja Corriente	85,90
AX-FIM3014-SE-LL	386179	Filtro entrada 400V trifásico 14A (MX2) baja fuga	111,30
AX-FIM3030-SE-LL	386180	Filtro entrada 400V trifásico 30A (MX2) baja fuga	137,10
AX-FIM3050-SE-LL	386181	Filtro entrada 400V trifásico 50A (MX2) baja fuga	285,50
AX-FIM1014-SE-V1	392486	Filtro entrada 200V monofásico 14A (MX2)	44,36
A1000-FIV2060-SE-V1	392487	Q2V/V1000 Filtro entrada 200V AC trifásico 60A	230,70
FN3025HL-30-71	396067	Filtro Especial Compacto 3-Phase FN3025 Schaffner	241,40
FN3025HL-50-72	396068	Filtro, 50 A, trifásico <lt/>520 V CA	276,00
AX-GPM01-ICE	416241	Accesorio Placa de conexión a tierra para EMC (MX2)	20,53
AX-GPM02-ICE	416242	Accesorio Placa de conexión a tierra para EMC (MX2)	20,53
AX-GPM03-ICE	416243	Accesorio Placa de conexión a tierra para EMC (MX2)	46,37
FN3268-55-34	668571	Filtro de línea trifásico estrecho de 520 VCA, 55A, baja corriente de fugas	544,00
FB-41200A	669381	For inverter models CIMR-AC4A0930, 1200. EN61800-3 Class C2 (50m), 1200 Arms	4 333,00
A1000-FIA3052-RE-IT	670867	A1000 filter 52A IT-net	325,30
A1000-FIA3024-SE	679458	Filtro entrada 400V trifásico 24A (A1000-L1000)	152,60
A1000-FIA3044-SE	679456	Filtro RFI footprint A1000, 44 A, 3~ 400 V CA: 4A0031 - 4A0038	287,00
A1000-FIA3052-SE	679457	Filtro RFI footprint A1000, 52 A, 3~ 400 V CA: 4A0044	347,50
Q2-FIA4010-SE	682622	Filtro RFI de tamaño compacto (footprint) para Q2A, 10 A, 3~ 400 Vca, para los r	90,65
Q2-FIA4020-SE	682631	Filtro RFI de tamaño compacto (footprint) para Q2A, 20 A, 3~ 400 Vca, para los r	107,00
Q2-FIA4035-SE	682630	Filtro RFI de tamaño compacto (footprint) para Q2A, 35 A, 3~ 400 Vca, para los r	125,80
Q2-FIA4050-SE	682629	Filtro RFI de tamaño compacto (footprint) para Q2A, 50 A, 3~ 400 Vca, para los r	242,90
Q2-FIA4170-SE	682626	Filtro RFI de tipo libro para Q2A, 170 A, 3~ 400 Vca, para los modelos 4103, 4140	597,00
Q2-FIA4410-SE	682625	Filtro RFI de tipo libro para Q2A, 410 A, 3~ 400 Vca, para los modelos 4208, 4250	531,00
3AFU400-610	682693	dV/dt-Filter; 3x 400 VrmsS, 610 Arms	4 059,00
3G3AX-NFI21	685054	MX2 & RX Input Noise Filter, 6A, 1Ph 200VAC & 3Ph 200VAC	118,10
3G3AX-NFI22	685055	MX2 & RX Input Noise Filter, 10A, 1Ph 200VAC & 3Ph 200VAC	125,40
3G3AX-NFI23	685056	MX2 & RX Input Noise Filter, 20A, 1Ph 200VAC & 3Ph 200VAC	148,50
3G3AX-NFI24	685057	MX2 & RX Input Noise Filter, 30A, 1Ph 200VAC & 3Ph 200VAC	193,40
3G3AX-NFI25	685058	MX2 & RX Input Noise Filter, 40A, 3Ph 200VAC	278,00
3G3AX-NFI26	685059	MX2 & RX Input Noise Filter, 60A, 3Ph 200VAC	437,90
3G3AX-NFI27	685060	MX2 & RX Input Noise Filter, 80A, 3Ph 200VAC	728,50
3G3AX-NFI28	685061	MX2 & RX Input Noise Filter, 100A, 3Ph 200VAC	841,50
3G3AX-NFI2B	685064	RX Input Noise Filter, 250A, 3Ph 200VAC	2 934,00

OMRON PVPR 2023

3G3AX-NFI2C	685065	RX Input Noise Filter, 300A, 3Ph 200VAC	3 552,00
3G3AX-NFI41	685066	MX2 & RX Input Noise Filter, 7A, 3Ph 400VAC	190,70
3G3AX-NFI42	685067	MX2 & RX Input Noise Filter, 10A, 3Ph 400VAC	197,10
3G3AX-NFI43	685068	MX2 & RX Input Noise Filter, 20A, 3Ph 400VAC	239,50
3G3AX-NFI44	685069	MX2 & RX Input Noise Filter, 30A, 3Ph 400VAC	287,30
3G3AX-NFI45	685070	MX2 & RX Input Noise Filter, 40A, 3Ph 400VAC	348,90
3G3AX-NFI46	685071	MX2 & RX Input Noise Filter, 50A, 3Ph 400VAC	457,20
3G3AX-NFI47	685072	RX Input Noise Filter, 60A, 3Ph 400VAC	595,00
3G3AX-NFI48	685073	RX Input Noise Filter, 80A, 3Ph 400VAC	899,00
3G3AX-NFI49	685074	RX Input Noise Filter, 100A, 3Ph 400VAC	1 109,00
3G3AX-NFI4A	685075	RX Input Noise Filter, 150A, 3Ph 400VAC	1 811,00
AX-FIM1010-SE-IT	685197	Filtro RFI de huella MX, 10 A, 200 V CA, monofásico	46,70
A1000-FIV3050-SE-V2	685947	Filtro entrada 400V trifásico 50A (V1000)	272,20
AX-FIR4011-SE	689170	Filtro RX2 RFI, 11 A, 3~ 400 VCA, para modelos de 0.75-3.7 kW	135,60
AX-FIR4030-SE	689171	Filtro RX2 RFI footprint, 30 A, 3~ 400 VCA, para modelos de 5.5-11 kW	147,70
AX-FIR4058-SE	689172	Filtro RX2 RFI footprint, 58 A, 3~ 400 VCA, para modelos de 15-22 kW	277,70
AX-FIR2021-SE	689177	RX2 foot print RFI filter, 21 A, 3~ 230 VAC, for 0.4-3.7 kW models	173,50
AX-FIR2055-SE	689178	RX2 foot print RFI filter, 55 A, 3~ 230 VAC, for 5.5-11 kW models	301,90
AX-FIM2060-SE-V2	690942	MX footprint RFI filter, 60A, 200VAC, three phase, UL/CSA	224,40
AX-FIM3030-SE-V2	690943	MX footprint RFI filter, 30A, 400VAC, three phase, for 5.5 to 7.5KW models, UL/CSA	124,90
A1000-FIV1020-SE-Q	693906	Filtro RFI de huella Q2V/V1000/J1000, 20 A, 200 V CA, monofásico, para variadores de	44,36
A1000-FIV1020-SE-LL-Q	693907	Filtro RFI de huella de corriente de fuga baja Q2V/V1000/J1000, 20 A, 200 V CA, monofásico, para variadores de	77,90
A1000-FIV1030-SE-Q	693908	Filtro RFI de huella Q2V/V1000, 30 A, 200 V CA, monofásico, para variadores de	59,80
A1000-FIV1030-SE-LL-Q	693909	Filtro RFI de huella de corriente de fuga baja Q2V/V1000, 30 A, 200 V CA, monofásico, para variadores de	100,70
A1000-FIV3010-SE-Q	693910	Filtro RFI de huella Q2V/V1000/J1000, 10 A, 400 V CA, trifásico, para variadores de	81,90
A1000-FIV3010-SE-LL-Q	693911	Filtro RFI de huella de corriente de fuga baja Q2V/V1000/J1000, 10 A, 400 V CA, trifásico, para variadores de	85,90
A1000-FIV3020-SE-Q	693912	Filtro RFI de huella Q2V/V1000/J1000, 20 A, 400 V CA, trifásico, para variadores de	100,70
A1000-FIV3020-SE-LL-Q	693913	Filtro RFI de huella de corriente de fuga baja Q2V/V1000/J1000, 20 A, 400 V CA, trifásico, para variadores de	108,60
AX-FIC1010-SE	701949	Q2V/V1000/J1000 Filtro entrada 200V monofásico 10A	36,04
AX-FIC1020-SE	701950	Filtro RFI de huella Q2V/V1000/J1000, 20 A, 200 V CA, monofásico, para variadores de	44,36
AX-FIC1030-SE	701951	Filtro RFI de huella Q2V/V1000, 30 A, 200 V CA, monofásico, para variadores de	59,80
AX-FIC1040-SE	701952	Q2V/V1000 Filtro entrada 200V Monofásico (40 Amp)	89,95
AX-FIC1010-SE-LL	701953	Q2V/V1000/J1000 Filtro entrada 200V AC monofásico 10A Baja corriente	68,55

OMRON PVPR 2023

AX-FIC1020-SE-LL	701954	Filtro RFI de huella de corriente de fuga baja Q2V/V1000/J1000, 20 A, 200 V CA,	77,90
AX-FIC1030-SE-LL	701955	Filtro RFI de huella de corriente de fuga baja Q2V/V1000, 30 A, 200 V CA, monof	100,70
AX-FIC1040-SE-LL	701956	Q2V/V1000 Filtro entrada 200V AC monofásico 40A (V1000) Baja Fuga	95,25
AX-FIC4005-SE	701957	Q2V/V1000/J1000 Filtro entrada 400V trifásico 5A (V1000)	59,80
AX-FIC4010-SE	701958	Filtro RFI de huella Q2V/V1000/J1000, 10 A, 400 V CA, trifásico, para variadores	81,90
AX-FIC4015-SE	701959	Filtro RFI de huella Q2V/V1000/J1000, 20 A, 400 V CA, trifásico, para variadores	100,70
AX-FIC4030-SE	701960	Q2V/V1000 Filtro entrada 400V trifásico 30A (V1000)	123,50
AX-FIC4080-SE	701962	Filtro RFI de tipo libro para Q2A, 80 A, 3~ 400 Vca, para los modelos Q2A-A4044	324,00
AX-FIC4005-SE-LL	701963	Q2V/V1000/J1000 Filtro entrada 400V AC trifásico 5A (V1000) Baja Corr	66,85
AX-FIC4010-SE-LL	701964	Filtro RFI de huella de corriente de fuga baja Q2V/V1000/J1000, 10 A, 400 V CA,	85,90
AX-FIC4015-SE-LL	701965	Filtro RFI de huella de corriente de fuga baja Q2V/V1000/J1000, 20 A, 400 V CA,	108,60
AX-FIC4030-SE-LL	701966	Q2V/V1000 Filtro A1000 EMC accesorio para variadores de frecuencia	136,20
AX-FIC4050-SE-LL	701967	Q2V/V1000 Filtro entrada 400V AC trifásico 50A Baja Corriente	272,20
FN5040-17-83	702530	Sine Wave Output Filter IP00, 500 VAC, 17 A	1 226,00
FN5040-38-84	702533	Sine Wave Output Filter IP00, 500 VAC, 38 A	2 136,00
FN5040-48-85	702534	Sine Wave Output Filter IP00, 500 VAC, 48 A	3 481,00
FN5045-115-35	702538	Sine filter 115 A / 103.5 A	8 460,00
Q2-FIA4100-SE	702540	Filtro RFI de tipo libro para Q2A, 100 A, 3~ 400 Vca, para los modelosQ2A-A4089	405,30
Q2-FIA4170-SE	702541	Filtro RFI de tipo libro para Q2A, 170 A, 3~ 400 Vca, para los modelos 4103, 4140	597,00
Q2-FIA4410-SE	702542	Filtro RFI de tipo libro para Q2A, 410 A, 3~ 400 Vca, para los modelos 4208, 4250	531,00
Q2-FIA4600-SE	702543	Filtro RFI de tipo libro para Q2A, 600 A, 3~ 400 Vca, para los modelos 4453, 5468	712,00
Q2-FIA4080-SE	702544	Filtro RFI de tipo libro para Q2A, 80 A, 3~ 400 Vca, para los modelos Q2A-A4044,	324,00
AX-FIR2114-SE	702545	RX2 foot print RFI filter, 114 A, 3~ 230 VAC, for 15-22 kW models	589,00
AX-FIR4146-SE	702546	Filtro RFI tipo libro RX2, 146 A, 3~ 400 VCA, para modelos de 44-55 kW	522,50
AX-FIR4310-SE	702547	RX2 bush bar type RFI filter, 310 A, 3~ 400 VAC, for 75-132 kW models	1 628,00
AX-FIR4073-SE	702548	Filtro RFI tipo libro RX2, 73 A, 3~ 400 VCA, para modelos de 30 kW	322,30
AX-FIR4090-SE	702549	Filtro RFI tipo libro RX2, 90 A, 3~ 400 VCA, para modelos de 37 kW	447,90
3G3RV-PFI3100-SE	702551	Filtro entrada 400V trifásico 100A (E7/F7/L7/G7)	628,00
3G3RV-PFI3060-SE	702556	Filtro entrada 400V trifásico 60A (E7/F7/L7/G7)	420,00
3G3RV-PFI3070-SE	702557	Filtro entrada 400V trifásico 70A (E7/F7/L7/G7)	483,70
FB-40044B	702916	EMC Line-Filter for CIMR-AC4A0031, 0038 and Q2A-A4031, 0038, EN61800-3	258,50
FB-40025B	702915	EMC Line-Filter for CIMR-AC4A0018, 0023 and Q2A-A4018, 0023, EN61800-3	200,20
FB-40014B	702913	EMC Line-Filter for CIMR-AC4A0009, 0011 and Q2A-A4009, 0012, EN61800-3	171,10

OMRON PVPR 2023

FB-40008B	702914	EMC Line-Filter for CIMR-AC4A0002 to 0007 and Q2A-A4002 to 0007, EN61800-	160,20
AX-FIC1014-SE	709228	M1 Series RFI filter 14 A, 200 VAC, single phase.	35,64
AX-FIC1021-SE	709230	M1 Series RFI filter 21 A, 200 VAC, single phase.	45,34
AX-FIC1026-SE	709232	M1 Series RFI filter 26 A, 200 VAC, single phase.	56,85
AX-FIC1045-SE	709234	M1 Series RFI filter 45 A, 200 VAC, single phase.	87,15
AX-FIC1014-SE-LL	709229	Low Leakage M1 Series RFI filter 14 A, 200 VAC, single phase.	65,20
AX-FIC1021-SE-LL	709231	Low Leakage M1 Series RFI filter 21 A, 200 VAC, single phase.	77,50
AX-FIC1026-SE-LL	709233	Low Leakage M1 Series RFI filter 26 A, 200 VAC, single phase.	83,50
AX-FIC1045-SE-LL	709235	Low Leakage M1 Series RFI filter 45 A, 200 VAC, single phase.	95,80
AX-FIC4004-SE	709236	M1 RFI filter 5 A, 400 VAC, three phase.	42,11
AX-FIC4011-SE	709238	M1 RFI filter 11 A, 400 VAC, three phase.	49,14
AX-FIC4017-SE	709240	M1 RFI filter 17 A, 400 VAC, three phase.	62,50
AX-FIC4044-SE	709242	M1 RFI filter 44 A, 400 VAC, three phase.	140,60
AX-FIC4061-SE	709244	M1 RFI filter 61 A, 400 VAC, three phase.	262,70
AX-FIC4095-SE	709246	M1 RFI filter 95 A, 400 VAC, three phase.	264,90
AX-FIC4004-SE-LL	709237	Low Leakage M1 RFI filter 5 A, 400 VAC, three phase.	46,40
AX-FIC4011-SE-LL	709239	Low Leakage M1 RFI filter 11 A, 400 VAC, three phase.	53,95
AX-FIC4017-SE-LL	709241	Low Leakage M1 RFI filter 17 A, 400 VAC, three phase.	69,10
AX-FIC4044-SE-LL	709243	Low Leakage M1 RFI filter 44 A, 400 VAC, three phase.	152,40
AX-FIC4061-SE-LL	709245	Low Leakage M1 RFI filter 61 A, 400 VAC, three phase.	285,00
AX-FIC4095-SE-LL	709247	Low Leakage M1 RFI filter 95 A, 400 VAC, three phase.	293,60
AX-RAI07700042-DE	318997	Reactancia AC 400V 0,4-1,5kW 4,2A 7,7mH	259,90
AX-RAI03500090-DE	318998	Reactancia AC 400V 2,2-4kW 9A 3,5mH	276,60
AX-RAI01300170-DE	318999	Reactancia AC 400V 5,5-7,5kW 17A 1,3mH	294,80
AX-RAI02800080-DE	319000	Reactancia AC 200V 0,2-1,5kW 8A 2,8mH	259,90
AX-RAI00880175-DE	319001	Reactancia AC 200V 2,2-4kW 17,5A 0,88mH	276,60
AX-RAI00350335-DE	319002	Reactancia AC 200V 5,5-7,5kW 33,5A 0,35mH	345,90
AX-RAI07700050-DE	319003	Reactancia AC 400V 0,4-1,5kW 5A 7,7mH	259,90
AX-RAI03500100-DE	319004	Reactancia AC 400V 2,2-4kW 10A 3,5mH	276,60
AX-RAI00740335-DE	319005	Reactancia AC 400V 11-15kW 33,5A 0,74mH	382,20
AX-RAI00880200-DE	319006	Reactancia AC 200V 2,2-4kW 20A 0,88mH	276,60
AX-RAI00180670-DE	319008	Reactancia AC 200V 11-15kW 67A 0,18mH	385,10
AX-RAI00360500-DE	319009	Reactancia AC 400V 18-22kW 50A 0,36mH	510,50

OMRON PVPR 2023

AX-RAI00290780-DE	319010	Reactancia AC 400V 30-37kW 78A 0,29mH	787,00
AX-RAI00191150-DE	319011	Reactancia AC 400V 45-55kW 115A 0,19mH	1 089,00
AX-RAI00091000-DE	319013	Reactancia AC 200V 18-22kW 100A 0,09mH	510,50
AX-RAI00071550-DE	319014	Reactancia AC 200V 30-37kW 155A 0,07mH	750,00
AX-RAI00042300-DE	319015	Reactancia AC 200V 45-55kW 230A 0,04mH	922,50
AX-RC00133057-DE	319427	Reactancia DC 200V 305,7A 0,13mH	1 544,00
AX-RC00162500-DE	319428	Reactancia DC 200V 250A 0,16mH	1 331,00
AX-RC00192015-DE	319429	Reactancia DC 200V 201,5A 0,19mH	1 223,00
AX-RC00231662-DE	319430	Reactancia DC 200V 166A 0,23mH	846,50
AX-RC00301275-DE	319431	Reactancia DC 200V 127,5A 0,3mH	570,00
AX-RC00440859-DE	319432	Reactancia DC 200V 85,9A 0,44mH	345,90
AX-RC00501529-DE	319433	Reactancia DC 400V 152,9A 0,5mH	1 391,00
AX-RC00590614-DE	319434	Reactancia DC 200V 61,4A 0,59mH	302,00
AX-RC00611236-DE	319435	Reactancia DC 400V 123,6A 0,61mH	1 331,00
AX-RC00741042-DE	319436	Reactancia DC 400V 104,2A 0,74mH	1 223,00
AX-RC00920797-DE	319438	Reactancia DC 400V 79,7A 0,92mH	846,50
AX-RC01200644-DE	319440	Reactancia DC 400V 64,4A 1,2mH	562,00
AX-RC01750430-DE	319442	Reactancia DC 400V 43A 1,75mH	338,40
AX-RC02330307-DE	319443	Reactancia DC 400V 30,7A 2,33mH	294,80
AX-RC02510138-DE	319444	Reactancia DC 200V 13,8A 2,51mH	87,75
AX-RC03350219-DE	319445	Reactancia DC 400V 21,9A 3,35mH	188,90
AX-RC03510093-DE	319446	Reactancia DC 200V 9,3A 3,51mH	80,15
AX-RC04410167-DE	319447	Reactancia DC 400V 16,7A 4,41mH	166,40
AX-RC06400116-DE	319448	Reactancia DC 400V 11,6A 6,4mH	107,30
AX-RC06750061-DE	319449	Reactancia DC 200V 6.1A - 6,75mH	70,50
AX-RC10100069-DE	319450	Reactancia DC 400V 6,9A 10,1mH	87,75
AX-RC10700032-DE	319451	Reactancia DC 200V 3,2A 10,7mH	69,55
AX-RC14000047-DE	319452	Reactancia DC 400V 4,7A 14mH	80,15
AX-RC21400016-DE	319453	Reactancia DC 200V 1,6A 21,4mH	68,90
AX-RC27000030-DE	319454	Reactancia DC 400V 3A 27mH	77,20
AX-RC43000020-DE	319455	Reactancia DC 400V 2A 43mH	64,50
AX-RAO00490640-DE	319456	Reactancia AC Salida 200V 15kW 64A 0,49mH	787,00
AX-RAO00950320-DE	319458	Reactancia AC Salida 200V 7,5kW 32A 0,95mH	499,70

OMRON PVPR 2023

AX-RAO01150220-DE	319459	Reactancia AC Salida 200V 5,5kW 22A 1,15mH	382,20
AX-RAO01830160-DE	319460	Reactancia AC Salida 200V 3,7kW 16A 1,83mH	343,10
AX-RAO02000320-DE	319461	Reactancia AC Salida 400V 15kW 32A 2mH	787,00
AX-RAO02500220-DE	319462	Reactancia AC Salida 400V 11kW 22A 2,5mH	657,00
AX-RAO03000105-DE	319463	Reactancia AC Salida 200V 2,2kW 10A 3mH	284,10
AX-RAO03600160-DE	319464	Reactancia AC Salida 400V 7,5kW 16A 3,6mH	499,70
AX-RAO04600110-DE	319466	Reactancia AC Salida 400V 5,5kW 11A 4,6mH	382,20
AX-RAO07300080-DE	319467	Reactancia AC Salida 400V 4kW 8A 7,3mH	314,30
AX-RAO07600042-DE	319468	Reactancia AC Salida 200V 0,75kW 4,2A 7,6mH	263,00
AX-RAO11500026-DE	319469	Reactancia AC Salida 200V 0,4kW 2,6A 11,5mH	259,90
AX-RAO16300038-DE	319471	Reactancia AC Salida 400V 0,4-1,5kW 3,8A 16,3mH	259,90
AX-RAI00111850-DE	351948	Reactancia AC 400V 75-90kW 185A 0,11mH	1 209,00
AX-RAI00072700-DE	351949	Reactancia AC 400V 110-132kW 270A 0,078mH	1 997,00
AX-RAO01650400-DE	351950	Reactancia AC Salida 400V 18,5kW 40A 1,65mH	1 073,00
AX-RAO01300480-DE	351951	Reactancia AC Salida 400V 22kW 48A 1,3mH	1 073,00
AX-RAO01030580-DE	351952	Reactancia AC Salida 400V 30kW 58A 1,03mH	1 104,00
AX-RAO00800750-DE	351953	Reactancia AC Salida 400V 37kW 75A 0,8mH	1 360,00
AX-RAO00680900-DE	351954	Reactancia AC Salida 400V 45kW 90A 0,68mH	1 740,00
AX-RAO00531100-DE	351955	Reactancia AC Salida 400V 55kW 110A 0,53mH	2 390,00
AX-RAO00401490-DE	351956	Reactancia AC Salida 400V 75kW 149A 0,4mH	3 412,00
AX-RAO00331760-DE	351957	Reactancia AC Salida 400V 90kW 176A 0,33mH	3 486,00
AX-RAO00262170-DE	351958	Reactancia AC Salida 400V 110kW 217A 0,26mH	4 108,00
AX-RAO00212600-DE	351959	Reactancia AC Salida 400V 132kW 260A 0,21mH	5 150,00
AX-RAO00390800-DE	351960	Reactancia AC Salida 200V 18,5kW 80A 0,39mH	1 043,00
AX-RAO00330950-DE	351961	Reactancia AC Salida 200V 22kW 95A 0,33mH	1 073,00
AX-RAO00251210-DE	351962	Reactancia AC Salida 200V 30kW 121A 0,25mH	1 104,00
AX-RAO00191450-DE	351963	Reactancia AC Salida 200V 37kW 145A 0,199mH	1 360,00
AX-RAO00161820-DE	351964	Reactancia AC Salida 200V 45kW 182A 0,168mH	1 740,00
AX-RAO00132200-DE	351965	Reactancia AC Salida 200V 55kW 220A 0,13mH	2 390,00
AX-RC00372094-DE	351966	Reactancia DC 400V 209,4A 0,37mH	1 497,00
AX-RC00312446-DE	351967	Reactancia DC 400V 244,6A 0,31mH	1 889,00
AX-RC00252981-DE	351968	Reactancia DC 400V 298,1A 0,25mH	1 889,00
AX-RC00213613-DE	351969	Reactancia DC 400V 361,3A 0,21mH	2 177,00

OMRON PVPR 2023

AX-RAO11800053-DE	354528	Reactancia AC Salida 400V 2,2kW 5,3A 11,8mH	294,80
AX-RAI02000070-DE	369519	Reactancia monof AC 200V 7A 2,0mH	108,90
AX-RAI01700140-DE	369520	Reactancia monof AC 200V 14A 1,7mH	128,60
AX-RAI01200200-DE	369521	Reactancia monof AC 200V 20A 1,2mH	143,80
AX-RAI00630240-DE	369522	Reactancia monof AC 200V 24A 0,63mH	153,00
3AFS400-025	102304	Filtro sinusoidal 400Vac, 25Amp	1 292,00
3AFS-400016	232171	Sine filter, 16 A, 400 V	917,00
3AFS400-035	246914	Filtro sinusoidal 400Vac, 35Amp	1 465,00
3AFS400-007	340662	Filtro sinusoidal 400Vac, 7Amp	857,00
3AFS400-080	345290	Filtro senoidal 400Vac, 80Amp	4 326,00
3AFS400-500	347190		14 960,00
3AFSAP400-025.060	353065		4 745,00
3AFS400-050	353918	Filtro senoidal 400 Vac, 50Amp	2 779,00
3AFS400-010	360993	Filtro sinusoidal 400Vac, 10Amp	918,50
3AFS400-320	401062	Filtro senoidal 400Vac, 320Amp	11 280,00
3AFU400-450	404728	Filtro dv-dt 400Vac 450Amp	5 380,00
AX-RAI00043350-DE	406990	Reactancia AC 400V 132-160kW 335A 0,04mH	1 315,00
AX-RAI00034500-DE	406991	AC input reactor, 450 A, 0.03 mH, for 220 kW size, 400 VAC, 3 phase	2 007,00
3AFSAP400-002-5-060	416950	Filtro senoidal All Pole 400Vac, 2.5A	2 335,00
3ACMF400-025.060	658996	Filtro Modo Común - 400V 25A	2 040,00
3AFS400-125	668413	Filtro senoidal 400Vac, 125Amp	5 820,00
3AFS400-250	675180	Sine filter 250 A IP00	10 190,00
3AFS400-100	675251	Filtro senoidal 400Vac, 100Amp	5 530,00
3AFS400-180	675332	Sine filter, 180 A, 400 V	8 930,00
3AFS230-010IG	676860	Sinusfilter 230 V, 60 Hz, 10A, IP20	778,00
AX-RAO00173250-DE	684162	AC output reactor, 325 A, 0,170 mH, for 132 kW , 400 VAC, 3 phase	4 136,00
AX-RAO00134440-DE	684161	AC output reactor, 440 A, 130 mH, for 160 kW & 200 kW , 400 VAC, 3 phase	5 080,00
AX-RAO00115250-DE	684619	AC input reactor, 525 A, 111 mH, 400 VAC, 3 phase	9 430,00
AX-FER2102-PE	684893	Inductor de ferrita, 21 mm de diámetro, para variadores de hasta 2,2 kW	11,70
AX-FER2815-PE	684894	Inductor de ferrita, 28 mm de diámetro, para variadores de hasta 15 kW	14,74
AX-FER5045-PE	684895	Inductor de ferrita, 50 mm de diámetro, para variadores de hasta 45 kW	35,94
AX-FER5255-PE	684896	Inductor de ferrita, 52 mm de diámetro, para variadores de 45 kW en adelante	52,10
ADF-P100-75/415_T-E-20	688051	Active filter 415V Standard earthing system with graphical HMI and IP20 protect	23 370,00

OMRON PVPR 2023

ADF-P300-360/415_T-E-21-100430	688052	Active filter 415V Standard earthing system with graphical HMI, IP21 protection	88 750,00
ADF-P100V2B-50/415_T-E-20	688054	Active filter 415V Standard earthing system with graphical HMI and IP20 protect	21 520,00
ADF-P100V2B-150/480-I-B-54	694807	ADF P100N active filter 104 / 125 kVA, 150 ARMS, 480 V with IT Earthing System	84 800,00
LR3 40-4/710	694894	AC Input Reactor 4% IP00 for Q2A-A4675-AAA , 675 Amp.	3 638,00
MDB 400/700	694901	AC Output reactor 700 A, 400 V, up to 120 Hz output frequency	5 780,00
P20-BOX46	694900	IP20 Box for AC input reactor type LR3 40-4/710 to LR3 40-4/1200	414,00
AX-RC25000067-DE	695378	DC link reactor, 6.7 A, 25 mH, for 0.4 kW and 0.7 kW, 200 VAC	278,90
LR3 40-4/10	700322	AC Input Reactor 4 % IP00 400VAC	180,10
ADF-P100V2B-75/480-T-21	702952	Active Dynamic Filter 480 V / 75 A, air cooled	50 050,00
ADF-P300V2B-360/480TE21-100430	703115	P300 filter, v2B version, 360A comp.current, T = TN grid adopted, E = extended H	184 200,00
ADF-P100V2B-120/480-T-E-21	703089	Active Dynamic Filter 480 V / 120 A, air cooled and extended 4.3" graphical HMI	60 050,00
ADF-P100V2B-50/480-T-E-21	703087	Active Dynamic Filter 480 V / 50 A, air cooled and e.xtended 4.3" graphical HMI	49 710,00
SI-S3/V	240835	Tarjeta opcional Can Open (V1000) YASK	249,10
SI-P3/V	240836	Tarjeta opcional Profibus (V1000)	334,20
SI-N3/V	241427	Tarjeta opcional Device Net (V1000) YASK	255,80
SI-232/J	249034	Accesorio consola remota J1000	112,40
SI-232/JC	249035	Interface comunicación RS232C (J1000)	112,40
SI-485/J	251861	Interface comunicación RS422/485 (J1000)	116,40
SI-T3/V	256634	Tarjeta Mechatrolink II (V1000)	691,50
SI-T3	258408	Tarjeta opcional Mechatrolink II (A1000-L1000)	493,60
SI-EN3/V	264659	Tarjeta opcional Eth IP (V1000) YASK	558,50
SI-P3	274269	Tarjeta opcional Profibus-DP (A1000 y Q2A)	486,90
SI-S3	274270	Tarjeta opcional CANopen (A1000 y Q2A)	335,70
SI-N3	278325	Tarjeta opcional DeviceNet (A1000 y Q2A)	297,60
01-3876-06	326039	Opcional SX DeviceNet	599,50
3G3AX-MX2-PRT-E	327340	Tarjeta Opcional Profibus (MX2)	275,00
3G3AX-MX2-DRT-E	329711	Tarjeta Opcional Device Net (MX2)	226,00
SI-EN3	330846	Tarjeta opcional Ethernet/IP (A1000) YASK	975,50
3G3AX-MX2-CRT-E	335663	Tarjeta Opcional Componet (MX2)	226,00
3G3AX-MX2-ECT	343139	Tarjeta Opcional EtherCat (MX2)	331,90
3G3AX-MX2-MRT-E	352227	Tarjeta Opcional Mechatrolink (MX2)	352,50
SI-EM3/V	354545	Tarjeta Modbus TCP/IP (V1000)	647,50
3G3AX-MX2-EIP-A	355357	Tarjeta Opcional Ethernet IP (MX2)	481,70

OMRON PVPR 2023

3G3AX-RX-PRT-E	355918	Tarjeta Opcional Profibus (RXup)	347,70
01-3876-10	358169	Opcional SX EtherCAT	631,00
3G3AX-RX-ECT	371931	Tarjeta Opcional EtherCat (RXup)	534,50
SI-EM3	373018	Tarjeta Modbus TCP/IP (A1000)	647,50
SI-EP3	373019	Tarjeta opcional Profinet (A1000) YASK	378,70
SI-EP3/V	373020	Tarjeta opcional Profinet (V1000) YASK	405,50
01-3876-05 coated	379032	SX-series PROFIBUS DP option board, coated	629,00
SI-EL3	394190	Tarjeta Powerlink (V1000)	605,00
SI-EL3/V	394191	Tarjeta Powerlink (A1000)	584,50
3G3AX-CTR150-EE	323822	Resistencia fin de línea Modbus RS422	15,18
3G3AX-PCACN2	283120	Cable comunicación RJ45 - USB PC (RX, JX, ...)	307,60
SI-EN3D	414636	Modulo opcional Eth IP dual (A1000) YASK	691,50
SI-EN3DV	414637	Modulo opcional Eth IP dual (V1000) YASK	731,50
WJ-PN	675155	Tarjeta PROFINET para 3G3MX2	407,60
SI-ES3	683366	Tarjeta opcional EtherCAT para el variador Q2A	588,50
SI-EM3D	683479	Tarjeta opcional Modbus TCP/IP de doble puerto para inversor A1000.	799,50
P1-PN	688727	3G3RX2 PROFINET option board	958,00
P1-PB	688728	3G3RX2 PROFIBUS-DP option board	866,00
P1-EN	688729	3G3RX2 Ethernet (Modbus TCP) option board	898,50
SI-ES3/V	690265	Tarjeta opcional EtherCAT para V1000	588,50
P1-ECT	690705	Tarjeta opcional EtherCAT 3G3RX2	884,00
Q2V-ECAT-KIT	694848	Q2V EtherCAT option board with attachment accesory. They are not assembled	578,00
Q2V-EIP2-KIT	694846	Q2V Ethernet IP Dual channel option board with attachment accesory. They are	679,00
SI-ES3/Q2V	695540	Placa opcional Q2V EtherCAT con carcasa de tarjeta opcional JOHB-Q2V montad	601,00
SI-ES3/V-V1	700203	EtherCAT option board for V1000 with v.1.03 firmware version.	484,50
3G3AX-RX2-ECT	703077	RX2 Series EtherCAT option board	518,00
PS-V10S	240837	Fuente Alimentacion 24Vcc (V1000 VZA-B/2/4 desde 0.1 hasta 4KW)	191,00
PS-V10M	240838	Fuente Alimentacion 24Vcc (V1000 VZA-2/4 desde 5.5 hasta 15KW)	191,00
PS-A10HB	355602	Fuente Alimentacion 24Vcc (L1000 alta potencia)	324,70
EZZ020642A	244716	Kit montaje consola JVOP180 en panel	36,07
100-054-502	337931	Kit IP20 A1000 55/75kW(400V) 37/45kW(200V)	544,00
100-054-504	337933	Kit IP20 A1000 110/132/160kW(400V) 90kW(200V)	1 081,00
100-054-505	337934	Kit IP20 A1000 22kW(400V)	441,10

OMRON PVPR 2023

100-054-506	337935	Kit IP20 A1000 30kW(400V)	452,00
100-054-507	337936	Kit IP20 A1000 37/45kW(400V)	452,00
JVOP-181	239699	USB Conversor / cable (copia parametros)	297,70
PS-A10LB	678676	Fuente Alimentacion 24Vcc (L1000 baja potencia)	319,80
900-192-933-001	684852	Kit de montaje de tapa para teclado JVOP-KPLxxxxxxx, montaje de tornillo	81,05
900-192-933-002	684853	Door mounting kit for keypad JVOP-KPLxxxxxxx, stud mounting	81,05
900-193-209-001	685997	Heatsink External Mounting Kit Q2A 4002~4023	37,99
900-193-209-002	685998	Heatsink External Mounting Kit Q2A 4031~4038	45,58
900-193-209-003	685999	Heatsink External Mounting Kit Q2A 4044~4060	45,58
3G3AX-RX2-PG01	687957	Tarjeta opcional de controlador de velocidad RX2 PG	198,70
EZZ022745A	688540	NEMA1 Kit for Converter U1000 400V 11A, 14A, 21A, 27A, 34A. 200V 28A	206,50
EZZ022745B	688541	NEMA1 Kit for Converter U1000 400V 40A, 52A, 65A, 77A. 200V 42A, 54A, 68A,	272,70
IM-MOTOR-GK-DEMOCASE-V1	689443	Georgii Kobold IM motor Democase for Q2 Series inverters.	4 796,00
Q2V-DRIVE-DEMOCASE-V1	689458	Q2V DEMOCASE	7 325,00
IM-MOTOR-KV-DEMOCASE-V1	689456	Kelvin IM motor Democase for Q2 Series inverters.	5 395,00
ZPSA-GA50V1-1	690253	Heatsink External Mounting Kit Q2V B001~B002, 2001~2002	43,92
ZPSA-GA50V1-2	690254	Heatsink External Mounting Kit Q2V B004, 2004	46,42
ZPSA-GA50V1-3	690255	Heatsink External Mounting Kit Q2V 2006	48,93
ZPSA-GA50V2-1	690256	Heatsink External Mounting Kit Q2V 4001	64,10
ZPSA-GA50V2-2	690257	Heatsink External Mounting Kit Q2V B006, 4002~4004	43,92
ZPSA-GA50V2-3	690258	Heatsink External Mounting Kit Q2V B010, 2008~2012, 4005~4009	82,90
ZPSA-GA50V3-1	690259	Heatsink External Mounting Kit Q2V B012, 2018~2021, 4012	87,85
ZPSA-GA50V4-1	690260	Heatsink External Mounting Kit Q2V B018	169,40
ZPSA-GA50V5-1	690261	Kit de montaje externo de disipador Q2V 2030~2042, 4018~4023	103,00
ZPSA-GA50V6-1	690262	Heatsink External Mounting Kit Q2V 2056, 4031~4038	118,10
ZPSA-GA50V7-1	690263	Heatsink External Mounting Kit Q2V 2070~2082	139,50
ZPSA-GA50V8-1	690264	Heatsink External Mounting Kit Q2V 4044~4060	144,50
JOHB-Q2V	690245	Kit de montaje de la tarjeta opcional de Q2V	38,21
JVOP-KPBCH04AAZ	690779	Kit de tapa en blanco para Q2V	38,21
ZPBA-GA500	695093	Door mounting kit for internal GA500 Keypad, please insert JVOP-KPBCH04AAA	144,50
900-192-121-001	700719	UL Type 1 Kit Q2Ax2004~2042 and 4002~4023	247,30
900-192-121-002	700718	UL Type 1 Kit Q2Ax2056 and 4031~4038	260,90
900-192-121-003	700717	UL Type 1 Kit Q2Ax2070 and 4044~4060	403,60

OMRON PVPR 2023

900-192-121-004	700716	UL Type 1 Kit Q2Ax2082	440,90
900-192-121-005	700715	UL Type 1 Kit Q2Ax2110 and 4075	708,50
900-192-121-006	700714	UL Type 1 Kit Q2Ax2138 and 4089~4103	969,50
900-192-121-007	700713	UL Type 1 Kit Q2Ax2169 and 4140~4168	1 056,00
900-192-121-008	700712	UL Type 1 Kit Q2Ax2211	1 213,00
900-192-121-009	700711	UL Type 1 Kit Q2Ax2257~2313 and 4208~4296	1 598,00
900-192-121-010	700710	UL Type 1 Kit Q2Ax2360 and 4371 / 4389	2 100,00
255870ERC	375101		56,30
255869ERC	375333	Ventilador MX2	41,70
255213ERC	396228		82,65
255415ERC	685137	Cooling fan 3G3RX	92,35
01-3446-00	689475	SX Fan Power board 60x60x25 24V	63,90
01-1865-00	689476	SX Fan Heat exchanger 92x92x25 24V	82,65
01-3179-10	695606	PEBB300 Insulation cover HCB	7,72
JVOP-180	241589	Operador digital remoto LCD (serie 1000)	171,50
JVOP-182	252658	Operador digital remoto LED (J1000)	142,90
4X-KITMINI	327250	Adaptador operador OP01	94,40
3G3AX-OP01	335480	Operador LED remoto (serie X)	99,70
3G3AX-OP05-H-E	356399	Accesorio elevación consola 3G3RX	45,99
3G3AX-OP03	357795	Operador LED remoto (serie X)	225,90
SX-OP02-00-E	358163	Accessory inverter, SX, panel kit incl operator	424,20
SX-OP01-00-E	374849	Accessory inverter, SX, digital operator	259,30
3G3AX-OP05	376184	Operador 5 líneas LCD remoto, función copia (serie X)	358,20
JVOP-161	194736	Operador digital remoto LED (F7/E7/L7/G7)	333,00
EUOP-V11001	407875	Kit de montaje en cuadro IP65, operador externo	156,50
JVOP-KPLCA04AEZ	690347	Teclado LCD Q2 (sin Bluetooth)	223,00
JVOP-KPLCC04ABZ	693138	Teclado LCD Q2 (con Bluetooth)	697,50
SX-OP04-00-E	694164	Accessory inverter, SX, Inverter digital 4-lines operator.	424,20
RHD-B0 30-400-50-230-A-RVE	656410		9 235,00
RHD-B0 70-400-50-230-A-RVE	656417		13 870,00
RHF-RA 144-400-50-20-A-RVE	656440		6 315,00
RLD-E0-095-400-50-0-A-RVE	656443		9 905,00
RHD-B0 13-400-50-0-A-RVE	656449		5 230,00

OMRON PVPR 2023

RHD-B0 7-400-50-0-A-RVE	656451		5 400,00
RLD-E0-080-400-50-0-A-RVE	656458		8 705,00
RFE-A2 17-230-60-0-IF	673424	Front End set including external Harmonic filter and RFI filter. Containing the fol	12 980,00
RFE B3 30-460-60-115-A RVE	677536	Power feed/feedback Rated voltage 3 x 460 VAC 50 Hz Potencia 60 kW	8 010,00
RHF-RA 25-460-60-0-A RVE	677537	Filtro Armónicos 3 x 460 VAC 60 Hz 25A IP20	2 457,00
MMF-06D24DS-RC7	175367	Ventilador	187,70
TMHS-457CGB012	194770	Ventilador externo F7/F7/G5 diferentes potencias	391,80
U7556KXTP	194773	Ventilador	714,50
US12D22	194775	Ventilador externo FV/HV 55Kw-110Kw	429,60
UT797C-TP(B13)	194777	Ventilador externo F7/E7 diferentes alimentaciones y potencias	327,50
MMF-08D24-ESANF	220565	Ventilador externo V7Z, diferentes potencias	196,10
MMF-06D24DS-A17FAN - FAN001048	222253	Ventilador diferentes potencias	180,90
MMF-06D24ES-AOK	231502	Ventilador	176,50
MMF-09C24TS-YM4	236862	Ventilador INT F7/E7 55a110kW(220V) 75a300kW(400V)	214,30
MMF-08D24ES-AN7	250055	Ventilador principal E7, F7, L7 15Kw-18,5Kw	172,30
MMF-09C24TS-YN4	251978	Ventilador Variador	291,10
MMF-04C24DH-CO1	303129	Ventilador externo VZA20P7 (V1000)	79,85
MMF-08G24TS-CN2	303132	Ventilador	282,60
MMF-06D24DM-AC5	320907	Ventilador	172,30
MGT4024LB-R10-YS00	393991	Ventilador	114,90
2410ML-05W-B60-BQM	668487	Ventilador Variador	52,20
MMF-12F24DS-CM1	679863	A1000 Fan	120,10
5920FT-D5W-B60-D04	679861	A1000 Fan	907,00
MMF-12D24DS-RN8	680075	Ventilador	242,30
MMF-08J24TS-CN1	688434	MMF-08J24TS-CN1 FAN DC24V,0.34A	76,45
08025DE-24P-BL-01	688435	08025DE-24P-BL-01 FAN DC24V,0.35A	76,45
09238RE-24L-FLD-1	688436	09238RE-24L-FLD-1 FAN DC24V,0.53A	133,90
12038VE-24R-BL-01	688437	12038VE-24R-BL-01 FAN DC24V,1.48A	224,30
9SG5724A5D63	688438	9SG5724A5D63 FAN DC24V TYP 2.6A	991,50
AFB0312HA-CG24	707015	Fan 12 VDC	77,90
PG-X3	256633	A1000 y Q2A Tarjeta realimentación encoder A,B,Z, 300khz (line driver)	282,90
PG-B3	262489	Tarjeta encoder A,B, 50khz (colector abierto) (A1000 y Q2A)	209,90
3G3AX-PG01	315471	Tarjeta realimentación encoder RX 100khz (line driver)	205,10

OMRON PVPR 2023

PG-F3	323403	Interfaz EnDat PG para variadores A1000 y Q2A. Para entrada de realimentación	401,80
PG-E3	329710	Tarjeta realimentación encoder ERN1387, 50khz (L1000)	457,00
3G3AX-ABS30-E	355360	Tarjeta realimentación encoder LX 30khz (L.Driver-Endat-Hyperface)	453,90
3G3AX-ABS-E	355361	Tarjeta encoder LX 100khz (L.Driver-Endat-Hyperface)	453,90
01-3876-03 coated	379033	SX-series input board for encoders, coated	474,70
PG-RT3	677526	Resolver tarjeta de interfaz PG A1000 e inversores Q2A. TS2640N321E64	951,50
DO-A3	329799	Tarjeta opcional 2 salidas relé aisladas	200,50
AI-A3	332270	Tarjeta opcional 3 ent analógicas +/-10V/0-20mA	272,10
AO-A3	332271	Tarjeta opcional 2 salidas analógicas +/-10V	214,00
DI-A3	332272	Tarjeta opcional 16-bit	165,30
01-3876-08	354784	Opcional termistor motor	204,80
3G3AX-MX2-EIO15-E	374112	Tarjeta Opcional Ent/Sal (MX2)	166,20
AI-V3/J	252659	Potenciometro opcional (J1000)	72,20
SX-D4250-E1ARA4-U	693496	Regenerative SX DC bus supply, 250kW, 400V, IP54, with main switch and conta	46 850,00
AP-B	137468	Cubierta seguridad para Z15 Term. tornillo	6,52
AP-Z	148140	Cubierta seguridad Vert para Z15 Term.torn./soldar	10,93
AP-A	149208	Cubierta de seguridad para Z15	6,13
APB-PG	186943	Cubierta seguridad Horz para Z15 Term.torn./soldar	5,83
AP1-B	103806	Cubierta de seguridad metálico Z15 Para tornillo	3,80
AP-DV	239600	Cubierta antihumedad para Z- _A55-B5V	16,89
D4SL-CN1	357559	Cable D4SL-N conector 1m	27,38
D4SL-CN3	357560	Cable D4SL-N conector 3m	53,05
D4SL-CN5	357561	Cable D4SL-N conector 5m	78,45
D4SL-SK10H	374846	Pomo puerta para llave montaje D4GL y D4SL	70,10
D4SL-CN10	393318	Cable D4SL-N conector 10m	121,30
D4BL RELEASE KEY	134697	Llave especial de reposición para FC con bloqueo	20,20
MC3	354880	Controlador Alfombras Seguridad UM	574,50
UMRT8	354881	Borde amarillo PVC para alfombra UM 2.44m	175,70
UMOC	354882	Borde Exterior Curvado para alfombra UM	49,65
UMAL	363812	Borde Rampa Aluminio para alfombra UM	210,10
UMJS8	363813	Borde Union para alfombra UM 2.44m	172,50
UMIC	363814	Borde Interior para alfombra UM	72,90
UMRT4	393576	Borde amarillo PVC para alfombra UM 1.22m	199,70

OMRON PVPR 2023

ELMON-RAIL-41-322	393975	Módulo relé Seguridad Bordes Sensibles ASO Ple 24/Vcc/Vac	374,50
ELMON-RAIL-39-726	393976	Safety relay for safety edge, PL d, 24 VDC	433,00
F39-TGR-M20	419043	Accessory, M20 gland for safety key switches with metal body, stainless steel	34,79
F39-TGR-MRK	419133	Accesorio, llave de apertura para F3S-TGR-KHL3(-R)	16,81
D4JL-TK-002	690468	Guard lock safety-door switch accessory, D4JL-SK40/D4SL-NSK10-LK, lock-out key	40,89
UMJS4	679544	Borde Union para alfombra UM 1.22m	343,00
MTKCA-0500-0500	678234	Conjunto de esquinas exteriores moldeadas y ribetes que se adaptan a las dimensiones	362,50
MTKCA-0750-1500	679543	Kit bordes y tramos alfombras UMA 750*1500	496,90
MTKCA-0500-1500	677812	Conjunto de esquinas exteriores moldeadas y ribetes que se adaptan a las dimensiones	488,70
MTKCA-0400-0400	680390	Set of molded outside corners and trims that fit the mat dimensions 400 x 400 mm	290,10
MTKCA-0750-0250	679437	Kit bordes y tramos alfombras UMA 750*250	362,50
MTKCA-1000-0500	678235	Conjunto de esquinas exteriores moldeadas y ribetes que se adaptan a las dimensiones	449,20
MTKCA-1000-0750	679818	Kit bordes y tramos alfombras UMA 1000*750	473,70
MTKCA-1000-1250	679540	Kit bordes y tramos alfombras UMA 1000*1250	505,00
MTKCA-0600-0400	680043	Kit bordes y tramos alfombras UMA 600*400	388,30
MTKCA-0750-0500	679571	Kit bordes y tramos alfombras UMA 750*500	396,30
MTKCA-0500-0250	679658	Kit bordes y tramos alfombras UMA 500*250	233,10
MTKCA-1000-1500	678349	Conjunto de esquinas exteriores moldeadas y ribetes que se adaptan a las dimensiones	529,50
MTKCA-0500-0400	680039	Kit bordes y tramos alfombras UMA 500*400	336,50
MTKCA-0750-0750	680181	Kit bordes y tramos alfombras UMA 750*750	510,00
MTKCA-1000-1000	678236	Set of molded outside corners and Trims that fit the mat dimensions 1000*1000	501,00
UMA-TRES	687491	Terminating resistor 8.2 Ohm; to connect 2-cable Mat to a safety Mat Controller	26,01
A2W-H-WC1	688838	Soporte para el botón de seta inalámbrica/protección completa	25,13
A2W-RBP-WC1 EU	685474	Receptor de la unidad maestra, frecuencia UE 868,3 MHz, 8 salidas de transistor	213,70
A2W-AT2.5-WC1	685518	Antena de alta sensibilidad con base magnética para unidad receptora A2W Mas	25,13
A2W-RBN-WC1 EU	685476	Receptor de unidad principal, frecuencia UE 868.3 MHz, 8 salidas de transistor N	213,70
A2W-S-WC1	687091	Correa de botón auxiliar para pulsador A2W	27,65
D41L-MP	701118	Mounting plate for D41L, Plastic, 101 x 40 x 18.5 mm	23,38
D41L-MS	701117	Mounting Kit for D41L, 1 x Aluminium protective plate, 2x Aluminium threaded	27,08
SLL-12EY	103493	LED Amarillo A3P 12Vc	14,79
A7CN-1M-1	104246	Thumbwheel switch end cap (pair), black, for A7CN1*	1,99
A22Z-3453W	105656	Etiqueta de montaje a presión, tamaño grande, sin texto blanco	2,12
A7D-2M-1	105675	Tapa Frontal	2,24

OMRON PVPR 2023

A7P-M	139964	Fijación A7PS Negro	3,47
A7B-M-1	139980	Tapa final negra A7BS	3,87
A7B-C	139981	Conector A7BS Terminales Soldar	14,08
A7B-CP	139982	Conector A7BS Terminales PCB	13,92
A7B-PA-1	139987	Thumbwheel switch spacer, blank, black, for A7BS/A7BL	2,47
A7CN-2M-1	140014		2,50
SLL-05EG	140277	LED Verde A3P 5Vc	15,29
SLL-24ER	140278	LED Rojo A3P 24Vcc	18,04
SLL-24EW	140280	LED blanco A3P 24VCC	16,66
SLL-12EG	140281	LED Verde A3P 12Vc	14,79
A3PA-4007	140431	For A3PA, Short Intermediate Barrier, Black	1,41
SLL-05ER	143463	LED Rojo A3P 5Vc	15,29
A7P-M-1	143470	Fijación A7PS Negro	3,67
A22Z-3321	144455	Marco etiqueta blanco 8mm	2,12
A22Z-3330	144456	Marco sin etiqueta 18mm	1,74
SLL-05EY	144506	LED Amarillo A3P 5Vc	15,29
A22Z-3443B-3	145657	Etiqueta para marco START Fondo negro	2,71
A16ZA-5050	146003	Pulsador/indicador 16mm	9,01
VAQ-4-L	146451	Interruptor de pulsador, diám. de abertura del cuadro 10,5 mm, operación mom	5,31
A22Z-3600T	147769	Cubierta de sellado saliente	4,94
A22Z-3453C	147770	Etiqueta grande transparente para marco	1,93
A22Z-3453R	147771	Etiqueta grande transparente para marco	1,93
A22Z-B201Y	147772	Caja de control ensamblada,1 orificio, amarilla, para parada de emergencia	32,11
A22Z-3003	148771	Espaciador 3 filas de contactos	2,12
A7P-PA-1	148831	Separador A7PS Negro	2,73
A22Z-3333	149851	Marco etiqueta 18mm negra	2,30
A16Z-5080	149866	Extractor para bloques de contactos y lámpara	4,22
A22Z-3476-1	150949	Placa parada emergencia 90mm diá.	5,77
A22Z-3331	150950	Marco etiqueta 18mm blanca	2,30
A22Z-3443B-9	150952	Etiqueta para marco POWER ON Fondo negro	2,86
A22Z-A30	151373	Adapter ring to mount 22 mm switch into 30 mm panel hole, resin	1,93
SLL-24EG	152164	LED verde A3P 24VCC	16,66
A16ZJ-5060	153682	Pulsador/indicador 16mm	7,85

OMRON PVPR 2023

SLL-12ER	156605	LED Rojo AP· 12Vc	14,65
A7D-2PA-1	156611	Tapa Frontal	2,54
A22Z-B203	157747	Caja 3 huecos A22 compatible A3T	79,30
A16ZJ-5050	160080	Pulsador/indicador 16mm	7,17
A16ZA-5060	160081	Pulsador/indicador 16mm	7,85
A16ZT-5060	160082	PULSADOR/INDICADOR 16mm	7,42
A16ZJ-3003	160083	Tapa rectangular A16 para panel	5,50
A16ZA-3003	160084	Pulsador/indicador 16mm	5,35
A16ZT-3003	160085	Pulsador/Indicador 16 mm	5,04
A16Z-3004	160086	PULSADOR/INDICADOR 16mm	10,86
A16Z-5070	160087	Placa parada emergencia 45mm diá.	6,45
A165K-KEY	160654	Llave de repuesto para A165K	7,12
A22K-K	160835	Llave para el selector de llave	7,05
A22-3200	160836	Cierre de montaje (sin contactos)	1,74
A22Z-3466-1	160837	Placa PARADA EMERGENCIA 60 mm. diá.	5,77
A22Z-3530	160838	Tapa negra para agujero A22	4,78
A22Z-3901	160840	Extractor de lámpara	4,02
A22Z-3905	160841	Llave para tuercas	17,66
A22Z-B101	160842	Caja 1 hueco A22	29,47
A22Z-B101Y	160843	Caja 1 hueco A22 amarilla	32,01
A22Z-B102	160844	Caja 2 huecos A22	46,79
A22Z-B103	160845	Caja 3 huecos A22	79,30
A22Z-3320	160847	Marco sin etiqueta 8mm	1,53
A22Z-3600F	160850	Cubierta de sellado enrrasada	4,94
A22Z-3600G	160851	Cubierta de sellado protegido	4,94
A22Z-3443B	160852	Etiqueta negra para marco	2,12
A22Z-3443C	160853	Etiqueta para marco Sin texto Transparente	2,12
A22Z-3443W	160855	Etiqueta de montaje a presión, tamaño normal, sin texto, blanco	2,12
A22Z-3453B	160856	ACCESORIO PARA PULSADOR/SETA DE EMERGENCIA	1,93
A22Z-3323	160859	Marco etiqueta negro 8mm	2,08
A22Z-3580	160860	Anillo metálico enrasado/saliente	2,52
A22Z-3582	160861	Anillo metálico protegido	3,09
A22Z-3500-1	160867	Tapa negra para agujero A22	6,12

OMRON PVPR 2023

A22Z-B201	160878	Caja 1 hueco A22 / A3B	29,47
A22Z-B202	160879	Caja 2 huecos A22	47,82
A22Z-3443R-4	160881	Etiqueta para marco STOP Fondo rojo	2,71
A22Z-3443B-5	160883	Etiqueta de montaje a presión, tamaño normal, texto blanco sobre fondo negro	2,71
A22Z-3443B-6	160884	Etiqueta de montaje a presión, tamaño normal, texto blanco sobre fondo negro	2,71
A22Z-3443B-7	160885	Etiqueta para marco UP Fondo negro	2,71
A22Z-3443B-8	160886	Etiqueta para marco DOWN Fondo negro	2,71
A22Z-3443B-10	160887	Etiqueta para marco OFF-ON Fondo negro	2,57
A22Z-3380	160888	Bloqueo de fijación de carcasa y cabeza	2,12
A16ZJ-5204	251101	Marco para etiqueta Rectangular Translúcido A16	1,33
A16ZA-5203	251103		1,12
A3A-221	104257	Pulsador	0,77
A3PJ-4001	140378	Anclaje montaje horizontal Negro Cuadrado	2,52
A3PA-5060	140435	Pulsador/Indicador Cuadrado	6,71
A3PJ-5080	152184	Pulsador	4,14
A3PJN-5050	265957	Protector Frontal Horizontal	8,44
A22NZ-A-51103	666229	Accesorio Pulsatería A22NZ Marco para Etiqueta grande	3,79
A22NZ-A-302	661690	Accesorio Pulsatería A22NZ Extractor de LEDs	4,39
A22NZ-A-303	664306	Accesorio Pulsatería A22NZ Tapa protectora	4,40
A22NZ-A-C01	666228	Accesorio Pulsatería A22NZ Placa de Bloqueo	4,53
A22NZ-A-B01Y	660760	Accesorio Pulsatería A22NZ Caja 1 hueco amarilla	12,76
A22NZ-A-50501	665523	Accesorio para pulsador A22NZ Ø22, anillo de bloqueo	1,41
A22NZ-K-01	661431	Accesorio Pulsatería A22NZ Llave de Selector	4,67
A22NZ-A-50103	663413	Accesorio Pulsatería A22NZ Marco para Etiquetas	3,79
A22NZ-A-402	665252	Accesorio para pulsador A22NZ, tapón para orificio de metal	6,96
A22NZ-A-301	659819	Accesorio Pulsatería A22NZ Llave de Apriete	14,97
A22NZ-A-401	664542	Accesorio Pulsatería A22NZ Tapa de plástico	4,39
A22NZ-H-02	679759	Parada de emergencia, cierre de montaje a presión	5,72
204500VR-F	687113	Rigid PVC no adhesive Emergency-STOP symbol for A22NE, French language, UL9	41,09
204500VR-D	687112	Rigid PVC no adhesive Emergency-STOP symbol for A22NE, German language, U	41,09
204500VR-E	687111	Rigid PVC no adhesive Emergency-STOP symbol for A22NE, Spanish language, UL	41,09
204500VR-GB	687110	Rigid PVC no adhesive Emergency-STOP symbol for A22NE, English language, UL	41,09
204500VR	687109	Rigid PVC no adhesive Emergency-STOP symbol for A22NE, Italian language, UL9	41,09

OMRON PVPR 2023

44506-2750 RK50	406338	Kit de accesorios para serie ER. 50m.	293,30
44506-2720 RK20	406339	Kit de accesorios para serie ER. 20m.	169,40
44506-2710 RK10	406342	Kit de accesorios para serie ER. 10m.	129,80
44506-4780 SM06-RPSS	406343	Polea de cuerda para serie ER	79,45
44506-4700 SM06-TG00	406344	Tensor para serie ER	93,65
44506-4750 SM06-SP50	406345	Muelle para serie ER	33,30
44506-2705 RK5	406346	Kit de accesorios para serie ER. 5m.	119,90
44506-3711 R100M	406350	Cuerda 100m para serie ER	294,70
44506-4710 SM06-EB10	406354	Pernos para serie ER. 8 unidades	31,88
44506-4720 SM06-DL20	406355	Clip de lazo doble para ER acero inox. 4 unidades	22,40
44506-4770 SM06-THSS	406356	Dedales para serie ER. 4 unidades	13,36
44506-4730 SM06-TB30	406357	Hebilla para serie ER	31,17
44506-2711 RK100	406372	Kit de accesorios para serie ER. 100m.	379,20
44506-2726 RK126	406373	Kit de accesorios para serie ER. 126m.	435,60
44506-2780 RK80	406374	Kit de accesorios para serie ER. 80m.	358,00
44506-3705 R5M	406375	Cuerda 5m para serie ER	14,04
44506-3710 R10M	406376	Cuerda 10m para serie ER	35,56
44506-3720 R20M	406377	Cuerda 20m para serie ER	62,05
44506-3726 R126M	406378	Cuerda 126m para serie ER	386,70
44506-3750 R50M	406379	Cuerda 50m para serie ER	158,90
44506-4760 SM06-ES60	406380	Mecanismo E-stop para serie ER	49,00
44506-4791 SM06-YLES	406381	Pegatina Fondo Amarillo E-STOP para ER6022-SS	6,92
44506-5700 SM06-SL500	406382	Cubierta Repuesto para ER6022	86,60
44506-5710 SM06-SL510	406383	Cubierta Repuesto y LED para ER6022	136,20
44506-5730 SM06-SLXER6022SS1	406436	Cubierta Repuesto para ER6022-SS y XER6022-SS	117,70
44506-5740 SM06-SLER6022LSS1	406437	Cubierta Repuesto y LED para ER6022-SS	132,00
44506-3700 SM06-SL400	670702	Kit reemplazo luz ER5018 con pulsador de rearme	85,60
44506-2730 RK30	658982	Kit de accesorios para serie ER. 30m.	172,20
44506-2715 RK15	659028	Accesorio de interruptor de parada de emergencia accionado por cable, juego d	111,60
D4SL-NSK10-LKH	373978	Llave montaje deslizante D4SL-N con pomo puerta	286,70
D4DS-K1	104525	Pasador horizontal D4NS	5,65
D4GS-NK2	133828	Pasador vertical D4GS	9,66
D4GS-NK4	133829	Pasador ajustable D4GS	21,69

OMRON PVPR 2023

D4GS-NK1	133923	Pasador horizontal D4GS	9,66
D4DS-K2	134023	Pasador vertical D4NS	5,65
D4BS-K1	134587	Pasador horizontal D4BS	8,16
D4BS-K2	134588	Pasador vertical D4BS	8,98
D4BL-K1	134705	Pasador horizontal D4BL	12,08
D4BL-K2	134706	Pasador vertical D4BL	14,24
D4BL-K3	134707	Pasador angular D4BL	39,79
D4BS-K3	148097	Pasador angular D4BS	28,98
D4DS-K3	150258	Pasador angular D4NS	16,15
D4DS-K5	152522	Pasador ajustable horizontal/vertical	25,92
D4NS-SK01	168364	Soporte montaje puertas deslizantes D4NS	382,00
D4NS-SK30	227639	Tapa de plástico para interruptor tipo D4NS-1, incluye D4DS-K2	755,00
D4SL-NK3	367249	Llave de operación ajustable horizontal D4SL-N	24,24
D4SL-NK1S	372695	Pasador horizontal corto D4SL-N	9,45
D4SL-NK1	373813	Llave de operación horizontal D4SL-N	8,03
D4SL-NK2	373814	Llave de operación vertical D4SL-N	8,03
D4SL-NK1G	373815	Pasador horizontal goma D4SL-N	16,57
D4SL-NK2G	373816	Pasador vertical goma D4SL-N	15,86
D4SL-NSK10-LK	373979	Llave montaje deslizante D4SL-N	259,70
D4JL-K2	234053	Pasador vertical D4JL	8,09
D4JL-K1	262987	Llave horizontal D4JL	8,22
D4JL-SK40	265609	Llave montaje deslizante D4JL	510,50
D4JL-K3	372385	Pasador ajustable horizontal D4JL	42,96
F39-TGR-KHF	393680	Llave Flexible Robusta para F3S-TGR-KM15/-KM16/-KH16	29,46
D4SL-NK5	412973	Llave de operación ajustable horizontal/vertical D4SL-N	29,94
F39-TGR-KAM	419025	Pasador horizontal metálico F3S-TGR-K	9,33
F39-TGR-KF	419027	Llave horizontal metálico funda plástico para F3S-TGR-KM15/-KM16/-KH16	9,11
F39-TGR-KHFH	419029	Llave Flexible Robusta Higiénica para F3S-TGR-KM15/-KM16/-KH16	62,60
D4SL-NSK10-LK-15	690372	D4SL-N slide key with mounting plate, 3 door switch special mounting screws, D	346,80
D4SL-NSK10-LK-16	690373	D4SL-N slide key with mounting plate, 3 door switch special mounting screws, D	346,80
D4SL-NSK10-LK-14	690374	D4SL-N slide key with mounting plate, 3 door switch special mounting screws, D	346,80
D41G-A1L	701141	Actuator for D41G, compact, left-hand side, without emergency exit	177,30
D41G-A1L-E0	701140	Actuator for D41G, compact, left-hand side, with emergency exit	244,90

OMRON PVPR 2023

D41G-A1R	701139	Actuator for D41G, compact, right-hand side, without emergency exit	177,30
D41G-A1R-E0	701138	Actuator for D41G, compact, right-hand side, with emergency exit	244,90
D41G-A2L	701120	Actuator for D41G, with door handle, left-hand side, without emergency exit	270,80
D41G-A2L-E1	701121	Actuator for D41G, with door handle, left-hand side, with emergency exit	404,80
D41G-A2L-E1T	701122	Actuator for D41G, with door handle, left-hand side, with emergency exit, with l	484,70
D41G-A2R	701123	Actuator for D41G, with door handle, right-hand side, without emergency exit	270,80
D41G-A2R-E1	701124	Actuator for D41G, with door handle, right-hand side, with emergency exit	404,80
D41G-A2R-E1T	701125	Actuator for D41G, with door handle, left-hand side, with emergency exit, with l	484,70
D41L-A1	701119	Actuator for D41L, straight, 127 x 35 x 46 mm	94,80
D4A-C00	103625	Actuador D4A-N Palanca con roldana ajustable	43,20
D4A-D00	105807	Replacement lever, adjustable rod lever type	24,99
WL-1A100	108305	WL serie Final de carrera repuesto palanca de rodillo	19,01
WL-1A200	108306	Actuador palanca roldana 50mm WL	31,66
WL-2A100	108307	Cabezal de repuesto para el interruptor de final de la serie de WL: para el uso co	26,56
WL-3A100	108308	Palanca de vástago ajustable. Accionamiento de sustitución para el final de carre	41,08
WL-4A100	108309	Actuador varilla ajustable WL	15,50
WL-5A104	108312	Actuador palanca horquilla WL	32,48
WL-1A400	108313	Actuador de repuesto para WL serie final de carrera: palanca de rodillo, 38mm d	40,41
WL-5H5104	108319	Actuador,Final de carrera de propósito general, IP67, ruptura rápida, 2-circuitor,	78,35
WL-9H100	108323	Actuador resorte helicoidal WL	32,88
WL-9H400	108324	FINAL DE CARRERA RUPTURA DOBLE	43,91
WL-2A104	108338	Cabezal de repuesto para el interruptor de final de la serie de WL: para el uso co	49,40
D4C-0002	134456	Final de carrera Sellado	43,10
D4C-0050	134544	Final de carrera compacto	66,50
D4A-0017N	134788	Limit switch replacement head for D4A, roller lever, sequential operation	88,15
D4A-0018N	134789	Cabeza D4AN, Roldana Funcionamiento: neutro central	106,40
D4A-A00	134865	Actuador palanca roldana D4A_N	38,43
D4A-A10	134866	Actuador D4A-N Palanca con Roldana	38,43
D4A-A30	134868	Actuador D4A-N Palanca con Roldana	37,98
D4A-E20	134870	Actuador D4A-N Palanca de horquilla de bloqueo	38,12
D4A-E30	134871	Actuador D4A-N Palanca de horquilla de bloqueo	33,35
D4A-F00	134872	Actuador palanca de lazo	47,82
D4A-0100N	134879	Accesorio D4A	64,55

OMRON PVPR 2023

D4A-0500N	134880	Caja de interruptores de recambio de final de carrera, freno doble DPDT	77,00
D4A-0900N	134881	Interruptor integrado DPDT sin indicador Op. centr	97,25
D4A-0008N	134882	Cabezal D4A-N Embolo lateral ajustable	161,70
D4A-0012N	134883	Cabezal D4A-N varilla flexible muelle	146,80
D4A-0001N	146870	Cabezal D4A-N Roldana estándar	91,30
D4A-1000N	146871	Caja de contacto D4A-N SPDT Cond. 1/2-14NPT	46,04
WL-1A300	147975	Final de carrera ruptura doble	24,78
WL-1H2100	152289	Actuador Palanca ajustable con Roldana WL	68,90
WL-LD	154629	Cubierta con LED 10-115Vc.a. / 10-115Vc.c.	70,20
WL-9H200	156723	Final de carrera ruptura doble	82,30
WL-1H1100	157901	Actuador Palanca con Roldana	59,95
WL-7H200	157903	Actuador Émbolo	49,14
D4A-0014N	183019	Cabezal D4A-N varilla flexible plástico	106,40
D4A-0010N	183170	Cabezal D4A-N Embolo superior con Roldana	125,80
D4A-0016N	183171	Cabezal D4A-N resorte helicoidal plástico	80,85
WL-2A122	224188	Actuador Palanca con roldana ajustable WL	64,10
WL-2A107	224987	Actuador WLCA12 Palanca con roldana ajustable	20,50
D4A-0006N	225026	Cabezal D4A-N Embolo lateral estándar	106,40
D4A-0009N	225028	Cabezal D4A-N Embolo superior estándar	97,25
D4A-0015N	225030	Cabezal de repuesto de final de carrera para D4A, varilla flexible, muelle helicoidal	80,85
D4A-0005N	230729	Cabezal D4A-N Roldana mantenido	83,80
WL-2A111	233752	Actuador (Solo palanca),Final de carrera de propósito general, IP67, ruptura rápida	31,07
WL-5A101	274380	Actuador	26,15
WL-6H2100	333183	Cabezal para final de carrera WL	73,00
WL-9H300	356824	Repuesto actuador varilla de nylon	101,20
WL-9H300-N	670508	Repuesto actuador varilla de nylon para WLNJ-2-N	101,20
CGL125N-3 (67020111)	100761		78,10
F03-01 CHITAN	127403	Electrode, chitan, 1m length, 6mm dia, extendable	64,30
F03-01 HAS B	127404	Electrode, hasteloy B, 1m length, 6mm dia, extendable	588,00
F03-02 SUS201	127405	Accesorio nivel	2,95
F03-02 SUS316	127406	Accesorio nivel	4,24
F03-03 SUS304	127409	Tuerca de fijación para electrodo SUS304	0,52
F03-12	127415	Accesorio nivel	20,19

OMRON PVPR 2023

F03-14 1P	127416	Accesorio nivel	2,62
F03-60 SUS316	127420	Accesorio Nivel	28,44
F03-25	127422	Floatless level controller accessory	72,10
F03-31	127425	Accesorio nivel	18,29
F03-26PEN	127428	Accesorio nivel	34,44
BS-1S2	137097	Portaelectrodos Alta presión 250°C 1 polo Teflón	273,60
BF-1	137182	Portaelectrodos 150°C 1 polo cerámico	28,84
BF-3	137183	Portaelectrodos 150°C 3 polos cerámicos	62,70
BF-5	137185	Portaelectrodos 5 polos	105,60
BS-1	137186	Portaelectrodos Alta presión 250°C 1 polo Teflón	57,85
PS-31 SUS304 1000MM	143136	Portaelectrodos 3 polos juntos 1m	40,04
F03-20	143275	Accesorio nivel	137,70
F03-11	144315	Accesorio nivel	30,43
F03-13	147620	Accesorio nivel	36,43
F03-14-5P	150824	Accesorio nivel	4,56
F03-19	150825	Accesorio Nivel	12,30
F03-01 SUS316	153056	Accesorio nivel	20,19
F03-14-3P	153057	Accesorio nivel	3,94
F03-01 SUS201	155001	Accesorio nivel	10,70
F03-03 SUS316	156416	Tuerca de fijación para electrodo SUS316	1,33
PS-31 SUS304 300MM	157459	Portaelectrodos 3 polos juntos 300mm	38,56
61F-11	160000	REGULADOR DE NIVEL	51,50
F03-26PES	165136	Soporte de montaje y adhesivo, adhesivo de banda sensórica, se utiliza para la F	51,30
F03-16PS	175703	Sensor puntual para K7L	83,95
F03-16PS-F	175704	Sensor puntual resist agentes químicos para K7L	118,80
PS-3S	176624	Portaelectrodos 3 polos	31,50
PS-4S	176625	Portaelectrodos 4 polos	39,22
PS-5S	176626	Portaelectrodos 5 polos	42,71
F03-16SF-5M	182837	Accesorio nivel	182,50
F03-16SF-10M	182838	Banda de electrodo	452,10
CGL125-5S4	186737	Electrode for conductive level switch, length 500 mm, dia. 6 mm, AISI 304, threa	41,58
CGL125-10S4	186741	Electrodo para interruptor de nivel conductivo, 1000 mm de longitud, diám. 6 m	53,50
CGL125-3S4	186754	Electrodo conductor	38,41

OMRON PVPR 2023

F03-20T	196359	Accesorio nivel	56,70
SN-NEW	198702	Sonda nivel conductiva	10,50
PH-2 HAIPREN CODE 20M	679246	Electrodo sumergido, cable de hipalón, cable de dos polos, 20 m de longitud	261,60
F03-01 SUS316 FLUORORESIN	690144	Insulated Electrode, SUS316, Fluororesin Tubing, 1 m length	93,95
F03-01 SUS304 FLUORORESIN	690143	Insulated Electrode, SUS304, Fluororesin Tubing, 1 m length	87,60
F03-01 SUS304 BINIL	690142	Insulated Electrode, SUS304, Vinyl Tubing, 1 m length	50,05
F03-01 SUS316 BINIL	690141	Insulated Electrode, SUS316, Vinyl Tubing, 1 m length	50,05
F03-16PE 1M	695009	Banda de detección de fugas de líquidos, acero inoxidable con cubierta de polietileno	29,23
F03-16PE 2M	695008	Banda de detección de fugas de líquidos, acero inoxidable con cubierta de polietileno	82,95
F03-16PE 5M	695007	Banda de detección de fugas de líquidos, acero inoxidable con cubierta de polietileno	146,30
F03-16PE 10M	695006	Banda de detección de fugas de líquidos, acero inoxidable con cubierta de polietileno	292,30
F03-16PE 15M	695005	Banda sensora 15m para K7L	438,10
F03-16PE 20M	695004	Banda sensora 20m para K7L	583,00
F03-16PE 25M	695003	Banda de detección de fugas de líquidos, acero inoxidable con cubierta de polietileno	738,50
F03-16PE 50M	695002	Banda sensora 50m para K7L	1 463,00
F03-16PE 100M	695001	Liquid leakage sensing band, stainless steel with polyethelene cover, length 100m	3 203,00
F03-16PT 1M	695000	Liquid leakage sensing band, temperature and chemical resistant, stainless steel v	137,30
F03-16PT 2M	694999	Liquid leakage sensing band, temperature and chemical resistant, stainless steel v	273,50
F03-16PT 5M	694998	Banda sensora de plástico fluorado 5m para K7L	525,00
F03-16PT 10M	694997	Liquid leakage sensing band, temperature and chemical resistant, stainless steel v	1 463,00
F03-16PT 15M	694996	Liquid leakage sensing band, temperature and chemical resistant, stainless steel v	1 787,00
F03-16PT 20M	694995	Liquid leakage sensing band, temperature and chemical resistant, stainless steel v	2 329,00
F03-15 5M	694994	Liquid Leakage Sensing Band transparent vinyl chloride 5m length	286,40
F03-15 20M	694992	Liquid leakage sensing band, transparent vinyl chloride, 20 m length	1 002,00
F03-15 100M	694991	Liquid leakage sensing band, transparent vinyl chloride, 100 m length	4 378,00
F03-17 SUS316	703618	Lock nut for BS-1 electrode holder, stainless steel SUS316	14,84
K33-CPA	105740	Tarj. K3HB Salida SPDT + Alim sensor 12Vcc	61,05
K32-23209	106061	Adaptador cable RS-232C para K3SC	72,45
K32-49HC	118244	Cubierta frontal plástico K3N / K3T	4,42
K34-C2	118248	Tarj. K3HB Salida 4-SPST NA	92,65
K34-T1	118249	Tarj. K3HB Salida 5-NPN	86,05
K34-T2	118250	Tarj. K3HB Salida 5-PNP	86,05
K35-1	118251	Tarj. K3HB Entrada Evento 5 NPN	66,25

OMRON PVPR 2023

K35-2	118252	Tarj K3HB Entrada Evento 8-NPN	64,95
K35-4	118253	TARJETA PROCESADOR / VISUALIZADOR INTELIGENTE	79,45
K35-3	144606	Tarj. K3HB Entrada Evento 5 PNP	79,45
K32-49SC	146531	Cubierta frontal transparente K3N / K3T	18,69
K33-A	147813	Tarj. K3HB Aliment del Sensor 12Vcc	51,55
K34-C1	155312	Tarj. K3HB Salida 2-SPDT	75,50
K33-CPB	168450	Tarj. K3HB Salida SPDT + Alim sensor 10Vcc	64,95
K33-B	168451	Tarj. K3HB Alimentación para Sensor 10Vcc	54,80
K33-L1A	168452	Tarj. K3HB Salida analog corriente + Alim sensor 12Vcc	211,60
K33-L1B	168453	Tarj. K3HB Salida analog corriente + Alim sensor 10Vcc	236,70
K33-L2A	168454	Tarj. K3HB Salida analog tensión + Alim sensor 12Vcc	211,60
K33-L2B	168455	Tarj. K3HB Salida analog tensión + Alim sensor 10Vcc	246,20
K33-FLK1A	168456	Tarj. K3HB Comunic RS-232C + Alim sensor 12Vcc	108,50
K33-FLK1B	168457	Tarj. K3HB Comunic RS-232C + Alim sensor 10Vcc	131,20
K33-FLK3A	168458	Tarj. K3HB Comunic RS-485 + Alim sensor 12Vcc	108,50
K33-FLK3B	168459	Tarj. K3HB Comunic RS-485 + Alim sensor 10Vcc	131,20
K34-DRT	168460	Tarj. K3HB Comunicaciones Device Net	330,60
K32-DICN	168466	Accesorio K3HB	28,44
K32-BCD	180122	Cable K3HB BCD - Dsub 37Pin	163,50
K34-BCD	180123	Tarj. K3HB Salida BCD + 5-NPN	174,80
K8AC-CT200L	184037	Transformador de corriente para K8AB-AS3	72,30
K8AC-CT20S	227547	Transformador de corriente 22A 5.8mm dia.	48,02
K6CM-CICB600	680566	Sensor CT para el modelo de análisis de corriente K6CM-CIM, corriente nominal	237,00
K6CM-CICB200	680564	CT sensor for Current analysis model K6CM-CIM, 200A rated primary-side current	177,80
K6CM-VBS1	680565	Cabezal sensor y preamplificador para modelo K6CM-VBS1 de vibración y tempe	759,00
K6CM-CICB100	680568	CT sensor for Current analysis model K6CM-CIM, 100A rated primary-side current	154,20
K6CM-CICB025	680563	CT sensor for Current analysis model K6CM-CIM, 25A rated primary-side current	142,30
K6CM-ISZBI52	680569	Sensor ZCT para resistencia de aislamiento modelo K6CM-ISM, 200 a 480 VCA, 5	889,00
K6CM-CICB400	680561	CT sensor for Current analysis model K6CM-CIM, 400A rated primary-side current	213,30
K6CM-CICB005	680570	CT sensor for Current analysis model K6CM-CIM, 5A rated primary-side current	130,40
K6CM-VBSAT1	700456	Adhesive attachment for the vibration and temperature sensor K6CM-VBS1	49,77
K6PM-THS3232	690912	Sensor térmico de infrarrojos para K6PM-THMD-EIP, 24 V CC, 0 °C - 200 °C, 1024	901,00
K7GE-MG1	700663	Probe unit for Insulation Resistance Monitoring Device K7GE-MGM	296,30

OMRON PVPR 2023

ACA21-USB EEC	323649	Adaptador USB de Hirschmann para autoconfiguración de Swiches gestionados	316,70
RT1L-A01	703609	LinkManager license (Additional Floating License) to enable concurrent access to	495,80
RT1L-C01	703608	Log Tunnel license (Extension of GateManager Account license)	2 355,00
RT1S-A	703607	Starter Package for SiteManager: Includes - Gatemanager Account, 1 x LinkManag	0,02
P2RM-SR	103463	Puente para base P2RF-S Rojo	27,35
R99-11 FOR G3NA	104068	Accesorio para montaje para G3NA-240B/-440B	7,59
PYDM-14SR (50)	104266	Puente de conexión rojo para PYF-14S	75,70
Y92B-N50	105361	Disipador de calor de SSR 10A 2,8°C/W	34,24
G78-16-E	105423	Puente de conexión para G70A-ZOC16-4	10,93
Y92B-N100	107399	Disipador de calor de SSR 40A 1,37°C/W	57,30
Y92B-N150	107400	Disipador de calor de SSR 40A 1,38°C/W	78,60
Y92B-A250	107401	Disipador de calor de SSR, 40A 1,0°C/W	110,20
Y92B-P100	107403	Disipador de calor para G3PE 1,01°C/W	87,55
Y92B-P150	107404	Disipador de calor para G3PE 1,01°C/W	104,20
Y92B-P250	107406	Disipador de calor de SSR 50A 0,36°C/W	175,10
R99-07 FOR G7L	112514	Accesorio G7L abrazadera en E	2,24
R99-04 FOR G5F	112515	Accesorio G7J abrazadera en W	1,83
PYP-18	113243	Placa de montaje para base de conexión posterior, 18 vías, para bases PY*	3,64
PYC-A1	113324	Clip para bases Carril DIN	1,11
PYD-026BS (10)	113329	Cross bar bridges for PYF14A sockets, pitch 29 mm, 2 poles, blue, (10 pcs per un	34,63
PYD-086BS (10)	113330	Puentes de barra transversal para bases PYF14A, paso de 29 mm, 8 polos, azul, (	111,70
PYDM-08SR	113332	Puente de conexión rojo para PYF-08S	75,70
PYDM-08SB	113333	Puente de conexión azul para PYF-08S	75,70
P2RM-SB	113336	Accesorio para Base/Zócalo	27,35
PYP-1	113337	Base individual G9H	1,16
PLC-10	113448	Clip para bases soldar/C.I.	2,45
PFP-100N	113513	DIN-rail mounting track, 35x7.3mm, 1m length.	34,14
PFP-50N	113514	Carril DIN 50cm	15,63
PFP-100N2	113515	Carril DIN 100cm mayor grosor	25,64
PFC-A1	113525	Clip de sujección para base redonda	2,78
P2R-08P	113545	Base G2R-2-S 8 pines Terminales PCB	3,21
R99-11	114077	100 Etiquetas de identificación para MY	20,99
G78-04	122065	Puente de interconexión G7TC	3,59

OMRON PVPR 2023

Y92B-S10	124643	Disipador de calor para G3S	15,27
G32A-E-VR	125211	Potenciómetro externo para ajuste de ciclo de control G32A-EA	46,17
G32A-EA 100-240VAC	125216	Módulo G3PA Control de fase	153,00
G32X-V2K	125222	Potenciometro 2K Ohm G3PX	56,15
G32A-A420-VD-2 12-24VDC	125232	Replacement cartridge for G3PA-420B SSR, suitable for 'VD' versions only.	183,00
G32A-A450-VD-2 12-24VDC	125233	Cartucho potencia para G3PA-450B-VD2	232,50
PYCM-14S	142635	Clip sujeción para PYF-14S	0,81
G78-16-P2RF-E	143184	Barra de terminales comunes para G2RS Bases P2RF	13,04
P2CM-S	145976	Clip de sujeción para P2RF-S	0,35
PFP-M	147906	Carril DIN	2,46
G32A-A430-VD-2 12-24VDC	148199	Cartucho potencia para G3PA-430B-VD2	235,20
PFP-S	148889	Espaciador bases de relés para carril DIN	1,47
PFC-N8	151994	QUITAR DE TARIFA	2,59
Y92B-A150N	152003	Disipador de calor de SSR 40A 1,37°C/W	57,30
PYDM-14SB	152228	Puente de conexión azul para PYF-14S	75,70
PYD-085BS (10)	153327	ACCESORIO PARA BASE/ZOCALO	104,20
Y92B-A100	154222	Disipador de calor de SSR, 20A 1,63°C/W	38,46
PYC-P	154464	Clip para bases Soldar/CI	0,64
PYC-E1	156669	Clip para bases Carril DIN	1,11
PYCM-08S	157441	Clip sujeción para PYF-08S	0,49
R99-12 FOR G3NA	166375	Accesorio montaje carril DIN para G3NA/E	19,67
Y92B-P250NF	171957	Disipador de calor de SSR 90A 0,46°C/W	479,20
P2RVM-020R	225336	Barras conexión trans. G2RV 2Term Rojo	1,44
P2RVM-030R	225337	Barras conexión trans. G2RV 3Term Rojo	2,00
P2RVM-040R	225338	Barras conexión trans. G2RV 4Term Rojo	2,49
P2RVM-200R	225340	Barras conexión trans. G2RV 20Term Rojo	9,87
P2RVM-030B	225347	Barras conexión trans. G2RV 3Term Negro	2,00
R99-16 for G2RV	225352	Identificador - Pegatina (484uds) para Relé/Base G2RV	13,85
R99-15 for G2RV	227343	Etiqueta plástico (120uds) para Base G2RV	17,55
G32A-P2150	373059	Módulo Tiristor 150A para G3PH	478,30
P2RVC-8-I-F	375339	Interfaz Entrada PLC para 8 G2RV PNP	81,45
G32A-A40-VD 5-24VDC	377393	Cartucho potencia para G3PA-240B-VD	82,50
G32A-A60-VD 5-24VDC	377394	Cartucho potencia para G3PA-260B-VD	127,70

OMRON PVPR 2023

G32A-A420-VD 12-24VDC	377395	Cartucho de potencia para G3PA-420VD	122,30
G32A-A430-VD 12-24VDC	377396	Cartucho de potencia para G3PA-430VD	151,80
PYC-TR	379324	10 Clips de sujeción/expulsión plástico	8,64
P70A 200/220VAC	103068	Módulo supresor con LED (AC)	7,59
P70D 12/24VDC	113563	Módulo supresor con LED (DC)	7,59
G73Z-02Z-R	684173	Auxiliary contact block, DPST-NC, for use with G7Z relay	44,00
G73Z-20Z-R	684174	Auxiliary contact block, DPST-NO, for use with G7Z relay	44,00
P2RVC-8-I-7-1	670364	Interfaz Entrada PLC para 8 G2RV-SR/G3RV-SR PNP	78,55
P2RVC-8-I-5	670367	Interfaz Entrada PLC para 8 G2RV-SR/G3RV-SR NPN Push-in+	81,80
P2RVC-8-O-5	670386	Interfaz Salida PLC para 8 G2RV-SR/G3RV-SR NPN Push-in+	81,80
PYDN-31.0-080S	670363	Puente de conexión para PYF-PU Paso 31mm 8 Polos Azul	5,44
PYDN-15.5-080S	670366	Puente de conexión para P2RF-PU Paso 15.5mm 8 Polos Azul	5,44
P2RVC-8-O-7-1	670355	Interfaz Salida PLC para 8 G2RV-SR/G3RV-SR PNP	78,55
PYDN-7.75-200Y	670382	Puente de conexión para P2RF-PU/PYF-PU Paso 7.75mm 20 Polos Amarillo	9,43
PYDN-6.2-030Y	670351	Puente de conexión para G2RV-SR/G3RV-SR Paso 6.2mm 3 Polos Amarillo	1,87
PYDN-6.2-200Y	670372	Puente de conexión para G2RV-SR/G3RV-SR Paso 6.2mm 20 Polos Amarillo	9,25
PYDN-15.5-080Y	670356	Puente de conexión para P2RF-PU Paso 15.5mm 8 Polos Amarillo	5,44
PYDN-7.75-030R	670385	Puente de conexión para P2RF-PU/PYF-PU Paso 7.75mm 3 Polos Rojo	1,91
PYDN-7.75-040Y	670357	Puente de conexión para P2RF-PU/PYF-PU Paso 7.75mm 4 Polos Amarillo	2,37
PYDN-6.2-020S	670362	Puente de conexión para G2RV-SR/G3RV-SR Paso 6.2mm 2 Polos Azul	1,34
PYDN-6.2-020Y	670370	Puente de conexión para G2RV-SR/G3RV-SR Paso 6.2mm 2 Polos Amarillo	1,34
PYDN-6.2-030S	670378	Puente de conexión para G2RV-SR/G3RV-SR Paso 6.2mm 3 Polos Azul	1,87
PYDN-6.2-100Y	670353	Puente de conexión para G2RV-SR/G3RV-SR Paso 6.2mm 10 Polos Amarillo	5,35
PYDN-31.0-080R	670348	Puente de conexión para PYF-PU Paso 31mm 8 Polos Rojo	5,44
PYDN-6.2-040S	670368	Puente de conexión para G2RV-SR/G3RV-SR Paso 6.2mm 4 Polos Azul	2,33
PYDN-15.5-080R	670377	Puente de conexión para P2RF-PU Paso 15.5mm 8 Polos Rojo	5,44
PYDN-7.75-020Y	670380	Puente de conexión para P2RF-PU/PYF-PU Paso 7.75mm 2 Polos Amarillo	1,37
PYDN-7.75-030Y	670376	Puente de conexión para P2RF-PU/PYF-PU Paso 7.75mm 3 Polos Amarillo	1,91
PYDN-6.2-100S	670379	Puente de conexión para G2RV-SR/G3RV-SR Paso 6.2mm 10 Polos Azul	5,35
PYDN-6.2-200S	670371	Puente de conexión para G2RV-SR/G3RV-SR Paso 6.2mm 20 Polos Azul	9,25
PYDN-7.75-020R	670369	Puente de conexión para P2RF-PU/PYF-PU Paso 7.75mm 2 Polos Rojo	1,37
PYDN-7.75-030S	670354	Puente de conexión para P2RF-PU/PYF-PU Paso 7.75mm 3 Polos Azul	1,91
PYDN-7.75-040S	670358	Puente de conexión para P2RF-PU/PYF-PU Paso 7.75mm 4 Polos Azul	2,37

OMRON PVPR 2023

PYDN-7.75-200R	670374	Puente de conexión para P2RF-PU/PYF-PU Paso 7.75mm 20 Polos Rojo	9,43
PYDN-7.75-200S	670359	Puente de conexión para P2RF-PU/PYF-PU Paso 7.75mm 20 Polos Azul	9,43
P2RVC-8-I-5-1	670361	Interfaz Entrada PLC para 8 G2RV-SR/G3RV-SR PNP Push-in+	81,80
PYDN-31.0-080Y	670375	Puente de conexión para PYF-PU Paso 31mm 8 Polos Amarillo	5,44
PYDN-6.2-020R	670352	Puente de conexión para G2RV-SR/G3RV-SR Paso 6.2mm 2 Polos Rojo	1,34
PYDN-6.2-100R	670360	Puente de conexión para G2RV-SR/G3RV-SR Paso 6.2mm 10 Polos Rojo	5,35
PYDN-6.2-200R	670349	Puente de conexión para G2RV-SR/G3RV-SR Paso 6.2mm 20 Polos Rojo	9,25
P2RVC-8-O-5-1	670383	Interfaz Salida PLC para 8 G2RV-SR/G3RV-SR PNP Push-in+	81,80
PYDN-7.75-020S	670373	Puente de conexión para P2RF-PU/PYF-PU Paso 7.75mm 2 Polos Azul	1,37
PYDN-7.75-040R	670384	Puente de conexión para P2RF-PU/PYF-PU Paso 7.75mm 4 Polos Rojo	2,37
PYDN-6.2-030R	670350	Puente de conexión para G2RV-SR/G3RV-SR Paso 6.2mm 3 Polos Rojo	1,87
PYDN-6.2-040R	670365	Puente de conexión para G2RV-SR/G3RV-SR Paso 6.2mm 4 Polos Rojo	2,33
PYDN-6.2-040Y	670381	Puente de conexión para G2RV-SR/G3RV-SR Paso 6.2mm 4 Polos Amarillo	2,33
G73Z-11Z-R	684175	Bloque de contacto auxiliar, SPST-NA y SPST-NC, para uso con el relé G7Z	44,00
MG-CPM-07 41692	685979	Hojas modulares blancas con 48 marcadores de 3x10 mm, policarbonato, sin halógenos	269,90
MG-CPM-07 41691	685978	Hoja modular blanca con 48 marcadores de 5x10 mm, policarbonato, sin halógenos	244,90
MG-CPM-05 41490	685977	Hoja modular con 56 marcadores de 5x10 mm, policarbonato, sin halógenos, sin	285,60
MG-CPM-04 41392	685976	Hoja modular con 80 marcadores de 3x10 mm, policarbonato, sin halógenos, sin	269,90
MG-CPM-04 41391	685975	Hoja modular con 48 marcadores de 6x10 mm, policarbonato, sin halógenos, sin	211,70
MG-CPM-04 41390N	685974	Hojas modulares con 48 marcadores de 5x10 mm, policarbonato, sin halógenos,	244,90
P2DN-6.8-100S	690423	Caja de barra corta para P2RFZ-E. En la caja hay 10 unidades de barra corta, 6,8	28,73
P2DN-15.7-100S	690422	Caja de barra corta para P2RFZ-E. En la caja hay 10 unidades de barra corta, 15,7	28,73
P2DN-CP100	690421	Caja de 100 tapas para barra corta P2DN: tapa de aislamiento para la barra corta	14,98
PYC-0	694132	Clip metálico de retención (clip de muelle de alambre) para su uso con PYF14-ES	3,00
PYC-35-B	694133	Clip de fijación, plástico, para PYF14-ESS-B/-ES-B, se vende en múltiplos de 10 p	6,24
PYC-TR	694134	Placa de identificación para la toma P2RF-**-ESS (1 unidad = 1 bolsa incluye 10 p	8,64
PYC-TR1	694135	Etiquetas para tomas PYF14-ESN/ESS (1 unidad = 1 bolsa incluye 10 etiquetas)	5,70
P2CM-ESS	695857	Clip de sujeción para P2RF-S	10,24
PYDN-6.2ST-200R	708512	Puente de conexión para G2RV-SR/G3RV-SR Paso 6.2mm 20 Polos Rojo	9,25
PYDN-6.2ST-200S	708511	Puente de conexión para G2RV-SR/G3RV-SR Paso 6.2mm 20 Polos Azul	9,25
PYDN-6.2ST-200Y	708510	Puente de conexión para G2RV-SR/G3RV-SR Paso 6.2mm 20 Polos Amarillo	9,25
P2DN-6.8-100S	708969	Caja de barra corta para P2RFZ-E. En la caja hay 10 unidades de barra corta, 6,8	28,73
P2DN-15.7-100S	708968	Caja de barra corta para P2RFZ-E. En la caja hay 10 unidades de barra corta, 15,7	28,73

OMRON PVPR 2023

P2DN-CP100	708967	Caja de 100 tapas para barra corta P2DN: tapa de aislamiento para la barra corta	14,98
PY08-02	104360	Base MY 8 pines Terminales PCB	2,86
PL11	105709	Circular 11 pines	4,22
PY14	113299	Base MY 14 pines Terminales Soldar	3,49
PYF08S	113312	Base MY Carril DIN 7A 8 pines Conexión rápida	6,29
PYF14S	113313	Base MY Carril DIN 5A 14 pines Conexión rápida	8,01
PT08	113368	Base LY 8 pines 10A Terminales Soldar	3,42
PT08-0	113369	Base LY 8 pines 10A Terminales PCB	3,42
PT11	113370	Base LY 11 pines 10A Terminales Soldar	4,53
PT14	113371	Base LY 14 pines 10A Terminales Soldar	4,53
PT14-0	113372	Base LY 14 pines 10A Terminales PCB	4,53
PT11-0	113373	Base LY 11 pines 10A Terminales PCB	4,53
PTF08A	113374	Base LY 8 pines Carril DIN	10,01
PTF11A	113375	Base LY 11 pines Carril DIN	13,04
PTF08A-E	113377	Base LY 8 pines Carril DIN	9,21
PTF14A-E	113378	Base LY 14 pines Carril DIN	13,17
PL08	113440	Circular con alas 8 pines	4,22
PLE08-0	113442	Circular 8 pines	5,79
P7S-14F-END 24VDC	113493	Base G7S-E 6 polos Tornillo Carril DIN	29,88
P7S-14P-E	113494	Conector, conexión posterior, terminales PCB, para relé G7S	21,85
8PFA1	113517	Base 8 pines 93mm	19,40
14PFA	113518	Base 14 pines	34,80
PF083A	113519	Base rectangular 8 pines	10,92
P2R-05A	113537	Base G2R-1-S 5 pines Terminales Soldar PCB	3,54
P2R-057P	113542	Base conexión posterior, 5 contactos, terminales de PCB	4,84
P2RF-05-S	113546	Base G2R-1-S 5 pines Carril DIN Conexión rápida	5,77
P2RF-08-S	113547	Base G2R-2-S 8 pines Carril DIN Conexión rápida	8,67
P2CF-08-E	113612	Base carril DIN frontal rectangular 8 pines	14,10
P2CF-11-E	113613	Base carril DIN frontal rectangular 11 pines	15,02
P3GA-11	120939	Base posterior cuadrada 11 pines	22,46
P3G-08	142420	Base posterior cuadrada de tornillo 8 pines	19,02
US-08	142438	Base aérea	6,42
PY11-02	147908	Base MY 11 pines Terminales PCB	3,49

OMRON PVPR 2023

P2R-08A	148136	Base G2R-2-S 5 pines Terminales Soldar PCB	3,42
PF085A(N)	148890	Carril DIN rectangular 8 pines	11,58
PY14-02	149949	Base MY 14 pines Terminales PCB	3,49
11PFA	149957	Base para MM3P carril DIN	10,77
P2R-05P	151502	Base G2R-1-S 5 pines Terminales PCB	3,21
PY08	154461	Base MY 8 pines Terminales Soldar	2,86
PYF11A	154463	Base MY 11 pines Carril DIN Tornillos	7,61
PLE11-0	154472	Circular con alas 11 pines	5,79
PYF08A-N	168910	Base MY Carril DIN 7A 9 pines	5,97
PYF14A-N	168911	Base MY Carril DIN 5A 15 pines	7,61
PF083A-E	333396	Rectangular 8 pines Carril DIN	5,94
PF113A-E	333397	Rectangular 11 pines Carril DIN	7,20
P7MF-06-D	377102	Base MKS_X con Diodo Carril DIN Tornillo	20,35
P7TF-05	377103	Base para G7T y G3TA	12,66
P7SA-14P	377192	Conector hembra, conexión posterior, terminales PCB, 14 pines, para relés de 6	8,88
P7SA-10P	377193	Base, montaje en superficie/carril DIN, 10 pines, terminales PCB, para relés de 4	7,14
P7SA-14F	377194	Base G7SA 6polos Carril DIN Tornillo	26,48
P7SA-10F-ND 24VDC	377195	Base G7SA 4polos Carril DIN Tornillo LED	32,74
P7SA-14F-ND 24VDC	377196	Base G7SA 6polos Carril DIN Tornillo LED	33,04
P7SA-10F	377197	Base G7SA 4 polos Carril DIN Tornillo	26,70
P7TF-OS16-1 24VDC	377493	Relay I/O block, output base, 16 points, PNP, 24 VDC	338,80
P7TF-OS16 24VDC	377495	Relay I/O block, output base, 16 points, NPN, 24 VDC	338,80
PES-11	382982	Conector hembra para relés, montaje en panel o DIN, terminales roscados	9,94
PES-35	382985	Conector hembra, montaje en superficie/carril DIN, 5 contactos, terminales roscados	6,20
PEC35	383001	Base de propósito general	1,54
PYF-08-PU-L	669990	Base MY Carril DIN 8 pines Push-in+	6,45
P7SA-10F-ND-PU 24VDC	677437	Base, montaje en superficie/carril DIN, 10 pines, terminales Push-In, para relés de 4	34,31
P7SA-14F-ND-PU 24VDC	677438	Base, montaje en superficie/carril DIN, 14 pines, terminales Push-In, para relés de 6	34,68
PYFZ-08-E	684980	Conector hembra, montaje en superficie/carril DIN, 8 contactos, terminales roscados	5,75
PYFZ-14-E	684981	Conector hembra, montaje en superficie/carril DIN, 14 contactos, terminales roscados	7,33
P2RF-05-PU	685032	Base G2R-S Carril DIN 5 pines Palanca de expulsión Push-in+	5,94
P2RF-08-PU	685033	Base G2R-S Carril DIN 8 pines Palanca de expulsión Push-in+	8,99
PYF-08-PU	685034	Base MY Carril DIN 8 pines Palanca de expulsión Push-in+	6,45

OMRON PVPR 2023

PYF-14-PU	685035	Base MY Carril DIN 14 pines Palanca de expulsión Push-in+	8,28
PYF-08-PU-L	685036	Base MY Carril DIN 8 pines Push-in+	6,45
PYF-14-PU-L	685037	Base MY Carril DIN 14 pines Push-in+	8,28
PTF-08-PU	690036	Base, montaje en superficie/carril DIN, 8 contactos, terminales Push-in Plus	11,59
PTF-08-PU-L	690035	Base, montaje en superficie/carril DIN, 8 contactos, terminales Push-in Plus	10,61
PTF-14-PU-L	690034	Base, montaje en superficie/carril DIN, 14 contactos, terminales Push-in Plus	14,42
P2RFZ-05-E	690420	Conector hembra, montaje en superficie/carril DIN, 5 contactos, terminales roscados	6,00
P2RFZ-08-E	690419	Conector hembra, montaje en superficie/carril DIN, 8 contactos, terminales roscados	8,67
PF083A-D	694129	Conector, montaje en superficie/carril DIN, 8 contactos, terminales roscados (co	6,19
PF113A-D	694130	Conector, montaje en superficie/carril DIN, 11 contactos, terminales roscados (c	7,59
PF113A-N	694131	Conector, montaje en superficie/carril DIN, 11 contactos, terminales roscados (l	7,59
PYF14-ESN-B	694136	Conector, con terminales comunes y de muelle en la parte inferior y con termina	8,12
PYF14-ESS-B	694137	Conector, con terminales comunas, NC y NA en la parte superior y terminales de	7,99
P2RF-05-ESS	695856	Base G2R-1-S 5 pines Carril DIN PRO	7,15
P2RF-08-ESS	695858	Base G2R-2-S 8 pines Carril DIN PRO	9,16
PTFZ-08-E	702173	Base LY 8 pines Carril DIN	6,84
PTFZ-14-E	702174	Base LY 14 pines Carril DIN	11,42
E39-L117	103300	Soporte montaje en escuadra E3T-S	13,53
E39-L93FV	104289	Soporte montaje ajustable en plano vert. y ang.	50,55
F39-L12	127294	Soporte protector para Pick up sensors	47,24
E39-L143	130028	Soporte de montaje para E3X-NA/DA-N/S	12,73
E39-L53	131386	Soporte de montaje para E3JM sin tornillos	5,56
E39-L69	131387	Soporte de montaje para E3S-R1*/-R3*	12,73
E39-L85	131391	Soporte de montaje para E3S-C	12,73
E39-L104	131393	Soporte montaje para E3Z y E32-R21	11,43
E39-L96	131397	Soporte de montaje para E39-R1 con E39-L93	28,67
E39-L102	131398	Soporte de montaje horizontal para E3S-C*	11,43
E39-L116	131402	Soporte montaje en L E3T-S	13,53
E39-L118	131403	Soporte montaje en S E3T-S	13,53
E39-L119	131405	Soporte montaje posterior en pared E3T-F	19,49
E39-L120	131406	Soporte montaje lateral en pared E3T-F	19,49
E39-L150	131426	Soporte de montaje ajuste vertical E3Z/E3S-R 65mm	37,99
E39-L153	131427	Soporte de montaje E3Z. Tornillo ranura M3x8	12,73

OMRON PVPR 2023

E39-L93FH	131429	Soporte montaje ajustable en plano horiz. y ang.	50,55
E39-L93H	131430	Soporte montaje fijo en plano horizontal	50,55
E39-L93V	131431	Soporte montaje fijo en plano vertical	49,77
E39-L93XY	131432	Soporte montaje ajustable en plano vert. y horiz	37,99
E39-L6	131440	Soporte de mont para E3L-2RC4/E3S-RS30E4/-R1E4	12,73
E39-L43	131444	Soporte montaje horizontal E3Z	12,73
E39-L59	131466	Soporte de montaje vertical E3SA	12,73
E39-L60	131480	Soporte de montaje PBT para E3S-R*6	6,44
E39-L81	131481	Soporte de montaje vertical para E3S-C*	12,73
E39-L151	142623	Soporte de montaje ajuste vertical E3Z/E3S-R 165mm	44,34
E39-L148	143685	Soporte de montaje para E3X-NA-V	6,04
E39-L70	145483	Soporte de montaje vertical para E3S-A	9,64
E39-L86	146550	Soporte de montaje para E3S-C	14,15
E39-L103	148722	Soporte de montaje vertical para E3S-C y E3S-CR62/67	11,43
E39-L94	150230	Soporte de montaje para E32-T16_	43,43
E39-L44	150902	Soporte de montaje posterior E3Z	12,73
E39-L51	152085	Soporte de montaje para E3JM	12,73
E39-L142	155635	Soporte de montaje ranurado para E3Z Tornillos M3	12,73
E39-L54V	165086	Soporte de montaje para E32-T54V acero inox.	53,80
F39-LJ2	189909	Soporte de montaje F3SJ-A plano	50,85
F39-LJ3	189910	Soporte de montaje F3SJ-A lateral intermedio	67,65
F39-LJ5	233245	Soporte de montaje F3SJ-A para adaptación F3SN menores 300mm	50,85
F39-LE3	242188	Protective Bracket	49,63
E39-EL7S-E3Z	246535	Soporte de montaje en panel E3Z	85,20
F39-LJ1	250325	Soporte de montaje F3SJ-A standard	58,35
E39-L40	348111	Soporte de montaje E3JK y F3C-AL	5,97
OS32C-BKT1	349185	OS32C Soporte de montaje inferior/lateral	123,00
OS32C-BKT2	349186	OS32C Soporte de montaje angulo XY	136,60
OS32C-BKT3	349187	OS32C Soporte de montaje simple	81,55
OS32C-BKT4	349188	OS32C Protector para sensor	84,20
E39-L149	350637	Mounting Bracket for E3Z-G	49,83
E39-L166	351539	Mounting Bracket, for Side-View Shape	11,57
E39-L167	351540	Soporte Montaje para E3T-FD	14,04

OMRON PVPR 2023

E39-L168	351541	Back-mounting Spacer for flat E3T sensors	11,27
E39-L172	351544	Tornillos fijación M2x6 para E3T-F 2pcs SUS304	4,25
E39-L98	354103	Soporte montaje para E3Z y E3S-R6	28,67
E39-L144	354104	Soporte de montaje y protección para E3Z Tornillos	18,56
F39-LJB1	355956	Soporte de montaje F3SJ-B/E Extremos	37,43
F39-LJB2	355957	Soporte de montaje F3SJ-B/E lateral intermedio giratorio	64,60
F39-LJB3-M8	355959	Safety Light Curtain Accessory, F3SJ-E/-B Series, quick mount bracket, M8 slide r	72,35
F39-LJB5	355963	Safety Light Curtain Accessory, F3SJ-E/-B Series, contact mount bracket (4pcs.).	36,45
E39-L180	364865	Soporte de montaje ZX1-LD50 ZX1-LD100	37,05
E39-L181	364866	Soporte de montaje ZX1-LD300 ZX1-LD600	37,05
E39-L182	370092	Soporte de montaje rasante en panel para E3FA	8,20
E39-L183	370093	Soporte de montaje metálico para E3FA	8,20
E39-L185	377543	Soporte de montaje para E3NC-LH02	13,87
E39-L186	377544	Soporte de montaje para E3NC-LH01	14,13
E39-L187	377545	Soporte de montaje para E3NC-SH	13,87
E39-L188	377546	Soporte de montaje para E3NC-SH	14,13
E39-L190	392639	Soporte de montaje para E3NC-LH03	13,87
ZS-XPM1	177222	Adaptador de montaje en cuadro 1ª unidad	201,40
ZS-XPM2	177223	Adaptador de montaje en cuadro expansion	191,90
E39-L178	355879	Soporte de montaje ZX2-LD50/V/L	105,00
E39-L179	355880	Soporte de montaje ZX2-LD100/L	105,00
F39-L11	103785	Soporte de montaje plano para Pick up sensors	44,04
F39-L10	144840	Soporte de montaje acodado para Pick up sensors	44,04
OS32C-CBBP	349176	Bloque de terminales OS32C acceso parte trasera	882,00
OS32C-CBSP1	349177	Bloque de terminales OS32C acceso lateral izquierdo	882,00
OS32C-MT	349189	OS32C Soporte de montaje stand	828,50
F39-EJ-S	373178	Soporte montaje carcasa IP67 F3SJ-A Lateral	47,68
F39-EJ-R	373245	Soporte montaje carcasa IP67 F3SJ-A Frontal	47,68
F39-LJ11	701981	Safety Sensor Accessory, F3SJ-A Series, Top/bottom bracket C; mounting hole pi	29,63
F39-LJ4	688518	Safety Sensor Accessory, F3SJ-A Series, Top/bottom bracket B	66,95
F39-LGF	667565	Accesorio montaje F3SG estándar	20,16
F39-LGA	667566	Accesorio montaje F3SG ajustable	30,22
F39-LGTB-1	667383	Accesorio montaje F3SG superior e inferior en estructura	68,50

OMRON PVPR 2023

F39-LGTB	667385	Accesorio montaje F3SG superior e inferior	96,40
F39-LGMAT	669120	Accesorio montaje Muting en T para F3SG-RA	130,30
F39-LGMAL	669119	Accesorio montaje Muting en L para F3SG-RA	85,55
F39-LGRA	684731	Safety Sensor Accessory, F3SG-R Series, Oil resistance, adjustable bracket set (2 pcs.)	65,80
SCC-1224A	683824	Controlador de borde de seguridad	566,00
F39-LITF1	688923	Soporte de grifo inteligente para DIN en panel	19,64
F39-LSGTB-MS	688670	Adjustable top/bottom bracket set (2 pcs.) for MS4800/F3SR series	88,70
F39-LSGA	690252	Soporte lateral ajustable (2 soportes por juego)	27,50
F39-LSGTB-SJ	690268	Juego de soportes superior/inferior ajustable (2 uds.) para la serie F3SJ/ SN	18,34
F39-LSGTB-RE	690269	Adjustable top/bottom bracket set (2 pcs.) for F3SG-RA/ RE series	19,65
E39-L211	690767	Soporte de montaje para sensor E3AS, forma en L	9,74
E39-L212	690765	Soporte de montaje de protección para E3AS, montaje vertical	14,60
E39-L214	690766	Cubierta metálica de protección para E3AS, montaje en superficie horizontal	21,89
E39-L201	694038	Soporte de montaje para sensor E3AS, en forma de L.	9,60
E39-L202	694039	Soporte de montaje protector para E3AS, montaje vertical	14,38
E39-L203	694040	Soporte de montaje para sensor E3AS, montaje trasero	9,60
E39-L204	694041	Cubierta metálica protectora para E3AS, montaje en superficie horizontal	19,53
F39-LSGF	694903	Soporte de montaje lateral fijo (2 soportes por juego)	24,89
F39-LSGTB-K	695798	Soporte de montaje para el modelo F3SG-SRB IP69K	50,30
F39-LMAF1	695794	Bracket for muting sensor arm mounter (2 units per set)	26,34
F39-FMA150T	695793	Muting sensor arm mounter for through-beam sensor; length 150 mm (2 mounters)	53,90
F39-FMA400T	695792	Muting sensor arm mounter for through-beam sensor; length 400 mm (2 mounters)	61,15
F39-FMA150R	695791	Muting sensor arm mounter for retroreflective sensor; length 150 mm (2 mounters)	65,90
F39-FMA400R	695790	Muting sensor arm mounter for retroreflective sensor; length 400 mm (2 mounters)	74,25
F39-STB	695769	Base ajustable de columna de montaje para F3SG-SR/PG	101,80
F39-ST0990	695770	Columna de montaje en suelo de 990 mm para F3SG-SR/PG; altura de protección 1900 mm	125,90
F39-ST1310	695771	Columna de montaje en suelo de 1310 mm para F3SG-SR/PG, altura de protección 2000 mm	147,50
F39-ST1630	695772	Columna de montaje en suelo de 1630 mm para F3SG-SR/PG, altura de protección 2100 mm	191,60
F39-ST1950	695773	Columna de montaje en suelo de 1950 mm para F3SG-SR/PG, altura de protección 2300 mm	196,40
F39-ST2270	695774	Floor mount column of 2270 mm for F3SG-SR/PG, protective height up to 2080 mm	210,90
E39-L221	696039	Soporte de montaje en forma de L.	11,85
E39-L222	696051	Soporte de cubierta protectora horizontal	15,70
E39-L223	696050	Soporte de montaje trasero	13,42

OMRON PVPR 2023

E39-L224	696049	Soporte de montaje robusto	16,71
E39-L231	696048	Soporte de montaje en forma de L.	14,97
E39-L232	696047	Soporte de cubierta protectora horizontal	20,90
E39-L234	696046	Soporte de montaje robusto	21,55
E39-L261	696045	Soporte de montaje flexible	55,60
E39-L262	696044	Poste de 50 mm para soporte de montaje flexible E39-L261	25,40
E39-L263	696043	Poste de 100 mm para soporte de montaje flexible E39-L261	31,43
E39-E16	696042	Unidad de soplado de aire	47,58
E39-E19	696041	Cubierta de protección frontal para E3AS-HL	38,91
E39-L192	700855	Soporte de montaje E3S-DB SUS304	18,61
E39-L193	700856	Soporte de montaje E3S-DB SUS304	14,55
ZX-CAL2	106187	Unidad de cálculo para conexión multiple	419,40
ZX-XC1A 1M	106271	Cable extension 1m para sensores serie ZX	231,10
ZX-XC9A 9M	106273	Cable extension 9m para sensores serie ZX	431,70
ZX-XC8A 8M	106274	Cable extension 8m para sensores serie ZX	422,80
ZX-SF11	106278	Interface RS232 de comunicaciones serie ZX	818,50
ZX-XF22	106280	Accesorio detección lateral ZX-LT010	308,70
ZX-XF12	152501	Adaptador de cabezal en ángulo recto para ZX-LT001 / ZX-LT005	311,20
ZS-XCN	177221	Unidad para conexión de 2 controladores	79,85
ZS-XC1A	180556	Cable extensión 1m	420,90
ZS-XC4A	180557	Cable extensión 4m	562,50
ZS-XC8A	180558	Cable extensión 8m	785,00
ZS-XC5BR	180561	Cable extension robotizado 5m	937,50
ZS-XC10B	180563	Cable extensión 10m	1 007,00
ZS-MDC41	180566	Unidad Multicálculo	1 714,00
ZS-DSU41	180567	Unidad de almacenamiento de datos PNP	2 199,00
ZS-XC15CR	223624	Cable extensión robotizado 15m.	994,00
ZS-XC25CR	223625	Cable extensión robotizado 25m.	1 556,00
ZS-XC02D	223626	Cable conexión Ecualizador-Amplificador 0.2m	205,90
ZS-XEQ	223627	Ecualizador Digital	645,00
ZX-XGC1A	238020	Cable extension 1m para sensores serie ZX-G	245,30
ZX-XGC5A	238021	Cable extension 5m para sensores serie ZX-G	370,80
ZX-XGC8R	238026	Cable extension robotizado 8m para ZX-G	688,00

OMRON PVPR 2023

ZX-GIF11	238028	Interface de comunicaciones RS-232C. NPN. ZX-G	953,50
ZX-GIF11A	238030	Interface de comunicaciones RS-232C+Soft. NPN. ZX-G	1 130,00
ZX-GIF41A	238031	Interface de comunicaciones RS-232C. ZX-G	1 130,00
ZX-XGC2A	238032	ZX-GT - receiver-controller extension cable 2m	291,60
ZX-XGC8A	238034	Cable extension 8m para sensores serie ZX-G	447,30
ZG2-XC8CR	257549	ZG2 láser Cable extensión robotizado 8m	774,00
ZG2-XC15CR	257550	ZG2 láser Cable extensión robotizado 15m	1 037,00
ZG2-XC25CR	257551	ZG2 láser Cable extensión robotizado 25m	1 392,00
ZG2-DSU11	257552	ZG2 láser Unidad de almacenamiento de datos NPN	2 333,00
ZG2-DSU41	257553	ZG2 láser Unidad de almacenamiento de datos PNP	2 333,00
ZG2-XC3CR	257954	ZG2 láser Cable extensión robotizado 3m	591,00
ZX-XC4A 4M	267630	Cable extension 4m para sensores serie ZX	343,10
ZX2-XC1R	351517	Cable extension robotizado 1m para ZX2	163,90
ZX2-XC4R	351518	Cable extension robotizado 4m para ZX2	242,10
ZX2-XC9R	351523	Cable extension robotizado 9m para ZX2	388,60
ZX2-CAL	352349	Unidad de cálculo para amplificadores ZX2	296,60
ZX2-XC20R	355881	Cable extension robotizado 20m para ZX2	980,00
ZW-XCP2	365158	Cable paralelo para ZW-C 2m	190,70
ZW-XPT2	365160	Cable ZW RS232-PLC 2m	305,00
ZW-XCL	373590	Limpiador conector fibra ZW	152,70
ZW-XCP2E	373591	Cable paralelo para ZW-CE 2m	379,50
ZX2-SF11	392414	Interface RS232 de comunicaciones serie ZX2	757,00
ZW-XFCM	676432	Fiber adapter for ZW-7000 sensor head and extension cable	91,45
ZW-XF7002R	676439	Extension fiber optic cable 2 m for family ZW-7000. Fiber adapter ZW-XFCM is in	784,50
ZW-XF7005R	676438	Cable alargador de fibra óptica de 5 m para la gama ZW-7000, adaptador de fibr	784,50
ZG-RPD41-N	680522	Modulo de salidas paralelo PNP	813,50
ZW-XF8002R	684080	Extension fiber optic cable 2 m for family ZW-8000. Fiber adapter ZW-XFCS is inc	653,50
ZW-XF8010R	684079	Extension fiber optic cable 10 m for family ZW-8000. Fiber adapter ZW-XFCS is in	772,00
ZW-XFCS	682729	Fiber adapter for ZW-8000 sensor head and extension cable	98,05
ZW-XF8005R	682719	Extension fiber optic cable 5 m for family ZW-8000. Fiber adapter ZW-XFCS is inc	719,00
ZW-XF7010R	688394	Extension fiber optic cable 10 m for family ZW-7000, fiber adapter ZW-XFCM is i	956,00
ZW-XF7020R	702639	Extension fiber optic cable 20 m for family ZW-7000, fiber adapter ZW-XFCM is i	1 131,00
ZW-XF7030R	702640	Extension fiber optic cable 30 m for family ZW-7000, fiber adapter ZW-XFCM is i	1 274,00

OMRON PVPR 2023

ZW-XF5002R	684078	Extension fiber optic cable 2 m for family ZW-5000. Fiber adapter ZW-XFC2 is included	456,90
ZW-XF5005R	684077	Extension fiber optic cable 5 m for family ZW-5000. Fiber adapter ZW-XFC2 is included	483,10
ZW-XF5010R	684076	Extension fiber optic cable 10 m for family ZW-5000. Fiber adapter ZW-XFC2 is included	587,50
ZW-XF5020R	684075	Extension fiber optic cable 20 m for family ZW-5000. Fiber adapter ZW-XFC2 is included	810,50
ZW-XF5030R	684074	Extension fiber optic cable 30m for family ZW-5000. Fiber adapter ZW-XFC2 is included	902,00
ZW-XFC2	684230	Fiber adapter for ZW-5000 sensor head and extension cable	91,45
E39-F32C 1M	106026	Tubo protección espiral fibra barrera 1m D1mm	115,60
EE-2002	127846	Conector fotomicrosensor conversión NPN/PNP	61,55
E39-F3	131350	Lente para Fibra óptica Rayo convergencia	185,60
E39-F4	131351	Cizalla para corte de Fibra óptica	7,17
E39-F31	131352	Tapa lente de E3F...	30,87
E39-F14	131353	Conector fibra Diam. 1mm	74,05
E39-F32A 1M	131355	Tubo protección espiral fibra reflexión 1m D2mm	67,35
E39-F32B 1M	131356	Tubo protección espiral fibra barrera 1m D2mm	115,60
E39-F32D 1M	131357	Tubo protección espiral fibra reflex 1m D2mm	61,55
E39-F32C5 0.5M	131359	Tubo protección espiral fibra barrera 0,5m D1mm	89,60
E39-VA	131364	Tester sensores	149,60
E39-S61	131390	Ranura E3S-CT_1	23,62
E39-S64	131404	Ranura redonda para E3T-FT1*.	11,70
E39-E10	131408	Accesorio ajuste sensibilidad para E3T-ST1	48,60
E39-S65C	131420	Ranura circular para E3Z D2mm	12,35
E39-S65D	131421	Ranura para E3Z 0,5x10mm	12,35
E39-S65E	131422	Ranura para E3Z 1x10mm	12,35
E39-S65F	131423	Ranura para E3Z 2x10mm	12,35
E39-S2	131436	Ranura Barrera 6.5mm	9,64
E39-P11	131456	Conversor de haz puntual a lineal E3C-L	171,40
E39-P21	131457	Conversor de haz puntual a área E3C-L	171,40
E39-F1V	131458	Lente para fibra óptica Larga distancia	137,40
E39-E6	131467	Filtro para E3S-A	48,60
E32-VF4	131658	4 channel flange for vacuum resistant fibers	2 097,00
E39-F11	142585	Curvador de tubo para fibras	61,55
E39-S65B	143240	Ranura circular para E3Z D1mm	12,35
E39-E11	143880	Filtro de protección para E3Z 3m	48,60

OMRON PVPR 2023

E39-F32D5 0.5M	144836	Tubo protección espiral fibra reflex 0,5m D2mm	61,55
E39-S65A	145485	Ranura circular para E3Z D0,5mm	12,35
E39-S1	146549	Ranura Barrera 11mm	9,64
E39-F9	146998	Inserciones fibras ópticas delgadas	8,46
E39-S46	148720	Ranura para E3S-A	11,30
EE-2001	149279	Conector fotomicrosensor conversión NPN/PNP	60,75
E39-F32A5 0.5M	151336	Tubo protección espiral fibra reflex 0,5m D2mm	61,55
E39-G3	151371	Potenciometro ajuste sensibilidad para E3X	21,54
E39-F15	152489	Conector fibra Diam. 1mm a 2.2mm	145,50
E39-F13	153586	Accesorio para colocar las fibras reflex	74,05
E39-F10	155530	Conector para empalme de Fibra óptica	15,08
E39-S63	156507	Ranura redonda para E3T-ST1*.	9,64
E39-P31	163197	Convertor de haz puntual a lineal E3C-LR	140,40
E39-P41	163379	Convertor de haz puntual a área E3C-LR	140,40
F3E-IK-S	231750	Kit de Montaje para instalación fija.	202,00
F3E-IK-M	231752	Kit de Montaje para instalación móvil.	189,60
E3X-CN21-M3J-2 0.3M	238254	Conexión para E3X-DA. 30 cm cable + conector M8	40,84
F39-TGR-ST-ADJ	249239	Soporte de montaje ajustable F3ET/M	29,22
E39-F16	305600	Long-distance lens unit for E32 through-beam fibers.	310,10
E39-F18	305601	Lente para fibra óptica Larga distancia M6 coaxial	177,70
E39-F17	305602	Lente para fibra óptica tamaño spot variable	232,20
E3X-DRT21	306521	Unidad de comunicación DeviceNet para E3X-DA-N	636,50
E3X-DRT21-S VER.3	306527	Unidad de comunicación DeviceNet para E3X-DA-S / E3C-LDA / E2C-EDA	479,00
E39-F1	323182	Lente Fibra óptica D4mm	61,55
E39-F2	323183	Lente para Fibra óptica Ángulo recto D4mm	115,60
E39-F3A	323185	Lente focalizadora E32-C42 y E32-D32	132,60
E39-F1-33	323186	Long-distance lens unit for E32 through-beam fibers with M4 head	131,50
E39-F3A-5	323188	Lente focalizadora F7mm fibras E32-EC31/41	119,50
E39-F3B	323189	Lente focalizadora F17mm fibras E32-EC31/41	177,70
E39-F3C	323190	Lente focalizadora F4mm fibras E32-EC31/41	267,20
E3X-CN21 5M	336321	Conexión maestro para E3X-DA. Cable 5m	27,11
E3X-CN11	336330	Conector, cable de 3 hilos para amplificador maestro, cable de 2 m	20,64
E3X-CN12	336331	Cable 1h conexión Esclavo E3X-DA-N	20,64

OMRON PVPR 2023

E3X-CN21	336332	Cable 4h conexión Maestro E3X-DA-N	27,11
E3X-CN22	336333	Cable 2h conexión Esclavo	27,11
E3X-CN11 5M	336334	Cable 3h conexión Maestro, Cable 5m	27,11
E3X-CN12 5M	336335	Cable 1h conexión Esclavo E3X-DA-N Cable 5m	26,32
E3X-CN02	336336	Plug, wire-saving, for E3X fiber optic amplifier.	12,42
E3X-CN21-M1J 0.3M	336337	Conexión maestro para E3X-DA. 30cm cable + conector M12	66,30
E39-S76A	351537	Ranura circular para E3T-ST__M(F) D0.5mm	8,60
E39-S76B	351538	Ranura circular para E3T-ST__M(F) D1mm	8,43
E3X-ECT	357104	Unidad comunicación EtherCAT E3X	550,00
E3X-CN11 10M	365286	Cable 3h conexión Maestro E3X-DA-N Cable 10m	56,30
E39-G18	377417	Display-cover for E3X-SD & E3X-NA	4,81
F39-TGR-CL-LLK	377560	Kit Láser para alineación de barreras F3S-TGR-CL	592,50
E39-P52	392640	Conversor de haz puntual a lineal E3NC-LH02	36,14
E39-P51	392643	Conversor de haz puntual a lineal E3NC-LH03	36,14
F39-A11	150199	Lámpara indicadora de muting	103,70
F39-MC21	224502	Consola de configuración para F3SJ-A	580,50
F39-CN6	230587	Terminal de Muting F3SJ-A	98,95
F39-TGR-MDG0001	249217	Espejo para fotocélula de seguridad Altura max. 150m	76,10
F39-TGR-MDG0310	249218	Espejo para barreras de seguridad Altura max. 310m	187,20
F39-TGR-MDG0607	249220	Espejo para barreras de seguridad Altura max. 600mm	254,40
F39-TGR-MDG0750	249221	Espejo para barreras de seguridad Altura max. 750mm	286,50
F39-TGR-MDG1057	249223	Espejo para barreras de seguridad Altura max. 1050mm	354,90
F39-TGR-MDG1207	249224	Espejo para barreras de seguridad Altura max. 1200mm	385,50
F39-TGR-MDG1500	249226	Espejo para barreras de seguridad Altura max. 1500mm	412,00
F39-TGR-MDG1657	249227	Espejo para barreras de seguridad Altura max. 1650mm	425,10
F39-TGR-MDG1822	249228	Espejo para barreras de seguridad Altura max. 1800mm	452,70
OS32C-WIN-KT	349191	OS32C repuesto ventana escaner	157,70
F39-PTJ	355126	Safety Light Curtain Accessory, F3SJ Series, Laser-alignment kit	714,00
WIN-CLN-KT	359022	Kit limpieza OS32C	60,05
F39-A01PY-PAC	371569	F3SJ-A Amarilla	392,40
F39-TRD14	397116	Barra prueba para barreras seguridad 14mm	51,70
F39-TRD20	397117	Barra prueba para barreras seguridad 20mm	51,70
F39-TRD25	397118	Barra prueba para barreras seguridad 25mm	51,70

OMRON PVPR 2023

F39-TRD30	397119	Barra prueba para barreras seguridad 30mm	51,70
E39-F9W13	674701	Fiber attachment 1.3 diameter.	7,66
F39-LP	667337	Lámpara 3 colores para F3SG-RA	48,91
E39-EF51	656850	Lente focalizadora F0,5-3mm E32-EC31/EC41	222,00
E39-EF1-37	656867	Lente focal para fibra óptica. Resistencia hasta 600°C	107,70
F39-CNM	667338	Accesorio unidad terminación para F3SG-RA	7,83
F39-BTLP	667384	Lámpara 3 colores para F3SG-RA + Bluetooth	108,30
F39-BT	667386	Accesorio Bluetooth para F3SG-RA	92,55
F39-PTG	668894	Kit Laser alineación de barreras F3SG-R	424,30
E39-F9-7-C1	680411	Accesorio, lente focal para fibra E32-C31M (250 juegos//500 unidades)	2 110,00
F39-CN11	701426	End cap for F3SJ-B only, both emitter and receiver, black case	18,97
F39-SGLP	695768	Sensor de seguridad accesorio, F3SG-SR/PG, unidad de lámpara	17,04
F39-SML0990	695789	Columna de espejo de 990 mm para Barrera de seguridad F3SG-SR/PG up a 800	388,00
F39-SML1310	695788	Columna de espejo de 1310 mm para Barrera de seguridad F3SG-SR/PG up a 112	398,10
F39-SML1630	695787	Columna de espejo de 1630 mm para Barrera de seguridad F3SG-SR/PG up a 144	579,00
F39-SML1950	695786	Columna de espejo de 1950 mm para Barrera de seguridad F3SG-SR/PG up a 176	604,00
F39-PML0990-2	695785	Columna de espejo de 990 mm para el sensor de seguridad multihaz F3SG-PG_A	215,50
F39-PML1310-3	695784	Columna de espejo de 1310 mm para el sensor de seguridad multihaz F3SG-PG_	263,40
F39-PML1310-4	695783	Columna de espejo de 1310 mm para el sensor de seguridad multihaz F3SG-PG_	310,10
F39-PML1630-4	695782	Columna de espejo de 1630 mm para el sensor de seguridad multihaz F3SG-PG_	317,40
E39-G25	702814	Cover for E3NX amplifier	2,97
F39-PTS	701636	Laser-alignment kit for F3SG-SR/PG Series	616,50
E39-RS1	131412	Espejo adhesivo 10x35mm	14,55
E39-RS3	131413	Espejo adhesivo 80x70mm	49,40
E39-R10	131424	Espejo 51,6x61 4mm para E3Z-R(3,5m)	21,54
E39-R3	131460	Espejo adhesivo 38x20mm	30,12
E39-R4	131468	Espejo 23x14mm	28,27
E39-RS2	145484	Espejo adhesivo 40x35mm	22,99
E39-R9	154931	Espejo 35x42mm	19,87
E39-RSA	157697	Espejo adhesivo 10x35mm	13,90
E39-R14	162661	Espejo para E3C-LR Objetos transparentes 23x23mm	96,10
E39-R13	163377	Espejo para E3C-LR Area detec. 7x7mm	37,48
E39-R12	163867	Espejo para E3C-LR 23x23mm	55,00

OMRON PVPR 2023

E39-RS4	165090	Espejo adhesivo cortable para E3C-LR 195x22mm	181,70
E39-RS5	165091	Espejo adhesivo cortable para E3C/E3X,E3S 108x46mm	219,30
E39-RP1	235857	Espejo rectangular (80x44mm) para E3ZMB	39,94
E39-R37-CA	249845	Espejo miniatura E3T-SR4*	14,81
E39-RS1-CA	249846	Espejo adhesivo 10x35mm para E3T-SR4_	14,55
E39-RSP1	352333	Espejo 50x12mm para E3ZM-B 250mm	41,63
E39-R40	356162	Espejo cuadrado 84.5x84.5 mm	28,94
E39-R43	356163	Espejo rectangular 60x18mm. 2 ranuras de montaje	13,14
E39-R47	356166	Espejo de cristal. 500°C tª 51x94mm	268,50
E39-R49	356167	Espejo redondo D30mm montaje por fijacion	10,53
E39-R6	356168	Espejo 40x34mm	30,34
E39-R7	356169	Espejo diámetro 84mm	11,58
E39-R8	356170	Espejo cuadrado 100 x100 mm	25,95
E39-RS25 22.8M	356171	Espejo adhesivo 25mm x 22.8m Luz polarizada	285,40
E39-RS25 5M	356172	Espejo adhesivo 25mm x 5m	127,30
E39-RS50 22.8M	356173	Accessory photoelectric sensor, reflective tape, 50mm x 22.8m.	806,50
E39-RS50 5M	356174	Espejo adhesivo 50mm x 5m Luz polarizada	254,30
E392-20 CB	356188	Espejo 23,5x39,2mm. Color negro	16,24
E391-50	356189	Espejo 23,5x40mm	12,73
E39-RP37	357075	Espejo Inox SUS301 10,2x8,7 para E3ZM-B 250mm	36,95
E39-RS50 1M	357623	Espejo adhesivo 50mm x 1m Luz polarizada	50,85
E39-R1	358211	Espejo 60x40mm	21,03
E39-R1S	372803	Espejo 60x40mm	16,37
E39-R1K	372980	Espelho anti-condensação 59,9x40,3mm	46,53
E39-R2	372981	Espejo 60x80mm	30,12
E39-R21	386286	Espejo alta precisión 35x30	25,57
E39-R22	392638	Espejo 55x40mm	43,50
E39-RS10	392641	Espejo adhesivo para laser E3NC-LH03 25x25mm	20,44
E39-RS11	392642	Espejo adhesivo para laser E3NC-LH03 50x50mm	57,35
E39-R15	659473	Espejo carcasa SUS. 105x30mm	430,60
E39-R16	659474	Espejo 43x30mm Superior resistencia detergentes SUS316L Borosilicato	154,70
E39-R1R	674914	Espejo, resistente al aceite, 106 x 65,4 x 11,55 mm	100,60
E39-R50K	676825	Reflector, 40x60mm, IP69K, detergent resistant & anti-fogging coating.	41,31

OMRON PVPR 2023

E39-RS51	695838	Espejo adhesivo alta precision micro-prismas 230x230mm	520,00
E39-R50	699563	Espejo 40x60mm Resistencia detergentes	39,94
E39-R42	699561	Espejo 60x51mm	15,85
E39-R51	699564	Espejo 20x40mm Resistencia detergentes	31,39
E39-R52	699565	Espejo rectangular 20x60mm blanco	25,57
ZX-LDA11-N 2M	169183	Amplificador NPN 3 salidas digitales+1 analógica	1 385,00
ZX-LDA41-N 2M	169184	Amplificador PNP 3 salidas digitales+1 analógica	1 385,00
E3C-LDA8AT	192122	Amplificador PNP Doble salida ATC Conector	421,40
ZX-GTC11	238014	Amplificador NPN 3 salidas digitales 1 analógica	1 285,00
ZX-GTC41	238015	Amplificador PNP 3 salidas digitales 1 analógica	1 285,00
E3C-2	131197	Cabeza sensora Barrera 2m	224,10
E3NC-LA7	375069	Amplificador E3NC-L NPN Entrada externa- 1 salida Conector	248,70
E3NC-LA9	375070	Amplificador E3NC-L PNP Entrada externa- 1 salida Conector	248,70
E3NC-SA51 2M	375071	Amplificador E3NC-S PNP Entrada externa- 2 salidas Cable 2M	248,70
E3NC-LA21 2M	375078	Amplificador E3NC-L NPN Entrada externa- 2 salidas Cable 2M	248,70
E3NC-LA51 2M	375079	Amplificador E3NC-L PNP Entrada externa- 2 salidas Cable 2M	248,70
E3NC-SA21 2M	375082	Amplificador E3NC-S NPN Entrada externa- 2 salidas Cable 2M	248,70
E3NC-SA7	375083	Amplificador E3NC-S NPN Entrada externa- 1 salida Conector	248,70
E3NC-SA9	375084	Amplificador E3NC-S PNP Entrada externa- 1 salida Conector	248,70
E3NC-LA0	375781	Unidad de comunicación E3NC-L 2 salidas	274,90
E3NC-SA0	375784	Unidad de comunicación E3NC-S 2 salidas	274,90
E3NC-SA24	379285	Amplificador E3NC-S PNP Entrada externa- 2 salidas Conector M8	248,70
E3NC-SA54	379286	Amplificador E3NC-S PNP Entrada externa- 2 salidas Conector M8	248,70
E3NC-LA24	379287	Amplificador E3NC-L NPN Entrada externa- 1 salida Conector M8	248,70
E3NC-LA54	379288	Amplificador E3NC-L PNP Entrada externa- 1 salida Conector M8	248,70
E3C-LDA21N 2M	707120	Photoelectric sensor, laser amplifier, 2 outputs, 1 input, DC, NPN, 2 m cable	343,10
E3C-LDA51N 2M	707119	Photoelectric sensor, laser amplifier, 2 outputs, 1 input, DC, PNP, 2 m cable	343,10
E3C-LDA6N	707118	Photoelectric sensor, laser amplifier, 2 output, DC, NPN, system connector	343,10
E3C-LDA7N	707117	Photoelectric sensor, laser amplifier, 1 output, 1 input, DC, NPN, system connect	343,10
E3C-LDA8N	707116	Photoelectric sensor, laser amplifier, 2 output, DC, PNP, system connector	343,10
E3C-LDA9N	707115	Photoelectric sensor, laser amplifier, 1 output, 1 input, DC, PNP, system connect	343,10
ZS-LDC11	180549	Amplificador Láser NPN 3 salidas digit.+ 1 analóg.	2 258,00
ZS-LDC41	180565	Amplificador Láser PNP 3 salidas digit.+ 1 analóg.	2 258,00

OMRON PVPR 2023

ZS-HLDC11	223616	Amplificador multitarea NPN	2 220,00
ZS-HLDC41A	223617	Amplificador multitarea PNP + cable USB + Software	2 439,00
ZS-HLDC41	223618	Amplificador multitarea PNP	2 220,00
ZG2-WDC11A	257543	ZG2 láser Controlador multifuncional avanzado NPN + Software	6 980,00
ZG2-WDC41A	257544	ZG2 láser Controlador multifuncional avanzado PNP + Software	6 980,00
ZW-CE15T	378697	Amplificador ZW PNP Ethercat	11 410,00
ZW-7000T	676430	Controlador de desplazamiento confocal, modelo de velocidad ultraalta, con con	6 420,00
ZW-8000T	683875	Confocal Displacement controller, ultra high precision model, with EtherCAT con	7 190,00
ZW-5000T	684057	Controlador de desplazamiento confocal, modelo estándar, con comunicación E	2 475,00
ZS-HLDC11-N	709297	ZS-H controller, analog output and NPN digital outputs	2 220,00
ZS-HLDC41-N	709296	ZS-H controller, analog output and PNP digital outputs	2 220,00
ZS-HLDC41A-N	709294	ZS-H controller, analog output and PNP digital outputs, software & USB lead	2 439,00
F39-HJ1870	324639	Cubierta Protección F3SJ-A 1870mm	219,10
F39-HJ1620	374227	Cubierta Protección F3SJ-A 1620mm	217,90
F39-EJ0295-L	377436	Carcasa IP67 F3SJ-A 295mm Emisor	343,70
F39-EJ0295-D	377437	Carcasa IP67 F3SJ-A 295mm Receptor	343,70
F39-EJ0470-L	379030	Carcasa IP67 F3SJ-A 470mm Emisor	760,50
F39-EJ0470-D	379031	Carcasa IP67 F3SJ-A 470mm Receptor	760,50
F39-EJ0995-L	390089	Carcasa IP67 F3SJ-A 995mm Emisor	605,50
F39-EJ0995-D	390090	Carcasa IP67 F3SJ-A 995mm Receptor	605,50
F39-EJ1995-L	393319	Carcasa IP67 F3SJ-A 1995mm Emisor	846,50
F39-EJ1995-D	393320	Carcasa IP67 F3SJ-A 1995mm Receptor	846,50
F39-HJ1270	408462	Cubierta Protección F3SJ-A 1270mm	183,80
F39-HJ0445	700834	Safety Light Curtain accessory, F3SJ-A , spatter protection cover, height 445 mm	115,90
F39-HJ1745	668454	Cubierta Protección F3SJ-A 1745mm	210,40
F39-HGA0360	667339	Cubierta protección para F3SG-RA 360mm	52,60
F39-HGA0920	667340	Cubierta protección para F3SG-RA 920mm	79,05
F39-HGA1560	667341	Cubierta protección para F3SG-RA 1560mm	123,80
F39-HGA1960	667342	Cubierta protección para F3SG-RA 1960mm	133,20
F39-HGA0550	667343	Cubierta protección para F3SG-RA 550mm	61,90
F39-HGB0260	667344	Cubierta protección para F3SG-RE 260mm	47,32
F39-HGB0740	667345	Cubierta protección para F3SG-RE 740mm	71,10
F39-HGB1380	667346	Cubierta protección para F3SG-RE 1380mm	105,20

OMRON PVPR 2023

F39-HGB1540	667347	Cubierta protección para F3SG-RE 1540mm	111,80
F39-HGA0600	667362	Cubierta protección para F3SG-RA 600mm	63,20
F39-HGA1000	667363	Cubierta protección para F3SG-RA 1000mm	86,90
F39-HGA1160	667364	Cubierta protección para F3SG-RA 1160mm	94,70
F39-HGA1400	667365	Cubierta protección para F3SG-RA 1400mm	105,20
F39-HGB1140	667366	Cubierta protección para F3SG-RE 1140mm	93,50
F39-HGB1460	667367	Cubierta protección para F3SG-RE 1460mm	109,30
F39-HGA0280	667375	Cubierta protección para F3SG-RA 280mm	48,64
F39-HGA1240	667376	Cubierta protección para F3SG-RA 1240mm	97,45
F39-HGB0580	667377	Cubierta protección para F3SG-RE 580mm	63,20
F39-HGB0900	667387	Cubierta protección para F3SG-RE 900mm	77,70
F39-HGA0680	667413	Cubierta protección para F3SG-RA 680mm	67,25
F39-HGA1320	667414	Cubierta protección para F3SG-RA 1320mm	101,40
F39-HGB1060	667415	Cubierta protección para F3SG-RE 1060mm	89,55
F39-HGB1700	667416	Cubierta protección para F3SG-RE 1700mm	119,80
F39-HGA0760	667427	Cubierta protección para F3SG-RA 760mm	71,10
F39-HGA0840	667428	Cubierta protección para F3SG-RA 840mm	75,05
F39-HGA1080	667429	Cubierta protección para F3SG-RA 1080mm	90,80
F39-HGB0340	667430	Cubierta protección para F3SG-RE 340mm	51,25
F39-HGB0420	667431	Cubierta protección para F3SG-RE 420mm	55,25
F39-HGB0500	667432	Cubierta protección para F3SG-RE 500mm	59,20
F39-HGB0660	667433	Cubierta protección para F3SG-RE 660mm	67,25
F39-HGB0980	667434	Cubierta protección para F3SG-RE 980mm	81,65
F39-HGA0200	667438	Cubierta protección para F3SG-RA 220mm	44,71
F39-HGA0440	667439	Cubierta protección para F3SG-RA 440mm	56,55
F39-HGA0520	667440	Cubierta protección para F3SG-RA 520mm	59,20
F39-HGA1480	667441	Cubierta protección para F3SG-RA 1480mm	109,30
F39-HGA1640	667442	Cubierta protección para F3SG-RA 1640mm	117,20
F39-HGB1620	667443	Cubierta protección para F3SG-RE 1620mm	115,90
F39-HGA1720	667484	Cubierta protección para F3SG-RA 1720mm	121,20
F39-HGB0180	667494	Cubierta protección para F3SG-RE 180mm	43,39
F39-HGB0820	667495	Cubierta protección para F3SG-RE 820mm	75,05
F39-HGB1220	667496	Cubierta protección para F3SG-RE 1220mm	97,45

OMRON PVPR 2023

F39-HGB1300	667497	Cubierta protección para F3SG-RE 1300mm	101,40
F39-HGB1940	667498	Cubierta protección para F3SG-RE 1940mm	131,60
F39-HGA1800	667521	Cubierta protección para F3SG-RA 1800mm	125,10
F39-HGA1880	667522	Cubierta protección para F3SG-RA 1880mm	129,00
F39-HGB1780	667523	Cubierta protección para F3SG-RE 1780mm	123,80
F39-HGB1860	667524	Cubierta protección para F3SG-RE 1860mm	127,70
F39-HSG0240	690920	Spatter Protection Cover, height 240 mm, two pieces per set	29,46
F39-HSG0320	690832	Spatter Protection Cover, height 320 mm, two pieces per set	31,91
F39-HSG0560	690921	Spatter Protection Cover, height 560 mm, two pieces per set	42,96
F39-HSG0640	693691	Spatter Protection Cover, height 640 mm, two pieces per set	43,10
F39-HSG0800	707127	Spatter Protection Cover, height 800 mm, two pieces per set	46,01
F39-HSG0880	706948	Spatter Protection Cover, height 880 mm, two pieces per set	51,00
F39-HSG0960	699922	Spatter Protection Cover, height 960 mm, two pieces per set	53,35
F39-HSG1200	700455	Spatter Protection Cover, height 1200 mm, two pieces per set	58,85
F39-HSG1280	690833	Spatter Protection Cover, height 1280 mm, two pieces per set	65,90
F39-HSG1600	690834	Spatter Protection Cover, height 1600 mm, two pieces per set	68,75
F39-HSG1760	707125	Spatter Protection Cover, height 1760 mm, two pieces per set	81,85
F39-HSG1920	707128	Spatter Protection Cover, height 1920 mm, two pieces per set	80,55
F39-HSG0360	690922	Spatter Protection Cover, height 360 mm, two pieces per set	36,25
F39-CN5	181192	Conector en T para F3SJ-A	138,50
F39-GWUM	233703	Software de programación F3SJ-A	571,00
F39-CN3	242652	Conector derivador para E3FS	78,60
F39-GIF	667567	Cable programación F3SG-RA	215,80
F39-GCNY1	667638	Conector Y para F3SG-RE	32,56
F39-GCNY2	667643	Accesorio de sensor de seguridad, F3SG-R_SR, conector M12 de junta en Y, 0,5 m	50,75
F39-GCN4	667378	Conector Muting F3SG-RA para Emisor y Receptor	170,90
F39-GCN4-L	667379	Conector Muting F3SG-RA para Emisor	74,55
F39-GCN4-D	667380	Conector Muting F3SG-RA para Receptor	96,20
F39-GCNY3	690523	Accesorio de sensor de seguridad, F3SG-R_SR, interruptor de reinicio, conector M12	42,18
F39-SGIT-IL3	688700	Unidad de interfaz inteligente para F3SG-SR	184,30
F39-SGBT	688699	Unidad de conexión Bluetooth para F3SG-SR/PG	79,50
F39-GCN5	695767	Caja de conexión de sensor de muting para la serie F3SG-SR/PG	174,90
A4EG-OP2	247808	Soporte para interruptor de validación A4EG	92,20

OMRON PVPR 2023

A4EG-OP3	247809	Llave FC D4NS para A4EG	66,90
F39-TGR-ST-MDG1	249240	Soporte espejos F39-TGR-MDG Eje Horizontal	70,50
F39-TGR-ST-MDG2	249241	Soporte espejos F39-TGR-MDG Eje Vertical	127,40
F39-TGR-MCL	337393	Actuador muting F3S-TGR-CL activa/activa	449,00
F39-TGR-MCL-R	337394	Actuador muting F3S-TGR-CL activa/pasiva	449,00
F39-TGR-AS-MA-MBL	352026	Soporte muting en L para stand F3S-TGR-CL	368,10
F39-TGR-AS-MM1	354161	Placa montaje espejos para stand F39-TGR-AS-B	271,00
F39-TGR-AS-AM1	354162	Espejos para stands F39-TGR-AS-B	166,90
A4EG-OP1	247807	Cubierta Negra Pulsador A4EG	91,30
F39-TGR-CL-CMB1	406058	Caja conexiones para F3S-TGR-CL M12-M12	626,50
F39-TGR-CL-CMB2	406059	Caja conexiones para F3S-TGR-CL M12-Cable 0,1m	626,50
F3W-MA0300P	667381	Actuador Muting para F3SG-RA 300mm	626,00
F3W-MA0100P	667382	Actuador Muting para F3SG-RA 100mm	502,00
F39-TGR-NT	667288	Conector T para F3S-TGR-N_C y RFID M12	95,40
F39-TGR-N-PLUGS	687755	Rubber cover plugs for Safety Torx screws set, M4	6,43
MPS-202-YB	243187	Signal tower LED, short body silver, 2 lights yellow-blue, dia 30mm, 24 VAC/DC,	159,20
MPS-302-RYG	243654	MultiLed 30mm Rojo/Amarillo/Verde 24Vcc	213,60
MPS-102-B	248858	Torre de señalización LED, cuerpo corto plateado, 1 azul claro, diámetro 30 mm,	133,60
MP-202-RG	353798	Signal tower LED, standard body silver, 2 lights red-green, dia 30mm, 24 VAC/DC	174,70
MPS-202-RG	353799	MultiLed 30mm Rojo/Verde 24Vcc	145,00
MPS-202-YG	368662	MultiLed 30mm Amarillo/Verde 24Vcc	157,80
MP-302C-RYG	374835	MP complete signal tower, 24VAC/DC, 3 stack, red/yellow/green, M12 connecto	217,70
LA6-3DWJUN-RYG	409483	3 Multi-leds Cable 1m Plata Rojo/Ambar/Verde	292,30
LA6-3DWJUB-RYG	409484	3 Multi-leds Cable 1m Plata Intermitente/Alarma Rojo/Ambar/Verde	350,80
LA6-3DTNUN-RYG	409485	3 Multi-leds Terminales Plata Rojo/Ambar/Verde	300,70
LA6-3DTNUB-RYG	409486	3 Multi-leds Terminales Plata Intermitente/Alarma Rojo/Ambar/Verde	358,20
LA6-5DTNUN-RYGBC	409489	Signalling device, LED Light tower, programmable colors, 5 stacks, 24VDC, Direct	362,80
LA6-3DWJWN-RYG	409491	3 Multi-leds Cable 1m Blanco Rojo/Ambar/Verde	280,90
LA6-3DWJWB-RYG	409492	3 Multi-leds Cable 1m Blanco Intermitente/Alarma Rojo/Ambar/Verde	333,90
LA6-3DTNWN-RYG	409493	3 Multi-leds Terminales Blanco Rojo/Ambar/Verde	288,20
LA6-3DTNWB-RYG	409494	3 Multi-leds Terminales Blanco Intermitente/Alarma Rojo/Ambar/Verde	345,30
LA6-5DTNWB-RYGBC	409498	Safety signalling device, LED Light tower, programmable colors, 5 stacks, 24VDC,	410,50
LR6-302PJNW-RYG	678300	Diám. 60 mm, 24 V CC, 3 niveles (rojo, ámbar, verde), cuerpo blanco, montaje e	229,00

OMRON PVPR 2023

LR4502PJBWRYGBC	681960	Signal Tower Pre-assembled 4 Tiers, DC 24 V, Pole Mounting/Circular Bracket/Ca	333,20
LA6-5DTNWB-POE	683493	Signal Tower, 60 dia., DC 24 V, 5 tiers, with USB, direct mount, with Flashing/Bu	1 445,00
LA6-3DLJWB-RYG	685721	Safety signalling device, LED Light tower, programmable colors, 3 stacks, 24 VDC	436,20
LS7-502SBWC-RYGBC	685749	24 VDC, Base Unit, M12 Connector, No Flashing, Buzzer, Silver	629,00
NE-24A-R	690231	Signal Beacon NE-A Mono-Color Red 24 VDC	55,10
NE-24A-Y	690230	Signal Beacon NE-A Mono-Color Yellow 24 VDC	55,10
NE-24A-G	690229	Signal Beacon NE-A Mono-Color Green 24 VDC	63,10
NE-24A-B	690228	Signal Beacon NE-A Mono-Color Blue 24 VDC	63,10
NE-24A-C	690227	Signal Beacon NE-A Mono-Color White 24 VDC	63,10
NE-M1ANN-M	690244	Signal Beacon Multi-color Continuous/ Flashing 12-24 VDC IP67	125,00
NE-M1ANB-M	690243	Signal Beacon Multi-color Continuous/ Flashing 12-24 VDC IP65	160,00
NE-M1ATB-M	690242	Signal Beacon Multi-color Continuous/ Touch sensor 12-24 VDC IP65	201,50
NE-ILNB-M	690241	Signal Beacon IO-Link Multi-color, M12 connector 5 pins, 24 VDC	228,40
NE-ILXB-M	690240	Signal Beacon IO-Link Multi-color Digital/ Analog input, M12 connector 8 pins, 2	314,20
LR6-302PJBU-RYG	690275	60 dia.,DC 24 V, 3 tiers, silver body, w/ flashing/ buzzer, pole mount w/ Circular	312,80
NE-ILTB-M	690283	Signal Beacon IO-Link Multi-color Touch sensor, M12 connector 5 pins, 24 VDC	263,20
LR6-3ILWMNW-RYG	690784	Signal Tower, I/O Link Pre-assembled model, 3 Tiers, Direct Mount/M12 Connec	342,40
LR6-102WJBU-R	691148	Signal tower, 60 mm dia., 24 VDC, 1 tier RED, Silver body, Direct Mount/Cable, V	210,40
LR4-202WJNW-RG	692752	Signal Tower Pre-assembled 2Tiers, DC 24 V, Direct Cable, Body color Off-White,	132,40
LR4-302WJBW-RYG	692751	Signal Tower Pre-assembled 3Tiers, DC 24 V, Direct Cable, Flashing/Buzzer, Body	224,80
LR4-302WJNW-RYG	692750	Signal Tower Pre-assembled 3Tiers, DC 24 V, Direct Cable, Body color Off-White,	157,50
LR4-402LJBW-RYGB	692749	Signal Tower Pre-assembled 4Tiers, DC 24 V, Pole Mounting/Circular Bracket/Ca	298,90
LR7-402WJBW-RYGB	694872	Signal Tower, complete, 70 dia., DC 24 V, 4 tiers (red, amber, green, blue), white	380,90
LR7-402WJNW-RYGB	700202	Signal Tower, complete, 70 dia., DC 24 V, 4 tiers (red, amber, green, blue), white	250,10
LR5-102WJBW-G	700312	Signal tower, complete, 50 mm dia., 24 VDC, 1 tier (green), white body, flashing,	178,00
LR5-302WJBW-RYG	700313	Signal tower, complete, 50 mm dia., 24 VDC, 3 tiers (red, amber, green), white b	246,10
LR5-102PJBW-G	700311	Signal tower, complete, 50 mm dia., 24 VDC, 1 tier (green), white body, flashing,	201,70
LR5-302PJBW-RYG	700310	Signal tower, complete, 50 mm dia., 24 VDC, 3 tiers (red, amber, green), white b	269,70
LR4-102PJNW-R	700462	Signal tower, complete, 40 mm dia., 24 VDC, 1 tier (red), white body, pole moun	140,20
LR4-102PJNW-C	700461	Signal tower, complete, 40 mm dia., 24 VDC, 1 tier (white), white body, pole mo	140,20
LR4-302PJNW-RYG	700460	Signal tower, complete, 40 mm dia., 24 VDC, 3 tiers (red, amber, green), white b	193,80
LR5-102PJNW-R	700459	Signal tower, complete, 50 mm dia., 24 VDC, 1 tier (red), white body, pole moun	140,20
LR5-302PJNW-RYG	700458	Signal tower, complete, 50 mm dia., 24 VDC, 3 tiers (red, amber, green), white b	208,30

OMRON PVPR 2023

LR5-102PJNW-C	700457	Signal tower, complete, 50 mm dia., 24 VDC, 1 tier (white), white body, pole mo	140,20
MPS-402-RYGB	701034	Signal tower LED, short body silver, 4 lights red-yellow-green-blue, dia 30 mm, 2	250,10
SF08-M1KTB-R	702587	Multi-function beacon 80 mm dia. 12-24 VDC, 2-point hole mounting, buzzer, re	327,30
SL10-M1KTN-R	708141	Flashing beacon, dia. 100 mm, 12-24 DC, IP66, red, without buzzer, terminal blo	187,00
SL10-M1KTB-R	708140	Flashing beacon, dia. 100 mm, 12-24 DC, IP66, red, with buzzer, terminal block	203,50
SL10-M1JN-R	708142	Flashing beacon, dia. 100 mm, 12-24 DC, IP65, red, without buzzer, cable	187,00
LR4-02QJNW	678301	24 Vcc, unidad base, montaje en poste/cable, sin intermitente/zumbador, blanc	121,20
LR5-02LJNW	678256	24 Vcc, unidad base, montaje en poste/cable, sin luz/zumbador, blanco	110,30
LR4-02LJNU	678292	24 Vcc, unidad base, montaje en poste/cable, sin intermitente/zumbador, platea	108,00
LR4-02LJNW	678297	24 Vcc, unidad base, montaje en poste/cable, sin intermitente/zumbador, blanc	94,75
LR6-02LJNW	678272	24 Vcc, unidad base, montaje en poste/cable, sin intermitente/zumbador, blanc	102,90
LR5-02PJNW	678298	24 Vcc, unidad base, montaje en poste/cable, sin intermitente/zumbador, blanc	94,75
LR6-02LJNU	678293	24 Vcc, unidad base, montaje en poste/cable, sin intermitente/zumbador, platea	116,10
LR6-02QJNW	678291	24 Vcc, unidad base, montaje en poste/cable, sin intermitente/zumbador, blanc	129,30
LR5-BK	678285	24 Vcc, unidad zumbador, negro	48,64
LR7-BW	678295	24 V CC, unidad zumbador, blanco apagado	53,10
LR7-E-G	678284	24 V CC, unidad LED, verde	35,39
LR4-E-Y	678253	24 Vcc, unidad LED, ámbar	41,97
LR7-BU	678274	24 V CC, unidad LED, gris plata	64,60
LR4-E-B	678271	24 Vcc, unidad LED, azul	54,80
LR5-E-C	678269	24 V CC, unidad LED, blanco	44,21
LR7-E-C	678306	24 V CC, unidad LED, blanco	47,17
LR5-BW	678281	24 V CC, unidad zumbador, blanco apagado	48,64
LR6-E-C	678288	24 Vcc, unidad LED, blanco	56,20
LR5-BU	678262	24 V CC, unidad zumbador, plateado	53,10
LR5-E-Y	678296	24 V CC, unidad LED, ámbar	33,91
LR4-BU	678246	24 Vcc, unidad zumbador, plateado	63,95
LR5-E-R	678283	24 V CC, unidad LED, rojo	33,91
LR4-E-G	678304	24 Vcc, unidad LED, verde	41,97
LR4-BW	678247	24 Vcc, unidad zumbador, blanco apagado	58,40
LR7-E-R	678266	24 V CC, unidad LED, rojo	35,39
LR4-E-R	678270	24 Vcc, unidad LED, rojo	41,97
LR6-BW	678257	24 Vcc, unidad zumbador, blanco apagado	63,95

OMRON PVPR 2023

LR5-E-G	678251	24 V CC, unidad LED, verde	33,91
LR7-E-B	678252	24 V CC, unidad LED, azul	47,17
LR5-E-B	678303	24 V CC, unidad LED, azul	44,21
LR7-BK	678264	24 Vcc, unidad zumbador, negro	64,60
LR6-BU	678294	24 Vcc, unidad zumbador, plateado	67,60
LR4-E-C	678309	24 Vcc, unidad LED, blanco	54,80
LR6-02PJNW	678263	24 Vcc, unidad base, montaje en poste/cable, sin intermitente/zumbador, blanco	102,90
LR7-E-Y	678260	24 V CC, unidad LED, ámbar	35,39
LR5-02WJNW	678273	24 Vcc, unidad base, montaje directo/cable, sin intermitente/zumbador, blanco	80,40
LR4-02PJNW	678280	24 Vcc, unidad base, montaje en poste/cable, sin intermitente/zumbador, blanco	94,75
LR5-02WTNK	678282	24 Vcc, unidad base, montaje directo/terminal, sin intermitente/zumbador, negro	53,00
LR7-02WTNK	678261	24 V CC, unidad base LR7, montaje directo/terminal, sin zumbador, negra	63,20
LR5-02WTNW	678265	24 V CC, unidad base, montaje directo/terminal, sin zumbador, blanco apagado	42,75
LR6-02PJNU	678302	24 Vcc, unidad base, montaje en poste/cable, sin intermitente/zumbador, plateado	116,10
LR6-02WJNU	678307	24 Vcc, unidad base, montaje directo/cable, sin intermitente/zumbador, plateado	89,40
LR6-02WJNW	678255	24 Vcc, unidad base, montaje directo/cable, sin intermitente/zumbador, blanco	74,90
LR5-02WTNU	678258	24 V CC, unidad base, montaje directo/terminal, sin zumbador, plateado	47,17
LR7-02WJNW	678259	24 Vcc, unidad base, montaje directo/cable, sin intermitente/zumbador, blanco	85,90
LR4-02PJNU	678277	24 Vcc, unidad base, montaje en poste/cable, sin intermitente/zumbador, plateado	108,00
LR7-02WTNU	678289	24 V CC, unidad base LR7, montaje directo/terminal, sin zumbador, plateada	63,20
LR4-02WJNU	678279	24 Vcc, unidad base, montaje directo/cable, sin intermitente/zumbador, plateado	89,40
LR7-02WTNW	678250	24 V CC, unidad base, montaje directo/terminal, sin zumbador, blanco apagado	47,17
LR4-02WJNW	678275	24 Vcc, unidad base, montaje directo/cable, sin intermitente/zumbador, blanco	74,90
LR6-E-R	679434	24 V CC, unidad LED, rojo	46,33
LR6-E-Y	679433	24 V CC, unidad LED, amarillo	46,33
LR6-E-B	679432	24 V CC, unidad LED, azul	56,20
LR6-E-G	679431	24 V CC, unidad LED, verde	46,33
LR7-02KTNK	679430	24 V CC, unidad base LR7, montaje terminal extraíble, sin zumbador, negro	56,20
LR7-02KTNW	679429	24 V CC, unidad base LR7, montaje terminal extraíble, sin zumbador, blanco apagado	56,20
LR7-02KTNU	679428	24 V CC, unidad base LR7, montaje terminal extraíble, sin zumbador, gris plata	70,25
LR5-02KTNU	679427	24 V CC, unidad base LR5, montaje terminal extraíble, sin zumbador, gris plata	56,20
LR5-02KTNK	679426	24 V CC, unidad base LR5, montaje terminal extraíble, sin zumbador, negro	56,20
LR5-02KTNW	679425	24 V CC, unidad base LR5, montaje terminal extraíble, sin zumbador, blanco apagado	56,20

OMRON PVPR 2023

LR6-02WCNW	680308	24 Vcc, unidad base, montaje directo/conector M12, sin zumbador, blanco apag	156,10
LR4-M2WJNW	680309	100 - 240 VAC, Base Unit, Direct Mount/Cable, No Flashing/Buzzer, Off-white	151,70
LR6-E-MZ	680310	Multi Color LED Unit 60 mm, 7 different colors.	154,80
LR6-ILWMNW	688813	I/O Link Base Unit, Direct Mount/ M12 Connector, No Flashing, Off-white	209,50
LR5-01WJNW	707420	DC 12 V, base unit, direct mount, cable, no flashing/buzzer, off-white	148,50
MP-B	372444	Add-on Buzzer accessory for MP signal tower D30mm	80,60
POLE-100A21+FB062	187133	Mástil LU7 100mm	16,79
SZ-016A	226896	Soporte inferior horizontal metálico LU7/LME	32,66
SZ-310AR	351449	Accesorio Montaje Leds CLA Tornillo IP69K	19,95
SZP-002U	675485	Base circular para montaje mástil tipo N Gris Plata	28,51
POLE22-0300AN	675486	Mástil Aluminio 300mm diámetro 22mm	22,33
SZP-003W	675484	Base circular tipo N Blanco	16,33
SZP-001W	675483	Base cilcular para montaje mástil tipo N Blanco	24,45
POLE22-0100AN	675487	Mástil Aluminio 100mm diámetro 22mm	16,33
POLE22-0300AT	678290	Mástil Aluminio 300mm diámetro 22mm tuercas incluidas	24,31
SZK-002U	678249	Soporte de pared para LR4/LR5, plateado	15,48
SZK-001U	678267	Accesorio montaje pared tipo N mástil aluminio	35,51
SZW-001W	678248	Soporte circular	13,30
POLE22-0800AN	678299	Poste de aluminio de 800 mm, 22 mm de diámetro	38,46
SZK-003U	678308	Accesorio montaje para LR6/LR7 Gris Plata	15,48
SZQ-001W	678278	Soporte en ángulo para poste de aluminio de tipo N	55,10
POLE22-1000AT	678286	Mástil Aluminio 1000mm diámetro 22mm tuercas incluidas	62,95
SZK-002W	678268	Accesorio montaje para LR4/LR5 Blanco	15,48
SZK-003W	678287	Accesorio montaje para LR6/LR7 Blanco	15,48
POLE22-0500AT	678276	Mástil Aluminio 500mm diámetro 22mm tuercas incluidas	38,46
SZL-001	678254	Accesorio en L tipo T para pared aluminio	11,13
SZP-003U	679424	Base circular Gris Plata	15,48
LR4-502PJBW-RYGBCZ	681527	Signal Tower Pre-assembled 5Tiers, DC 24 V, Pole Mounting/Circular Bracket/Ca	363,60
SZK-003K	681961	Soporte de montaje en pared para torre de señal, negro	20,66
SZK-002K	681962	Wall mounting bracket Signal Tower, black	17,90
SZP-003K	681979	Soporte circular de diámetro 40 mm con 3 orificios de montaje de 5 mm	13,78
SZP-091U	682621	Soporte circular para poste de aluminio de tipo N	55,10
SZP-090U	682620	Soporte circular para poste de aluminio de tipo N	55,10

OMRON PVPR 2023

SZ-70L	682619	Pre-assembled mounting set with 'L' bracket for model LME-W	48,15
SZP-004W	685806	Pole bracket, Color Off-white	29,54
SZP-004K	685805	Pole bracket, Color Black	29,54
POLE-300A21+O0109	685811	Aluminium pole LR6 Signal Tower, length 300 mm, dia 21.7mm	37,58
POLE-100A21+O0109	685810	Aluminium pole LR6 Signal Tower, length 100 mm, dia 21.7mm	34,91
POLE-800A21+O0109	685809	Aluminium pole LR6 Signal Tower, length 800 mm, dia 21.7mm	61,80
SZK-004W	685895	Wall-mount Bracket for LR6/LR7, Off-white	29,54
POLE22-0500AN	687032	22 dia., 500 mm Aluminum Pole	36,41
NE-001D	690239	Upper Bracket for NE-24A and NE-M1	28,20
NE-002D	690238	Wall Mount Bracket for NE-24A and NE-M1	18,80
SZP-092D	690237	NPT 1/2" Bracket for NE-24A and NE-M1	28,20
SZ-010	692748	Surface-mounting Bracket for LR Signal Tower, Aluminium	22,48
B22210161-9F1	693902	Bottom part of LR6 unit without bolts	26,45
B22210159-7F1	695709	Pole adaptor for LR4, Off white	23,80
POLE22-1000AN	699325	22 dia., 1000 mm aluminum pole, 2 nuts and 2 screws included - no threads, silver	55,55
POLE22-0800AT	699324	22 dia., 800 mm aluminum pole, 2 nuts and 2 screws included - with threads, silver	40,99
SZ-310EU	369792	Accesorio Montaje Leds CLA Metal Tornillo IP69K	23,45
CWA3S-24-CD	395516	Working light bar, LED 350 lumen , white, length 300mm, 24VDC, 1m cable.	103,30
CWA6S-24-CD	395517	Barra de luz, LED, 700 lúmenes, blanca, longitud 600 mm, 24 Vcc, cable de 1 m	176,40
CLK2C-24AG-CD+FL005	689602	Led light Bar, 24 VDC, Illumination Area 200 mm. M12, Aluminum & Glass, Color	517,00
CLA3S-24A-CD-30	699188	LED bar illumination, 300mm x 30mm, white (daylight 6800K), 3 m cable, IP69K	343,80
CLA12S-24A-CD-30	700831	Patlite LED bar illumination, 1200 mm x 30 mm, white (daylight 6800 K), 3 m cable	1 085,00
R88A-RR50020S	292062	1S servo, resistencia externa de regeneración para servos (500 W, 20 Ohms)	382,60
R88A-RR08050S	292065	1S servo, resistencia externa de regeneración para servos (80 W, 50 Ohms)	94,00
R88A-RR080100S	292066	1S servo, resistencia externa de regeneración para servos (80 W, 100Ohms)	94,00
JUSP-RA18	352059	Resistencia servos 6.0 / 7.5kW (18ohm. 880W)	1 020,00
R88A-RR22047S1	357773	1S servo, resistencia regenerac./freno servos (220W,47Ohm.)	126,60
R88A-RR30015	673203	1S servo, resistencia externa de regeneración 15 omhios 300 W	296,60
R88A-RR30025	673204	1S servo, resistencia externa de regeneración 25 omhios 300 W	296,60
R88A-RR30010	673205	1S servo, resistencia externa de regeneración 10 omhios 300 W	296,60
R88A-RR30017	673206	1S servo, resistencia externa de regeneración 17 omhios 300 W	296,60
R88A-RR30033	673207	1S servo, resistencia externa de regeneración 20 omhios 300 W	296,60
R88A-RR1K620	675224	Resistor: 640 W, 20 Ohm	1 331,00

OMRON PVPR 2023

R88A-RR12015	673208	1S servo, resistencia externa de regeneración 15 omhios 120 W	101,50
R88A-RR12025	673209	1S servo, resistencia externa de regeneración 25 omhios 120 W	101,50
R88A-RR1K666	675225	Resistor: 640 W, 66 Ohm	1 331,00
R88A-RR30020	672007	1S servo, resistencia externa de regeneración 20 omhios 300 W	296,60
R88A-RR1K640	675194	1S servo, unidad de resistencia de regeneración externa 40 omhios 640 W	1 331,00
R88A-RR30005R4	693932	External regeneration resistor, capacity: 60 W, 5.4 Ohm	291,30
R88A-RR30016	690687	External regeneration resistor, capacity: 60 W, 16 Ohm	296,60
R88A-DBR30004	708082	Servo accessory, external dynamic brake resistor, 4 ohm	355,40
SPOC-06K-FSDN169	137635	Conector potencia para motores 220V SGMAH/PH D_OY	54,75
SRUC-06J-MSCN236	137636	Conector potencia macho hypertac incluido motor 20	34,09
LRRA06AMRPN182	137792	Conector Macho Hypertac Potencia 400V SGMAH/PH-XXD	148,40
LPRA-06B-FRBN170	138248	SERVOACCIONAMIENTO	63,00
SPNA-06KFSDN-16900D3	138476	Cable.	48,91
SPOC-17H-FRON169	156581	Conector encoder para motores SGMAH/PH D_OY	48,91
MS3108E10SL-3S	168876	Conector freno acodado (Sigma II 400V)	97,50
MS3108E20-29S	168877	Conector IP67 Encoder Acodado (Sigma II)	96,15
MS3108E18-10S	168878	Conector IP67 Encoder Acodado (Sigma II)	106,80
MS3108E22-22S	168879	Accurax G5, Conector cable pot. lado motor (ver datasheet)	134,40
MS3108E32-17S	168880	Conector de potencia lado del motor Sigma-5 SGMGV(55/75/1A/1E)	134,40
R7A-CNA00K-DE	175765	Smart Step IP67 connector kit, comprised of 3 connectors - female to IP67 moto	266,10
SRUC-17G-MRWN087	175766	Conector Macho Hypertac Encoder SGMAH/PH-XXXXXXD-	32,70
JZSP-CSP9-2-E-G1	244508	Conector de encoder lado del servomotor Sigma-5 SG	49,76
JZSP-CSM9-1-E-G1	244509	Conector de potencia lado del servomotor Sigma-5 S	72,00
R7A-CNA01R	245292	Conector MINI-DELTA 14 pines (CN1)	84,30
R7A-CNZ02A-ME-FE	264259	Conector metálico cable de potencia Junma C lado d	55,55
R7A-CNZ02R-ME-FE	264260	Conector metálico cable de encoder Junma C lado de	67,20
R7A-CNB01A	292043	SS2 (hasta 400w), conector cable de potencia lado drive (CNB)	14,13
R7A-CNB01P	292044	SS2 (hasta 400w), conector de alimentación de red (CNA)	14,13
R88A-CNG01R	292059	SerieG/SS2, conector cable de ENC ABS lado motor	21,94
R88A-CNG01A	292061	SerieG/SS2, conector cable de potencia lado motor	17,51
R88A-CNG01B	292063	SerieG/SS2, conector cable de freno lado motor	13,20
R88A-CNK41L	294101	Accurax G5 Conector para encoder externo (para CN4)	42,74
R88A-CNK02R	294392	Accurax G5, Conector cable de encoder lado motor (ver datasheet)	46,44

OMRON PVPR 2023

R88A-CN11A	294393	Accurax G5, Conector cable de potencia lado motor (ver datasheet)	75,15
R88A-CN104R-E	329419	Accurax G5, Conector cable de encoder lado motor (ver datasheet)	92,20
MS3108E20-4S	329420	Accurax G5/SerieG, Conector cable pot. lado motor (ver datasheet)	98,85
MS3108E24-11S	331799	Accurax G5, Conector cable de potencia lado motor (ver datasheet)	98,85
R88A-CN11B	354777	Accurax G5, Conector cable de freno lado motor (ver datasheet)	84,30
MS3108E14S-2S	355260	Accurax G5, Conector cable freno lado motor (6K0/7K5/11K0/15K0)	56,20
MS3108E20-18S	356704	Motor connector	88,60
JZSP-CMP9-1-E	365008	Conector encoder lado drive Sigma-5 SGMJV / SGMAV / SGMGV / SGMEV	71,20
CM10Y-AP2S-M-D-G1	394387	Conector de freno lado del motor Sigma-5 SGMGV(09-1E) SGMSV(10-50)	74,60
JZSP-CMP9-1-E-G1	244507	Conector encoder lado drive Sigma-5 SGMJV / SGMAV / SGMGV / SGMEV	49,76
R7A-CN202A-ME-ME	294126	Conector metálico de potencia de servomotor Junma 'C'	37,45
R7A-CN202R-ME-ME	294127	Conector metálico de encoder de servomotor Junma 'C'	41,11
JZSP-CVM9-1-E	244521	Motor power connector kit for SGMGV from 0.3kW to 0.45kW with holding brake	81,00
R88A-CNEA02P-E	659664	M23 right angle 90 power connector for Integrated Motor	187,50
R88A-CNEA01P-E	659665	M23 straight power connector for Integrated Motor	64,25
R88A-CNEA01C-E	659666	M23 straight IO connector for Integrated Motor	39,77
R88A-CNEA02C-E	659663	M23 right angle 90 IO connector for Integrated Motor	95,05
R88A-PCVEA01-E	668026	IP67 Blind plug for M12 socket.	5,23
R88A-PCVEA02-E	668027	IP67 Blind plug for M23 socket.	10,96
R88A-CN104R	673345	Conector 1S para el cable del encoder (lado del motor); para 400 V y desde motor	108,20
R88A-CN111B	673343	Conector 1S para el cable del freno (lado del motor)	68,25
R88A-CN101R	673346	Conector 1S para cable de encoder (lado de drive)	25,55
R88A-CN111A	673344	1S servo, conector de potencia en el motor, motores baja potencia	89,95
R88A-CN104P	674149	1S servo, conector de alimentación principal B (CNB) en el drive, drives baja potencia	37,74
R88A-CN101C	674150	1S control I/O connector (CN1)	74,60
R88A-CN102P	674151	1S servo, conector de alimentación principal (CNA) en el drive, drives baja potencia	164,40
R88A-CN103P	674152	1S servo, conector de alimentación principal A (CNA) en el drive, drives baja potencia	77,10
R88A-CN101P	674153	1S servo, conector de alimentación principal (CND) en el drive, drives baja potencia	22,08
R88A-CN102A	674154	1S motor connector (CNC) for 230 V, 1.5 to 3 kW and 400 V, 0.6 to 3 kW	35,68
R88A-CN101A	674155	1S servo, conector de motor (CNC) en el drive, drives baja potencia	117,00
R88A-CN101B	673342	Conector de interbloqueo del freno 1S (CN12)	124,80
R88A-STK26	673968	SUMITOMO CN.10126-3000PE	16,58
R88A-GEH26	673963	SUMITOMO CA.10326-52A0-008	15,35

OMRON PVPR 2023

R88A-CNW01R	678725	Conector de cable de encoder [CN2], lado del drive, todos los modelos	69,60
R88A-CNU01C	678723	Conector de control de E/S del servo	45,52
R88A-CNW01C	678729	Kit de conector de E/S del servo G5 para CN1, solo para drives de tipo red	49,19
R88A-CNU11C	678727	Conector para CN1, control de E/S [solo para modelo analógico/de pulsos]	61,85
R88A-CNG02R	678730	Conector de servomotor para cable de encoder incremental serie G de 50 a 750	21,94
R88A-CN81S	678726	Accesorio de servo, G5, conector de señales de E/S de seguridad (CN8)	28,59
SROC06JMSCN169	685649	extension, plastic shell, with variable shield connection and variable cable clamp	49,00
R88A-CN105R	692889	1S connector for encoder cable (motor side); for 400 V and from 900 W, 230 V n	62,55
R88A-CN106P	701153	1S main circuit connector A (CNA) for 400 V, 5.5 to 7.5 kW	301,60
R88A-CN107P	701154	1S main circuit connector B (CNB) for 400 V, 5.5 to 7.5 kW	262,20
R88A-CN101D	701155	1S main circuit connector E (CNE) for 400 V, 5.5 to 7.5 kW	243,00
R88A-CN103A	701156	1S motor connector (CNC) for 400 V, 5.5 to 15 kW	249,00
R88A-CN101E	701157	1S main circuit connector B (CNB) for 400 V,15 kW	140,10
R88A-CN105P	701158	1S control power supply connector (CND)for 400 V, 5.5 to 15 kW	214,30
R88A-CN108P	701159	1S main circuit connector A (CNA) for 400 V,15 kW	185,50
R88A-CN101S	701160	1SA Safety signal connector (CN14)	46,66
R88A-CN102S	701161	1SA Safe brake control connector (CN15)	17,95
R88A-CN102C	701162	1SA control I/O connector (CN1)	51,45
J17M-06FMH-7KL-M (PF)	692797	Sigma V Power connector kit	71,25
J27M-06FMH-7KL-M (PF)	692798	Sigma V Power connector kit	77,70
J37M-06FMH-8KL-ML (PF)	692799	Sigma V Power connector kit	84,20
CM10-AP10S-M-D-G1(R1)	702750	Conector de encoder lado del servomotor Sigma-5 SGMGV / SGMSV	90,30
R88A-FIW107-E	139311	Filtro entrada Sigma II monofásico 220V 7A	195,10
R88A-FIW115-E	139312	Filtro entrada Sigma II monofásico 220V 15A	301,60
R88A-FIW125-E	139313	Filtro entrada Sigma II monofásico 220V 25A	374,60
R88A-FIW4010	139443	Filtro entrada Sigma II trifásico 400V 10A	318,30
R88A-FIW4006	142702	Filtro entrada Sigma II trifásico 400V 6A	228,50
R88A-FIW104E	147105	Filtro entrada Sigma II monofásico 220V 4A	140,20
R88A-FI5-1005-RE	243016	Filtro de entrada Sigma-5 Monofásico 220V 5A	114,30
R88A-FI5-1009-RE	243017	Filtro de entrada Sigma-5 Monofásico 220V 9A	163,10
R88A-FI5-3004-RE	243018	Filtro de entrada Sigma-5 Trifásico 380V 4A	170,70
R88A-FI5-3008-RE	243019	Filtro de entrada Sigma-5 Trifásico 380V 8A	236,00
R88A-FI5-3012-RE	243020	Filtro de entrada Sigma-5 Trifásico 380V 12A	252,90

OMRON PVPR 2023

R7A-FIB104-RE	283801	SS2, Filtro RFI; 4.1A, 250vac, para modelos hasta 400W	86,90
R88A-FIK102-RE	283802	Serie G/G5 Filtro RFI; 2.4A, 250vac, para modelos de 100 y 200W	82,30
R88A-FIK104-RE	283803	Serie G/G5 Filtro RFI; 4.1A, 250vac, para modelos de 400W	85,35
R88A-FIK107-RE	283804	Smartstep 2/Serie G/G5 Filtro RFI; 6.6A, 250Vac, para modelos de 750W	96,00
R88A-FIK114-RE	283805	Serie G/G5 Filtro RFI; 14.2A, 250vac, para modelos de 1.0 y 1.5KW	123,50
R88A-FIK304-RE	303857	G5 Filtro RFI; 4A, 400vac, para modelos de 600 a 1.5KW	123,50
R88A-FIK306-RE	303858	G5 Filtro RFI; 6A, 400vac, para modelos de 2.0KW	131,20
R88A-FIK312-RE	303859	G5 Filtro RFI; 12A, 400vac, para modelos de 3.0 a 5.0KW	178,50
R88A-FIK330-RE	357083	G5 Filtro RFI; 30A, 400vac, para modelos de 7.5KW	236,00
R88A-FIK350-RE	357843	G5 Filtro RFI; 50A, 400vac, para modelos de 15KW	340,90
R88A-FI5-3044-RE	380831	Sigma 5 RFI filter, 44A	311,80
R88A-FI5-3022-RE	380880	Sigma 5 RFI filter, 22A	296,90
R88A-FIK104-SE	668897	Serie G/G5 Filtro RFI; 4.1A, 250vac, para modelos de 400W	75,20
R88A-FIK312-SE	668898	G5 Filtro RFI; 12A, 400vac, para modelos de 3.0 a 5.0KW	157,10
R88A-FIK304-SE	668899	G5 Filtro RFI; 4A, 400vac, para modelos de 600 a 1.5KW	108,80
R88A-FIK114-SE	668900	Serie G/G5 Filtro RFI; 14.2A, 250vac, para modelos de 1.0 y 1.5KW	108,80
R88A-FIK107-SE	668901	Serie G/G5 Filtro RFI; 6.6A, 250Vac, para modelos de 750W	84,60
R88A-FIK306-SE	668902	G5 Filtro RFI; 6A, 400vac, para modelos de 2.0KW	115,50
R88A-FIK330-SE	668903	G5 Filtro RFI; 30A, 400vac, para modelos de 7.5KW	207,90
R88A-FIK102-SE	668904	Serie G/G5 Filtro RFI; 2.4A, 250vac, para modelos de 100 y 200W	72,55
R7A-FIB104-SE	668905	Filtro RFI SmartStep 2, monofásico de 200 V ca, 4 A (100 W, 200 W, 400 W)	101,90
R88A-FIK350-SE	668906	G5 Filtro RFI; 50A, 400vac, para modelos de 15KW	300,40
R88A-FI1S108-SE	670527	1S servo Filtro RFI; 230 VAC monofásico, drive de 800 W	91,60
R88A-FI1S103-SE	670528	1S servo Filtro RFI; 230 VAC monofásico, drives de 100 y 200 W	78,55
R88A-FI1S105-SE	670529	1S servo Filtro RFI; 230 VAC monofásico, drive de 400 W	85,15
R88A-FI1S309-SE	670530	1S servo Filtro RFI; 400 VAC , drives desde 600 W hasta 3 kW	117,90
R88A-FI1S116-SE	670531	1S servo Filtro RFI; 230 VAC monofásico, drive de 1.5 kW	111,30
R88A-FI1S216	671214	1S Servo RFI filter; 200 VAC (3-phase input), for 1.5 kW to 3 kW drives	441,20
R88A-FI1S208	671215	1S Servo RFI filter; 200 VAC (3-phase input), for 800 W to 1 kW drives	332,50
R88A-FI1S330-SE	689239	1S Servo Filtro RFI; 400 V CA, para drives de 5,5 kW a 7,5 kW	224,00
R88A-FI1S350-SE	689240	1S Servo Filtro RFI; 400 V CA, para drives de 15 kW	339,00
R88A-FI1SA108-SE	690847	Filtro RFI de servo 1SA; 230 VCA monofásico, para unidades de 200 W a 800 W.	109,70
R88A-FI1SA116-SE	690848	Filtro RFI de servo 1SA; 230 VCA monofásico, para accionamientos de 1.5 kW	143,00

OMRON PVPR 2023

R88A-FI1SA309-SE	690849	Filtro RFI de servo 1SA; 400 VCA, para accionamientos de 1 kW a 3 kW	145,50
JU5P-OP05A-1-E	236507	Operador Digital Sigma-5	875,00
JZSP-CVH05-E	262490		51,00
R88A-PR02G	271921	SmartStep 2 Parameter copy unit, with cable	398,90
SGDV-OCA01A	292090	Módulo opcional EtherCAT Sigma-5 (Yaskawa Brand)	970,00
SGDV-OCA03A	324497	Módulo opcional Indexer Sigma-5 (Yaskawa Brand)	1 016,00
SGDV-OZA01A	326403	Kit montaje módulos opcionales Sigma-5 (Yaskawa Brand)	59,05
JZSP-CVMCA12-15-E-G5	367442	Cable potencia Sigma-5 SGMGV(13/20)D/SGMSV(15/20/25)D 15m FLEX	1 849,00
SGDV-OCB03A	392857	Módulo opcional Profinet Sigma-5 (Yaskawa Brand)	940,00
SGDV-OFB03A	392889	Módulo opcional Full Closed Encoder Line Drive Sigma-5	954,00
XW2B-20J6-6	107561	Terminal pasivo E/S MC221	278,80
XW2B-40J6-7	107562	Terminal pasivo E/S MC421	326,90
XW2B-20J6-1B	107563	Terminal pasivo 1 eje (NC1xx)	203,80
XW2B-40J6-2B	107564	Terminal pasivo 2 ejes (NC2xx/NC4xx)	257,60
XW2B-20J6-3B	107565	Terminal pasivo 1 eje (CQM1-CPU43 / PLB21)	372,10
XW2B-40J6-4A	107566	Terminal pasivo 2 ejes com (NC->SmartStep)	249,10
XW2B-40J6-9A	107567	Terminal pasivo 2 ejes (CJ1M-CPU22/23)	297,00
R88A-TC04E	139368	Breakout box (MC402)	1 766,00
XW2B-20J6-8A	149077	Terminal pasivo 1 eje (CJ1M-CPU22/23)	257,60
SGDV-COA3ZDA	410778	Sigma-5 Resistive Regenerative Converter 30Kw	10 900,00
R88L-EC-GH-03NN-A	327840	Accurax G5: Motor Lineal Hall Sensor 03NN	449,60
R88L-EC-FH-NNNN-B	371210	Accurax G5: Motor Lineal Hall Sensor Tipo F	223,80
JZSP-BA01	149040	Batería encoder absoluto Sigma II	103,00
JZSP-BA01-1	182711	Bateria encoder absoluto Sigma II >6-15Kw	86,30
R7A-CLB002RG	292042	Cable conector de resistencia regenerativa externa, 2 m	23,32
R88A-BAT01G	292045	Batería backup para servo con encoder absoluto	113,20
R7A-CLB002S2	298303	SS2, Cable de alimentación (CNA)	33,68
R88A-PD4022	680940	DC reactor for R88D-1SN20F-ECT	191,30
R88A-PD4015	680938	DC reactor for R88D-1SN10F-ECT, R88D-1SN15F-ECT	177,60
R88A-PD4037	680939	DC reactor for R88D-1SN30F-ECT	274,30
R88A-SC021S-E	675089	1S servo Spare Part, Cable Clamp para modelos de 230V (1.5KW) y 400V (600W)	12,61
R88A-SC011S-E	675088	1S servo Spare Part, Cable Clamp para modelos de 230V (hasta 750W)	11,31
R88L-EP-PM-ML-0001	684362	Accurax linear motor axis spare part, R88L-ES-PM, horizontal axis, 2 mechanical	249,40

OMRON PVPR 2023

R88A-SC10CA	693647	Abrazadera de cable de la serie 1S L. Para variadores de 400 V (de 5,5 kW a 15 k	52,00
R88A-SC10CX-PE	701015	1SA series cable shield clamp S. Used in 230V and 400 V drives	47,86
R88A-SC10CA-PE	701014	1S series cable shield clamp L. Used in 400 V drives (from 5.5 kW to 15 kW)	61,05
JZDP-D008-190-E	323766	Serial Converter para FW50D380B	883,50
JZDP-D008-261-E	323779	Serial converter para GW60A140C	883,50
R88A-SC01K-E	354679	Serial Converter Motores Lineales Accurax G5 Tipo-F	1 353,00
R88A-SC02K-E	354680	Serial Converter Motores Lineales Accurax G5 Tipo-G	1 353,00
R88S-EAD20R	419125	Fuente de Alimentación Integrated Motors 20A	1 877,00
R88S-EAD40R	419126	Fuente de Alimentación Integrated Motors 40A	2 058,00
AER070-I10/R88M-K40030	362992	Reductor AER070 reducción 1/10 R88MK40030H	1 279,00
AER155-I20/R88M-K2K020	371421	Reductor AER155 reducción 1/20 R88MK2K020F	2 987,00
AB060-I5-S2-P2/R88M-K40030	375327	Reductor AB060 reducción 1/5 S2P2 R88MK40030H	883,50
AD090-I4-P2/R88M-K75030H	375328	Reductor AD090 reducción 1/4 P2 R88MK75030H	1 398,00
AE090-I100/R88M-G40030-LIMIT	375935	Reductor AE090 reducción 1/100 R88MG40030HLIMIT	1 139,00
DB55B45CH2FBAR88MK1K030	376226	Reductor DB55B45CH2FBA reducción 45 R88MK1K030	1 600,00
DB55B10CH1FBAR88MK2K030C	376228	Reductor DB55B10CH2FBA reducción 10 R88MK2K030C	1 758,00
DB55B14CH1FBAR88MK2K030C	377075	Reductor DB55B14CH1FBA reducción 14 R88MK2K030C	1 600,00
AER090-I10/R88M-K60020	377961	Reductor AER090 reducción 1/10 R88MK60020F	1 605,00
DB90B45CH2FBAR88MK2K020FS	378281	Reductor DB90B45CH2FBA reducción 45 R88MK2K020F	2 838,00
DB45B10CH2FBARR88MK1K030FS	393965	Reductor DB45B10CH2FBA reducción 10.25 R88MK1K030FS2	1 649,00
DB45B30CH2FBAR88MK1K030FS	404933	Reductor DB45B10CH2FBA reducción 30 R88MK1K030FS2	1 649,00
AE120-I70/R88M-G75030	405985	Reductor AE120 reducción 1/70 R88MG75030	1 568,00
PEII050-I10/R88M-G20030	406675	Reductor PEII050 reducción 1/10 R88MG20030H	428,70
PEII090-I10/R88M-G75030	407645	Reductor PEII090 reducción 1/10 R88MG75030	516,50
PEII070-I7/R88M-K75030F	408816	Reductor PEII070 reducción 1/7 R88MK75030F	428,70
PEII070-I7/R88M-G40030	409814	Reductor PEII070 reducción 1/7 R88MG40030H	428,70
PEII070-I10/R88M-K40030	412056	Apex gearbox, model PEII070, ratio 10, for motor R88M-K40030*	428,70
PEII070-I10/R88M-G40030	412057	Reductor PEII070 reducción 1/10 R88MG40030H	428,70
PEII090-I7/R88M-K60020	412265	Reductor PEII090 reducción 1/7 R88MK60020F	516,50
PEII070-I20/R88M-G40030	412267	Reductor PEII070 reducción 1/20 R88MG40030H	564,00
PEII090-I25/R88M-K75030H	412546	Reductor PEII090 reducción 1/25 R88MK75030H	688,00
PEII070-I10/R88M-GP40030	412961	Reductor PEII070 reducción 1/10 R88MGP40030	428,70
PEII070-I10/R88M-K20030	413224	Reductor PEII070 reducción 1/10 R88MK20030H	428,70

OMRON PVPR 2023

PEII070-I3/R88M-G40030	414151	Reductor PEII070 reducción 1/3 R88MG40030H	428,70
PEII120-I70/R88M-G75030LIMIT	414390	Reductor PEII120 reducción 1/70 R88MG75030LIMIT	984,50
PEII070-I15/R88M-K40030	414856	Reductor PEII070 reducción 1/15 R88MK40030H	564,00
PEII070-I4/R88M-G40030	415311	Reductor PEII070 reducción 1/4 R88MG40030H	428,70
PEIIR070-I10/R88M-K40030	418325	Reductor PEIIR070 reducción 1/10 R88MK40030T	787,50
PEII070-I7/R88M-K75030H	419056	Reductor PEII070 reducción 1/7 R88MK75030H	428,70
PEII070-I5/R88M-K40030	419071	Reductor PEII070 reducción 1/5 R88MK40030H	428,70
PEIIR070-I3/R88M-K20030	656869	Reductor PEIIR070 reducción 1/3 R88MK20030H	787,50
PEII070-I5/R88M-K75030H	656932	Reductor PEII070 reducción 1/5 R88MK75030H	428,70
PEII090-I10/R88M-K75030H	658940	Apex gearbox, model PEII090, ratio 10, for motor R88M-K75030(H/T)-*	516,50
PEII070-I3/R88M-K75030F	659231	Reductor PEII070 reducción 1/3 R88MK75030F	428,70
PEII090-I5/R88M-K3K030	659233	Reductor PEII090 reducción 1/5 R88MK3K030F	516,50
PEII070-I3/R88M-K40030	659292	Apex gearbox, model PEII070, ratio 3, for motor R88M-K40030H	428,70
PEII120-I50/R88M-K75030H	659295	Apex gearbox, model PEII120, ratio 50, for motor R88M-K75030H	984,50
PEII090-I25/R88M-G75030H	659481	Apex gearbox, model PEII090, ratio 25, for motor R88M-G75030H	688,00
PEII070-I15/R88M-G40030H	659564	Reductor PEII070 reducción 1/15 R88MG40030H	564,00
PEII070-I16/R88M-G40030	668038	Gearbox PEII model 070 2 step with mechanical relation 1:16. Adapter for moto	564,00
PEII090-I16/R88M-G75030	668436	Gearbox PEII model 090 2 step with mechanical relation 1:16. Adapter for moto	688,00
PEII120-I5/R88M-K4K020	668501	Gearbox PEII model 120 2 steps with mechanical relation 1:5. Adapter for motor	780,00
PEII120-I20/R88M-K1K530H	668944	Gearbox PEII model 120 2 steps with mechanical relation 1:20. Adapter for moto	984,50
PEII090-I5/R88-MK2K030F	668946	Gearbox PEII model 090 1 step with mechanical relation 1:5. Adapter for motor	516,50
PEII090-I5/R88M-K1K030	669105	Reductor PEII090 reducción 1/5 R88MK1K030F	516,50
PEII120-I30/R88M-G75030	669164	Reductor PEII120 reducción 1/30 R88MG75030	984,50
PEII070-I7/R88M-K40030H	669629	Reductor PEII070 reducción 1/7 R88MK40030H	428,70
PEII070-I3/R7MA75030	669682	Reductor PEII070 reducción 1/3 R7MA75030	428,70
AFR075-I7-S2-P1/R88M-K1K030	670140	Reductor AFR075 S2P1 reducción 1/7 R88MK1K030F	2 118,00
PEIIR070-I3/R88M-K40030	671115	Reductor PEIIR070 reducción 1/3 R88MK40030H	787,50
PEII050-I30/R88M-G05030	671738	Reductor PEII050 reducción 1/30 R88MG05030	557,50
PEII090-I20/R88M-1M75030	672462	Reductor PEII090 reducción 1/20 R88M1M75030T	688,00
PEII070-I10/R88M-1M40030	672463	Reductor PEII070 reducción 1/10 R88M1M40030T	428,70
AE090-I10/R88M-1M75030	672464	Reductor AE090 reducción 1/10 R88M1M75030T	873,00
PEII120-I10/R88M-1L1K530C	672937	Apex gearbox, model PEII120, ratio 10, for motor R88M-1L1K530*	780,00
PEII120-I5/R88M-K5K030	673446	Reductor PEII120 reducción 1/5 R88MK5K030F	780,00

OMRON PVPR 2023

PEII120-I50/R88M-1M75030-LIMIT	673698	Reductor PEII120 reducción 1/50 R88M1M75030T	984,50
PEII120-I16/R88M-K1K520	673765	Reductor PEII120 reducción 1/16 R88MK1K520H	984,50
PEII090-I7/R88M-1M60020	673959	Reductor PEII090 reducción 1/7 R88M1M60020C	516,50
PEII070-I5/R88M-1M40030	674230	Reductor PEII070 reducción 1/5 R88M1M40030T	428,70
PEII090-I20/R88M-1M40030	674254	Reductor PEII090 reducción 1/20 R88M1M40030T	688,00
PEII070-I3/R88M-1L75030	674710	Apex gearbox, model PEII070, ratio 3, for motor R88M-1L75030*	428,70
PEII090-I10/R88M-1L75030	674711	Apex gearbox, model PEII090, ratio 10, for motor R88M-1L75030*	516,50
PEII090-I5/R88M-1L3K030	674712	Apex gearbox, model PEII090, ratio 5, for motor R88M-1L3K030*	516,50
AB090-I10-S2-P2/R88M-K60020	674736	Reductor AB090 S2P2 reducción 1/10 R88MK60020F	1 102,00
PEII120-I10/R88M-1M1K520	674748	Apex gearbox, model PEII120, ratio 10, for motor R88M-1M1K520*	780,00
PEII070-I3/R88M-1M40030	674749	Apex gearbox, model PEII070, ratio 3, for motor R88M-1M40030*	428,70
PEII070-I30/R88M-1M20030	674746	Apex gearbox, model PEII070, ratio 30, for motor R88M-1M20030*	564,00
PEII120-I10/R88M-1M1K020	674751	Apex gearbox, model PEII120, ratio 10, for motor R88M-1M1K020*	780,00
PEII070-I3/R88M-1M75030	674823	Reductor PEII070 reducción 1/3 R88M1M75030T	428,70
PEII070-I10/R88M-1M20030	675051	Reductor PEII070 reducción 1/10 R88M1M20030T	428,70
DB90B-45-CH2FBA/R88M-1M2K020	675107	Reductor DB90B45CH2FBA reducción 45 R88M1M2K020	2 838,00
PEII090-I7/R88M-1L2K030	675198	Reductor PEII090 reducción 1/7 R88M1L2K030	516,50
PEII090-I5/R88M-1L2K030	675261	Reductor PEII090 reducción 1/5 R88M1L2K030	516,50
PEII090-I7/R88M-1L1K530	675288	Reductor PEII090 reducción 1/7 R88M1L1K530	516,50
PEIIR120-I20/R88M-K1K520-LIM	675324	Reductor PEIIR120 reducción 1/20 R88MK1K520LIM	1 659,00
PEII090-I10/R88M-1M75030	675346	Reductor PEII090 reducción 1/10 R88M1M75030	516,50
PEII120-I7/R88M-1M2K020	675402	Reductor PEII120 reducción 1/7 R88M1M2K020	780,00
PEII070-I5/R88M-1M75030	675401	Reductor PEII070 reducción 1/5 R88M1M75030	428,70
PEIIR070-I15/R88M-G40030	675683	Reductor PEIIR070 reducción 1/15 R88MG40030	901,00
PEII155-I40/R88M-1L1K530	677541	Apex gearbox, model PEII155, ratio 40, for motor R88M-1L1K530*	1 366,00
PEII155-I10/R88M-1M3K020	677913	Apex gearbox, model PEII155, ratio 10, for motor R88M-1M3K020*	1 050,00
PEII155-I15/R88M-1M3K020	677914	Apex gearbox, model PEII155, ratio 15, for motor R88M-1M3K020*	1 366,00
PEII050-I7/R88M-1M20030	677912	Apex gearbox, model PEII050, ratio 7, for motor R88M-1M20030*	428,70
PEII070-I20/R88M-1M40030	678081	Apex gearbox, model PEII070, ratio 20, for motor R88M-1M40030*	564,00
PEII120-I15/R88M-1L2K030	678197	Apex gearbox, model PEII120, ratio 15, for motor R88M-1L2K030*	984,50
PEII120-I5/R88M-1L3K030	678196	Apex gearbox, model PEII120, ratio 5, for motor R88M-1L3K030*	780,00
PEII120-I40/R88M-1L1K030	678218	Apex gearbox, model PEII120, ratio 40, for motor R88M-1L1K030*	984,50
AB060-I10-S2-P2/R88M-G40030	678220	Apex gearbox, model AB060, ratio 10, option code -S2-P2, for motor R88M-G40	883,50

OMRON PVPR 2023

PEII050-I5/R88M-1M20030	678229	Apex gearbox, model PEII050, ratio 5, for motor R88M-1M20030*	428,70
PEII070-I7/R88M-1M40030	678322	Apex gearbox, model PEII070, ratio 7, for motor R88M-1M40030*	428,70
PEII120-I20/R88M-K2K030	678326	Apex gearbox, model PEII120, ratio 20, for motor R88M-K2K030*	984,50
PEII120-I10/R88M-1L2K030	678332	Apex gearbox, model PEII120, ratio 10, for motor R88M-1L2K030*	780,00
PEII090-I10/R88M-1M40030	678330	Apex gearbox, model PEII090, ratio 10, for motor R88M-1M40030*	516,50
PEII070-I4/R88M-K1K530	678508	Apex gearbox, model PEII070, ratio 4, for motor R88M-K1K530*	428,70
PEII120-I7/R88M-1L3K030	678679	Apex gearbox, model PEII120, ratio 7, for motor R88M-1L3K030*	780,00
PEII090-I5/R88M-G75030H	678735	Apex gearbox, model PEII090, ratio 5, for motor R88M-G75030H*	516,50
PEII070-I5/R88M-1M20030T	678734	Apex gearbox, model PEII070, ratio 5, for motor R88M-1M20030T*	428,70
PEII070-I20/R88M-1M20030	678849	Apex gearbox, model PEII070, ratio 20, for motor R88M-1M20030*	564,00
AE070-I10/R88M-G20030	679153	Apex gearbox, model AE070, ratio 10, for motor R88M-G20030*	693,00
PEII050-I10/R88M-1M10030	679185	Apex gearbox, model PEII050, ratio 10, for motor R88M-1M10030*	428,70
PEII120-I25/R88M-1M1K020	679215	Apex gearbox, model PEII120, ratio 25, for motor R88M-1M1K020*	984,50
PAIIR042-I10/R88M-1M20030	679268	Apex gearbox, model PAIIR042, ratio 10, for motor R88M-1M20030*	861,00
PD090-I5/R88M-1M40030	679269	Apex gearbox, model PD090, ratio 5, for motor R88M-1M40030*	663,50
PEII090-I10/R88M-1M90010	679270	Apex gearbox, model PEII090, ratio 10, for motor R88M-1M90010*	516,50
PEII090-I7/R88M-K1K030F	679271	Apex gearbox, model PEII090, ratio 7, for motor R88M-K1K030F*	516,50
PEIIR070-I7/R88M-K40030	679645	Apex gearbox, model PEIIR070, ratio 7, for motor R88M-K40030*	787,50
PEII090-I40/R88M-1M40030	679800	Apex gearbox, model PEII090, ratio 40, for motor R88M-1M40030*	688,00
AE090-I25/R88M-1M40030	679799	Apex gearbox, model AE090, ratio 25, for motor R88M-1M40030*	1 139,00
PEII070-I7/R88M-1M75030	680031	Apex gearbox, model PEII070, ratio 7, for motor R88M-1M75030*	428,70
PEII155-I10/R88M-1L3K030	680066	Apex gearbox, model PEII155, ratio 10, for motor R88M-1L3K030*	1 050,00
PEII090-I15/R88M-1M60020	680156	Apex gearbox, model PEII090, ratio 15, for motor R88M-1M60020*	688,00
AT110-FH-I15/R88M-G75030	680424	Apex gearbox, model AT110-FH, ratio 15, for motor R88M-G75030*	1 956,00
AE090-I10/R88M-1L1K030	680434	Apex gearbox, model AE090, ratio 10, for motor R88M-1L1K030*	873,00
PEII090-I25/R88M-1M40030	680448	Apex gearbox, model PEII090, ratio 25, for motor R88M-1M40030*	688,00
AE120-I15/R88M-1L1K030	680504	Apex gearbox, model AE120, ratio 15, for motor R88M-1L1K030*	1 568,00
PEII155-I30/R88M-1L1K530	680535	Apex gearbox, model PEII155, ratio 30, for motor R88M-1L1K530*	1 366,00
AE090-I40/R88M-1M20030	680533	Apex gearbox, model AE090, ratio 40, for motor R88M-1M20030*	1 139,00
PEIIR070-I7/R88M-1M40030	680553	Apex gearbox, model PEIIR070, ratio 7, for motor R88M-1M40030*	787,50
ABR060-I50-S2-P2/R88M-1M10030	680681	Apex gearbox, model ABR060, ratio 50, option code -S2-P2, for motor R88M-1M10030*	1 812,00
PEIIR070-I15/R88M-K40030	680696	Apex gearbox, model PEIIR070, ratio 15, for motor R88M-K40030*	901,00
PEIIR090-I25/R88M-K60020	680697	Apex gearbox, model PEIIR090, ratio 25, for motor R88M-K60020*	1 155,00

OMRON PVPR 2023

AD047-I004-P2/R88M-K20030	680707	Apex gearbox, model AD047, ratio 4, option code -P2, for motor R88M-K20030*	1 129,00
AE235-I40/R88M-K5K030	680823	Apex gearbox, model AE235, ratio 40, for motor R88M-K5K030*	5 710,00
AB060A-I15-S2-P2/R88M-K40030	680868	Apex gearbox, model AB060A, ratio 15, option code -S2-P2, for motor R88M-K40030*	1 265,00
ADR200-I50-P2/R88M-1M3K020	680907	Apex gearbox, model ADR200, ratio 50, option code -P2, for motor R88M-1M3K020*	7 280,00
ATB110-FH-I10/R88M-1M90010	680944	Apex gearbox, model ATB110-FH, ratio 10, for motor R88M-1M90010*	1 571,00
PEII090-I3/R88M-G75030	681112	Apex gearbox, model PEII090, ratio 3, for motor R88M-G75030*	516,50
PEIIR070-I030/R88M-G20030	681537	Apex gearbox, model PEIIR070, ratio 30, for motor R88M-G20030*	901,00
PL090-I20/R88M-1M75030	681538	Apex gearbox, model PL090, ratio 20, for motor R88M-1M75030*	824,50
PEIIR070-I3/R88M-1M40030	681620	Apex gearbox, model PEIIR070, ratio 3, for motor R88M-1M40030*	787,50
PEII120-I40/R88M-1L75030	681927	Apex gearbox, model PEII120, ratio 40, for motor R88M-1L75030*	984,50
PEIIR070-I5/R88M-1L75030	681926	Apex gearbox, model PEIIR070, ratio 5, for motor R88M-1L75030*	787,50
PEII070-I5/R88M-1L75030	681928	Apex gearbox, model PEII070, ratio 5, for motor R88M-1L75030*	428,70
AE155-I20/R88M-1L3K030	681932	Apex gearbox, model AE155, ratio 20, for motor R88M-1L3K030*	2 121,00
PEIIR155-I25/R88M-1L3K030	681931	Apex gearbox, model PEIIR155, ratio 25, for motor R88M-1L3K030*	2 543,00
PEII120-I5/R88M-K5K020	681933	Apex gearbox, model PEII120, ratio 5, for motor R88M-K5K020*	780,00
PEIIR120-I7/R88M-1M2K020	681935	Apex gearbox, model PEIIR120, ratio 7, for motor R88M-1M2K020*	1 481,00
PEII090-I4/R88M-1L3K030	682269	Apex gearbox, model PEII090, ratio 4, for motor R88M-1L3K030*	516,50
AT110-FC-I7/R88M-1L2K030	682270	Apex gearbox, model AT110-FC, ratio 7, for motor R88M-1L2K030*, INOX	2 258,00
AT110-FC-I10/R88M-1M75030	682271	Apex gearbox, model AT110-FC, ratio 10, for motor R88M-1M75030*, INOX	2 258,00
PEII090-I5/R88M-1M1K520	682446	Apex gearbox, model PEII090, ratio 5, for motor R88M-1M1K520*	516,50
AE070-I70/R88M-1M10030	682472	Apex gearbox, model AE070, ratio 70, for motor R88M-1M10030*	894,50
PEII090-I10/R88M-1L1K030	682497	Apex gearbox, model PEII090, ratio 10, for motor R88M-1L1K030*	516,50
PEIIR050-I10/R88M-G10030	682498	Apex gearbox, model PEIIR050, ratio 10, for motor R88M-G10030*	767,00
PEII120-I10/R88M-1M2K020	682541	Apex gearbox, model PEII120, ratio 10, for motor R88M-1M2K020*	780,00
PEII120-I35/R88M-1L1K030	682544	Apex gearbox, model PEII120, ratio 35, for motor R88M-1L1K030*	984,50
AF075M1-I10-S2-P0/R88MK1K020	682585	Apex gearbox, model AF075M1, ratio 10, option code -S2-P0, for motor R88MK1K020*	1 446,00
AF075M1-I10-S2-P1/R88M-K1K020	682586	Apex gearbox, model AF075, ratio 10, option code -I10-S2-P1, for motor R88MK1K020*	1 321,00
PEII070-I4/R88M-K1K030	682662	Apex gearbox, model PEII070, ratio 4, for motor R88M-K1K030*	428,70
AE205-I50/R88M-K4K030	683020	Apex gearbox, model AE205, ratio 50, for motor R88M-K4K030*	3 117,00
AE205-I080/R88M-K1K520	683016	Apex gearbox, model AE205, ratio 80, for motor R88M-K1K520*	3 117,00
PEIIR155-I15/R88M-1M2K010	683412	Apex gearbox, model PEIIR155, ratio 15, for motor R88M-1M2K010*	2 543,00
PEII070-I4/R88M-G20030	683496	Apex gearbox, model PEII070, ratio 4, for motor R88M-G20030*	428,70
AE205-I10/R88M-K6K010	683698	Apex gearbox, model AE205, ratio 10, for motor R88M-K6K010*	2 483,00

OMRON PVPR 2023

AE205-I10/R88M-K2K010	683703	Apex gearbox, model AE205, ratio 10, for motor R88M-K2K010*	2 483,00
AE205-I15/R88M-K2K010	683704	Apex gearbox, model AE205, ratio 15, for motor R88M-K2K010*	3 117,00
AE235-I15/R88M-K4K510	683705	Apex gearbox, model AE235, ratio 15, for motor R88M-K4K510*	5 710,00
AE050-I05/R88M-K20030	683706	Apex gearbox, model AE050, ratio 5, for motor R88M-K20030*	677,00
AF075-I10-S2-P0/R88M-1K020	683713	Apex gearbox, model AF075, ratio 10, option code -S2-P0, for motor R88M-1K020	1 446,00
PEII090-I5/R88M-1M2K020	683714	Apex gearbox, model PEII090, ratio 5, for motor R88M-1M2K020*	516,50
PEII090-I35/R88M-1M40030	683708	Apex gearbox, model PEII090, ratio 35, for motor R88M-1M40030*	688,00
PEII070-I16/R88M-1M40030	683710	Apex gearbox, model PEII070, ratio 16, for motor R88M-1M40030*	564,00
PEII070-I3/R88M-1M20030	683711	Apex gearbox, model PEII070, ratio 3, for motor R88M-1M20030*	428,70
PEII155-I15/R88M-1L3K030	683712	Apex gearbox, model PEII155, ratio 15, for motor R88M-1L3K030*	1 366,00
PEII070-I50/R88M-1M10030	683825	Apex gearbox, model PEII070, ratio 50, for motor R88M-1M10030*	564,00
PEIIR050-I10/R88M-1M10030	683840	Apex gearbox, model PEIIR050, ratio 10, for motor R88M-1M10030*	767,00
PEII155-I3/R88M-K7K515	684093	Apex gearbox, model PEII155, ratio 3, for motor R88M-K7K515*	1 050,00
PEII155-I7/R88M-K5K020	684097	Apex gearbox, model PEII155, ratio 7, for motor R88M-K5K020*	1 050,00
PEII155-I25/R88M-1L2K030	684134	Apex gearbox, model PEII155, ratio 25, for motor R88M-1L2K030*	1 366,00
PEII070-I3/R88E-AECT0230	684226	Apex gearbox, model PEII070, ratio 3, for motor R88E-AECT0230*	428,70
AER090-I14/R88M-K1K030	684225	Apex gearbox, model AER090, ratio 14, for motor R88M-K1K030*	1 605,00
PEII120-005/R88M-1L2K030	684228	Apex gearbox, model PEII120, ratio 5, for motor R88M-1L2K030*	780,00
AE155-I60/R88M-K1K020	684257	Apex gearbox, model AE155, ratio 60, for motor R88M-K1K020*	2 121,00
PEII155-I20/R88M-K4K030	684358	Apex gearbox, model PEII155, ratio 20, for motor R88M-K4K030*	1 366,00
PAII060-I3-S2/R88M-1M75030	684485	Apex gearbox, model PAII060, ratio 3, option code -S2, for motor R88M-1M75030	457,80
PEII090-I20/R88M-1L75030	684509	Apex gearbox, model PEII090, ratio 20, for motor R88M-1L75030*	688,00
PEII070-I15/R88M-1M20030	684525	Apex gearbox, model PEII070, ratio 15, for motor R88M-1M20030*	564,00
PEII120-I15/R88M-1L1K530	684550	Apex gearbox, model PEII120, ratio 15, for motor R88M-1L1K530*	984,50
PEII090-I15/R88M-1L1K030	684548	Apex gearbox, model PEII090, ratio 15, for motor R88M-1L1K030*	688,00
PEII120-I10/R88M-1M90010	684549	Apex gearbox, model PEII120, ratio 10, for motor R88M-1M90010*	780,00
AE050-I7/R88M-1M10030	684618	Apex gearbox, model AE050, ratio 7, for motor R88M-1M10030*	677,00
PEII090-I15/R88M-K1K030	684764	Apex gearbox, model PEII090, ratio 15, for motor R88M-K1K030*	688,00
PEII090-I15/R88M-K1K530	684763	Apex gearbox, model PEII090, ratio 15, for motor R88M-K1K530*	688,00
PEIIR070-I20/R88M-1M20030	684800	Apex gearbox, model PEIIR070, ratio 20, for motor R88M-1M20030*	901,00
PEII090-I20/R88M-K40020	684843	Apex gearbox, model PEII090, ratio 20, for motor R88M-K40020*	688,00
PEII120-I20/R88M-1M1K020	684844	Apex gearbox, model PEII120, ratio 20, for motor R88M-1M1K020*	984,50
PEII070-I15/R88M-1M40030	684845	Apex gearbox, model PEII070, ratio 15, for motor R88M-1M40030*	564,00

OMRON PVPR 2023

AT110-FC-I10/R88M-1L1K030	684850	Apex gearbox, model AT110-FC, ratio 10, for motor R88M-1L1K030*	2 258,00
AT110-FH-I10/R88M-1L1K030	684851	Apex gearbox, model AT110-FH, ratio 10, for motor R88M-1L1K030*	1 956,00
AT110-FC-I15/R88M-1L1K030	684860	Apex gearbox, model AT110-FC, ratio 15, for motor R88M-1L1K030*	2 258,00
AT110-FH-I15/R88M-1L1K030	684861	Apex gearbox, model AT110-FH, ratio 15, for motor R88M-1L1K030*	1 956,00
AE155-I20/R88M-K1K020	684862	Apex gearbox, model AE155, ratio 20, for motor R88M-K1K020*	2 121,00
AE120M1-I20/R88M-K1K020	684863	Apex gearbox, model AE120M1, ratio 20, option code -I20, for motor R88M-K1K020*	1 568,00
PEII090-I30/R88M-1M40030	684991	Apex gearbox, model PEII090, ratio 30, for motor R88M-1M40030*	688,00
AE205-I60/R88M-1M2K020	684997	Apex gearbox, model AE205, ratio 60, for motor R88M-1M2K020*	3 117,00
AE155-I20/R88M-1L3K020	685012	Apex gearbox, model AE155, ratio 20, for motor R88M-1L3K020*	2 121,00
AER090M1-I4/R88M-1M1K520	685124	Apex gearbox, model AER090-M1, ratio 4, for motor R88M-1M1K520*	1 605,00
AB060-I3-S2-P2/R88M-K40030	685126	Apex gearbox, model AB060, ratio 3, option code -S2-P2, for motor R88M-K40030*	883,50
AE155-I20/R88M-1M3K020	685127	Apex gearbox, model AE155, ratio 20, for motor R88M-1M3K020*	2 121,00
AER090M1-I7/R88M-1M1K520	685149	Apex gearbox, model AER090M1, ratio 7, option code -I7, for motor R88M-1M1K520*	1 605,00
PEII070-I5/R88M-G40030	685150	Apex gearbox, model PEII070, ratio 5, for motor R88M-G40030*	428,70
ABR060-I25-S2-P2/R88M-K40030	685178	Apex gearbox, model ABR060, ratio 25, option code -S2-P2, for motor R88M-K40030*	1 812,00
AER155-I50/R88M-1M1K520	685186	Apex gearbox, model AER155, ratio 50, for motor R88M-1M1K520*	3 718,00
PEII090-I3/R88M-K3K020	685407	Apex gearbox, model PEII090, ratio 3, for motor R88M-K3K020*	516,50
AFR075-I5-S1-P2/R88M-1L1K030	685408	Apex gearbox, model AFR075, ratio 5, option code -S1-P2, for motor R88M-1L1K030*	1 937,00
AT075-L-I5/R88M-G75030	685494	Apex gearbox, model AT075-L, ratio 5, for motor R88M-G75030*	994,50
AT075-L-I5-S2/R88M-G75030	685515	Apex gearbox, model AT075-L, ratio 5, option code -S2, for motor R88M-G75030*	994,50
AE050-I25/R88M-1M10030	685530	Apex gearbox, model AE050, ratio 25, for motor R88M-1M10030*	879,00
PEIIR070-I7/R88M-K75030H	685532	Apex gearbox, model PEIIR070, ratio 7, for motor R88M-K75030(H/T)*	787,50
PEII070-I30/R88M-1M40030LIMIT	685744	Apex gearbox, model PEII070, ratio 30, for motor R88M-1M40030LIMIT*	564,00
PEII090-I25/R88M-1M60020	685796	Apex gearbox, model PEII090, ratio 25, for motor R88M-1M60020*	688,00
AE090M1-I10/R88M-1M1K020	685950	Apex gearbox, model AE090M1, ratio 10, for motor R88M-1M1K020*	873,00
PEII090-I7/R88M-1M1K520	686001	Apex gearbox, model PEII090, ratio 7, for motor R88M-1M1K520*	516,50
AB060-I7-S2-P2/R88M-G40030	686010	Apex gearbox, model AB060, ratio 7, option code -S2-P2, for motor R88M-G40030*	883,50
AE155-I10/R88M-K5K020	686061	Apex gearbox, model AE155, ratio 10, for motor R88M-K5K020*	1 624,00
AER120-I35/R88E-AECT0230	686180	Apex gearbox, model AER120, ratio 35, for motor R88E-AECT0230*	2 793,00
PGII120-I16/R88M-K2K030	686191	Apex gearbox, model PGII120, ratio 16, for motor R88M-K2K030*	984,50
PEII090-I7/R88M-1M1K020	686199	Apex gearbox, model PEII090, ratio 7, for motor R88M-1M1K020*	516,50
PEIIR090-I20/R88M-1L75030	686219	Apex gearbox, model PEIIR090, ratio 20, for motor R88M-1L75030*	1 155,00
AE205-I40/R88M-1M2K020	686252	Apex gearbox, model AE205, ratio 40, for motor R88M-1M2K020*	3 117,00

OMRON PVPR 2023

DB63B10CRH1BA/R88M-K3K020	686265	Apex gearbox	1 861,00
PEII090-I50/R88M-1M40030	686986	Apex gearbox, model PEII090, ratio 50, for motor R88M-1M40030*	688,00
PEII090-I10/R88M-K2K030	687029	Apex gearbox, model PEII090, ratio 10, for motor R88MK-2K030*	516,50
PEII090-I3/R88M-K60030	687028	Apex gearbox, model PEII090, ratio 3, for motor R88MK-60030*	516,50
AE155-I30/R88M-1L3K030	687027	Apex gearbox, model AE155, ratio 30, for motor R88M-1L3K030*	2 121,00
PEII070-I25/R88M-G20030	687044	Apex gearbox, model PEII070, ratio 25, for motor R88M-G20030*	564,00
PEII090-I3/R88M-K90010	687274	Apex gearbox, model PEII090, ratio 3, for motor R88M-K90010*	516,50
AE155-I4/R88M-K2K020	687273	Apex gearbox, model AE155, ratio 4, for motor R88M-K2K020*	1 624,00
DB63B10CH1FBA/R88M-K3K020	687272	Dynabox TAM 63	2 009,00
AF100-I10-S2-P1/R88M-1M1K520	687344	Apex gearbox, model AF100, ratio 10, option code -S2-P1, for motor R88M-1M1K520	1 791,00
PAIIR115-I15/R88M-1L2K030	687672	Apex gearbox, model PAIIR115, ratio 15, for motor R88M-1L2K030*	1 880,00
PEII090-I3/R88M-1M2K020	687673	Apex gearbox, model PEII090, ratio 3, for motor R88M-1M2K020*	516,50
PEII090-I10/R88M-1M1K020	687674	Apex gearbox, model PEII090, ratio 10, for motor R88M-1M1K020*	516,50
PEII070-I3/R88M-K1K030	687753	Apex gearbox, model PEII070, ratio 3, for motor R88M-K1K030*	428,70
PEII090-I3/R88M-1M90010	687843	Apex gearbox, model PEII090, ratio 3, for motor R88M-1M90010*	516,50
PEII090-I25/R88M-1M75030	687844	Apex gearbox, model PEII090, ratio 25, for motor R88M-1M75030*	688,00
PEII070-I25/R88M-1M40030	687916	Apex gearbox, model PEII070, ratio 25, for motor R88M-1M40030*	564,00
PEII070-I5/R88M-G20030	687917	Apex gearbox, model PEII070, ratio 5, for motor R88M-G20030*	428,70
AER090-I120/R88M-1M10030	687953	Apex gearbox, model AER090, ratio 120, for motor R88M-1M10030*	2 024,00
PAII115-I20-S2/R88M-1L2K030	688065	Apex gearbox, model PAII115, ratio 20, option code -S2, for motor R88M-1L2K030	1 158,00
PEII120-I4/R88M-K5K020	688128	Apex gearbox, model PEII120, ratio 4, for motor R88M-K5K020*	780,00
PEII155-I4/R88M-K5K020	688129	Apex gearbox, model PEII155, ratio 4, for motor R88M-K5K020*	1 050,00
PEII120-I35/R88M-K75030H	688147	Apex gearbox, model PEII120, ratio 35, for motor R88M-K75030(H/T)*	984,50
PEIIR120-I10/R88M-1L1K530	688181	Apex gearbox, model PEIIR120, ratio 10, for motor R88M-1L1K530*	1 481,00
PEIIR090-I10/R88M-1L75030	688182	Apex gearbox, model PEIIR090, ratio 10, for motor R88M-1L75030*	995,50
PEIIR070-I5/R88M-160020	688183	Apex gearbox, model PEIIR070, ratio 5, for motor R88M-160020*	787,50
PEII155-I15/R88M-1M2K010	688229	Apex gearbox, model PEII155, ratio 15, for motor R88M-1M2K010*	1 366,00
PEII090-I3/R88M-K1K030	688309	Apex gearbox, model PEII090, ratio 3, for motor R88M-K1K030*	516,50
PEIIR090-I7/R88M-1M1K020	688376	Apex gearbox, model PEIIR090, ratio 7, for motor R88M-1M1K020*	995,50
AER090M1-I3/R88M-K3K020	688378	Apex gearbox, model AER090M1, ratio 3, option code -I3, for motor R88M-K3K020	1 605,00
PEII090-I3/R88M-K60020	688379	Apex gearbox, model PEII090, ratio 3, for motor R88M-K60020*	516,50
PEII070-I5/R88M-1L1K530	688404	Apex gearbox, model PEII070, ratio 5, for motor R88M-1L1K530*	428,70
AT110-FH-I10/R88M-1M75030	688498	Apex gearbox, model AT110-FH, ratio 10, for motor R88M-1M75030*	1 956,00

OMRON PVPR 2023

PEII070-I3/R88M-1L1K530	688507	Apex gearbox, model PEII070, ratio 3, for motor R88M-1L1K530*	428,70
DB110B30CH1FBAR88MK5K030	688534	Apex gearbox	3 352,00
PEII090-I25/R88M-K40030	688551	Apex gearbox, model PEII090, ratio 25, for motor R88M-K40030*	688,00
ADR255-I50-P2/R88M-K4K510	688553	Apex gearbox, model ADR255, ratio 50, option code -P2, for motor R88M-K4K510	13 260,00
PEII090-I20/R88M-1M60020	688568	Apex gearbox, model PEII090, ratio 20, for motor R88M-1M60020*	688,00
PEII090-I20/R88M-1M40020	688569	Apex gearbox, model PEII090, ratio 20, for motor R88M-1M40020*	688,00
PEIIR050-I7/R88M-1M20030	688570	Apex gearbox, model PEIIR050, ratio 7, for motor R88M-1M20030*	767,00
PEIIR070-I10/R88M-1M40030	688572	Apex gearbox, model PEIIR070, ratio 10, for motor R88M-1M40030*	787,50
PEII090-I10/R88M-K60020	688600	Apex gearbox, model PEII090, ratio 10, for motor R88M-K60020*	516,50
PEII090-I30/R88M-K40030	688606	Apex gearbox, model PEII090, ratio 30, for motor R88M-K40030*	688,00
PEII120-I30/R88M-1M75030	688661	Apex gearbox, model PEII120, ratio 30, for motor R88M-1M75030*	984,50
PEII070-I30/R88M-1M10030	688735	Apex gearbox, model PEII070, ratio 30, for motor R88M-1M10030*	564,00
PEII090-I10/R88M-1M60020	688736	Apex gearbox, model PEII090, ratio 10, for motor R88M-1M60020*	516,50
PAII115-I5-S2/R88M-1L1K530	688748	Apex gearbox, model PAII115, ratio 5, option code -S2, for motor R88M-1L1K530	914,50
AER070-I10/R88M-G40030	688763	Apex gearbox, model AER070, ratio 10, for motor R88M-G40030*	1 279,00
KH140-I10/R88M-K1K030	688764	Apex gearbox, model KH140, ratio 10, for motor R88M-K1K030*	3 881,00
KH090-I16/R88M-K1K030	688765	Apex gearbox, model KH090, ratio 16, for motor R88M-K1K030*	4 499,00
KH200-I100/R88M-K1K030	688766	Apex gearbox, model KH200, ratio 100, for motor R88M-K1K030*	11 990,00
PL120-I50/SGMSH-10	688768	Apex gearbox, model PL120, ratio 50, for motor SGMSH-10*	1 174,00
AE120-I40/R88M-K40030	688786	Apex gearbox, model AE120, ratio 40, for motor R88M-K40030*	1 568,00
AER155-I60/R88M-1L3K030	688908	Apex gearbox, model AER155, ratio 60, for motor R88M-1L3K030*	3 718,00
AER205-I60/R88M-K5K030	688909	Apex gearbox, model AER205, ratio 60, for motor R88M-K5K030*	5 335,00
AE120-I30/R88M-1L1K030	688910	Apex gearbox, model AE120, ratio 30, for motor R88M-1L1K030*	1 568,00
AE070-I08/R88M-1M40030	688911	Apex gearbox, model AE070, ratio 8, for motor R88M-1M40030*	693,00
AER155-I60/R88M-1L2K030	688912	Apex gearbox, model AER155, ratio 60, for motor R88M-1L2K030*	3 718,00
AE120-I50/R88M-1L1K530	688913	Apex gearbox, model AE120, ratio 50, for motor R88M-1L1K530*	1 568,00
ADR255-I50-P1/R88M-K4K510	688914	Apex gearbox, model ADR255, ratio 50, option code -P1, for motor R88M-K4K510	14 430,00
PEII090-I5/R88M-K2K020	688921	Apex gearbox, model PEII090, ratio 5, for motor R88M-K2K020*	516,50
AB090-I6-S2-P2/R88M-K75030F	688937	Apex gearbox, model AB090, ratio 6, option code -S2-P2, for motor R88M-K75030	1 102,00
KH090-I35/R88M-1M20030	688938	Apex gearbox, model KH090, ratio 35, for motor R88M-1M20030*	4 499,00
PEII120-I4/R88M-K4K020	688950	Apex gearbox, model PEII120, ratio 4, for motor R88M-K4K020*	780,00
PEIIR090-I20/R88M-1M40030	689151	Apex gearbox, model PEIIR090, ratio 20, for motor R88M-1M40030*	1 155,00
PEIIR070-I40/R88M-K1K030	689158	Apex gearbox, model PEIIR070, ratio 40, for motor R88M-K1K030*	901,00

OMRON PVPR 2023

PEIIR090-I40/R88M-K1K030	689159	Apex gearbox, model PEIIR090, ratio 40, for motor R88M-K1K030*	1 155,00
PEII120-I20/R88M-1L1K030	689181	Apex gearbox, model PEII120, ratio 20, for motor R88M-1L1K030*	984,50
PEII155-I50/R88M-1M1K020	689362	Apex gearbox, model PEII155, ratio 50, for motor R88M-1M1K020*	1 366,00
PEII155-I10/R88M-K3K020	689484	Apex gearbox, model PEII155, ratio 10, for motor R88M-K3K020*	1 050,00
AE155-I25/R88M-1M3K020	689493	Apex gearbox, model AE155, ratio 25, for motor R88M-1M3K020*	2 121,00
PEII050-I5/R88M-1M10030	689559	Apex gearbox, model PEII050, ratio 5, for motor R88M-1M10030*	428,70
PEII155-I10/R88M-1M2K020	689593	Apex gearbox, model PEII155, ratio 10, for motor R88M-1M2K020 *	1 050,00
PGII120-I40/R88M-1M60020	689897	Apex gearbox, model PGII120, ratio 40, for motor R88M-1M60020*	984,50
PEIIR090-I10/R88M-K75030H	689899	Apex gearbox, model PEIIR090, ratio 10, for motor R88M-K75030(H/T)*	995,50
AE205-I7/R88M-K4K510	689910	Apex gearbox, model AE205, ratio 7, for motor R88M-K4K510*	2 483,00
PEII155-I10/R88M-K2K020	689960	Apex gearbox, model PEII155, ratio 10, for motor R88M-K2K020*	1 050,00
AE155-I25/SGMSH-40	690008	Apex gearbox, model AE155, ratio 25, for motor SGMSH-40*	2 121,00
AE120-I10/R88M-1L3K030	690016	Apex gearbox, model AE120, ratio 10, for motor R88M-1L3K030*	1 209,00
PEII155-I30/R88M-1L2K030	690017	Apex gearbox, model PEII155, ratio 30, for motor R88M-1L2K030*	1 366,00
PEIIR155-I70/R88M-1M75030	690092	Apex gearbox, model PEIIR155, ratio 70, for motor R88M-1M75030*	2 543,00
PEII070-I7/R88M-G40030	690246	Apex gearbox, model PEII070, ratio 7, for motor R88M-G40030*	428,70
PEIIR070-I7/R88M-G40030	690247	Apex gearbox, model PEIIR070, ratio 7, for motor R88M-G40030*	787,50
PEII120-I7/R88M-K3K030	690248	Apex gearbox, model PEII120, ratio 7, for motor R88M-K3K030*	780,00
PEII090-I3/R88M-1M3K020	690270	Apex gearbox, model PEII090, ratio 3, for motor R88M-1M3K020*	516,50
ADR064-I20-P2/R88M-1M40030	690280	Apex gearbox, model ADR064, ratio 20, option code -P2, for motor R88M-1M40	1 822,00
ADR090-I20-P2/R88M-1M40030	690281	Apex gearbox, model ADR090, ratio 20, option code -P2, for motor R88M-1M40	2 261,00
AD047-I25-P2/R88M-1M10030	690282	Apex gearbox, model AD047, ratio 25, option code -P2, for motor R88M-1M100	1 471,00
PEII070-I3/R88M-1L2K030	690304	Apex gearbox, model PEII070, ratio 3, for motor R88M-1L2K030*	428,70
PEII120-I15/R88M-1M1K020	690305	Apex gearbox, model PEII120, ratio 15, for motor R88M-1M1K020*	984,50
PEII090-I5/R88M-1M1K020	690306	Apex gearbox, model PEII090, ratio 5, for motor R88M-1M1K020*	516,50
AER120M1-I25/R88M-K1K020	690318	Apex gearbox, model AER120M1, ratio 25, option code -I25, for motor R88M-K1	2 793,00
AD047-I20-P2/R88M-1M10030	690338	Apex gearbox, model AD047, ratio 20, option code -P2, for motor R88M-1M100	1 471,00
PEII070-I3/R88M-1M60020	690477	Apex gearbox, model PEII070, ratio 3, for motor R88M-1M60020*	428,70
PEII070-I5/R88M-1M60020	690478	Apex gearbox, model PEII070, ratio 5, for motor R88M-1M60020*	428,70
PEII090-I3/SGMGH-09	690481	Apex gearbox, model PEII090, ratio 3, for motor SGMGH-09*	516,50
PEII155-I20/R88M-1M3K020	690492	Apex gearbox, model PEII155, ratio 20, for motor R88M-1M3K020*	1 366,00
AE120-I10/R88M-1M2K020	690550	Apex gearbox, model AE120, ratio 10, for motor R88M-1M2K020*	1 209,00
PEII090-I3/8LSA44EE030FF000	690571	Apex gearbox, model PEII090, ratio 3, for motor 8LSA44ee030ff000*	516,50

OMRON PVPR 2023

PEII070-I7/R88M-1M40020	690596	Apex gearbox, model PEII070, ratio 7, for motor R88M-1M40020*	428,70
PEII120-I25/R88M-1L1K530	690597	Apex gearbox, model PEII120, ratio 25, for motor R88M-1L1K530*	984,50
PEII090-I7/R88M-G75030	690625	Apex gearbox, model PEII090, ratio 7, for motor R88M-G75030*	516,50
PAII115-I15-S2/R88M-1L1K530	690691	Apex gearbox, model PAII115, ratio 15, option code -S2, for motor R88M-1L1K530*	1 158,00
AF075-I10-S2-P2/R88M-1M60020	690692	Apex gearbox, model AF075, ratio 10, option code -S2-P2, for motor R88M-1M60020*	1 208,00
PEII120-I16/R88M-1M1K520	690693	Apex gearbox, model PEII120, ratio 16, for motor R88M-1M1K520*	984,50
PEII090-I20/R88M-1L1K030	690694	Apex gearbox, model PEII090, ratio 20, for motor R88M-1L1K030*	688,00
AE090-I10/R88M-1M60020	690761	Apex gearbox, model AE090, ratio 10, for motor R88M-1M60020*	873,00
PD110-I35/R88M-1M60020	690762	Apex gearbox, model PD110, ratio 35, for motor R88M-1M60020*	1 174,00
AH110-I35/R88M-1M60020	690763	Apex gearbox, model AH110, ratio 35, for motor R88M-1M60020*	3 221,00
AE120-I10/R88M-1L4K030	690824	Apex gearbox, model AE120, ratio 10, for motor R88M-1L4K030*	1 209,00
PEII155-I70/R88M-1M40020	690830	Apex gearbox, model PEII155, ratio 70, for motor R88M-1M40020*	1 366,00
AE120-I20/R88M-1L1K030	690831	Apex gearbox, model AE120, ratio 20, for motor R88M-1L1K030*	1 568,00
PEII070-I4/R88M-1M40030	690936	Apex gearbox, model PEII070, ratio 4, for motor R88M-1M40030*	428,70
PEII070-I100/R88M-1M20030	690946	Apex gearbox, model PEII070, ratio 100, for motor R88M-1M20030*	564,00
AH110-I16/R88M-1L3K030	690987	Apex gearbox, model AH110, ratio 16, for motor R88M-1L3K030*	3 221,00
AH140-I35/R88M-1L2K030	690988	Apex gearbox, model AH140, ratio 35, for motor R88M-1L2K030*	4 475,00
AE155-I35/R88M-1L2K030	691011	Apex gearbox, model AE155, ratio 35, for motor R88M-1L2K030*	2 121,00
AE155-I15/R88M-1L3K030	691012	Apex gearbox, model AE155, ratio 15, for motor R88M-1L3K030*	2 121,00
AE090M1-I7/R88M-1L3K030	691013	Apex gearbox, model AE090, ratio 7, option code -I7, for motor R88M-1L3K030*	873,00
PEII155-I15/R88M-K2K020	691045	Apex gearbox, model PEII155, ratio 15, for motor R88M-K2K020*	1 366,00
PEIIR120-I40-S2/R88M-1M75030	691173	Apex gearbox, model PEIIR120, ratio 40, option code -S2, for motor R88M-1M75030*	1 659,00
PEIIR090-I40-S2/R88M-1M40030	691174	Apex gearbox, model PEIIR090, ratio 40, option code -S2, for motor R88M-1M40030*	1 155,00
PEII120-I10/R88M-K1K530	691232	Apex gearbox, model PEII120, ratio 10, for motor R88M-K1K530*	780,00
PEII120-I40/R88M-1M75030	691233	Apex gearbox, model PEII120, ratio 40, for motor R88M-1M75030*	984,50
PEII090-I3/R88M-K2K030	692760	Apex gearbox, model PEII090, ratio 3, for motor R88M-K2K030*	516,50
PEII090-I10/R88M-K1K030	692761	Apex gearbox, model PEII090, ratio 10, for motor R88M-K1K030*	516,50
PEIIR050-I20/R88M-1M10030	692767	Apex gearbox, model PEIIR050, ratio 20, for motor R88M-1M10030*	875,50
AE155-I15/R88M-1M2K020	692791	Apex gearbox, model AE155, ratio 15, for motor R88M-1M2K020*	2 121,00
ABR090-I25-S2-P0/R88M-K40030	692843	Apex gearbox, model ABR090, ratio 25, option code -S2-P0, for motor R88M-K40030*	2 729,00
AE090-I4/R88M-1L1K030	692844	Apex gearbox, model AE090, ratio 4, for motor R88M-1L1K030*	873,00
PEII090-I4-S2/R88M-1M1K520	692845	Apex gearbox, model PEII090, ratio 4, option code -S2, for motor R88M-1M1K520*	516,50
PEII090-I4-S2/R88M-1M75030	692846	Apex gearbox, model PEII090, ratio 4, option code -S2, for motor R88M-1M75030*	516,50

OMRON PVPR 2023

PEII070-I4-S2/R88M-1M75030	692897	Apex gearbox, model PEII070, ratio 4, option code -S2, for motor R88M-1M75030*	428,70
PEII090-I25/R88E-AECT0230	692909	Apex gearbox, model PEII090, ratio 25, for motor R88E-AECT0230*	688,00
PEII155-I25/R88E-AECT0530	692922	Apex gearbox, model PEII155, ratio 25, for motor R88E-AECT0530*	1 366,00
PEII070-I25/R88M-1M20030	693034	Apex gearbox, model PEII070, ratio 25, for motor R88M-1M20030*	564,00
AER155-I60/R88M-K1K020	693637	Apex gearbox, model AER155, ratio 60, for motor R88M-K1K020*	3 718,00
PEII155-I25/R88M-1L3K030	693646	Apex gearbox, model PEII155, ratio 25, for motor R88M-1L3K030*	1 366,00
AB090A-I30-S-P1/R88M-K75030F	693662	Apex gearbox, model AB090A, ratio 30, option code -S-P1, for motor R88M-K75030*	1 728,00
PD090-I40/R88M-1M40030	693676	Apex gearbox, model PD090, ratio 40, for motor R88M-1M40030*	826,50
AD090-I40-P0/R88M-1M40030	693677	Apex gearbox, model AD090, ratio 40, option code -P0, for motor R88M-1M40030*	2 172,00
AD110-I40-P0/R88M-1M40030	693678	Apex gearbox, model AD110, ratio 40, option code -P0, for motor R88M-1M40030*	2 926,00
AD090-I40-P1/R88M-1M40030	693679	Apex gearbox, model AD090, ratio 40, option code -P1, for motor R88M-1M40030*	1 981,00
AD110-I40-P1/R88M-1M40030	693680	Apex gearbox, model AD110, ratio 40, option code -P1, for motor R88M-1M40030*	2 670,00
AD090-I40-P2/R88M-1M40030	693681	Apex gearbox, model AD090, ratio 40, option code -P2, for motor R88M-1M40030*	1 809,00
AD110-I40-P2/R88M-1M40030	693682	Apex gearbox, model AD110, ratio 40, option code -P2, for motor R88M-1M40030*	2 440,00
AP090-I38.5/R88M-1M40030	693683	Apex gearbox, model AP090, ratio 38.5, for motor R88M-1M40030*	3 108,00
AP090-I40/R88M-1M40030	693684	Apex gearbox, model AP090, ratio 40, for motor R88M-1M40030*	3 108,00
AP110-I64/R88M-1M40030	693685	Apex gearbox, model AP110, ratio 64, for motor R88M-1M40030*	4 583,00
PEII120-I15/R88M-K1K520	693783	Apex gearbox, model PEII120, ratio 15, for motor R88M-K1K520*	984,50
ABR060-I80-S1-P2/R88M-K10030	693841	Apex gearbox, model ABR060, ratio 80, option code -S1-P2, for motor R88M-K10030*	1 812,00
PEII070-I7/R88M-K1K520	693935	Apex gearbox, model PEII070, ratio 7, for motor R88M-K1K520*	428,70
AE205-I20/R88M-K4K020	693936	Apex gearbox, model AE205, ratio 20, for motor R88M-K4K020*	3 117,00
AE090M1-I5/R88M-K1K520	693937	Apex gearbox, model AE090M1, ratio 5, option code -I5, for motor R88M-K1K520*	873,00
PEII070-I3/R88M-1L1K030	693961	Apex gearbox, model PEII070, ratio 3, for motor R88M-1L1K030*	428,70
AER070-I20/R88M-1M10030	694003	Apex gearbox, model AER070, ratio 20, for motor R88M-1M10030*	1 279,00
AH140-I40/R88M-1L2K030	694101	Apex gearbox, model AH140, ratio 40, for motor R88M-1L2K030*	4 344,00
AB115-I16-S2-P2/R88M-1L2K030	694710	Apex gearbox, model AB115, ratio 16, option code -S2-P2, for motor R88M-1L2K030*	1 960,00
AB115-I20-S2-P2/R88M-1L1K530	694781	Apex gearbox, model AB115, ratio 20, option code -S2-P2, for motor R88M-1L1K530*	1 960,00
AER090-I14/R88M-1L75030	694780	Apex gearbox, model AER090, ratio 14, for motor R88M-1L75030*	1 605,00
PGII080-I3/R88M-1L1K030	694709	Apex gearbox, model PGII080, ratio 3, for motor R88M-1L1K030*	516,50
AB090-I4-S2-P2/R88M-1L1K530	694804	Apex gearbox, model AB090, ratio 4, option code -S2-P2, for motor R88M-1L1K530*	1 102,00
AB142-I12-S1-P2/R88M-1L5K030	694803	Apex gearbox, model AB142, ratio 12, option code -S1-P2, for motor R88M-1L5K030*	2 614,00
AB142-I16-S1-P2/R88M-1L5K030	694802	Apex gearbox, model AB142, ratio 16, option code -S1-P2, for motor R88M-1L5K030*	2 614,00
AB142-I20-S1-P2/R88M-1L5K030	694801	Apex gearbox, model AB142, ratio 20, option code -S1-P2, for motor R88M-1L5K030*	2 614,00

OMRON PVPR 2023

PEII090-I25/R88M-K75030H	694864	Apex gearbox, model PEII090, ratio 25, for motor R88M-K75030(H/T)*	688,00
AB090A-I30-S2-P1/R88M-K75030F	694878	Apex gearbox, model AB090A, ratio 30, option code -S2-P1, for motor R88M-K75030	1 728,00
PEII155-I50/R88M-1L1K530	694931	Apex gearbox, model PEII155, ratio 50, for motor R88M-1L1K530*	1 366,00
AB090-I10-S2-P2/R88M-1L75030	694965	Apex gearbox, model AB090, ratio 10, option code -S2-P2, for motor R88M-1L75030	1 102,00
PEIIR070-I3/R88M-K40030	694966	Apex gearbox, model PEIIR070, ratio 3, for motor R88M-K40030*	787,50
PEII090-I15/R88M-1M7530	695057	Apex gearbox, model PEII090, ratio 15, for motor R88M-1M7530*	688,00
PGII080-I4/R88M-1L75030	695060	Apex gearbox, model PGII080, ratio 4, for motor R88M-1L75030*	516,50
PEII070-I4/R88M-1M20030	695234	Apex gearbox, model PEII070, ratio 4, for motor R88M-1M20030*	428,70
PEII070-I15/R88M-GP40030	695269	Apex gearbox, model PEII070, ratio 15, for motor R88M-GP40030*	564,00
AB090-I10-S2-P2/R88M-1L1K030	695290	Apex gearbox, model AB090, ratio 10, option code -S2-P2, for motor R88M-1L1K030	1 102,00
ABR042-I10-S2-P2/R88M-1M20030	695289	Apex gearbox, model ABR042, ratio 10, option code -S2-P2, for motor R88M-1M20030	1 389,00
AB042-I10-S2-P2/R88M-1M20030	695288	Apex gearbox, model AB042, ratio 10, option code -S2-P2, for motor R88M-1M20030	867,00
PEIIR070-I5/R88M-1L1K030	695355	Apex gearbox, model PEIIR070, ratio 5, for motor R88M-1L1K030*	787,50
AB115-I40-S2-P0/R88M-1M75030	695493	Apex gearbox, model AB115, ratio 40, option code -S2-P0, for motor R88M-1M75030	2 335,00
AT140-FH-I15/R88M-K1K520	695525	Apex gearbox, model AT140-FH, ratio 15, for motor R88M-K1K520*	2 747,00
PEIIR070-I5/R88M-1M40030	695524	Apex gearbox, model PEIIR070, ratio 5, for motor R88M-1M40030*	787,50
PEIIR090-I20/R88M-1M75030	695555	Apex gearbox, model PEIIR090, ratio 20, for motor R88M-1M75030*	1 155,00
PEIIR070-I7/R88M-1M40020	695641	Apex gearbox, model PEIIR070, ratio 7, for motor R88M-1M40020*	787,50
AE120M1-I20/R88M-1M1K020	695660	Apex gearbox, model AE120M1, ratio 20, for motor R88M-1M1K020*	1 568,00
PEIIR070-I5/R88M-1M75030	695661	Apex gearbox, model PEIIR070, ratio 5, for motor R88M-1M75030*	787,50
PEII120-I3/R88M-K4K020	695725	Apex gearbox, model PEII120, ratio 3, for motor R88M-K4K020*	780,00
DB55B19CH2FBA/R88M-K1K530	695748	Apex Dynabox 55, ratio 19.5, option code CH2FBA, for motor R88M-K1K530*	1 600,00
DB45B72CH2FBA/R88M-K2K030	695747	Apex Dynabox 45, ratio 7.25, option code CH2FBA, for motor R88M-K2K030*	1 501,00
DB55B30CH2FBA/R88M-K2K030	695746	Apex Dynabox 55, ratio 30, option code CH2FBA, for motor R88M-K2K030*	1 600,00
PGII080-I4/R88M-1M75030	695817	Apex gearbox, model PGII080, ratio 4, for motor R88M-1M75030*	516,50
PEII070-I7/R88M-1M60020	695816	Apex gearbox, model PEII070, ratio 7, for motor R88M-1M60020*	428,70
AT110-FH-I5/R88M-K1K530	695949	Apex gearbox, model AT110-FH, ratio 5, for motor R88M-K1K530*	1 439,00
PEII090-I7/R88M-K1K020	695955	Apex gearbox, model PEII090, ratio 7, for motor R88M-K1K020*	516,50
AT090-FH-I5/R88M-K1K530	695970	Apex gearbox, model AT090-FH, ratio 5, for motor R88M-K1K530*	1 099,00
PEII070-I7/R88M-1L75030	696093	Apex gearbox, model PEII070, ratio 7, for motor R88M-1L75030*	428,70
AB090-I8-S2-P2/R88M-1L1K030	696196	Apex gearbox, model AB090, ratio 8, option code -S2-P2, for motor R88M-1L1K030	1 102,00
ABR060-I16-S2-P2/R88M-1M40030	696197	Apex gearbox, model ABR060, ratio 16, option code -S2-P2, for motor R88M-1M40030	1 413,00
AB060-I3-S2-P2/R88M-1M40030	696198	Apex gearbox, model AB060, ratio 3, option code -S2-P2, for motor R88M-1M40030	883,50

OMRON PVPR 2023

AER090-I4/R88M-1L1K030	696199	Apex gearbox, model AER090, ratio 4, for motor R88M-1L1K030*	1 605,00
PEIIR120-I20/R88M-K2K030	696225	Apex gearbox, model PEIIR120, ratio 20, for motor R88M-K2K030*	1 659,00
AB115-I20-S1-P2/R88M-1L1K030	696294	Apex gearbox, model AB115, ratio 20, option code -S1-P2, for motor R88M-1L1K030*	1 960,00
AER090-I14/R88M-1L1K030	696293	Apex gearbox, model AER090, ratio 14, for motor R88M-1L1K030*	1 605,00
AER090M1-I3/R88M-K1K020	698462	Apex gearbox, model AER090M1, ratio 3, option code -I3, for motor R88M-K1K020*	1 605,00
PEIIR070-I40/R88M-K20030	699025	Apex gearbox, model PEIIR070, ratio 40, for motor R88M-K20030*	901,00
PEII070-I10/R88M-1M75030	699124	Apex gearbox, model PEII070, ratio 10, for motor R88M-1M75030*	428,70
PEII090-I7/R88M-K1K520	699123	Apex gearbox, model PEII090, ratio 7, for motor R88M-K1K520*	516,50
AER090M1-I3/R88M-K1K520	699497	Apex gearbox, model AER090M1, ratio 3, for motor R88M-K1K520*	1 605,00
AE155-I10/R88M-1M3K010	699523	Apex gearbox, model AE155, ratio 10, for motor R88M-1M3K010*	1 624,00
AE155-I7/R88M-1L3K030	699573	Apex gearbox, model AE155, ratio 7, for motor R88M-1L3K030*	1 624,00
AB042-I10-S1-P2/R88M-1M20030	699643	Apex gearbox, model AB042, ratio 10, option code -S1-P2, for motor R88M-1M20030*	867,00
ABR042-I10-S1-P2/R88M-1M20030	699642	Apex gearbox, model ABR042, ratio 10, option code -S1-P2, for motor R88M-1M20030*	1 389,00
AB090-I10-S1-P2/R88M-1L1K530	699641	Apex gearbox, model AB090, ratio 10, option code -S1-P2, for motor R88M-1L1K530*	1 102,00
AH200-I35/R88M-1L5K030	699640	Apex gearbox, model AH200, ratio 35, for motor R88M-1L5K030*	6 835,00
AH200-I16/R88M-1L3K030	699639	Apex gearbox, model AH200, ratio 16, for motor R88M-1L3K030*	6 835,00
AH110-I7/R88M-1L3K030	699638	Apex gearbox, model AH110, ratio 7, for motor R88M-1L3K030*	2 448,00
AHK110-I12/R88M-1L3K030	699637	Apex gearbox, model AHK110, ratio 12, for motor R88M-1L3K030*	4 260,00
PEII120-I10/R88M-K2K030	699685	Apex gearbox, model PEII120, ratio 10, for motor R88M-K2K030*	780,00
PEII155-I10/R88M-K3K030	699686	Apex gearbox, model PEII155, ratio 10, for motor R88M-K3K030*	1 050,00
DB75B30CRH1BA/R88M-1M2K020	699918	Apex gearbox, model DB75B30CRH1BA, for motor R88M-1M2K020*	1 944,00
AH090-I5/R88M-1L3K030	699917	Apex gearbox, model AH090, ratio 5, for motor R88M-1L3K030*	2 122,00
F02140B32	699916	Apex pinion F02140B32	201,90
F02140A25	699915	Apex pinion F02140A25	142,60
PEIIR070-I3/R88M-1M60020	699930	Apex gearbox, model PEIIR070, ratio 3, for motor R88M-1M60020*	787,50
PEII090-I7/R88M-1L1K030	699953	Apex gearbox, model PEII090, ratio 7, for motor R88M-1L1K030*	516,50
PEII120-I30/R88M-K75030F	699952	Apex gearbox, model PEII120, ratio 30, for motor R88M-K75030(F/C)*	984,50
PEII050-I16/R88M-1M10030	700117	Apex gearbox, model PEII050, ratio 16, for motor R88M-1M10030*	557,50
AE205-I20/R88M-1M3K010	700245	Apex gearbox, model AE205, ratio 20, for motor R88M-1M3K010*	3 117,00
AE155-I07/R88M-1M3K010	700244	Apex gearbox, model AE155, ratio 7, for motor R88M-1M3K010*	1 624,00
AE120-I7/R88M-K3K030	700818	Apex gearbox, model AE120, ratio 7, for motor R88M-K3K030*	1 209,00
PEII090-I5/R88M-1M75030	700910	Apex gearbox, model PEII090, ratio 5, for motor R88M-1M75030*	516,50
AE235-I5/R88M-1M11K015	700912	Apex gearbox, model AE235, ratio 5, for motor R88M-1M11K015*	4 432,00

OMRON PVPR 2023

PEII070-I5/R88M-K60020	700936	Apex gearbox, model PEII070, ratio 5, for motor R88M-K60020*	428,70
AE090-I10/R88M-K1K030	700935	Apex gearbox, model AE090, ratio 10, for motor R88M-K1K030*	873,00
AE090-I5/R88M-1M75030	700973	Apex gearbox, model AE090, ratio 5, for motor R88M-1M75030*	873,00
PEII090-I3/R88M-1L2K030	700988	Apex gearbox, model PEII090, ratio 3, for motor R88M-1L2K030*	516,50
PEII090-I16/R88M-1M75030	701181	Apex gearbox, model PEII090, ratio 16, for motor R88M-1M75030*	688,00
AE235-I5/R88M-1M15K015	701261	Apex gearbox, model AE235, ratio 5, for motor R88M-1M15K015*	4 432,00
PEII155-I50/R88M-K60020	701260	Apex gearbox, model PEII155, ratio 50, for motor R88M-K60020*	1 366,00
AFH240-I16-S2/R88M-1M11K015	701286	Apex gearbox, model AFH240, ratio 16, option code -S2, for motor R88M-1M11K015	12 600,00
AE235-I10/R88M-1M11K015	701287	Apex gearbox, model AE235, ratio 10, for motor R88M-1M11K015*	4 432,00
PEII155-I3/R88M-1M7K515	701305	Apex gearbox, model PEII155, ratio 3, for motor R88M-1M7K515*	1 050,00
AM10J (DB45)	701340	Apex Coupling AM10J (DB45), D1 = 15 mm, D2 = 19 mm	276,60
AM10J (DB55)	701339	Apex Coupling AM10J (DB55), D1 = 18 mm, D2 = 19 mm	276,60
PAII115-I10-S2/R88M-1L1K530	701391	Apex gearbox, model PAII115, ratio 10, option code -S2, for motor R88M-1L1K530	914,50
DB90B30CRH1BA/R88M-1M2K020	701418	Apex gearbox, model DB90B30CRH1BA, for motor R88M-1M2K020	2 396,00
DB90M30CRH1BA/R88M-1M2K020	701419	Apex gearbox, model DB90M30CRH1BA, for motor R88M-1M2K020	2 873,00
DB90E30CRH1BA/R88M-1M2K020	701420	Apex gearbox, model DB90E30CRH1BA, for motor R88M-1M2K020	3 667,00
PEII090-I3/R88M-1M75030	701972	Apex gearbox, model PEII090, ratio 3, for motor R88M-1M75030*	516,50
PEIIR090-I5/R88M-1L4K030	701971	Apex gearbox, model PEIIR090, ratio 5, for motor R88M-1L4K030*	995,50
AER120-I10/R88M-1L2K030	702221	Apex gearbox, model AER120, ratio 10, for motor R88M-1L2K030*	2 206,00
PEII050-I10/R88M-K20030	702313	Apex gearbox, model PEII050, ratio 10, for motor R88M-K20030*	428,70
PEII120-I25/R88M-K1K530	702433	Apex gearbox, model PEII120, ratio 25, for motor R88M-K1K530*	984,50
PEII090-I4/R88M-K5K030	702443	Apex gearbox, model PEII090, ratio 4, for motor R88M-K5K030*	516,50
PEII120-I5/R88M-1M4K015	702477	Apex gearbox, model PEII120, ratio 5, for motor R88M-1M4K015*	780,00
PEII050-I15/R88M-G20030	702574	Apex gearbox, model PEII050, ratio 15, for motor R88M-G20030*	557,50
PAIIR090-I10-S2/R88M-1M60020	702566	Apex gearbox, model PAIIR090, ratio 10, option code -S2, for motor R88M-1M60020	1 097,00
AE155-I10/R88M-1M4K015	702595	Apex gearbox, model AE155, ratio 10, for motor R88M-1M4K015*	1 624,00
PEII090-I15/R88M-1L75030	702665	Apex gearbox, model PEII090, ratio 15, for motor R88M-1L75030*	688,00
PEII070-I4/R88M-1L75030	702664	Apex gearbox, model PEII070, ratio 4, for motor R88M-1L75030*	428,70
PEIIR090-I10/R88M-1M60020	702775	Apex gearbox, model PEIIR090, ratio 10, for motor R88M-1M60020*	995,50
PEII120-I50/R88M-1M40020	702774	Apex gearbox, model PEII120, ratio 50, for motor R88M-1M40020*	984,50
AB115-I20-S2-P2/R88M-1L1K030	702796	Apex gearbox, model AB115, ratio 20, option code -S2-P2, for motor R88M-1L1K030	1 960,00
AB142-I3-S2-P2/R88M-1L2K030	702795	Apex gearbox, model AB142, ratio 3, option code -S2-P2, for motor R88M-1L2K030	2 033,00
PEII155-I7/R88M-1M4K015	702818	Apex gearbox, model PEII155, ratio 7, for motor R88M-1M4K015*	1 050,00

OMRON PVPR 2023

PEII155-I5/R88M-1M7K515	702833	Apex gearbox, model PEII155, ratio 5, for motor R88M-1M7K515*	1 050,00
P0403600501	702832	Apex flange 114,3-200-M12-113-180-57, for AE205-I10/R88M-1M7K515	322,30
P0601000914	702831	Apex bushing for reductor, 48 to 42 mm dia., for AE205-I10/R88M-1M7K515	107,50
AE155-I10/R88M-K4K020	702830	Apex gearbox, model AE155, ratio 10, for motor R88M-K4K020*	1 624,00
PEII050-I20/R88M-1M10030	702848	Apex gearbox, model PEII050, ratio 20, for motor R88M-1M10030*	557,50
AHK140-I35/R88M-1M1K020	702883	Apex gearbox, model AHK140, ratio 35, for motor R88M-1M1K020*	5 990,00
AER070-M1-I3/SGMAH-08A	703005	Apex gearbox, model AER070-M1, ratio 3, option code -I3, for motor SGMAH-08	1 279,00
AHKB140-I100/R88M-1M60020	703133	Apex gearbox, model AHKB140, ratio 100, for motor R88M-1M60020*	7 425,00
AE205-I40/R88M-1M3K020	703164	Apex gearbox, model AE205, ratio 40, for motor R88M-1M3K020*	3 117,00
PEII070-I16/R88M-K40030	703165	Apex gearbox, model PEII070, ratio 16, for motor R88M-K40030*	564,00
PEIIR090-I25/R88M-1L75030	703186	Apex gearbox, model PEIIR090, ratio 25, for motor R88M-1L75030*	1 155,00
AE120-I7/R88M-1L5K030	703198	Apex gearbox, model AE120, ratio 7, for motor R88M-1L5K030*	1 209,00
AE205-I5/R88M-1M7K515	703442	Apex gearbox, model AE205, ratio 5, for motor R88M-1M7K515*	2 483,00
AE120-I7/R88M-K4K030	703486	Apex gearbox, model AE120, ratio 7, for motor R88M-K4K030*	1 209,00
PEII090-I3/R88M-K1K020	706816	Apex gearbox, model PEII090, ratio 3, for motor R88M-K1K020*	516,50
AE070-I10/R88M-1M20030	706817	Apex gearbox, model AE070, ratio 10, for motor R88M-1M20030*	693,00
PEII090-I5/R88M-1L1K030	706871	Apex gearbox, model PEII090, ratio 5, for motor R88M-1L1K030*	516,50
PEII155-I10/R88M-1L4K030	706902	Apex gearbox, model PEII155, ratio 10, for motor R88M-1L4K030*	1 050,00
AE155-I90/R88M-1M60020	706987	Apex gearbox, model AE155, ratio 90, for motor R88M-1M60020*	2 121,00
PEII120-I10/R88M-K1K020	707007	Apex gearbox, model PEII120, ratio 10, for motor R88M-K1K020*	780,00
PEII090-I25/R88M-1L75030	707012	Apex gearbox, model PEII090, ratio 25, for motor R88M-1L75030*	688,00
AE120-I10/R88M-1AM20030	707036	Apex gearbox, model AE120, ratio 10, for motor R88M-1AM20030*	1 209,00
AE120-I100/R88M-1AM20030	707072	Apex gearbox, model AE120, ratio 100, for motor R88M-1AM20030*	1 568,00
AE090-I9/R88M-K2K030	707071	Apex gearbox, model AE090, ratio 9, for motor R88M-K2K030*	873,00
AER090M1-I5/R88M-K1K520	707176	Apex gearbox, model AER090M1, ratio 5, for motor R88M-K1K520*	1 605,00
AER155-I10/R88M-1M4K015	707326	Apex gearbox, model AER155, ratio 10, for motor R88M-1M4K015*	2 987,00
PEII050-I3/R88M-1AM20030	707327	Apex gearbox, model PEII050, ratio 3, for motor R88M-1AM20030*	428,70
PEII155-I20/R88M-1L3K030	707429	Apex gearbox, model PEII155, ratio 20, for motor R88M-1L3K030*	1 366,00
PEII155-I50/SGMGH-05D	707509	Apex gearbox, model PEII155, ratio 50, for motor SGMGH-05D*	1 366,00
AE155-I25/R88M-K4K030	707519	Apex gearbox, model AE155, ratio 25, for motor R88M-K4K030*	2 121,00
PEII155-I70/R88M-1ML1K30	707700	Apex gearbox, model PEII155, ratio 70, for motor R88M-1ML1K30*	1 366,00
PEII155-I70/R88M-1M75030	707699	Apex gearbox, model PEII155, ratio 70, for motor R88M-1M75030*	1 366,00
ATB110-FC-005	707698	Apex gearbox, model ATB110-FC, ratio 5, for motor (to be specified)	1 846,00

OMRON PVPR 2023

P0411400502V22	707716	Brida 70-90-M5-52-80-31	171,80
PEII090-I16/R88M-K1K030	707721	Apex gearbox, model PEII090, ratio 16, for motor R88M-K1K030*	688,00
PEII155-I70/R88M-1L1K030	707735	Apex gearbox, model PEII155, ratio 70, for motor R88M-1L1K030*	1 366,00
PEII070-I3/SGMAH0	707747	Apex gearbox, model PEII070, ratio 3, for motor SGMAH0*	428,70
PEII070-I40/R88M-G20030	707752	Apex gearbox, model PEII070, ratio 40, for motor R88M-G20030*	564,00
AB115-I10-S2-P2/R88M-1AL3K030	707830	Apex gearbox, model AB115, ratio 10, option code -S2-P2, for motor R88M-1AL3K030*	1 522,00
PEII090-I5/SGM-GH09D	708125	Apex gearbox, model PEII090, ratio 5, for motor SGM-GH09D*	516,50
DB45M-10-CH1FBA/R88M-1L1K030	708164	Apex gearbox, model DB45M, ratio 10, option code -CH1FBA, for motor R88M-1L1K030*	1 964,00
S0503300005	708177	Apex set collar PII070 dia.14	60,50
AB180-I15-S2-P2/R88M-K5K020	708447	Apex gearbox, model AB180, ratio 15, option code -S2-P2, for motor R88M-K5K020*	3 898,00
AB115-I20-S2-P2/R88M-K1K530	708446	Apex gearbox, model AB115, ratio 20, option code -S2-P2, for motor R88M-K1K530*	2 052,00
AB115-I30-S2-P2/R88M-K1K530	708445	Apex gearbox, model AB115, ratio 30, option code -S2-P2, for motor R88M-K1K530*	2 052,00
PD064-I10/R88M-1L1K030	708453	Apex gearbox, model PD064, ratio 10, for motor R88M-1L1K030*	532,50
AE070-I10/R88M-1M40030	708590	Apex gearbox, model AE070, ratio 10, for motor R88M-1M40030*	693,00
AE070-I10/R88M-K40030	708624	Apex gearbox, model AE070, ratio 10, for motor R88M-K40030*	693,00
PEII120-I20/R88M-1M75030	708734	Apex gearbox, model PEII120, ratio 20, for motor R88M-1M75030*	984,50
AE205-I25/R88M-1L5K030	708736	Apex gearbox, model AE205, ratio 25, for motor R88M-1L5K030*	3 117,00
PEII155-I20/R88M-1M1K520	708844	Apex gearbox, model PEII155, ratio 20, for motor R88M-1M1K520*	1 366,00
PEII070-I3/R88M-K1K530	708985	Apex gearbox, model PEII070, ratio 3, for motor R88M-K1K530*	428,70
PEIIR070-I3/R88M-K1K530	708984	Apex gearbox, model PEIIR070, ratio 3, for motor R88M-K1K530*	787,50
AH355-I31/R88M-1M15K015	709031	Apex gearbox, model AH355, ratio 31, for motor R88M-1M15K015*	21 450,00
ZX-TDA11 2M	168311	Amplificador NPN 3 salidas digitales+1analógica	1 159,00
D5SN-TB1	168487	Actuador cabeza esfera acero Sensor desplaz. Contacto	61,35
D5SN-TB2	168488	Sensor de desplazamiento de contacto	168,20
D5SN-TB3	168489	Actuador cabeza esfera rubí Sensor desplaz. Contacto	228,40
D5SN-TF1	168491	Actuador cabeza plana sensor desplaz. contacto	863,00
D5SN-TA	168493	Adaptador cabeza sensor desplaz. contacto	82,05
ZX-TDA41 2M	175666	Amplificador PNP 3 salidas digitales+1analógica	1 159,00
ZX-SW11E V3	175746	Software SmartMonitorV3 Full	1 217,00
ZX-XBT1	267628	Soporte de montaje del preamplificador ZX-T	20,33
E9NC-G5	393071	Sensor táctil Goma elástica para cabeza sensora de 5mm	117,30
E9NC-G12	393072	Sensor táctil Goma elástica para cabeza sensora de 12mm	117,30
E9NC-TXC10	393073	Sensor táctil cable de conexión Sensor-Amplificador 10m	172,60

OMRON PVPR 2023

E9NC-TXC20	393074	Sensor táctil cable de conexión Sensor-Amplificador 20m	293,70
E9NC-TXC05	393077	Sensor táctil cable de conexión Sensor-Amplificador 0,5m	64,60
E9NC-TXC5	393084	Sensor táctil cable de conexión Sensor-Amplificador 5m	113,00
E9NC-TA21 2M	393085	Sensor táctil Amplificador 1 Entrada 2 Salidas NPN Cable 2m	251,30
E9NC-TA51 2M	393086	Sensor táctil Amplificador 1 Entrada 2 Salidas PNP Cable 2m	251,30
E9NC-TA0	393087	Sensor táctil Amplificador comunicaciones buses de campo	302,10
D5SN-A01	177352	Sensor de desplazamiento de contacto	1 091,00
Y92F-45	104661	Adaptador para montaje en panel	52,90
Y92F-34	107354	Adaptador montaje H7E	11,95
E53-COV10	129701	Accesor. temperatura Cubierta Terminales	8,49
Y92S-32	168830	Accesorio Controlador de Temperatura	3,54
E58-CIFQ1	176286	Cable comunic. USB-QLP E5 -AN / EN / CN / EJ1	283,00
E53-COV16	243804	Cubierta de Terminales para E5E-AN/-H	11,48
E53-COV17	243805	Cubierta de Terminales para E5CN/-H	7,32
Y92H-9	251413	Mounting adapters for E5AN and E5EN temperature controllers (2 pieces)	80,15
E58-CIFQ2	353471	Cable comunic. USB-QLP - E5CC / E5CB /E5DC/ E5GC	222,30
E53-COV19	353953	Cubierta de Terminales para E5CB	10,28
E58-CIFQ2-E	356821	Cable comunic. Frontal E5EC	89,85
Y92F-49	359108	Mounting adapter for 48 x 48 mm devices	1,48
Y92F-51	370469	Adaptador para montaje	5,74
Y92S-P8	370471	Junta de estanqueidad 48x48mm	3,09
Y92S-P9	370472	Junta de estanqueidad 48x96mm	2,76
Y92F-52	372111	Adaptador E5CC para montaje en carril DIN	20,01
Y92F-53	378136	Adaptador para montaje en panel	6,41
Y92S-P12	392516	Junta de estanqueidad 48x24mm	3,83
E5ZE-CBL200	128507	Cable de conexión E5ZE 2m	127,10
Y92S-P11	378137	Barras de conexión para E5DC	10,35
Y92S-P10	686122	Waterproof packing for 96x96 mm temperature controllers	3,75
Y92F-58	688649	Draw-out Jig for E5CD	17,43
E53-COV26	687811	Connector cover for E5DC-B socket with push-in plus terminal	21,17
E5DC-SCT1B	687792	Socket for E5DC-B with push-in plus terminal	102,10
STARTER KIT E5_C	694012	Kit for E5_C temperature controller including EST2-2C-MV4 software and E58-CI	209,60
E54-CT1	103241	Transformador de corriente 50A	35,23

OMRON PVPR 2023

E53-Q	105481	Salida NPN 12Vcc E5AK/E5EK	36,31
E54-CT3	129612	Transformador de corriente 120A	60,90
E53-R	129678	Salida relé 5A E5AK / E5EK	14,72
E53-Q3	129679	Salida NPN 24Vcc E5AN-H / E5EN-H / E5AK / E5EK	29,70
E53-C3	129680	Salida 4-20mA E5AK / E5EK	105,60
E53-V35	129683	Salida 0-5V	119,80
E53-AKB	129693	Entrada Evento E5-AN / EN / AK / EK	97,70
E53-Q4	142183	Salida PNP 24Vcc E5AN-H / E5EN-H / E5AK / E5EK	29,70
E53-V34	148624	Salida 0-10V E5AK / E5EK	119,80
E53-C3D	151978	Salida 0-20mA E5AK/E5EK	117,20
E53-C	153166	Accesor. temperatura	126,50
E53-EN01	182423	Comunicaciones RS-232C E5-AN / EN / AK / EK	139,60
E53-EN03	182424	Comunicaciones RS-485 E5-AN / EN / AK / EK	139,60
E53-EN02	182902	Comunicaciones RS-422 E5-AN / EN / AK / EK	139,60
EJ1C-CBLA050	225929	Cable Conexión G3ZA 5m	68,75
EJ1C-EDUA-NFLK	225933	EJ1 Cabecera Alim, Coms, Alarma	219,70
E53-CNHB2	243806	Ent. Evento+Alarma CT E5CN	91,10
E53-CNH03N2	243807	Comunic. RS485+Alarma CT E5CN	113,40
E53-CNBN2	243808	Entrada Evento E5CN	38,66
E53-CN03N2	243809	Comunic. RS485 E5CN	99,00
E53-CNHH03N2	243810	Comunic.RS485+Alarma CT trifásico E5CN	143,50
E53-CNQHN2	243811	Salida 2 (tensión) E5CN + Alarma CT E5CN	91,10
E53-CNQ03N2	243812	Comunic. RS485+Salida 2 (tensión) E5CN	126,50
E53-CNQH2N2	243815	Salida 2 (tensión) + Alarma CT trifásico E5CN	96,40
E53-CNQBN2	243816	Ent. Evento + Salida 2 (tensión) E5CN	79,50
E53-CNQ01N2	243817	Comunic. RS232+Salida 2 (tensión) E5CN	123,90
E53-CNQFN2	243818	Sal. Transfer + Salida 2 (tensión) E5CN-H	233,20
E53-CNBFN2	243819	2 Ent. Evento+Sal. Transfer	209,90
E53-CN01N2	243821	Comunicaciones RS232 E5CN-H	95,15
EJ1C-EDUC-NFLK	243921	EJ1 Cabecera Alim, Coms, Alarma, Conector Extraible	181,20
E53-QN	246553	Salida PNP 12Vcc E5AN-H / E5EN-H	45,03
E53-C3N	246554	Salida 4-20mA E5AN-H / E5EN-H	95,15
E53-V35N	246555	Salida 0-5V E5AN-H / E5EN-H	114,60

OMRON PVPR 2023

E53-V34N	246556	Salida 0-10V E5AN-H / E5EN-H	114,60
E53-C3DN	246557	Salida 0-20mA E5AN-H / E5EN-H	109,50
E53-RN	246558	Salida Relé E5AN-H / E5EN-H	14,72
EJ1N-HFUB-NFLK	225932	CelciuX ⁹ In-panel temperature controller high function unit, RS-232C/RS-485 po	664,50
EJ1N-HFUA-NFLK	225936	EJ1 Mod. Coms sin Programación 232 Tornillo	879,00
EJ1N-HFUB-DRT	243922	EJ1 Mod. Coms Esclavo DeviceNet	983,00
EJ1N-HFUB-DRT-302	355866	EJ1 Mod. Coms Esclavo DeviceNet Custom Made	983,00
EJ1N-HFU-ETN	355917	EJ1 Mod. Coms PROFINET y MODBUS TCP	673,00
EJ1N-HFUC-ECT	670704	Ethercat slave unit to connect any EJ1N modular temperature controllers	673,00
E54-CT3L	691149	Current Transformer (CT), with Lead-wire, 12 mm hole diameter	35,23
E54-CT1L	694926	Current Transformer (CT), with lead-wire, hole diameter 5.8 mm	35,23
ES1B 10-70C	171655	Sensor Temp. Infrarrojos 10-70°C	599,00
ES1B 60-120C	171656	Sensor Temp. Infrarrojos 60-120°C	599,00
ES1B 115-165C	171657	Sensor Temp. Infrarrojos 115-165°C	599,00
ES1B 140-260C	171658	Sensor Temp. Infrarrojos 140-260°C	599,00
ES1C-A40	267944	Sensor Temp. Infrarrojos 0-400°C 4-20mA	1 046,00
E52-CA15AY D=1.6 2M	368840	Termopar Tipo K	132,50
E52-CA1GTy 2M	368854	Sensor de temperatura, crimpado tipo, termopar K, 0-300 deg., diametro 8 prec	52,25
E52-CA1GTy-14 1M	368855	Sensor de temperatura, crimpado tipo, termopar K, 0-200 deg., diametro 8 prec	55,85
E52-P6DY 1M	368858	Sensor de temperatura, tubo liso con R1/8 montado, Pt100 clase B, -50-250 °C.	211,50
E52-CA1DY M6 1M	368861	Sensor de temperatura, M6 tipo, termopar K, 0-400 deg.,SUS304, precableado, 1	57,25
E52-CA1DY M6 2M	368862	Sonda de temperatura Termopar Tipo K	78,00
E52-CA1DY M6 4M	368863	Termopar Tipo K	85,10
E52-IC15AY D=1.6 4M	368873	bles	119,10
E52-ESPT121.14.3/8.100.6-B	374284	Sonda de temperatura superficie	55,65
E52-ESTJB-6-01540-B	374285	Sonda de temperatura superficie	45,73
E52-ESTJC-4-10030-B	374289	Sonda de temperatura superficie	29,62
E52-ESTJC-6-10040-B	374292	Sonda de temperatura superficie	37,96
E52-ESTP1-6-100 TBCON.0-200-B	374300	Sonda de temperatura superficie	445,80
E52-ESTP1-8-150-TBRC-B	374301	Sonda de temperatura superficie	179,90
E52-ESTP1-8-300-TBRC-B	374302	Sonda de temperatura superficie	213,00
E52-ESTPC-6-03520-B	374306	Sonda de temperatura superficie	54,20
E52-ESTPCPAN-3010-50-B	374310	Sonda de temperatura superficie	74,90

OMRON PVPR 2023

E52-ESTJC-4-05020-B	374323	Sonda de temperatura superficie	24,90
E52-ETJ2-150-2-B	374340	Sonda de temperatura Termopar tipo J	68,55
E52-EP3-250-2-B	374342	Sonda de temperatura PT100	115,20
E52-EACF1/2-6-B	374343	Accesorios sensor de temperatura	31,22
E52-EACF1/4-6-B	374345	Accesorios sensor de temperatura	31,22
E52-ETJ6-15-2-BG1/4G-B	374346	Sonda de temperatura Termopar tipo J	49,32
E52-ETJS1-B	374348	Sonda de temperatura Termopar tipo J	31,22
E52-ETK6-100-2-B	374349	Sonda de temperatura Termopar tipo K	62,25
E52-EP6-100-2-B	374350	Sonda de temperatura PT100	54,10
E52-EP8-100-2-B	374351	Sonda de temperatura PT100	55,65
E52-EP6-35-2-BG1/4G-B	374352	Sonda de temperatura PT100	82,10
E52-EPE1-B	374353	Sonda de temperatura PT100	110,90
E52-EPE2-B	374354	Sonda de temperatura PT100	110,90
E52-EP6-250-2-B	374355	Sonda de temperatura PT100	110,90
E52-ETK6-200-T2-B	374356	Sonda de temperatura Termopar tipo K	123,80
E52-EP6-200-T2-B	374358	Sonda de temperatura PT100	152,60
E52-ETK6-200-T2-CG1/2G-B	374359	Sonda de temperatura Termopar tipo K	123,80
E52-ETJ6-200-T2-CG1/2G-B	374360	Sonda de temperatura Termopar tipo J	121,00
E52-EP6-200-T2-CG1/2G-B	374361	Sonda de temperatura PT100	152,60
E52-EP6-100-T2-CC1.5-B	374362	Sonda de temperatura PT100	141,20
E52-EP6-100-T2-CC2-B	374363	Sonda de temperatura PT100	141,20
E52-EACW-K1-B	374367	Accesorios sensor de temperatura	6,45
E52-EACW-K25-B	374368	Accesorios sensor de temperatura	80,60
E52-EACW-J1-B	374369	Accesorios sensor de temperatura	6,45
E52-EACW-J25-B	374370	Accesorios sensor de temperatura	80,60
E52-EACC-JM1-B	374371	Accesorios sensor de temperatura	14,12
E52-EACC-JF1-B	374372	Accesorios sensor de temperatura	14,12
E52-EACC-KM1-B	374373	Accesorios sensor de temperatura	14,12
E52-EACC-KF1-B	374374	Accesorios sensor de temperatura	14,12
E52-EATW1/2G-10-6-150-B	374376	Accesorios sensor de temperatura	31,22
E52-EATW1/2G-12-8-150-B	374377	Accesorios sensor de temperatura	31,22
E52-ETT3-150-2-B	374381	Sonda de temperatura Termopar tipo T	60,75
E52-ETT4.5-150-2-B	374382	Sonda de temperatura Termopar tipo T	65,25

OMRON PVPR 2023

E52-ETK1-150-2-B	374389	Sonda de temperatura Termopar tipo K	73,50
E52-ETK4.5-150-2-B	374391	Sonda de temperatura Termopar tipo K	70,15
E52-ETK3-200-C1-B	374396	Sonda de temperatura Termopar tipo K	95,00
E52-ETT3-100-2-A	374404	Sonda de temperatura Termopar tipo T	62,25
E52-ETT6-100-2-A	374405	Sonda de temperatura Termopar tipo T	57,35
E52-ETJ1-100-2-A	374406	Sonda de temperatura Termopar tipo J	64,05
E52-ETJ2-100-2-A	374407	Sonda de temperatura Termopar tipo J	62,25
E52-ETJ3-100-2-A	374408	Sonda de temperatura Termopar tipo J	62,25
E52-ETJ4.5-100-2-A	374409	Sonda de temperatura Termopar tipo J	60,75
E52-ETJ6-100-2-A	374410	Sonda de temperatura Termopar tipo J	59,10
E52-ELTJ4-100-2-A	374411	Sonda de temperatura Termopar tipo J	29,62
E52-ELTJ6-100-2-A	374412	Sonda de temperatura Termopar tipo J	27,92
E52-ETK1-100-2-A	374414	Sonda de temperatura Termopar tipo K	67,30
E52-ETK2-100-2-A	374415	Sonda de temperatura Termopar tipo K	65,70
E52-ETK3-100-2-A	374416	Sonda de temperatura Termopar tipo K	65,70
E52-ETK6-100-2-A	374418	Sonda de temperatura Termopar tipo K	62,25
E52-ELTK4-100-2-A	374419	Sonda de temperatura Termopar tipo K	31,35
E52-ELTK6-100-2-A	374420	Sonda de temperatura Termopar tipo K	29,78
E52-ELTK8-100-2-A	374421	Sonda de temperatura Termopar tipo K	31,35
E52-ELP4-50-2-A	374422	Sonda de temperatura PT100	47,44
E52-ELP6-100-2-A	374423	Sonda de temperatura PT100	45,86
E52-ELP8-100-2-A	374424	Sonda de temperatura PT100	47,44
E52-ELTJ5-50-2-A	374639	Sonda de temperatura Termopar tipo J	29,62
E52-ELTJ5-100-2-A	374640	Sonda de temperatura Termopar tipo J	31,35
E52-ELTJ6-50-2-A	374641	Sonda de temperatura Termopar tipo J	29,62
E52-ELTK5-100-2-A	374642	Sonda de temperatura Termopar tipo K	29,62
E52-ELP5-50-2-A	374643	Sonda de temperatura PT100	27,92
E52-ELP5-100-2-A	374644	Sonda de temperatura PT100	31,35
E52-ELP6-50-2-A	374645	Sonda de temperatura PT100	47,44
E52-ELTJ4-50-2-A	374762	Sonda de temperatura Termopar tipo J	29,62
E52-ESTPC-6-10050-GS-B	375698	Sonda de temperatura superficie	118,00
E52-P20C-N D=8	375791	Sensor de temperatura, Pt100 clase B, -200-450deg.,dia. 3.2mm, 200mm,SUS 3	249,00
E52-CA6D-N 2M	680078	Thermocouple K, grounded type, 0° C to 350° C, diameter 4 mm, probe length	41,13

OMRON PVPR 2023

E52-ETJ1-120-2-P-A	677876	Sensor temperatura flexible Termopar J 1mm di�. Longitud 120mm SUS316	62,30
E52-ETJ1-100-2-P-B	678376	Sensor de temperatura, tubo liso, termopar J, di�metro 1 mm, 100 mm, 316SS, c	85,05
ES1-LP10-N	683770	Infrared thermosensor, -50-500 �C, 8/100 mm dia. field, 12-24 VDC, 4-20 mA ou	1 738,00
ES1-LW100-N	682966	Infrared thermosensor, -50-1000 �C, 35/1000 mm dia. field, 12-24 VDC, 4-20 mA	1 595,00
ES1-LW50-N	695078	Infrared thermosensor, -50-500 �C, 40/500 mm dia. field, 12-24 VDC, 4-20 mA o	1 349,00
E52-IC35AY D=4.8 2M	679693	Temperature sensor, J, class B, dia 4.8 mm, 350 mm, ASTM316L, pre-wired, 2 wi	164,70
ES1-LW100L-N	695079	Infrared thermosensor, -50-1000 �C, 35/1000 mm dia. field, 12-24 VDC, 4-20 mA	1 839,00
ES1-LW50L-N	684812	Infrared thermosensor, -50-500 �C, 40/500 mm dia. field, 12-24 VDC, 4-20 mA o	1 614,00
E52-CA1DY-40 M6 2M	683741	Temp. sensor, M6 type, Thermocouple K, 0-300 deg., SUS304, pre-wired, 2 m	67,30
E52-ETJ1-020-2-P-A	695807	Temperature sensor, smooth tube, Thermocouple, J, dia. 1, 20 mm, 316SS	81,50
LDR2-90SW2	241317	LED ring light, OD = 90 mm, ID = 50 mm, white, 24 VDC	1 655,00
LDR2-74SW2-LA	241321	LED ring light, OD = 74 mm, ID = 48 mm, white, low angle, 24 VDC	1 314,00
LDR2-132SW2-LA	241323		2 636,00
FL-BR5020W	354121	Proyector lineal Omron luz blanca 40mm	555,00
FL-BR5020W-H	354122	Proyector lineal Omron luz blanca potente 40mm	609,00
FL-BR9120W	354123	Proyector lineal Omron luz blanca 81mm	809,50
FL-BR9120W-H	354124	Proyector lineal Omron luz blanca potente 81mm	1 012,00
FL-BR13120W	354125	Proyector lineal Omron luz blanca 122mm	1 132,00
FL-BR13120W-H	354126	Proyector lineal Omron luz blanca potente 122mm	1 416,00
FL-DR50W	354129	Anillo de luz ODR, 50/28 mm, modelo de �rea amplia, LED blanco, IP20, cable de	928,00
FL-DR50W-H	354130	Anillo luz directa Omron luz blanca potente 50mm diam	1 261,00
FL-DR90W	354131	Anillo de luz ODR, 90/50 mm, modelo de �rea amplia, LED blanco, IP20, cable de	1 793,00
FL-DR90W-H	354132	Anillo de luz ODR, 90/50 mm, modelo de alta luminosidad, LED blanco, IP20, cab	2 260,00
LDR2-74RD2-LA	365041		879,50
PLC1231A-630C	365917	Proyector lineal luz roja continua 306 mm	1 058,00
BKL3005A-W00C	372112	Luz posterior blanca continua 300x50mm	2 114,00
SAC0808A-630C	377173	Iluminacion Axial compacta Luz roja cont. 75x75mm	1 329,00
LDR2-48RD2-LA	377867	LED ring light, OD=48mm, ID=22mm, red, low angle, 24VDC	855,50
PRL3602A-W00C	377949	Proyector lineal 364mm. Blanco cont.	1 829,00
FLV-FX100W	378514	Coaxial light, edge type, 100mm, white	1 819,00
FLV-DR12030W	378521	Ring light, direct, 120mm dia, 30 deg, white	1 819,00
FLV-DR9215W	378522	Ring light, direct, 92mm dia, 15 deg, white	1 538,00
FLV-DR9030W	378523	Ring light, direct, 90mm dia, 30 deg, white	1 403,00

OMRON PVPR 2023

FLV-DR9000W	378524	Ring light, direct, 90mm dia, white	1 403,00
FLV-DR7000W	378525	Ring light, direct, 70mm dia, white	1 066,00
FLV-DR7030W	378526	Ring light, direct, 70mm dia, 30 deg, white	1 066,00
FLV-BR38037W	378530	Bar Light 380 x 37mm, white	3 351,00
FLV-BR21222W	378531	Bar Light 212 x 22mm, white	2 209,00
FLV-BR21230W	378532	Barra de luces, 212 x 30 mm, blanca	2 640,00
FLV-BR8532W	378536	Bar Light 85 x 32mm, white	1 304,00
FLV-CL80W	378543	Coaxial light, 80mm, white	2 655,00
FLV-CL100W	378544	Coaxial light, 100mm, white	3 218,00
FLV-FX143W	378548	Coaxial light, edge type, 143mm, white	2 101,00
FLV-FB200200W	378563	Edge type light, 200mm, white	2 237,00
FLV-FB5050W	378567	Edge type light, 50mm white	701,50
PLA2026A-W00i/AW	387203	Proyector lineal compact 260mm 96W Blanco ángulo ancho iBlueDrive	1 826,00
LDL2-33X8IR850	387385	Bar light, active size 33x8mm, IR 850nm, 24VDC	404,60
FLV-DR6615R	387392	Ring light, direct, 66mm dia, 15 deg, red	902,00
FLV-DB212152W	392796	Backlight LED 200x120 Blanco	3 419,00
FLV-DB130130W	392797	Backlight LED 120x114 Blanco	2 466,00
FLV-DB10181W	392798	Accessory vision, back light, direct, 101 x 81mm, white	1 980,00
FLV-DB3729W	392799	Backlight luz blanca 27x29 mm	506,00
FLV-DB212152R	392800	Accessory vision, back light, direct, 212 x 152, red	3 419,00
FLV-DB10181R	392802	Accessory vision, back light, direct, 101 x 81mm, red	1 711,00
FLV-FS74W	392816	Accessory vision, shadowless light, 74mm outer dia, 20mm inner dia, white	1 819,00
DOM1410A-630I	393159	Domo. Luz roja iBlue 100-139mm diam.	1 476,00
FLV-LN222R	393801	Accessory vision, FLV, line light, 222mm, red	821,50
HPD2-150SW	397057	Dome light, white LED, Outer dia. 166mm, Inner dia. 35mm, height 82mm, 24VDC	1 372,00
LFL-180RD2	412474	Flat light (8mm), active size 180x135mm, red 630nm, 24VDC, Connector SMR-03	1 826,00
HPR2-100SW	418315	LED ring light, OD=116mm, ID=66mm, white, indirect, 24VDC, Connector SMR-03	1 028,00
HPR2-150SW	418316	LED ring light, OD=166mm, ID=116mm, white, indirect, 24VDC, Connector SMR-03	1 372,00
SBACKII151002-880	659670	TPL back light, Useful dimensions (mm)153x102, infra-red	1 227,00
HPR2-250SW-IP54	659672	LED ring light, OD=266mm, ID=210mm, white, indirect, 24VDC, Connector M12	2 055,00
FLV-DR4415W	693111	Ring light, direct, 40 mm dia, 30 deg, white, 24 VDC	845,50
CMBACK-2020-630	668084	LED backlight, 200mm x 200mm, Red, 24VDC, M12 connector	1 687,00
DOM2414A-630C	668083	LED dome light, Inner dia. 144mm, Outer dim. 259x259x100mm, Continuous mode	2 004,00

OMRON PVPR 2023

LFL-1012RD2	668186	Flat light (6mm), active size 41x30mm, red, 24VDC, attached to mounting plate	308,30
EBAR-375-WHI-10	668912	LED bar light, 376mm x 31.5mm, 15 white LED, 24VDC, M12 5-pole connector, +	980,00
EBAR-250-WHI-17	669209	LED bar light, 283mm x 47mm, 10 white LED, 24VDC, M12 4-pole connector	764,50
SBACKII201502880	670609	TPL back light, Useful dimensions (mm)204x153, infra-red	1 197,00
EBAR-375-WHI-17	671152	LED bar light, 375mm x 47mm, 15 white LED, 24VDC, M12 4-pole connector, +/-	980,00
MFDOME-O-3030-WHI-M1	672555	MEDIUM FLATDOME MFDOME PLUS OVERDRIVE 300x300 WHITE M12 Position	2 575,00
SAX1010B-W00i	673215	DCM Diffuse axial lights, 150x112x140 mm,white	1 961,00
LFV3-70RD(A)	673230	Coaxial light, red, active size: 76x73 mm, 24 VDC	1 442,00
LFL-1012SW2	673406	Flat light 42 x 43 x 6 mm, emitting surface measures 41 x 30 mm, white	421,70
LFX3-75SW	674960	Flat dome light, Active size 75x75, Bright White LED, 24 VDC, connector SMR-03	1 818,00
LTCLHP036-G	675264	Telecentric HP illuminator, beam diameter 45 mm , green 520 nm	1 479,00
PLA1013A-W00i/AW	677587	Proyector Línea Compacta, 130 x 10 mm, 48 W Blanco, ángulo 40°, modo lblueD	1 197,00
ALS2315A-630C	677807	DCM ring light, 245x245x13 mm, inner diameter 145 mm, red, continuous	1 979,00
PLC1236C-W00C/AW	677879	Proyector Luz Lineal, compacto, 360 x 39 x 34.5 mm, 12 LED, blanco, continuo, á	1 128,00
DKL2418A-880C	678181	Luz LED Darkfield, 240 x 240 x 13 mm, dia. int. 180 mm, IR 880 nm, modo contin	1 786,00
TH2-140X105SW	678224	Flat LED Back light (15 mm), active area 140x105 mm, white, 24 VDC	2 422,00
ALB0810A-850IAN	678380	Luz LED Anillo, 94.5 x 77 x 16.5 mm, dia. int. 40 mm, IR 850 nm, 24 VDC	1 095,00
SAX0505A-W00i	678378	Luz Axial Difusa DCM, 100 x 62 x 75 mm, área activa 52 x 50 mm, balnco, 24 V	1 291,00
DKL2418A-850C	678379	Luz LED Darkfield, 240 x 240 x 13 mm, dia. int. 180 mm, IR 850 nm, 24 VDC	1 786,00
SAX202A-W00C	678526	Diffuse axial LED lights, 250 x 212 x 270 mm, active area 201 x 200 mm, white, 2	4 506,00
PLA1026A-630CAW	678722	Proyector Línea Compacta, 260 x 10 mm, rojo, ángulo 40°, 24 VDC, cable y cone	1 257,00
DOM4127A-W00C/CC2	678854	Luz LED Dome, dia. int. 256 mm, diam. ext. 425 x 425 x 181 mm, modo continuo	3 946,00
PLA1013A-630i/AN	678887	Proyector Línea Compacta, 130 x 10 mm, 48 W , rojo, ángulo 18°, modo lblueDri	1 197,00
PLA1013A-470i/AW	679137	Compact Line Projector, 130 mm x 10 mm, 48 W , red, wide angle 40°, lblueDriv	1 197,00
EBAR1000-850-17	679140	Barlight Ebar plus 1000 infrared lenses +/-17	1 862,00
LDR2-60UV2-365-N	679184	LED ring light, high power, OD=60 mm, ID=30 mm, UV 365, narrow type nm, 24	3 121,00
BKL1510A-850C	679194	LED Back Light, area activa 100 x 150 mm, IR 850 nm, 24 V, modo continuo	1 538,00
HPR2-50SW	679233	LED ring light, OD=50 mm, ID=18 mm, white , indirect, 24 VDC	922,50
QCO3-052052W-00	679234	Coaxial LED light, white, active size: 52 x 52 mm, 24 VDC	951,00
LNSD-100SW-HU	679235	Line light, white, emitting surface 100 x 15 mm, high uniformity type 24 VDC	1 245,00
HSL-58SW-D300PLC	679289	LED Spor Light, outer diameter 58 mm, white	920,00
LDR2-100UV2-365-N	679290	LED ring light, high power, OD=100 mm, ID=30 mm, UV 365 nm, narrow type, 24	4 368,00
LDL2-146X30SW2	679291	LED Bar light, white , 158 x 34 x 20 mm, active area 146 x 30 mm	1 519,00

OMRON PVPR 2023

LDL2-146X30RD2	679292	LED Bar light, 158 x 34 x 20 mm, active area 146 x 30 mm, red	1 227,00
LDR2-90BL2	679293	LED ring light, blue, OD=90 mm, ID=50 mm, 24 VDC	1 655,00
LDL-42X15IR2-850	679439	LED Bar Light, active area 42 mm x 15 mm, IR 850 nm, 24 V	380,10
HPR2-200RD	679482	LED Ring Light, OD=216 mm, ID=166 mm, indirect, red, 24 VDC,	1 874,00
QCO3-052052R-00	679624	Coaxial LED light, red, active size: 52x52 mm, 24 VDC	858,50
BKL1515B-W00C	679660	Luz LED Back Light, area activa 150 x 150 mm, blanco, IP40, 24 V, modo continuo	1 813,00
TH2-280X100RD-PM-M12	679694	Flat LED Back light (15 mm), active area 280x100 mm, red, 24 VDC, M12 Connect	5 265,00
LFV3-50X100RD(A)	679762	Coaxial LED light, active size: 52 x 100 mm, red, 24 VDC	1 687,00
TH2-83X75-SW-FL	680115	Flat LED Back light, active area 83 x 75 mm, white, 24 VDC, M12 connector	1 319,00
QBL3-090090W-00	680114	LED Back Light, active area 90 x 90 mm, red, M12 connector	767,00
QFL3-400400R-C40-00	680113	LED Back Light, active Area; 400 x 400 mm, red, 40 mm camera window, M12 Co	3 097,00
TH2-83X75-RD-M12	680112	Flat LED Back light, active area 83 mm x 75 mm, red, 24 VDC, M12 connector	874,50
TH2-63X60RD	680193	Flat LED Back light (15 mm), active area 63 x 60 mm, red, 24 VDC, M12 connecto	675,00
LFV3-35RD(A)	680243	Coaxial LED light, Active size 35 x 35 mm, red, 24 VDC, connector SMR-03V-B	1 074,00
LFX3-200RD	680255	Flat dome light, Active size 200 x 200 mm, red, 24 VDC, connector SMR-03V-B	2 961,00
LFV3-130RD(A)	680302	Coaxial LED light, red, active area: 130 mm x 130 mm, 24 VDC	2 928,00
LDR2-70IR2-850	680356	LED ring light, OD = 70 mm, ID = 35 mm, IR 850 nm, 24 VDC	629,50
TH2-43X35RD-PM	680355	Flat LED Back light (15 mm), active area 43 mm x 35 mm, red, high directive type	429,10
HLDL2-600X45IRDFWM12	680430	LED Bar light, high intensity, active size 600 x 45 mm, IR 860 nm, 24 VDC, wide a	1 960,00
QFL3-400400W-C40-00	680429	LED Back Light, active Area; 400 x 400 mm, white, 40 mm camera window, M12	3 419,00
QCO3-052052G-00	680473	Coaxial LED light, green, active size: 52 x 52 mm, 24 VDC	951,00
LFX3-200SW	680472	Flat dome light, Active size 200 x 200 mm, red, 24 VDC, connector SMR-03V-B	2 961,00
TH2-27X27RD-M12	680507	Flat LED Back light (15 mm), active area 27 x 27 mm, red, 24 VDC, M12 connecto	337,20
LDL-60x60IR2-850	680521	IR lighting, 92 x 72 x 38 mm (width x depth x height), light-emitting surface 60 x	1 074,00
TH2-51X51SW-PM	680538	Flat LED Back light (15 mm), active area 51 mm x 51 mm, white, high directive ty	904,50
LFX3-25SW	680591	Flat dome LED light, Active size 25 x 25 mm, white, 24 VDC	1 120,00
LKR-125RD2	680682	LED Ring light, indirect, outer dia 125 mm , inner dia 25 mm, red, 24 VDC	1 575,00
PRC0608C-630i/AW	680687	Proyector compacto de alta potencia, área activa de 35 x 35 mm, rojo, tipo gran	1 151,00
LTCLHP024-G	680693	Telecentric HP Illuminator, beam diameter 30 mm, green, 24 V, FL	1 147,00
LTRN210W20	680721	LED Ring Light, inner diameter 116 mm outer diameter 195 mm, white, 24 V	2 596,00
PLA1013A-630i/AW	680719	Proyector de línea compacto, 130 x 10 mm, 48 W, rojo, gran angular de 40°, mo	1 197,00
ALD0907A-365i	680896	Direct ring light, inner dia. 34 mm, outer dia. 126 mm, UV 365 nm, iBlue, 24 VDC	2 379,00
ALS1612A-630i	680895	Ring light diffuse, outer dim. 176 x 176 x 13 mm (hexagonal shape), inner dia 12	1 746,00

OMRON PVPR 2023

BKL1007B-630i	680932	LED Back light, active area 100 x 70 mm, red, 24 V, iBlue	1 295,00
LFL-4012RD2-M12	680941	Flat light (7 mm), active size 53 x 70 mm, red, 24 VDC, M12	513,50
LDL-82X15UV365	680999	LED bar light, active size 82 x 15 mm, UV 365 nm, 24 VDC	1 372,00
SAC0808A-W00i	680997	Coaxial LED light, active surface 75 x 75 mm, white, iBlue, 24 VDC	1 717,00
DKL1813A-W00i	680996	Darkfield LED light, 188 x 188 x 13 mm, inner diameter 130 mm, white, iblue, 24	1 760,00
BKL1510A-630i	680995	LED Back light, active area 100 x 150 mm, red, 24 V, iBlue	2 055,00
TH2-500X500RD	681055	Flat LED Backlight (15 mm), active area 500 x 500 mm, red, 24 VDC	9 180,00
SAC1010A-W00i	681052	Coaxial LED light, active surface 100 x 100 mm, white, iBlue, 24 VDC	1 779,00
HPD2-400SW-FL	681085	Dome light, white LED, Outer dia. 424 mm, Inner dia. 360 mm, height 205 mm, 2	3 953,00
LDL-71X12UV2-365	681086	LED Bar Light, active area 71 x 21 mm, UV 365 nm, 24 V	1 997,00
QBL3-120120R-00	681087	LED Back Light, active area 120 mm x 120 mm, red, M12 connector	904,50
LTCLHP048-G	681091	Telecentric HP illuminator, beam diameter 60 mm, green 520 nm	1 455,00
PLA2026A-850i/AM	681420	Proyector LED lineal de alta potencia, 260 x 40 x 16 mm, rojo, apertura media	1 826,00
BKL2005A-W00C	681421	Retroiluminación de LED, área activa de 200 mm x 50 mm, blanco, continuo, 24	1 511,00
TH2-27X27RD-PM	681591	Flat LED Back light (15 mm), active area 27 x 27 mm, red, high directive type 24	383,20
TH2-27X27SW-PM	681590	Flat LED Back light (15 mm), active area 27 x 27 mm, white, high directive type, 2	506,00
TH2-27X27BL-PM	681589	Flat LED Back light (15 mm), active area 27 x 27 mm, blue, 24 VDC	506,00
TH2-43X35SW-PM	681588	Flat LED back light (15 mm), active area 43 x 35 mm, white, high directive type, 2	659,50
TH2-43X35BL-PM	681587	Flat LED back light (15 mm), active area 43 x 35 mm, blue, high directive type, 24	659,50
TH2-51X51RD-PM	681586	Flat LED back light (15 mm), active area 51 x 51 mm, red, high directive type, 24	644,50
TH2-51X51BL-PM	681585	Flat LED back light (15 mm), active area 51 x 51 mm, blue, high directive type, 24	904,50
HLDL2-600x45SW-DF-N	681584	LED bar light, high intensity, active area 600 x 45 mm, white, 24 VDC, narrow an	1 960,00
TH2-500X500SW	681583	Flat LED Back light (15 mm), active area 500 x 500 mm, red, 24 VDC	10 100,00
LDL2-275X16SW2	681581	LED bar light, active area 275 mm x 16 mm, 24 V, white	1 857,00
LDL-130X15IR2-940	681580	LED Bar Light, active area 130 mm x 15 mm, IR 940 nm , 24 V	760,50
LFV3-70SW-M12(A)	681579	Coaxial LED light, active area 76 x 73 mm, total size: 84 x 120 x 79 mm, white, 24	1 657,00
PRH1612A-630i/AW	681939	LED Projector, active area 115 x 115 mm, red, iBlue, Wide aperture 70°, 24 V	1 654,00
SBACKII101002-470	681940	LED backlight, active area 102 x 102 mm, blue, 24 VDC, M12 connector	1 058,00
HLDL2-450X45SW-DF-W	681941	Bar light, high intensity, active size 450 x 45 mm, White, 24 VDC, wide angle	1 655,00
LFV3-130SW(A)	681942	Coaxial LED light, active area: 130 x 130 mm, white, 24 VDC	3 372,00
LDL2-50X30SW2	682587	LED bar light, 62 x 34 x 20 mm (width x depth x height), active area 50 x 30 mm,	659,50
98-000228-01	689331	Smart Series Pharmalite, 60°, Dark Field, White, M12 Connector	1 550,00
NER-011660810G	682031	Serie Smart Ring, 60 mm, blanco, conector M12	649,00

OMRON PVPR 2023

NER-011654198	702965	Bar illuminator, LA-50-1, White LED-ND/D, 24 VDC, 4.5 m cable	447,00
NER-011660900G	703467	Smart series ring, 70 mm, red, M12 connector	570,00
DOM1613A-525C	682233	LED Dome Illuminator, 170 x 170 x 86 mm, green, continuous mode	1 739,00
DOM1613A-W00C	682234	LED Dome Illuminator, 170 x 170 x 86 mm, white, continuous mode	1 659,00
HPR2-400RD-FT	682279	LED ring light, OD=424 mm, ID=330 mm, red, indirect, 24 VDC	3 082,00
HPR2-100RD	682278	LED ring light, OD=116 mm, ID=66 mm, red, indirect, 24 VDC	1 028,00
SAX1515A-630i	682480	LED coaxial Light, active area 152 mm x 150 mm, red, 24 VDC, iBlueDrive	2 474,00
DKL2418A-470i	682479	Darkfield LED light, 240 x 240 x 13 mm, inner diameter 180 mm, blue, 24 VDC, iBlueDrive	2 158,00
LDL2-33X8SW2	682477	LED Bar light, active area 33 x 8 mm, white, 24 VDC	398,60
LDL2-50X30BL2	682476	LED Bar light, active area 50 x 30 mm, blue, 24VDC	659,50
SBACKII-201502-WHI	682588	LED back light, emitting surface 204 mm x 153 mm, white, 24 VDC	1 197,00
TH2-83X75SW-PM	682591	Flat LED Back light, active area 83 mm x 75 mm, white, directed type, 24 VDC, M12 connector	1 442,00
QBR3-150030R-00	682590	LED Bar Light, active area 150 mm x 30 mm, red, 24 VDC	858,50
LFX3-200X100SW-M12	682589	Flat dome LED light, Active size 200 x 100 mm, white, 24 VDC	2 790,00
DOM2414A-W00i	682742	Iluminador domo LED, diámetro interior de 144 mm, dimensiones externas 259 x 144 mm, blanco, modo continuo, gran ángulo	2 449,00
DKL2418A-W00i	682741	Iluminación LED de campo oscuro, 240 x 240 x 13 mm, diámetro interior de 180 mm, azul, 24 VDC, iBlueDrive	2 075,00
PLC0412C-W00C/AW	682745	Proyector lineal LED, área activa de 120 mm, blanco, modo continuo, gran ángulo	723,00
ALB0810A-630i/AN	682746	Iluminador de anillo LED, diámetro interior de 40 mm, diámetro exterior de 77 mm, blanco, modo continuo, gran ángulo	1 095,00
HLDL2-750X45IR-DF-W	683079	LED bar light, active size 750 x 45 mm, IR, 24 VDC, wide angle	2 547,00
QBL3-180180W-00	683199	LED Back Light, active area 180 mm x 180 mm, white, M12 connector	2 116,00
LFX3-75RD	683435	Flat dome LED light, active area 75x75, Red, 24 VDC, connector SMR-03V-B	1 818,00
TH2-140X105RD-PM-M12	683434	Flat LED Back light (15 mm), active area 140x105 mm, red, high directive, 24 VDC, M12 connector	2 148,00
PRH0104A-630i/AN	683455	Spot LED Projector, Red, iBlueDrive, Narrow Angle, IP65	815,00
PRH0104A-850i/AN	683454	Spot LED Projector, IR 850nm iBlueDrive, Narrow Angle, IP65	839,50
PRH0104A-W00i/AN	683453	Spot LED Projector, White iBlueDrive, Narrow Angle, IP65	815,00
ALB0810A-W00i/AW	683522	LED Ring Illuminator, inner DM 40 mm, outer diameter 77 mm. white, Wide Angle	1 095,00
FL-PS90W	684312	Luces fotométricas estéreo, diámetro interior de 50 mm, diámetro exterior de 90 mm, blanco, modo continuo, gran ángulo	1 723,00
FL-PS140W	684311	Luces fotométricas estéreo, diámetro interior de 100 mm, diámetro exterior de 140 mm, blanco, modo continuo, gran ángulo	2 386,00
FL-PS260W	684310	Luces fotométricas estéreo, diámetro interior de 200 mm, diámetro exterior de 260 mm, blanco, modo continuo, gran ángulo	3 710,00
FL-MD90MC	684308	MDMC, iluminador LED multicolor/multidireccional, 125 x 90 x 82 mm, 24 V CC	5 300,00
FL-MD180MC	684307	MDMC, iluminador LED multicolor/multidireccional, 215 x 180 x 154 mm, 24 V CC	8 225,00
LFX3-75RD-M12	683519	Flat dome LED light, active area 75x75, Red, 24 VDC, M12 Connector	1 818,00
PRL7102A-W00C	683518	Proyector de línea LED, 739,50 x 60 x 48 mm, blanco, modo continuo	3 678,00

OMRON PVPR 2023

BKL1510A-630C	683603	Retroiluminación LED, área activa de 100 x 150 mm, rojo 630 nm, 24 V, modo co	1 439,00
PLC2060C-W00C/AW	683719	Proyector de línea LED, área activa de 600 mm, blanco, modo continuo, gran an	1 533,00
BKL2222A-W00C	683748	Retroiluminación LED, área activa de 220 mm x 220 mm, blanco, continuo, 24 V	2 657,00
PLC0615A-470C	683852	LED linear projector 150 mm. 10 W, Blue, Continuous Mode	852,00
PLD1302B-W00P	683851	LED direct light linear projector 128x16 mm. White. Pulse mode. Duty cycle 1/2	636,00
EBAR-1000-470-25	683883	LED bar light, 1033 x 47 mm, 40 blue LED, 24 VDC, M12 4-pole connector, +/- 25	2 061,00
LFV3-34SW(A)	683911	Coaxial LED light, Active size 34 x 34 mm, white, 24 VDC, connector SMR-03V-B	1 245,00
BKL1007B-630C	683995	LED Flat Light, 89x107x22 mm, active area 100x70 mm, 24 V, red, Continuous m	970,50
ALB0810A-850i/AM	683993	Anillo de luz de LED directa, 94,5 x 77 x 16,5 mm, diámetro interior de 40 mm, 1	1 095,00
ALS1307A-630C	683990	Diffuse LED Ring Light, outer diameter 145 mm, inner diameter 49 mm, 24 V, red	1 463,00
ALU0704A-W00C	683989	Diffuse LED Ring Light, 75x75x22 mm, inner diameter 37 mm, 24 V, White, Cont	531,50
ALU1006A-W00C	683988	Diffuse LED Ring Light, 100x100x28mm, inner diameter 61 mm, 24 V, White, Cor	754,50
BKL0504B-630C	683987	LED Back light, active area 50 x 40 mm, red, 24 V, Continous Mode	329,70
BKL0707B-630C	683986	LED Back light, active area 70 x 70 mm, Red, 24 V, Continuous mode	828,50
EBAR-1250-WHI-17	684002	LED Bar light, 1250 mm, white, 50 high power LED, +-17° emitting angle, 24VDC	2 484,00
LDL2-41X16SW2	684049	LED Bar light, active area 41x16 mm, white, 24 VDC	413,80
PRC0608C-850i/AW	684109	LED Projector, active area 60 x 50 mm, IR 850 nm, wide angle, IBlue drive, IP65,	1 251,00
BKL1515B-630C	684111	LED back light, active area 150 x 150 mm, red, continuous mode, 24 V	1 727,00
BKL2515B-630C	684112	LED back light, active area 250 x 150 mm, red, continuous mode, 24 V	2 300,00
DOM2414A-W00C	684113	Iluminador domo LED, diámetro exterior de 236 mm, blanco, modo continuo, 24	2 127,00
PLC0615A-W00C	684114	LED line projector, active area 150 mm, 10 W, white, continuous mode, 24 V	852,00
PLC1231A-W00C	684115	Proyector lineal LED, área activa 306 mm, 12 W, blanco, modo continuo	1 058,00
PRC0606B-W00C/AM	684116	Proyector compacto luz blanca continua 60x60mm	790,50
SAX1010B-630C	684117	Iluminación axial difusa Luz roja 100x100mm	1 534,00
PLA1013A-850i/AW	684124	Proyector LED lineal de alta potencia, área activa de 130 mm, 48 W, IR 850 nm, g	1 197,00
PLD1302B-630C	684177	LED direct light linear projector, active area 128x16 mm. Red, 24V, continuous m	605,50
ALU0502A-630C	684176	Diffuse LED Ring Light, 55x50x20 mm, inner diameter 20 mm, 24 V, Red, Continu	314,30
LDR-206BL2-LA1	684252	LED ring light, outer diameter 206 mm, inner diameter 170 mm, blue, 24 VDC, lo	2 180,00
LDR-206BL2-LA1-M12	684295	LED ring light, outer diameter 206 mm, inner diameter 170 mm, blue, 24 VDC, lo	2 180,00
LDR-146BL2-LA1-M12	684294	LED ring light, outer diameter 146 mm, inner diameter 110 mm, blue, 24 VDC, lo	1 792,00
DTL3521B-630C	684429	Transmitted Dome LED Light, inner Dia. 55 mm, outer Dia. 211 mm, red, continu	3 158,00
PLA1013A-W00i/AM	684338	Proyector lineal compacto, 130 x 10 mm, 48 W, blanco, ángulo medio de 40°, m	1 197,00
EBAR-1125-405-17	684426	LED bar light, 1158 x 47 mm, 45 LED, 405 nm UV, 24 VDC, M12 4-pole connector	3 243,00

OMRON PVPR 2023

LFV3-130BL(A)	684420	Coaxial LED light, active area: 130 x 130 mm, blue, 24 VDC	3 372,00
PLU2602A-470C	684473	LED Bar Illuminator, active area 259 x 16 mm, blue, 24 V, continuous mode	1 010,00
HLV3-22GR-4S	684476	LED Spot Light, tip diameter 8 mm, green, 24 V	920,00
ALU0704A-630i	684484	Diffuse LED Ring Light, 75x75x22 mm, inner diameter 37 mm, 24 V, Red, IBlue Drive	830,00
LDR2-170RD2-LA	684502	LED Low-angle Ring Light, OD: 170 mm, ID: 136 mm, H: 22 mm, red, 24 VDC	2 225,00
SAL0202A-630C	684503	LED 90° diffuse axial light, active area 17 x 17 mm, red, 24 VDC, continuous mode	613,50
SAL0202A-W00C	684504	LED 90° diffuse axial light, active area 17 x 17 mm, white, 24 VDC, continuous mode	644,50
SAL0202A-W00C/AR	684505	LED 90° diffuse axial light, active area 17 x 17 mm, white, 24 VDC, continuous mode	748,50
MR-130-WIR-D	684518	LED dome Illuminator, 130 mm, white / infra red color, 24 VDC	1 350,00
BKL2005A-850S	684515	Retroiluminación LED, área activa 200 mm x 50 mm, IR 850 nm, modo estroboscópico	1 538,00
PRC0608C-W00i/AM	684514	Proyector LED, zona activa 60 x 50 mm, blanco, ángulo medio, unidad IBlue, IP65	1 151,00
PRD0200A-630C	684554	LED Spot Illuminator, active area 20 mm, red, continuous mode, 24 VDC	233,00
PLC0307A-W00C	684553	LED Linear Projector, active area 72 mm, white, continuous mode, IP40	622,50
LDL2-98X30RD2	684622	Bar light, active size 98x30 mm, red, narrow angle, 24 VDC	889,50
LFV3-100RD(A)	684713	Coaxial LED light, red, active area: 102 mm x 100 mm, 24 VDC	2 163,00
TH2-51X51RD	684712	Flat LED back light, active area 51 x 51 mm, red, high-luminance, type, 24 VDC	575,50
SBACKII-101002-WHI	684775	SMALL BACKLIGHT SBACK II WHITE LEDS 102 X 102	966,50
LDL2-74X30SW2	684788	LED Bar light, active area 74 x 30 mm, white, 24 VDC	843,50
ALS1105A-850C	684790	Ring light, Infra-red	1 564,00
ALU0704A-W00I	684785	Ultra diffuse ring light ø40 ø70mm. White iBlueDrive	855,00
BKL1007B-W00I	684876	LED Flat Light, 89x107x22 mm, active area 100x70 mm, 24 V, white, IBlue Drive	1 343,00
PRC0608C-W00I/AN	684875	Proyector LED, zona activa 60x50 mm, blanco, ángulo estrecho, unidad IBlue, IP65	1 151,00
BKL0303A-W00C	684874	LED Back light, active area 30x30 mm, white, 24 V, Continuous mode	289,80
PLU0602B-W00C	684873	Ultra diffuse linear LED projector, active area 64x16 mm, white, 24 VDC continuous mode	426,60
PRL0802A-630C	684872	LED Line Projector, active area 79 mm, red, 24 VDC, continuous mode	721,00
PRL3602A-630C	684871	Line projector, 360x15 mm, red, continuous, 24 VDC	1 873,00
LFV3-40SW(A)	684824	Coaxial LED light, active size: 40x40 mm, white, 24 VDC	1 274,00
BKL0504B-850C	684903	LED Back light, active area 50x40 mm, IR 850 nm, 24 V, continuous mode	352,70
QCO3-076073W-00	684921	Coaxial LED light, active size 76x73 mm, white, 24 VDC	1 457,00
QCO3-076073R-00	684920	Coaxial LED light, active size 76x73 mm, red, 24 VDC	1 319,00
ALS1307A-W00I	684901	Diffuse LED Ring Light, outer diameter 145 mm, inner diameter 49 mm, 24 V, white	1 860,00
BKL2010A-630C	684902	LED Back light, active area 200x100 mm, red, 24 V, continuous mode	1 727,00
PLA2026A-850I/AW	684899	High power linear LED projector, 260x40x16 mm, IR 850 nm, 24 VDC, Wide Aperture	1 826,00

OMRON PVPR 2023

TH2-63X60SW	684919	Flat LED Back light (15 mm), active area 63x60 mm, white, 24 VDC	1 043,00
PLC0412C-W00I/AD	684986	LED line projector, active area 120 mm, 24 W, white, iBlue drive, diffuse, 24 V	1 076,00
PLC0824C-W00I/AD	684985	LED line projector, active area 240 mm, 48 W, white, iBlue drive, diffuse, 24 V	1 314,00
CMBACK-4020-850-M1	685004	Collimated LED Backlight, active area 400x200 mm, IR 850 nm, 24 VDC, M12 connector	2 790,00
LDL2-50X30SW2-WD	685039	LED Bar Light, red, 62 x 34 x 20 mm (width x depth x height), active area 50 x 30 mm	659,50
TH2-63X60SW-PM	685082	Flat LED Back light (15 mm), active area 63x60 mm, white, 24 VDC, high directive	1 136,00
PRC0604C-W00C/AM	685081	LED Projector, active area 60x50 mm, white, continuous mode, medium angle, 24 V	583,00
CMBACK-O-4020-850-M1	685089	Collimated LED Backlight, active area 400x200 mm, IR 850 nm, 24 VDC, M12 connector	2 820,00
FHV-LTM-R	685288	FHV7 Iluminación Módulo, Rojo, Incluye Protección Ventana	1 025,00
FHV-LTM-W	685289	FHV7 Iluminación Módulo, Blanco, Incluye Protección Ventana	1 025,00
FHV-LTM-MC	685290	FHV7 Iluminación Módulo, Multi Color Rojo Verde Azul, IR, Incluye Protección Ventana	2 048,00
PLU1002A-630C	685165	Ultra diffuse LED bar light 100 x 16 mm. Red Continuous, 24V	566,50
TH2-63X60BL	685417	Flat LED Back light (15 mm), active area 63 x 60 mm, blue, 24 VDC	1 043,00
EBAR-125-850-10	685418	LED Bar light, 125 mm, IR 850 nm, 5 high power LED, +-10° emitting angle, 24 VDC	577,00
PRC0606B-W00C/AN	685430	LED Projector, active area 60 x 60 mm, white, continuous mode, narrow angle, 24 V	790,50
PLC1236C-850I/AD	685420	Linear LED Projector, active area 360 mm, IR 850 nm, iBlue Drive, diffuse, IP65	1 531,00
PLD0602B-630C	685421	LED Direct Light linear Projector, active area 64 x 16 mm, red continuous mode, 24 V	406,30
LDOME-WHI	685422	LED Dome Illuminator, inner diameter 300 mm, white	1 994,00
RT-LVW-00614	685495	LED Light source for coaxial telecentric lens. 8 mm tip diameter	618,50
MR-80-RC-DF	685505	LED Dark field Illuminator, active area 80 mm, red and cyan color, 24 VDC	1 043,00
BKL0707B-W00C	685569	LED Backlight, active area 70 x 70 mm, white, 24 V, Continuous mode	870,00
SAX0505A-W00C	685568	Coaxial LED light, active area 50 x 50 mm, white, continuous, 24 V	966,50
TH2-100X100SW	685652	Flat LED Back light (15 mm), active area 100x100 mm, white, 24 VDC	1 962,00
LDL2-80X16BL2	685653	LED bar light, active area 80 x 16 mm, blue, 24 VDC	675,00
HPR2-150BL	685695	LED Ring Illuminator, inner diameter 116 mm, outer diameter 166 mm, blue, 24 V	1 372,00
LDR2-74IR2-850-LA	685715	LED Ring Illuminator, Outer diameter 74 mm, inner diameter 48 mm, IR 850 nm, 24 V	879,50
ALB0810A-850I/AW	685716	Direct LED Ring Light, 94.5x77x16.5 mm, inner diameter 40 mm, 10 high power LED	1 095,00
BKL1007B-W00C	685720	LED Flat Light, 89x107x22 mm, active area 100x70 mm, 24 V, white, Continuous	1 020,00
BKL0705B-850C	685723	LED Backlight, active area 70 mm x 50 mm, IR 850 nm, continuous, 24 V	568,00
QBL3-120120W-00	685804	LED Back Light, active area 120 x 120 mm, white, M12 connector	997,00
QBR3-100030W-00	685802	LED Bar Light, active area 100 mm x 30 mm, white, 24 VDC	798,00
10273701P/RD623/D5/C70	685887	Backlight 53 x 43 x 21 mm for use with Omron driver. Red 623 nm. Diffuser type	766,50
ALB0804A-W00I/AW	685935	Direct LED Ring Light, 94.5x77x16.5 mm, inner diameter 40 mm, 5 high power LED	1 070,00

OMRON PVPR 2023

SBACKII-151002-WHI	686006	Flat LED light, active area 153 X 102 mm, white, 24 V	1 227,00
LTCLCR048-G	686009	Compact Telecentric HP illuminator, beam diameter 45 mm, green	2 265,00
BLBAR-750-WHI	686058	LED backlight, 783 x 47.6 x 45 mm, active area 751 x 31.5 mm, 30 LEDs, white, 24 VDC	2 032,00
EBAR-375-850-25	686057	LED bar light, 375 x 47 mm, 15 IR LED 850 nm, 24 VDC, M12 4-pole connector, +/- 25°	1 003,00
HPRING-WHI-25-DO	686055	Ring light, 12 high power LED, inner dia 58 mm, outer dia 112 mm, 25° angle, white	980,00
HPRING-630-25-DO	686054	Ring light, 12 high power LED, inner dia 58 mm, outer dia 112 mm, 25° angle, red	980,00
TH2-211X200SW	686053	Flat LED Back light (15 mm), active area 211 x 200 mm, white, 24 VDC	4 371,00
QBR3-050015R-00	686052	LED Bar Light, active area 50 x 15 mm, red, 24 VDC	230,60
QBL3-180120R-00	686051	LED Back Light, active area 180 x 120 mm, red, M12 connector	2 024,00
QBR3-150015W-00	686112	LED Bar Light, active area 150 x 15 mm, white, 24 VDC	889,50
QBL3-060060W-00	686111	LED Back Light, active area 60 x 60 mm, white, M12 connector	490,50
BKL1510A-W00C	686116	LED Backlight, active area 100 x 150 mm, White, 24 V, continuous mode	1 510,00
MR-80-RC-LA	686188	LED Low Angle Illuminator, active area 80 mm, red and cyan color, 24 VDC	1 043,00
PRC0608C-W00I/AW	686204	LED Projector, active area 60x50 mm, white, wide angle, lBlue drive, IP65, 24 V	1 151,00
MFDOME-O-5040-850-M1	686226	Medium LED Flatdome, Active Area 500 x 400 mm, IR 850 nm, overdrive, M12 connector	5 600,00
EBAR-O-375-850-NL	686981	LED bar light, 376 x 47mm, 15 IR LED 850 nm, 24 VDC, M12 4-pole connector, no	1 437,00
PLU1802A-630C	686978	Ultra diffuse LED bar light 180 x 16 mm. Red Continuous, 24 V	816,00
LFL-612RD2-P-M12	686273	Flat light, red, 26 x 45 x 7 mm, emitting surface measures 25 x 25 mm, M12 connector	296,10
EBAR-250-850-10	686975	LED bar light, 283 x 47 mm, 10 IR LED 850 nm, emission angle 10°, 24 VDC, M12	790,50
BLBAR-125-WHI	686974	LED backlight, 158 x 47.6 x 45 mm, active area 125 mm x 31.5 mm, 5 LEDs, white	628,50
BKL1510A-850S	686992	LED Back light, active area 100 x 150 mm, IR 850 nm, 24 V, strobe mode	1 538,00
EBAR-750-WHI-25	686989	LED bar light, 783 x 47mm, 30white LED, 24 VDC, M12 4-pole connector, +/- 25°	1 630,00
FLOOD-O-6030-WHI-17-M1	687022	LED Flat Light with camera opening, active area 600 x 300 mm, white, 24 V, M12	3 710,00
TH2-51X51SW-M12	687030	Flat LED Back light (15 mm), active area 51 x 51 mm, white, M12 connector, 24 V	813,00
ALB0810A-630I/AD	687260	Direct LED Ring Light, 94.5 x 77 x 16.5 mm, inner diameter 40 mm, 10 high power	1 093,00
ALB0804A-850I/AD	687279	Direct LED Ring Light, 94.5x77x16.5 mm, inner diameter 40 mm, 5 high power	1 070,00
ALB0804A-850I/AW	687278	Direct LED Ring Light, 94.5x77x16.5 mm, inner diameter 40 mm, 5 high power	1 070,00
LDR2-100RD2-LA-M12	687331	LED ring light, OD=100 mm, ID=70 mm, red, low angle, 24 VDC, M12 Connector	1 119,00
PLA1013A-630I/AM	687335	Compact Line LED Projector, 130 x 10 mm, 48 W, red, medium angle, lblueDrive	1 197,00
LTZPFL080-00-6-W-24V	687334	LED bar illuminator, active area 80 x 26.3 mm, white, 24V	632,50
SBACKII-050502-630	687339	Flat LED light, 51 X 51 mm, red, 24 V	413,30
FHV-LTM-IR	687434	Módulo de iluminación FHV7, infrarrojo, incluye ventana de protección	1 054,00
SBACKII-202002-WHI	687493	LED Back Illuminator, active area 204 x 204 mm, white, 24 VDC	1 949,00

OMRON PVPR 2023

SBACKII-202002-630	687494	LED Back Illuminator, active area 204 x 204 mm, red, 24 VDC	1 764,00
PRC0604C-850C/AN/67	687495	LED Projector, active area 60 x 50 mm, IR 850 nm, narrow angle, continuous mo	707,50
LFL-4012SW2	687596	Flat light (7 mm), active size 53 x 70 mm, White, 24 VDC,	935,50
ALB0804A-W00I/AN	687683	Direct LED Ring Light, 94.5 x 77 x 16.5 mm, inner diameter 40 mm, 5 high power	1 070,00
QLA3-208174R-00	687682	Low Angle Ring LED Light, Inner Diameter 174 mm, outer Diameter 208 mm, red	1 840,00
TH2-380X250RD	687681	Flat LED Back light (15 mm), active area 380 x 250 mm, red, 24 VDC	6 895,00
QRL3-050028W-00	687680	Direct convex LED ring light, outer diameter 50 mm, white, 24 V	475,70
SBACKII-050502-WHI	687702	Flat LED light, active area 51 x 51 mm, red, 24 V	459,80
EBAR-125-WHI-7	687703	LED Bar light, 125 mm, white, 5 high power LED, +-7° emitting angle, 24 VDC	548,00
MR-80-WIR-D	687707	LED Dome Illuminator, active area 80 mm, white and infrared, 24 VDC	1 043,00
LTPRXP-G	687725	High Power LED pattern projector, green 520 nm, C-Mount, 24 V	1 253,00
PTCD020P	687724	Cloud of dots pattern, density 20% for LED Projector	201,30
PT00000100L	687723	Line pattern for LED Projector, line width 0.5 mm, line length 11 mm	149,40
HPR2-200SW-M12	687752	LED Ring Light, OD=216 mm, ID=166 mm, indirect, white, 24 VDC, M12 Connect	1 873,00
BLBAR-1000-WHI	687787	LED backlight, 1033 x 47.6 x 45 mm, active area 1001 mm x 31.5 mm, 40 LEDs, v	2 594,00
EBAR-250-WHI-10	687786	LED bar light, 283 x 47 mm, 10 white, emission angle 10°, 24 VDC, M12 5-pole co	764,50
LT3WRH150-00-1-W-24V	687790	LED tunnel light, 150x183 mm, white, 24V	1 719,00
TH2-380X250RD-FL	687899	Flat LED Back light (15 mm), active area 380x250 mm, red, 24 VDC, flying leads	6 895,00
TH2-300X300RD-FL	687900	Flat LED Back light (15 mm), active area 300x300 mm, red, 24 VDC, flying leads	6 130,00
PRH0104A-W00C/AM	688030	High Power LED Spot, white, Continuous mode, 21° medium Angle, IP65, 24VDC	490,50
PR-HPD2-150 SET	688120	Set containing AD-HPD-150 and PR-HPD-150	724,00
TSPOT4-WHI-9-DS	688186	LED spot light, 38 x 30 x 28 mm, 4 LED, white, M12 4-pole connector, +/- 9°, 24 V	549,00
MR-130-WIR-R	688184	LED Ring Illuminator, 130 mm, white / infra red color, 24 VDC	1 245,00
LDM2-90SW2	688403	LED Dome light, outer diameter 94 mm, inner diameter 16 mm, 24 VDC, White,	3 057,00
SAX1515A-630C	688430	LED coaxial Light, active area 152 x 150 mm, red, 24 VDC, continuous	2 560,00
PLC1236C-W00C/AM	688429	Linear lights projector, Compact, 360 x 39 x 34.5 mm, 12 LED, White, Continuous	1 128,00
PLC1236C-W00C/AM/67	688428	Linear lights projector, Compact, 360 x 39 x 34.5 mm, 12 LED, White, Continuous	1 245,00
EBAR-750-850-9-16	688427	LED bar light, 783 x 47 mm, 30 LED, IR 850 nm , 24 VDC, M12 4-pole connector,	1 643,00
10741604_02/BL455/20DEG	688423	Spotlight 53 x 43 x 21 mm for use with Omron driver. Blue 455 nm. viewing angl	659,00
FPR-180RD2	688485	Low-angle Ring Light, outer diameter 180 mm, inner diameter 153 mm, height 4	2 853,00
ALU1006A-470C	688484	Diffuse LED Ring Light, 100 x 100 x 28 mm, inner diameter 61 mm, 24 V, blue, Co	789,50
BKL2010A-630I	688488	LED Backlight, active area 200x100 mm, red, 24 V, iBlue	2 048,00
ALB0810A-630I/AM	688486	LED Ring Illuminator, inner DM 40 mm, outer diameter 77 mm. Red, Medium An	1 204,00

OMRON PVPR 2023

EBAR-375-WHI-7	688511	LED bar light, 375 x 47 mm, white, 24 VDC, M12 4-pole connector, +/- 7°, IP65	980,00
ALB0804A-850C/AW	688514	Direct LED Ring Light, 94.5 x 77 x 16.5 mm, inner diameter 40 mm, 5 high power	823,50
MFDOME-3020-WHI-M1	688522	Flat LED Dome Illuminator, active area 300 x 200 mm, White, M12 Connector Po	1 871,00
QSQ3-056056R-00	688524	Neat-axis High Angle Square Light, outer size 56 x 56 mm, red, 24 VDC	306,60
EBAR-250-630-7	688633	LED bar light, 283 x 47 mm, red, emission angle 7°, 24 VDC, M12 4-pole connect	764,50
QDF3-138102R-00	688634	Off Axis Low Angle Ring Illuminator, 138 x 138 mm, inner diameter 102 mm, red	904,50
QDF3-090060W-00	688636	Off Axis Low Angle Ring Illuminator, 90 x 90 mm, inner diameter 60 mm, white,	782,00
DOM1410A-W00C	688637	LED Dome Illuminator, 145 x 145 x 72 mm, white, continuous mode, 24 VDC	1 209,00
QLA3-074048W-00	688642	Low Angle Ring LED Light, Inner Diameter 48 mm, outer Diameter 74 mm, White	613,50
PLC1236C-525C/AM	688644	Linear lights projector, Compact, 360 x 39 x 34.5 mm, 12 LED, green, Continuous	1 128,00
PLC1236C-630C/AM	688645	Linear lights projector, Compact, 360 x 39 x 34.5 mm, 12 LED, red, Continuous, r	1 128,00
QRL3-090050B-00	688673	Direct convex LED ring light, outer diameter 90 mm, inner diameter 50 mm, blue	935,00
QBR3-125030W-00	688674	LED Bar Light, active area 125 x 15 mm, white, 24 VDC	798,00
QBR3-050030W-00	688675	LED Bar Light, active area 50 x 30 mm, white, 24 VDC	413,30
ALD0606A-470C	688677	Direct LED ring light, inner dia. 40 mm, outer dia. 73 mm, blue, continuous, 24 V	641,00
EBAR-500-470-17	688678	LED bar light, 533 x 47 mm, 20 blue LED, 24 VDC, M12 4-pole connector, +/- 17°	1 077,00
QBR3-050015W-00	688697	LED Bar Light, active area 50 x 15 mm, white, 24 VDC	260,80
LFV3-200SW(A)	688721	Coaxial light, white, active size: 150 x 217 mm, total size: 226 x 272 x 207 mm, 2	4 703,00
LTRN165W45	688723	LED Ring Light, inner diameter 134.5 mm, outer diameter 164.5 mm, white, 24 V	2 640,00
RT-SDR-120-24	688724	LED Illuminator powers supply, 1 channel, 24 VDC, 5.0 A, DIN rail mount	150,00
LTRN075W45	688725	LED Ring Light, inner diameter 28 mm, outer diameter 75.4 mm, white, 24 V	868,50
PLC1648C-W00I/AW	688791	Linear LED Projector, active area 473 x 25 mm, white, iBlue Drive, IP65	1 657,00
QDF3-138102W-00	688812	Off Axis Low Angle Ring Illuminator, 138 x 138 mm, inner diameter 102 mm, whi	996,50
PLC2060C-630C/AM	688807	LED linear projector, active area 600 mm, Red. Continuous mode, medium angle	1 534,00
PLC2060C-630I/AM	688808	LED linear projector, active area 600 mm, Red, IBlueDrive, medium angle, IP65	1 856,00
PLC1648C-630C/AM	688809	LED linear projector, active area 480 mm, red, Continuous mode, medium angle	1 326,00
HSL-58RD-D300PCL	688854	LED Spor Light, outer diameter 58 mm, red, 24 VDC	920,00
QRL3-090050R-00	688858	Direct convex LED ring light, outer diameter 90 mm, inner diameter 50 mm, red,	843,00
PR-HPD-150	688859	Protection Plate for HPD 150	276,00
HPRING-WHI-10-DT	688860	Ring light, 12 high power LED, inner dia 58 mm, outer dia 112 mm, 10° angle, wh	980,00
LFV3-35SW(A)	688945	Coaxial LED light, Active size 35 x 35 mm, white, 24 VDC	1 244,00
ALS1307A-630I	688942	Diffuse LED Ring Light, outer diameter 145 mm, inner diameter 49 mm, 24 V, red	1 785,00
PLD1802A-W00I	688941	LED direct light linear projector, active area 180 x 16 mm, white, 24 V, iBlue Driv	1 062,00

OMRON PVPR 2023

QRL3-050028R-00	688954	Direct convex LED ring light, outer diameter 50 mm, red, 24 V	429,10
ALB0810A-W00I/AM	689028	LED Ring Illuminator, inner DM 40 mm, outer diameter 77 mm. white, Medium Angle	1 093,00
BKL2518A-W00C	689095	LED back light, active area 250 x 180 mm, white, continuous mode, 24 V	2 575,00
BKL2518A-W00S	689097	LED back light, active area 250 x 180 mm, white, strobe mode, 24 V	2 575,00
PRH0104A-470C/AN	689096	High Power LED Spot, blue, Continuous mode, Narrow Angle, IP65, 24 VDC	490,50
SBACKII-100502-WHI	689136	Flat LED light, active area 100 x 50 mm, white, 24 V	920,00
LTPRHP3W-G	689162	LED pattern projector, 3 W, green, 24 VDC	737,50
PTST010010P	689163	Line pattern for LED Projector, Line spacing 0.01 mm, Line thickness 0.01 mm, narrow angle	187,40
PTGR050050P	689164	Grid pattern for LED Projector, Line spacing 0.05 mm, Line thickness 0.05 mm, Narrow Angle	187,40
PTGR050200P	689165	Grid pattern for LED Projector, Line spacing 0.2 mm , Line thickness 0.05 mm, Narrow Angle	187,40
TPL-CMBACK-19A1	689180	Collimated LED Backlight, active area 400x120 mm, IR 850 nm, 24 VDC, M12 connector	4 488,00
ALB0810A-630I/AW	689252	LED Ring Illuminator, inner DM 40 mm, outer diameter 77 mm. Red, Wide Angle	1 095,00
PLU1802A-W00I	689253	Ultra diffuse LED bar light 180 x 16 mm. white, IBlue Drive, 24V	1 181,00
ELB-300RD	689267	LED Flood Bar Illuminator, active area 300 x 45 mm, red, 24 VDC, M8 Connector	1 298,00
ELB-300SW	689268	LED Flood Bar Illuminator, 300 x 51 x 49 mm (L x W x H), white, 24 VDC, M12 Connector	1 298,00
ECB-5-FL	689270	Extension Cable for Illuminator EL Series, Flying Leads, 5 m	92,00
BKM4020A-630C	689271	LED backlight, active area 400 x 200 mm, red, continuous mode, 24 VDC, 3 m power cable	4 464,00
HPRING-630-10-DT	689272	Ring light, 12 high power LED, inner dia 58 mm, outer dia 112 mm, 10° angle, red	980,00
FPQ3-75BL	689332	LED Square Illuminator, 75 x 75 mm, blue, 24 VDC	1 381,00
FPQ3-75BL-FL	689333	LED Square Illuminator, 75 x 75 mm, blue, 24 VDC, flying leads	1 381,00
SBACKII-201002-WHI	689430	LED back light, emitting surface 204 x 102 mm, white, 24 VDC	1 457,00
BLBAR-875-WHI	689438	LED backlight, 876 x 47.6 x 45 mm, active area 751 x 31.5 mm, 35 LEDs, white, 24 VDC	2 312,00
LTPRHP3W-B	689439	LED pattern projector, 3 W, blue, 24 VDC	740,00
ELB-500SW	689440	LED Flood Bar Illuminator, active area 500 x 45 mm, white, 24 VDC, M8 Connector	1 726,00
PT00000400P	689442	Grid pattern for LED Projector, line width 0.05 mm, line spacing 0.95 mm, 8x8 line	187,40
LDL2-119X16RD2	689444	Bar LED Light, 131 x 20 x 20 mm (width x depth x height), active area 119 x 19 mm	798,00
EBAR-375-850-NL	689463	LED bar light, 375 x 47 mm, 15 IR LED 850 nm, 24 VDC, M12 4-pole connector, narrow angle	904,00
SAC0505A-W00C	689465	Coaxial LED light, active surface 50 x 50 mm, white, continuous mode, 24 VDC	838,00
MBACK-O-3030-WHI-M2	689468	LED backlight, overdrive, 300 x 300 mm, white, 24 VDC, M12 Connector, position	1 994,00
LT2QOG100-00-X-W-24V	689487	LED coaxial light, 100x100 mm light emitting area, white, 24 VDC	1 749,00
LTRN048NW	689486	Ring LED illuminator, inner diameter 75 mm, straight type, white, 24 VDC	1 593,00
PRC0604C-850C/AW	689496	LED Projector, active area 60x50 mm, IR 850 nm, continuous mode, wide angle,	626,00
HPFD-6030-WHI-N1	689501	High power flat dome LED Illuminator, 600x300 mm, white, 24 VDC, M12 connector	2 895,00

OMRON PVPR 2023

QRL3-090050W-00	689565	Direct convex LED ring light, outer diameter 90 mm, inner diameter 50 mm, white	935,50
HLDL2-450X45IRDFWM12	689599	Bar light, high intensity, active size 450x45 mm, White, 24 VDC, wide angle, M12	1 655,00
PRH0104A-630C/AN/67	689626	Spot LED Projector, Red, continuous mode, Narrow Angle, IP67	575,50
ELB-200SW	689625	LED Flood Bar Illuminator, active area 200 x 45 mm, white, 24 VDC, M8 Connector	1 064,00
ELB-200RD	689624	LED Flood Bar Illuminator, active area 200 x 45 mm, red, 24 VDC, M8 Connector	1 064,00
ELB-300IR	689623	LED Flood Bar Illuminator, active area 300 x 45 mm, IR, 24 VDC, M8 Connector	1 342,00
LDL2-158X16SW2	689878	LED Bar light, active area 158x16 mm, white, 24 VDC	1 304,00
PRH0104A-630C/AN	689893	High Power LED Spot, red, Continuous mode, narrow Angle, IP65, 24 VDC	490,50
PTST050050P	689892	Line pattern for LED Projector, Line spacing 0.05 mm, Line thickness 0.05 mm, n	187,40
PLC2060C-630C/AD	689965	LED linear projector, active area 600 mm, Red, Continuous, diffuse, IP65	1 532,00
TRING-WHI-DO	690030	LED Ring Illuminator, inner diameter 38 mm, outer diameter 66 mm, white, opa	775,50
BKL0303A-630C	690032	LED Backlight, active area 30x30 mm, red, 24 V, Continuous mode	276,00
TH2-63X60RD-PM	690153	Flat LED Back light (15 mm), active area 63x60 mm, red, 24 VDC, high directive t	751,50
BLBAR-375-630	690155	LED backlight, 408 x 47.6 x 45 mm, active area 375 mm x 31.5 mm, 15 LEDs, wh	1 191,00
BLBAR-250-630	690156	LED backlight, 283 x 47.6 x 45 mm, active area 250 mm x 31.5 mm, 10 LEDs, red	909,00
BKL0505A-630C	690157	LED Back light, active area 50x50 mm, red, 24 V, continuous mode	397,40
DOM4127A-W00S/M02	690158	Dome LED light, Inner dia. 265 mm, Outer dim. 425x425x181 mm, white, Contin	2 386,00
PLC0412C-W00C/AM/67	690160	LED Linear Projector, active area 120 mm, white, continuous mode, medium ang	798,00
PLC0412C-W00C/AD/67	690161	LED Linear Projector, active area 120 mm, white, continuous mode, direct angle	798,00
PLC0824C-W00C/AM/67	690162	LED Linear Projector, active area 240 mm, white, continuous mode, medium ang	1 002,00
PLC0824C-W00C/AD/67	690163	LED Linear Projector, active area 240 mm, white, continuous mode, direct angle	1 002,00
HPR2-150FC	690181	LED Ring Illuminator, inner diameter 116 mm, outer diameter 166 mm, RGB, 24	2 030,00
PRH0104A-630C/AN/P	690232	Spot LED Projector, Red, continuous mode, Narrow Angle, IP67, PNP	685,50
BKM4030A-630C	690251	LED backlight, active area 400 x 300 mm, red, continuous mode, 24 VDC, 3 m po	4 660,00
LFXV-50SW	690250	Flat LED dome light, 93 x 93 mm, Active size 50 x 50 mm, white, 24 VDC	1 579,00
SBACKII-150502-WHI	690274	Flat LED light, active area 153 X 51 mm, white, 24 V	935,50
CMBACK-2020-WHI-M1	690309	Collimated LED Backlight, active area 200x200 mm, white, 24 VDC, M12 connect	1 687,00
CMBACK-4020-WHI-M1	690308	Collimated LED Backlight, active area 400x200 mm, white, 24 VDC, M12 connect	2 529,00
ALB0810A-W00I/AD	690375	LED Ring Illuminator, inner DM 40 mm, outer diameter 77 mm. white, Direkt An	1 095,00
ALD0303A-630C	690376	Direct LED ring light, inner dia. 21 mm, outer dia. 48 mm, red, continuous, 24 VD	340,40
HPR2-50RD-FL	690411	LED ring light, outer diameter 50 mm, inner diameter 18 mm, red 635 nm, indire	922,50
HPR2-75RD-FL	690410	LED ring light, outer diameter 91 mm, inner diameter 41 mm, red 635 nm, indire	984,00
LT2QOG070-00-X-W-24V	690448	LED coaxial light, 70x70 mm light emitting area, white, 24 VDC	1 389,00

OMRON PVPR 2023

PLC0824C-850I/AM	690449	LED line projector, active area 240 mm, 48 W, white, iBlue drive, medium angle,	1 406,00
PLC0824C-W00I/AM	690450	LED Linear Projector, active area 240 mm, white, iBlue drive, medium angle	1 314,00
MBACK-9040-WHI-M1	690451	LED backlight, 900 x 400 mm, white, 24 VDC, M12 connector position 1, 1 cable	4 305,00
MBACK-6060-WHI-M1	690473	LED backlight, 600 mm x 600 mm, White, 24 VDC, M12	4 305,00
QBR3-100015W-00	690555	LED Bar Light, active area 100 mm x 15 mm, white, 24 VDC	613,50
LDR2-70BL2	690552	LED ring light, outer diameter 70 mm, inner diameter 35 mm, blue, 24 VDC	1 003,00
EBAR-375-850-10	690586	LED bar light, 375 x 47 mm, 15 IR LED 850 nm, 24 VDC, M12 4-pole connector, +	1 003,00
MFDOME-11080-WHI-M1A2	690585	Flat dome LED Illuminator, active area 1100 x 800 mm, white, 24 VDC, Connector	9 350,00
LSLYTEMV66035	690584	Laser, 660 nm, 35 mW, 5 VDC	712,00
1125004	690583	1 line optic 15° horizontal fan angle for Lyte-MV	202,40
QLA3-132096R-00	690618	Low Angle Ring LED Light, Inner Diameter 96 mm, outer Diameter 132 mm, Red,	1 166,00
IFL-CGR-24-SM-PNP	690622	Trigger Connection Cable for LED Illuminator, M12 connector 4 pin MALE, SM co	413,30
1125-001	690685	Laser Optic, 1 line, 45°	267,50
LSLYTEMV66035145	690760	Laser, 660 nm, 35 mW, 5 VDC, non inverted, 1 line optic 45°	1 074,00
PLC1648C-630C/AN	690759	Linear LED Projector, active area 473 x 25 mm, red, continuous mode, narrow an	1 330,00
BKL3005A-630C	690758	LED Backlight, active Area 300 x 50 mm, red, 24 VDC, continuous mode	2 013,00
SBACKII-151002-630	690811	Flat LED light, active area 153 x 102 mm, red, 24 V	1 120,00
CMBACK-O-2020-850-M1	690812	Collimated LED Backlight, active area 200 x 200 mm, IR 850 nm, 24 VDC, M12 co	1 826,00
HPRING-WHI-17-POL	690813	Ring light, 12 high power LED, inner dia 58 mm, outer dia 112 mm, 17° angle, wh	1 119,00
EBAR-O-125-WHI-25	690814	LED bar light, overdrive, 125 x 47 mm, 5 white LED, 24 VDC, M12 4-pole connect	703,00
MFDOME-9080-WHI-M1A2	690815	Medium flat dome MFDome PLUS 900 x 800, white, Connector output, M12 ma	7 825,00
EBAR-250-405-17	690816	LED bar light, 283 x 47 mm, UV 405 nm, 24 VDC, M12 4-pole connector	877,50
SAX1010B-630I	690818	Coaxial LED light, active area 100 x 100 mm, red, 24 V, iBlueDrive	1 858,00
SAX1515A-W00I	690819	LED coaxial Light, active area 152 x 150 mm, white, 24 VDC, iBlueDrive	3 012,00
DKL2418A-630I	690820	Darkfield LED light, 240 x 240 x 13 mm, inner diameter 180 mm, red, 24 VDC, iBl	1 992,00
PRH1612A-365I/AW	690837	LED Projector, active area 115 x 115 mm, UV 365 nm, iBlue, Wide aperture 70°,	3 738,00
PRH1612A-400I/AW	690838	LED Projector, active area 115 x 115 mm, UV 400 nm, iBlue, Wide aperture 70°,	1 839,00
PRH1612A-850I/AD	690839	LED Projector, active area 115 x 115 mm, IR 850 nm, iBlue, diffuse emission, 24	1 746,00
PRH1612A-W00I/AD	690840	LED Projector, active area 115 x 115 mm, white, iBlue, diffuse emission, 24 VDC	1 654,00
EBAR-1000-630-10	690841	LED Bar Light, 1000 mm, red, +-10°, 24 VDC	1 856,00
LBAR-750-630-10	690842	LED Bar Light, 750 mm, red, +-10°, 24 VDC	1 166,00
LBAR-1500-630-10	690843	LED Bar Light, 1500 mm, red, +-10°, 24 VDC	2 017,00
MBACK-4020-850-M1	690844	Medium LED Backlight, 400 x 200 mm, IR 850 nm, M12 male 4 pins connector, T	1 821,00

OMRON PVPR 2023

HPB-4020-850-N1	690845	High Power LED Backlight, 400 x 200 mm, IR 850 nm, M12 male 5 point connect	1 641,00
LDL-74X27IR980	690884	LED bar light, active area 74 x 27 mm, IR 980 nm, 24 VDC	1 456,00
BKL0705B-630C	690882	LED Backlight, active area 70 x 50 mm, red, continuous, 24 V	530,00
TH2-100X100RD-PM	690931	Flat LED Backlight (15 mm), active area 100x100 mm, red, highly directive type,	1 549,00
LV-27RD2	691057	LED Spot Light, active area 6 mm diameter, red, 24 VDC	627,00
HPFD-6040-WHI-N1	691031	High Power Flat LED Dome, 600 x 400 mm, white, 24 VDC, Connection through 1	3 514,00
PLU0602B-W00I	691029	Ultra diffuse linear LED projector, active area 64x16 mm, white, 24 VDC, iBlue D	750,00
HPRING-405-10	691028	Ring light, 12 high power LED, inner dia 58 mm, outer dia 112 mm, 10° angle, UV	1 411,00
TH2-200X150SW	691070	Flat LED Backlight (15 mm), active area 200 x 150 mm, white, 24 VDC, M12 conn	3 801,00
PRC0604C-W00C/AD	691186	LED Projector, active area 60 x 50 mm, white, continuous mode, diffuse ammiss	583,00
HPFD-5040-WHI-N1	691185	High Power Flat LED Dome, 500 x 400 mm, white, 24 VDC, Connection through 1	3 140,00
FLOOD-O-6060-850-17-M1	691183	LED Flat Light with camera opening, active area 600 x 600 mm, IR 850 nm, 24 V,	7 925,00
HPB-2020-WHI-N1	691182	High Power LED Backlight, 200 x 200 mm, white, M12 male 5 point connector - i	809,00
FLOOD-O-6060-WHI-17-M1	691180	LED Flat Light with camera opening, active area 600 x 600 mm, white, 24 V, M12	5 935,00
BKL2005A-630C	691241	LED Backlight, active area 200 x 50 mm, red, continuous, 24 V	1 438,00
MR-80-WIR-R	691242	LED Ring Illuminator, active area 80 mm, white and infrared, 24 VDC	935,50
PLU1802A-470C	691244	Ultra diffuse LED bar light 180 x 16 mm, blue, Continuous, 24 V	898,50
QBR3-050015B-00	692715	LED Bar Light, active area 50 x 15 mm, blue, 24 VDC	260,80
QBR3-100015IR-00	692727	LED Bar Light, active area 100 x 15 mm, white, 24 VDC	675,00
MBACK-4040-850-M1	692770	LED backlight, 400 x 400 mm, IR 850 nm, 24 VDC, M12 connector	3 172,00
TH2-160X120RD	692823	Flat LED Back light (15 mm), active area 160x120 mm, red, 24 VDC	2 361,00
QBL3-030030W-00	692821	LED Back Light, active area 30 mm x 30 mm, red, M12 connector	337,20
HPRING-405-10-IP65	692820	Ring light, 12 high power LED, inner dia 58 mm, outer dia 112 mm, 10° angle, UV	1 518,00
BLBAR-1250-WHI	692876	LED backlight, 1580 x 47.6 x 45 mm, active area 1283 mm x 31.5 mm, 50 LEDs, v	3 143,00
EBAR-875-630-17	692878	LED bar light, 908 x 47 mm, 35 red LED, 24 VDC, M12 4-pole connector, +/- 17°,	1 660,00
EBAR-500-630-17	692903	LED bar light, 501 mm x 31.5 mm, 20 LED, red, 24 VDC, M12 5-pole connector, +	1 076,00
MFDOME-8080-WHI-M1	692902	Medium flat LED Dome Illuminator, 800 x 800 mm, red, M12 connector, Positio	7 435,00
BKM5040A-W00C/M01	692936	LED backlight, active area 500 x 400 mm, white, continuous mode, 24 VDC, 5 m	4 528,00
HPD2-200SW-SQ50	693103	Dome light, white LED, Outer dia. 216 mm, Inner dia. 40 mm, height 107 mm, 24	2 013,00
MFDOME-5050-630-M1	693114	Flat LED Dome Illuminator, active area 500 x 500 mm, Red, M12 Connector Posi	3 974,00
QDF3-075045R-00	693137	Off Axis Low Angle Ring Illuminator, 75 x 75 mm, inner diameter 45 mm, red, 24	628,50
EBAR-125-630-17	693363	LED Bar light, 125 mm, red, 5 high power LED, +-17° emitting angle, 24 VDC	491,70
EBAR-250-630-17	693362	LED bar light, 283 x 47 mm, red, emission angle +-17°, 24 VDC, M12 4-pole conn	687,50

OMRON PVPR 2023

LDR2-70IR980	693648	LED ring light, outer diameter 70 mm, inner diameter 35 mm, IR 980 nm, 24 VDC	1 400,00
EBAR-125-850-17	693699	LED Bar light, 125 mm, IR 850 nm, 5 high power LED, +-17° emitting angle, 24 VDC	515,00
P0608A01-VAL	693698	Conjunto de iluminación OCR	6 385,00
QBR3-100015R-00	693709	LED Bar Light, active area 100 x 15 mm, red, 24 VDC	552,00
LT2QOG025-00-X-W-24V	693752	LED coaxial light, 27x27 mm light emitting area, white, 24 VDC	811,50
BKL1010A-W00C	693793	LED Backlight, active area 100 mm x 100 mm, white, continuous, 24 V	1 208,00
BKM9090A-8500C/M01	693815	LED backlight, active area 900 x 900 mm, IR 850nm, continuous mode, 24 VDC, 10 m	8 285,00
BKM9090A-W00C/M01	693814	LED backlight, active area 900 x 900 mm, white, continuous mode, 24 VDC, 10 m	8 290,00
TSPOT4-630-9-DS	693813	LED spot light, 38 x 30 x 28 mm, 4 LED, red, M12 4-pole connector, +/- 9°, 24 VDC	549,00
HLV3-22SW-4S	693827	LED Spot Light, tip diameter 8 mm, white, 24 V	920,00
PLA1013A-470I/AM	693881	LED High power linear projector, active area 130 mm, 48W, blue, medium angle	1 197,00
EBAR-375-630-17	693880	LED bar light, 376 x 31.5 mm, 15 LED, red, 24 VDC, M12 5-pole connector, +/- 17°	881,00
SBACKII-201002-880	693879	LED backlight, emitting surface 204 x 102 mm, IR 880 nm, 24 VDC	1 456,00
LDL2-98X30SW2	693877	Bar light, active size 98x30 mm, white, narrow angle, 24 VDC	1 104,00
LTCLHP016-G	693941	Telecentric HP illuminator, beam diameter 20 mm, green	1 044,00
LBAR-500-WHI-10	693940	LED bar light, 500 x 31.5 mm, 10 x LED white, 24 VDC, M12 4-pole connector, +/- 10°	882,00
HPFD-2020-850-N1	693943	High Power Flat LED Dome, 200 x 200 mm, IR 850 nm, 24 VDC, Connection through	1 539,00
BLBAR-125-850	693942	LED backlight, 158 x 47.6 x 45 mm, active area 125 x 31.5 mm, 5 LEDs, IR 850 nm	628,50
BLBAR-500-850	693946	LED backlight, 533 x 47.6 x 45 mm, active area 501 x 31.5 mm, 20 LEDs, IR 850, 2	1 470,00
BKL1007B-850C	693954	LED Flat Light, 89x107x22 mm, active area 100x70 mm, 24 V, IR 850 nm, Continu	1 038,00
EBAR-L-625-405-10	694002	LED Bar Illuminator, active area 626 x 31,5 mm, 25 LED, UV 405 nm, Link Versio	2 002,00
SBAR-365-15-IP65	694001	LED Spot Light, 1 high power LED, UV 365 nm, emission angle +-15°, 24 VDC	920,00
TH2-27X27SW-FL	694000	Flat LED Back light (15 mm), active area 27 x 27 mm, white, 24 VDC, Flying Leads	459,80
MBACK-8040-630-M1	694036	LED backlight, 800 x 400 mm, Red, 24 VDC, M12 connector	3 933,00
HPB-5050-WHI-N3	694042	High Power LED Backlight, 500 x 500 mm, white, M12 male 5 point connector - i	3 055,00
TPL-HPB-20A6	694112	High Power LED Backlight, 300 x 300 mm, white, 2.5m cable, 4x 1.5mm² - in pos	1 657,00
LDL2-362X30RD2	694124	LED Bar light, active area 362 x 30 mm, white, 24 VDC	2 393,00
EBAR-C-1000-630-17	694123	LED Bar Light, curved, active length 1000 mm, red, 17° optic angle	2 324,00
PLC0412C-630I/AD	694142	LED line projector, active area 120 mm, 24 W, red, iBlue drive, diffuse, 24 V	1 075,00
BKL0504B-630S	694783	LED Back light, active area 50 x 40 mm, Red, 24 V, Strobe Mode	329,90
LT3RZF080-60-1-W-24V	694806	LED ringlight, 81 mm outer diameter, 1 LED row, 60°, white, 24V	542,50
DOM1410A-W00I	694936	LED Dome Illuminator, 145 x 145 x 72 mm, white, iBlue drive, 24 VDC	1 532,00
PLC1236C-850I/AW/67	694937	Linear LED Projector, active area 360 mm, IR 850 nm, iBlue Drive, wide angle, IP	1 628,00

OMRON PVPR 2023

TH2-27X27BL	694960	Flat LED Back light (15 mm), active area 27 x 27 mm, blue, 24 VDC	459,80
HPR2-75FC	694959	LED ring light, OD=91 mm, ID=41 mm, RGB color, indirect, 24 VDC	1 518,00
HPD2-75FC	694958	Dome LED light, Outer dia. 91mm, Inner dia. 20mm, height 45.1mm, RGB color,	1 669,00
LDL-60X60IR2-850-M12	694990	IR lighting, 92 x72 x 38 mm (width x depth x height), light-emitting surface 60 x	1 074,00
MFDOME-8060-WHI-M1	694988	Medium flat LED Dome Illuminator, 800 x 600 mm, white, M12 connector, Posit	6 070,00
EBAR-375-630-7	695075	LED bar light, 376 x 31.5 mm, 15 LED, red, 24 VDC, M12 5-pole connector, +/- 7°	882,00
MBACK-O-2020-630-M1	695241	LED backlight, overdrive, 200 x 200 mm, red, 24 VDC, M12 Connector, positions	1 058,00
PLC0412C-850C/AD	695255	LED line projector, active area 120 mm, 24 W, IR 850 nm, continuous drive, diffu	773,50
PLC0412C-850I/AD	695254	LED line projector, active area 120 mm, 24 W, IR 850nm, iBlue drive, diffuse, 24	1 151,00
PLC0824C-W00C/AN	695266	LED line projector, active area 240 mm, 48 W, white, continuous mode, narrow	925,50
LDL2-33X8RD2	695296	LED Barlight, active area 33 x 8 mm, 24 V, red	230,00
MBACK-O-4020-630-M2	695300	LED backlight, overdrive, 400 x 200 mm, red, 24 VDC, M12 connector, positions	1 687,00
MBACK-O-2020-630-M2	695301	LED backlight, overdrive, 200 x 200 mm, red, 24 VDC, M12 connector, positions	1 058,00
MBACK-11080-850-M1A2	695305	LED back Illuminator, active area 100 x 400 mm, 850 nm, 24 VDC, M12 connectd	12 920,00
BKL2010A-850C	695360	LED Back light, active area 200x100 mm, IR 850 nm, 24 V, continuous mode	1 846,00
ALU1006A-W00I	695359	Diffuse LED Ring Light, 100x100x28 mm, inner diameter 61 mm, 24 V, White, iBl	1 077,00
HPB-4030-WHI-N1	695377	High Power LED Backlight, 400 x 300 mm, white, M12 male 5 point connector - i	1 603,00
SBACKII-151502-470	695376	Flat LED light, active area 153 X 153 mm, blue, 24 V	1 564,00
SBACKII-151502-525	695375	Flat LED light, active area 153 X 153 mm, green, 24 V	1 564,00
CMBACK-3030-630-M1	695386	Collimated LED Backlight, active area 300x300 mm, red, 24 VDC, M12 connector	2 837,00
PRH0104A-400I/AN	695515	Spot LED Projector, UV 400nm iBlueDrive, Narrow Angle, IP65	914,00
EBAR-O-125-WHI-10	695516	LED bar light, overdrive, 125 x 47 mm, 5 white LED, 24 VDC, M12 4-pole connect	703,00
LDL-82X15IR2-850	695527	LED bar light, active size 82 x 15 mm, IR 850 nm, 24 VDC	631,50
MBACK-9040-850-M1	695564	LED backlight, 900 x 400 mm, IR 850nm, 24 VDC, M12 connector position 1, 1 ca	6 285,00
PLU1302B-630I	695625	Ultra diffuse LED bar light 128 x 16 mm, red, iBlue Drive, 24V	964,00
ALU1006A-630I	695626	Diffuse LED Ring Light, 100x100x28 mm, inner diameter 61 mm, 24 V, Red, iBlue	1 007,00
EBAR-1000-WHI-NL	695679	LED bar light, 1033 x 47 mm, 40 white LED, 24 VDC, M12 4-pole connector, No le	1 856,00
HLV3-22SW-4M	695680	LED Spot Light, tip diameter 8 mm, white, 24 V	920,00
PLU0602B-630I	695682	Ultra diffuse linear LED projector, active area 64x16 mm, red, 24 VDC, iBlue Driv	730,50
EBAR-O-125-850-17	695697	LED bar light, overdrive, 125 x 47 mm, 5 IR 850nm LED, 24 VDC, M12 4-pole con	858,50
LFX3-75IR860-M12	695698	Flat dome LED light, active area 75x75, IR 860nm, 24 VDC, M12 Connector	1 817,00
LFXV-200SW	695740	Flat LED dome light, 243 x 243 mm, active size 200 x 200 mm, white, 24 VDC	3 678,00
LFXV-300X200SW	695741	Flat LED dome light, 343 x 243 mm, active size 300 x 200 mm, white, 24 VDC	5 445,00

OMRON PVPR 2023

LFXV-300SW	695742	Flat LED dome light, 343 x 343 mm, active size 300 x 300 mm, white, 24 VDC	6 325,00
PLD1802A-850C	695837	LED direct light linear projector, active area 180 x 16 mm, IR 850nm, 24 V, continuous mode	751,50
PLC2060C-W00I/AW	695849	LED linear projector, active area 600 mm, White. iBlueDrive, wide angle, IP65	1 856,00
PRC0606B-850C/AW	695871	LED Projector, active area 60 x 60 mm, IR 850nm, continuous mode, wide angle, IP65	866,50
LBAR-250-WHI-17	695877	LED bar light, 250 mm x 31.5 mm, 5 x LED white, 24 VDC, M12 4-pole connector	597,50
PLC0412C-365I/AN	695883	LED line projector, active area 120 mm, 24 W, UV 365 nm, iBlue drive, narrow angle, IP65	1 366,00
TH2-150X150SW-CR35	695923	Flat LED Back light (15 mm), active area 150x150 mm, camera hole 35 mm, white, 24 VDC	3 372,00
LTCLHP016-R	695927	Telecentric HP illuminator, beam diameter 20 mm, red	1 044,00
LDL2-74X30RD2	695948	LED Bar light, active area 74 x 30 mm, white, 24 VDC	675,00
HPR2-50BL	695956	LED ring light, OD=50 mm, ID=18 mm, blue, indirect, 24 VDC	922,00
MFDOME-4020-WHI-M1	695971	Medium FLATDOME MFDOME, 400 x 200, white, M12 Position 1	1 933,00
LT3RZF130-60-1-W-24V	696003	LED ring light, 131.5 mm outer diameter, 1 LED row, 60°, white, 24V	760,50
TSPOT1-WHI-9	696107	LED spot light, 23 x 20 x 13 mm, 1 LED, white, 24 VDC, M12 4-pole connector, +/0°	419,40
BKL4005A-W00C	696150	LED Backlight, active area 400 x 50 mm, white, 24 V, Continuous mode	2 718,00
PLC2060C-630C/AN	696149	LED linear projector, active area 600 mm, red, continuous mode, narrow angle, IP65	1 533,00
HPFD-2020-630-N1	696192	High Power Flat LED Dome, 200 x 200 mm, red, 24 VDC, Connection through 1x M12	1 356,00
TH2-100X100SW-FL	696193	Flat LED Back light (15 mm), active area 100x100 mm, white, 24 VDC, flying lead	1 962,00
LFX3-200X100SW-FL	696194	Flat dome LED light, Active size 200 x 100 mm, white, 24 VDC, flying leads	2 790,00
PRC0608C-400I/AW	696286	LED Projector, active area 60x50 mm, UV 400nm, wide angle, iBlue drive, IP65, 24 V	1 280,00
BLBAR-O-500-WHI	696285	LED backlight, overdrive, 533 x 47.6 x 45 mm, active area 500 mm x 31.5 mm, 24 V	1 652,00
HPB-2020-630-N1	696318	High Power LED Backlight, 200 x 200 mm, red, M12 male 5 point connector - in g	808,00
HLV3-22RD-1	696322	LED Spot Light, tip diameter 8 mm, red, 24 V	574,50
FPQ3-120SW	696320	LED Square Illuminator, 120 x 120 mm, white, 24 VDC	1 763,00
P0609A01-W00C/M01	696349	LED back light, active area 120 x 120 mm, white, continuous mode, 24 V, 10m po	1 518,00
SAC0505A-W00I	696348	Coaxial LED light, active surface 50 x 50 mm, white, iBluedrive, 24 VDC	1 161,00
HPR2-150RD	696347	LED Ring illuminator, inner diameter 116 mm, outer diameter 166 mm, red, 24 V	1 371,00
DKL1813A-850I	696401	Darkfield LED light, 188 x 188 x 13 mm, inner diameter 130 mm, IR 850nm, iblue	1 785,00
TH2-211X200RD-FL	696410	Flat LED Back light (15 mm), active area 211 mm x 220 mm, red, 24 VDC, flying le	3 495,00
EBAR-1250-850-17	696412	LED Bar light, 1250 mm, IR 850 nm, 50 high power LED, +-17° emitting angle, 24	2 236,00
ALB0810A-W00I/AN	696428	LED Ring Illuminator, inner DM 40 mm, outer diameter 77 mm. white, Narrow A	1 093,00
PLC1236C-470I/AD	696411	Linear LED Projector, active area 360 mm, 470 nm, iBlue Drive, diffuse, IP65	1 450,00
LFXV-100SW	696434	Flat LED dome light, 143 x 143 mm, active size 100 x 100 mm, white, 24 VDC	2 177,00
BKL0504B-W00C	696435	LED Back light, active area 50 x 40 mm, white, 24 V, Continous Mode	345,90

OMRON PVPR 2023

ALU0704A-630C	696436	Diffuse LED Ring Light, 75x75x22 mm, inner diameter 37 mm, 24 V, Red, Continuous	506,00
HPB-2020-850-N1	696445	High Power LED Backlight, 200 x 200 mm, IR 850nm, M12 male 5 point connector	1 007,00
HPB-3020-850-N1	696447	High Power LED Backlight, 300 x 200 mm, IR 850nm, M12 male 5 point connector	1 305,00
HPB-3030-850-N1	696446	High Power LED Backlight, 300 x 300 mm, IR 850nm, M12 male 5 point connector	1 911,00
PLA0513A-630C/AD	696449	Compact Line Projector, 130 x 10 mm, red, diffuse emission, continuous mode,	823,50
V430-ALR	698191	Kit de instalación de luz roja estándar V/F 4x0-F	167,30
V430-ALW	698192	Kit de instalación de luz blanca estándar V/F 4x0-F	167,30
V430-ALI	698193	Kit de instalación de luz infrarroja estándar V/F 4x0-F	167,30
V430-ALB	698194	Kit de instalación de luz azul estándar V/F 4x0-F	167,30
V430-ALRR	698195	Kit de instalación de anillo de luz roja V/F 430-F	247,90
V430-ALWR	698196	Kit de instalación de anillo de luz blanca V/F 430-F	247,90
V430-ALIR	698197	Kit de instalación de anillo de luz infrarroja V/F 430-F	247,90
V430-ALBR	698198	Kit de instalación de anillo de luz azul V/F 430-F	247,90
PLC0824C-850I/AW	696464	LED line projector, active area 240 mm, 48 W, IR 850 nm, iBlue drive, wide angle	1 404,00
PLC1236C-470C/AD	698206	Linear LED Projector, active area 360 mm, Blue, continuous mode, diffuse, IP65	1 127,00
HPFD-5050-630-N1	698208	High Power Flat LED Dome, 500 x 500 mm, red, 24 VDC, Connection through 1x	3 577,00
HPFD-4040-630-N1	698207	High Power Flat LED Dome, 400 x 400 mm, red, 24 VDC, Connection through 1x	2 285,00
HPFD-4040-WHI-N1	698323	High Power Flat LED Dome, 400 x 400 mm, white, 24 VDC, Connection through 1x	2 285,00
LFXV-200X100SW	698570	Flat LED dome light, 243 x 243 mm, active size 200 x 100 mm, white, 24 VDC	3 372,00
PDM-150-15SW2	698571	LED dome, low-angled, coaxial lighting combination, outer diameter 156 mm, in	6 125,00
MR-130-RC-LA	698573	LED Ring Illuminator, 130 mm, red / cyan color, 24 VDC	1 350,00
LDL2-80X16RD2	698577	LED bar light, active area 80 x 16 mm, red, 24 VDC	552,00
QSQ3-070070IR	698603	Neat-axis High Angle Square Light, outer size 70 x 70 mm, IR, 24 VDC	558,00
TSPOT4-WHI-9-DO	698605	LED spot light, 38 x 30 x 28 mm, 4 LED, white, M12 4-pole connector, +/- 9°, 24 V	548,50
LFXV-300X100SW	698644	Flat LED dome light, 343 x 143 mm, active size 300 x 100 mm, white, 24 VDC	4 413,00
HPRING-WHI-10-DS	698786	Ring light, 12 high power LED, inner dia 58 mm, outer dia 112 mm, 10° angle, wh	978,50
BKL0705B-630I	698827	LED Backlight, active area 70 x 50 mm, red, iBlueDrive, 24 V	854,00
MFDOME-2020-630-M1	698826	Medium LED Dome, active area 200 x 200 mm, red, M12 Position 1	1 506,00
PRH0104A-365I/AN	698966	Spot LED Projector, UV 365 nm, iBlueDrive, Narrow Angle, IP65	1 084,00
MBACK-2020-630-M1	698964	LED backlight, 200 x 200 mm, Red, 24 VDC, M12 connector	897,00
HPRING-850-25-DS	699023	LED IR ring light, outer 112mm inner 58mm, 12 white LED, 24 VDC, M8 3-pole co	1 087,00
EBAR-625-850-NL	699053	LED bar light, 625mm x 47mm, 25 IR LED, 24 VDC, M12 4-pole connector, no len	1 287,00
ALB0810A-525I/AW	699052	Direct LED Ring Light, 94.5x77x16.5 mm, inner diameter 40 mm, 10 high power l	1 093,00

OMRON PVPR 2023

LFXV-75RD	699051	Flat LED dome light, 118 x 118 mm, active size 75 x 75 mm, red, 24 VDC	1 809,00
LFL-100IR2-940	699050	Flat LED light, active size 100x80mm, IR 940 nm, 24 VDC, Connector SMR-03V-B	1 076,00
SAC0808A-W00C	699125	Coaxial LED light, active surface 75 x 75 mm, white, continuous mode , 24 VDC	1 394,00
MBACK-5050-630-M1	699186	LED backlight, 500 x 500 mm, red, 24 VDC, M12 connector, position 1	3 393,00
EBAR-125-WHI-25	699181	LED Bar light, 125 mm, white, 5 high power LED, +-25° emitting angle, 24 VDC	492,10
EBAR-375-405-10	699194	LED bar light, 375 x 47 mm, UV 405, 24 VDC, M12 4-pole connector, +/- 10, IP65	1 181,00
LED-BRICK-470	699195	LED brick circuit, 4 blue LEDs	63,85
PLC1648C-630I/AD	699288	Linear LED Projector, active area 473 x 25 mm, white, iBlue Drive, diffuse emissi	1 653,00
CMBACK-2020-525-M1	699290	Collimated LED Backlight, active area 200x200 mm, green, 24 VDC, M12 connect	1 733,00
PRC0604C-W00C/AW	699295	LED Projector, active area 60x50 mm, white, continuous mode, wide angle, 24 V	583,00
MR-130-WIR-DF	699296	LED dark field Illuminator, 130 mm, white / infra red color, 24 VDC	1 350,00
PLC1236C-W00I/AD	699478	Linear LED Projector, active area 360 mm, white, iBlueDrive, diffuse, IP65	1 450,00
LFV-PF-35RD	699481	High Power Coaxial LED light, Active size 34 x 38 mm, red, 48 VDC	2 622,00
LTCLHP064-G	699499	Telecentric HP illuminator, beam diameter 80 mm, green	1 815,00
BKL0705B-525C	699501	LED Backlight, active area 70 x 50 mm, green, continuous mode, 24 V	584,00
TH2-27X27RD	699508	Flat LED Back light (15 mm), active area 27 x 27 mm, red, 24 VDC	337,20
BKM5545A-630C/M01	699559	LED backlight, active area 550 x 450 mm, red, continuous mode, 24 VDC, 10 m p	4 626,00
DKL1813A-630C	699560	Darkfield LED light, 188 x 188 x 13 mm, inner diameter 130 mm, red, continuous	1 367,00
BLBAR-L-250-525	699566	LED backlight, link, 283 x 47.6 x 45 mm, active area 250 mm x 31.5 mm, 10 LEDs	909,00
MFDOME-O-3030-630-M1	699578	Medium LED Flatdome, active Area 300 x 300 mm, red, overdrive, M12 connect	2 575,00
M-EBAR-250-WHI-UN	699678	Modular LED bar light, 250mm, white, ultra narrow lens, 24VDC	607,00
HPB-4030-850-N1	699938	High Power LED Backlight, 400 x 300 mm, IR 850nm, M12 male 5 point connect	2 189,00
LFV-PF-70SW	699939	High Power Coaxial LED light, active size 76 x 73 mm, white, 48 VDC	4 263,00
TH2-51X51SW	699954	Flat LED Back light (15 mm), active area 51 x 51 mm, white, 24 VDC	804,00
MBACK-O-4030-WHI-M1	700207	LED backlight, overdrive, 400 x 300 mm, white, 24 VDC, M12 connector, positio	2 261,00
EBAR-750-850-25	700206	LED bar light, 783 x 47 mm, 30 LED, IR 850 nm , 24 VDC, M12 4-pole connector,	1 464,00
BKL0504B-630I	700204	LED Back light, active area 50 x 40 mm, Red, 24 V, iBlueDrive	646,00
LT2QOG025-00-X-G-24V	700316	LED coaxial light, 25x25 mm light emitting area, green, 24 VDC	721,50
SBACKII-050502-880	700658	Flat LED light, active area 51 x 51 mm, IR 88 nm, 24 V	455,30
PLC1236C-850C/AW	700657	Linear LED Projector, active area 360 mm, IR 850 nm, continuous, wide angle, IP	1 195,00
PRH0104A-W00C/AD	700699	High Power LED Spot, red, continuous mode, diffuse, IP65, 24 VDC	485,50
HPB-5030-WHI-N1	700705	High Power LED Backlight, 500 x 300 mm, white, M12 male 5 point connector - i	2 004,00
BKM5050A-850C/M01	700739	LED backlight, active area 500 x 500 mm, IR 850 nm, continuous mode, 24 VDC,	4 588,00

OMRON PVPR 2023

PLC0824C-W00I/AN	700737	LED Linear Projector, active area 240 mm, white, iBlue drive, medium angle	1 300,00
HPFD-3030-WHI-N1	700816	High Power Flat LED Dome, 300 x 300 mm, white, 24 VDC, Connection through 1	1 733,00
HPR2-250SW	700815	LED ring light, OD=266 mm, ID=210 mm, white, indirect, 24 VDC	2 032,00
LP830-M27	700814	Long pass filter, 830 nm, M27	246,50
PLA0513A-630C/AM	700819	Compact Line Projector, 130 x 10 mm, red, medium angle, continuous mode, 24	815,00
EBAR-375-WHI-25	700835	LED bar light, 375mm x 47mm, 15 white LED, 24VDC, M12 4-pole connector, +/-	962,00
LFXV-300X200RD	700862	Flat LED dome light, 343 x 243 mm, active size 300 x 200 mm, red, 24 VDC	5 390,00
LFXV-300X100RD	700861	Flat LED dome light, 343 x 143 mm, active size 300 x 100 mm, red, 24 VDC	4 369,00
LFXV-200X100RD	700895	Flat LED dome light, 243 x 143 mm, active size 200 x 100 mm, red, 24 VDC	3 339,00
QBR3-100015B-00	700896	LED Bar Light, active area 100 x 15 mm, blue, 24 VDC	612,50
HPRING-630-10-DO	700901	Ring light, 12 high power LED, inner dia 58 mm, outer dia 112 mm, 10° angle, red	969,00
HPRING-630-10-POL	700899	Ring light, 12 high power LED, inner dia 58 mm, outer dia 112 mm, 10° angle, red	1 106,00
BKL1818A-W00C	700897	LED Back light, active area 180 x 180 mm, white, 24 V, Continuous mode	2 152,00
HPRING-WHI-17-DT	700902	Ring light, 12 high power LED, inner dia 58 mm, outer dia 112 mm, 17° angle, wh	970,00
HPB-9020-WHI-N1	700926	High Power LED Backlight, 900 x 200 mm, white, M12 male 5 point connector - i	2 200,00
HPRING-470-25-DT	700954	Ring light, 12 high power LED, inner dia 58 mm, outer dia 112 mm, 25° angle, blu	969,00
BKM2520A-W00C/M01	700992	LED backlight, active area 250 x 200 mm, white, continuous mode, 24 VDC, 3 m	3 428,00
BKL1510A-850I	701010	LED Back light, active area 100 x 150 mm, IR 850nm, 24 V, iBlue drive	1 843,00
BKL2515B-W00C	701011	LED back light, active area 250 x 150 mm, white, continuous mode, 24 V	2 391,00
HPFD-8060-WHI-N1A2	700993	High Power Flat LED Dome, 800 x 600 mm, white, 24 VDC, 2.5m 4x1.5 ² cable, po	6 610,00
HPFD-7040-WHI-N1A2	701012	High Power Flat LED Dome, 700 x 400 mm, white, 24 VDC, cable 2.5m, 4x1,25 ² -	4 760,00
LFXV-50RD	701013	Flat LED dome light, 93 x 93 mm, Active size 50 x 50 mm, red, 24 VDC	1 563,00
M-EBAR-125-WHI-UN	701031	Modular LED bar light, active area 125 mm, white, ultra narrow lens, 24 VDC	450,40
M-EBAR-500-WHI-UN	701075	Modular LED bar light, 500 mm, white, ultra narrow lens, 24 VDC	920,00
MR-130-WIR-CO-B	701076	LED modular ring light, 130 mm, white / infra red color, including power supply,	1 838,00
LDL2-80X16SW2-WD	701077	Bar light, active size 80x16 mm, white, wide emission, 24 VDC	668,00
EBAR-625-WHI-17-IP69K	701078	LED bar light, 625 mm x 47 mm, 25 white LED, 24 VDC, M12 4-pole connector, +	3 253,00
EBAR-500-WHI-17-IP69K	701079	LED bar light, 533 x 47 mm, 20 white LED, 24 VDC, M12 4-pole connector, +/- 17	2 865,00
PLC0824C-365I/AN	701172	LED line projector, active area 240 mm, 48 W, UV 365 nm, iBlue drive, narrow an	2 006,00
M-EBAR-375-WHI-UN	701174	Modular LED bar light, 375 mm, white, ultra narrow lens, 24 VDC	763,50
BLBAR-375-850	701175	LED backlight, 408 x 47.6 x 45 mm, active area 376 x 31.5 mm, 20 LEDs, IR 850, 2	1 179,00
DOL0480A-W00C	701199	Linear LED Dome light, active area 2 x 250 mm x 35 mm, white, 24 VDC	4 395,00
HPB-8020-WHI-N1	701257	High power LED backlight, 800 x 200 mm, white, M12 male 5 point connector - i	2 016,00

OMRON PVPR 2023

HPB-7020-WHI-N1	701256	High power LED backlight, 700 x 200 mm, white, M12 male 5 point connector - i	1 844,00
LFXV-75SW	701262	Flat LED dome light, 118 x 118 mm, active size 75 x 75 mm, white, 24 VDC	1 792,00
SAC0808A-630I	701291	Coaxial LED light, active surface 75 x 75 mm, red, iBlue, 24 VDC	1 633,00
BKL2515B-850C	701292	LED back light, active area 250 x 150 mm, IR 850nm, continuous mode, 24 V	2 436,00
EBAR-875-WHI-17	701350	LED bar light, 876 mm x 31.5 mm, 35 LED, white, 24 VDC, M12 5-pole connector	1 807,00
HPRING-WHI-17-DS	701357	Ring light, 12 high power LED, inner dia 58 mm, outer dia 112 mm, 17° angle, wh	970,00
EBAR-1125-WHI-7	701361	LED bar light, 1158 x 47 mm, 45 LED, white, 24 VDC, M12 4-pole connector, +/-	1 703,00
ALB1716A-850I/AM	701362	Direct LED ring light, 168 x 168 x 38.5 mm, inner diameter 76 mm, 24 V, IR 850 n	1 834,00
TH2-43X35RD	701396	Flat LED back light (15 mm), active area 43 mm x 35 mm, red, 24 VDC	371,90
TH2-100X100RD-PM-M12	701397	Flat LED Backlight (15 mm), active area 100x100 mm, red, highly directive type,	1 533,00
PLC0824C-W00C/AM	701427	LED line projector, active area 240 mm, 48 W, white, continuous mode, medium	914,50
PLC0307A-630C/M02	701434	LED Linear projector, active area 72 mm, red, continuous mode, diffused emissio	659,50
HPFD-5030-WHI-N1	701433	High power flat LED dome, 500 x 300 mm, white, 24 VDC, connection through 1x	2 521,00
PLC0412C-W00C/AD	701633	LED line projector, active area 120 mm, 24 W, white, continuous mode, diffuse,	714,00
LFXV-75IR860	701635	Flat LED dome light, 118 x 118 mm, active size 75 x 75 mm, IR 860nm, 24 VDC	1 792,00
EBAR-375-WHI-17-IP69K	701641	LED bar light, 375 x 47 mm, white, 24 VDC, M12 4-pole connector, +/- 17°, IP69K	2 356,00
BLBAR-500-WHI-IP69K	701642	LED Bar illuminator, active area 500 mm x 31.5, white, 24VDC, IP69k	2 707,00
EBAR-750-WHI-NL-IP69K-POL	701643	LED bar light, 783 x 47 mm, 30 white LED, 24 VDC, M12 4-pole connector, no ler	3 667,00
PLA2026A-W00I/AN	701644	High power linear LED projector, 260 x 40 x 16 mm, white, iBluedrive, narrow ap	1 805,00
EBAR-1125-WHI-10-IP69K	701989	LED bar light, 1158 x 47 mm, 45 LED, white, 24 VDC, M12 4-pole connector, +/-	4 406,00
BKM3020A-W00C	701991	LED backlight, active area 300 x 200 mm, white, continuous mode, 24 VDC, 3 m	2 481,00
98-9000045-03	708908	V/F 4x0-F Red high brightness standard LED installation kit	167,40
98-9000306-01	708901	V/F 430-F Red high brightness ring light LED light installation kit	248,40
MR-130-RC-WIR-CO-B	702011	Modular LED ring illuminator, lab kit. diameter 130 mm, red and cyan, white and	3 096,00
LDL2-41X16BL2-WD	702028	LED Bar light, active area 41x16 mm, blue, wide emission, 24 VDC	409,70
HPB-6040-WHI-N1	702026	High power LED backlight, 600 x 400 mm, white, M12 male 5 point connector - i	2 803,00
EBAR-625-WHI-7	702128	LED bar light, 625mm x 47mm, 25 white LED, 24VDC, M12 4-pole connector, +/-	946,00
LFL-3212RD2-IU	702129	Flat back light, red LED, 66 x 81 x 7 mm, 24 VDC, intensity control unit, connecto	591,50
QLA3-100070B-00	702130	Low angle LED ring light, inner dia. 70 mm, blue, M12, 24VDC	781,00
EBAR-250-WHI-25	702169	LED bar light, 283 x 47 mm, 10 white, emission angle 25°, 24 VDC, M12 5-pole co	764,50
LT2QOG040-00-X-G-24V	702156	LED coaxial light, 48 x 48 mm light emitting area, green, 24 V	802,00
LTRNHP075W45	702157	High power LED ring illuminators, oblique type, inner dia. 28 mm, white, 6200 K	1 874,00
LTRNHP210W20	702158	High power LED ring illuminators, oblique type, inner dia. 116.5 mm, white, 6200	3 760,00

OMRON PVPR 2023

M-EBAR-500-WHI-UN-CO	702179	Modular LED bar light, 500 mm, white, ultra narrow lens, COMBO including: 1 x	1 503,00
M-EBAR-375-WHI-UN-CO	702178	Modular LED bar light, 375 mm, white, ultra narrow lens, COMBO including: 1 x	1 201,00
PRH0104A-630C/AM	702177	High Power LED Spot, red, continuous mode, medium angle, IP65, 24 VDC	485,50
PRH0104A-470C/AM	702176	High Power LED Spot, blue, continuous mode, medium angle, IP65, 24 VDC	485,50
PLD1802A-W00P	702175	LED direct light linear projector, active area 180 x 16 mm, white, pulse mode, 24	728,50
LTRNHP075G45	702185	High power LED ring illuminators, oblique type, inner diam. 28mm, green, 525 n	1 874,00
MBACK-5020-630-M1	702186	LED backlight, 500 x 200 mm, red, 24 VDC, M12 connector	2 024,00
TPL-SBACKII-21A2	702184	Flat LED light, active area 51 x 51 mm, infra red, overdrive, 24 V	593,50
TH2-300X75RD	702187	Flat LED back light (15 mm), active area 300x75 mm, red, 24 VDC	5 315,00
HPFD-4030-WHI-N1	702188	High Power Flat LED Dome, 400 x 300 mm, white, 24 VDC, connection through 1	2 055,00
HPD2-150SW-M12	702218	Dome light, red LED, outer dia. 166 mm, inner dia. 116 mm, height 81.9 mm, 24	1 356,00
LTCLHP023-G	702217	Telecentric HP illuminator, beam diameter 16 mm, green, 24 V, FL	909,00
C-M12-C-5P-10M	702216	Cable, 90° bended, M12, 5 contacts, 10 m	75,35
EBAR-1250-WHI-7	702214	LED Bar light, 1250 mm, white, 50 high power LED, +-7° emitting angle, 24 VDC	1 848,00
BKL1510A-W00I	702213	LED backlight, active area 100 x 150 mm, white, 24 V, iBlueDrive	1 816,00
PLC1236C-W00C/AD	702212	Linear LED projector, active area 360 mm, white, continuous mode, diffuse, IP65	1 115,00
DOM0906A-W00I	702225	LED Dome Illuminator, inner diameter 55mm, outer diameter 96mm, white, iBlu	1 037,00
HPB-4020-WHI-N1	702315	High Power LED backlight, 400 x 200 mm, white, M12 male 5 point connector - i	1 230,00
PLC2060C-W00I/AD	702446	LED linear projector, active area 600 mm, White. iBlueDrive, diffuse angle, IP65	1 836,00
EBAR-750-WHI-17-IP69K	702448	LED bar light, 783 x 47 mm, 30 white LED, 24 VDC, M12 4-pole connector, +- 17°	3 399,00
LFR-130RD2	702449	Flat LED ring light, active outer dia. 103 mm, total outer dia. 130 mm, inner dia.	995,00
BKL0707B-850C	702473	LED Backlight, active area 70 x 70 mm, IR 850 nm, 24 V, Continuous mode	877,00
HPB-3020-WHI-N1	702471	High Power LED Backlight, 300 x 200 mm, white, M12 male 5 point connector - i	971,00
HPB-13060-WHI-N1	702467	High Power LED Backlight, 1300 x 600 mm, white, M12 male 5 point connector -	8 380,00
HPB-5040-850-N1	702482	High power LED backlight, 500 x 400 mm, infrared, M12 male 5 point connector	3 454,00
FPQ3-96BL	702499	LED square illuminator, 96 x 96 mm, blue, 24 VDC	1 489,00
LFXV-100BL	702576	Flat LED dome light, 143 x 143 mm, active size 100 x 100 mm, blue, 24 VDC	2 155,00
LFXV-75BL	702577	Flat LED dome light, 118 x 118 mm, active size 75 x 75 mm, blue, 24 VDC	1 792,00
TC3MHR064-C	702578	High resolution telecentric lens for 1.1" detectors, magnification 0.227x, C-Mou	3 001,00
LTPVRG25X36-00-1-B-24V	702579	Flat side-emitting LED backlight, thin borders, 25X36 mm illumination area, blue	194,90
HPRING-WHI-25-DT	702609	Ring light, 12 high power LED, inner dia 58 mm, outer dia 112 mm, 25° angle, wh	969,00
HPB-6020-850-N1	702644	High power LED backlight, 600 x 200 mm, IR 850nm, M12 male 5 point connect	2 200,00
HPB-6030-850-N1	702643	High power LED backlight, 600 x 300 mm, IR 850nm, M12 male 5 point connect	3 109,00

OMRON PVPR 2023

PLC0412C-W00I/AM	702642	LED line projector, active area 120 mm, 24 W, white, iBlue drive, medium angle,	1 064,00
EBAR-1250-630-NL	702718	LED Bar light, 1250 mm, red, 50 high power LED, no lens, 24 VDC	2 268,00
QBR3-150015R-00	702719	LED Bar light, active area 150 x 15 mm, red, 24 VDC	789,50
HPB-13060-WHI-N1A2	702720	High power LED backlight, 1300 x 600 mm, white, M12 male 5 point connector -	8 380,00
BKL0504B-850I	702798	LED Back light, active area 50 x 40 mm, IR, 24 V, iBlueDrive	669,50
EBAR-500-WHI-7	702812	LED bar light, 533 mm x 47 mm, 20 white LED, 24 VDC, M12 4-pole connector, +	944,00
EBAR-O-1500-WHI-10	702843	LED bar light, overdrive, 1500 x 47 mm, 60 white LED, 24 VDC, M12 4-pole conn	3 570,00
EBAR-375-850-17	702856	LED bar light, 375 x 47 mm, 15 IR LED 850 nm, 24 VDC, M12 4-pole connector, +	1 010,00
EBAR-875-WHI-10-IP69K	702854	LED bar light, 876 mm x 31.5 mm, 35 LED, white, 24 VDC, M12 5-pole connector	3 849,00
LED-BRICK-630	702877	LED brick circuit, 4 red LEDs	83,80
LFV3-G-100X200SW	702881	Coaxial light for HR camera, white, active size: 86 x 217 mm, total size: 226 x 138	7 165,00
LFV3-G-100X200RD	702880	Coaxial light for HR camera, red, active size: 86 x 217 mm, total size: 226 x 138 x	7 165,00
LFV3-G-100X200BL	702879	Coaxial light for HR camera, blue, active size: 86 x 217 mm, total size: 226 x 138	7 165,00
HPFD-5040-850-N1	702886	High Power Flat LED Dome, 500 x 400 mm, IR 850 nm, 24 VDC, Connection throu	4 288,00
LDLB-IP-300RD-N	702890	LED Bar light, emitting surface 300 x 24 mm, red, 24 VDC, Waterproof type IP67	1 510,00
HPRING-470-10-DS	702894	Ring light, 12 high power LED, inner dia 58 mm, outer dia 112 mm, 10° angle, blu	977,50
MBACK-O-3030-WHI-M1	702893	LED backlight, 300 x 300 mm, White, 24 VDC, Connection through M12 male 4 p	2 047,00
HPB-3030-WHI-N1	702892	High Power LED Backlight, 300 x 300 mm, White, M12 male 5 point connector -	1 443,00
MFDOME-O-6040-WHI-M1	702891	Medium LED Flatdome, active Area 600 x 400 mm, white, overdrive, M12 conne	5 070,00
HPFD-2020-WHI-N1	702896	High Power Flat LED Dome, 200 x 200 mm, white, 24 VDC, Connection through 1	1 219,00
M-EBAR-250-850-UN	702899	Modular LED bar light, 250mm, IR LED 850 nm, ultra narrow lens, 24VDC	649,00
LNSP2-100SW	702935	Line light, active size 100x25 mm, white, 24 VDC	2 598,00
EBAR-125-WHI-NL	702967	LED Bar light, 125 mm, white, 5 high power LED, no lens, 24 VDC	504,00
EBAR-O-750-WHI-NL	702968	LED Bar light, 750 mm, white, 30 high power LED, no lens, 24 VDC	2 235,00
BLBAR-250-850	702984	LED backlight, 283 x 47.6 x 45 mm, active area 250 mm x 31.5 mm, 10 LEDs, infr	930,50
FPQ3-75SW	702982	LED Square Illuminator, 75 x 75 mm, white, 24 VDC	1 527,00
FPQ3-96SW	702981	LED Square Illuminator, 96 x 96 mm, white, 24 VDC	1 664,00
LTCLHP120-G	702980	Telecentric HP illuminator, beam diameter 150 mm, green	3 685,00
LTCLCR120-G	702977	Telecentric CORE illuminator, beam dimensions 0 = 156, x = 130, green, 520 nm	6 770,00
SAC0505A-630I	702998	Coaxial LED light, active surface 50 x 50 mm, red, iBluedrive, 24 VDC	1 119,00
DOM1613A-W00I	702997	LED Dome Illuminator, 170 x 170 x 86 mm, white, iBluedrive, 24VDC	1 977,00
EBAR-375-630-10	703002	LED bar light, 375 x 31.5 mm, 15 LED, red, 24 VDC, M12 5-pole connector, +/- 10	977,50
HPB-12040-WHI-N1	703001	High power LED backlight, 1200 x 400 mm, white, M12 male 5 point connector,	6 000,00

OMRON PVPR 2023

EBAR-O-1000-WHI-NL	703006	LED Bar light, 1000 mm, white, 40 high power LED, no lens, 24 VDC	2 846,00
LTCLR120-G	703007	Telecentric CORE illuminator, beam dimensions 0 = 156, x = 130, green, 520 nm.	6 770,00
FPQ3-96RD	703042	LED square illuminator, low angle, 96 x 96 mm, red, 24 VDC	1 356,00
EBAR-625-630-7	703061	LED bar light, 625 mm x 47 mm, 25 red LED, 24 VDC, M12 4-pole connector, +/-	1 113,00
EBAR-1000-630-7	703062	LED bar light, 1033 x 47 mm, 40 red LED, 24 VDC, M12 4-pole connector, +/- 7°	1 599,00
EBAR-O-625-630-7	703063	LED bar light, overdrive, 625 x 47 mm, 25 red LED, 24 VDC, M12 4-pole connector	1 936,00
EBAR-O-1000-630-7	703064	LED bar light, overdrive, 1000 x 47 mm, 40 red LED, 24 VDC, M12 4-pole connector	2 848,00
LNSP2-100RD-BT	703074	Line light, active size 100 x 25 mm, red, 24 VDC	2 550,00
PLA2026A-630IAN	703113	High power linear projector. 260x40x16 mm, 96 W, red, narrow aperture. iBlueDrive	1 955,00
HPD2-400BL	703112	Dome light, blue LED 470 nm, Outer dia. 424 mm, Inner dia. 360 mm, height 205 mm	4 306,00
HPB-5040-WHI-N1	703145	High power LED backlight, 500 x 400 mm, white, M12 male 5 point connector - in pos	2 513,00
LTPVRG070-00-1-R-24V	703156	Flat side-emitting LED backlight, thin borders, 70 x 70 mm illumination area, red	291,90
LTPVRG070-00-1-W-24V	703155	Flat side-emitting LED backlight, thin borders, 70X70 mm illumination area, white	291,90
HPB-4040-WHI-N1	703163	High power LED backlight, 400 x 400 mm, white, connection through 1 M12 male	2 061,00
PLA2026A-850I/AN	703199	High power linear projector 260mm. 96W IR 850nm, Narrow angle. iBlueDrive	1 955,00
SBAR-405-10	703370	SPOT SBAR UV 405 NM 1 LED +/- 10°	374,40
DOM0906A-630C	703369	DOME ø55 ø96mm. Red Continuous	688,50
EBAR-375-WHI-17-IP69K-POL	703368	WATERPROOF IP69K WASHDOWN BARLIGHT 375 WHITE LEDS +/- 17° WITH POLARIZED	3 012,00
PLD0602B-850C	703367	Direct Linear Projector Light, 64X16 mm. IR 850nm continuous	462,50
PLD0602B-850I	703366	Direct linear lights projector, 64X16 mm. IR 850nm iBlueDrive	757,00
PRC0608C-850i/AM	703493	Compact high-powered lights projector, IR, medium angle type, IP65, 24V, iBlueDrive	1 251,00
HPB-7070-WHI-N1-A1	703492	High power backlight 700 x 700 mm, white, M12 male 5 point connector - in pos	5 925,00
HPRING-850-10-DO	703490	Ring light, 12 high power LED, inner dia 58 mm, outer dia 112 mm, 10° angle, IR, 24V	1 012,00
HPB-6030-WHI-N1	703508	High power LED backlight, 600 x 300 mm, white, M12 male 5 point connector - in pos	2 121,00
TH2-63X60RD-M12	703520	Flat LED back light (15 mm), active area 63 x 60 mm, red, 24 VDC, M12 connector	676,50
M-EBAR-125-WHI-UN-CO	703537	Modular LED bar light, 125mm white, ultra narrow lens - COMBO including : - 1 x	575,50
HPD2-400RD	703649	Dome light, red LED 635nm, Outer dia. 424mm, Inner dia. 360mm, height 205mm	3 980,00
HPFD-5050-850-N1	703648	High Power Flat LED Dome, 500 x 500 mm, IR 850 nm, 24 VDC, Connection through	4 498,00
MBACK-O-3020-WHI-M1	703652	LED backlight, 300 x 200 mm, White, 24 VDC, Connection through M12 male 4 p	1 308,00
FPQ3-48-RD	703655	LED Square Illuminator, 48 x 48 mm, red, 24 VDC	1 184,00
HPFD-7070-WHI-N1A2	703674	High Power Flat LED Dome, 700 x 700 mm, white, 24 VDC, cable 2.5m, 4x1,25² -	6 335,00
LFV3-G-27RD	706820	Coaxial light for HR camera, red, active size: 27.4 x 27 mm, total size: 39 x 56 x 3	1 236,00
HPB-6020-WHI-N1	706822	High power LED backlight, 600 x 200 mm, white, M12 male 5 point connector - in	1 511,00

OMRON PVPR 2023

HPB-8050-850-N1A2	706823	High power backlight 800 x 500 mm, IR, M12 male 5 point connector - in position	7 155,00
MR-130-RC-D	706824	Dome Light 130 mm Red-Cyan Color	1 126,00
BKN0020A-630C	706830	Backlight linear 200mmx5mm. continuous, Red LED	553,50
HPFD-6050-WHI-N1A2	706829	High Power Flat Dome 600x500 WHITE LED, Connection through 1 M12 male 5 point connector	4 516,00
LED-BRICK-850	706831	LED Brick circuit 4 IR LEDs	164,50
BKL0505A-630I	706865	Backlight 50x50mm. Red LED, iBlueDrive	714,50
SBACKII-150502-880	706868	Flat LED light, active area 153 X 51 mm, InfraRed, 24 V	972,00
DKL1813A-630I	706874	Darkfield LED light, 188 x 188 x 13 mm, inner diameter 130 mm, red, iBlueDrive, 24 VDC	1 674,00
HPB-7060-WHI-N3C8	706888	High power backlight 700x600 white, connection through 1 M12 male 5 point connector	5 165,00
HPR2-100BL	706922	LED ring light, OD=116 mm, ID=66 mm, blue, indirect, 24 VDC	1 028,00
EBAR-O-250-WHI-10	706921	LED bar light, overdrive, 250 mm, white LED, 24 VDC, M12 4-pole connector, +/- 7°, IP65	1 024,00
TRING-WHI-POL	706938	LED Ring Illuminator, inner diameter 38 mm, outer diameter 66 mm, white, polarized	718,00
LFV3-100BL(A)	706977	Coaxial LED light, active area: 102 x 100 mm, blue, 24 VDC	3 396,00
PLC1648C-W00I/AD	706990	Power linear projector 480 mm, 96 W white iBlueDrive, diffuse, IP65	1 638,00
BKM5040A-W00C/M02	707005	LED backlight, active area 500 x 400 mm, white, continuous mode, 24 VDC, 3 m cable	4 707,00
PLC0824C-W00I/AW	706989	Power linear projector 240 mm, 48W white iBlueDrive, wide angle, IP65	1 301,00
HPFD-5050-WHI-N1	706988	High Power Flat LED Dome, 500 x 500 mm, white, 24 VDC, connection through 1 M12 male 5 point connector	3 577,00
TH2-200X150RD-FL	707004	Flat LED Back light (15 mm), active area 200 mm x 150 mm, red, 24 VDC, flying lead	3 003,00
LT3RZF130-60-1-W-24V-M8	707008	LED ring light, 1 LED row, 131.5 mm outer diameter, 60°, white, 24V, M8 connector	911,00
PLC1648C-630I/AM	707049	Power linear projector 480 mm. 96 W red iBlueDrive medium angle, IP65	1 638,00
PLC1648C-630I/AW	707048	Power linear projector 480 mm, 96 W red iBlueDrive wide angle, IP65	1 638,00
PLC1648C-W00I/AM	707047	Power linear projector 480 mm, 96 W white iBlueDrive medium angle, IP65	1 638,00
PLC1231A-400C	707046	Power linear projector 306 mm, 20 W UV continuous	1 268,00
BKL1007B-630I/65A	707109	Backlight 100x70 mm, red, iBlueDrive, IP65 (driverIP65)	1 512,00
LFV3-100BL-M12A	707122	Coaxial LED light, active area: 102 x 100 mm, blue, 24 VDC, M12	2 502,00
ALU0502A-850I	707140	Ultra diffuse ring light ø23 Ø52 mm, IR 850 nm iBlueDrive	653,50
PLA1013A-850I/AM	707139	High power linear projector 130mm. 48W IR 850nm. Medium angle. iBlueDrive	1 184,00
BKL2005A-850C	707138	Backlight 200x50 mm. IR 850 nm continuous	1 524,00
PLC1648C-W00C/AW	707173	Power linear projector 480mm, 18W white continuous wide angle, IP65	1 317,00
HPRING-850-25-DO	707178	Ring light, 12 high power LED, inner dia 58 mm, outer dia 112 mm, 25° angle, IR, 24 VDC	1 028,00
EBAR-1000-WHI-7	707201	LED bar light, 1000 x 47 mm, white, 24 VDC, M12 4-pole connector, +/- 7°, IP65	2 774,00
EBAR-875-WHI-7	707202	LED bar light, 875 x 47 mm, white, 24 VDC, M12 4-pole connector, +/- 7°, IP65	1 306,00
BKM5050A-630I	707250	LED Backlight, 500x500 mm, red, iBlueDrive 24 VDC, 3 m cable	3 507,00

OMRON PVPR 2023

BKM5025A-630I	707251	LED Backlight, 500x250 mm, red, iBlueDrive 24 VDC, 3 m cable	4 190,00
DOM4134B-W00I	707252	LED dome illuminator, inner dia. 342 mm, outer dim. 410 mm, white, IBlueDrive	4 541,00
PLC0824C-630C/AN	707253	Power linear projector 240 mm. 9 W, red, continuous, narrow angle, IP65	916,00
FPQ3-75BL-M12	707283	LED Square Illuminator, 75 x 75 mm, blue, 24 VDC, M12 connector	1 381,00
HPB-12040-850-N1A2	707318	High power LED backlight, 1200 x 400 mm, IR, M12 male 5 point connector - in p	8 280,00
HPB-5030-630-N4	707325	High Power LED Backlight, 500 x 300 mm, red, M12 male 5 point connector - in p	2 004,00
HPB-4525-630-N4	707352	High Power LED Backlight, 450 x 250 mm, red, M12 male 5 point connector - in p	2 355,00
PLC1236C-850C/AN	707361	Power linear projector, 360 mm, IR continuous narrow angle, IP65	1 122,00
PLC1236C-630C/AN	707360	Power linear projector 360 mm, red LED continuous, narrow angle, IP65	1 048,00
LFXV-200RD	707384	Flat LED dome light, 243 x 243 mm, active size 200 x 200 mm, red, 24 VDC	3 453,00
TH2-43X35RD-PM-M12	707383	Flat LED Backlight (18 mm), active area 43x35 mm, red, highly directive type, 24	406,10
HPB-4040-850-N1	707381	High power backlight, 400x400 mm, IR LED, connection through 1 M12 male 5 p	2 534,00
HPB-2820-WHI-N1	707417	High Power LED Backlight, 280 x 200 mm, white, M12 male 5 point connector - i	1 047,00
HLDL3-300X28SW-DF-M	707407	Bar light, white LED, emitting surface 300 x 28 mm	1 247,00
THLACCSP1	707414	TSPOT1 Diffuser combopackage including diffusors (DO, DS, POL) and fixing unit	259,20
PLD1002A-850C	707428	Direct light linear projector 100X16 mm. IR 850nm, continuous	510,50
LDL-180X16UV365	707427	LED Bar Light, active area 181.4 mm x 16 mm, UV 365 nm, 24 VDC	2 157,00
TRING-850-DS	707460	IR miniature ring light, current controller integrated on cable	679,50
FPQ3-20RD	707459	High output, square, low-angle lights, red light and measures 20 x 20 x 23 mm (v	797,50
BKL1515B-W00I	707458	Backlight 150x150 mm, white iBlueDrive	1 984,00
BKL1515B-W00I/65A	707457	Backlight 150x150 mm, white iBlueDrive, IP65, driver IP65	2 200,00
PRH0104A-630I/AW	707456	Spot High Power LED red iBlueDrive, wide angle, IP65	756,00
TH2-100X100SW-PM-M12	707523	Flat light, white LED, emitting surface 100 x 100mm, M12 connector	2 044,00
TH2-140X105SW-PM-M12	707524	Flat light, white LED, emitting surface 140 x 105 mm, M12 connector	2 711,00
TH2-83X75RD	707525	Flat light, red LED, emitting surface 83 x 75 mm	826,50
HPB-5820-850-N3	707526	High Power LED Backlight, 580 x 200 mm, IR, M12 male 5 point connector - in po	2 367,00
LDR2-50IR2-850	707605	LED ring light, OD = 50 mm, ID = 28 mm, IR, 24 VDC	661,00
HPRING-850-17-DO	707604	High power ring light, IR LEDS +/- 17° opaque diffuser	1 028,00
FPQ3-32SW	707677	LED Square Illuminator, 32 x 32 mm, white, 24 VDC	1 073,00
HPB-7040-WHI-N2C1	707674	High power LED backlight, 700 x 400 mm, white, M12 male 5 point connector - i	3 528,00
ELF-C39-500X500SW	707673	Flat dome light, white LED, 500 mm x 500 mm, 24 VDC	4 158,00
FPQ3-120RD	707671	High output, square, low-angle lights, red light and measures 120 x 120 x 30 mm	1 435,00
LDL2-158X16BL2-WD	707687	Bar light, active size 158 x 16 mm, blue, wide angle, 24 VDC	1 233,00

OMRON PVPR 2023

ALS1307A-400I	707726	Diffuse ring light ø69 Ø131mm. UV 400 nm iBlueDrive	2 286,00
LFV3-G-50X100BL	707719	High-Resolution camera compatible coaxial light, blue LED, light-emitting surface	3 348,00
LFV3-50X100BL(A)	707736	Coaxial light, compatible with high resolution camera, blue LED, light-emitting surface	1 856,00
ALU0502A-W00C	707796	Ultra diffuse ring light ø23 Ø52 mm, white LED, continuous	307,80
SAX0505A-630C	707795	Advanced axial light 50x50 mm. red LED, continuous	855,50
PRH0104A-850C/AN	707794	LED Spot, 1 high powered LED, IR 850 nm, continuous, narrow angle, IP65	479,10
PLC1236C-W00I/AN	708032	Power linear projector 360 mm, 72 W, white, iBlueDrive, narrow angle, IP65	1 350,00
PLC1236C-850C/AD	708047	Power linear projector 360 mm, 13 W, IR, 850 nm, continuous, diffuse, IP65	1 122,00
PLC1648C-850C/AD	708046	Power linear projector 480 mm, 18 W, IR 850 nm, continuous, diffuse, IP65	1 323,00
PLC1648C-W00C/AD	708045	Power linear projector 480 mm. 18 W White Continuous diffuse, IP65	1 237,00
QDF3-075045-W00	707833	Dark field light, white LED, M12 connector, 24 VDC	721,50
LDL2-74X30IR165	708042	Bar light, active size 74x30 mm, SWIR 1650 nm, 24 VDC	4 678,00
LFV3-G-27RD-FL	708041	Coaxial LED light, active area: 27 x 27 mm, red, 24 VDC, flying leads	1 276,00
TRING-WHI-DS	708040	White LED miniature ring light, current controller integrated on cable	660,00
ELB-600SW	708044	LED Flood Bar Illuminator, 600 x 51 x 49 mm (L x W x H), white, 24 VDC, M12 Connector	1 804,00
QBR3-100030R-00	708070	LED Bar Light, active area 100 x 30 mm, red, 24 VDC	738,00
QBR3-033008W-00	708069	LED Bar Light, active area 33 x 8 mm, white, 24 VDC	235,50
LYTEMV2-PWM-660-50-45-24V	708067	Laser line light, 660 nm, laser class 3R, M18 threaded body, output 40 mW, collimated	1 415,00
BLBAR-125-525	708065	LED backlight, 158 x 47.6 x 45 mm, active area 126 mm x 31.5 mm, green, 24 VDC	550,00
PLC0412C-630I/AN	708081	Power linear projector 120 mm, 24 W, red, narrow angle, iBlueDrive, IP65	999,00
BKL0705B-850I	708092	Backlight 70x50 mm. IR 850 nm, iBlueDrive	828,50
EBAR-125-850-NL	708117	LED bar light, 158 x 47 mm, 5 x IR LED, 24 VDC, M12 4-pole connector, No lens, IP65	453,20
LDL-339X12UV2-365-N	708166	LED bar light, active area 339 mm x 12 mm, UV 365 nm , narrow angle, 24 V	3 958,00
TH2-100X100BL	708116	Flat LED Back light (15 mm), active area 100x100 mm, blue, 24 VDC	1 962,00
CSBACK-1505-WHI	708146	Small collimated backlight, active area 153 x 51 mm, white LED, 24 VDC	1 171,00
QBR3-200030W-00	708167	LED Bar Light, active area 200 x 30 mm, white, 24 VDC	1 333,00
LDR-PF-75SW	708169	LED Ring light, outer diameter 75 mm, inner diameter 35 mm, white, 24 VDC,	2 422,00
LDL2-386X30SW2-WD	708170	LED Bar light, active area 386 mm x 30 mm, white, wide angle, 24 V	3 262,00
LDL-130X15UV365	708171	LED Bar light, active area 130 mm x 15 mm, UV 365 nm , 24 V	1 668,00
SDOMEII-130-470	708173	Small dome II, 130mm, blue LED, current controller integrated on cable	1 188,00
FIS-130-MUV-WHI	708268	UV dome illumination, 130 mm, 365 nm, 395 nm, 405 nm, white LED, embedded	3 001,00
HPB-9090-630-N1A2	708270	High power LED backlight, 900 x 900 mm, red, M12 male 5 point connector - in package	8 145,00
PLC0307A-470C	708287	LED Linear Projector, active area 72 mm, blue, continuous mode, IP40	622,50

OMRON PVPR 2023

QBL3-180180R-00	708295	LED Back Light, active area 180 mm x 180 mm, red, M12 connector	1 917,00
SBACKII-100502-630	708296	Flat LED light, active area 100 x 50 mm, red, 24 V	834,50
HPFD-22A1	708346	High Power Flat LED Dome, 800 x 600 mm, white, 24 VDC, Off centre hole on the	6 505,00
HLDL3-450X28RD-DF-N	708442	Bar light, red LED, emitting surface 450 x 28 mm	1 653,00
BKL2518A-850C	708440	LED Backlight active area 250 x 180 mm, IR 850 nm, 24 VDC, continuous mode	2 461,00
LDL2-197X16SW2	708462	LED Bar light, active area 197x16 mm, white, 24 VDC	1 668,00
PRH1612A-W00C/AW	708502	Area light projector 120x120 mm white LED, continuous. wide angle	1 237,00
ELF-C39-600X600SW	708582	Flat dome light, white LED, 600 mm x 600 mm, 24 VDC	4 610,00
BKN2040A-W00C	708597	Backlight linear 400x15 mm, continuous, white LED, 3 m cable	1 133,00
LFXV-200X100IR860	708633	Flat LED dome light, 243 x 143 mm, active size 200 x 100 mm, IR, 860 nm, 24 VDC	3 339,00
LNSP2-300SW	708648	LED Line light, 326 x 42 x 70 mm, white, 24 VDC	2 899,00
PLC1236C-W00I/AW	708647	Power linear projector 360 mm, 72 W white iBlueDrive, wide angle, IP65	1 349,00
LTRN245W45	708715	Ring LED illuminator, inner diameter 117.0 mm, oblique type, white,	2 532,00
PLU1302B-W00I	708730	Ultra diffuse bar light 128X16 mm, white, iBlueDrive	967,00
MFDOME-O-2020-WHI-M1	708738	Medium flat dome MFDome plus overdrive, 200x200, white , connection through	1 537,00
PLC0412D-W00I/AD	708891	Power linear projector 120 mm, 24 W white iBlueDrive, diffuse, IP65	1 001,00
EBAR-125-470-10	708745	LED Bar light, 125 mm, IR 470 nm, 5 high power LED, +-10° emitting angle, 24 VDC	521,00
DOM1410A-850C	708853	LED Dome Illuminator, outer diameter 139 mm, IR 850 nm, continuous, 24 V	1 144,00
PLA0513A-850C/AW	708854	High power linear projector 130 mm. IR 850 nm. wide angle, continuous	766,00
DOM1613A-850I	708855	LED Dome Illuminator, outer diameter 164 mm, IR 850 nm, iBlueDrive, 24 V	1 873,00
HPFD-4030-850-N1	708876	High Power Flat LED Dome, 400 x 300 mm, IR 850 nm, 24 VDC, Connection through	2 337,00
EBAR-125-405-10	708902	LED Bar light, 125 mm, UV 405, 5 high power LED, +-10° emitting angle, 24 VDC	678,50
PLC0412D-850I/AD	708960	Power linear projector 120 mm, 24 W, IR, iBlueDrive, diffuse, IP65	1 070,00
BKL1515B-630C/M03	708961	Backlight 150 x 150 mm. red continuous	2 258,00
M-EBAR-375-850-UN	708962	Modular LED bar light, 375 mm, 850 nm, ultra narrow lens, 24 VDC	763,50
M-EBAR-125-850-UN	708963	Modular LED bar light, 125 mm, 850 nm, ultra narrow lens, 24 VDC	450,40
M-EBAR-500-850-UN	708964	Modular LED bar light, 500 mm, 850 nm, ultra narrow lens, 24 VDC	920,00
LFXV-150SW	708994	Flat LED dome light, 193 x 193 mm, active size 150 x 150 mm, white, 24 VDC	3 059,00
ALB0804A-W00C/AW	708995	Direct ring light 5 high power LEDs Ø77 mm, white, wide angle, continuous	766,00
TH2-140X105RD	709003	Flat LED Back light (15 mm), active area 140x105 mm, red, 24 VDC	1 834,00
LDR2-74SW2-LA-M12	709002	LED ring light, OD 74 mm, ID 48 mm, white, low angle, 24 VDC, M12	1 241,00
DOM2414A-850I	709001	DOME dia. 144 dia. 236mm, IR 850 nm, iBlueDrive	2 122,00
PLC0824D-630I/AD	709000	Power linear projector 240 mm. 48 W red LED, iBlueDrive diffuse, IP65	1 264,00

OMRON PVPR 2023

SQUARE-LIGHT-RGB	673311	TPL SQUARE LIGHT ,100x100x50 mm, IP40	2 302,00
ALB0810A-365I/AW	709052	Direct ring light 10 high power LED dia. 40 mm dia. 77 mm, UV 365 nm, wide angle	1 480,00
ALB0810A-850I/AD	709063	Direct ring light 10 high power LEDs, dia.40 dia.77 mm. IR 850 nm, diffuse angle,	1 017,00
ELF-C39-300X300SW	709252	Flat LED Dome, 300 x 300 mm, white, 24 VDC, connection through 1 x M12 (M12)	1 718,00
ELF-C39-400X400SW	709253	Flat LED Dome, 400 x 400 mm, white, 24 VDC, connection through 1 x M12P (M12P)	2 510,00
ELF-C39-300X300SW-PL	709270	Flat LED Dome, 300 x 300 mm, white, 24 VDC, connection through 1 x M12P (M12P)	2 420,00
ELF-C39-400X400SW-PL	709271	Flat LED Dome, 400 x 400 mm, white, 24 VDC, connection through 1 x M12P (M12P)	3 410,00
FPQ3-100X50SW	709254	LED Square Illuminator, 100 x 50 mm, white, 24 VDC	1 530,00
EBAR-1250-WHI-17-IP69K	709255	LED bar light, 1250mm, 50 white LED, 24 VDC, M12 4-pole connector, +- 17°, IP69K	4 621,00
LTPVRG25X36-00-1-W-24V	709256	Flat side-emitting LED backlight, thin borders, 36x25 mm illumination area, white	189,00
LDL2-41X16RD2-FL	709326	LED bar light, active area 41 x 16 mm, red , flying leads, 24 VDC	322,10
LDL2-218X30RD2-WD	709301	LED Bar illuminator, active size 218 x 30 mm, red, wide type, 24 VDC	1 624,00
FZ-LES3	254745	Lente cámara miniatura 3mm	927,50
FZ-LES6	254746	Lente cámara miniatura 6mm	1 046,00
3Z4S-LE SV-7527V	373680	Lente 75mm. Tornillos de sujeción	375,60
3Z4S-LE SV-10035V	373681	Lente 100mm. Tornillos de sujeción	401,10
3Z4S-LE SV-EXR15	373685	Tubo de extensión 15mm	49,94
3Z4S-LE SV-EXR20	373686	Tubo de extensión 20mm	49,94
3Z4S-LE SV-EXR25	373687	Tubo de extensión 25mm	60,90
3Z4S-LE SV-EXR30	373688	Tubo de extensión 30mm	60,90
3Z4S-LE SV-EXR40	373689	Tubo de extensión 40mm	71,50
3Z4S-LE SV-EXR50	373690	Tubo de extensión 50mm	71,50
3Z4S-LE SV-0614V	373699	Lente 6mm. Tornillos de sujeción	362,20
3Z4S-LE SV-0813V	373700	Lente 8mm. Tornillos de sujeción	311,20
3Z4S-LE SV-1214V	373701	Lente 12mm. Tornillos de sujeción	323,10
3Z4S-LE SV-1614V	373702	Lente 16mm. Tornillos de sujeción	292,30
3Z4S-LE SV-2514V	373703	Lente 25mm. Tornillos de sujeción	284,20
3Z4S-LE SV-3518V	373704	Lente 35mm. Tornillos de sujeción	323,10
3Z4S-LE SV-5018V	373705	Lente 50mm. Tornillos de sujeción	351,40
3Z4S-LE SV-0614H	373706	Lente de alta resolución 6mm	595,00
3Z4S-LE SV-0814H	373707	Lente de alta resolución 8mm	496,60
3Z4S-LE SV-1214H	373708	Lente de alta resolución 12mm	445,70
3Z4S-LE SV-1614H	373709	Lente de alta resolución 16mm	464,40

OMRON PVPR 2023

3Z4S-LE SV-2514H	373710	Lente de alta resolución 25mm	479,10
3Z4S-LE SV-3514H	373711	Lente de alta resolución 35mm	459,00
3Z4S-LE SV-5014H	373712	Lente de alta resolución 50mm	461,70
3Z4S-LE SV-EXR	373713	Kit tubos de extensión para lentes	179,30
3Z4S-LE SV-EXR05	373714	Tubo de extensión 0,5mm	20,08
3Z4S-LE SV-EXR2	373715	Tubo de extensión 2mm	20,08
3Z4S-LE SV-EXR5	373716	Tubo de extensión 5mm	40,78
3Z4S-LE SV-EXR10	373717	Tubo de extensión 10mm	49,94
3Z4S-LE SV-EXR1	373718	Tubo de extensión 1mm	20,08
3Z4S-LE SV-03514V	381493	Lente, estándar, baja distorsión, 3,5 mm	319,00
3Z4S-LE SV-04514V	381494	Lente 4.5mm. Tornillos de sujeción	319,00
3Z4S-LE VS-0814H1	386974	Lente, alta resolución, baja distorsión, 8 mm, tamaño de sensor 1 pulgada	647,00
3Z4S-LE VS-EXR/M42	386976	Kit tubos de extensión para lentes camara FH 12Mpx	405,30
SE-18MS	337945	Set of Makro Lenses, C-Mount, includes a Straight Lens Unit, Coaxial Lens Unit, C	663,00
SE-16MS	350644		433,90
3Z4S-LE VS-TCH2-65CO-O	699556	High-resolution telecentric lens, magnification 2.0x, working distance 65 mm, f/	2 419,00
3Z4S-LE VS-TCH2-110-O	685142	High-resolution telecentric lens, magnification 2.0x, working distance 110 mm, f	2 221,00
3Z4S-LE VS-TCH1.5-110CO-O	680556	High-resolution telecentric lens, Optical magnification 1.5 x, WD 110.8 mm, Effe	2 574,00
3Z4S-LE VS-TCH4-110-O	685414	High-resolution telecentric lens, Optical magnification 4.0 x, WD 110.8 mm, Effe	2 181,00
3Z4S-LE VS-TCH1-65CO-O	685415	High-resolution telecentric lens, Optical magnification 1.0 x, WD 65.0 mm, Effe	2 221,00
3Z4S-LE VS-TCH4-110CO-O	698581	High-resolution telecentric lens, Optical magnification 4.0 x, WD 110.8 mm, Effe	2 430,00
3Z4S-LE VS-MCH12	686099	Vision lens, high resolution, low distortion 12 mm vibration and shock resistant	2 314,00
TC12048	677810	High resolution telecentric lens for 1/2" detectors, magnification 0.134x, C-Mou	1 566,00
TC13056	679199	Lente telecéntrica de alta resolución de 1/3", ampliación: 0,084x, montaje tipo C	1 805,00
PCH1023	679908	Pinhole 360° lens, Chip Size up to 2/3	2 479,00
TC12036	680192	High resolution telecentric lens for 1/2" detectors, magnification 0.177 x, C-Mou	1 498,00
CS-C-R	681136	Montaje C-Adaptador para uso CS-Montaje Cámara con Montaje C Óptica	19,07
M42-F-R	681315	F Montaje Adaptador para uso M42 Montaje Cámara con F Montaje Óptica	108,20
MS-8STE	681383	Micro Lente para Cabeza Remota Cámara series R640, Fijo f = 8.0 mm	101,70
VL-1618STF	681356	Micro Lente para Cabeza Remota Cámara series R640, Fijo f = 16.0 mm	285,90
VL-2720VES	681301	Micro Lente para Cabeza Remota Cámara series R640, Fijo f = 2.7 mm	63,60
MSC-444STE	681276	Micro Lente para Cabeza Remota Cámara series R640, Fijo f = 4.0 mm	63,60
PT2823ST	681289	Lente para N63SL, 630L, f = 2.3 mm	50,80

OMRON PVPR 2023

TC4MHR024-C	680686	High resolution telecentric lens for 1.2" detectors, magnification 0.700x, C-Mount	2 355,00
TC12024	680723	High resolution telecentric lens for 1/2" detectors, magnification 0.255 x, C-Mount	1 219,00
PC23030XS	680722	360° Pericentric lens for 2/3" detectors, f/4 to f/16	4 934,00
PC13030HP	681088	360° Pericentric lens for 1/3" detectors, f/4 to f/16	6 845,00
PCHI013	681089	Pinhole 360° lens, Chip Size up to 1/3	2 479,00
TC4MHR048-E	681090	High resolution telecentric lens for 1.2" detectors, magnification 0.369x, M42x1	2 681,00
3Z4S-LE VS-3514H1	682441	Lente, alta resolución, baja distorsión, 35 mm, tamaño de sensor 1 pulgada	651,00
3Z4S-LE VS-1214H1	682707	Lente, alta resolución, baja distorsión, 12 mm, tamaño de sensor 1 pulgada	647,00
3Z4S-LE VS-1614H1N	682633	Lente, alta resolución, baja distorsión, 16 mm, tamaño de sensor 1 pulgada	651,00
3Z4S-LE VS-MCA15	694914	Fixed focal vision lens, high resolution, low distortion, Focal length 15 mm, vibrat	461,20
3Z4S-LE VS-MCA4	694913	Fixed focal vision lens, high resolution, low distortion, Focal length 4 mm, vibrat	804,00
3Z4S-LE VS-2514H1	683380	Lente, alta resolución, baja distorsión, 25 mm, tamaño de sensor 1 pulgada	657,00
3Z4S-LE VS-MCA10	685651	Fixed focal vision lens, high resolution, low distortion, Focal length 10 mm, vibra	964,50
3Z4S-LE VS-MCA30	694912	Fixed focal vision lens, high resolution, low distortion, Focal length 30 mm, vibra	495,90
3Z4S-LE VS-MCA35	694911	Fixed focal vision lens, high resolution, low distortion, Focal length 35 mm, vibra	472,20
3Z4S-LE VS-MCA25	694910	Fixed focal vision lens, high resolution, low distortion, Focal length 25 mm, vibra	448,70
3Z4S-LE VS-MCA20	694909	Fixed focal vision lens, high resolution, low distortion, Focal length 20 mm, vibra	495,90
3Z4S-LE VS-MCA6.5	694908	Fixed focal vision lens, high resolution, low distortion, Focal length 6,5 mm, vibra	780,00
3Z4S-LE VS-MCA75	694907	Fixed focal vision lens, high resolution, low distortion, Focal length 75 mm, vibra	534,50
3Z4S-LE VS-5018H1	682440	Lente, alta resolución, baja distorsión, 50mm, tamaño de sensor 1 pulgada	647,00
3Z4S-LE VS-MCA50	694906	Fixed focal vision lens, high resolution, low distortion, Focal length 50 mm, vibra	522,00
98-9000179-01	682106	Lente, Líquida, Montaje C, f/2.8, 16 mm, 2/3" Sensor, I2C Interfaz	1 170,00
98-9000165-01	683072	Lente, Montaje C, 8 mm, Alta Resolución, hasta 2/3" Chip Tamaño	643,00
98-9000168-01	682683	Lente, Montaje C, 9 mm, Estándar Resolución, 2/3" Sensor	267,70
98-9000178-01	682112	Lente, Líquida, Montaje C, f/4, 25 mm, 2/3" Sensor, I2C Interfaz	1 170,00
TC23064	682236	High resolution telecentric lens for 2/3" detectors, magnification 0.138x, C-Mou	2 035,00
98-WIN0044	685708	Transparente Reemplazo Ventana para LVS-958x	67,00
3Z4S-LE VS-TEV0305	684925	Ultra High-resolution telecentric lens, Optical magnification 0.75x-0.1x, WD 133	3 363,00
3Z4S-LE VS-TEV05075	684924	Ultra High-resolution telecentric lens, Optical magnification 0.5x-0.75x, WD 173	3 363,00
3Z4S-LE VS-TEV07510	684923	Ultra High-resolution telecentric lens, Optical magnification 0.3x-0.5x, WD 221 t	3 302,00
3Z4S-LE VS-LLD12.5	684300	Vision lens, ultra high resolution, low distortion 12.5 mm for 4/3-inch sensor size	1 630,00
3Z4S-LE VS-LLD18	684299	Lente, resolución ultraalta, baja distorsión, 18 mm, tamaño de sensor 4 pulgada	1 051,00
3Z4S-LE VS-LLD25	684298	Lente, resolución ultraalta, baja distorsión, 25 mm, tamaño de sensor de 4/3 pul	1 014,00

OMRON PVPR 2023

3Z4S-LE VS-LLD35	684297	Vision lens, ultra high resolution, low distortion 35 mm for 4/3-inch sensor size,	1 051,00
3Z4S-LE VS-LLD50	684296	Vision lens, ultra high resolution, low distortion 50 mm for 4/3-inch sensor size,	1 051,00
TC12080	683786	High resolution telecentric lens for 1/2" detectors, magnification 0.068x, C-Mou	2 771,00
TC2MHR048-C	683823	High resolution telecentric lens for 1" detectors, magnification 0.268x, C Mount	2 681,00
TC23192	683881	High resolution telecentric lens for 2/3" detectors, magnification 0.046x, C-Mou	9 600,00
TC23009	683882	High resolution telecentric lens for 2/3" detectors, magnification 1.000x, C-Mou	748,50
TCLWD066	683985	High resolution telecentric lens for 2/3" detectors, magnification 0.66x, C-Moun	1 767,00
TCLWD050	683984	High resolution telecentric lens for 2/3" detectors, magnification 0.50x, C-Moun	1 704,00
SE-110ST20	684048	Telecentric lens, c-Mount, magnification 2x, working distance 110 mm	599,50
MC200X	684251	Macro lens for 2/3" detectors, magnification 2.0 x, C-mount	520,50
3Z4S-LE VS-MCA10-F5.6	699435	Fixed focal vision lens, high resolution, low distortion, focal length 10 mm, F 5.6,	760,50
3Z4S-LE VS-MCA15-F5.6	699436	Fixed focal vision lens, high resolution, low distortion, focal length 15 mm, F 5.6,	462,40
3Z4S-LE VS-MCA20-F5.6	699434	Fixed focal vision lens, high resolution, low distortion, focal length 20 mm, F 5,6,	498,50
3Z4S-LE VS-MCA25-F5.6	699433	Fixed focal vision lens, high resolution, low distortion, focal length 25 mm, F 5.6,	451,30
3Z4S-LE VS-MCA30-F5.6	700674	Fixed focal vision lens, high resolution, low distortion, focal length 30 mm, F#5.6	493,40
3Z4S-LE VS-MCA30-F8	701349	Fixed focal vision lens, high resolution, low distortion, focal length 30 mm, F#8.0	493,40
3Z4S-LE VS-MCA35-F5.6	703657	Fixed focal vision lens, high resolution, low distortion, focal length 35 mm, F 5.6,	475,70
3Z4S-LE VS-MCA50-F5.6	700314	Fixed focal vision lens, high resolution, low distortion, focal length 50 mm, vibra	517,00
3Z4S-LE VS-MCA6.5-F5.6	700315	Fixed focal vision lens, high resolution, low distortion, focal length 6,5 mm, vibra	775,00
3Z4S-LE VS-MCA75-F5.6	699432	Fixed focal vision lens, high resolution, low distortion, focal length 75 mm, F 5.6,	534,50
3Z4S-LE VS-MCA75-F8	707746	Fixed focal vision lens, high resolution, low distortion, focal length 75 mm, vibra	561,00
TC23036	684825	High resolution telecentric lens for 2/3" detectors, magnification 0.243x, C-Mou	1 498,00
LM8JCM-V	684956	Resistente a golpes Vision Lente, 8 mm Longitud Focal, f/1.4 - f/4 - f/8 - f/16, ha	362,50
LM12JCM-V	684955	Resistente a golpes Vision Lente, 12 mm Longitud Focal, f/1.4 - f/4 - f/8 - f/16, ha	346,20
LM16JCM-V	684954	Resistente a golpes Vision Lente, 16 mm Longitud Focal, f/1.4 - f/4 - f/8 - f/16, ha	346,20
LM25JCM-V	684953	Resistente a golpes Vision Lente, 25 mm Longitud Focal, f/1.4 - f/4 - f/8 - f/16, ha	346,20
LM8HC-V	684952	Resistente a golpes Vision Lente, 8 mm Longitud Focal, f/1.4 - f/4 - f/8 - f/16, ha	832,00
LM12HC-V	684951	Resistente a golpes Vision Lente, 12 mm Longitud Focal, f/1.4 - f/4 - f/8 - f/16, ha	659,00
LM16HC-V	684950	Resistente a golpes Vision Lente, 16 mm Longitud Focal, f/1.4 - f/4 - f/8 - f/16, ha	797,50
LM25HC-V	684949	Resistente a golpes Vision Lente, 25 mm Longitud Focal, f/1.4 - f/4 - f/8 - f/16, ha	763,50
LM35JCM-V	685030	Resistente a golpes Vision Lente, 35 mm Longitud Focal, f/1.4 - f/4 - f/8 - f/16, ha	346,20
LM50JCM-V	685031	Resistente a golpes Vision Lente, 50 mm Longitud Focal, F No. F1.4/F4/F8/F16, h	346,20
TC23024	685138	High resolution telecentric lens for 2/3" detectors, magnification 0.350x, C-Mou	1 219,00

OMRON PVPR 2023

FHV-LEM-S06	685283	FHV7 Lente Motorizada Autofocus, 6 mm Longitud Focal	926,50
FHV-LEM-S09	685284	FHV7 Lente Motorizada Autofocus, 9 mm Longitud Focal	926,50
FHV-LEM-S12	685285	FHV7 Lente Motorizada Autofocus, 12 mm Longitud Focal	926,50
FHV-LEM-S16	685286	FHV7 Lente Motorizada Autofocus, 16 mm Longitud Focal	926,50
FHV-LEM-S25	685287	FHV7 Lente Motorizada Autofocus, 25 mm Longitud Focal	926,50
TCCAGE23048	685429	Telecentric Optical System for 360° inspection, integrated Illuminator, white, 24	5 425,00
TC23016	685428	High resolution telecentric lens for 2/3" detectors, magnification 0.528x, C-Mou	1 110,00
TC4MHR024-E	685431	High resolution telecentric lens for 1.2" detectors, image circle 21.6 mm, magnif	2 355,00
RT-MP-1F-65	685496	Telecentric lens with built-in coaxial illumination, Max Sensor Size 1", working di	1 138,00
TC2MHR036-C	685696	High resolution telecentric lens for 1" detectors, magnification 0.353x, C-mount	2 533,00
TCCR23048	686008	Compact High resolution telecentric lens for 2/3" detectors, magnification 0.184	2 452,00
TCCAGE23096	686056	Telecentric Optical System for 360° inspection, integrated Illuminator, white, 24	7 785,00
TC12056	686050	High resolution telecentric lens for 1/2" detectors, magnification 0.114x, C-Mou	1 805,00
RT-A-0614MLM	686208	Vision Lens, focal length 6.5 mm, f/1.4-16, max chip size 1", c-Mount	516,00
FTBP850M43	686207	Band Pass Filter. 850 nm, M43	190,00
RT-A-2520MX5M	687330	Vision Lens, high resolution 5MPix. focal length 25 mm, Magnification 0.166-0, v	1 090,00
RT-MLH-10X-C	687256	Macro Zoom Lens, Magnification 0.084 - 0.84, Working distance 152 - 457 mm, c	525,00
RT-MP-4M-65	687338	Telecentric Lens, Magnification 2x, max chip size 1.1", c-Mount	1 988,00
RT-MP-2M-65	687337	Telecentric Lens, Magnification 4x, max chip size 1.1", c-Mount	1 689,00
3Z4S-LE SV-7525H	687750	Accesorio de visión, lente de 75 mm, alta resolución, baja distorsión	461,70
3Z4S-LE SV-10028H	688237	Accesorio de visión, lente de 100 mm, alta resolución, baja distorsión	533,00
3Z4S-LE VS-L1828/M42-10	690809	Lente, alta resolución, longitud de enfoque de 18 mm, tamaño de sensor de 1,8	1 283,00
3Z4S-LE VS-L2526/M42-10	690808	Lente, alta resolución, longitud de enfoque de 25 mm, tamaño de sensor de 1,8	1 283,00
3Z4S-LE VS-L3528/M42-10	688177	Lente de alta resolución 35mm para camaras FH 12Mp	1 283,00
3Z4S-LE VS-L5028/M42-10	690807	Lente de alta resolución 50mm para camaras FH 12Mp	1 283,00
3Z4S-LE VS-L8540/M42-10	690806	Lente de alta resolución 85mm para camaras FH 12Mp	1 283,00
3Z4S-LE VS-L10028/M42-10	690805	Lente de alta resolución 100mm para camaras FH 12Mp	1 283,00
3Z4S-LE VS-MCL18-FNO56/M42-10	688300	Lente de visión, alta resolución, 18 mm, apertura resistente a vibraciones e impa	3 572,00
3Z4S-LE VS-MC08H1	701069	Vibrations resistant lens with iris plate system F#1.4, 5.6, 8.0, 8 mm focal length	1 280,00
3Z4S-LE VS-MC12H1	701070	Vibrations resistant lens with iris plate system F#1.4, 5.6, 8.0, 12 mm focal lengt	1 220,00
3Z4S-LE VS-MC16H1	701071	Vibrations resistant lens with iris plate system F#1.4, 5.6, 8.0, 16 mm focal lengt	1 220,00
3Z4S-LE VS-MC25H1	701072	Vibrations resistant lens with iris plate system F#1.4, 5.6, 8.0, 25 mm focal lengt	1 220,00
3Z4S-LE VS-MC35H1	701073	Vibrations resistant lens with iris plate system F#1.4, 5.6, 8.0, 35 mm focal lengt	1 220,00

OMRON PVPR 2023

3Z4S-LE VS-MC50H1	701074	Vibrations resistant lens with iris plate system F#1.4, 5.6, 8.0, 50 mm focal length	1 220,00
PCCD023	688238	360° optic, max. chip size 2/3", image circle 6.6 mm, f/8-f/24	4 470,00
PCCDLFAT	688236	FOV extension lens for PCCD	546,50
RT-A-06520ML5M	688289	5 Megapixel Fixed focal lens, focal length 6.5 mm, max sensor size 1", f/2.0~f/22	943,50
MC075X	688482	Macro lens for 2/3" detectors, magnification 0.75 x, C-mount	452,40
TC23144	688574	High resolution telecentric lens for 2/3" detectors, magnification 0.061x, C-Mount	5 695,00
MC050X	688635	Macro lens for 2/3" detectors, magnification 0.50x, C-mount	452,40
RT-TEC-M55	688638	Party telecentric lens, focal length 55 mm, f/2.8-32C, C-Mount	781,50
RT-EX2C	688639	Extension ring 2.5x	120,10
RT-EX15C	688640	Extension ring 1.5x	120,10
RT-M5018-MP2	688641	Fixed Focal lens, focal length 50 mm, f/1.4-16C, C-Mount	354,80
TC23012	688646	High resolution telecentric lens for 2/3" detectors, magnification 0.735x, C-Mount	995,00
TCCR2M080-C	688647	High resolution compact telecentric lens for 1" detectors, magnification 0.160x, C-Mount	4 887,00
TC23056	688671	High resolution telecentric lens for 2/3" detectors, magnification 0.157x, C-Mount	1 805,00
FTSP700C25.4	688726	UV + NIR cut-off filter, C-mount, diameter 25.4 mm	170,00
FHV-LEM-H06	688770	Módulo de lente líquida FHV7, distancia focal de 6 mm	1 613,00
FHV-LEM-H19	688771	Módulo de lente líquida FHV7, distancia focal de 19 mm	1 613,00
TC3MHR036-C	688915	High resolution telecentric lens for 1.2" detectors, magnification 0.392x, C-Mount	2 532,00
CV0205C	702813	Lens for USB board level cameras, focal length 2.5 mm. F#2.0, max chip size 1/3"	59,20
TC4MHR064-E	689115	High resolution telecentric lens for 1.2" detectors, magnification 0.275x, M42x1	3 031,00
TC3MHR096-C	689116	High resolution telecentric lens for 1.1" detectors, magnification 0.153x, C-Mount	3 739,00
TC3MHR024-C	689166	High resolution telecentric lens for 1.2" detectors, magnification 0.564x, C-Mount	2 355,00
TC4MHR056-E	689251	High resolution telecentric lens for 1.2" detectors, magnification 0.317x, M42x1	2 721,00
TC2MHR096-C	689466	High resolution telecentric lens for 1" detectors, magnification 0.137x, C Mount	3 739,00
TC4MHR016-C	689581	High resolution telecentric lens for 1.2" detectors, image circle 21.6 mm, magnification 0.137x, C-Mount	2 270,00
TC3MHR120-C	689964	High resolution telecentric lens for 1.1" detectors, magnification 0.118x, C-Mount	5 590,00
RT-LP340-S29	690005	Anti-reflective protective window with slip mount S29	474,70
TC12016	690159	High resolution telecentric lens for 1/2" detectors, magnification 0.385x, C-Mount	1 110,00
TC2MHR240	690223	High resolution telecentric lens for 1" detectors, magnification 0.053x, C Mount	16 170,00
TC23110	690273	High resolution telecentric lens for 2/3" detectors, magnification 0.079x, C-Mount	4 260,00
TC13036	690307	High resolution telecentric lens for 1/3" detectors, magnification 0.133x, C-Mount	1 498,00
CBSLH-24V-F-3M	690413	Illumination cable, side A flying leads, side B SM 3 way female connector, 3 m, 24V	26,24
LTZZO130-75-3-R-24V	690412	LED low angle ringlight, 3 LED rows, outer diameter 131 mm, inner diameter 111 mm, 24V	926,50

OMRON PVPR 2023

TC12064	690470	High resolution telecentric lens for 1/2" detectors, magnification 0.100x, C-Mou	2 035,00
CMHO064	690471	Clamping mechanics for TCxx064 lenses and LTCLHP064-X illuminators	553,50
TCCR12048	690487	Compact High resolution telecentric lens for 1/2" detectors, magnification 0.134	2 453,00
LT2QOG040-00-X-W-24V	690486	LED coaxial light, 48x48 mm light emitting area, white, 24 V	889,00
LTZGK050-15-2-W-24V	690484	LED ring light, 2 LED rows, outer diameter 50 mm, inner diameter 30 mm, 15°, w	388,00
TC23080	690567	High resolution telecentric lens for 2/3" detectors, magnification 0.110x, C-Mou	2 770,00
TC23072	690582	High resolution telecentric lens for 2/3" detectors, magnification 0.122x, C-Mou	2 770,00
TC4MHR080-E	692824	High resolution telecentric lens for 1.2" detectors, magnification 0.221x, M42x1	3 567,00
RT-MLM-3XMP	692904	Macro zoom lens, magnification 3.3x, f4.5-22C, C-mount	612,50
TC2MHR080-C	692924	High resolution telecentric lens for 1" detectors, magnification 0.160x, C Mount	3 567,00
3Z4S-LE VS-0618H1	693930	Lente, alta resolución, baja distorsión, 6 mm para sensor de 1 pulgada	701,50
HL2-25-P	693828	Compact condenser lens for spot illumination, mounted on the HLV3-22-1- or H	306,60
WI056	694125	Protective window for 80 mm clamping diameter optics	92,55
PCHI012	694969	Pinhole 360° lens, Chip Size up to 1/3	2 479,00
RT-FL-BC5024-9M	694972	9-megapixel lens for 1", focal length 50 mm, f 2.4, C-mount	1 087,00
RT-FL-BC7528-9M	694971	9-megapixel lens for 1", focal length 75 mm, f 2.8, C-mount	1 070,00
RT-M5028-MPW2	694970	5-megapixel lens, focal length 50 mm, f 2.8-32, C-mount	494,60
CMHO120	695048	Clamping mechanics for TCxx120 lenses and LTCLHP120-X illuminators	914,00
TC23007	695402	High resolution telecentric lens for 2/3" detectors, magnification 1.33x, C-Moun	748,50
SE-65VT08	695681	Telecentric lens, magnification x0.8m, working distance 67.7 mm, coaxial type	799,50
LTIC1CH-A1-4	695763	Analogue lighting controller unit, 4A, 24V	1 258,00
TC23004	696437	High resolution telecentric lens for 2/3" detectors, magnification 2.0x, C-Mount	748,50
TCCR23064	698604	Compact High resolution telecentric lens for 2/3" detectors, magnification 0.138	3 139,00
PCMP023	699294	Micro Polyview optic, max chip size 2/3", C-mount	3 795,00
TC3MHR048-C	699558	High resolution telecentric lens for 1.1" detectors, magnification 0.303x, C-Mou	2 681,00
TCCR3M080-C	700811	High resolution compact telecentric lens for 1.1" detectors, magnification 0.182	4 838,00
TC3MHR192-C	700927	High resolution telecentric lens for 1.1" detectors, magnification 0.75x, C-Mount	10 620,00
TC3MHR240-C	700952	High resolution telecentric lens for 1.1" detectors, magnification 0.059x, C-Mou	16 010,00
PCBPN013-WG	700953	Boroscopic probe for 1/3" detectors, 7 mm probe diam, with waveguide module	5 435,00
TC4MHR056-C	701263	High resolution telecentric lens for 1.2" detectors, magnification 0.314x, C-Mou	2 693,00
EN10MPL1620	701990	High resolution fixed focal lens for 4/3" sensors, focal length 16 mm, C-mount	756,00
EN2MP0324	702027	Fixed focal lens for 2/3" sensors, focal length 3 mm, C-mount	384,60
RT-M3Z1228C-MP	702155	Vari-focal lens, focal length 12-36 mm, f# 2.8-16C, C-mount	517,00

OMRON PVPR 2023

TC1MHR024-C	702470	High resolution telecentric lens for 1/1.2" detectors, magnification 0.424x, C-mount	2 332,00
TC1MHR064-C	702469	High resolution telecentric lens for 1/1.2" detectors, magnification 0.166x, C-mount	2 959,00
LT2BC048144-R-CO	702468	High uniformity continuous LED backlight, 48 x 144 mm lighting area, red, with diffuser	1 232,00
WI064	702484	Protection window for TC series	114,40
TCLWD075	702559	High resolution telecentric lens for 2/3" detectors, magnification 0.75x, C-Mount	1 747,00
TC23172	702844	High resolution telecentric lens for 2/3" detectors, magnification 0.051x, C-Mount	9 140,00
TC2MHR120-C	702979	High resolution telecentric lens for 1" detectors, magnification 0.104x, C-mount	5 580,00
TCCR2M120-C	702978	Telecentric CORE lens for 1" detectors, magnification 0.104x C-mount	8 820,00
TCDP23C4MC096	703143	Dual magnification telecentric lens for 2/3", 4/3 detectors, magnification 0.093 / 0.166x	5 615,00
TCCXQ011-G	703148	Telecentric assembly with coaxial illumination for 2/3" detectors, magnification 0.104x	6 680,00
RT-TCL0200-F	703149	0.2x Telecentric lens with built-in coaxial illumination for detectors up to 2/3"	4 940,00
RT-VM400	703434	C- to CS-mount 5mm adapter ring	16,41
TCLWD350	703433	Long working distance telecentric lens for 2/3" detectors, WD 132.3 mm, magnification 0.50x	2 307,00
LTZGK070-15-3-W-24V	703432	LED ring light, 3 LED rows, outer diameter 70 mm, 15°, white, 24V	439,50
RT-MP-4F-65	703494	4.0x Telecentric lens with built-in coaxial illumination for detectors up to 1"	2 813,00
RT-M7528-MP	703491	Megapixel lens, focal length 75 mm, f# 1.4-16C, C-mount	548,00
MC033X	703539	Macro lens for 2/3" detectors, magnification 0.33 x, C-mount	452,40
TCCX050-G	703538	Coaxial telecentric lens for 2/3" detectors, WD 132.3 mm, magnification 0.50x, g	2 681,00
TCLWD150	706821	Long working distance telecentric lens for 2/3" detectors, WD 132.3 mm, magnification 0.50x	2 626,00
3Z4S-LE VS-TCH05-65-O	707607	High-resolution telecentric lens, Optical magnification 0.5x, WD 75.3mm, Effective field of view 1.2°	3 492,00
3Z4S-LE VS-TCH05-110-O	707667	High-resolution telecentric lens, optical magnification 0.5 x, WD 110.8 mm, effective field of view 1.2°	2 297,00
TC2MHR056-C	707126	High resolution telecentric lens for 1" detectors, magnification 0.228x, C-mount	2 802,00
TCCP12260	707141	Ultra compact bi-telecentric lens for matrix detectors up to 1/1.8", magnification 0.044x	17 890,00
TC12144	707316	Bi-telecentric lens for 1/2" detectors, magnification 0.044 x, C-mount	5 680,00
TC1MHR120-C	707317	High resolution telecentric lens for 1/1.2" detectors, magnification 0.087x, C-mount	5 805,00
TC1MHR056-C	707351	High resolution telecentric lens for 1/1.2" detectors, magnification 0.190x, C-mount	2 661,00
LTCLHP024-B	707388	Telecentric HP illuminator, beam diameter 30 mm, blue	1 168,00
PCHI023-AF	707385	Hole inspection optics for 2/3" detectors, adaptive lens focusing	3 716,00
TCBENCH056	707405	Telecentric optical bench, magnification 0.157x	6 185,00
TCBENCH064	707406	Telecentric optical bench, magnification 0.138x	7 480,00
WI080	707408	Protective window for 116 mm clamping diameter optics	162,00
SE-65ST10	707678	Telecentric lens, magnification 1.0x, straight type, working distance 65.2 mm	567,00
LT2BC240216-B-CO	707749	High uniformity continuous LED backlights, 240x216 mm illumination area, blue, with diffuser	4 230,00

OMRON PVPR 2023

TC2MHRP240-C	708031	High resolution bi-telecentric lens for 1" detectors, magnification 0.053x, C-mount	15 930,00
RT-A-2428MF	707832	5 Megapixel lens for 35 mm full frame sensors, focal length 24.9 mm, f/N 2.8 - 2	514,50
PC13030XS	708080	Compact pericentric lens for 1/3" detectors	5 475,00
PC12030XS	708258	Compact pericentric lens for 1/2" detectors	5 475,00
TC12120	708271	Bi-telecentric lens for 1/2" sensors, magnification 0.052 x, C-mount	4 260,00
STO-CMT-JDA	708463	C mount adapter for F-Mount Linescan Cameras	86,40
EN10MPL1220	708649	10 Megapixel, high resolution, fixed focal lens for 4/3" sensors, focal length 12 mm	747,50
VS-LLD12.5	708656	Vision lens, ultra high resolution, low distortion 12.5 mm for 4/3-inch sensor size	1 070,00
VS-0618H1-SWIR	709319	SWIR vision lens, High transmittance from 900 nm - 2000 nm, 6 mm, 1" sensor N	1 272,00
VS-0814H1-SWIR	709320	SWIR vision lens, High transmittance from 900 nm - 2000 nm, 8 mm, 1" sensor N	1 056,00
VS-1214H1-SWIR	709321	SWIR vision lens, High transmittance from 900 nm - 2000 nm, 12 mm, 1" sensor	825,00
VS-1614H1N-SWIR	709322	SWIR vision lens, High transmittance from 900 nm - 2000 nm, 16 mm, 1" sensor	770,00
VS-2514H1-SWIR	709323	SWIR vision lens, High transmittance from 900 nm - 2000 nm, 25 mm, 1" sensor	770,00
VS-3514H1-SWIR	709324	SWIR vision lens, High transmittance from 900 nm - 2000 nm, 35 mm, 1" sensor	770,00
VS-5018H1-SWIR	709325	SWIR vision lens, High transmittance from 900 nm - 2000 nm, 50 mm, 1" sensor	770,00
PCPW023	708716	Polyview lens for 2/3" sensors	5 805,00
TCEL23036	708877	Telecentric lens for 2/3" sensors with integrated liquid lens, mag. 0.243x	3 369,00
TCCP23260	708958	Ultra compact bi-telecentric lens for matrix detectors up to 2/3", magnification 0	14 980,00
TC23240	708959	Bi-telecentric lens for 2/3" sensors, magnification 0.037 x, C-mount	13 770,00
TC2MHRP036-C	709064	High resolution telecentric lens for 1" sensors, magnification 0.354x, C mount	2 880,00
FZ-M08	235825	Monitor Color LCD	3 630,00
FZ-DS	241473	Accesorio montaje en panel controlador FZ LCD	834,00
FQ-BAT1	337802	Bateria TouchFinder FQ-D31	170,80
FJ-AP1	355492	Software Application Producer	1 536,00
FQ-MD30	355892	TouchFinder DC para FQ-M	1 715,00
FQ-MD31	355893	TouchFinder AC/DC/Bateria para FQ-M	2 002,00
FZ-MEM8G	371444	Accessory FZ, USB Memory 8G	386,60
FZ-MEM2G	371445	Memoria USB 2GB	198,70
FQ2-D30	372137	TouchFinder DC	1 676,00
FQ-SDU10	372164	FQ-S3/S4/CH Unidad aux NPN 24 Salidas 11 Entradas	448,70
FQ-SDU15	372165	FQ-S3/S4/CH Unidad aux PNP 24 Salidas 11 Entradas	448,70
FQ-SDU20	372166	FQ-S3/S4/CH Unidad aux NPN 7 Salidas 8 Entradas RS232c	448,70
FQ-SDU25	372167	FQ-S3/S4/CH Unidad aux PNP 8 Entradas RS232c	448,70

OMRON PVPR 2023

FH-AP1L	377759	Licencia software Application Producer FH	1 352,00
FQ-XT	337798	Touch pen para FQ Touch Finder	56,65
FQ-XH	337801	Set de correa para touch Finder	151,30
FH-XCN	398548	Bloque terminales alimentación controlador FH	29,09
FH-MT12	410318	Pantalla táctil 12,1 pulgadas para controlador visión FH	1 498,00
3Z4S-LE SV-GA355	659589	protection for lens, M35.5 P0.5	153,50
3Z4S-LE SV-GA270	669353	Filtro protección lente M27	47,49
3Z4S-LE SV-GA405	675342	Filtro protección lente M40.5	153,50
3Z4S-LE SV-GA255	699579	Protection for lens, M25.5 P0.5	134,30
3Z4S-LE SV-GA520	708321	Protection for lens, M52 x P0.75	216,00
LC-TH-51X51-VE	679667	Light control film for TH-51X51, vertical	69,05
FJ-SW	679703	FJ software and license dongle key without camera	1 431,00
RC-S133	681303	Controlador remoto con presentación en pantalla para STC-S133	127,20
HR10A-7P-6S(73)	681415	Hirose 6 Posicion Circular Conector Plug, Hembra Bases Soldadura Copa Plata	12,96
HR10A-10R-12SB(72)	681387	Hirose 12 Posicion Circular Conector Receptacle, Hembra Bases Soldadura Oro	15,55
LC-LFV3-70	681980	Light Control Film for LFV3-70 Series	72,10
98-9000156-01	682138	IP67 Lente Cubierta para HAWK 4000, 70 mm Longitud	309,90
LIC-0700-009	683543	Licencia Machine Vision, Verificación / OCV	489,40
LIC-0701-002	683544	Licencia, AutoID, Plus Decoder, 1D/2D, MicroHAWK	126,60
98-CAL021-01	682146	Tarjeta de prueba de conformidad de calibración, 128 sin fechar	633,00
LIC-0701-004	683545	Licencia, AutoID, Alta Velocidad, Plus Decoder 1D/2D, MicroHAWK	627,50
98-000144-01	682008	Kit, RA Espejo, QX, HAWK	115,70
98-9000057-01	683329	Kit, espejo RA, MicroHAWK 20	161,30
98-9000105-01	683330	Kit, PCB0228-PCB POP 7500 SMU con Relés	453,40
98-SOF0044	698602	License dongle for LVS software operation without hardware, training and demo	3 967,00
98-LVS0076	682638	LVS-95XX, directrices del procedimiento de validación IQ-OQ	3 871,00
GMV-VGL0-1DD1	682249	VS GigE Llave Licencia con Intellifind & DIVs	2 410,00
98-9000039-03	682637	Kit de demostración de MicroHAWK, sin unidades	757,00
98-9000132-01	682014	Kit, ESD-Safe Ventana, MicroHAWK	162,50
98-9000155-01	682060	IP67 Lente Cubierta para HAWK 4000, 50 mm Longitud	309,90
LIC-0700-327	683542	Licencia Machine Vision, Dual Boot	244,00
98-P/S107	682517	Fuente de Alimentación para LVS-9510, 12 Vcc	60,75
LIC-0700-325	683551	Licencia Machine Vision Machine Vision unlock	877,00

OMRON PVPR 2023

98-000265-01	682034	AV Verif. Calibración Tarjeta con NIST-Traceable Measurement Reporte	640,00
98-000142-01	682684	VS GigE PCIe I/O Tarjeta, 16 Entradas/16 Salidas, PNP con Cable & Terminal	1 079,00
98-WIN042	682705	Rojo Reemplazo Ventana para LVS-9580	67,00
98-WIN0035	682704	Transparente Ventana Reemplazo, para LVS-9510 (Ventana solo)	161,30
98-WIN0036	682099	Rojo Ventana Reemplazo, para LVS-9510 (Ventana solo)	161,30
LIC-0700-003	683550	Licencia Machine Vision, Autovision	489,40
LIC-0701-003	683549	Licencia, AutoID, Decoder, Xmode, MicroHAWK	503,00
98-9000093-01	683354	Kit, ENC0044-ENC 785PPR 24" Cable	1 055,00
98-CAL0021	683524	Kit, Calibración Tarjeta LVS-7000 10mil	495,40
98-LVS0092B	682703	7510 IQ/OQ Validación Procedimiento Guia	3 871,00
LIC-0700-006	683548	Licencia Machine Vision, Visionscape	503,00
98-SOF0096	683397	LVS-9570 Actualización (1D para 1D&2D)	2 092,00
98-SOF0094	682598	LVS-9580 Software Actualización Opción: 2D solo para ambos 1D&2D	2 582,00
GMV-VGL8-1DD1	682161	Clave de licencia para VS GigE con DIV Intellifind, ocho cámaras GigE de terceros	5 385,00
LIC-0701-005	683547	Licencia, AutoID, Alta Velocidad, X-MODE, MicroHAWK	1 003,00
98-000088-01	682026	Kit, espejo de ángulo recto, MS-4/Mini HAWK/Vision MINI	75,45
98-000265-02	682152	AV Verif. Calibración Tarjeta	303,50
LIC-0701-001	683546	Licencia, AutoID, Alta Velocidad, MicroHAWK	503,00
98-9000101-01	683419	Kit P/S0057-P/S 24 V 0.62 A, 7500LTIU	202,10
98-LVS0092A	682699	7500 IQ/OQ Validación Procedimiento Guia	3 871,00
98-9000051-01	682085	Kit, Ventana, MicroHAWK-30/40	48,43
12-9000937-01	682210	Base/cargador, HDS-3678	366,80
98-CAL020-01	682332	Tarjeta de prueba de conformidad de calibración LVS, 9570/9580/9510 EAN/UP	633,00
98-LVS0077	682323	Directrices IQ-OQ de validación para el software versión 4.3 y posterior (con 25	3 871,00
FIS-0001-0035G	682334	Convertidor, IC-332, 24 V/5 V, E/S ópticas, para su uso con IB-131	247,90
37-000010-01	682717	Software/instrucciones para dispositivo USB	49,54
98-SOF0039	683694	LVS-9510 Software Actualización Opción: Multi-Sector Verificación	645,00
98-SOF0056	683693	LVS-95xx Software Actualización Opción: Automatico Login Característica	390,30
98-SOF0088	683692	Software Actualización Opción: EAIV (Mejorado Aplicación Identificador Verifica	900,00
98-SOF0095	683691	LVS-9580 Actualización (1D/2D para DPM)	1 225,00
VTA0007A	683689	USB programing cable iBlueDrive	153,40
98-P/S0115	684521	LVS-75XX Fuente de Alimentación, 5 Vcc	115,40
JIG-HD133-R	683771	Control unidad para STC-HD133 y STC-HD203 Cámara	148,70

OMRON PVPR 2023

98-SOF0069	683861	LVS-9580 Software Actualización Opción: 1D solo para ambos 1D&2D	2 582,00
CV-LDL2-41X16	684050	Cover for LDL2-41X16	26,08
98-CAL024-01	684488	Kit, Cal Conformidad Tarjeta de Test, 7500 5", no fechado	122,80
98-CAL025-01	684486	Calibración Conformidad Tarjeta de Test, 7500 8", no fechado	166,20
VPLN-27	684417	Lens protection cover M27, UV absorbing	159,90
FHV-XCV	685309	FHV7 Reemplazo Iluminación Cubierta	144,80
FHV-XHD-S	685310	FHV7 Cubierta Resistente Agua, Corto, para 3Z4S-LE SV-V series	217,50
FHV-XHD-L	685311	FHV7 Cubierta Resistente Agua, Largo, para 3Z4S-LE SV-H series	213,00
FHV-XHD-LEM	685312	FHV7 Cubierta Resistente Agua, para Lente Motorizada Autofocus	244,70
FHV-XWP-CAM	685315	FHV7 Resistente Agua embalaje para Cámara	13,04
FHV-XWP-LTM	685316	FHV7 Resistente Agua embalaje para Iluminación	16,57
FHV-XWP-HD-SL	685317	FHV7 Resistente Agua embalaje para Cubierta	12,69
FHV-XWC-ECN	685318	FHV7 Resistente Agua tapa para Ethernet Conector	8,45
FHV-XWC-LCN	685319	FHV7 Resistente Agua tapa para Iluminación Conector	8,76
FHV-XLS-LTM	685320	FHV7 Iluminación Protección Cubierta	16,93
EYE PROTECT GLASSES CE4	686084	Protection Glasses for wavelength 350 nm to 1000 nm	73,65
FHV-XFC-C	686996	Facing cover for C-mount Lens, 1 cover, 5 screws	17,77
FHV-XFC-LEM-S	686995	Facing cover for Lens Modules, 1 cover, 5 screws	17,77
FHV-XSCR-MSD	686994	Replacement Screw for FHV7 SD-Card Slot, 10 pieces	25,37
RC-HD133	688176	Remote Control Unit for all DVI/SDI camera models	152,70
98-CAL022-01	691026	LVS 958X Tarjeta de prueba de conformidad de calibración HD, Data Matrix, sin	768,00
FHV-SDU10	688772	Unidad de datos ampliada FHV7, interfaz paralela	609,00
FHV-SDU30	688773	Unidad de datos ampliada FHV7, interfaz EtherCAT	750,00
FHV-XFC-LEM-H	688785	Facing cover for Liquid Lens Modules, 1 cover, 5 screws	17,77
VPLN35.5	688857	Polarizing filter for M35.5x0.5 optics + fixing screw	153,40
VT A0005A	688940	iBlueBox. Control interface for iBlueDrive devices. USB	404,60
RC-S133B	702127	On screen display remote controller for STC-S133, jack pin	127,20
PPC-3100S-OMR	689027	Visualization Touch Panel for FHV7 Smart Camera, 10.4" TFT LCD, Resolution 1024x768	1 620,00
VPT100A	689254	Protection cover for FQ2 and FZ5 Cameras	79,80
170203183C	690591	Power Cord EU 3P 2.5A 250V 183cm	18,40
IL159X01	691032	Beam splitter transparents 50:50, for SAC0808A	312,70
V430-AF10	693831	Kit de instalación de la ventana delantera para V/F4X0-FXXXXXXX-XXX	54,95
V430-AF11	693830	Kit de instalación del difusor para V/F4X0-FXXXXXXX-XXX	67,15

OMRON PVPR 2023

V430-AF12	693829	Kit de instalación de polarizador para V/F4X0-FXXXXXXX-XXX	102,50
VTA0006A	693115	iBlueBox. Control interface for iBlueDrive devices. RS232	407,20
VPLN-30.5	693876	Polarizer, M30.5 x 0.5	135,00
D-MR-80	694989	Dome module for MR-80 led light	107,40
LC-TH-140X105-VE	695382	Light control film for TH-140X105, vertical	231,70
LC-TH-160X120-VE	695381	Light control film for TH-160X120, vertical	254,50
FH-UMAI1	695761	Licencia para herramienta AI filter para controlador FH. Llave de licencia USB	9 155,00
V420-AC0	697909	Kit V/F 420-F; cable de módulo (DB-15) RS-232 con fuente de alimentación	140,60
V420-AC1	697910	Kit V/F 420-F; cable de módulo USB con fuente de alimentación	140,60
V420-AC2	697911	Kit V/F 420-F; cable de módulo USB, E/S, y de alimentación con fuente de alimen	213,70
V430-AFOR	698201	Kit de instalación de anillo de luz para ventana delantera V/F 430-F	100,80
V410-AS0	699311	Soporte de presentación, funcionamiento manos libres, V410-H.	72,05
VPP1515A	699479	Dust protection kit for VPTSAX1515A	23,00
AC-EBAR-N	699683	Angle changer modular line light, narrow	36,41
AC-EBAR-M	699682	Angle changer modular line light, medium	36,41
AC-EBAR-W	699681	Angle changer modular line light, wide	36,41
AC-EBAR-L	699680	Angle changer modular line light	36,41
LA-MR-80	699679	Low angle accessory for MR80 modular ring light	106,30
CBA-RF2-CO9ZAR	700700	Serial cable for EA3600, 2 m	91,80
EA3600-R1CP-11	700702	EA3600 E/IP adapter kit for V410-H and V450-H	906,50
EA3600-S1CP-11	700701	EA3600 PROFINET adapter kit for V410-H and V450-H	906,50
DF-LFV3-200-UF	700918	Diffusor for LFV3-200	83,50
LC-LFV3-200	700898	Light control film for LFV3-200	177,40
FH-UM3D1	701171	3D Software license for FH, license Key dongle	6 660,00
FH-XCAL-S	701194	Camera calibration target, FH 3D system	1 053,00
FH-XCAL-R	701195	Hand-eye calibration target, FH 3D system	948,00
V430-AF3	702500	Ventana frontal V430 (de recambio)	213,70
AC-EBAR-M-X20	702611	EBAR, angle changer, medium, 20 pieces	692,50
AC-EBAR-N-X20	702612	EBAR, angle changer, narrow, 20 pieces	692,50
AC-EBAR-L-X20	702613	EBAR, angle changer, line light, 20 pieces	692,50
AC-EBAR-T	702614	EBAR, angle changer, transparent	24,28
AC-CO-B	702610	EBAR, angle changer, combo including 16 x AC-EBAR-N, 16 x AC-EBAR-M, 16 x AC	2 646,00
CU-LNSP2-100-GL	702934	Coaxial unit for LNSP2 lighting systems	2 044,00

OMRON PVPR 2023

PR-LFV3-100X200	702999	Protection window for LFV3-100x200	550,50
PT120-144	703072	Checkerboard calibration pattern, film-on-glass photomask, active area 170x140	3 718,00
AC-EBAR-W-X20	707203	Angle changer, wide, quantity : 20	651,50
98-CAL023-01	707390	Conformance calibration standard test card for ISO/IEC Data Matrix & GS1 Data	721,00
FJ-VSP2-1.5M-E	707679	Gig-E camera power and I/O cable, 1.5 m	193,40
V410-AS0	709095	Soporte de presentación, funcionamiento manos libres, V410-H.	72,05
V430-AF10	709126	Kit de instalación de la ventana delantera para V/F4X0-FXXXXXXX-XXX	54,95
V430-AF11	709127	Kit de instalación del difusor para V/F4X0-FXXXXXXX-XXX	67,15
V430-AF12	709128	Kit de instalación de polarizador para V/F4X0-FXXXXXXX-XXX	102,50
AC-EBAR-POL1	708907	Angle changer, polariser only	54,00
AC-EBAR-L-P1	708906	Angle changer, ,line light, polarised	73,45
AC-EBAR-W-P1	708905	Angle changer, wide, polarised	73,45
AC-EBAR-M-P1	708904	Angle changer, medium, polarised	73,45
AC-EBAR-N-P1	708903	Angle changer, narrow, polarised	73,45
PR-LFXV-200	709062	Protection plate for the LFXV-200RD/SW/BL/IR860, flat dome light LFXV series	1 377,00
98-CAL020-01	709139	Tarjeta de prueba de conformidad de calibración LVS, 9570/9580/9510 EAN/UP	633,00
98-LVS0077	709140	Directrices IQ-OQ de validación para el software versión 4.3 y posterior (con 25	3 871,00
98-000103-02	709158	Dispositivo de interfaz QX-1	264,00
98-200026-02	709159	Kit, Derecha Angulo Espejo, MS-820/QX-830	113,00
98-LVS-VTC	709161	LVS-95XX Validación Test Tarjetas (IQ-OQ Challenge Etiquetas) para uso con 98-	576,50
99-000018-01	709162	Caja de interfaz IB-131	247,90
FIS-0001-0035G	709163	Convertidor, IC-332, 24 V/5 V, E/S ópticas, para su uso con IB-131	247,90
12-9000937-01	709165	Base/cargador, HDS-3678	366,80
12-9000961-01	709170	AC Power Cord, 2.5 m, UK	31,72
98-9000181-01	709171	Kit, Fuente de Alimentación para Soporte / Cargador, HDS-3678, A/C Potencia Ca	50,80
98-9000185-01	709172	4 Ranura Bateria Cargador, HDS-3678, Fuente de Alimentación Requerido	254,10
98-9000224-01	709079	Bateria de repuesto, HS-360X Wireless	50,80
99-9000016-01	709175	ASSY, PHOTOSENSOR, VIS, NPN, LIGHT-ON/DARK-ON, M12 CONNECTOR	142,90
98-CAL022-01	709176	LVS 958X Tarjeta de prueba de conformidad de calibración HD, Data Matrix, sin	768,00
V430-AF0	709195	Ventana frontal V430 (de recambio)	54,95
FL-XBK1	354153	Soportes de montaje para barra de luz FL	57,55
FZ-VESA	241472	Soporte controlador Xpectia	432,30
FQ-XL	337797	Soporte de montaje FQ	122,00

OMRON PVPR 2023

FQ-XPM	337799	Adaptador panel montaje FQ	344,90
FZ-CH-S	353531	Carcasa protectora cámaras Xpectia FZ	786,00
CBS-FQ	355697	Carc. acero inox ventana cristal IP69K con ajuste enf. cam. FQ	3 269,00
FQ-XL2	372115	Soporte ancho de montaje FQ	577,50
FQ-XLC	374628	Base de montaje FQ	112,80
FH-SM12-XLC	393766	Soporte montaje cámara FS-S_12	268,40
FZ-S-XLC	393767	Soporte montaje cámara FZ-S_	137,70
FZ-S2M-XLC	393768	Soporte montaje cámara FZ-S5M_2	137,70
FH-SM-XLC	670237	Soporte de montaje de cámara FH para FH-SM	81,80
FH-XDM-L	670241	Accesorio montaje carril DIN FH Lite	59,55
CMHO048	677946	Clamping mechanics for TCxx048 lenses and LTCLHP048-X illuminators	531,00
CMHO036	679767	Clamping mechanics for TCxx036 lenses and LTCLHP036-X illuminators	531,00
TP-JVA	681326	Soporte en trípode para cámara de cubo	38,11
CMHO024	680692	Clamping mechanics for TCxx024 lenses and LTCLHP024-X illuminators	237,40
CMPT016024	680691	Mounting Plate for CMHO024	459,00
98-9000122-01	682049	Kit, Soporte, Ring 60/70 para HAWK 4000	327,10
98-9000047-01	682142	Kit, soporte de cámara 1/4-20, MicroHAWK	34,94
98-9000121-01	682023	Kit, Soporte, DOAL para HAWK 4000	327,10
98-9000092-01	682482	KIT, PCB0230-PCB POP 7500/9575 Driver	683,00
98-9000123-01	682078	Kit, Soporte, Ring 100 para HAWK 4000	327,10
98-9000137-01	682164	Assy., Smart Series, PhBrazoalite y Soporte para HAWK MV-4000	1 755,00
98-9000209-01	682264	Universal Montaje, HAWK 4000	145,40
98-9000120-01	682019	Kit, Soporte, MAX 300 para HAWK 4000	585,50
98-9000186-01	682223	Soporte, Inteligente, HS-360X	73,15
98-000016-01	682395	Kit, 15 cm Montaje Brazo/Adaptador, MS-820, QX-830, QX-870	161,30
98-9000064-01	682368	Kit, montaje de aislamiento, M3, MicroHAWK ID-30/40	21,57
V430-AM0	683100	Soporte en L V430, ángulo ajustable	54,95
V430-AM1	683101	Bloque de montaje V430, soporte de cámara de 1/4-20	54,95
VBA060A	683992	Back Bracket for ALB ALD ALS ALU	58,30
FHV-XMT-7	685313	Accesorio montaje para FHV7	74,55
FHV-XMT-7-TCC	685314	Iluminación Controlador Accesorio para FHV7	45,90
BK-LDQ2-74X30	686059	Mounting bracket for LDL2-74X30	448,80
VBA075A	688431	Back Bracket for BKL Illuminator, excluding BKL0303	49,05

OMRON PVPR 2023

TP-HCA	688946	Mounting Plate for STC-MCE/MBE132, STC-MBA/MCA5MUSB3, Analogue Came	14,89
VBA055A	688643	Back fixing bracket for PLC Illuminator	68,75
CMHO056	688672	Clamping mechanics for TCxx056 lenses and LTCLHP056-X illuminators	531,00
CMHOPCCD	688722	Clamping Mechanic for PCCD Lens	254,90
VBA050A	688855	Side Bracket for PLD PLU	38,32
TP-KWA	696351	Tripod Mount for M-Series Camera	37,83
TP-KWA-IEA	696350	Tripod Mound for M-Series Cameras, Used to set M Series with sensor center at	37,83
TPL-MOUNT-BAR-SQUARE1	689966	Mounting Bracket for Bar Illuminator	49,66
BK-TH-LE12	690154	Mounting Bracket TH- Illuminator	35,26
TPL-MOUNT-HPRING-V1	690225	Mounting Bracket for HPRING, vertical type	239,30
PPC-ARM-A03	690587	ARM VESA Standard (A-CLEVER) for PPC Series	220,70
PPC-174T-WL-MTE	690588	Wall mount kit A800B for PPC-174T	95,70
PPC-STAND-A1E	690589	Stand For PPC Series	203,70
BK-HPD2-100-LFV	691184	Clamping Bracket for HPD2-100 Illuminator	431,60
TPL-MOUNT-MFDOME-V1	691179	Mounting Kit for MF Dome, vertical version	119,10
CBSK70175GEXX2100CVA002	693708	Camera Protective Housing for FZ_SQ100N, FZ_SQ050F and similar, Stainles Steel	2 088,00
CMHO016	693999	Clamping mechanics for TCxx016 lenses and LTCLHP016-X illuminators	228,70
CAB-KWA-IEA	696471	Convertidor, conector de 6 patillas a asignación de patillas de la serie S.	67,15
TP-KWA2	696470	Montaje en trípode para cámaras de la serie M.	36,61
TP-JQA	696469	Montaje en trípode para cámara Cube	36,61
V430-AM2	698204	Soporte de montaje de RAM 4 x 0-F 4" (102 mm)	111,20
V430-AM3	698205	Soporte para cámara con movimiento vertical y horizontal V/F 4x0-F APG	138,10
V430-AM4	696575	Kit de montaje de aislamiento eléctrico de tornillo y arandela de nailon V/F 4x0-	41,49
V430-AM5	696576	Placa adaptadora de V/F 4x0-F MS-4 / MINI a V/F4XX-F	127,10
V430-AM6	696577	Soporte de montaje de anillo de luz inteligente V/F 4x0-F a V/F4XX-F	103,80
V430-AM7	696574	Placa adaptadora V/F 4x0-F QX / Vision HAWK a V/F4XX-F	139,30
VBA062A	698977	Bracket for ALU0704A	84,65
CMTH080	699289	Clamping mechanics with fine adjustment, for TCxx080 lenses and LTCLHP080-X	859,00
TPL-MOUNT-TRING-V1	700659	Mounting Kit for TRing, vertical	241,60
SWIVEL-MOUNT	700812	Swivel mount 0-180° for BAR illuminators	110,50
CMHO023	700836	Clamping mechanics for TC2300y, TC23012, TC4M00y-x, LTCLHP023-x	216,50
VBA090A	701294	Mounting bracket for PLA illuminator	68,35
LRMOUNT-V1	702316	Mounting kit for HPRING version 1	83,80

OMRON PVPR 2023

CMWF064	702483	Protective window clamp for TC series	300,50
TPL-MOUNT-HPFD-V1	702855	Mounting Bracket for HPFDOME and MFDOME, vertical type	133,60
TPL-MOUNT-SBACK-SQUARE1	702910	Mounting Square for Sback Illuminator	71,40
TPL-MOUNT-BAR-H1	703065	Mounting kit Bar horizontal version	286,50
SDMOUNT-130	703120	Mounting KIT for SDOME/LOW ANGLE II 130	105,70
TPL-MOUNT-HPB-SQUARE1	703159	Mounting square for HPBACK and MBACK	120,30
V440-AM0	703464	¼-20 Reader mounting block kit(V440-F series only)	74,80
V440-AM1	703463	R-70 Smart series ring light mounting kit	74,80
V440-AM2	703462	R-100 Smart series ring light mounting kit	86,30
VBA120A	706825	Bracket for ALB0810A	61,00
TPL-MOUNT-HPRING-V440	706937	Mounting bracket HPRING to V440	176,10
TPL-MOUNT-TRING-V440	706939	Mounting bracket TRING to V440	126,60
TPL-MOUNT-MR	707387	Mounting kit, modular ring light	70,20
CMWF080	708139	Holder for WI series, clamping diameter 116 mm	388,80
LRMOUNT-V2	708345	Mounting kit for HPRING version 2	97,20
V430-AM0	709112	Soporte en L V430, ángulo ajustable	54,95
V430-AM1	709113	Bloque de montaje V430, soporte de cámara de 1/4-20	54,95
BK-HLDL3	708441	Bracket for HLDL3 series	203,10
98-9000200-01	709138	LVS-9580/9585, soporte de montaje ajustable para utilizarlo con AMSCOPE BSS-	360,60
98-000016-01	709152	Kit, 15 cm Montaje Brazo/Adaptador, MS-820, QX-830, QX-870	161,30
98-000037-01	709153	Montaje Brazo Extension Kit, 15 cm, Todos los lectores	83,50
98-000054-01	709154	Kit, Montaje Soporte Base Bandeja	48,30
98-000057-02	709155	Kit, Soporte, Montaje por orificios, MS-2, MS-3, MINI	32,21
98-000059-01	709156	Kit, Soporte, Angulo Montaje, MS-2, MS-3, MINI	32,21
98-000060-01	709157	Kit, Soporte, Lateral Montaje, MS-2, MS-3, MINI	32,21
98-500006-01	709160	Kit, Montaje Bandeja, MS710, QX830, 870	32,21
98-9000186-01	709173	Soporte, Inteligente, HS-360X	73,15
BK-LDQ2-218X30	709302	Mounting bracket for LDL2-218X30 series, mounts 4 x LDL2 bar lights in a square	496,60
FL-DR90PL	354159	Panel de polarización para anillo de luz, 90/50x4 mm	219,70
L42-27	354829	Filtro UV M27 P0,5	98,10
PL-LDR-120-40	355986		147,40
FQ-XF1	337800	Filtro polarizador FQ	321,50
3Z4S-LE SV-PL270-SS	670696	Filtro de polarización para lente, M27.0 P0.5, con mecanismo antirrotación	76,75

OMRON PVPR 2023

F-BP850-30.5	679134	Bandpass Filters, 850 nm, M30,5	306,60
F-BP635-22.5	679183	Band pass filter, 635 nm, M22.5 x P 0.5 mm	283,80
F-BP850-40.5	679417	Bandpass Filters, 850 nm, M40.5	390,90
F-BP635-25.5	679473	Band pass filter, 635 nm, M25.5 x P 0.5 mm	283,80
F-BP635-27	679666	Bandpass filter, 635 nm, M27	306,60
F-BP635-30.5	679665	Band pass filter, 635 nm, M30.5 x P 0.5 mm	306,60
F-BP635-35.5	679664	Band pass filter, 635 nm, M35.5 x P 0.5 mm	329,70
F-BP660-30.5	679662	Band pass filter, 660 nm, M30.5 x P 0.5 mm	306,60
1SC864E3MM	681266	Optical Filtro Paso Bajo para Pieper	12,72
1SC903E4MM	681203	Optical Filtro Paso Bajo para Pieper	12,72
VBD020A	680998	DCM M27 filter holder for OMRON camera FQ, FQ2	73,65
PL-LFV3-70	681981	Polarising filter for LFV§-70 series	49,05
98-9000062-01	689144	KIT, Polarizer, Microhawk MV+ID 20	43,36
98-92800371	682680	Lente, Polarizador Filtro, 25.5 mm, P 0.5	138,90
98-9000129-01	682024	Kit, polarizador, MicroHAWK 30/40, externo	169,80
V430-AF2	683098	Polarizador V430	100,80
98-9000131-01	683438	KIT, YAG Filtro, MicroHAWK	169,80
VPFPLA1013A	683437	Polarizer filter for PLA0513A, PLA1013A	102,20
VPCALB0804A	683521	Antiglare filter for ALB0804A, ALB0810A	153,30
VPB85027	683991	Bandpass filter 850 nm, M27x0.5	193,50
VPFPLC1231A	684123	Polarizer filter for PLC1231A	115,80
F-BP470-30.5	684152	Band-pass Filter, 470 nm, M30.5	337,20
VLP390-27	684419	Lines polarizer, M27 x 0,5	173,90
VPB470-40.5	684418	Optical bandpass filter 470 nm, M40.5 x 0.5	275,20
VPB850-30.5	684948	Bandpass Filter, 850 nm, M30.5 x 0.5	193,50
PL-LDL2-50X30	685038	Polarizer for LDL2-50X30	53,65
VPFPLA2026A	685116	Polarizer filter for PLA1026A, PLA2026A	136,70
FHV-XDF	685307	FHV7 Difusor Filtro	606,00
FHV-XPL	685308	FHV7 Polarización Filtro	255,20
VPB850-40.5	685156	Bandpass Filter, 850 nm, 40 x 0.5	247,50
PL-LDL2-50X30-VE	685803	Polarizer for LDL2-50X30, polarized parallel to the shorter edge of the plate	53,65
PL-QBR3-150015	685801	Polarizer for QBR3-150015	39,86
PL-40-NL	686117	Polariser, M40.5 x P0.5, Outer diameter 45.0 mm, Inner diameter 42.0 mm, Height 1.5 mm	113,60

OMRON PVPR 2023

FHV-XPL-IR	686997	Filtro de luz polarizada, para luz visible e infrarroja	724,00
F-LP340-30.5	686990	Protective filter for vision lens, M30.5	253,00
VPB850-46	687277	850 nm bandpass filter for lens type M46x0.75	233,00
FTBP850M52	688288	IR (850 nm) bandpass filter with filter thread M52 x P0.75	206,10
F-BP505-27	688426	Bandpass filter, 505 nm, M27	306,60
F-BP525-27	688425	Bandpass filter, 525 nm, M27	306,60
F-BP590-27	688424	Bandpass filter, 590 nm, M27	306,60
PL-QSQ3-070070	688487	Polarizer for QSQ3-70	59,80
VPB635-27	688537	Optical bandpass filter 635 nm, M27 x 0.5	165,70
F-BP850-52	688583	Bandpass Filter, 850 nm, M52	451,20
VPB850-35.5	689117	Bandpass Filter, 850 nm, 35.5 x 0.5	180,90
PL-ELB-300	689269	Polarisier for ELB 300 illuminator	115,40
VPB850-25.5	689582	Bandpass Filter, 850 nm, M25.5 x 0.5	192,60
PL-LFV3-50	690310	Polarizer for LFV3-50	39,86
PL-LFV3-35	690452	Polarisier for LFV3-35	39,86
PL-QBR3-100015	690553	Polarizer for QBR3-100015	33,72
PL-ELB-500	690883	Polarizer for ELB 500	153,40
R60-27	690881	Optical Filter, sharp cut, R27	96,90
PL-QRL3-070032	690932	Polarizer for QRL3-070032	131,40
VCFXYBKL1515B	691030	Collimator filter X and Y axis for BKL1515A	515,00
VPTSAX1010B/AR	691243	Protections Filter for SAX1010B	155,90
F-BP635-40.5	692825	Band pass filter, 635 nm, M40.5 x P 0.5 mm	389,90
VPFPLC0412C	694141	Polarizer filter for PLC0412C	78,55
VPLN-55	694140	Polarizing filter for M55x0.75 optics + fixing screw	153,40
VPFALB0804A	695256	Polarizer for ALB0804A, ALB0810A	108,90
VPB470-25.5	695702	Optical bandpass filter 470 nm, M25.5 x 0.5	220,70
POL-BAR-500	696284	Polarizer film for BAR 500	153,40
BP635-M27	696319	Bandpass filter 635nm, M27	229,30
V330-AF1	697628	Kit del difusor V/F 3x0-F, accesorio adhesivo, externo a la unidad	36,61
V330-AF2	697629	Kit del polarizador V/F 3x0-F, accesorio adhesivo, externo a la unidad	36,61
V430-AF6	698199	Kit de instalación del filtro de alimentación rojo estándar V/F 4x0-F	100,80
V430-AF7	698200	Kit de instalación del filtro de alimentación azul estándar V/F 4x0-F	100,80
V430-AF1R	698202	Kit de instalación del polarizador del anillo de luz V/F 4x0-F	222,20

OMRON PVPR 2023

PL-LDL2-33X8-VE	696463	Polarizing plate for LDL2-33X8, Light is polarized parallel to the shorter edge of t	38,32
PL-LDL2-33X8-HO	696462	Polarizing plate for LDL2-33X8, Light is polarized parallel to the longer edge of th	38,32
AD-QRL3-090050	698569	Adapter for QRL3-090050	314,00
VPB525-40.5	698572	Optical bandpass filter 525 nm, M40.5 x 0.5	252,70
VPB470-27	698965	Bandpass Filter, 470 nm, M27 x 0.5	214,80
F-LP340-25.5	699577	Protective filter for vision lens, M2555	229,30
POL-HPRING	700900	Polarizer for HPRING	138,30
P0609F01-GM	700976	Optical Filter for P0609A01	109,30
VPL415-40.5	701173	Longpass filter, 415 nm, M40x0.75	250,20
PL2-55-NL	701645	Polarizing plate, M55 x P0.75	227,70
VBD090A	702021	M27 filter holder for F430-F	72,85
F-FK-10	702219	Filter test kit for fixed focal length lenses	2 019,00
VPFPLA1013A-HT	702472	Polarizer for PLA0513A and PLA1013A, high temp	112,40
PLU1802A-630I	702485	Ultra diffuse LED bar light 180 x 16 mm. red, IBlue Drive, 24 V	1 130,00
VPB635-35.5	702486	Bandpass filter, 635 nm for lens type M35.5 x 0.5	194,20
VCFXBKL0504B	702799	Collimator filter in X axis for BKL0504B	109,30
VCFXYBKL1007B	702822	Collimator filter X and Y axis for BKL1007B	270,70
VCFXBKL1510A	702885	Collimator filter in X axis for BKL1510A	212,60
VCFXYBKL1510A	702884	Collimator filter in X and Y axis for BKL1510A	384,90
VCFYBKL1510A	702897	Collimator filter in Y axis for BKL1510A	211,30
POL-BAR-875	702983	Polarizer film for BAR 875	259,80
98-9000301-01	703466	R-70 Smart series ring light polarizer kit	86,30
98-9000302-01	703465	R-100 Smart series ring light polarizer kit	140,40
VPL415-27	703540	Longpass filter, 415 nm, M27x0.5	157,70
F-BP660-25.5	706920	Band pass filter, 660 nm, M25.5	285,70
VCFXYBKL2005A	707137	Collimator filter X and Y axis for BKL2005A	314,10
PL-QBR3-350015	707135	Polarizer for QBR3-350015	98,95
POL-BAR-1250	707177	Polarizer film for BAR 1250	349,80
POL-BAR-1000	707204	Polarizer film for BAR 1000 mm	283,00
F-LP340-27	707389	Protective filter for vision lens, M27 x 0.5mm	239,30
POL-BAR-125	707382	Polarizing film for 125 mm bar light	43,70
PL-LDR2-70	707688	Ring light polarizing plate - 76 mm diameter	206,30
PL-LDL2-158X16	707686	Polarizing plate, 158 x 16 mm	77,80

OMRON PVPR 2023

PL-QBR3-033008	708071	Polarizer for QBR3-033008	27,00
F-BP470-58	708147	Band-pass filter, 470 nm, M58 x 0.75 mm	522,00
PL-QBR3-200030	708168	Polarizer for QBR3-200030	81,55
V330-AF3	708174	Standard right angle mirror installation kit for V330 and F330 series	205,20
PR032T-M55	708297	Linear polarizer M55	426,60
F-LP920-30.5	708439	Long pass filter, 920 nm, M30.5 x P0.5 mm	318,60
F-LP920-35.5	708438	Long pass filter, 920 nm, M35.5 x P0.5 mm	318,60
F-BP850-22.5	708485	Band-pass filter, 850 nm, M22.5 X P0.5	283,80
PR032T-M40.5	708714	Linear polariser filter - M40.5	382,40
F-BP470-40.5	709065	Band-pass Filter, 470 nm, M40.5	420,40
V430-AF2	709197	Polarizador V430	100,80
FL-BR5020DF	354150	Panel difusor para barra de luces, 50x18x4 mm	53,00
FL-BR9120DF	354151	Panel difusor para barra de luces, 91x18x4 mm	59,30
FL-BR13120DF	354152	Panel difusor para barra de luces, 131x18x4 mm	75,80
FL-DR50DF	354155	Ring light Diffusion plate, 50/28x4mm.	81,95
FL-DR90DF	354156	Panel difusor para anillo de luz, 90/50x4 mm	89,95
DF-LDL2-41X16	356214	Diffusion plate for LDL2-41X16	26,08
FLV-DR7030DF	378573	Diffuser plate for direct ring light FLV-DR7030	70,15
FLV-DR6615DF	378574	Diffuser plate for direct ring light FLV-DR6615	62,90
FLV-DR5030DF	378575	Diffuser plate for direct ring light FLV-DR5030	55,85
FLV-DR3220DF	378576	Diffuser plate for direct ring light FLV-DR3220	55,85
FLV-BR48031DF	378577	Diffuser plate for bar light FLV-BR48031	83,55
FLV-BR38037DF	378578	Diffuser plate for bar light FLV-BR38037	83,55
FLV-BR21222DF	378579	Diffuser plate for bar light FLV-BR21222	90,35
FLV-BR21230DF	378580	Placa difusora para barra de luces FLV-BR21230	90,35
FLV-BR15020DF	378581	Diffuser plate for bar light FLV-BR15020	76,90
FLV-BR14030DF	378582	Diffuser plate for bar light FLV-BR14030.	76,90
FLV-BR11222DF	378583	Diffuser plate for bar light FLV-BR12222	62,90
FLV-BR8532DF	378584	Diffuser plate for bar light FLV-BR8532	62,90
FLV-BR6022DF	378585	Diffuser plate for bar light FLV-BR6022	55,85
FLV-DL15060DF	378586	Diffuser plate for low angle ring light FLV-DL15060	251,90
FLV-DL12060DF	378587	Diffuser plate for low angle ring light FLV-DL12060	210,10
FLV-DL7260DF	378588	Diffuser plate for low angle ring light FLV-DL7260	55,85

OMRON PVPR 2023

FLV-DL5890DF	378589	Diffuser plate for low angle ring light FLV-DL5890	113,20
FLV-DL12060DF50	687813	Diffusor plate for FLV-DL12060X	120,10
FLV-DR9000DF50	687812	Diffusor plate for FLV-DR9000X	70,75
FLV-DR9030DF50	680943	Diffusor for FLV-DR9030 LED Illuminator	86,15
FLV-BR38037DF50	700672	Diffuser plate for bar light FLV-BR38037, transparence rate middle	106,40
FLV-BR11222DF50	680942	Diffusor for FLV-BR11222 LED Illuminator	63,60
FLV-BR38037DF30	700673	Diffuser plate for bar light FLV-BR38037, transparence rate low	108,30
98-9000077-01	702878	Kit, Diffuser, MicroHAWK ID-20/MV-20	15,71
98-9000043-01	682048	Kit, difusor, MicroHAWK 30/40	102,30
DF-LDL2-33X8	682478	Diffusion plate for LDL2-33X8	16,87
VDFPLA2026A	683994	Filtro de difusor para PLA2026A	85,85
DF-LFV3-100	684922	Diffusor plate for LFV3-100-series Coaxial Lights and LFV-PF-100-series	42,91
VDFPLA1013A	687023	Diffuser filter for PLA1013A	62,95
DF29-46	687276	Filter adapter M46x0.75 to M29X0.5	46,60
VDFALB0804A	687275	Diffuser filter for ALB0804A	102,20
VCFXYBKL2010A	687336	Collimator filter X and Y axis for BKL2010A	463,40
DO-BAR-125	687704	Diffusor Plate for EBar 125	34,10
DF-QBR3-100030	688483	Diffusor for QBR3-10030 illuminator	33,72
DO-BAR-375	688512	Opaque diffuser for type 375 LED bar illuminator	65,15
DF-QBR3-050030	688676	Diffusor for QBR3-050030 Led Illuminator	27,60
VCFXYBKL0504B	690031	Collimator filter xy axis for BKL0504B	184,00
VCFXYBKL0505A	690183	Collimator filter X and Y axis for BKL0505A	207,30
DS-BAR-125	690345	Satin Diffusor for Bar 125	35,64
DF-QBR3-100015	690554	Diffusor for QBR3-100015	27,60
DO-BAR-250	690817	Opaque diffusor for Bar 250	45,98
VDFPLC0615A	692822	Diffuser filter for PLC0615A	64,45
DS-BAR-500	693939	Satin diffusor for BAR 500	84,35
VDFPLC0824C	695265	Diffusor for PLC0824C	79,80
DF-LDR-70 2MM	695781	Diffusor plate for LDR 70	33,72
DS-BAR-250	696450	Satin Diffusor for Bar 250	45,98
V430-AF4	702585	Kit, YAG Filter, F/V43XX	314,10
V430-AF2R	698203	Kit de instalación del difusor del anillo de luz V/F 4x0-F	222,20
DF-QRL3-090050	698322	Diffusor for QRL3-090050	84,65

OMRON PVPR 2023

DO-30X20	699441	Opaque diffuser 300 X 200 mm	78,55
VCFXYBKL0705B	699500	Collimator filter X and Y axis for BKL0705B	216,30
DS-BAR-750	700205	Satin diffuser for BAR 750	121,40
DO-TSPOT1	700813	Diffusor option for TSpot1, opaque	89,90
V430-AF5	702586	Kit, ESD Window, F/V4XX	102,50
DO-BAR-500	701634	Opaque diffuser for Bar 500	82,60
DS-BAR-625	702215	Diffusor for Bar 625	106,30
VCFXYPLC2060C	702447	Collimator filter X and Y axis for PLC2060C	625,50
DF-QBR3-350015	707136	Diffuser for QBR3-350015 LED illuminator	65,65
DO-BAR-625	707319	Opaque diffuser for 625 mm bar light	101,70
DT-BAR-125	707727	Transparent diffuser for bar light 125	28,75
DF-LDL2-197X16	708461	Diffusion plate for LDL2-197x16	58,00
V430-AF1	709196	Difusor V430	67,15
PD2-3024-2(A)	238127		809,00
PD3-3024-3-EI(A)	671271	Digital Power supply unit for 24VDC lights, 28W, Ethernet communication (TCP-I	810,00
PD2-3024(A)	681053	Digital Power supply unit for 24 VDC lights, 1 channel, 28 W	626,00
PWR-PSI450-6	681404	Fuente de alimentación de 12 Vcc con conector hembra Hirose de 6 pines en el	168,40
PWR-PSISP-20	681407	Fuente de Alimentación 12 Vcc con 12-pin Hirose Hembra, 6 m cable, con CA co	147,70
PWR-PSISP-6	681396	Fuente de Alimentación 12 Vcc con 12-pin Hirose Hembra, 1.8 m cable, con CA d	119,30
97-000012-01	682321	Fuente de alimentación, 100 a 240 Vca, +24 Vcc, base de 12 contactos M12	188,40
97-000012-02	682385	Fuente de alimentación, 100 a 240 Vca, +24 Vcc, TRK 3 contactos, enchufe USA/	207,00
XC-D3524-2-ET(A)	690619	Strobe controller for LED Illuminator, 2 channels, 35 W, 24 VDC	758,50
96PSA-A90W19OT-3	692769	Power supply, ADP A/D 100-240 V, 90 W, 19 V W/PFC	39,23
PD3-5024-3-ET(A)	699180	Digital Power supply unit for 24 VDC lights, 48 W - 3 channels, input: 24 VDC, Eth	1 213,00
V410-AC0-1	700371	Fuente de alimentación de CA V410-H de 5.2 V CC, 1.1 A.	66,50
PD3-5024-4-ET(A)	700869	Digital Power supply unit for 24VDC lights, 46W - 4 channels, Ethernet communi	1 562,00
PSB4-30024-PEI	703176	Constant-voltage analog control unit 100 to 240 VAC	2 558,00
V410-AC0-1	709094	Fuente de alimentación de CA V410-H de 5.2 V CC, 1.1 A.	66,50
97-000011-01	709146	Fuente de Alimentación, 100 para 240 Vca, +5 Vcc, 5-pin, USA/EUR Plug	126,60
97-000011-02	709147	Fuente de Alimentación, 100 para 240 Vca, +5 Vcc, 2PN PLG, USA/EUR Plug	126,60
97-000012-01	709148	Fuente de alimentación, 100 a 240 Vca, +24 Vcc, base de 12 contactos M12	188,40
97-000012-02	709149	Fuente de alimentación, 100 a 240 Vca, +24 Vcc, TRK 3 contactos, enchufe USA/	207,00
97-000012-04	709150	QX Power Supply, 24 V DC, M12 12-pin Plug, USA /Euro Plug	183,50

OMRON PVPR 2023

97-9000006-01	709151	Fuente de Alimentación, 5 V para uso con 61-9000037-01 y 61-9000038-01 cable	48,43
FL-STC15	354134	Controlador iluminación Omron 1 canal PNP	638,00
FL-STC25	354136	Controlador iluminación Omron 2 canales PNP	849,50
FL-TCC1	355849	Controlador estroboscópico para iluminación de visión, 1 canal, soporte independiente	530,00
CC-ST-1024	357973	Controller for LED lighting, 24 VDC, max. 10 W, DIN rail mounting	389,90
FLV-TCC1	378512	Controlador de iluminación para cámara estándar 1 canal para FLV	348,70
FLV-TCC4	378516	controlador de iluminación de 4 canales para cámara con montaje estándar para	701,50
FLV-ATC21024-C	378517	Regulador de iluminación analógica 2 canales 24	482,00
FLV-ATC41024-C	378518	Regulador de iluminación analógica 4 canales 24	558,50
FLV-ATC10405-C	378519	Analog Dimming 1ch 5V for spot lighting	524,00
FLV-ATC40405-C	378520	Analog Dimming 4ch 5V for spot lighting	664,50
SCU2-1024(A)	659265	FH/FZ/ZFX lighting strobe controller for CCS lightings	414,40
PB-2430-1	675372	DC Input Controller 24 V, 1 channel	285,30
LTDV1CH-17V	680720	LED Light Strobe controller, 1 channel, variable current 5 mA - 17A, 24 V	1 220,00
FL-TCC1PS	684309	Controlador de iluminación para luces fotométricas estéreo	729,50
VST11I	683982	Controlador estroboscópico 1 entrada 1 salida	839,50
LTDVE8CH-20	691181	LED Light Strobe controller, 8 channel, Ethernet, 24 V	3 167,00
PJ2-1505-2CA-PE	693826	Dedicated Analog Control Units for the Spot Light HLV3/HLV2 series, 2 channels,	1 089,00
CN-4024-2-EIPT	694032	LED Light controller, EtherNet/IP interface, 2 channels, max 40 W per channel, n	1 490,00
PF-A16048-4	699597	Multi-functional Control Unit for High Power Strobe LEDs, 4 channels, Variable-v	2 989,00
PF-A4048-2	699940	Multi-functional Control Unit for High Power Strobe LEDs, 2 channels, variable-v	1 563,00
LTDVE2CH-20F	702159	LED Strobe controller 2 channels, 20 A / 40 A pulsed - 2 A / 4 A continuous, fast v	1 293,00
98-LVS0367	688028	Light tower Interface unit LVS 75xx	676,50
98-PCB0236	686998	PCB Pop Light Tray for LVS-9510	427,40
98-9000095-01	683333	Kit, 8" Lector con CAB, Printronix	2 027,00
98-9000100-01	688026	KIT, 5" sensor white molex conn	1 235,00
98-PNL046	689500	Top Cover Lit for LVS 9510	60,75
98-9000098-01	685531	Kit, 8" Lector con CAB, Zebra 170XI	2 027,00
98-9000236-01	708957	Kit, Servicio, LVS 7500 Lector, 5	3 467,00
V275-ACEAN028-01	699588	V275 calibration conformance test card, 4", serialized, undated	120,90
V275-ACEAN029-01	699587	V275 calibration conformance test card, 6", serialized, undated	165,00
V275-ALRYGZZT	699586	Light tower for use with the V275. Includes light tower and cable for connecting	1 265,00
V275-ALCBL0ZT	699585	V275 light tower cable, unterminated, for ZEBRA ZT	165,00

OMRON PVPR 2023

V275-RRH04ZEB	699584	Kit, V275, 4" read head replacement for ZEBRA ZT	4 244,00
V275-RRH06ZEB	699583	Kit, V275, 6" read head replacement for ZEBRA ZT	5 965,00
V275-RRPC0ZEB	699580	Kit, V275, ZEBRA ZT rear panel cable	1 088,00
V275-APIQOQ03-01	700675	V275 IQ/OQ/PQ procedure, 300 & 600 DPI printers	3 618,00
CIMR-AC4A0088AAA-S0030	686185	A1000 inverter: 3~ 400 V, HD: 37 kW 75 A, ND: 45 kW 88 A, max. output freq. 40	6 185,00
XW5T-S35-1.1-1	669254	Bornes de paso de carril DIN a tornillo, sección nominal 35 mm ² , color gris	5,62
XW5T-S150-1.1-1BL	669299	Bornes de paso de carril DIN a tornillo, sección nominal 150 mm ² , color azul	38,60
XW5T-S4.0-1.2-1BL	669310	Bornes de paso de carril DIN a tornillo 3 conductores, sección nominal 2.5 mm ² ,	2,06
XW5T-S2.5-1.1-2	669326	Bornes de paso de carril DIN a tornillo 2 pisos, sección nominal 2.5 mm ² , color g	3,16
XW5T-S2.5-1.1-1	669329	Bornes de paso de carril DIN a tornillo, sección nominal 2.5 mm ² , color gris	0,84
XW5T-S6.0-1.1-1	669323	Bornes de paso de carril DIN a tornillo, sección nominal 6 mm ² , color gris	1,53
XW5T-S4.0-1.1-1BL	669336	Bornes de paso de carril DIN a tornillo, sección nominal 4 mm ² , color azul	0,98
XW5T-S150-1.1-1	669338	Bornes de paso de carril DIN a tornillo, sección nominal 150 mm ² , color gris	38,60
XW5T-S4.0-2.2-1BL	669290	Bornes de paso de carril DIN a tornillo 4 conductores, sección nominal 4 mm ² , co	2,39
XW5T-S2.5-1.1-2V	669264	Bornes de paso de carril DIN a tornillo 2 pisos, sección nominal 2.5 mm ² , conexi	4,29
XW5T-S6.0-1.1-1BL	669304	Bornes de paso de carril DIN a tornillo, sección nominal 6 mm ² , color azul	1,53
XW5T-S35-1.1-1BL	669266	Bornes de paso de carril DIN a tornillo, sección nominal 35 mm ² , color azul	5,62
XW5T-S4.0-1.2-1	669287	Bornes de paso de carril DIN a tornillo 3 conductores, sección nominal 2.5 mm ² ,	2,06
XW5T-S4.0-2.2-1	669281	Bornes de paso de carril DIN a tornillo 4 conductores, sección nominal 4 mm ² , co	2,39
XW5T-S4.0-1.1-2V	669251	Bornes de paso de carril DIN a tornillo 2 pisos, sección nominal 4 mm ² , conexión	4,04
XW5T-S16-1.1-1	669316	Bornes de paso de carril DIN a tornillo, sección nominal 16 mm ² , color gris	2,67
XW5T-S16-1.1-1BL	669263	Bornes de paso de carril DIN a tornillo, sección nominal 16 mm ² , color azul	2,67
XW5T-S70-1.1-1	669268	Bornes de paso de carril DIN a tornillo, sección nominal 70 mm ² , color gris	23,04
XW5T-S70-1.1-1BL	669286	Bornes de paso de carril DIN a tornillo, sección nominal 70 mm ² , color azul	23,04
XW5T-S2.5-1.1-1BL	669291	Bornes de paso de carril DIN a tornillo, sección nominal 2.5 mm ² , color azul	0,84
XW5T-S4.0-1.1-1	669265	Bornes de paso de carril DIN a tornillo, sección nominal 4 mm ² , color gris	0,98
XW5T-S10-1.1-1	669337	Bornes de paso de carril DIN a tornillo, sección nominal 10 mm ² , color gris	2,15
XW5T-S10-1.1-1BL	669342	Bornes de paso de carril DIN a tornillo, sección nominal 10 mm ² , color azul	2,15
XW5T-S4.0-1.1-2	669311	Bornes de paso de carril DIN a tornillo 2 pisos, sección nominal 4 mm ² , color gris	2,96
XW5T-P1.5-2.2-1	669980	Bornes de paso de carril DIN 4 conductores, sección nominal 1 mm ² , color gris, P	1,54
XW5T-P1.5-1.1-1BL	669995	Bornes de paso de carril DIN, sección nominal 1 mm ² , color azul, Push-in+	1,06
XW5T-P1.5-1.1-1	669988	Bornes de paso de carril DIN, sección nominal 1 mm ² , color gris, Push-in+	1,06
XW5T-P1.5-2.2-1BL	670008	Bornes de paso de carril DIN 4 conductores, sección nominal 1 mm ² , color azul, f	1,54

OMRON PVPR 2023

XW5T-P1.5-1.2-1	669976	Bornes de paso de carril DIN 3 conductores, sección nominal 1 mm ² , color gris, Push-in+	1,38
XW5T-P1.5-1.2-1BL	670002	Bornes de paso de carril DIN 3 conductores, sección nominal 1 mm ² , color azul, Push-in+	1,38
XW5T-P2.5-1.1-1BL	669968	Bornes de paso de carril DIN, sección nominal 2.5 mm ² , color azul, Push-in+	1,17
XW5T-P1.5-1.1-2	669999	Bornes de paso de carril DIN 2 pisos, sección nominal 1 mm ² , color gris, Push-in+	2,14
XW5T-P2.5-1.1-1	669950	Bornes de paso de carril DIN, sección nominal 2.5 mm ² , color gris, Push-in+	1,15
XW5T-P1.5-1.1-2BL	670003	Bornes de paso de carril DIN 2 pisos, sección nominal 1 mm ² , color azul, Push-in+	2,14
XW5T-P4.0-1.1-1BL	669953	Bornes de paso de carril DIN, sección nominal 4 mm ² , color azul, Push-in+	1,20
XW5T-P4.0-1.1-1	670007	Bornes de paso de carril DIN, sección nominal 4 mm ² , color gris, Push-in+	1,20
XW5T-P2.5-2.2-1	676116	Bornes de paso de carril DIN 4 conductores, sección nominal 2.5mm ² , color gris, Push-in+	2,19
XW5T-P2.5-1.1-2	676108	Bornes de paso de carril DIN 2 pisos, sección nominal 2.5 mm ² , color gris, Push-in+	3,78
XW5T-P2.5-1.2-1	676107	Bornes de paso de carril DIN 3 conductores, sección nominal 2.5mm ² , color gris, Push-in+	1,85
XW5T-P2.5-2.2-1BL	676100	Bloque terminal multiconductor pasante para carril DIN con 4 conexiones Push-in+	2,19
XW5T-P4.0-1.1-2	676101	Multi-tier feed-through DIN rail terminal block with push-in plus connection for 4 conductors	5,05
XW5T-P2.5-1.1-2BL	676121	Multi-tier feed-through DIN rail terminal block with push-in plus connection for 2 conductors	3,78
XW5T-P4.0-2.2-1	676115	Bloque terminal multiconductor pasante para carril DIN con 4 conexiones Push-in+	2,14
XW5T-P4.0-1.1-2BL	676113	Multi-tier feed-through DIN rail terminal block with push-in plus connection for 4 conductors	5,05
XW6T-COM1.5X8RD	687922	Interfaz para sistema de cableado con indicador de inserción correcta de cables, 8 posiciones	4,99
XW6T-COM1.5X8BL	687935	Interfaz para sistema de cableado con indicador de inserción correcta de cables, 8 posiciones	4,99
XW6T-COM1.5X8YL	687934	Interfaz para sistema de cableado con indicador de inserción correcta de cables, 8 posiciones	5,09
XW6T-COM1.5X12RD	687933	Interfaz para sistema de cableado con indicador de inserción correcta de cables, 12 posiciones	7,48
XW6T-COM1.5X12BL	687932	Interfaz para sistema de cableado con indicador de inserción correcta de cables, 12 posiciones	7,48
XW6T-COM1.5X12YL	687931	Interfaz para sistema de cableado con indicador de inserción correcta de cables, 12 posiciones	7,62
XW6T-COM1.5X16RD	687930	Interfaz para sistema de cableado con indicador de inserción correcta de cables, 16 posiciones	9,97
XW6T-COM1.5X16BL	687929	Interfaz para sistema de cableado con indicador de inserción correcta de cables, 16 posiciones	9,97
XW6T-COM1.5X16YL	687928	Interfaz para sistema de cableado con indicador de inserción correcta de cables, 16 posiciones	10,16
XW6T-COM1.5X20RD	687927	Interfaz para sistema de cableado con indicador de inserción correcta de cables, 20 posiciones	12,45
XW6T-COM1.5X20BL	687926	Interfaz para sistema de cableado con indicador de inserción correcta de cables, 20 posiciones	12,45
XW6T-COM1.5X20YL	687925	Interfaz para sistema de cableado con indicador de inserción correcta de cables, 20 posiciones	12,68
XW6T-COM1.5X40RD	687924	Interfaz para sistema de cableado con indicador de inserción correcta de cables, 40 posiciones	24,89
XW6T-COM1.5X40BL	687923	Interfaz para sistema de cableado con indicador de inserción correcta de cables, 40 posiciones	24,89
XW6T-COM1.5X40YL	687947	Interfaz para sistema de cableado con indicador de inserción correcta de cables, 40 posiciones	25,35
XW6T-COM2.5X8RD	687946	Interfaz para sistema de cableado con indicador de inserción correcta de cables, 8 posiciones	5,52
XW6T-COM2.5X8BL	687945	Interfaz para sistema de cableado con indicador de inserción correcta de cables, 8 posiciones	5,63

OMRON PVPR 2023

XW6T-COM2.5X8YL	687943	Interfaz para sistema de cableado con indicador de inserción correcta de cables,	5,63
XW6T-COM2.5X12RD	687942	Interfaz para sistema de cableado con indicador de inserción correcta de cables,	8,27
XW6T-COM2.5X12BL	687944	Interfaz para sistema de cableado con indicador de inserción correcta de cables,	8,27
XW6T-COM2.5X12YL	687941	Interfaz para sistema de cableado con indicador de inserción correcta de cables,	8,42
XW6T-COM2.5X16RD	687940	Interfaz para sistema de cableado con indicador de inserción correcta de cables,	11,01
XW6T-COM2.5X16BL	687939	Interfaz para sistema de cableado con indicador de inserción correcta de cables,	11,01
XW6T-COM2.5X16YL	687938	Interfaz para sistema de cableado con indicador de inserción correcta de cables,	11,21
XW6T-COM2.5X20RD	687937	Interfaz para sistema de cableado con indicador de inserción correcta de cables,	13,75
XW6T-COM2.5X20BL	687936	Interfaz para sistema de cableado con indicador de inserción correcta de cables,	13,75
XW6T-COM2.5X20YL	687921	Interfaz para sistema de cableado con indicador de inserción correcta de cables,	14,01
XW6T-COM2.5X40RD	687920	Interfaz para sistema de cableado con indicador de inserción correcta de cables,	27,50
XW6T-COM2.5X40BL	687919	Interfaz para sistema de cableado con indicador de inserción correcta de cables,	27,50
XW6T-COM2.5X40YL	687918	Interfaz para sistema de cableado con indicador de inserción correcta de cables,	28,01
XW5G-S10-1.1-1	669285	Bornes de tierra de carril DIN a tornillo, 10 mm ² , color verde/ama	4,53
XW5G-S2.5-1.1-1	669252	Bornes de tierra de carril DIN a tornillo, 2.5 mm ² , color verde/ama	2,69
XW5G-S70-1.1-1	669253	Bornes de tierra de carril DIN a tornillo, 70 mm ² , color verde/ama	44,62
XW5G-S16-1.1-1	669277	Bornes de tierra de carril DIN a tornillo, 16 mm ² , color verde/ama	6,13
XW5G-S35-1.1-1	669331	Bornes de tierra de carril DIN a tornillo, 35 mm ² , color verde/ama	8,63
XW5G-S4.0-2.2-1	669341	Bornes de tierra de carril DIN a tornillo 4 conductores, 4 mm ² , color verde/ama	5,90
XW5G-S4.0-1.1-2	669269	Bornes de tierra de carril DIN a tornillo 2 pisos, 4 mm ² , color verde/ama	8,42
XW5G-S4.0-1.1-1	669324	Bornes de tierra de carril DIN a tornillo, 4 mm ² , color verde/ama	3,06
XW5G-S4.0-1.2-1	669325	Bornes de tierra de carril DIN a tornillo 3 conductores, 4 mm ² , color verde/ama	4,94
XW5G-S6.0-1.1-1	669340	Bornes de tierra de carril DIN a tornillo, 6 mm ² , color verde/ama	3,89
XW5G-P1.5-1.1-1	669962	Bornes de tierra de carril DIN, 1 mm ² , color verde/ama Push-in+	2,39
XW5G-P1.5-2.2-1	670000	Bornes de tierra de carril DIN 4 conductores, 1 mm ² , color verde/ama Push-in+	3,05
XW5G-P1.5-1.2-1	669956	Bornes de tierra de carril DIN 3 conductores, 1 mm ² , color verde/ama Push-in+	2,88
XW5G-P4.0-1.1-1	669987	Bornes de tierra de carril DIN, 4 mm ² , color verde/ama Push-in+	2,78
XW5G-P1.5-1.1-2	670015	Bornes de tierra de carril DIN 2 pisos, 1 mm ² , color verde/ama Push-in+	4,61
XW5G-P2.5-1.1-1	669959	Bornes de tierra de carril DIN, 2.5 mm ² , color verde/ama Push-in+	2,64
XW5G-P2.5-2.2-1	676104	Bloque terminal multiconductor a tierra para carril DIN con 4 conexiones Push-In	2,60
XW5G-P4.0-1.1-2	676102	Ground multi-tier DIN rail terminal block with push-in plus connections for four	6,53
XW5G-P4.0-2.2-1	676111	Ground multi conductor DIN rail terminal block with 4 push-in plus connections	2,67
XW5G-P2.5-1.2-1	676103	Bornes de tierra de carril DIN 3 conductores, 2.5mm ² , color verde/ama Push-in+	2,41

OMRON PVPR 2023

XW5G-P2.5-1.1-2	676099	Terminales a tierra para carril DIN con conexiones Push-in Plus para montaje en	6,53
XW5T-S4.0-FU5	669283	Bornes de fusible de carril DIN a tornillo, 6.3A , sección nominal 4 mm ² , color gris	7,58
XW5T-S4.0-KD	669306	Bornes seccionadores de carril DIN a tornillo, sección nominal de 4 mm ² , color gris	3,68
XW5T-S4.0-FU6	669249	Bornes de fusible de carril DIN a tornillo, 10A , sección nominal 4 mm ² , color gris	9,71
XW5S-S2.5-5	669262	Puentes de conexión para bornes de carril DIN a tornillo, 2.5 mm ² , 5 polos, color gris	2,22
XW5S-S4.0-5	669303	Puentes de conexión para bornes de carril DIN a tornillo, 4 mm ² , 5 polos, color gris	2,33
XW5S-S2.5-3N	669271	Puentes de conexión con tornillo para bornes de carril DIN a tornillo, 2.5 mm ² , 3 polos, color gris	2,48
XW5S-S2.5-10N	669312	Puentes de conexión con tornillo para bornes de carril DIN a tornillo, 2.5 mm ² , 10 polos, color gris	7,34
XW5S-S2.5-4	669297	Puentes de conexión para bornes de carril DIN a tornillo, 2.5 mm ² , 4 polos, color gris	1,67
XW5S-S4.0-3	669278	Puentes de conexión para bornes de carril DIN a tornillo, 4 mm ² , 3 polos, color gris	1,17
XW5S-S6.0-4	669315	Puentes de conexión para bornes de carril DIN a tornillo, 6 mm ² , 4 polos, color gris	2,74
XW5S-S16-2	669279	Puentes de conexión para bornes de carril DIN a tornillo, 16 mm ² , 2 polos, color gris	2,79
XW5S-S2.5-2N	669330	Puentes de conexión con tornillo para bornes de carril DIN a tornillo, 2.5 mm ² , 2 polos, color gris	1,81
XW5S-S6.0-2	669328	Puentes de conexión para bornes de carril DIN a tornillo, 6 mm ² , 2 polos, color gris	1,20
XW5S-S2.5-5N	669305	Puentes de conexión con tornillo para bornes de carril DIN a tornillo, 2.5 mm ² , 5 polos, color gris	3,94
XW5S-S2.5-3	669256	Puentes de conexión para bornes de carril DIN a tornillo, 2.5 mm ² , 3 polos, color gris	1,12
XW5S-S4.0-4	669313	Puentes de conexión para bornes de carril DIN a tornillo, 4 mm ² , 4 polos, color gris	1,77
XW5S-S4.0-10	669255	Puentes de conexión para bornes de carril DIN a tornillo, 4 mm ² , 10 polos, color gris	5,25
XW5S-S6.0-3	669298	Puentes de conexión para bornes de carril DIN a tornillo, 6 mm ² , 3 polos, color gris	1,83
XW5S-S6.0-5	669327	Puentes de conexión para bornes de carril DIN a tornillo, 6 mm ² , 5 polos, color gris	3,43
XW5S-S2.5-10	669284	Puentes de conexión para bornes de carril DIN a tornillo, 2.5 mm ² , 10 polos, color gris	4,94
XW5S-S4.0-2	669301	Puentes de conexión para bornes de carril DIN a tornillo, 4 mm ² , 2 polos, color gris	0,64
XW5S-S2.5-4N	669302	Puentes de conexión con tornillo para bornes de carril DIN a tornillo, 2.5 mm ² , 4 polos, color gris	3,23
XW5S-S2.5-2	669280	Puentes de conexión para bornes de carril DIN a tornillo, 2.5 mm ² , 2 polos, color gris	0,61
XW5S-S10-2	669314	Puentes de conexión para bornes de carril DIN a tornillo, 10 mm ² , 2 polos, color gris	2,40
XW5S-P1.5-3RD	669966	Puentes de conexión para bornes de carril DIN, 1 mm ² , 3 polos, color rojo, Push-in	1,25
XW5S-P2.5-2RD	670009	Puentes de conexión para bornes de carril DIN, 2,5 mm ² , 2 polos, color rojo, Push-in	1,14
XW5S-P1.5-10BL	670046	Puentes de conexión para bornes de carril DIN, 1 mm ² , 10 polos, color azul, Push-in	5,53
XW5S-P4.0-5YL	670005	Puentes de conexión para bornes de carril DIN, 4 mm ² , 5 polos, color amarillo, Push-in	2,70
XW5S-P1.5-4RD	669998	Puentes de conexión para bornes de carril DIN, 1 mm ² , 4 polos, color rojo, Push-in	1,55
XW5S-P2.5-3RD	669979	Puentes de conexión para bornes de carril DIN, 2,5 mm ² , 3 polos, color rojo, Push-in	1,48
XW5S-P4.0-10RD	670045	Puentes de conexión para bornes de carril DIN, 4 mm ² , 10 polos, color rojo, Push-in	5,73
XW5S-P1.5-3YL	669971	Puentes de conexión para bornes de carril DIN, 1 mm ² , 3 polos, color amarillo, Push-in	1,25

OMRON PVPR 2023

XW5S-P4.0-3YL	669993	Puentes de conexión para bornes de carril DIN, 4 mm ² , 3 polos, color amarillo, P	1,65
XW5S-P4.0-4YL	669992	Puentes de conexión para bornes de carril DIN, 4 mm ² , 4 polos, color amarillo, P	2,04
XW5S-P1.5-10RD	670043	Puentes de conexión para bornes de carril DIN, 1 mm ² , 10 polos, color rojo, Push	5,53
XW5S-P1.5-5BL	669989	Puentes de conexión para bornes de carril DIN, 1 mm ² , 5 polos, color azul, Push-	2,32
XW5S-P2.5-4BL	670014	Puentes de conexión para bornes de carril DIN, 2,5 mm ² , 4 polos, color azul, Pus	1,73
XW5S-P2.5-5RD	669963	Puentes de conexión para bornes de carril DIN, 2,5 mm ² , 5 polos, color rojo, Pus	2,04
XW5S-P4.0-3RD	669982	Puentes de conexión para bornes de carril DIN, 4 mm ² , 3 polos, color rojo, Push-	1,65
XW5S-P1.5-4BL	669974	Puentes de conexión para bornes de carril DIN, 1 mm ² , 4 polos, color azul, Push-	1,55
XW5S-P4.0-3BL	669961	Puentes de conexión para bornes de carril DIN, 4 mm ² , 3 polos, color azul, Push-	1,65
XW5S-P4.0-2BL	670004	Puentes de conexión para bornes de carril DIN, 4 mm ² , 2 polos, color azul, Push-	1,34
XW5S-P1.5-10YL	670049	Puentes de conexión para bornes de carril DIN, 1 mm ² , 10 polos, color Amarillo,	5,53
XW5S-P2.5-4YL	669969	Puentes de conexión para bornes de carril DIN, 2,5 mm ² , 4 polos, color amarillo,	1,73
XW5S-P4.0-2YL	669965	Puentes de conexión para bornes de carril DIN, 4 mm ² , 2 polos, color amarillo, P	1,34
XW5S-P4.0-10BL	670048	Puentes de conexión para bornes de carril DIN, 4 mm ² , 10 polos, color azul, Push	5,73
XW5S-P1.5-5YL	669964	Puentes de conexión para bornes de carril DIN, 1 mm ² , 5 polos, color amarillo, P	2,32
XW5S-P2.5-2YL	669952	Puentes de conexión para bornes de carril DIN, 2,5 mm ² , 2 polos, color amarillo,	1,14
XW5S-P4.0-10YL	670051	Puentes de conexión para bornes de carril DIN, 4 mm ² , 10 polos, color amarillo,	5,73
XW5S-P1.5-5RD	669991	Puentes de conexión para bornes de carril DIN, 1 mm ² , 5 polos, color rojo, Push-	2,32
XW5S-P4.0-5RD	669985	Puentes de conexión para bornes de carril DIN, 4 mm ² , 5 polos, color rojo, Push-	2,70
XW5S-P1.5-2BL	669972	Puentes de conexión para bornes de carril DIN, 1 mm ² , 2 polos, color azul, Push-	0,99
XW5S-P1.5-3BL	669981	Puentes de conexión para bornes de carril DIN, 1 mm ² , 3 polos, color azul, Push-	1,25
XW5S-P2.5-3BL	669983	Puentes de conexión para bornes de carril DIN, 2,5 mm ² , 3 polos, color azul, Pus	1,48
XW5S-P1.5-2YL	669996	Puentes de conexión para bornes de carril DIN, 1 mm ² , 2 polos, color amarillo, P	0,99
XW5S-P2.5-5YL	669978	Puentes de conexión para bornes de carril DIN, 2,5 mm ² , 5 polos, color amarillo,	2,04
XW5S-P2.5-10YL	670050	Puentes de conexión para bornes de carril DIN, 2,5 mm ² , 10 polos, color amarillo,	5,53
XW5S-P2.5-4RD	670001	Puentes de conexión para bornes de carril DIN, 2,5 mm ² , 4 polos, color rojo, Pus	1,73
XW5S-P2.5-10RD	670044	Puentes de conexión para bornes de carril DIN, 2,5 mm ² , 10 polos, color rojo, Pu	5,53
XW5S-P2.5-2BL	670006	Puentes de conexión para bornes de carril DIN, 2,5 mm ² , 2 polos, color azul, Pus	1,14
XW5S-P4.0-4BL	669957	Puentes de conexión para bornes de carril DIN, 4 mm ² , 4 polos, color azul, Push-	2,04
XW5S-P4.0-2RD	669977	Puentes de conexión para bornes de carril DIN, 4 mm ² , 2 polos, color rojo, Push-	1,34
XW5S-P2.5-10BL	670047	Puentes de conexión para bornes de carril DIN, 2,5 mm ² , 10 polos, color azul, Pu	5,53
XW5S-P1.5-4YL	669986	Puentes de conexión para bornes de carril DIN, 1 mm ² , 4 polos, color amarillo, P	1,55
XW5S-P2.5-3YL	669951	Puentes de conexión para bornes de carril DIN, 2,5 mm ² , 3 polos, color amarillo,	1,48

OMRON PVPR 2023

XW5S-P1.5-2RD	669954	Puentes de conexión para bornes de carril DIN, 1 mm ² , 2 polos, color rojo, Push-	0,99
XW5S-P4.0-4RD	669970	Puentes de conexión para bornes de carril DIN, 4 mm ² , 4 polos, color rojo, Push-	2,04
XW5S-P2.5-5BL	670012	Puentes de conexión para bornes de carril DIN, 2,5 mm ² , 5 polos, color azul, Pus	2,04
XW5S-P4.0-5BL	669997	Puentes de conexión para bornes de carril DIN, 4 mm ² , 5 polos, color azul, Push-	2,70
XW5Z-S2.5LB-21-30	669272	Etiqueta para bornas de carril DIN a tornillo 2.5 mm ² , marcado 21 - 30, en tira	0,65
XW5Z-S4.0LB-71-80	669276	Etiqueta para bornas de carril DIN a tornillo 4 mm ² , marcado 71 - 80, en tira	0,65
XW5Z-S2.5LB-61-70	669294	Etiqueta para bornas de carril DIN a tornillo 2.5 mm ² , marcado 61 - 70, en tira	0,65
XW5Z-S4.0LB-41-50	669309	Etiqueta para bornas de carril DIN a tornillo 4 mm ² , marcado 41 - 50, en tira	0,65
XW5Z-S4.0LB-91-100	669248	Etiqueta para bornas de carril DIN a tornillo 4 mm ² , marcado 91 - 100, en tira	0,65
XW5Z-S6.0LB-31-40	669260	Etiqueta para bornas de carril DIN a tornillo 6 mm ² , marcado 31 - 40, en tira	0,77
XW5Z-S6.0LB-51-60	669320	Etiqueta para bornas de carril DIN a tornillo 6 mm ² , marcado 51 - 60, en tira	0,77
XW5Z-S2.5LB-71-80	669245	Etiqueta para bornas de carril DIN a tornillo 2.5 mm ² , marcado 71 - 80, en tira	0,65
XW5Z-S6.0LB-21-30	669318	Etiqueta para bornas de carril DIN a tornillo 6 mm ² , marcado 21 - 30, en tira	0,77
XW5Z-S6.0LB-71-80	669273	Etiqueta para bornas de carril DIN a tornillo 6 mm ² , marcado 71 - 80, en tira	0,77
XW5Z-S2.5LB-11-20	669274	Etiqueta para bornas de carril DIN a tornillo 2.5 mm ² , marcado 11 - 20, en tira	0,65
XW5Z-S4.0LB-61-70	669244	Etiqueta para bornas de carril DIN a tornillo 4 mm ² , marcado 61 - 70, en tira	0,65
XW5Z-S6.0LB-41-50	669322	Etiqueta para bornas de carril DIN a tornillo 6 mm ² , marcado 41 - 50, en tira	0,77
XW5Z-S6.0LB-61-70	669292	Etiqueta para bornas de carril DIN a tornillo 6 mm ² , marcado 61 - 70, en tira	0,77
XW5Z-S2.5LB	669288	Etiqueta sin marcar para bornas de carril DIN a tornillo 2.5 mm ² , para 5 y 10 mm	0,40
XW5Z-S2.5LB-41-50	669261	Etiqueta para bornas de carril DIN a tornillo 2.5 mm ² , marcado 41 - 50, en tira	0,65
XW5Z-S2.5LB-31-40	669334	Etiqueta para bornas de carril DIN a tornillo 2.5 mm ² , marcado 31 - 40, en tira	0,65
XW5Z-S4.0LB	669289	Etiqueta sin marcar para bornas de carril DIN a tornillo 4 mm ² , para 5 y 10 mm d	0,40
XW5Z-S4.0LB-11-20	669295	Etiqueta para bornas de carril DIN a tornillo 4 mm ² , marcado 11 - 20, en tira	0,65
XW5Z-S6.0LB-81-90	669275	Etiqueta para bornas de carril DIN a tornillo 6 mm ² , marcado 81 - 90, en tira	0,77
XW5Z-S6.0LB-91-100	669242	Etiqueta para bornas de carril DIN a tornillo 6 mm ² , marcado 91 - 100, en tira	0,77
XW5Z-S4.0LB-51-60	669308	Etiqueta para bornas de carril DIN a tornillo 4 mm ² , marcado 51 - 60, en tira	0,65
XW5Z-S6.0LB-1-100	669332	Conjunto de tiquetas para bornas de carril DIN a tornillo 6 mm ² , marcado 1 - 100	187,00
XW5Z-S2.5LB-1-100	669335	Conjunto de tiquetas para bornas de carril DIN a tornillo 2.5 mm ² , marcado 1 - 1	155,40
XW5Z-S4.0LB-31-40	669258	Etiqueta para bornas de carril DIN a tornillo 4 mm ² , marcado 31 - 40, en tira	0,65
XW5Z-S4.0LB-81-90	669246	Etiqueta para bornas de carril DIN a tornillo 4 mm ² , marcado 81 - 90, en tira	0,65
XW5Z-S6.0LB	669293	Etiqueta sin marcar para bornas de carril DIN a tornillo 6 mm ² , para 5 y 10 mm d	0,43
XW5Z-S6.0LB-11-20	669243	Etiqueta para bornas de carril DIN a tornillo 6 mm ² , marcado 11 - 20, en tira	0,77
XW5Z-P1.5LB1	670027	Etiqueta sin marcar para bornas de carril DIN 1 mm ² Push-in+, 102 uds, plástico,	43,06

OMRON PVPR 2023

XW5Z-P1.5LB2	670028	Etiqueta sin marcar para bornas de carril DIN 1 mm ² Push-in+, 108 uds, plástico,	41,19
XW5Z-P2.5LB1	670029	Etiqueta sin marcar para bornas de carril DIN 2.5 mm ² Push-in+, 72 uds, plástico	43,06
XW5Z-P4.0LB1	670031	Etiqueta sin marcar para bornas de carril DIN 4 mm ² Push-in+, 60 uds, plástico, f	43,06
XW5Z-P4.0LB2	670032	Etiqueta sin marcar para bornas de carril DIN 4 mm ² Push-in+, 60 uds, plástico, a	41,19
XW5E-S2.5	669267	Tapa final para bornes de carril DIN a tornillo, 2.5 a 10 mm ²	0,52
XW5E-S2.5N	669317	Tapa final para bornes de carril DIN a tornillo, 2 pisos 2.5 mm ²	0,99
XW5E-S16	669282	Tapa final para bornes de carril DIN a tornillo, 16 mm ²	0,99
XW5E-S4.0-1.2-1	669250	Tapa final para bornes de carril DIN a tornillo, 3 conductores 4 mm ²	0,74
XW5Z-S2.5PT	669300	Placa separadora para bornes de carril DIN a tornillo, 2.5 - 10 mm ²	0,71
XW5E-S4.0-1.1-2	669270	Tapa final para bornes de carril DIN a tornillo, 2 pisos 4 mm ²	0,79
XW5E-S4.0-2.2-1	669339	Tapa final para bornes de carril DIN a tornillo, 4 conductores 4 mm ²	0,79
XW5Z-EP6	670013	Placa separadora para bornes de carril DIN, 6 mm ancho	0,83
XW5E-P1.5-1.2-1	670011	Tapa final para bornes de carril DIN 3 conductores, 1 mm ² Push-in+	0,43
XW5E-P2.5-1.1-1	669949	Tapa final para bornes de carril DIN, 2.5 mm ² Push-in+	0,43
XW5Z-EP12	669994	Placa separadora para bornes de carril DIN, 12 mm ancho	5,46
XW5E-P1.5-1.1-2	669973	Tapa final para bornes de carril DIN 2 pisos, 1 mm ² Push-in+	0,43
XW5E-P1.5-2.2-1	669967	Tapa final para bornes de carril DIN 4 conductores, 1 mm ² Push-in+	0,43
XW5E-P4.0-1.1-1	669960	Tapa final para bornes de carril DIN, 4 mm ² Push-in+	0,43
XW5E-P1.5-1.1-1	669955	Tapa final para bornes de carril DIN, 1 mm ² Push-in+	0,45
XW5E-P2.5-1.1-2	676114	Tapa final para bornes de carril DIN 2 pisos, 2.5mm ² Push-in+	0,83
XW5E-P2.5-1.2-1	676109	Placa de terminación para bloques de terminales multiconductor de 3 conexiones	0,81
XW5E-P2.5-2.2-1	676112	Tapa final para bornes de carril DIN 4 conductores, 2.5 mm ² Push-in+	0,81
XW5E-P4.0-1.1-2	676105	End plate for multi-tier terminal blocks 4 mm ² push-in plus models	0,81
XW5E-P4.0-2.2-1	676098	End plate for multi conductor 4 connections terminal blocks 4 mm ² push-in plus	0,81
XW6E-COM1.5	699557	End plate for XW6 1.5	0,37
XW6E-COM2.5	708852	End plate for XW6 2.5	0,40
CD_RU_INNOVATION_AUTOM_BROCH	707430	CD_RU_INNOVATION_AUTOM_BROCH, Russian language document, produced in	0,11
F39-TGR-NLPC-A	234166	Actuador para F3S-TGR-NLPC	35,42
F39-TGR-NLPR-A	234167	Actuador para F3S-TGR-NLPR	35,42
F39-TGR-NSMC-A	234168	Actuador para F3S-TGR-NSMC	56,65
F39-TGR-NSMR-A	234169	Actuador para F3S-TGR-NSMR	56,65
F39-TGR-NMPP-A	252055	Actuador para F3S-TGR-NMPP	35,42
F39-TGR-NMPC-A	252064	Actuador para F3S-TGR-NMPC	35,42

OMRON PVPR 2023

D40Z-1C-A	356438	Actuador D40Z sin sensor	126,10
F39-TGR-NMHC-A	387876	Actuador para F3S-TGR-NMHC	56,65
F39-TGR-NSPC-A	387877	Actuador para F3S-TGR-NSPC	35,42
F39-TGR-NSHC-A	387878	Actuador para F3S-TGR-NSHC	56,65
F39-TGR-NSFC-A	387879	Actuador para F3S-TGR-NSFC	56,65
F39-TGR-NLMC-A	387880	Actuador para F3S-TGR-NLMC	56,65
F39-TGR-NBPC-A	387881	Actuador para F3S-TGR-NBPC	35,42
F39-TGR-NBMC-A	387882	Actuador para F3S-TGR-NBMC	56,65
F39-TGR-NMHR-A	387907	Actuador para F3S-TGR-NMHR	56,65
F39-TGR-NSPR-A	387908	Actuador para F3S-TGR-NSPR	35,42
F39-TGR-NSHR-A	387909	Actuador para F3S-TGR-NSHR	56,65
F39-TGR-NSFR-A	387910	Actuador para F3S-TGR-NSFR	56,65
F39-TGR-NLMR-A	387911	Actuador para F3S-TGR-NLMR	56,65
F39-TGR-NBPR-A	387912	Actuador para F3S-TGR-NBPR	35,42
F39-TGR-NBMR-A	387913	Actuador para F3S-TGR-NBMR	56,65
F39-TGR-NCPR-A	387914	Actuador para F3S-TGR-NCPR	35,42
F39-TGR-NWPR-A	387915	Actuador para F3S-TGR-NWPR	35,42
F39-TGR-NLMX-A	387945	Actuador para F3S-TGR-NLMX	99,35
F39-TGR-NBMX-A	387946	Actuador para F3S-TGR-NBMX	99,35
D40ML-P2-B-ACT	669701	Actuador D40ML Plástico 900N Básico	102,10
D40ML-M1-B-ACT	669726	Actuador D40ML Metal Fundido 1500N Básico	145,50
D40ML-SS2-B-ACT	669723	Actuador D40ML Plástico 600N Básico	130,00
D40ML-P1-B-ACT	669706	Actuador D40ML Plástico 1500N Básico	116,00
D40ML-SS1-B-ACT	669732	Actuador D40ML Plástico 950N Básico	159,30
D40ML-M2-B-ACT	669729	Actuador D40ML Metal Fundido 900N Básico	120,20
D41D-A1	701127	Actuator for D41D, actuation from side, 2 x M4 screw, 39 x 29.5 x 18 mm	28,30
D41D-A2	701152	Actuator for D41D, frontal actuation, 2 x M5 screw, 60 x 16 x 6.8 mm	28,30
D41D-A3	701151	Actuator for D41D, frontal actuation, 1 x M3 screw, 23 x 9 x 7 mm	28,30
F39-TGR-N-SCREWS	387947	Tornillos antisabotaje F3S-TGR-N	12,78
F39-TGR-NMR-SPACER	387948	Espaciador para F3S-TGR-NMR	12,78
F39-TGR-NSR-SPACER	387949	Espaciador para F3S-TGR-NSR	12,78
F39-TGR-NLR-SPACER	387950	Espaciador para F3S-TGR-NLR	12,78
F39-TGR-NWR-SPACER	387952	Espaciador para F3S-TGR-NWR	12,78

OMRON PVPR 2023

E8FC-YA-R10A	684373	Adaptador de sensor de flujo, macho de roscar R, 10 A 3/8, SUS304	63,90
E8FC-YA-N10A	684374	Flow sensor adapter, NPT taper thread, 10A 3/8, SUS304	63,90
E8FC-YA-R15A	684375	Adaptador de sensor de flujo, macho de roscar R, 15 A 1/2, SUS304	63,90
E8FC-YA-N15A	684376	Flow sensor adapter, NPT taper thread, 15A 1/2, SUS304	63,90
E8FC-YA-R20A	684377	Adaptador de sensor de flujo, macho de roscar R, 20 A 3/4, SUS304	63,90
E8FC-YA-N20A	684378	Flow sensor adapter, NPT taper thread, 20A 3/4, SUS304	63,90
E8FC-YA-R25A	684379	Adaptador de sensor de flujo, macho de roscar R, 25 A 1, SUS304	79,15
E8FC-YA-N25A	684380	Flow sensor adapter, NPT taper thread, 25A 1, SUS304	79,15
E8FC-YL-1	684381	Flow sensor O-ring for E8FC-25	79,15
D41D-SK	701126	Sealing Kit for D41D, 4 flat plugs and 4 plugs with rim for high screw head	8,62
D41D-MS	701150	Mounting Kit for D41D, 2 mounting plates and 4 ferrule plugs	25,84
200-602739-036X	676683	CABPWM-2, Amplifier PWM Cable, 900 mm (36 inches long), mini-D, 36 conduct	163,90
GPL1011000	676720	Geo PWM Direct Digital Drive, 240 V, 1Axes, 10/20 A	2 213,00
300-603403-10X	676712	UMAC_BACKPLANE_6SLOT	257,60
CONKIT6A	676672	Geo brick LV mating connector kit	36,99
GPL0521000	676722	Geo PWM Direct Digital Drive, 240 V, 2Axes, 5/10 A	2 668,00
200-602739-060X	676705	CABPWM-3, Amplifier PWM Cable, 1.5 m (60 inches long), mini-D, 36 conductor	169,20
700-200211-E0X	676867	ACC-24E3 Encoder Splitter Pilz	261,60
20-056-039	676868	Kabel VFT-Orbit 17W4.1 (ACC-59E => 17U1)	51,15
800-UMAC-FAN-KIT	676886	2nd fan on UMAC-Rack	76,70
31E-603269-DTE	676864	UMAC_POWER_SUPPLY_DTE	623,00
900-COP-XPL-HL	676999	Xenus Plus (XPL) Heatsink low	199,30
900-STX-CDHD0124DPB0	677033	CDHD-012 4D PBO	1 819,00
900-COP-XTL-FK	677175	Xenus (XTL) Edge Filter Connector Kit	43,22
900-COP-XPL-230-36-R	677195	Xenus Plus (XPL-R) 230 VAC 12/36 A peak Resolver	2 228,00
900-COP-XPL-HS	677077	Xenus Plus (XPL) Heatsink Standard	229,30
900-ADV500D-XPL	677095	Cable HD DB26, 1.5 m male/female, ADV500D	174,40
CONKIT1A	677196	Geo drive mating connector kit	73,55
900-COP-XTL-RA-04	676966	Xenus (XTL) Regen Resistor 15 Ohm	301,30
900-COP-XTL-FA-01	677055	Xenus (XTL) Edge Filter Accessory	971,00
900-COP-XSJ-230-06-R	676934	Xenus Micro (XSJ) 230VAC 3/6 A peak	1 412,00
900-COP-XSJ-CK	677176	Xenus Micro (XSJ) Connector Kit	153,30
900-COP-ACK-055-06	677158	ACK Micro Module	664,00

OMRON PVPR 2023

3A0-602378-DTE	677151	ACC-39 DTE	437,10
900-COP-XSJ-HK	677029	Xenus Micro (XSJ) Heatsink Kit	237,30
900-COP-XPL-CK	677101	Xenus Plus (XPL) Connector Kit	180,90
900-COP-XPL-230-36	677013	Xenus Plus (XPL) 230 VAC 12/36 A peak Sin/Cos	2 084,00
900-COP-XEL-CK	677180	Xenus Plus (XEL) Connector Kit	144,30
900-COP-XEL-HS	677246	Xenus Plus (XEL) Heatsink Standard	175,70
900-COP-XTL-RA-03	676963	Xenus (XTL) Regen Resistor 30 Ohm	288,20
900-COP-XEL-230-36-R	677202	Xenus Plus (XEL-R) 230VAC 12/36A peak Resolver	2 457,00
900-STX-CDHD0062AAF1	677052	CDHD-006 2A AF1	1 009,00
3-3958A-00-5110-B000	677194	UMAC_ACC_72EX Fieldbus Gateway	734,00
3A3-0042P2-OPT	677137	CABFBR-2	103,90
900-COP-XSJ-230-10-R	677131	Xenus Micro (XSJ) 230VAC 5/10 A peak	1 745,00
900-COP-XTL-CK	676985	Xenus (XTL) Connector Kit	90,45
900-COP-XTL-230-36-R	677066	Xenus (XTL-R) 230VAC 12/36A peak	1 481,00
GPH1511000	677220	Geo PWM Direct Digital Drive, 480 V, 1Axes, 15/30 A	3 204,00
900-COP-XTL-HS	677031	Xenus (XTL) Heatsink Standard	120,70
700-100223-E01	677119	PC104 VSX-6158-V2 w/ heatsink 27*27*8	793,50
3A0-9PLPR2-35X	677156	PMAC LabView Interface Library	1 424,00
900-COP-XPL-230-18	677224	Xenus Plus (XPL) 230VAC 6/18A peak	1 983,00
3-4017A-00-A001-F100	676952	UMAC_PWR_PMAC_ACC_5E3	756,00
900-STX-CDHD0064DEC2	677422	CDHD-006 4D EC2	1 641,00
900-STX-CDHD4D52AEC2	677423	CDHD-4D5 2A EC2ST	1 368,00
900-STX-CDHD-0132APB0-ST	677701	CDHD-013 2A PB0 ST CDHD13A 120/240 VAC Power Block STO	2 010,00
700-200203-AS01	677773	Copley Bantam Interface Board Satisfloh ACC24E3A to Bantam Amplifier	237,90
GPL1021000	677772	Geo PWM Direct Digital Drive, 240V, 2Axes, 10/20A Single Width, Safety Relay	3 280,00
3-3397A-00-0000-B200	677770	UMAC_ACC_24E2 Black 2-Axis Digital PWM DB15	953,00
900-COP-BTM-090-10	677775	Bantam Module 90VDC 5/10A peak Analog Drive for Brush/Brushless Motors	262,10
900-COP-ADP-090-09	679652	Accelnet (ADP) 90 VDC 3/9 A peak (The "-S" is no longer available as an option.	584,50
900-COP-ACJ -090-03	679681	ACJ Micro Panel Digital Drive for Brushless/Brush Motors	511,00
900-COP-ACJ-CK	679680	ACJ Micro Panel Connector Kit	41,90
CONKIT-P-1L-4	680847	Connector Kit Power Brick LV 4 Ax	150,70
GPL0511000	680844	Geo PWM Direct Digital Drive, 240 V, 1 Axis, 5/10A Single Width, Safety Relay	2 162,00
3E3-0042P2-OPT	680851	ACC-7E 0.20 m GLASS OPTICAL FIBER CABLE	89,85

OMRON PVPR 2023

3F0-603673-10X	680850	ACC-8FS 4 channel PWM stack breakout board PC104	475,90
4-3740-00-A000-00000	680885	MACRO_ACC_65M MACRO I/O Periph Fibre-Optic	1 509,00
900-STX-CDHD0062AEC1	680899	CDHD-006 2A EC1 3x 240VAC, 6/18Arms, EtherCat	574,00
900-STX-CDHD0082APB0ST	680897	CDHD-008 2A PB0 ST 3x 240VAC, 8/28Arms, PWM	560,00
900-STX-CDHD-0202APB0-ST	682442	Servotronix servo drive 20A, 120/240 VAC Power Block, STO	2 500,00
900-COP-XTL-230-18-R	684167	Xenus (XTL) 100-240 VAC 6A/18A peak	1 689,00
900-COP-XEC-230-09-R	684168	Xenus (XEC) 100-240 VAC 3A/9A peak Resolver	1 657,00
900-COP-XEC-230-09	684169	Xenus (XEC) 100-240 VAC 3A/9A peak	1 521,00
900-COP-XEC-230-12-R	684170	Xenus (XEC) 100-240 VAC 6A/12A peak Resolver	1 703,00
900-COP-XEC-230-12	684171	Xenus (XEC) 100-240 VAC 6A/12A peak	1 561,00
900-COP-XEC-CK	684172	Connector Kit	144,30
20C-602967-1000	685153	Fiber Optic Cable Assy, Single, 100 ft (30 m)	272,10
900-200211-X4-1.5	686049	X4 Encoder Splitter Cable 1.5 m	191,50
900-STX-CDHD-1D52APB0-ST	687595	CDHD 1.5A 120/240 VAC Power Block STO	1 079,00
900-STX-CDHD-0124DPB0-ST	687601	Servotronix CDHD servo drive 12 A, 600 V Power Block, STO	2 518,00
900-STX-CDHD-0032APB0-ST	688287	CDHD-003 2A PB0 ST	1 003,00
900-STX-CDHD-0062APB0-ST	688286	CDHD-006 2A PB0 ST	1 009,00
900-STX-CDHD-0102APB0-ST	688285	CDHD-010 2A PB0 ST	1 183,00
900-STX-CDHD-4D52APB0-ST	688284	CDHD-4D5 2A PB0 ST	1 275,00
5-4269-00-0610-B01US	688679	UMAC_ACC_R1 Black, ODT CH UMAC Rack with 6 slot backplane, 10 1/2 slot rac	1 522,00
5-4269-00-1215-BNOPS	689273	UMAC_ACC_R2_Black, Fan, BP, w/out PS	1 176,00
900-COP-XPL-230-18-R	690001	Xenus Plus (XPL) 230 VAC 6/18 A peak Resolver	2 029,00
900-COP-BEL-090-06	690002	Accelnet Plus Panel (BEL) 14-90 VDC 3/6 A Encoder	1 210,00
900-COP-BEL-HK	690003	Accelnet Plus Panel (BEL) Heat Sink Kit	143,00
900-COP-BEL-CK	690004	Accelnet Plus Panel (BEL) Connector Kit	104,90
5-4269-00-1215-B01US	690134	UMAC_ACC_R2 Silver UMAC Rack with 12 slot backplane, 15 3/4 slot rack US PS	2 045,00
300-603403-10X	694359	UMAC_BACKPLANE_6SLOT	257,60
300-603463-10X	694360	UMAC_BACKPLANE_8SLOT	314,40
300-603465-10X	694361	UMAC_BACKPLANE_12SLOT	412,00
300-603491-10X	694362	UMAC_BACKPLANE_18SLOT	598,50
3-2932A-00-2100-B000	701021	UMAC_ACC_P3 BLACK	1 505,00
3-3307A-00-0000-B100	694363	UMAC_ACC_11E Black 24I/24O, RTB, Sourcing Output	585,50
3-3307A-00-0000-B200	694364	UMAC ACC 11E, 24IN/24OUT, 3U SOURCING OUTPUT DRIVERS, W/ DB15 CONN.	498,50

OMRON PVPR 2023

3-3307A-00-0100-B100	702903	UMAC ACC-11E, 24IN/24OUT, 3U SINKING OUTPUT DRIVERES, W/TERMI. BLOCK	623,00
3-3397A-00-0000-B200	694365	UMAC_ACC_24E2 Black 2-Axis Digital PWM DB15	953,00
3-3397A-00-0007-B100	694366	UMAC_ACC_24E2	1 586,00
3-3397A-00-0007-B200	694367	UMAC_ACC_24E2 Black	1 586,00
3-3398A-00-1000-B100	694368	UMAC_ACC_24E2A Black; 2 Axis Dual 16-Bit Analog RTB	1 067,00
3-3398A-00-1000-B200	694369	UMAC_ACC_24E2A Black	1 037,00
3-3398A-00-1008-B100	694370	UMAC_ACC_24E2A Black; 4 Axis Dual 16-Bit Analog RTB	1 723,00
3-3398A-00-1008-B200	694371	UMAC_ACC_24E2A Black	1 666,00
3-3404A-00-0000-B100	694372	UMAC_ACC_28E Black 2-Channnel 16bit A/D Converter, RTB	909,00
3-3404A-00-0000-B200	694373	UMAC_ACC_28E Black	1 067,00
3-3404A-00-0001-B100	694374	UMAC_ACC_28E Black,4-Channnel 16bit A/D Converter, RTB	1 550,00
3-3404A-00-0001-B200	694375	UMAC_ACC_28E 4-Channnel 16bit A/D Converter, DB9, Black	1 550,00
3-3437A-00-0000-B100	694376	UMAC_ACC_5E	427,80
3-3437A-00-A001-B100	707052	UMAC ACC-5E,12 I/O AND 16 AXIS WITH FIBER-OPTIC MACRO INTERFACE W/FRO	1 032,00
3-3437A-00-B001-B100	694378	UMAC_ACC_5E (16 Axis & 12 I/O) Fiber-Optic MACRO Transc & RJ45 Black	937,50
3-3438A-00-0000-B100	696305	UMAC_ACC_51E, 2-Axis 4096x High-Resolution Analog Encoder Interpolator Boa	1 208,00
3-3438A-00-0000-B200	694379	UMAC_ACC_51E, 2-Axis 4096x High-Resolution Analog Encoder Interpolator Boa	1 208,00
3-3438A-00-0001-B200	694380	UMAC_ACC_51E Black	1 793,00
3-3441A-00-0000-B100	694381	UMAC_ACC_24E2S BLACK 4 Chan Enc - In/Stepper Out Interface RTB	740,50
3-3441A-00-0000-B200	694382	4-Channel Encoder-Input/Stepper-Output Interface/Breakout board DB15, Black	868,50
3-3474A-00-0000-B300	694383	ACC-14E, 48 bits of High-Speed Inputs/Outputs, TTL discrete digital I/O points at	572,00
3-3474A-00-0000-B400	707539	ACC-14E, 48 bits of High-Speed Inputs/Outputs, TTL discrete digital I/O points at	658,00
3-3483A-00-0000-B100	694384	UMAC_ACC_36E Black	1 124,00
3-3483A-00-0000-B200	707540	ACC-36E, 16-Channel 12-Bit A/D Converter board with DB15 Connectors, BLACK	1 192,00
3-3494A-00-0000-B100	694385	UMAC_ACC_59E Black	1 237,00
3-3575A-00-0000-B100	694387	UMAC_ACC_65E Black	797,50
3-3575A-00-0000-B200	694388	UMAC_ACC_65E Black Sourcing 24IN / Sourcing 24OUT I/O Board DB15	797,50
3-3576A-00-0000-B100	694389	UMAC_ACC_66E	797,50
3-3577A-00-0000-B100	694391	UMAC_ACC_67E	797,50
3-3595A-00-0000-B200	694393	UMAC_ACC_68EIsolated, Self-Protected, Sinking 24In-24Out, DB15, Black	680,00
3-3909A-00-0000-B000	694402	ACC-F1, POWER SUPPLY, 24VDC INPUT W/FACEPLATE, TOP PLATE, BLACK, AND I	569,00
3-3927A-00-0002-B200	694403	UMAC_ACC_84E 4-Axis Serial Enc.Interface	994,50
3-3927A-00-0003-B200	694404	UMAC_ACC_84E 4-Axis Serial Enc.Interface	994,50

OMRON PVPR 2023

3-3927A-00-000B-B200	694405	ACC-84E, 4-Axis Serial Encoder Interface, with BISS-B & C ProtocolBLACK Front, T	994,50
3-3927A-00-0XY2-B200	694406	UMAC_ACC_84E XY2-100 Serial link Black FTB Covers	994,50
3-3958A-00-911M-B000	695267	UMAC Fieldbus Gateway / PROFINET IO RT-Device (Slave) Black	1 523,00
3-4002A0010-0000-B00	694407	Axis 3-4 Base Board No Mezzanine Boards	289,30
3-4002A1000-0000-B00	694408	UMAC_ACC_24E3 1st 2-Axis Board No Mezzanine Boards	576,00
3-4002A5000-3100-B00	694409	UMAC_ACC_24E3 2Ax Dig.Amp/PWM	1 087,00
3-4002A5000-3200-B00	694410	UMAC_ACC_24E3 2Ax Dig.Amp/PWM	1 040,00
3-4002A5000-4100-B00	694411	UMAC_ACC_24E3 2Ax Dig.Amp/PWM	1 272,00
3-4002A5000-4600-B00	694412	UMAC_ACC_24E3 2Ax Dig.Amp/PWM Auto-Corr.Interpol.Serial Enc.Feedb, DB15	1 928,00
3-4002A5050-3232-B00	694413	ACC-24E3, 4 AXIS DIGITAL AMPLIFIER (PWM), QUADRATURE AND SERIAL ENCOD	1 793,00
3-4002A5050-4141-B00	694414	UMAC_ACC_24E3 4Ax Dig.Amp/PWM	2 255,00
3-4002A5062-4141-B00	694415	UMAC_ACC_24E3 4Ax Dig.Amp/PWM+Ana.Amp 2Phase 16Bit Sine Enc 16-Bit AD	2 588,00
3-4002A6161-3131-B00	694416	UMAC_ACC_24E3 4Ax Analog 2Phase 16-Bit Quadrature, Serial Enc, TB, BTB, FTB	2 325,00
3-4002A6200-3200-B00	694417	ACC-24E3, 2 AXIS ANALOG TWO PHASE 16-BIT DACs, QUADRITURE AND SERIAL E	1 373,00
3-4002A6200-4100-B00	694418	UMAC_ACC_24E3 2Ax Analog 2Phase 16-Bit DAC	1 606,00
3-4002A6200-4600-B00	694419	UMAC_ACC_24E3 2Ax Analog 2Phase, 16-Bit DAC	2 261,00
3-4002A6262-3232-B00	694420	ACC-24E3, 4 AXIS ANALOG TWO PHASE 16-BIT DACs, QUADRITURE AND SERIAL E	2 458,00
3-4002A6262-4141-B00	694421	UMAC_ACC_24E3 4Ax Analog 2Phase 16-Bit DAC	2 922,00
3-4002A6262-4646-B00	694422	UMAC_ACC_24E3 4Ax Analog 2Phase, 16-Bit DAC	4 232,00
3-4002A6600-4100-B00	694423	UMAC_ACC_24E3 2Ax Analog 2Phase, 18-Bit DAC, Sine 16-BitADC, DB15, FTB Bla	1 998,00
3-4002A6666-4646-B00	694424	UMAC_ACC_24E3 4Ax Analog 2Phase, 18-Bit DAC	5 020,00
3-4002A6700-3200-B00	694425	UMAC_ACC_24E3 2Ax Analog 1Phase, 16-Bit DAC	1 214,00
3-4002A6700-4100-B00	694426	ACC-24E3, 2 AXES ANALOG ONE PHASE 16-BIT DAC, NO ISOLATION, SINE ENCOD	1 447,00
3-4002A6700-4600-B00	694427	UMAC_ACC_24E3 2Ax Analog 1Phase, 16-Bit DAC Auto-correcting 16-Bit, Serial I	2 101,00
3-4002A6767-3232-B00	694428	UMAC_ACC_24E3 4Ax Analog 1Phase, 16-Bit DAC	2 140,00
3-4002A6767-4141-B00	694429	ACC-24E3, 4 AXES ANALOG ONE PHASE 16-BIT DAC, NO ISOLATION, SINE ENCOD	2 602,00
3-4003A0000-3200-B00	694430	Quadrature and Serial Encoder Feedback Mezzanine Board	236,50
3-4004A0000-4200-B00	694431	UMAC_ACC_24E3 Analog Feedback Mezzanine Board Resolver, 16-Bit ADC, DB1	563,00
3-4017A-00-A001-B100	694432	UMAC_PWR_PMAC_ACC_5E3 32-node MACRO interface 16 Axis 12 I/O	782,50
3-4017A-00-A001-F100	694433	UMAC_PWR_PMAC_ACC_5E3	756,00
3-4017A-00-A002-B100	694434	ACC-5E3 32-node MACRO interface (16 Axis and 12 I/O) with Fiber-Optic Transc	706,00
3-4024A0000-0046-B00	694435	Auto-Correcting Interpolator 16-Bit and Serial Encoder Feedback	1 125,00
3-4024A0000-4600-B00	694436	UMAC_ACC_24E3 Analog Feedback Mezzanine Board	1 125,00

OMRON PVPR 2023

3-4027A-00-0200-B200	694437	UMAC_ACC_59E3	1 740,00
3-4027A-00-0211-B200	694438	ACC-59E3, 16-Channel +/- 10V or 4-20mA 16-Bit A/D Converter and 8-Channel 1	3 079,00
3-4269A-00-0000-0000	694358	FILLER PANELS, 3U RACK KIT FRONT, TOP & BOTTOM FILLERS 1/2, 3/4, 1 & 2-SLO	518,00
3-4269A-00-0000-B000	706812	FILLER PANELS, 3U RACK KIT FRONT, TOP & BOTTOM FILLERS 1/2, 3/4, 1 & 2-SLO	322,90
3A0-PPCOMM-35X	694439	Power PMACDevelopment Kit/ Component Library, single user, requires a softw	1 878,00
3A0-PPSRVA-35X	694440	Power PMAC Servo Analyzer Software, single-user license, one software key per	2 411,00
4-3741-00-A002-00000	694441	ACC-14M, GENERAL PURPOSE I/O MACRO PERIPHERAL WITH FIBER-OPTIC CONN	1 246,00
4-3744-00-A000-00000	694442	MACRO_ACC_24M2A	1 425,00
4-3744-00-A003-00000	694443	MACRO_ACC_24M2A 2-axis MACRO Ana Ser Periph-Fib Opt, +2 chan Sin, Res	1 578,00
4-3928-00-A000-00000	696333	ACC-85M / Yaskawa SIGMA 5 MACRO FIBER OPTIC INTERFACE	604,50
5-4269-00-1821-B0100	694918	UMAC_ACC_R3 Black. This item is NOT replacing the old 54269001821B0100	2 657,00
CONKIT-P-1C-A	694463	Extra Connector Kit Power Brick Controller	38,30
CONKIT-P-1L-4	694464	Connector Kit Power Brick LV 4 Ax	150,70
CONKIT-P-1L-8	694465	Connector Kit Power Brick LV 8 Ax	252,10
GNDBAR-P-5A-8	694466	EMI Shield Clamp for PowerBrick AC	200,10
3A1-9WPRO2-35X	694467	ACC-9WPRO2 OPT-1Additional single-user license	283,70
CONKIT5A	694468	MATING CONN KIT, 4 AXIS DRIVES TO 10 A CONT RATING FOR 4 MOTORS, AC IN	101,50
CONKIT2A	694469	Connector Kit (2-Axis Connector Kit)	103,10
3-3671-0-0000-100000	694357	ACC_AxisExp_1P	810,50
3-3674-0-0002-000000	694479	ACC- 51S 2 channel 4096x interpolator stack board	846,00
3-3674-0-0012-000000	694480	ACC-51S 4 channels 4096x interpolator stack board for sinusoidal encoders	1 287,00
3-4050000-000-000000	694482	ACC-24S3 Power Clipper 4 Axes Expansion Interf. Board	822,50
3A0-603673-10X	694484	ACC-8AS 16-bit	811,00
3A0-9PPRO2-35X	694485	ACC-9PNPRO2 Pcomm Server Pro2	711,50
3A0-9WPRO2-35X	694486	ACC-9WPRO2 PMAC Executive Pro2 Suite	1 138,00
3F0-603673-10X	694487	ACC-8FS 4 channel PWM stack breakout board PC104	475,90
4-3740-00-A000-00000	694488	MACRO_ACC_65M MACRO I/O Periph Fibre-Optic	1 509,00
4-3740-00-A002-00000	694489	MACRO_ACC_65M	1 687,00
4-3747-00-A002-00000	706929	ACC-68M, MACRO I/O PERIPHERAL W/SINKING OUTPUTS AND FIBER-OPTIC CONN	1 792,00
CONKIT1A	694494	Geo drive mating connector kit	73,55
CONKIT2C	694495	GEO DRIVE Mating Conector Kit	73,55
CONKIT4A	694496	GEO DRIVE Mating Conector Kit	73,55
CONKIT5C	694497	Mating connector kit for Amplifiers for 10A, no cable, eight axis	166,30

OMRON PVPR 2023

CONKIT6A	694356	Geo brick LV mating connector kit	36,99
GAR10-2	694498	GEO DRIVE, 300 W, 10 Ohm, Regen. Resistor w/Thermostat Protection, w/18" W	212,90
GAR15-2	694499	300 W 15 Ohm regenerative resistor for 20/30 A	249,90
GAR15-3	694500	300 W 15 Ohm regenerative resistor for 20/30 A	249,50
GAR22	694501	300 W 22 Ohm regenerative resistor for 5/10 A	249,50
GAR48	694502	150 W 48 Ohm regenerative resistor for 10/20 A	181,20
GAR48-3	694503	GEO DRIVE, 300W 48 OHM REGEN RESISTOR W/THERMOSTAT PROTECTION, W	174,00
GAR78	694504	150 W 78 Ohm regenerative resistor for 5/10 A	181,20
GML032F10000	694106	GEO MACRO DRIVE,240 VAC,3/9A	2 819,00
GML102F10000	694518	Geo Macro Drive, 240 V, 2 Axes, 10/20 A, Single Width, F/O, Analog Feedback	4 158,00
GPH1010000	694520	Geo PWM Direct Digital Drive, 1 axis, 480 V, 10 A	2 117,00
GPL0521000	694521	Geo PWM Direct Digital Drive, 240 V, 2Axes, 5/10 A	2 668,00
GPL1011000	694522	Geo PWM Direct Digital Drive, 240 V, 1Axes, 10/20 A	2 213,00
GPL1021000	694523	Geo PWM Direct Digital Drive, 240V, 2Axes, 10/20A Single Width, Safety Relay	3 280,00
GPL1510000	694524	Geo PWM Direct Digital Drive, 240V, 1Axes, 15/30A Single Width	2 056,00
PPNC-0000000-001-000	694525	Power PMAC NC Software license - número de ejes ilimitado (Dongle USB key: R	2 400,00
PPNC-0000000-002-000	694526	Power PMAC NC Software Development Kit (1 Single Runtime License Included,	6 965,00
3-3958A-00-111M-B000	694530	UMAC Fieldbus Gateway / PROFIBUS-DP Slave, Black	1 545,00
3-2375A-00001-00	694531	ACC-34B 64 BIT STD OPTO I/O IN	441,00
3-3958A-00-310M-B000	694532	UMAC_ACC_72EX Fieldbus Gateway CAN OPEN MASTER Module Black Covers	1 986,00
3-4002A6600-4600-B00	694533	UMAC_ACC_24E3 2Ax Analog 2Phase, 18-Bit DAC Auto-Corr.Interp.16-Bit, Serial	2 544,00
3A0-PMSRVA-35X	694534	PMAC SERVO ANALYZER SOFTWARE	2 178,00
3-3936-0-0XY2-000000	694535	XY2-100 Serial Link for 2-axis and 3-axis Laser Scan-heads and Galvanometers	582,50
3-2817A-10000-00	694536	PMAC ACC-34AA, 32 I/O OPTO ISOLATOR W/PARITY & LOW PASS INPUT FILTER,	858,00
3-2817A-20003-00	694537	PMAC ACC-34AA, 32 I/O OPTO ISOLATOR W/PARITY & LOW PASS INPUT FILTER,	916,00
3-2817A-20000-00	694539	PMAC ACC-34AA, 32 In/Out Opto isolated I/O w/parity & Low Pass Input Filters	845,50
GPL0510000	694542	GEO PWM DIRECT DIGITAL DRIVE, SINGLE AXIS, 240 VAC, 5/10 A CONT/PEAK, SI	1 748,00
GPL1010000	694543	Geo PWM Direct Digital Drive, 240V, 1Axes, 10/20A Single Width	1 791,00
PPNC-0000000-003-000	694547	Power PMAC NC Software license - Restrstringida a 4 ejes (Export Control) (Dongle	4 490,00
3-3603A-00-0001-A000	694548	CUMAC_ACC_11C_Opt1	1 622,00
3-3611A-00-0000-A000	694549	4-Axis Analog Servo Interface Board	1 339,00
3-3611A-00-1001-A000	694550	CUMAC_ACC_24C2A_Opt1_Opt2	1 725,00
300-603617-10X	694558	CUMAC_ACC_C8	1 067,00

OMRON PVPR 2023

3-2375A-00000-00	694559	Optically isolated I/O board, 64-bits total, designed for easy connection to Opto-	488,40
3-3603A-00-0000-A000	694560	CUMAC_ACC_11C	981,50
3-3611A-00-1000-A000	694561	CUMAC_ACC_24C2A_Opt1	1 550,00
3-3625F3-2014-A00000	694566	3-3625F3-2014-A00000	6 200,00
3-3921A-00-0000-B200	694571	ACC-51EP 2-Axes sin/cosin input, digital U W out	1 140,00
3-3921A-00-0001-B200	694572	ACC-51EP 4-Axes sin/cosin input, digital U W out	1 694,00
3-3936-0-0003-000000	694573	ACC-84S PC/104 Stack Serial encoder Interface	584,00
3-3958A-00-210M-B000	694574	ACC-72EX, UMAC FIELDBUS GATEWAY WITH DEVICENET MASTER COMX MODUL	1 987,00
3-3958A-00-5110-B000	694575	UMAC_ACC_72EX Fieldbus Gateway	734,00
3-3958A-00-610M-B000	702605	UMAC_ACC_72EX Fieldbus Gateway EtherCat MASTER Module Black Covers	2 473,00
3-3958A-00-711M-B000	694576	Acc-72EX UMAC Fieldbus Gateway / EtherNet/IP Adapter (Slave)	1 544,00
3-4002A5050-4646-B00	694577	UMAC_ACC_24E3 4Ax Dig.Amp/PWM Auto-Corr.Interpol.Serial Enc.Feedb, DB15	3 567,00
3-4002A6767-4646-B00	694578	ACC-24E3, 4 AXES ANALOG ONE PHASE 16-BIT DAC, NO ISOLATION, AUTO-CORR	3 914,00
4-3747-00-A000-00000	706928	ACC-68M, MACRO I/O PERIPHERAL W/SINKING OUTPUTS AND FIBER-OPTIC CON	1 602,00
CABKIT4B	694599	Cable Kit (1-Axis Cable Kit)	241,80
CONKIT1C	694600	GEO DRIVE Mating Connector Kit	58,25
GMH051F11000	694671	Geo Macro Drive, 480 V, 1 Axis, 5/10 A, SingleWidth, Optic	3 509,00
GMH052F11000	694673	Geo Macro Drive, 480 V, 2Axes, 5/10 A, SingleWidth, Optic	4 299,00
GMH101F11000	694674	Geo Macro Drive, 480 V, 1Axes, 10/20 A, SingleWidth, Optic	3 586,00
GMH201F10000	694678	Geo Macro Drive, 480 V, 1 Axis, 20/40A, Double Width, Fiber Optic, Analog Enco	4 713,00
GMH301F11000	694681	Geo Macro Drive, 480 V, 1 Axis, 20/40 A, Double Width,	6 060,00
GML012F11000	694682	Geo Macro Drive, 240 V, 2 Axes, 1.5/4.5 A, Single Width, Optic	2 951,00
GML052F10000	694683	Geo Macro Drive, 240 V, 2 Axes, 5/10 A, Single Width, Optic	3 548,00
GPL0511000	694689	Geo PWM Direct Digital Drive, 240 V, 1 Axis, 5/10A Single Width, Safety Relay	2 162,00
PPNC-0000000-001-0EV	694690	Power PMAC NC Software Evaluation License (Dongle USB key: Para uso interno	1 916,00
200-602739-024X	694750	CABPWM-1, Amplifier PWM Cable, 600 mm (24) inches long, mini-D, 36 conduct	167,90
200-602739-036X	694751	CABPWM-2, Amplifier PWM Cable, 900 mm (36 inches long), mini-D, 36 conduct	163,90
200-602739-060X	694752	CABPWM-3, Amplifier PWM Cable, 1.5 m (60 inches long), mini-D, 36 conductor	169,20
200-602739-072X	694753	CABPWM-4, Amplifier PWM Cable, 1.8 m (72 inches long), mini-D, 36 conductor	191,60
200-602739-084X	694754	CABPWM-5, Amplifier PWM Cable, 2.1 m (84 inches long), mini-D, 36 conductor	200,90
200-602739-144X	694755	CABPWM-6, PWM Cable, 3.6 m (144 inches long), mini-D, 36 wire	260,20
3-4048-08000-XY200	694756	ACC-84B for PowerBrick XY200 Protocol	1 012,00
3A3-0042P2-OPT	694757	CABFBR-2	103,90

OMRON PVPR 2023

3B3-0042P2-OPT	694758	5 m terminated glass optical fiber cable	120,40
3E3-0042P2-OPT	694759	ACC-7E 0.20 m GLASS OPTICAL FIBER CABLE	89,85
PBL8-G21-000-5500V00	694773	8 Axes Power Brick LV	7 975,00
5-4269-00-1821-B01CH	694917	UMAC_ACC_R3 Black. This item is replacing the old 54269001821B0100	2 698,00
5-4269-00-1215-B01CH	695271	UMAC_ACC_R2 Black UMAC Rack with 12 slot backplane, 15 3/4 slot rack	1 835,00
5-4269-00-0610-B01CH	695401	UMAC_ACC_R1 Black, UMAC Rack with 6 slot backplane, 10 1/2 slot rack	1 522,00
PBL8-AA0055-0100BB00	699140	POWER BRICK LV DRIVE, 8 AXIS AMP, 2 CORE ARM CPU, 1GB RAM, 1GB FLASH, A	8 860,00
3-4092-C0000-1200000	700709	FOUR CHANNEL ANALOG RESOLVER OPTION INPUT FEEDBACK, 12BIT A/D CONV	1 457,00
3-4092-A1000-12A0000	701083	FOUR CHANNEL ANALOG SIN / COS INPUT (NON-FILTERED) FEEDBACK, 16BIT A/D	1 291,00
3-3909A-00-0001-B000	703498	ACC-F1, POWER SUPPLY, 24VDC INPUT, 5VDC / 22A OUTPUT W/FACEPLATE, TO	837,00
CK3A-G305L	708279	Direct PWM Amplifier, 5/10 A	1 380,00
CK3A-G310L	708280	Direct PWM Amplifier, 10/20 A	1 866,00
900-COP-SER-CK	708878	Serial Cable Kit (1 per computer)	57,20
900-COP-XPL-NT	708909	CANopen Network Terminator	25,30
EE-1006A	127845	Clip de fijación INOX para conector EE1006	5,97
EE-1003A	157519	Soporte conector para fotomicrosensor	4,41
XS2Z-13	107616		1,10
XS2Z-12	107618	Cubierta de protección para módulos I/O IP67 M12 hembra	6,84
XS2U-2222	107671	Pin socket para XS2G 0.5 to 0.75 mm2	1,27
XS2U-3121	107672	Pin crimpador para XS2G 0.18 to 0.3 mm2	0,88
XS2Z-22	143740	Cubierta de protección agua para conectores M12 macho	7,65
XS2Z-15	144211	Cubierta de protección polvo para conectores M12 macho	1,70
XS5Z-11	674310	Cubierta impermeable Smartclick M12 para el conector, PBT	6,65
XS2Z-18	690336	Loosening-preventing C-ring accessory for XS2F/H/W connectors	1,00
1302011110	696234	Cubierta impermeable de 7/8 pulgadas	69,60
E8FC-25D	684370	Sensor de flujo, para líquido, PNP, IO-Link COM2, analógico	1 064,00
E8FC-25T	684371	Sensor de flujo, para líquido, PNP, IO-Link COM3, analógico	1 064,00
E8FC-25	684372	Flow sensor, liquid, NPN, analog	1 064,00
CR_UGD4_NR	354939	Robot DELTA-3 2Kg sin rotación 1100mm	57 350,00
CR_UGD4_R	354940	Robot DELTA-3 2Kg con rotación 1100mm	69 650,00
CR_UGD4MINI_NR	355358	Robot Mini DELTA-3 1Kg sin rotación 500mm	42 200,00
CR_UGD4MINI_R	355359	Robot Mini DELTA-3 1Kg con rotación 450mm	50 850,00
CR_UGD4XL_R	374538	Robot DELTA-3 XL 2Kg con rotación 1300mm	79 650,00

OMRON PVPR 2023

CR_UGD4XL_NR	374539	Robot DELTA-3 XL 2Kg sin rotación 1300mm	66 050,00
R6Y30110S03067NJ5	375002	Robot DELTA-3 IP67 3Kg sin rotación 1100mm	59 700,00
R6Y31110L03067NJ5	375003	Robot DELTA-3 IP67 3Kg con rotación y baja inercia 1100mm	67 200,00
R6Y31110H03067NJ5	375004	Robot DELTA-3 IP67 3Kg con rotación y alta inercia 1100mm	69 250,00
CR_UGD4XXL_R	377399	Robot DELTA-3 XXL 4Kg con rotación 1600mm	123 000,00
CR_UGD2800_NR	393778	Robot DELTA-2 3Kg sin rotación 800mm	35 430,00
R6Y31065L02067NJ5	396865	Robot Mini DELTA-3 Yamaha IP67 2Kg con R baja inercia 650mm	54 050,00
R6Y30065S02067NJ5	397428	Robot Mini DELTA-3 Yamaha IP67 2Kg sin R 650mm	50 800,00
CRUGD4XXL1300HR	402028	Robot DELTA-3 XXL 6Kg con rotación 1300mm Refuerzo Rotación	99 550,00
CR_UGD4_R_HD5	410288	Robot DELTA-3 IP69-K 2Kg con rotación 1100mm cable 5m	90 600,00
CR_UGD4_R_HD15	410292	Delta 3 Robot, IP69K, R:1100mm/Z:250mm, Carga: 2kg, Cable Longitud 15 m., cc	90 800,00
CR_UGD4_R_HD20	410294	Delta 3 Robot, IP69K, R:1100mm/Z:250mm, Carga: 2kg, Cable Longitud 20 m., cc	92 550,00
R6Y31065H02067NJ5	659399	Robot Mini DELTA-3 Yamaha IP67 2Kg con R alta inercia 650mm	54 500,00
CR_UGD21000_NR	659505	Omron Delta Robot - Delta 2 1000mm.	44 630,00
CR_UGD2800_R	673733	Delta-2, 800mm working area range, with rotary axis, 3kg max payload, IP65.	46 640,00
CR_UGD21500_NR	673761	Robot DELTA-2 35Kg sin rotación 1500mm	57 750,00
CR_UGD5_HT	675004	Robot DELTA-5 1.5Kg 1100mm	90 600,00
CR_UGD5	675365	Delta-5 robot 1100 mm	96 000,00
CR_UGD21000T_NR	677766	Delta robot item - Delta 2 robot TWIN model	85 950,00
D2-800-2 Rotation axis set	677910	D2-800 Rotation axis set (excluding gearbox and motor)	11 510,00
CR_UGD4_XL_R_HD10	677998	Delta 3 Robot, IP69K, R:1300 mm; Payload: 2 kg, Cable length 10 m., With Rotat	89 200,00
CR_UGD5_XL	679255	Delta-5 robot, acciones 120p/min, Carga 1.5 kg, area de trabajo 1300 x 250 mm	78 100,00
CR_UGD5_HT_Y2	679265	Robot Delta-5 1100 mm con Alto Par caja cambios	88 000,00
CR_UGD4_R_1S	680986	Delta robot series - 1100mm area de trabajo, Rotacional eje, Carga 2kgs, IP65, cc	73 800,00
CR_UGD4_NR_1S	680989	Delta robot, 3 eje, sin Rotación, con 1S series Motores	59 400,00
CR_UGD4_S_R_1S	682444	Delta robot series - 800mm area de trabajo, Rotacional eje, Carga 2kgs, IP65, co	58 550,00
CR_UGD4_S_NR_1S	683906	Delta robot series - 800mm area de trabajo, sin Rotación, Carga 3Kgs, IP65, con	47 640,00
CR_UGD4_XS_NR_1S	688584	Delta robot series - 650mm working range, non rotational axis, payload 2Kg	42 300,00
CR_UGD4_XS_1S	688586	Delta robot series - 650mm working range, rotational axis, payload 2Kg	51 600,00
CR_UGD5_XL_G_1S	695704	Omron Delta-5 robot, 1300 mm, gripper control, design with 1S series servomot	63 450,00
CR_UGD2_1000_R_1S	696393	Omron Delta Robot - Delta 2 with Rotation 1000 mm Servos 1S	52 700,00
CR_UGD2_500_NR_1S	696391	Omron Delta Robot - Delta 2 500 mm Servos 1S	25 630,00
17201-45600	683061	Hornet 565 Pro, 3 ejes, ePLC	31 010,00

OMRON PVPR 2023

17203-45600	683063	Hornet 565 Pro, 3 ejes, Add-On	29 780,00
17201-45610	683065	Hornet 565 Pro, IP65, 3 ejes, ePLC	32 250,00
17203-45610	683066	Hornet 565 Pro, 3 ejes, IP65, Add-On	31 010,00
17200-45600	683025	Hornet 565 Pro, 3 eje, eV+	29 480,00
17200-45610	683027	Hornet 565 Pro, IP65, 3 eje, eV+	30 550,00
17202-45600	683029	Hornet 565 Pro, 3-eje, eV+, SmartController EX	31 350,00
17202-45610	683031	Hornet 565 Pro, IP65, 3 eje, eV+, SmartController EX	32 400,00
17204-45600	683033	Hornet 565 Pro, 3 eje, ePLC, SmartController EX	31 380,00
17204-45610	683035	Hornet 565 Pro, IP65, 3 eje, ePLC, SmartController EX	32 440,00
17201-45604	683024	Hornet 565 Pro, 4 ejes, ePLC	35 960,00
17203-45604	683062	Hornet 565 Pro, 4 ejes, Add-On	34 730,00
17201-45614	683064	Hornet 565 Pro, IP65, 4 ejes, ePLC	37 210,00
17203-45614	683023	Hornet 565 Pro, 4 ejes, IP65, Add-On	35 960,00
17200-45604	683026	Hornet 565 Pro, 4 eje, eV+	32 980,00
17200-45614	683028	Hornet 565 Pro, IP65, 4 eje, eV+	34 020,00
17214-26000	683108	Robot Quattro ePLC650H P30, 0 ° de rotación, 15 kg de carga, 1300 mm de diám	48 360,00
17214-26001	683109	Robot Quattro ePLC650H P31, 46,25° de rotación, 6 kg de carga útil, 1300 mm d	48 360,00
17214-26002	683110	Quattro 650H, 6 kg de carga, 1300 mm de diámetro de alcance, P32, 92,5° de ro	48 360,00
17214-26004	683111	Robot Delta Quattro 650H P34	48 360,00
17213-26000	683124	Robot Quattro ePLC650H P30 (Add on), 0° de rotación, 15 kg de carga, 1300 mm	45 880,00
17213-26001	683125	Robot Quattro ePLC650H P31 (Add on), 46.25° de rotación, 6 kg de carga, 1300	45 880,00
17213-26002	683126	Robot Quattro ePLC650H P32 (Add on), 92.5° de rotación, 6 kg de carga, 1300 m	45 880,00
17213-26004	683127	Robot Quattro ePLC650H P34 (Add on), 185° de rotación, 6 kg de carga, 1300 m	45 880,00
17214-26020	683140	Quattro 650H, IP65, P30, ePLC, SmartController EX	49 590,00
17214-26021	683141	Quattro 650H, IP65, P31, ePLC, SmartController EX	49 590,00
17214-26022	683142	Quattro 650H, IP65, P32, ePLC, SmartController EX	49 590,00
17214-26024	683143	Quattro 650H, IP65, P34, ePLC, SmartController EX	51 300,00
17213-26020	683148	Quattro 650H, IP65, P30, Adicional	47 110,00
17213-26021	683149	Quattro 650H, IP65, P31, Adicional	47 110,00
17213-26022	683150	Quattro 650H, IP65, P32, Adicional	47 110,00
17213-26024	683151	Quattro 650H, IP65, P34, Adicional	47 110,00
17212-26000	683037	QUATTRO 650H,P30,SCEX	39 980,00
17212-26020	683039	QUATTRO650H,IP65,P30,SCEX	41 040,00

OMRON PVPR 2023

17212-26001	683040	QUATTRO 650H,P31,SCEX	41 310,00
17212-26021	683042	QUATTRO650H,IP65,P31,SCEX	42 390,00
17212-26002	683043	QUATTRO 650H,P32,SCEX	42 900,00
17212-26022	683045	QUATTRO650H,IP65,P32,SCEX	43 970,00
17212-26004	683046	QUATTRO 650H,P34,SCEX	42 820,00
17212-26024	683048	QUATTRO650H,IP65,P34,SCEX	43 870,00
17214-26300	683116	Robot Quattro ePLC800H P30, 0 ° de rotación, 10 kg de carga, 1600 mm de diám	54 600,00
17214-26301	683117	Robot Quattro ePLC800H P31, 46,25º de rotación, 4 kg de carga útil, 1600 mm d	54 600,00
17214-26302	683118	Robot Quattro ePLC800H P32, 92,5º de rotación, 4 kg de carga, 1600 mm de diá	54 600,00
17214-26304	683119	Robot Quattro ePLC800H P34, 185º de rotación, 4 kg de carga útil, 1600 mm de	54 600,00
17213-26300	683132	Robot Quattro ePLC800H P30 (Add on), 0º de rotación, 10 kg de carga, 1600 mm	52 100,00
17213-26301	683133	Robot Quattro ePLC800H P31 (Add on), 46.25º de rotación, 4 kg de carga, 1600	52 100,00
17213-26302	683134	Robot Quattro ePLC800H P32 (Add on), 92.5º de rotación, 4 kg de carga, 1600 m	52 100,00
17213-26304	683135	Robot Quattro ePLC800H P34 (Add on), 185º de rotación, 4 kg de carga, 1600 m	52 100,00
17214-26320	683144	Quattro 800H, IP65, P30, ePLC, SmartController EX	55 850,00
17214-26321	683145	Quattro 800H, IP65, P31, ePLC, SmartController EX	55 850,00
17214-26322	683146	Quattro 800H, IP65, P32, ePLC, SmartController EX	55 850,00
17214-26324	683147	Quattro 800H, IP65, P34, ePLC, SmartController EX	55 850,00
17213-26320	683152	Quattro 800H, IP65, P30, Adicional	53 350,00
17213-26321	683153	Quattro 800H, IP65, P31, Adicional	53 350,00
17213-26322	683106	Quattro 800H, IP65, P32, Adicional	53 350,00
17213-26324	683107	Quattro 800H, IP65, P34, Adicional	53 350,00
17212-26300	683049	QUATTRO 800H,P30,SCEX	40 010,00
17212-26320	683051	QUATTRO800H,IP65,P30,SCEX	41 070,00
17212-26301	683052	QUATTRO 800H,P31,SCEX	41 350,00
17212-26321	683054	QUATTRO800H,IP65,P31,SCEX	42 420,00
17212-26302	683055	QUATTRO 800H,P32,SCEX	42 920,00
17212-26322	683057	QUATTRO800H,IP65,P32,SCEX	43 990,00
17212-26304	683058	QUATTRO 800H,P34,SCEX	42 840,00
17212-26324	683060	QUATTRO800H,IP65,P34,SCEX	43 910,00
17214-26010	683112	Robot Quattro ePLC650HS P30, 0º de rotación, 15 kg de carga, 1300 mm de diám	55 850,00
17214-26011	683113	Robot Quattro ePLC650HS P31, 46.25º de rotación, 6 kg de carga, 1300 mm de d	55 850,00
17214-26012	683114	Quattro 650H, 3 kg de carga, 1300 mm de diámetro de alcance, P32, 92,5° de ro	55 850,00

OMRON PVPR 2023

17214-26014	683115	Robot Quattro ePLC650HS P34, 185º de rotación, 6 kg de carga, 1300 mm de diámetro de alcance, P34, 185º de rotación, 6 kg de carga útil, 1300 mm de alcance	55 850,00
17213-26010	683128	Robot Quattro ePLC650HS P30 (Add on), 0º de rotación, 15 kg de carga útil, 1300 mm de alcance, P30, 0º de rotación, 15 kg de carga útil, 1300 mm de alcance	53 350,00
17213-26011	683129	Robot Quattro ePLC650HS P31 (Add on), 46.25º de rotación, 6 kg de carga útil, 1300 mm de alcance, P31, 46.25º de rotación, 6 kg de carga útil, 1300 mm de alcance	53 350,00
17213-26012	683130	Quattro 650HS, Add-On, 3 kg de carga, 1300 mm de diámetro de alcance, P32, 92.5º de rotación, 4 ejes, 500 mm de alcance	53 350,00
17213-26014	683131	Robot Quattro ePLC650HS P34 (Add on), 185º de rotación, 6 kg de carga útil, 1300 mm de alcance, P34, 185º de rotación, 6 kg de carga útil, 1300 mm de alcance	53 350,00
17212-26010	683038	QUATTRO 650HS,USDA,P30,EX	54 150,00
17212-26011	683041	QUATTRO 650HS,USDA,P31,EX	56 650,00
17212-26012	683044	QUATTRO 650HS,USDA,P32,EX	59 350,00
17212-26014	683047	QUATTRO 650HS,USDA,P34,EX	59 300,00
17214-26310	683120	Robot Quattro ePLC800HS, USDA, P30, SmartController EX	62 050,00
17214-26311	683121	Quattro 800HS, USDA, P31, ePLC, SmartController EX	62 050,00
17214-26312	683122	Quattro 800HS, USDA, P32, ePLC, SmartController EX	62 050,00
17214-26314	683123	Quattro 800HS, USDA, P34, ePLC, SmartController EX	68 000,00
17213-26310	683136	Quattro 800HS, USDA, P30, Adicional	59 650,00
17213-26311	683137	Quattro 800HS, USDA, P31, Adicional	59 650,00
17213-26312	683138	Quattro 800HS, USDA, P32, Adicional	59 650,00
17213-26314	683139	Quattro 800HS, USDA, P34, Adicional	59 650,00
17212-26310	683050	QUATTRO 800HS,USDA,P30,EX	54 200,00
17212-26311	683053	QUATTRO 800HS,USDA,P31,EX	56 650,00
17212-26312	683056	QUATTRO 800HS,USDA,P32,EX	59 500,00
17212-26314	683059	QUATTRO 800HS,USDA,P34,EX	59 350,00
RX3-2065600	700740	iX3-565, 8 kg payload, 565 mm reach, 0º rotation, 3 axis, 425 mm Zaxis, IP20, iCS	29 780,00
RX3-2065610	700741	iX3-565, 8 kg payload, 565 mm reach, 0º rotation, 3 axis, 425 mm Zaxis, IP65, iCS	31 010,00
RX3-2065604	700742	iX3-565, 3 kg payload, 565 mm reach, 360º rotation, 4 axis, 425 mm Zaxis, IP20, iCS	34 730,00
RX3-2065614	700743	iX3-565, 3 kg payload, 565 mm reach, 360º rotation, 4 axis, 425 mm Zaxis, IP65, iCS	35 960,00
RX4-2166000	700744	iX4-650H, 15 kg payload, 1300 mm diameter reach, P30, 0º rotation, 4 axis, 500 mm de alcance	45 880,00
RX4-2166010	700745	iX4-650HS, 8 kg payload, 1300 mm diameter reach, P30, 0º rotation, 4 axis, 500 mm de alcance	53 350,00
RX4-2166020	700746	iX4-650H, 15 kg payload, 1300 mm diameter reach, P30, 0º rotation, 4 axis, 500 mm de alcance	47 110,00
RX4-2166001	700747	iX4-650H, 6 kg payload, 1300 mm diameter reach, P31, 46.25º rotation, 4 axis, 500 mm de alcance	45 880,00
RX4-2166011	700748	iX4-650HS, 3 kg payload, 1300 mm diameter reach, P31, 46.25º rotation, 4 axis, 500 mm de alcance	53 350,00
RX4-2166021	700749	iX4-650H, 6 kg payload, 1300 mm diameter reach, P31, 46.25º rotation, 4 axis, 500 mm de alcance	47 110,00
RX4-2166002	700750	iX4-650H, 6 kg payload, 1300 mm diameter reach, P32, 92.5º rotation, 4 axis, 500 mm de alcance	45 880,00
RX4-2166012	700751	iX4-650HS, 3 kg payload, 1300 mm diameter reach, P32, 92.5º rotation, 4 axis, 500 mm de alcance	53 350,00

OMRON PVPR 2023

RX4-2166022	700752	iX4-650H, 6 kg payload, 1300 mm diameter reach, P32, 92.5° rotation, 4 axis, 500	47 110,00
RX4-2166004	700753	iX4-650H, 6 kg payload, 1300 mm diameter reach, P34, 185° rotation, 4 axis, 500	45 880,00
RX4-2166014	700754	iX4-650HS, 3 kg payload, 1300 mm diameter reach, P34, 185° rotation, 4 axis, 500	53 350,00
RX4-2166024	700755	iX4-650H, 6 kg payload, 1300 mm diameter reach, P34, 185° rotation, 4 axis, 500	47 110,00
RX4-2166300	700756	iX4-800H, 10 kg payload, 1600 mm diameter reach, P30, 0° rotation, 4 axis, 500	52 100,00
RX4-2166310	700757	iX4-800HS, 7 kg payload, 1600 mm diameter reach, P30, 0° rotation, 4 axis, 500	59 650,00
RX4-2166320	700758	iX4-800H, 10 kg payload, 1600 mm diameter reach, P30, 0° rotation, 4 axis, 500	53 350,00
RX4-2166301	700759	iX4-800H, 4 kg payload, 1600 mm diameter reach, P31, 46.25° rotation, 4 axis, 500	52 100,00
RX4-2166311	700760	iX4-800HS, 1 kg payload, 1600 mm diameter reach, P31, 46.25° rotation, 4 axis, 500	59 650,00
RX4-2166321	700761	iX4-800H, 4 kg payload, 1600 mm diameter reach, P31, 46.25° rotation, 4 axis, 500	53 350,00
RX4-2166302	700762	iX4-800H, 4 kg payload, 1600 mm diameter reach, P32, 92.5° rotation, 4 axis, 500	52 100,00
RX4-2166312	700763	iX4-800HS, 1 kg payload, 1600 mm diameter reach, P32, 92.5° rotation, 4 axis, 500	59 650,00
RX4-2166322	700764	iX4-800H, 4 kg payload, 1600 mm diameter reach, P32, 92.5° rotation, 4 axis, 500	53 350,00
RX4-2166304	700765	iX4-800H, 4 kg payload, 1600 mm diameter reach, P34, 185° rotation, 4 axis, 500	52 100,00
RX4-2166314	700766	iX4-800HS, 1 kg payload, 1600 mm diameter reach, P34, 185° rotation, 4 axis, 500	59 650,00
RX4-2166324	700767	iX4-800H, 4 kg payload, 1600 mm diameter reach, P34, 185° rotation, 4 axis, 500	53 350,00
37042-00000	687559	Robot móvil, LD-90, sin batería, con OS32C LIDAR	32 020,00
37042-00002	687600	Paquete de robot móvil, LD-90, cargador, sin batería, con OS32C LiDAR	34 690,00
37042-10004	687558	Kit de inicio de robot móvil, LD-90, con cargador, sin batería, joystick, placa supe	36 380,00
37062-00000	687557	Mobile Robot, LD-90x, without Battery, with OS32C LIDAR	36 670,00
37062-00002	687556	Paquete de robot móvil, LD-90x, cargador, sin batería, con OS32C LiDAR	39 340,00
37062-10004	687555	Mobile Robot Starter Kit, LD-90x, with Charger, without Battery, Joystick, Top Pl	41 030,00
37042-20000	687551	Robot móvil, LD-90, ESD, sin batería, con OS32C LIDAR	37 830,00
37042-20002	687550	Kit de estación de acoplamiento para robot móvil, LD-90, ESD, cargador, sin bate	40 500,00
37042-20004	687549	Kit de inicio de robot móvil, LD-90, ESD, sin batería, con cargador, joystick, placa	42 190,00
37062-20000	687548	Mobile Robot, LD-90x, ESD, without Battery, with OS32C LIDAR	42 480,00
37062-20002	687547	Mobile Robot Docking Station Kit, LD-90x, ESD, Charger, without Battery, with O	46 320,00
37062-20004	687546	Mobile Robot Starter Kit, LD-90x, ESD, without Battery, with Charger, Joystick, Tc	48 020,00
LOAN37041100044	688063	Mobile Robot Starter Kit, LD-90, without Battery, with Charger, Joystick, Top Pla	54 350,00
LD90 OEM 70628	688415	Mobile Robot Starter Kit, LD-90, without Battery, with Charger, Joystick, Top Pla	54 350,00
LOAN370422000401	703124	LOAN POOL Mobile Robot Starter Kit, LD-90, ESD, without Battery, with Charger	69 050,00
LOAN370422000402	703123	LOAN POOL Mobile Robot Starter Kit, LD-90, ESD, without Battery, with Charger	69 050,00
LOAN370422000403	703122	LOAN POOL Mobile Robot Starter Kit, LD-90, ESD, without Battery, with Charger	69 050,00

OMRON PVPR 2023

37031-00000	679592	Robot Móvil LD-60	35 900,00
37032-00000	687561	Mobile Robot, LD-60, without Battery, with OS32C LIDAR	32 020,00
37032-00002	687599	Mobile Robot Docking Station Kit, LD-60, Charger, without Battery, with OS32C LIDAR	34 690,00
37032-10004	687560	Kit de inicio de robot móvil, LD-60, con cargador, sin batería, Joystick, placa superior	36 380,00
37032-20000	687554	Mobile Robot, LD-60, ESD, without Battery, with OS32C LIDAR	37 830,00
37032-20002	687553	Mobile Robot Docking Station Kit, LD-60, ESD, Charger, without Battery, with OS32C LIDAR	40 500,00
37032-20004	687552	Mobile Robot Starter Kit, LD-60, ESD, without Battery, with Charger, Joystick, Top Plate, without Battery	42 190,00
37142-00010	688848	Mobile Robot, LD-105CT without Battery, with OS32C LIDAR	77 150,00
37142-00012	688849	Paquete de robot móvil, LD-105CT, con cargador, sin batería, con OS32C LiDAR	80 300,00
37142-01014	688850	Mobile Robot Starter Kit, LD-105CT, with Charger, without battery, Joystick, Acuator	89 700,00
37162-00010	688851	Mobile Robot, LD-130CT, without Battery, with OS32C LIDAR	77 150,00
37162-00012	688852	Mobile Robot Docking Station, LD-130CT, with Charger, without Battery, with OS32C LIDAR	80 300,00
37162-01014	688853	Mobile Robot Starter Kit, LD-130CT, with Charger, without battery, Joystick, Acuator	89 700,00
LD250-BETA-UNIT-7525-00001	690427	Mobile Robot LD250 Beta Unit Without Battery 7525-00001	116 500,00
LD250-BETA-UNIT-7625-00015	690428	Mobile Robot LD250 Beta Unit Without Battery 7625-00015	116 500,00
LD250-BETA-UNIT-7625-00012	690429	Mobile Robot LD250 Beta Unit Without Battery 7625-00012	116 500,00
37222-00000	690743	Mobile Robot, LD-250, with OS32C LIDAR, without Battery	43 640,00
37222-00002	690744	Mobile Robot Docking Station Kit, LD-250, with Charger, OS32C LIDAR, without Battery	46 320,00
37222-10004	690745	Kit de inicio de robot móvil, LD-250, con cargador, sin batería, joystick, placa superior	48 020,00
LD250-BETA-UNIT-7625-BETA2	692742	Mobile Robot LD250 Beta Unit Without Battery 7625-Beta2	116 500,00
LD250-BETA-UNIT-7625-BETA3	692743	Mobile Robot LD250 Beta Unit Without Battery 7625-Beta3	116 500,00
37222-20000	699234	Mobile Robot, LD-250, ESD, without Battery	51 550,00
37222-20002	699233	Mobile Robot Docking Station Kit, LD-250, ESD, with Charger, without Battery	54 200,00
37222-20004	699232	Mobile Robot Starter Kit, LD-250, ESD, with Charger, Joystick, Top Plate, without Battery	55 900,00
LOAN3722210004	707338	LOAN POOL Mobile Robot, LD-250 7625-70300, with Charger, without Battery, Joystick	195 600,00
LOAN372221000402	708138	LOAN POOL Mobile Robot Starter Kit, LD-250, with Battery, with Charger, Joystick	86 400,00
LOAN372221000403	708137	LOAN POOL Mobile Robot Starter Kit, LD-250, with Battery, with Charger, Joystick	86 400,00
LOAN372221000404	708707	LOAN POOL Mobile Robot Starter Kit, LD-250, with Battery, with Charger, Joystick	86 400,00
37480-00002	695903	Mobile Robot Docking Station Kit, HD-1500, Charger, No Battery	116 100,00
37480-00000	695895	Mobile Robot, HD-1500, without Battery	101 200,00
37480-00100	695894	Robot móvil, HD-1500, HAPS simple, sin batería	103 400,00
37480-00200	695893	Robot móvil, HD-1500, HAPS doble, sin batería	105 500,00
37480-00010	695892	Robot móvil, HD-1500, Láseres laterales, sin batería	106 500,00

OMRON PVPR 2023

37480-00110	695891	Robot móvil, HD-1500, HAPS simple, láseres laterales, sin batería	108 700,00
37480-00210	695890	Robot móvil, HD-1500, HAPS doble, láseres laterales, sin batería	110 800,00
37480-10004	695889	Kit de inicio de robot móvil, HD-1500, cargador, colgante, placa superior, sin bat	119 300,00
37480-10104	695888	Kit de inicio de robot móvil, HD-1500, HAPS simple, cargador, colgante, placa su	121 500,00
37480-10204	695887	Kit de inicio de robot móvil, HD-1500, HAPS doble, cargador, colgante, placa sup	123 600,00
37480-10114	695886	Kit de inicio de robot móvil, HD-1500, HAPS sencillo, láseres laterales, cargador,	126 800,00
37480-10214	695885	Kit de inicio de robot móvil, HD-1500, HAPS doble, láseres laterales, cargador, co	128 900,00
17201-36000	687015	Robot articulado Viper 650	35 670,00
RL6-2066000	699099	Viper 650, carga útil de 5 kg, alcance de 653 mm, 6 ejes, IP40, EtherCAT	37 610,00
RL6-2066010	699098	Viper 650, 5 kg payload, 653 mm reach, 6 axis, IP65, EtherCAT	42 290,00
RL6-2066020	699097	Viper 650, carga útil de 5 kg, alcance de 653 mm, 6 ejes, IP40, sala limpia, EtherC	46 130,00
17211-36000	709268	Robot articulado Viper 650	35 670,00
17211-36010	709267	Viper 650 Pro, IP65, ePLC	46 510,00
17211-36020	709266	Viper 650 Pro, Sala limpia, ePLC	51 050,00
17213-36000	709265	Robot articulado Viper 650 (Add on)	34 340,00
17201-38000	687014	Robot articulado Viper 850	39 650,00
17201-38010	687011	Viper 850 Pro, IP65, ePLC	50 900,00
17201-38020	687010	Viper 850 Pro, Sala limpia, ePLC	50 500,00
RL6-2068000	699096	Viper 850, 5 kg payload, 855 mm reach, 6 axis, IP40, EtherCAT	39 120,00
RL6-2068010	699095	Viper 850, 5 kg payload, 855 mm reach, 6 axis, IP65, EtherCAT	46 260,00
RL6-2068020	699094	Viper 850, 5 kg payload, 855 mm reach, 6 axis, Cleanroom, EtherCAT	50 500,00
17211-38000	709262	Robot articulado Viper 850	39 650,00
17211-38010	709261	Viper 850 Pro, IP65, ePLC	50 900,00
17211-38020	709260	Viper 850 Pro, Sala limpia, ePLC	50 500,00
17213-38000	709259	Robot articulado Viper 850 (Add on)	38 300,00
17010-16000	684692	Robot SCARA eCobra 600 Lite, 5,5 kg de carga, 600 mm de alcance, IP20	16 870,00
17111-16000	684693	Robot SCARA eCobra 600 Standard, 5,5 kg de carga, 600 mm de alcance, IP20	20 600,00
17211-16000	684694	Robot SCARA eCobra 600 Pro, 5,5 kg de carga, 600 mm de alcance, IP20	25 440,00
17113-16000	684695	Robot SCARA eCobra 600 estándar (Add on), 5,5 kg de carga útil, 600 mm de alc	20 600,00
17213-16000	684689	Robot SCARA eCobra 600 Pro (Add on), 5,5 kg de carga, 600 mm de alcance, IP20	25 440,00
RL4-1166000	695944	eCobra 600 Standard, carga útil de 5.5 kg, alcance de 600 mm, 4 ejes, eje Z de 21	20 300,00
RL4-1166010	695943	eCobra 600 Standard, carga útil de 5.5 kg, alcance de 600 mm, 4 ejes, eje Z de 21	23 040,00
RL4-2166000	695942	eCobra 600 Pro, carga útil de 5.5 kg, alcance de 600 mm, 4 ejes, eje Z de 210 mn	25 070,00

OMRON PVPR 2023

RL4-2166010	695941	eCobra 600 Pro, carga útil de 5.5 kg, alcance de 600 mm, 4 ejes, eje Z de 210 mm	27 860,00
17010-16010	698783	Cobra 600 Lite, Sala Limpia	22 480,00
17111-16010	698782	Cobra 600 Standard, Sala Limpia, ePLC	23 610,00
17213-16010	698779	Cobra 600 Pro, Sala Limpia, Adicional	27 860,00
17211-16010	698778	Robot Cobra 600 Pro, Cleanroom, ePLC	27 860,00
17010-18000	684908	Robot SCARA eCobra 800 Lite, 5,5 kg de carga, 800 mm de alcance, IP20	21 590,00
17111-18000	684909	Robot SCARA eCobra 800 Standard, 5,5 kg de carga, 800 mm de alcance, IP20	25 500,00
17211-18000	684910	Robot SCARA eCobra 800 Pro, 5,5 kg de carga, 800 mm de alcance, IP20	29 770,00
17113-18000	684911	Robot SCARA eCobra 800 estándar (Add on), 5,5 kg de carga útil, 800 mm de alcance	25 500,00
17213-18000	684912	Robot SCARA eCobra 800 Pro (Add on), 5,5 kg de carga, 800 mm de alcance, IP20	29 770,00
RL4-1168000	695940	eCobra 800 Standard, carga útil de 5.5 kg, alcance de 800 mm, 4 ejes, eje Z de 210 mm	25 140,00
RL4-1168010	695939	eCobra 800 Standard, carga útil de 5.5 kg, alcance de 800 mm, 4 ejes, eje Z de 210 mm	27 910,00
RL4-1168030	695938	eCobra 800 Standard, carga útil de 5.5 kg, alcance de 800 mm, 4 ejes, eje Z de 210 mm	30 450,00
RL4-2168000	695937	eCobra 800 Pro, carga útil de 5.5 kg, alcance de 800 mm, 4 ejes, eje Z de 210 mm	29 340,00
RL4-2168010	695936	Cobra 800 Pro, carga útil de 5.5 kg, alcance de 800 mm, 4 ejes, eje Z de 210 mm	32 190,00
RL4-2168030	695935	eCobra 800 Pro, carga útil de 5.5 kg, alcance de 800 mm, 4 ejes, eje Z de 210mm	34 720,00
17111-18010	698777	Cobra 800 Standard, Sala Limpia, ePLC	27 910,00
17213-18010	698774	Cobra 800 Pro, Sala Limpia, Adicional	32 190,00
17211-18010	698773	Cobra 800 Pro, Sala Limpia, ePLC	32 190,00
17111-18030	698757	Cobra 800 estándar, IP65, ePLC	30 450,00
17213-18030	698755	Cobra 800 Pro, IP65, Adicional	34 720,00
17211-18030	698754	Cobra 800 Pro, IP65, ePLC	34 720,00
17010-18400	698775	Robot SCARA eCobra 800 Lite Invertido	24 650,00
17111-18400	698772	Robot SCARA eCobra 800 Standard Invertido	28 740,00
17113-18400	698771	Robot SCARA eCobra 800 Standard Invertido (Add on)	30 630,00
17211-18400	698769	Robot SCARA eCobra 800 Pro Invertido	32 800,00
17213-18400	698768	eCobra 800 Pro, Add-On, 5,5 kg de carga, 800 mm de alcance, 4 ejes, 210 mm de alcance	34 720,00
17211-18430	698760	Cobra 800 Pro Inverted, IP65, ePLC	37 870,00
17213-18430	698759	Cobra 800 Pro Invertido, IP65, Adicional	38 820,00
R6YXC800200YRC	353383	Omron Robot Scara, R=800mm, H=200mm, PL=20 kg, C10	63 350,00
YK220X100-RCX240-P	353196	Robot SCARA YK220X100RCX240P	43 820,00
YK1000XG-200-RCX240-RP	353212	Robot SCARA Yamaha: YK1000XG200RCX240RP	67 800,00
R6YXG800200YRC	353341	Robot SCARA OMRON: R6YXG800200YRCR3	58 700,00

OMRON PVPR 2023

YK350XG-150-RCX240-P	372429	Robot SCARA YAMAHA: YK350XG150RCX240P	37 560,00
YK250XG-150-RCX240-P	372952	Robot SCARA YAMAHA: YK250XG150RCX240P	37 560,00
YK500XG-L150-RCX240-P	382824	Robot SCARA YAMAHA: YK500XGL150RCX240P	39 790,00
R6YXGL350150YRCX	678045	Omron Robot Scara, R=350mm, H=150mm, PL=3 kg, IP40 con RCX-340 Controla	37 410,00
R6YXG500200YRCX	678720	Omron Robot Scara, R=500mm, H=200mm, PL=10 kg, IP40 con RCX-340 Controla	49 670,00
R6YXG700200YRCX	679081	Omron Robot Scara, R=700mm, H=200mm, PL=20 kg, IP40 con RCX-340 Controla	62 250,00
R6YXGH600200YRCX	679082	Omron Robot Scara, R=600mm, H=200mm, PL=20 kg, IP40 con RCX-340 Controla	60 150,00
R6YXG1000200YRCX	679484	Omron Robot Scara, R=1000mm, H=200mm, PL=20Kg, IP40 con RCX-340 Contro	64 050,00
R6YXGL600150YRCX	680153	XG series Robot Scara, 600mm alcance, 5kg Carga, 150mm con RCX-340 Control	41 180,00
R6YXG600200YRCX	680154	Omron Robot Scara, R=600mm, H=200mm, PL=10 kg, IP40 con RCX-340 Controla	53 600,00
R6YXG800200YRCX	680155	Omron Robot Scara, R=800mm, H=200mm, PL=20 kg, IP40 con RCX-340 Controla	59 200,00
R6YXG1000400YRCX	681016	Omron Robot Scara, R=1000mm, H=400mm, PL=20Kg, IP40, con RCX-340 Contro	72 550,00
R6YXGL400150YRCX	681017	Omron Robot Scara XGL, R=600mm, H=150mm, PL=5Kg, IP40, con RCX-340 Cont	41 180,00
R6YXGL250150YRCX	682750	Omron Robot Scara, R=250mm, H=150mm, PL=3 kg, IP40 con RCX-340 Controla	37 220,00
R6YXG700400YRCX	687634	Omron SCARA robot, R=700mm, H=400mm, PL=20Kg, IP40, with RCX-340 contro	62 750,00
R6YXGL500150YRCX	688374	XG series SCARA robot, 500mm reach, 5kg payload, 150mm Z reach with RCX-34	41 590,00
R6YXG500300YRCX	691160	Omron SCARA Robot, R=500mm, H=300mm, PL=10 kg, IP40 with YRCX controlle	53 250,00
R6YXG900400YRCX	692837	Omron SCARA Robot, R=900mm, H=400mm, PL=20 kg, IP40 with YRCX controlle	64 150,00
R6YXG12050YRCX	692890	Omron SCARA robot, R=120mm, H=50mm, PL=1Kg, IP40 with YRCX controller	38 880,00
R6YXG15050YRCX	692891	Omron SCARA robot, R=150mm, H=50mm, PL=1Kg, IP40 with YRCX controller	38 880,00
YK400XG-150-5L-RCX340-4-E-PS-4	695874	YAMAHA SCARA Robot XG, R = 400 mm, H = 150 mm, PL = 5 kg, IP40, with RCX-3	43 520,00
R6YXGSW900400YRCX	698822	Omron SCARA Robot, R=900mm, H=400mm, PL=20 kg, IP40, wall-mount and YR	66 650,00
YK600XGH-200-5L-RCX340-4-E-PS4	703114	SCARA Robot, R=600mm, H=200mm, PL=20 kg, IP40 with RCX-340 controller	60 150,00
YK1200X-400-RCX340-4-E-PS4	703144	SCARA Robot, R=1200 mm, H=400 mm, PL=50 kg, IP40 with YRCX controller	134 800,00
YK500XG-200-RCX340-4-E-PS-4	703529	Omron Yamaha SCARA Robot, R=500mm, H=200mm, PL=10 kg, IP40 with RCX-34	55 950,00
R6YXGP600200YRCR3	393597	Omron SCARA Robot, R=600mm, H=200mm, PL=8 kg, IP65.	61 200,00
R6YXGLP400150YRCX	693640	Omron SCARA Robot, R=400mm, H=150, PL=4Kg, IP65, with YRCX controller	68 500,00
R6YXGLP500150YRCX	693641	Omron SCARA Robot, R=500mm, H=150, PL=4Kg, IP65, with YRCX controller	69 900,00
R6YXGLP600150YRCX	693642	Omron SCARA Robot, R=600mm, H=150, PL=4Kg, IP65, with YRCX controller	70 850,00
R6YXX1200400YRCX	693105	Omron SCARA Robot, R=1200mm, H=400mm, PL=50 kg, IP40, wall-mount with Y	127 200,00
YK610XE-10-200-5L-RCX340-4EPS4	695558	Yamaha SCARA Robot XE series, R = 610 mm, H = 200 mm, PL = 10 kg	35 330,00
R6Y-XE-S-400-150	695557	Omron SCARA Robot XE series, R = 400 mm, H = 150 mm, PL = 4 kg, Origin Sensc	31 130,00
R6Y-XE-T-400-150	695556	Omron SCARA Robot XE series, R = 400 mm, H = 150 mm, PL = 4 kg	30 940,00

OMRON PVPR 2023

YK610XE-1020010L-RCX3404EEPPE4	695706	Yamaha SCARA Robot XE series, R = 610 mm, H = 200 mm, PL = 10 kg, cable 10 m	37 290,00
YK400XE-4S-150-5L-RCX340-4EPS4	695873	YAMAHA SCARA Robot XE series, R = 400 mm, H = 150 mm with 5 m cable	26 770,00
R6YXET400150YRCX	701348	Omron SCARA Robot XE series, R = 400 mm, H = 150 mm, PL = 4 kg	30 940,00
R6YXES400150YRCX	701347	Omron SCARA Robot XE series, R = 400 mm, H = 150 mm, PL = 4 kg, Origin Sensor	31 130,00
R6YXE610200YRCX	701346	Omron SCARA Robot XE series, R = 610 mm, H = 200 mm, PL = 10 kg	34 330,00
R6YXE710200YRCX	701345	Omron SCARA Robot XE series, R = 710 mm, H = 200 mm, PL = 10 kg	39 100,00
R6YXE510200YRCX	701344	Omron SCARA Robot XE series, R = 510 mm, H = 200 mm, PL = 10 kg	32 760,00
17201-14500	684809	Robot SCARA Cobra 450, 5 kg de carga, 450 mm de alcance	21 870,00
17203-14500	684810	Robot Scara Cobra 450 (Add on), 5 kg Carga, 450 mm alcance	21 870,00
17201-15000	684727	Robot Scara Cobra 500, 5 kg Carga, 500 mm alcance	22 570,00
17203-15000	684728	Robot Scara Cobra 500 (Add on), 5 kg Carga, 500 mm alcance	22 570,00
17201-16500	684729	Robot Scara Cobra 650, 5 kg Carga, 650 mm alcance	24 770,00
17203-16500	684726	Robot Scara Cobra 650 (Add on), 5 kg Carga, 650 mm alcance	24 770,00
RS4-2053002	699544	Spara i4-350L, 180 mm Z, montaje en mesa, ICS-ENET	11 140,00
RS4-2054002	699543	i4-450L, 5 kg payload, 450 mm reach, 4 axis, 180 mm Zaxis, Rear Panel, IP20, iCS	12 380,00
RS4-2055002	699538	i4-550L, 5 kg payload, 550 mm reach, 4 axis, 180 mm Zaxis, Rear Panel, IP20, iCS	13 610,00
RS4-2055004	699537	i4-550L, 5 kg payload, 550 mm reach, 4 axis, 350 mm Zaxis, Rear Panel, IP20, iCS	14 840,00
RS4-2053102	699542	i4-350L, 5 kg payload, 350 mm reach, 4 axis, 180 mm Zaxis, Bottom Panel, IP20,	11 140,00
RS4-2054102	699541	i4-450L, 5 kg payload, 450 mm reach, 4 axis, 180 mm Zaxis, Bottom Panel, IP20,	12 380,00
RS4-2055102	699536	i4-550L, 5 kg payload, 550 mm reach, 4 axis, 180 mm Zaxis, Bottom Panel, IP20,	13 610,00
RS4-2055104	699535	i4-550L, 5 kg payload, 550 mm reach, 4 axis, 350 mm Zaxis, Bottom Panel, IP20,	14 690,00
LOAN-RS42053002-01	702949	i4-350L-180mm S/N 00201	13 970,00
LOAN-RS42053002-02	702948	i4-350L-180mm S/N 00200	13 970,00
LOAN-RS42053002-03	702947	i4-350L-180mm S/N 00203	13 970,00
LOAN-RS42054002-01	702946	i4-450L-180mm S/N 00300	14 530,00
LOAN-RS42054002-02	702945	i4-450L-180mm S/N 00296	14 530,00
LOAN-RS42054002-03	702944	i4-450L-180mm S/N 00251	14 530,00
LOAN-RS42055002-01	702943	i4-550L-180mm S/N 00112	15 440,00
LOAN-RS42055002-02	702942	i4-550L-180mm S/N 00109	15 440,00
LOAN-RS42055004-01	702941	i4-550L-350mm S/N 00258	15 830,00
LOAN-RS42055004-02	702940	i4-550L-350mm S/N 00259	15 830,00
RS4-2063002	708115	i4-350L, 5 kg payload, 350 mm reach, 4 axis, 180 mm Zaxis, Rear Panel, IP20, iCS	11 140,00
RS4-2064002	708114	i4-450L, 5 kg payload, 450 mm reach, 4 axis, 180 mm Zaxis, Rear Panel, IP20, iCS	12 380,00

OMRON PVPR 2023

RS4-2065002	708113	i4-550L, 5 kg payload, 550 mm reach, 4 axis, 180 mm Zaxis, Rear Panel, IP20, iCS	13 610,00
RS4-2065004	708112	i4-550L, 5 kg payload, 550 mm reach, 4 axis, 350 mm Zaxis, Rear Panel, IP20, iCS	14 840,00
RS4-2063102	708111	i4-350L, 5 kg payload, 350 mm reach, 4 axis, 180 mm Zaxis, Bottom Panel, IP20,	11 140,00
RS4-2064102	708110	i4-450L, 5 kg payload, 450 mm reach, 4 axis, 180 mm Zaxis, Bottom Panel, IP20,	12 380,00
RS4-2065102	708109	i4-550L, 5 kg payload, 550 mm reach, 4 axis, 180 mm Zaxis, Bottom Panel, IP20,	13 610,00
RS4-2065104	708108	i4-550L, 5 kg payload, 550 mm reach, 4 axis, 350 mm Zaxis, Bottom Panel, IP20,	14 840,00
RS4-2068504	700378	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20	28 150,00
LOAN-RS42066502-01	702939	i4-650H-210mm S/N 00039	28 800,00
LOAN-RS42067504-01	702938	i4-750H-410mm S/N 00036	29 150,00
LOAN-RS42068504-01	702937	i4-850H-410mm S/N 00042	29 330,00
RS4-2066742	703598	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP	36 410,00
RS4-2066744	703597	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP	37 560,00
RS4-2067742	703596	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP	37 560,00
RS4-2067744	703595	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP	38 690,00
RS4-2068742	703594	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP	38 690,00
RS4-2068744	703593	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP	39 840,00
RS4-2066542	703592	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP65	36 410,00
RS4-2066544	703591	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP65	37 560,00
RS4-2067542	703590	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP65	37 560,00
RS4-2067544	703589	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP65	38 690,00
RS4-2068542	703588	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP65	38 690,00
RS4-2068544	703587	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP65	39 840,00
RS4-2066753	703586	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP	29 580,00
RS4-2066755	703585	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP	30 720,00
RS4-2067753	703584	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP	30 720,00
RS4-2067755	703583	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP	31 850,00
RS4-2068753	703582	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP	31 850,00
RS4-2068755	703581	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP	33 000,00
RS4-2066553	703580	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20	29 580,00
RS4-2066555	703579	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20	30 720,00
RS4-2067553	703578	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20	30 720,00
RS4-2067555	703577	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20	31 850,00
RS4-2068553	703576	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20	31 850,00

OMRON PVPR 2023

RS4-2068555	703575	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20	33 000,00
RS4-2056502	707758	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20	26 890,00
RS4-2056553	707759	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20	29 580,00
RS4-2056542	707760	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP65	36 410,00
RS4-2056504	707761	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20	28 060,00
RS4-2056555	707762	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20	30 720,00
RS4-2056544	707763	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP65	37 560,00
RS4-2056702	707764	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP	26 890,00
RS4-2056753	707765	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP	29 580,00
RS4-2056742	707766	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP	36 410,00
RS4-2056704	707767	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP	28 060,00
RS4-2056755	707768	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP	30 720,00
RS4-2056744	707769	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP	37 560,00
RS4-2057502	707770	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20	28 060,00
RS4-2057553	707771	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20	30 720,00
RS4-2057542	707772	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP65	37 560,00
RS4-2057504	707773	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20	29 240,00
RS4-2057555	707774	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20	31 850,00
RS4-2057544	707775	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP65	38 690,00
RS4-2057702	707776	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP	28 060,00
RS4-2057753	707777	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP	30 720,00
RS4-2057742	707778	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP	37 560,00
RS4-2057704	707779	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP	29 240,00
RS4-2057755	707780	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP	31 850,00
RS4-2057744	707781	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP	38 690,00
RS4-2058502	707782	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20	29 240,00
RS4-2058553	707787	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20	31 850,00
RS4-2058542	707786	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP65	38 690,00
RS4-2058504	707785	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20	30 410,00
RS4-2058555	707784	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20	33 000,00
RS4-2058544	707783	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP65	39 840,00
RS4-2058702	707788	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP	29 240,00
RS4-2058753	707789	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP	31 850,00

OMRON PVPR 2023

RS4-2058742	707790	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP	38 690,00
RS4-2058704	707791	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP	30 410,00
RS4-2058755	707792	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP	33 000,00
RS4-2058744	707793	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP	39 840,00
RS4-2066502	708104	Spara i4-650H, estándar Mnt., 210 mm Z, IP20, esclavo EtherCAT	26 890,00
RS4-2066504	708103	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20	28 060,00
RS4-2066702	708102	Spara i4-650H, mnt. Invertido, 210 mm Z, IP20, esclavo EtherCAT	26 890,00
RS4-2066704	708101	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP	28 060,00
RS4-2067502	708100	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20	28 060,00
RS4-2067504	708099	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20	29 240,00
RS4-2067702	708098	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP	28 060,00
RS4-2067704	708097	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP	29 240,00
RS4-2068502	708096	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20	29 240,00
RS4-2068504	708095	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20	30 410,00
RS4-2068702	708094	Spara i4-850H, mnt. Invertido, 210 mm Z, IP20, esclavo EtherCAT	29 240,00
RS4-2068704	708093	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP	30 410,00
LOAN-TM5-700-BA1923013	689281	LOAN-TM5-700-BA1923013_Marco Mallozi	106 800,00
LOAN-TM5-700-BA1921032	689282	LOAN-TM5-700-BA1921032_Massimo Proverbio	106 800,00
LOAN-TM5-700-BA1921031	689283	LOAN-TM5-700-BA1921031_Jan Zuse	106 800,00
LOAN-TM5-700-BA1921063	689284	LOAN-TM5-700-BA1921063_Sven Kaluza	106 800,00
LOAN-TM5-700-BA1922059	689285	LOAN-TM5-700-BA1922059_Oscar Ruiz	106 800,00
LOAN-TM5-700-BA1923019	689286	LOAN-TM5-700-BA1923019_Raúl Nicolás	106 800,00
LOAN-TM5-700-BA1921038	689287	LOAN-TM5-700-BA1921038_Francois Domerq	106 800,00
LOAN-TM5-700-BA1923012	689288	LOAN-TM5-700-BA1923012_Barry Graham	106 800,00
LOAN-TM5-700-BA1921033	689291	LOAN-TM5-700-BA1921033_Kenneth	106 800,00
LOAN-TM5-700-BA1921040	689292	LOAN-TM5-700-BA1921040	106 800,00
LOAN-TM5-700-BA1921069	689293	LOAN-TM5-700-BA1921069	106 800,00
LOAN-TM5-900-BA1923030	689294	LOAN-TM5-900-BA1923030	106 800,00
LOAN-TM5-900-BA1923024	689295	LOAN-TM5-900-BA1923024	106 800,00
LOAN-TM5-900-BA1921010	689296	LOAN-TM5-900-BA1921010	106 800,00
LOAN-TM14-BA1920094	689297	LOAN-TM14-BA1920094	106 800,00
LOAN-TM12-BA1926040	689305	LOAN-TM12-BA1926040	106 800,00
LOAN-TM5-700-BA1928031	690167	LOAN-TM5-700-BA1928031	106 800,00

OMRON PVPR 2023

LOAN-TM5-700-BA1927010	690168	LOAN-TM5-700-BA1927010	106 800,00
LOAN-TM12-BA1926039	690169	LOAN-TM12-BA1926039	106 800,00
LOAN-TM12-BA1926053	690170	LOAN-TM12-BA1926053	106 800,00
LOAN-TM12-BA1929012	690171	LOAN-TM12-BA1929012	106 800,00
LOAN-TM14-BA1920090	690172	LOAN-TM14-BA1920090	106 800,00
LOAN-TM5M-700-BA184056	696289	LOAN-TM5M-700-BA184056	117 400,00
RT6-0007001	701888	Paquete, Cobot, TM5-700, HW3.2	28 730,00
RT6-0007002	701889	Paquete, Cobot, TM5-700, cable de 12 m, HW3.2	29 930,00
RT6-0017001	701890	Paquete, Cobot, TM5X-700 (modelo sin cámara), HW3.2	27 530,00
RT6-0017002	701891	Paquete, Cobot, TM5X-700 (modelo sin cámara), cable de 12 m, HW3.2	28 730,00
RT6-0107001	701892	Paquete, Cobot, TM5M-700, HW3.2	32 320,00
RT6-0107011	701893	Paquete, Cobot, TM5M-700, Semi, HW3.2	35 900,00
RT6-0117001	701894	Paquete, Cobot, TM5MX-700 (modelo sin cámara), HW3.2	31 120,00
RT6-0009001	701895	Paquete, Cobot, TM5-900, HW3.2	28 730,00
RT6-0009002	701896	Paquete, Cobot, TM5-900, cable de 12 m, HW3.2	29 930,00
RT6-0109001	701897	Paquete, Cobot, TM5M-900, HW3.2	32 320,00
RT6-0019001	701898	Paquete, Cobot, TM5X-900 (modelo sin cámara), HW3.2	27 530,00
RT6-0019002	701899	Paquete, Cobot, TM5X-900 (modelo sin cámara), cable de 12 m, HW3.2	28 730,00
RT6-0109011	701900	Paquete, Cobot, TM5M-900, Semi, HW3.2	35 900,00
RT6-0119001	701901	Paquete, Cobot, TM5MX-900 (modelo sin cámara), HW3.2	31 120,00
RT6-1001301	701902	Paquete, Cobot, TM12, HW3.2	39 500,00
RT6-1001302	701903	Paquete, Cobot, TM12, cable de 12 m, HW3.2	40 700,00
RT6-1011301	701904	Paquete, Cobot, TM12X (modelo sin cámara), HW3.2	38 300,00
RT6-1011302	701905	Paquete, Cobot, TM12X (modelo sin cámara), cable de 12 m, HW3.2	39 500,00
RT6-1101301	701906	Paquete, Cobot, TM12M, HW3.2	43 100,00
RT6-1101311	701907	Paquete, Cobot, TM12M, Semi, HW3.2	47 880,00
RT6-1111301	701908	Paquete, Cobot, TM12MX (modelo sin cámara), HW3.2	41 900,00
RT6-2001101	701909	Paquete, Cobot, TM14, HW3.2	41 900,00
RT6-2001102	701910	Paquete, Cobot, TM14, cable de 12 m, HW3.2	43 100,00
RT6-2011101	701911	Paquete, Cobot, TM14X (modelo sin cámara), HW3.2	40 700,00
RT6-2011102	701912	Paquete, Cobot, TM14X (modelo sin cámara), cable de 12 m, HW3.2	41 900,00
RT6-2101101	701913	Paquete, Cobot, TM14M, HW3.2	45 490,00
RT6-2101111	701914	Paquete, Cobot, TM14M, Semi, HW3.2	50 300,00

OMRON PVPR 2023

RT6-2111101	701915	Paquete, Cobot, TM14MX (modelo sin cámara), HW3.2	44 300,00
RT6-0007021	701923	Bundle, Cobot, TM5-700, HW3.2, Profinet	29 940,00
RT6-0007022	701924	Bundle, Cobot, TM5-700, cable de 12 m, HW3.2, Profinet	31 130,00
RT6-0017021	701925	Bundle, Cobot, TM5X-700 (modelo sin cámara), HW3.2, Profinet	28 740,00
RT6-0017022	701926	Bundle, Cobot, TM5X-700 (modelo sin cámara), cable de 12 m, HW3.2, Profinet	29 940,00
RT6-0107021	701927	Bundle, Cobot, TM5M-700, HW3.2, Profinet	33 530,00
RT6-0117021	701928	Bundle, Cobot, TM5MX-700 (modelo sin cámara), HW3.2, Profinet	32 330,00
RT6-0009021	701929	Bundle, Cobot, TM5-900, HW3.2, Profinet	29 940,00
RT6-0009022	701930	Bundle, Cobot, TM5-900, cable de 12 m, HW3.2, Profinet	31 130,00
RT6-0109021	701931	Bundle, Cobot, TM5M-900, HW3.2, Profinet	33 530,00
RT6-0019021	701932	Bundle, Cobot, TM5X-900 (modelo sin cámara), HW3.2, Profinet	28 740,00
RT6-0019022	701933	Bundle, Cobot, TM5X-900 (modelo sin cámara), cable de 12 m, HW3.2, Profinet	29 940,00
RT6-0119021	701934	Bundle, Cobot, TM5MX-900 (modelo sin cámara), HW3.2, Profinet	32 330,00
RT6-1001321	701935	Bundle, Cobot, TM12, HW3.2, Profinet	40 720,00
RT6-1001322	701936	Bundle, Cobot, TM12, cable de 12 m, HW3.2, Profinet	41 910,00
RT6-1011321	701937	Bundle, Cobot, TM12X (modelo sin cámara), HW3.2, Profinet	39 520,00
RT6-1011322	701938	Bundle, Cobot, TM12X (modelo sin cámara), cable de 12 m, HW3.2, Profinet	40 720,00
RT6-1101321	701939	Bundle, Cobot, TM12M, HW3.2, Profinet	44 310,00
RT6-1111321	701940	Bundle, Cobot, TM12MX (modelo sin cámara), HW3.2, Profinet	43 110,00
RT6-2001121	701941	Bundle, Cobot, TM14, HW3.2, Profinet	43 110,00
RT6-2001122	701942	Bundle, Cobot, TM14, cable de 12 m, HW3.2, Profinet	44 310,00
RT6-2011121	701943	Bundle, Cobot, TM14X (modelo sin cámara), HW3.2, Profinet	41 910,00
RT6-2011122	701944	Bundle, Cobot, TM14X (modelo sin cámara), cable de 12 m, HW3.2, Profinet	43 110,00
RT6-2101121	701945	Bundle, Cobot, TM14M, HW3.2, Profinet	46 690,00
RT6-2111121	701887	Bundle, Cobot, TM14MX (modelo sin cámara), HW3.2, Profinet	45 510,00
RT6-0007031	707032	Bundle, Cobot, TM5-700, HW3.2, Food Grade Grease	31 610,00
RT6-0009031	707031	Bundle, Cobot, TM5-900, HW3.2, Food Grade Grease	31 610,00
RT6-0017031	707030	Bundle, Cobot, TM5X-700 (model without camera), HW3.2, Food Grade Grease	30 290,00
RT6-0019031	707029	Bundle, Cobot, TM5X-900 (model without camera), HW3.2, Food Grade Grease	30 290,00
RT6-1001331	707028	Bundle, Cobot, TM12, HW3.2, Food Grade Grease	43 440,00
RT6-2001131	707027	Bundle, Cobot, TM14, HW3.2, Food Grade Grease	46 090,00
RT6-1011331	707026	Bundle, Cobot, TM12X (model without camera), HW3.2, Food Grade Grease	42 140,00
RT6-2011131	707025	Bundle, Cobot, TM14X (model without camera), HW3.2, Food Grade Grease	44 770,00

OMRON PVPR 2023

RT6-0007041	707024	Bundle, Cobot, TM5-700, HW3.2, PROFINET & EtherNet/IP, Food Grade Grease	32 930,00
RT6-0009041	707023	Bundle, Cobot, TM5-900, HW3.2, PROFINET & EtherNet/IP, Food Grade Grease	32 930,00
RT6-0017041	707022	Bundle, Cobot, TM5X-700 (model without camera), HW3.2, PROFINET & EtherNet/IP	31 620,00
RT6-0019041	707021	Bundle, Cobot, TM5X-900 (model without camera), HW3.2, PROFINET & EtherNet/IP	31 620,00
RT6-1001341	707020	Bundle, Cobot, TM12, HW3.2, PROFINET & EtherNet/IP, Food Grade Grease	44 790,00
RT6-2001141	707019	Bundle, Cobot, TM14, HW3.2, PROFINET & EtherNet/IP, Food Grade Grease	47 420,00
RT6-1011341	707018	Bundle, Cobot, TM12X (model without camera), HW3.2, PROFINET & EtherNet/IP	43 470,00
RT6-2011141	707017	Bundle, Cobot, TM14X (model without camera), HW3.2, PROFINET & EtherNet/IP	46 100,00
RT6-3009001	708136	Bundle, Cobot, TM16, HW3.2	45 540,00
RT6-3019001	708135	Bundle, Cobot, TM16X (model without camera), HW3.2	42 290,00
RT6-3109001	708134	Bundle, Cobot, TM16M, HW3.2	48 790,00
RT6-3119001	708133	Bundle, Cobot, TM16MX (model without camera), HW3.2	46 620,00
RT6-3109011	708132	Bundle, Cobot, TM16M, Semi, HW3.2	53 150,00
RT6-3009021	708131	Bundle, Cobot, TM16, HW3.2, PROFINET & EtherNet/IP	46 730,00
RT6-3019021	708130	Bundle, Cobot, TM16X (model without camera), HW3.2, PROFINET & EtherNet/IP	43 470,00
RT6-3109021	708129	Bundle, Cobot, TM16M, HW3.2, PROFINET & EtherNet/IP	49 980,00
RT6-3119021	708128	Bundle, Cobot, TM16MX (model without camera), HW3.2, PROFINET & EtherNet/IP	47 820,00
09725-500	682846	Anyfeeder SXM-100 sin Superficie	24 270,00
09725-501	687082	Anyfeeder SXM100, No Feed Surface, integrated Backlight (IR)	27 100,00
09725-502	687081	Anyfeeder SXM100, No Feed Surface, integrated Backlight (Red)	27 100,00
18819-500	682854	Anyfeeder SXM-140 sin Superficie	30 080,00
18819-501	687080	AnyFeeder SXM140, superficie sin alimentación, retroiluminación integrada (IR)	33 280,00
18819-502	687079	Anyfeeder SXM140, No Feed Surface, integrated Backlight (Red)	33 460,00
12480-500	682847	Anyfeeder SX-240 sin superficie de alimentación	32 440,00
12480-501	687078	AnyFeeder SX240, superficie sin alimentación, retroiluminación integrada (IR)	37 910,00
12480-502	687077	AnyFeeder SX240, superficie sin alimentación, retroiluminación integrada (roja)	37 320,00
14269-500	682851	Anyfeeder SX-340 sin superficie de alimentación	40 880,00
14269-501	687076	AnyFeeder SX340, superficie sin alimentación, retroiluminación integrada (IR)	47 770,00
14269-502	687075	Anyfeeder SX340, No Feed Surface, integrated Backlight (Red)	47 770,00
R87F-FG150	113201	Protector de dedos	22,18
R87F-FG90	113217	AC Axial-flow finger guard, 82.4 mm x 82.4 mm	6,28
R87F-FL90	113222	AC Axial-flow filter	24,14
R87F-FL120	147488	AC Axial-flow filter	16,18

OMRON PVPR 2023

R87F-PC20	182232	AC Axial-flow plug cord	12,03
R89F-PC	686229	Accesorio de ventilador axial para R89F-M, cable de conector de 1 m.	7,93
R89F-PC-20	686228	Axial fan accessory for R89F-M, 2 m connector cable	9,99
46927	688399	MG-VYT: Dielectric PVC self adhesive white film labels (silicon free) used for inte	382,80
46427	688398	MG-VYT: Dielectric PVC self adhesive yellow film labels (silicon free) used for int	460,60
47096	688397	MG-TAP white legends for identifying push buttons and components rigid PVC, s	351,30
47097	688396	MG-TAP yellow legends for identifying push buttons and components rigid PVC,	395,30
R87F-PCJT-20	691153	AC Axial-flow plug cord, PSE mark, 2 m	16,02
VISION PS TRAINING	679704	Servicios de visión Pre Venta - Tarifa diaria de Curso	935,00
AUTOM PS TRAINING	679707	Servicios de Automatización Pre Venta - Tarifa diaria de curso	935,00
TC01 PLC BASIC	680778	Curso de formación PLC básico (2 días, precio/persona)	470,00
TC02 PLC ADV	680766	Curso de formación PLC avanzado (3 días, precio/persona)	470,00
TC03 PLC PROF	680758	Curso de formación PLC profesional (1 día, precio/persona)	470,00
TC04 PLC STRUCTURED TEXT	680787	Curso de formación PLC: Texto estructurado (1 día, precio/persona)	470,00
TC05 PLC SFC PROGRAMMING	680815	Curso de formación PLC: Programación de diagramas funcionales secuenciales (1	470,00
TC06 PLC FUNCTION BLOCKS INT	680795	Curso de formación PLC: Introducción a los bloques de funciones (1 día, precio/p	470,00
TC11 HMI BASIC	680780	Curso de formación HMI básico (1 día, precio/persona)	470,00
TC12 HMI ADV	680797	Curso de formación HMI avanzado (1 día, precio/persona)	470,00
TC13 HMI NB	680810	Curso de formación NB de HMI (1 día, precio/persona)	470,00
TC21 SCADA CX-SUPERVISOR	680779	Curso de formación SCADA CX-Supervisor (1 día, precio/persona)	470,00
TC22 SCADA CX-SUPERVISOR ADV	680799	Curso de formación SCADA CX-Supervisor Advanced (1 día, precio/persona)	470,00
TC23 SCADA CX-SUPERVISOR PROF	680753	Curso de formación SCADA CX-Supervisor Professional (1 día, precio/persona)	470,00
TC25 VAR SPEED DRIVES BASIC	680762	Curso de formación Conceptos básicos de drives de velocidad variable (1 día, pre	470,00
TC26 VAR SPEED DRIVES ADV	680751	Curso de formación Conceptos avanzados de drives de velocidad variable (1 día,	470,00
TC27 SERVO MOTORS DRIVES INT	680816	Curso de formación Introducción a servomotores y drives (1 día, precio/persona)	470,00
TC31 COMPONENTS BASIC	680760	Curso de formación Conceptos básicos de los componentes (1 día, precio/perso	470,00
TC34 PANEL BUILDING WORKSHOP	680803	Curso de formación Taller de tecnología de la creación de cuadros (1 día, precio,	470,00
TC37 TEMP CONTROL BASIC	680783	Curso de formación Conceptos básicos de control de temperatura (1 día, precio,	470,00
TC38 TEMP CONTROL ADV	680744	Curso de formación Conceptos avanzados de control de temperatura (1 día, pre	470,00
TC41 VISION SENSOR BASIC	680807	Curso de formación Conceptos básicos del sensor de visión (1 día, precio/person	470,00
TC42 VISION SYSTEMS BASIC	680804	Curso de formación Conceptos básicos del sistema de visión (1 día, precio/perso	470,00
TC46 SENSORS BASIC	680776	Curso de formación Conceptos básicos de los sensores (1 día, precio/persona)	470,00
TC47 SENSORS ADV	680788	Curso de formación Conceptos avanzados de los sensores (1 día, precio/persona)	470,00

OMRON PVPR 2023

TC51 SYSMAC CONTROL BASIC	680801	Curso de formación Conceptos básicos del sistema de control de máquinas Sysm	470,00
TC52 SYSMAC CONTROL ADV	680792	Curso de formación Conceptos avanzados del sistema de control de máquinas Sy	470,00
TC53 SYSMAC NX IO AND SAFETY	680755	Curso de formación E/S Sysmac NX y seguridad (1 día, precio/persona)	470,00
TC54 SYSMAC MOTION CONTROL	680770	Curso de formación Sysmac Motion Control (1 día, precio/persona)	470,00
TC55 SYSMAC NA HMI	680771	Curso de formación Sysmac NA HMI (1 día, precio/persona)	470,00
TC56 SYSMAC SQL	680791	Curso de formación Sysmac: Conexión a bases de datos SQL (1 día, precio/perso	470,00
TC58 SYSMAC CNC	680756	Curso de formación Sysmac CNC (1 día, precio/persona)	470,00
TC81 SAFETY SENSORS	680782	Curso de formación Sensores de seguridad (1 día, precio/persona)	470,00
TC82 SAFETY STANDALONE CTR	680765	Curso de formación Controladores de seguridad independientes (1 día, precio/p	470,00
TC83 SAFETY DIR 2006 42 EC	680768	Curso de formación Seguridad: Directiva sobre máquinas 2006/42/CE (1 día, pre	470,00
TC84 SAFETY MACHINE SYSTEM	680813	Curso de formación Seguridad en los sistemas de control de máquinas (1 día, pre	470,00
TC85 SAFETY CEI EN60204-1	680775	Curso de formación Seguridad de los equipos eléctricos de las máquinas - CEI EN	470,00
TC86 SAFETY RISK ASSESSMENT	680769	Curso de formación Seguridad: Evaluación de riesgos de la máquina (1 día, preci	470,00
TC91 NETW FIELDBUS AND EIP	680757	Curso de formación Redes de bus de campo y Ethernet para uso industrial (1 día	470,00
TC93 NETW DEVICENET	680777	Curso de formación Redes DeviceNet (1 día, precio/persona)	470,00
TC95 NETW INDUSTRIAL NETW INT	680789	Curso de formación Redes: Introducción a las redes industriales (1 día, precio/pe	470,00
TC101 CUSTOMISED ONE-TO-ONE	680794	Curso de formación individual personalizado (1 día, precio/persona)	700,00
TC102 CUSTOMISED ONE-TO-N	680800	Curso de formación personalizado para grupos (1 día, precio/persona, curso de f	585,00
TC103 CUSTOMISED ON-SITE	680764	Curso de formación personalizado in situ (precio/día, curso de formación para u	1 750,00
TCD21 PROG E V+ PROF	680767	Curso de formación in situ para la programación de robots - EV+ Professional (4.	2 365,00
TCD22 PROG VIPER	680752	Curso de formación in situ para la programación de robots - Viper (0.5 días, prec	265,00
TCD23 PROG ACE OPERATORS	680809	Curso de formación in situ para la programación de robots - ACE para el operado	1 050,00
TCD24 PROG MOBILE ROBOTS	680759	Curso de formación in situ para la programación de robots - robots móviles (4.0	2 100,00
TCD25 PROG ENTERPRISE MGR	680763	Curso de formación in situ para la programación de robots - Enterprise Manager	525,00
TCD31 ACE SIGHT 3 BASICS	680812	Curso de formación in situ para Robótica - ACESight 3 Vision Basics (1 día, precio	525,00
TCD32 ACE SIGHT 3 CONV TRACK	680747	Curso de formación in situ para Robótica - ACESight 3 Transveyor Tracking (1 día	525,00
TCD33 ACE SIGHT 3 VISION	680806	Curso de formación in situ para Robótica - ACESight 3 Vision (3 días, precio por p	1 575,00
TCD34 ACE SIGHT 3 PROG ANYFEED	680814	Curso de formación in situ para Robótica - ACESight 3 Programming AnyFeeder (	525,00
TC111 ROBOTICS FIXED	681484	Curso de formación Robótica: Tipos de robot fijos (1 día, precio/persona)	470,00
TC112 ROBOTICS MOBILE	681483	Curso de formación Robótica: Tipos de robot móviles (1 día, precio/persona)	470,00
TC113 ROBOTICS VISION	681485	Curso de formación Visión robótica para robots (1 día, precio/persona)	470,00
TCD26 PROG PACKEXPERT	681593	Curso de formación in situ para la programación de robots - PackExpert (4.5 días	2 365,00
TC57 SYSMAC STRUCTURED TEXT	681948	Curso de formación Sysmac: Texto estructurado (1 día, precio/persona)	470,00

OMRON PVPR 2023

TC43 VISION INT	682518	Curso de formación Introducción a la visión (1 día, precio/persona)	470,00
TC131 PMAC ADV	682677	Curso de formación Tecnología PMAC y funciones avanzadas de motion (1 día, p	470,00
OSSE TRAINING	683778	Pre Venta OSSE Servicios de Seguridad - curso	0,02
TC59 SYSMAC ROBOTICS	684767	Curso Sysmac Robotics (1 día, precio/persona)	470,00
TC121 MNT SYSMAC	685446	Curso de mantenimiento de Sysmac Studio. Ideal para personal de mantenimien	1 150,00
TC122 MNT FIXED ROBOTS	685447	Curso de mantenimiento de robots fijos en aplicaciones pick y place. Ideal para p	470,00
TC61 SYSMAC HMI ADV	688789	Curso avanzado de formación de Sysmac HMI (precio por persona y día)	470,00
TC62 SYSMAC MOTION ADV	688790	Curso avanzado de formación de Sysmac Motion Control (precio por persona y d	470,00
TC63 SYSMAC IO AND SAFETY ADV	689597	Curso avanzado de formación de E/S Sysmac y seguridad (precio por persona y d	470,00
TC114 ROBOTICS COBOT BASIC	691118	Curso de formación Robótica - Robots de colaboración (precio por persona, por	470,00
TCD35 ACE4 ACESIGHT4 INT	693992	Curso de formación in situ de Robótica - Introducción a ACE4/ACESight 4 (1,5 día	790,00
TCD11 ROBOT PACK I	693993	Paquete de formación in situ para Robótica - EV+ programación, Vision ACESight	2 625,00
TCD12 ROBOT PACK II	693994	Paquete de formación in situ para Robótica - Programación EV+, Visión ACESight	2 625,00
TCD37 ACESIGHT4 VISION	693995	Curso de formación in situ en la casa para robótica - ACESight 4 Vision (3 días, pr	1 575,00
TCD36 ACESIGHT4 CONV TRACK	693996	Curso de formación in situ para Robótica - ACESight 4 Transveyor Tracking (1 día	525,00
TCD38 ACESIGHT4 PROG ANYFEED	693997	Curso de formación in situ para Robótica - ACESight 4 Programming AnyFeeder (	525,00
ELEARNING GROUP LICENSE	694984	OmronLearning.com. Pago anual para crear un entorno cerrado para grupos con	475,00
ELEARNING TEST LICENSE	694982	OmronLearning.com. Pago único para crear un entorno cerrado para grupos con	100,00
TCD27 PROG COBOT	696341	Curso de formación interno para programación de robots - Cobot Basics (2.0 día	1 170,00
TC87 SAFETY BASICS CIP SAFETY	699031	Curso de formación sobre seguridad: Conceptos básicos de seguridad y seguridad	470,00
TC01R PLC BASIC	700403	Curso de formación remota PLC - básico (precio por persona)	315,00
TC02R PLC ADV	700402	Curso de formación remota PLC - Avanzado (precio por persona)	315,00
TC42R VISION SYSTEMS BASIC	700401	Visión del curso de formación remota: Sistemas básicos (precio por persona)	315,00
TC51R SYSMAC BASIC	700400	Curso de formación remota Sysmac Studio - básico (precio por persona)	315,00
TC52R SYSMAC ADV	700399	Curso de formación remota Sysmac Studio - Advanced (precio por persona)	315,00
TC53R SYSMAC NX IO AND SAFETY	700398	Curso de formación remota Sysmac Studio - NX I/o y seguridad (precio por perso	315,00
TC54R SYSMAC MOTION CONTROL	700397	Curso de formación remota Sysmac Studio - Control de movimiento (precio por	315,00
TC55R SYSMAC NA HMI	700396	Curso de formación remota Sysmac Studio - Programación básica para NA HMIS	315,00
TC84R SAFETY MACHINE SYSTEM	700395	Curso de formación a distancia Seguridad - sistemas de control de máquinas (pre	315,00
TC101R CUSTOMISED ONE TO ONE	700394	Curso de formación a distancia personalizado: Uno a uno (precio por persona)	700,00
TC102R CUSTOMISED TO GROUP	700393	Curso de formación remota personalizado: Uno a N (precio por persona, por día	585,00
TC114R ROBOTICS COBOT BASIC	700392	Curso de formación remota Robótica - Robots de colaboración (precio por perso	470,00
TC07 PLC INT	701030	Training Course PLC - Introduction (price per person, per day)	470,00

OMRON PVPR 2023

SAFETY PS TRAINING	702619	Safety Services Pre Sales - Daily Rate for Training	935,00
TC281 AMR PACK	707554	Training Course Pack - AMR. Combining TCD24 and TCD25 courses on consecutive	1 775,00
EXTENDED WARRANTY 2 YEAR	670428	Extended warranty, 2 year	0,01
EXTENDED WARRANTY 3 YEAR	670429	Extended warranty, 3 year	0,01
EXTENDED WARRANTY 1 YEAR	670430	Extended warranty, 1 year	0,01
ROBOT 6MTH WRTY EXT SP HORNET	675824	Servicios posventa de robótica - Paquete de ampliación de garantía de 6 meses	1 260,00
ROBOT 6MTH WRTY EXT SP ECOBRA	675825	Servicios posventa de robótica - Paquete de ampliación de garantía de 6 meses	1 260,00
ROBOT 6MTH WRTY EXT SP VIPER	675822	Servicios posventa de robótica - Paquete de ampliación de garantía de 6 meses	1 260,00
ROBOT 6MTH WRTY EXT LB VIPER	675826	Servicios posventa de robótica - Ampliación de garantía de 6 meses de mano de	525,00
ROBOT 6MTH WRTY EXT LB HORNET	675828	Servicios posventa de robótica - Ampliación de garantía de 6 meses de mano de	525,00
ROBOT 6MTH WRTY EXT LB QUATTRO	675827	Servicios posventa de robótica - Ampliación de garantía de 6 meses de mano de	525,00
ROBOT 6MTH WRTY EXT SP QUATTRO	675823	Servicios posventa de robótica - Paquete de ampliación de garantía de 6 meses	1 260,00
ROBOT 6MTH WRTY EXT LB ECOBRA	675829	Servicios posventa de robótica - Ampliación de garantía de 6 meses de mano de	525,00
SERVICE CONTRACT CONDESK	680704	Contrato de Servicios - Consultation Desk, 35% of discount in every intervention	395,70
SERVICE CONTRACT CONDESK 1D	680703	Contrato de Servicios - Consultation Desk, 1 day labor fee (transport, hotel, etc d	733,50
SERVICE CONTRACT CONDESK 2D	680702	Contrato de Servicios - Consultation Desk, 2 day labor fee (transport, hotel, etc d	1 177,00
ROBOT MNT CONT FIXED BRONZE	685506	Servicios posventa de robótica: contrato de mantenimiento para robots fijos, niv	840,00
ROBOT MNT CONT FIXED SILVER	685507	Servicios posventa de robótica: contrato de mantenimiento para robots fijos, niv	2 625,00
ROBOT MNT CONT FIXED GOLD	685508	Servicios posventa de robótica: contrato de mantenimiento para robots fijos, niv	5 250,00
ROBOT MNT CONT FIXED CUSTOM	685509	Post venta Servicios de Robótica - Contrato de Mantenimiento de Robots Fijos, P	0,02
ROBOT EXTEND WRTY VALIDATION	685510	Requiere el registro del robot en los primeros 2 meses desde la entrega in situ. L	0,02
ROBOT MNT CONT MOBILE BRONZE	685511	Post venta Servicios de Robótica - Contrato de Mantenimiento de Mobile Robot	1 575,00
ROBOT MNT CONT MOBILE SILVER	685512	Post venta Servicios de Robótica - Contrato de Mantenimiento de Mobile Robot	3 675,00
ROBOT MNT CONT MOBILE GOLD	685513	Post venta Servicios de Robótica - Contrato de Mantenimiento de Mobile Robot	7 875,00
ROBOT MNT CONT MOBILE CUSTOM	685514	Post venta Servicios de Robótica - Contrato de Mantenimiento de Mobile Robot	0,02
ROBOT 6MTH WRTY EXT LB COBOT	688815	Serv. posventa de robótica: paquete de ampliación de garantía de 6 meses de m	525,00
ROBOT 6MTH WRTY EXT SP COBOT	688816	Servicios posventa de robótica: paquete de ampliación de garantía de 6 meses p	1 260,00
ROBOT MNT CONT COBOT BRONZE	689241	Servicios posventa de robótica: contrato de mantenimiento para cobots, nivel b	840,00
ROBOT MNT CONT COBOT SILVER	689242	Servicios posventa de robótica: contrato de mantenimiento para cobots, nivel e	2 625,00
ROBOT MNT CONT COBOT GOLD	689243	Servicios posventa de robótica: contrato de mantenimiento para cobots, nivel P	5 250,00
ROBOT MNT CONT COBOT CUSTOM	689244	Maintenance Contract for Cobots - Customised - Price per robot and per year. h	0,02
LEASE MONTHLY FEE	689576	Monthly fee for the leased equipment	0,01
COMARKETING SERVPACK BRONZE	690221	Promotional Package Bronze - Customer testimonial video - For Partners	2 500,00

OMRON PVPR 2023

COMARKETING SERVPACK SILVER	690220	Promotional Package Silver - Customer testimonial video and article - For Partner	3 500,00
COMARKETING SERVPACK GOLD	690219	Promotional Package Gold - Customer testimonial video, article and Partner video	4 500,00
SERVICE COMMT LVL BLUE	694897	El nivel de compromiso de Omron que ofrece servicios de alta calidad a los clientes	1 000,00
SERVICE COMMT LVL PLATINUM	694893	El nivel de compromiso de Omron que ofrece servicios exclusivos de alta calidad	3 000,00
ROBOT 6MTH WRTY EXT SP MOBILE	695292	After Sales Robotic Services - 6 Months Warranty Extension Package for Spare Parts	1 575,00
ROBOT 6MTH WRTY EXT LB MOBILE	695291	After Sales Robotic Services - 6 Months Warranty Extension Package for Labor	682,50
ROBOT MNT CONT LD250 BRONZE	695962	Servicios robóticos posventa - Contrato de mantenimiento para LD 250, nivel Br	2 625,00
ROBOT MNT CONT LD250 SILVER	695963	Servicios robóticos posventa - Contrato de mantenimiento para LD 250, nivel Sil	6 300,00
ROBOT MNT CONT LD250 GOLD	695964	Servicios robóticos posventa - Contrato de mantenimiento para LD 250, nivel G	13 130,00
ROBOT MNT CONT LD250 CUSTOM	695965	Servicios robóticos posventa - Contrato de Mantenimiento para Robots móviles,	0,02
ROBOT MNT CONT HD1500 GOLD	702025	Maintenance Contract for HD1500 - Gold - Price per robot and per year, spare p	20 480,00
ROBOT MNT CONT HD1500 BRONZE	702024	Maintenance Contract for HD1500 - Bronze - Price per robot and per year, trave	3 675,00
ROBOT MNT CONT HD1500 SILVER	702023	Maintenance Contract for HD1500 - Silver - Price per robot and per year. https://	8 925,00
ROBOT MNT CONT HD1500 CUSTOM	702022	Maintenance Contract for HD1500 - Customised - Price per robot and per year. h	0,02
ROBOT 6MTH WRTY EXT SP LD250	702204	After Sales Robotic Services - 6 Months Warranty Extension Package for Spare P	2 625,00
ROBOT 6MTH WRTY EXT LB LD250	702203	After Sales Robotic Services - 6 Months Warranty Extension Package for Labor L	1 050,00
ROBOT 6MTH WRTY EXT SP HD1500	702202	After Sales Robotic Services - 6 Months Warranty Extension Package for Spare P	5 250,00
ROBOT 6MTH WRTY EXT LB HD1500	702201	After Sales Robotic Services - 6 Months Warranty Extension Package for Labor H	2 625,00
ROBOT 6MTH WRTY EXT SP I4	702200	After Sales Robotic Services - 6 Months Warranty Extension Package for Spare P	1 260,00
ROBOT 6MTH WRTY EXT LB I4	702199	After Sales Robotic Services - 6 Months Warranty Extension Package for Labor i4	525,00
LEASE RT6-0007001	708083	Financial Services - Monthly fee for the leased equipment. Cobot RT6-0007001.	739,00
LEASE RT6-0009001	708084	Financial Services - Monthly fee for the leased equipment. Cobot RT6-0009001.	739,00
LEASE RT6-0009021	708085	Financial Services - Monthly fee for the leased equipment. Cobot RT6-0009021.	770,00
LEASE RT6-1001301	708086	Financial Services - Monthly fee for the leased equipment. Cobot RT6-1001301.	1 016,00
LEASE RT6-2001101	708087	Financial Services - Monthly fee for the leased equipment. Cobot RT6-2001101.	1 078,00
ROBOT BATTERY RECYCLING FEE	708484	Robot battery recycling fee, for batteries in End-of-Life.	0,02
REPAIRS	164346		0,01
ROBOT IN-HOUSE REPAIR	676667	Servicios posventa de robótica - Reparación en las instalaciones	0,03
COATING	677881	Precio del proceso de coating	0,01
ROBOT IN-HOUSE PRE-INSPECT	680519	Servicios posventa de robótica - Análisis interno previo a la inspección	701,00
ROBOT RE-PAINT	683372	Post venta Servicios de Robótica : Robot volver a pintar	667,50
REPAIR CHARGE	683801	Cargo de reparación	0,01
REPAIR CHARGE NOT REPAIRABLE	683802	Coste cuando el producto no es reparable	0,01

OMRON PVPR 2023

REPAIR CHARGE NFF	683803	Coste cuando no se encuentra fallo en el producto	0,01
REPAIR ANALYSIS CHARGE	683804	Cargo del análisis de ERC en reparaciones	0,01
REPAIR COATING CHARGE	683805	Cargo del coating al producto	0,01
FAST REPLACEMENT SERVICE FEE	699128	Servicio para sustituir un producto defectuoso por una unidad de cambio sin pas	0,01
REPAIR IN-HOUSE HMI	707817	In-house Repairs for HMI	0,01
REPAIR IN-HOUSE CONTROLLERS	707816	In-house Repairs for Controllers	0,01
REPAIR IN-HOUSE IO UNITS	707815	In-house Repairs for IO Units	0,01
REPAIR IN-HOUSE SERVO SYSTEM	707814	In-house Repairs for Servo System	0,01
REPAIR IN-HOUSE INVERTERS	707813	In-house Repairs for Inverters	0,01
REPAIR IN-HOUSE IA NON-PROD	707812	In-house Repairs for IA Non-Prod	0,01
REPAIR IN-HOUSE OTHERS	707811	In-house Repairs Other Products	0,01
ROBOT RENTAL ROBOT COBRA	675834	Servicios posventa de robótica - Alquiler de robots eCobra (tarifa de 1 semana, c	1 050,00
ROBOT RENTAL ROBOT QUATTRO	675836	Servicios posventa de robótica - Alquiler de robots Quattro (tarifa de 1 semana, c	1 050,00
ROBOT RENTAL ROBOT VIPER	675837	Servicios posventa de robótica - Alquiler de robots Viper (tarifa de 1 semana, co	1 050,00
ROBOT RENTAL ROBOT HORNET	675835	Servicios posventa de robótica - Alquiler de robots Hornet (tarifa de 1 semana, c	1 050,00
ROBOTRENTALMOBILEWEEK	679511	Mobile Robots - tarifa de alquiler por semana por robot sin asistencia	1 050,00
Rental Controller CX	681917	Post Venta Servicios de Robotica - Controller CX Alquiler (1 semana, Costes de e	625,50
Rental Controller EX	681922	Post Venta Servicios de Robotica - Controller EX Alquiler (1 semana, Costes de e	625,50
Rental AIB Quattro	681924	Post Venta Servicios de Robotica - AIB Quattro Alquiler (1 semana, Costes de env	548,50
Rental AIB sCobra	681919	Post Venta Servicios de Robotica - AIB sCobra Alquiler (1 semana, Costes de env	548,50
Rental eAIB Quattro	681908	Post Venta Servicios de Robotica - eAIB Quattro Alquiler (1 semana, Costes de e	559,50
Rental AIB Quattro USDA	681918	Post Venta Servicios de Robotica - AIB Quattro USDA Alquiler (1 semana, Costes	658,00
Rental eAIB sCobra	681921	Post Venta Servicios de Robotica - eAIB sCobra Alquiler (1 semana, Costes de en	559,50
Rental MB40R	681923	Post venta Servicios de Robótica - MB40R alquiler (1 semana, coste de envío no	691,00
Rental eMB40R	681912	Post Venta Servicios de Robotica - eMB40R Alquiler (1 semana, Costes de envío	702,00
Rental MB60R	681916	Post venta Servicios de Robótica - MB60R alquiler (1 semana, coste de envío no	828,00
Rental eMB60R	681910	Post Venta Servicios de Robotica - eMB60R Alquiler (1 semana, Costes de envío	839,00
Rental Quattro Platform P31	681907	Post venta Servicios de Robótica - Quattro Plataforma P31 alquiler (1 semana, co	587,00
Rental Quattro Platform P32	681915	Post venta Servicios de Robótica - Quattro Plataforma P32 alquiler (1 semana, co	587,00
Rental Quattro Platform P34	681913	Post venta Servicios de Robótica - Quattro Plataforma P34 alquiler (1 semana, co	587,00
Rental Hornet Platform	681920	Post venta Servicios de Robótica - Hornet Plataforma alquiler (1 semana, coste d	587,00
Rental Quattro Plat. P31 USDA	681911	Post venta Servicios de Robótica - Quattro Plataforma P31 USDA alquiler (1 sem	658,00
Rental Quattro Plat. P32 USDA	681925	Post venta Servicios de Robótica - Quattro Plataforma P32 USDA alquiler (1 sem	658,00

OMRON PVPR 2023

Rental Quattro Plat. P34 USDA	681909	Post venta Servicios de Robótica - Quattro Plataforma P34 USDA alquiler (1 sem	658,00
ROBOT RENTAL LD	682521	Servicios posventa de robótica - Alquiler de robots LD (tarifa de 1 semana, coste	1 050,00
Equipment Rental	684125	Alquiler a corto plazo de equipos de automatización.	0,01
RENTAL ROBOT 304	685730	Post venta Servicios de Robótica - sCobra 800 + AIB (1 semana, coste de envío n	1 050,00
ROBOT RENTAL ROBOT COBOT	693088	After Sales Robotic Services - Cobot Robot Rental (1 week fee, Delivery cost not	1 080,00
VISION ENGINEERING 0.5 DAY	354257	Servicio ingeniería Vision en Omron 0,5días	549,00
VISION ENGINEERING DAY	354258	Servicio ingeniería Vision en Omron 1día	960,00
VISION ON-SITE SERVICE DAY	354260	Servicio ingeniería Vision en cliente 1día	1 425,00
PROJECT SAFETY	355214	Servicio Ingeniería de Seguridad	3 313,00
PROJECT IA	355744		0,01
VISION PS PROOF OF CONCEPT	675871	Servicios preventa Vision - Prueba de viabilidad de la solución Omron para la apl	150,00
AUTOM PS PROOF OF CONCEPT	675878	Servicios preventa de automatización - Prueba de viabilidad de la solución Omro	150,00
AUTOM AS INHOUSE REMOTE ASSIS	675884	Servicios de automatización postventa - Asistencia remota por teléfono / Team V	55,00
VISION AS INHOUSE REMOTE ASSIS	675877	Servicios postventa de visión - Asistencia remota por teléfono / Team Viewer, va	55,00
ROBOT AS TRAVELLING HOURS	675833	Servicios posventa de robótica - Horario de desplazamiento de/a OMRON - clien	126,00
ROBOT AS INHOUSE REMOTE ASSIS	675866	Servicios posventa de robótica - Asistencia remota por teléfono / Team Viewer,	55,00
OSSE CE HEALTH CHECK	676610	Pre Venta OSSE - Consultoría CE chequeo	0,02
ROBOT AS TRAVEL EXPENSES	676649	Servicios posventa de robótica - Valor de los billetes, peajes, gasolina, hoteles, c	0,01
ROBOT FEASIBILITY STUDY	682527	Servicios preventa de robótica - Estudio de viabilidad (prueba de concepto). Con	0,01
ROBOT PROOF OF CONCEPT	682522	Servicios preventa de robótica - Estudio de la prueba de concepto. Consta de un	150,00
OSSE MACHINE SAFEGUARDING	683781	Pre Venta OSSE Servicios de Seguridad - Evaluación de la protección de la máqui	0,02
OSSE MACHINE RISK ASSESSMENT	683782	Pre Venta OSSE Servicios de Seguridad - Evaluación de riesgos de Máquina	836,00
OSSE CONCEPTUAL DESIGN	683783	Pre Venta OSSE Servicios de Seguridad - Diseño Conceptual de Seguridad	836,00
OSSE ENGINEERING	683784	Pre Venta OSSE Servicios de Seguridad - Engineering - incluye Cálculo de Perform	0,02
OSSE REMEDIATION	683785	Pre Venta OSSE Servicios de Seguridad - Reparación - Llave en mano	0,02
OSSE VALIDATION	683777	Pre Venta OSSE Servicios de Seguridad - Validación	0,02
OSSE CONSULTATION	683779	Pre Venta OSSE Servicios de Seguridad - Consulta General	0,02
OSSE TRAVEL EXPENSES	683780	Pre Venta OSSE Servicios de Seguridad - Valor de tikets, gasolina, hoteles, comid	0,02
AUTOM PART DAILY ALLOWANCE	683808	Servicios de Automatización - Partial Dieta diaria	0,01
OSSE CE MARKING SUPPORT	684073	Pre Venta OSSE - Consultoría de marcado CE	0,02
OSSE COBOT RISK ASSESSMENT	685175	Pre Venta OSSE Servicios de Seguridad - Cobot Evaluación de riesgos	3 300,00
AIC-RELEARNINGSUPPORT	685573	Soporte de reaprendizaje de bibliotecas preventivas AI (1 hora)	158,30
AIC-STARTUPSUPPORT	685572	Soporte de inicio de bibliotecas preventivas AI (1 hora)	158,30

OMRON PVPR 2023

ROBOT PREPARATION ONSITE VISIT	686209	After Sales Robotic Services - Hourly rate for preparation and follow up on-site s	136,10
DOCUMENTS - DUPLICATES	687094	Duplicate of previously delivered documentation - PDF electronic	100,00
DOCUMENTS - SOLUTION SPECIFIC	687093	Solution specific documentation created by technical support	0,01
ROBOT REMOTE CALIBRATION	688046	After Sales Robotic Services - Robot rough calibration by remote control	476,30
ROBOT AS HOUR FEE	688132	Servicios posventa de robótica: tarifa por hora para días laborables (horario labo	126,00
ROBOT AS HOUR FEE OVT	688133	Servicios posventa de robótica: tarifa por hora para días laborables (horas extra	160,00
ROBOT AS HOUR FEE WKD	688134	Servicios posventa de robótica: tarifa por hora para fines de semana y festivos	252,00
ROBOT AS DAY ALW WITH HOTEL	688138	After Sales Robotic Services - Daily allowance including hotel costs	185,00
ROBOT AS DAY ALW WO HOTEL	688139	After Sales Robotic Services - Daily allowance excluding hotel costs	80,00
ROBOT PS DAY ALW WITH HOTEL	688140	Pre Sales Robotic Services - Daily allowance including hotel costs	185,00
ROBOT PS DAY ALW WO HOTEL	688141	Pre Sales Robotic Services - Daily allowance excluding hotel costs	80,00
ROBOT AS ABROAD ALW WITH HOTEL	688142	After Sales Robotic Services - Daily allowance including hotel costs. Only in coun	295,00
ROBOT AS ABROAD ALW WO HOTEL	688143	After Sales Robotic Services - Daily allowance excluding hotel costs. Only in coun	185,00
ROBOT PS ABROAD ALW WITH HOTEL	688144	Pre Sales Robotic Services - Daily allowance including hotel costs. Only in countr	295,00
ROBOT PS ABROAD ALW WO HOTEL	688145	Pre Sales Robotic Services - Daily allowance excluding hotel costs. Only in countr	185,00
ROBOT AS TRAVEL DST FEE	688200	After Sales Robotic Services - Distance value per kilometer	0,01
ROBOT PS TRAVEL DST FEE	688201	Pre Sales Robotic Services - Distance value per kilometer	0,01
ROBOT AS TRAVEL DST FEE FAE	688202	After Sales Application Robotic Services - Distance value per kilometer (service p	0,45
ROBOT PS TRAVEL DST FEE FAE	688203	Pre Sales Application Robotic Services - Distance value per kilometer (service pro	0,45
ROBOT AS DAY ALW FAE WITHHOTEL	688204	Servicios posventa de aplicaciones robóticas: dieta diaria incluidos los gastos de	185,00
ROBOT AS DAY ALW FAE WOHOTEL	688205	Servicios posventa de aplicaciones robóticas: dieta diaria sin incluir los gastos de	80,00
ROBOT PS DAY ALW FAE WITHHOTEL	688206	Servicios preventa de aplicaciones robóticas: dieta diaria incluidos los gastos de	185,00
ROBOT PS DAY ALW FAE WOHOTEL	688207	Servicios preventa de aplicaciones robóticas: dieta diaria sin incluir los gastos de	80,00
ROBOT PS TRAVELLING HOURS FAE	688208	Pre Sales Application Robotic Services - Travelling Hours (from/ to OMRON - Cus	126,00
ROBOT AS TRAVELLING HOURS FAE	688209	After Sales Application Robotic Services - Travelling Hours (from/ to OMRON - Cu	126,00
ROBOT PS TRAVEL EXPENSES FAE	688210	Pre Sales Application Robotic Services - Value for the Tickets, Tolls, Parking, Car	0,01
ROBOT AS TRAVEL EXPENSES FAE	688211	After Sales Application Robotic Services - Value for the Tickets, Tolls, Parking, Ca	0,01
ROBOT PS HOUR FEE FAE	688212	Servicios preventa de aplicaciones robóticas: tarifa por hora para días laborables	126,00
ROBOT PS HOUR FEE FAE OVT	688213	Servicios preventa de aplicaciones robóticas: tarifa por hora para días laborables	160,00
ROBOT PS HOUR FEE FAE WKD	688214	Servicios preventa de aplicaciones robóticas: tarifa por hora para fines de semar	252,00
ROBOT AS HOUR FEE FAE	688215	Servicios posventa de aplicaciones robóticas: tarifa por hora para días laborables	126,00
ROBOT AS HOUR FEE FAE OVT	688216	Servicios posventa de aplicaciones robóticas: tarifa por hora para días laborables	160,00
ROBOT AS HOUR FEE FAE WKD	688217	Servicios posventa de aplicaciones robóticas: tarifa por hora para fines de semar	252,00

OMRON PVPR 2023

SAFETY FB DEVELOPMENT	688499	Safety Services - Function Block development, hourly rate. Includes creation of s	175,00
SAFETY FB DEVELOPMENT TUV CERT	688500	Safety Services - Function Block development. TUV Certification of safety related	0,01
TSUNAGI AS HOUR FEE	688696	Tsunagi Services After Sales - Hourly Rate for solving inter-connectivity issues be	150,00
TSUNAGI PS HOUR FEE	688695	Tsunagi Services Pre Sales - Hourly Rate for solving inter-connectivity issues betw	150,00
ROBOT AS DAY FEE FAE	689307	Serv. posventa de aplicaciones robóticas: tarifa por día para día laboral completo	1 520,00
ROBOT PS DAY FEE FAE	689306	Serv. preventa de aplicaciones robóticas: tarifa por día para día laboral completo	1 520,00
VISION AS TRAVEL DST FEE FAE	689790	After Sales Application Vision Services - Distance value per kilometer (service pro	0,45
VISION AS DAY ALW FAE WITHOTEL	689791	Servicios posventa de aplicaciones de visión: dieta diaria incluidos los gastos de	185,00
VISION AS DAY ALW FAE WOHTOTEL	689792	Servicios posventa de aplicaciones de visión: dieta diaria sin incluir los gastos de	80,00
VISION AS TRAVELLING HOURS FAE	689793	After Sales Application Vision Services - Travelling Hours (from/ to OMRON - Cus	126,00
VISION AS TRAVEL EXPENSES FAE	689794	After Sales Application Vision Services - Value for the Tickets, Tolls, Parking, Car	0,01
VISION AS HOUR FEE FAE	689795	Servicios posventa de aplicaciones de visión: tarifa por hora para días laborables	126,00
VISION AS HOUR FEE FAE OVT	689796	Servicios posventa de aplicaciones de visión: tarifa por hora para días laborables	160,00
VISION AS HOUR FEE FAE WKD	689797	Servicios posventa de aplicaciones de visión: tarifa por hora para fines de seman	252,00
VISION AS DAY FEE FAE	689798	Serv. posventa de aplicaciones de visión: tarifa por día para día laboral completo	1 520,00
VISION PS TRAVELLING HOURS FAE	689799	Pre Sales Application Vision Services - Travelling Hours (from/ to OMRON - Cust	126,00
VISION PS TRAVEL DST FEE FAE	689800	Pre Sales Application Vision Services - Distance value per kilometer (service prov	0,45
VISION PS DAY ALW FAE WITHOTEL	689801	Servicios preventa de aplicaciones de visión: dieta diaria incluidos los gastos de	185,00
VISION PS DAY ALW FAE WOHTOTEL	689802	Servicios preventa de aplicaciones de visión: dieta diaria sin incluir los gastos de	80,00
VISION PS TRAVEL EXPENSES FAE	689803	Pre Sales Application Vision Services - Value for the Tickets, Tolls, Parking, Car re	0,01
VISION PS HOUR FEE FAE	689804	Servicios preventa de aplicaciones de visión: tarifa por hora para días laborables	126,00
VISION PS HOUR FEE FAE OVT	689805	Servicios preventa de aplicaciones de visión: tarifa por hora para días laborables	160,00
VISION PS HOUR FEE FAE WKD	689806	Servicios preventa de aplicaciones de visión: tarifa por hora para fines de seman	252,00
VISION PS DAY FEE FAE	689807	Serv. preventa de aplicaciones de visión: tarifa por día para día laboral completo	1 520,00
SAFETY AS TRAVEL DST FEE FAE	689808	After Sales Application Safety Services - Distance value per kilometer (service pr	0,45
SAFETY AS DAY ALW FAE WITHOTEL	689809	Servicios posventa de aplicaciones de seguridad: dieta diaria incluidos los gastos	185,00
SAFETY AS DAY ALW FAE WOHTOTEL	689810	Servicios posventa de aplicaciones de seguridad: dieta diaria sin incluir los gasto	80,00
SAFETY AS TRAVELLING HOURS FAE	689811	After Sales Application Safety Services - Travelling Hours (from/ to OMRON - Cus	126,00
SAFETY AS TRAVEL EXPENSES FAE	689812	After Sales Application Safety Services - Value for the Tickets, Tolls, Parking, Car	0,01
SAFETY AS HOUR FEE FAE	689813	Servicios posventa de aplicaciones de seguridad: tarifa por hora para días labora	126,00
SAFETY AS HOUR FEE FAE OVT	689814	Servicios posventa de aplicaciones de seguridad: tarifa por hora para días labora	160,00
SAFETY AS HOUR FEE FAE WKD	689815	Servicios posventa de aplicaciones de seguridad: tarifa por hora para fines de se	252,00
SAFETY AS DAY FEE FAE	689816	Serv. posventa de aplicaciones de seguridad: tarifa por día para día laboral comp	1 520,00

OMRON PVPR 2023

SAFETY PS TRAVELLING HOURS FAE	689817	Pre Sales Application Safety Services - Travelling Hours (from/ to OMRON - Cust	126,00
SAFETY PS TRAVEL DST FEE FAE	689818	Pre Sales Application Safety Services - Distance value per kilometer (service prov	0,45
SAFETY PS DAY ALW FAE WITHHOTEL	689819	Servicios preventa de aplicaciones de seguridad: dieta diaria incluidos los gastos	185,00
SAFETY PS DAY ALW FAE WOHOTEL	689820	Servicios preventa de aplicaciones de seguridad: dieta diaria sin incluir los gastos	80,00
SAFETY PS TRAVEL EXPENSES FAE	689821	Pre Sales Application Safety Services - Value for the Tickets, Tolls, Parking, Car re	0,01
SAFETY PS HOUR FEE FAE	689822	Servicios preventa de aplicaciones de seguridad: tarifa por hora para días labora	126,00
SAFETY PS HOUR FEE FAE OVT	689787	Servicios preventa de aplicaciones de seguridad: tarifa por hora para días labora	160,00
SAFETY PS HOUR FEE FAE WKD	689823	Servicios preventa de aplicaciones de seguridad: tarifa por hora para fines de se	252,00
SAFETY PS DAY FEE FAE	689824	Serv. preventa de aplicaciones de seguridad: tarifa por día para día laboral comp	1 520,00
AUTOM AS TRAVEL DST FEE FAE	689825	After Sales Application Automation Services - Distance value per kilometer (serv	0,45
AUTOM AS DAY ALW FAE WITHHOTEL	689826	Servicios posventa de aplicaciones de automatización: dieta diaria incluidos los g	185,00
AUTOM AS DAY ALW FAE WOHOTEL	689827	Servicios posventa de aplicaciones de automatización: dieta diaria sin incluir los	80,00
AUTOM AS TRAVELLING HOURS FAE	689828	After Sales Application Automation Services - Travelling Hours (from/ to OMRON	126,00
AUTOM AS TRAVEL EXPENSES FAE	689829	After Sales Application Automation Services - Value for the Tickets, Tolls, Parking	0,01
AUTOM AS HOUR FEE FAE	689830	Servicios posventa de aplicaciones de automatización: tarifa por hora para días l	126,00
AUTOM AS HOUR FEE FAE OVT	689831	Servicios posventa de aplicaciones de automatización: tarifa por hora para días l	160,00
AUTOM AS HOUR FEE FAE WKD	689832	Servicios posventa de aplicaciones de automatización: tarifa por hora para fines	252,00
AUTOM AS DAY FEE FAE	689833	Serv. posventa de aplicaciones de automatización: tarifa por día para día laboral	1 520,00
AUTOM PS TRAVELLING HOURS FAE	689834	Pre Sales Application Automation Services - Travelling Hours (from/ to OMRON -	126,00
AUTOM PS TRAVEL DST FEE FAE	689835	Pre Sales Application Automation Services - Distance value per kilometer (servic	0,45
AUTOM PS DAY ALW FAE WITHHOTEL	689836	Servicios preventa de aplicaciones de automatización: dieta diaria incluidos los g	185,00
AUTOM PS DAY ALW FAE WOHOTEL	689837	Servicios preventa de aplicaciones de automatización: dieta diaria sin incluir los	80,00
AUTOM PS TRAVEL EXPENSES FAE	689838	Pre Sales Application Automation Services - Value for the Tickets, Tolls, Parking,	0,01
AUTOM PS HOUR FEE FAE	689839	Servicios preventa de aplicaciones de automatización: tarifa por hora para días l	126,00
AUTOM PS HOUR FEE FAE OVT	689840	Servicios preventa de aplicaciones de automatización: tarifa por hora para días l	160,00
AUTOM PS HOUR FEE FAE WKD	689841	Servicios preventa de aplicaciones de automatización: tarifa por hora para fines	252,00
AUTOM PS DAY FEE FAE	689842	Serv. preventa de aplicaciones de automatización: tarifa por día para día laboral	1 520,00
GCD AS TRAVEL DST FEE FAE	689843	After Sales Global Consultation Desk Services - Distance value per kilometer (ser	0,45
GCD AS DAY ALW FAE WITHHOTEL	689844	Servicio posventa de consulta global: dieta diaria incluidos los gastos de alojami	185,00
GCD AS DAY ALW FAE WOHOTEL	689845	Servicio posventa de consulta global: dieta diaria sin incluir los gastos de alojami	80,00
GCD AS TRAVELLING HOURS FAE	689846	After Sales Global Consultation Desk Services - Travelling Hours (from/ to OMRO	126,00
GCD AS TRAVEL EXPENSES FAE	689847	After Sales Global Consultation Desk Services - Value for the Tickets, Tolls, Parkin	0,01
GCD AS HOUR FEE FAE	689848	Servicios posventa de consulta global: tarifa por hora para días laborables (hora	126,00

OMRON PVPR 2023

GCD AS HOUR FEE FAE OVT	689849	Servicios posventa de consulta global: tarifa por hora para días laborables (horas	160,00
GCD AS HOUR FEE FAE WKD	689850	Servicios posventa de consulta global: tarifa por hora para fines de semana o día	252,00
GCD AS DAY FEE FAE	689851	Serv. posventa de consulta global: tarifa por día para día laboral completo (incl. t	1 520,00
GCD PS TRAVELLING HOURS FAE	689852	Pre Sales Global Consultation Desk Services - Travelling Hours (from/ to OMRON	126,00
GCD PS TRAVEL DST FEE FAE	689853	Pre Sales Global Consultation Desk Services - Distance value per kilometer (servi	0,45
GCD PS DAY ALW FAE WITHHOTEL	689854	Servicio preventa de consulta global: dieta diaria incluidos los gastos de alojami	185,00
GCD PS DAY ALW FAE WOHOTEL	689855	Servicio preventa de consulta global: dieta diaria sin incluir los gastos de alojami	80,00
GCD PS TRAVEL EXPENSES FAE	689856	Pre Sales Global Consultation Desk Services - Value for the Tickets, Tolls, Parking	0,01
GCD PS HOUR FEE FAE	689785	Servicios preventa de consulta global: tarifa por hora para días laborables (horar	126,00
GCD PS HOUR FEE FAE OVT	689786	Servicios preventa de consulta global: tarifa por hora para días laborables (horas	160,00
GCD PS HOUR FEE FAE WKD	689788	Servicios preventa de consulta global: tarifa por hora para fines de semana o día	252,00
GCD PS DAY FEE FAE	689789	Serv. preventa de consulta global: tarifa por día para día laboral completo (incl. t	1 520,00
ROBOT AS DAY FEE	693882	After Sales Robotic Services - Day rate for complete working day (Includes hour	1 520,00
OSSE FORCE AND PRESSURE TEST	694898	OMRON Safety Service Europe - Force and pressure test	0,02
OPSE MAN HOUR	695061	OMRON Project Services for EMEA - Omron employees manhours	0,01
ROBOT EQUIPMENT UPGRADE	700852	Legacy or old Robot Replacement with a new or current Robot. Hardware/produ	0,03
VIRTUAL ASSISTANCE AS AUTOM	696100	Servicios de automatización posventa: Servicio de asistencia virtual a través de l	55,00
VIRTUAL ASSISTANCE PS AUTOM	696099	Servicios de automatización preventa: Servicio de asistencia virtual a través de la	55,00
VIRTUAL ASSISTANCE AS VISION	696098	Servicios de Visión posventa – Servicio de asistencia Virtual vía realidad aumenta	55,00
VIRTUAL ASSISTANCE PS VISION	696097	Servicios de visión preventa: Servicio de asistencia virtual a través de la realidad	55,00
VIRTUAL ASSISTANCE AS SAFETY	696096	Servicios de Seguridad posventa – Servicio de asistencia Virtual vía realidad aum	55,00
VIRTUAL ASSISTANCE PS SAFETY	696095	Servicios de seguridad preventa: Servicio de asistencia virtual a través de la reali	55,00
VIRTUAL ASSISTANCE AS ROBOT	696102	Servicios de Robot posventa – Servicio de asistencia Virtual vía realidad aumenta	55,00
VIRTUAL ASSISTANCE PS ROBOT	696103	Servicios de Robot preventa – Servicio de asistencia Virtual a través de la realida	55,00
OSSE VIRTUAL ASSISTANCE	699020	OMRON Safety Service Europe - Virtual Assistance Service via Augmented Realit	55,00
ROBOT AS TRAVEL HOURS WKD	699122	After Sales Robotic Services - Travelling Hourly Rate for Weekends / Public Holid	200,00
ROBOT VIRTUAL ASSISTANCE	699118	Servicios de Robot Post-Venta - Servicio de asistencia Virtual vía realidad aumen	55,00
IBELT ASSES HOUR FEE	699179	iBelt - Assessment - Hourly Rate for Working Days	125,00
IBELT ASSES DAY FEE	699178	iBelt - Assessment - Daily Rate for Working Days	1 000,00
IBELT ASSES HARDWAREPACK	699177	iBelt - Assessment - Hardware Pack	1 000,00
IBELT ASSES HOUR PACK	699176	iBelt - Assessment - Service Pack for machine/line observation, collecting record	0,01
OSSE COBOT RISK ASSESSMT +CSD	701223	Pre Venta OSSE Servicios de Seguridad - Cobot Evaluación de riesgos	3 300,00
OSSE MACHINE SAFEGUARD EVAL	701222	Pre Venta OSSE Servicios de Seguridad - Evaluación de la protección de la máqui	0,02

OMRON PVPR 2023

OSSE AMR RISK ASSESSMT +CSD	701221	OMRON Safety Service Europe - Autonomous Mobile Robot (AMR) risk assessment	4 400,00
OSSE PRE DELIVERY ACCEPTANCE	701220	OMRON Safety Service Europe - Pre-delivery acceptance (Design review - FAT - S	0,02
OSSE COBOT PFM	701219	OMRON Safety Service Europe - Cobot pressure and force measurement (PFM).	0,02
FB WINDING LIBRARY	702721	Function block - Winding library license for a Sysmac controller. License key is pr	350,00
DATA SCAN SERVICE	703518	Industrial Data Science Services - Data Scan. One time audit of 1-2 days to assess	999,00
MACHINE SANITY CHECK 2-4 DAYS	703517	Industrial Data Science Services - Machine Sanity Check, Simple case with estima	2 995,00
MACHINE SANITY CHECK 5-7 DAYS	703516	Industrial Data Science Services - Machine Sanity Check, Normal case with estim	5 995,00
MACHINE SANITY CHECK 8-10 DAYS	703515	Industrial Data Science Services - Machine Sanity Check, Complex case with estim	9 995,00
FB PATH CONTROL FULL	703534	Function block - Path Control Full. One FB library license for a Sysmac controller.	400,00
DATA SCIENCE DESIGN	707243	Industrial Data Science Services - Design. Includes Software, Hardware and men	0,01
DATA SCIENCE START-UP	707242	Industrial Data Science Services - Start-up. Installation inspection and functional	0,01
FB PALLETIZER	707708	Function block - Palletizer. One FB library license for a Sysmac controller.	150,00
2022 FORVIA TARAZONA AMR	708304	OMRON Project Services for EMEA - 2022 FORVIA TARAZONA AMR	0,01
ENGINEERING - LINEAR PROTOTYPE	708873	Engineering for a customer specific mechanical design or a prototype. Hourly rat	126,00
AUTOMATION PROJECT	708872	Project Service for Turn-Key Solution	0,01
PROJECT MANAGEMENT SERVICE	708871	Project Management time fee	0,01
ROBOTS DAY ONE SERVICE	708881	Field service visit upon robot delivery. Unboxing, Initial Startup & Registration	990,00
FREIGHT CHARGE	165702	Standard carriage per order	20,00
DELIVERYCHARGE VIPER 650/850	675891	Precio de entrega de VIPER 650/850 (de/a OMRON - cliente)	220,00
DELIVERYCHARGE EXPRESS SERVICE	675885	Precio de entrega exprés, cuando el cliente solicita la entrega en 24 horas	65,00
DELIVERYCHARGE COBRA 600/800	675890	Precio de entrega de COBRA 600/800 (de/a OMRON - cliente)	220,00
DELIVERYCHARGE QUATTRO	675894	Precio de entrega de QUATTRO (de/a OMRON - cliente)	285,00
DELIVERYCHARGE COBRA S350	675889	Precio de entrega de COBRA 350 (de/a OMRON - cliente)	220,00
DELIVERYCHARGE ON SATURDAY	675888	Precio de la entrega Express especial, cuando el cliente solicitó la entrega en sáb	150,00
DELIVERYCHARGE PRE-9	675887	Precio de la entrega Express especial, cuando el cliente solicitó la entrega antes	100,00
DELIVERYCHARGE PRE-12	675886	Precio de entrega exprés especial, cuando el cliente solicita la entrega el día sigu	75,00
DELIVERYCHARGE HORNET	675870	Precio de entrega de HORNET (de/a OMRON - cliente)	220,00
ADMINISTRATIVE CHARGE	676662	Cargo administrativo	0,01
HANDLING CHARGE	676656	Comisión de gestión	0,01
RETURNS TRANSPORTATION COST	676636	Coste a pagar del cliente en caso de devoluciones de productos solicitados por e	0,01
DELIVERYCHARGE COURIER/TAXI	676642	Precio de entrega exprés especial, cuando el cliente solicita la entrega por mens	0,01
DELIVERYCHARGE MOBILE	679655	Precio de la entrega de robots móviles	395,00
DELIVERY CHARGE ANYFEEDER	681030	Precio de entrega de ANYFEEDER	330,00

OMRON PVPR 2023

DELIVERYCHARGE MOBILE BATTERY	681452	Precio de entrega de BATERÍA PARA MÓVIL	260,00
DELIVERYCHARGE COBRA 450	683466	Precio de entrega de COBRA 450 (de/a OMRON - cliente)	220,00
DELIVERYCHARGE HEAVY PAYLOAD	683953	Precio de envío de artículos pesados	0,01
DELIVERY CHARGE ROBOT X-SERIES	684724	Precio de la entrega del robot, serie X (de/ a OMRON - cliente)	285,00
DELIVERY CHARGE COBOT	685179	Precio de envío de Robot, Cobot (de/ a OMRON - Cliente)	260,00
DELIVERY CHARGE COBOT ACCS	685180	Precio de envío de Robot Accessory, Cobot (de/ a OMRON - Cliente)	260,00
DELIVERY CHARGE COBRA 500	685595	Precio de envío de COBRA 500 (de/ a OMRON - Cliente)	220,00
DELIVERY CHARGE INV 45KW	685663	Precio de envío de Variadores Alta Potencia, SX-series, IP54, 45-132 kW (de/ a OMRON - Cliente)	110,00
DELIVERY CHARGE INV 160KW	685662	Precio de envío de Variadores Alta Potencia, SX-series, 160 kW or larger (de/ a OMRON - Cliente)	395,00
DELIVERY CHARGE INV 630KW	685661	Precio de envío de Variadores Alta Potencia, SX-series, IP54, 630 kW or larger (de/ a OMRON - Cliente)	660,00
DELIVERY CHARGE INV FDU VFX	685707	Precio de envío de Variadores Alta Potencia, FDU-series, VFX-series (de/ a OMRON - Cliente)	110,00
DELIVERY CHARGE EXPRESS	685706	Precio de Envíos Express, cuando el cliente solicite la entrega dentro de las 24 horas	65,00
DELIVERY CHARGE EXPRESS 2TO5	685705	Precio de Envíos Express, cuando el cliente solicite la entrega dentro de las 24 horas	85,00
DELIVERY CHARGE EXPRESS 6	685704	Precio de Envíos Express, cuando el cliente solicite la entrega dentro de las 24 horas	105,00
VALUE ADDED LOGISTICS	686260	Value Added Logistics - Bespoken service to you including some or all of the theses	0,01
DELIVERY CHARGE COBRA 650	687754	Precio de entrega de COBRA 650 (de/a OMRON - cliente)	220,00
LOAN ROBOT LD HANDLING FEE	688227	Price of Delivery of LOAN service, LD Robot - 2 ways (Handling, delivery and return)	1 500,00
DELIVERY CHARGE LS SMALL	688655	Precio de entrega para sistemas lineales que requieran un único palé	145,00
DELIVERY CHARGE LS MEDIUM	688654	Precio de entrega para sistemas lineales que requieran dos palés	285,00
DELIVERY CHARGE LS LARGE	688653	Precio de entrega para sistemas lineales que requieran tres palés o más, o en camión	395,00
LOAN STAND HANDLING FEE	689570	Price of Delivery for LOAN service, Cobot Accessories (Stand or Mobile Work Station)	575,00
LOAN COBOT HANDLING FEE	689571	Price of Delivery for LOAN service, Cobot - 2 ways (Handling, delivery and return)	500,00
COO - CERTIFICATE OF ORIGIN	690568	Document confirming origin of a product, issued by the Chamber of Commerce,	40,00
VALUE ADDED LOGISTS SETUP FEE	694011	Value Added Logistics - Registration and administration fee of the VAL service.	500,00
DELIVERY CHARGE HD	695954	Precio de transporte para robots móviles HD	600,00
DELIVERY CHARGE HD BATTERY	695953	Precio de transporte de la batería del robot móvil HD	260,00
DELIVERY CHARGE HD DOCK	695952	Precio de transporte de la estación de carga de robots móviles HD, base de carga	330,00
DELIVERY CHARGE HD DOCK POWER	695951	Precio de transporte de la estación de carga de robots móviles HD, fuente de alimentación	175,00
DELIVERY CHARGE I4-L/I4-H	700118	Precio de entrega del robot - i4-L/i4-H Sara (De/ a OMRON - Cliente)	220,00
DELIVERY CHARGE IX3	701225	Price of Delivery for Robot - iX3 Delta (from/ to OMRON - Customer)	260,00
DELIVERY CHARGE IX4	701224	Price of Delivery for Robot - iX4 Delta (from/ to OMRON - Customer)	260,00
DELIVERY CHARGE LD CONV TOP	701421	Price of Delivery for LD-60/90 Conveyor Top (from/ to OMRON - Customer)	220,00
VAL BOX CONTENT LIST	702518	Value Added Logistics - Box content list, price per box.	0,18

OMRON PVPR 2023

VAL ITEM LABELLING	702517	Value Added Logistics - Item labelling, price per item.	1,82
VAL BOX LABELLING	702516	Value Added Logistics - Box labelling, price per box.	0,38
VAL MAX PALLET HEIGHT	702515	Value Added Logistics - Maximum pallet height, price per pallet.	3,80
VAL BARCODES ON DELIVERY NOTE	702514	Value Added Logistics - Barcodes on delivery note. Only a setup fee for registration	50,00
LOAN I4 HANDLING FEE	702963	Price of Delivery for LOAN service, i4 Scara Robot - 2 ways (Handling, delivery and	500,00
LOAN ROBOT LD WEEK FEE	688226	Price of Loaned LD Robot, Service Fee for a week, Delivery cost not included	1 000,00
LOANED COBOT WEEK SERVICE FEE	689572	Price of Loaned Cobot; Service Fee for a week, Delivery cost not included	500,00
LOANED I4 WEEK SERVICE FEE	702974	Price of Loaned i4 Scara Robot; Service Fee for a week, Delivery cost not included	500,00
LOANED ACCS WEEK SERVICE FEE	707717	Price of Loaned Robot or Cobot accessories; Service Fee for a week, Delivery cost	200,00
EXPENDABLE ITEM-VISION	354256	Material indirecto - Vision	1 357,00
EXPENDABLE ITEM	677896	Artículos comprados localmente	0,01
EXPENDABLE ITEM-ROBOTS	685965	Material indirecto - Robots	0,01
EXPENDABLE ITEM-AUTOMATION	694896	Indirect material - Vision	0,01
EXPENDABLE ITEM-SAFETY	694895	Indirect material - Safety	0,01
CONSIGNMENT STOCK SERVICE FEE	690443	Logistics Service fee for managing consignment stock to the customer premises.	0,01
BUFFER STOCK SERVICE FEE	690442	Logistics Service fee for managing customer requested stock in Omron distribution	100,00
CONSIGNMENT STOCK SETUP FEE	690441	Registration and administration fee of the Consignment stock service	200,00
BUFFER STOCK SETUP FEE	690440	Registration and administration fee of the Buffer Stock service	200,00
24114-100	670154	Cámara GigE PoE, 640 x 480, 120 fps, Mono, CCD (1/4-pulgada)	833,00
90356-20200	670146	Bloque E/S para robot OAT 32E/32S (conexión al Smartcontroller EX)	1 471,00
00206-000	675419	SmartMotion (sMI6 or SmartServo Kit, MB10s) Spare_Part Bracket Kit, Mounting	126,60
00354-000	675424	Common - Elec Spare_Part CA,SIGMA ENCDR EXTRNL BATT.	247,80
00329-000	675423	SmartController CX Spare_Part Fan Assy, 24VDC, 60x60x15mm.	163,40
00947-000	675436	SmartController CX Spare_Part PLUG,LOOPBACK,CIM XMCP.SPARE.	53,00
01044-000R	675443	Repaired or Refurbished VME Spare_Part Chassis, Amplifier, PA-4, CAT3, Model	10 160,00
01056-300	675463	Cameras and Accessories Spare_Part CA,FIREWIRE,10.0M,NON-FLEX W/L.	587,00
01056-101	675444	Cameras and Accessories Spare_Part MOUNT, CAMERA TRIPOD, BASLER.	163,40
01078-000	675438	Legacy Spare_Part MOT,6AX,662,550W,4.3A,J1/3.	6 490,00
01079-000	675458	Legacy Spare_Part MOT,6AX,662,1150W,7.3A,J2.	7 005,00
01071-000	675442	Legacy Spare_Part DRIVE,SPEED,RDCR,6AX,662,J2.	5 385,00
01066-000	675459	Legacy Spare_Part BAT,ENC BKUP,6AX,662/4,J1/2/3.	311,50
01070-000	675460	Legacy Spare_Part DRIVE,SPEED,RDCR,6AX,662,J1.	4 748,00
01838-000	675454	SmartMotion (sMI6 or SmartServo Kit, MB10s) Spare_Part sMI6 Kit.	3 342,00

OMRON PVPR 2023

01057-000	675441	SmartController CX Spare_Part ADEPTVISION sAVI GUIDANCE OPT.	11 830,00
02073-000	675467	Legacy Spare_Part GRS FTNG,PT1/8,6AX,660/662/664.	8,66
02144-000	675473	Legacy Spare_Part Hard Stop, Jt1.	59,50
02448-100	675507	Legacy Spare_Part READHD,ENCDR,3CH,LN DR,US DIG.	671,00
02588-000F	675615	Cobra 600/800 All Spare_Part Cover Assy, Jt1 Upper.	1 833,00
03700-000	675624	Legacy Spare_Part sEJI Servo Module.	6 385,00
04770-000	675645	AIB Family Spare_Part Label, Warning, AIB Encoder.	12,98
02916-000	675539	Common - Mech Spare_Part Gasket, Harmonic Drive, Jt1.	12,98
02913-000	675538	Cobra 600/800 All Spare_Part O-Ring Seal, Harmonic Drive to Innerlink, Jt2.	12,98
04624-000	675635	Cobra 600 Spare_Part COVER,INNERLINK,CLN RM AIB.	122,30
02812-000	675534	Cobra 600 Spare_Part O-Ring Seal, HD Alignment Plug, Jt1.	12,98
02813-000	675535	Cobra 600 Spare_Part O-Ring Seal, HD Alignment Plug, Jt2.	12,98
02728-003	675524	Cobra 600 Spare_Part LED Assembly, Bi-Color, Red/Green, with Cable.	109,30
04892-300	675567	Legacy Spare_Part CBL,SIGMA-3,EXTRNL,BATT,MB-10.	168,80
03200-000	675621	Legacy Spare_Part SYSTEM,SMAI.	6 165,00
04820-000	675649	Cobra 800 Spare_Part Gasket, Housing, AIB Side, AIB.	27,04
04332001304-0001	675625	Common - Mech Spare_Part PULL,FLUSH LARGE.	16,23
02912-000	675537	Cobra 600/800 All Spare_Part O-Ring Seal, Harmonic Drive to Base, Jt1.	12,98
02928-000R	675620	Repaired or Refurbished Cobra 600/800 All Spare_Part CA,SERIAL,DB9,MALE/M	23,80
02729-000F	675525	Cobra 600/800 All Spare_Part Fan Assy, Jt1.	178,50
04821-000	675652	Cobra 800 Spare_Part Gasket, Housing, Flange Side,.	27,04
04965-203R	675564	Repaired or Refurbished Legacy Spare_Part KIT, T2 PENDANT, 3M, R.	2 661,00
04081-000	675541	Cobra 600 Spare_Part Cable Assy, XPANEL Adapter Cable with Jumpers.	311,50
02780-000	675527	Cobra 600/800 All Spare_Part Robot Accessory Kit, Cobra AIB, MB40, MB60, Qua	33,53
03722-000	675540	Cobra 600 Spare_Part Harness, DeviceNet, in Jt1 Cover Assy.	189,40
04991-000	675559	Viper 1700 Spare_Part PCA, RSC, Viper.	599,50
05004-000	675555	Legacy Spare_Part T1 or T2 Pendant Bypass Plug.	88,70
04972-000	675561	SmartController CX Spare_Part Cable Kit, AC/DC Power, 5m.	192,60
05003-000	675556	Legacy Spare_Part T1 or T2 Pendant Bracket, Wall-Mount.	193,70
05005-000R	675553	Repaired or Refurbished VME Spare_Part REMANUFACTURED ASSY, "J" AMP.	5 605,00
05083-401	675581	Legacy Spare_Part MOTOR, SIGMA 2, 400W, WITH BRA.	1 611,00
05002-000R	675557	Repaired or Refurbished Legacy Spare_Part CABLE, ADPTR, T1/T2 PNDNT,R.	267,20
05002-000	675558	Legacy Spare_Part T1 or T2 Pendant Adaptor Cable.	404,80

OMRON PVPR 2023

05043-001	675669	Viper 1700 Spare_Part ASSEMBLY, EMI BOX, PA4, VIPER.	3 567,00
04965-210R	675562	Repaired or Refurbished Legacy Spare_Part KIT, T2 PENDANT, 10M,R PART.	2 134,00
05739-040	675611	Viper 1300 Spare_Part CABLE ASSY, I/O VIPER SOLENOID.	372,10
05778-000	675662	Viper 650 Spare_Part Harmonic Drive, Joint 3, s650.	3 375,00
05284-302	675585	Anyfeeder Spare_Part Cable, Parallel, AnyFeeder SX2.	445,80
05284-502	675673	Anyfeeder Spare_Part Plates, Excenter, AnyFeeder SX.	3 863,00
05412-000	675591	Viper All Spare_Part Pulley, Joint 5 Motor.	318,00
05866-000	675656	Viper 850 Spare_Part Harmonic Drive, Joint 2, s850.	3 231,00
05414-000	675593	Viper All Spare_Part Pulley, Joint 6 Motor.	215,30
05584-000	675599	Viper All Spare_Part Connector Set, CN20 and CN21, IP54/65 and Cleanroom.	261,80
05728-000	675605	VME Spare_Part ASSY, "K" AMP.	6 205,00
05745-000	675610	AIB Family Spare_Part CONTROLLER, MOTIONBLOX-40L TOP.	9 895,00
05771-000	675678	Viper All Spare_Part O-Ring, Cable Assy, I/O, Outerlink.	37,08
05779-000	675661	Viper All Spare_Part Harmonic Drive, Joint 6, s650/s850.	2 427,00
05420-000	675594	Viper All Spare_Part Pulley, Harmonic Drive, Joint 6.	215,30
05776-000	675664	Viper 650 Spare_Part Harmonic Drive, Joint 2, s650.	3 375,00
05774-000	675679	Viper All Spare_Part Pulley, Harmonic Drive, Joint 5.	176,40
05886-000	675654	Legacy Spare_Part SYSTEM, sDAI-100W.	6 795,00
05284-501	675672	Anyfeeder Spare_Part Assembly, Motor, AnyFeeder SX2.	8 815,00
05769-000	675607	Viper All Spare_Part Kit, Bevel Gear Assy, Joint 6.	2 725,00
05415-000	675595	Viper All Spare_Part Bevel Gear Assy, Joint 6.	1 493,00
05661-003	675606	Python Spare_Part KITS, MB-10 to IO Blox, 0.3M.	405,70
05284-503	675674	Anyfeeder Spare_Part Clutch, Dispense, AnyFeeder SX.	3 804,00
05937-000	675693	Viper All Spare_Part Motor Mount Plate, Joint 3, s650.	207,70
05935-000	675691	Viper 650 Spare_Part Harness, Internal, Dust/Mist Proof, IP54/65, s650.	1 946,00
05946-000	675701	Viper All Spare_Part Gasket, Manifold Assy, Solenoid.	150,40
05936-000	675692	Viper All Spare_Part Motor Mount Plate, Joints 1/2, s650.	142,80
05918-000	675688	SmartController CX Spare_Part BRACKET, MOUNTING, MB40R/L, 19.	156,90
05941-000	675696	Viper All Spare_Part O-Ring, Motor Mount Plate, Joint 4.	120,10
06331-000	675720	Cobra 350 Spare_Part Pulley, Joint 4 Intermediate Input Shaft.	249,90
06132-000	675709	Cobra 350 Spare_Part Motor, Joint 3.	1 524,00
06321-000	675903	Cobra 350 Spare_Part Harmonic Drive, Joint 2.	3 243,00
06347-000	675727	Cobra 350 Spare_Part O-Ring, Flat Seal, Joint 2 Cover, Cleanroom.	428,30

OMRON PVPR 2023

06332-000	675721	Cobra 350 Spare_Part Pulley, Joint 4 Intermediate Shaft Output.	180,70
05945-000	675700	Viper All Spare_Part Cable Assy, I/O, Outerlink.	284,50
08387-000	675740	Quattro All Spare_Part Spring, Quattro Outer Arm, with Hook Ends.	49,75
06125-000	675705	Cobra 350 Spare_Part PCA, Power Supply Conversion.	506,50
06319-000	675901	Cobra 350 Spare_Part Brake Assembly, Joint 3.	594,00
06326-000	675908	Cobra 350 Spare_Part Cable, Guide B, Outerlink Cover.	103,90
06328-000	675717	Cobra 350 Spare_Part Outerlink Cover, Joint 2, Cobra s350 Cleanroom.	734,50
06346-000	675726	Cobra 350 Spare_Part Belt, Timing, Joint 3.	56,25
08660-000	675746	Quattro All Spare_Part Platform, 1:1.	5 410,00
06491-000	675731	Cobra 800 Inv Spare_Part Diagnostic Window Assembly.	727,50
05947-000	675702	Viper All Spare_Part Shim Kit, Bevel Gear, Joint 6, s650/850.	273,70
06345-000	675725	Cobra 350 Spare_Part Pulley, Joint 4 Motor, Cobra s350.	138,50
09228-040	675759	Cameras and Accessorries Spare_Part ADAPTER,PCIE,DIGITAL IO,16/16.	570,50
06344-000	675724	Cobra 350 Spare_Part Pulley, Joint 3 Motor, Cobra s350.	174,20
06370-000	675728	Cobra 800 Inv Spare_Part Hard Stop, Jt 2, Urethane, Inverted Cobra s800.	70,30
06330-000	675719	Cobra 350 Spare_Part Pulley Set, Joint 4 Intermediate Shaft.	42,18
08477-000	675743	Quattro All Spare_Part ASSY,MTR & ALPHA DRIVE.	5 945,00
09227-000	675758	Common - Elec Spare_Part PROFIBUS/DEVICENET GATEWAY OPT.	1 447,00
09078-101	675754	Quattro All Spare_Part SEAL,V-RING,73MM SHAFT, VITON.	307,20
06297-000	675896	Cobra 800 Inv Spare_Part Seal, V-Ring, 120 mm ID.	41,10
06324-000	675906	Cobra 350 Spare_Part Wiring, User I/O.	533,00
06343-000	675723	Cobra 350 Spare_Part Harness, Cleanroom, Cobra s350.	3 243,00
09015-100	675752	Quattro 650HS Spare_Part GASKET, INR HUB SEAL RING EPDM.	9,74
06325-000	675907	Cobra 350 Spare_Part O-Ring, User I/O Wiring Connector.	91,95
08420-100	675742	Viper All Spare_Part Crankshaft Kit, Joint 4, AdeptViper s650/s850.	3 306,00
06322-000	675904	Cobra 350 Spare_Part Brake Adjustment Seat, Joint 3.	98,45
06320-000	675902	Cobra 350 Spare_Part Brake Assembly, Joint 4.	455,40
06133-000	675710	Cobra 350 Spare_Part Motor, Joint 2.	1 663,00
06323-000	675905	Cobra 350 Spare_Part Switch, Brake Release.	243,40
10330-00095	675802	Legacy Spare_Part PCA,SW INTERLOCK,PA-4.	152,60
09627-101	675773	Quattro 650HS Spare_Part SEAL,V-RING,53MM SHAFT, VITON.	131,00
09732-000R	675790	Repaired or Refurbished Quattro All Spare_Part ASSY, PLTFRM P32,+/-92.5 DEG,	6 130,00
09744-000	675795	Quattro All Spare_Part PIN,RET,SPRING,QUATTRO.	12,98

OMRON PVPR 2023

10410-00580	675819	SmartMotion (sMI6 or SmartServo Kit, MB10s) Spare_Part Cable, 1394, 8.0m.	387,20
09757-000	675797	Quattro All Spare_Part PIN,SPRING,COIL,STL,1/4X1.	2,17
09349-300	675769	Cameras and Accessorries Spare_Part CA,1394B TO 1394A,10M W/L.	312,70
09668-095	675782	Quattro All Spare_Part BELT,TIMING,GT2 TWIN,95 TEETH.	94,10
10410-00545	675817	SmartMotion (sMI6 or SmartServo Kit, MB10s) Spare_Part Cable, 1394, 4.5m.	229,30
10332-00050	675804	VME Spare_Part Switch, E-Stop PCA, MCP3/MCP4.	486,70
10410-10545R	675821	Repaired or Refurbished SmartMotion (sMI6 or SmartServo Kit, MB10s) Spare_P	102,80
10332-01367	675805	VME Spare_Part Cable, Camera Interface 2X, w/o Strobe, 2m (6.6').	759,00
10410-10545	675820	SmartMotion (sMI6 or SmartServo Kit, MB10s) Spare_Part Cable, 1394, 3.0m (cd	102,80
10356-10400	675811	Common - Elec Spare_Part Cable, XMCP to MCP Adaptor, 6ft.	156,90
10410-00530	675816	SmartMotion (sMI6 or SmartServo Kit, MB10s) Spare_Part Cable, 1394, 3.0m.	174,20
13200-00030	676317	Cameras and Accessorries Spare_Part Cable, Camera, w/ shield, 10m (32.8ft).	285,60
12000-310	676370	SmartMotion (sMI6 or SmartServo Kit, MB10s) Spare_Part sMI6 Unit.	3 827,00
11901-000	676309	eAIB Family Spare_Part JUMPER,EAIB,XBELTIO,YELLOW.	76,80
14296-000	676380	Hornet 565 Spare_Part PLATE, SEAL,J1-3,HORNET 565.	135,30
14346-000	676345	Hornet 565 Spare_Part GASKET, SEAL PLATE, HORNET565.	17,31
18266-000	676394	Hornet 565 Spare_Part BUTTON, BRAKE RLS, WHITE.	45,43
20000-310R	676349	Repaired or Refurbished SmartController CX Spare_Part SYS,CNTRLR SC-CX.	7 710,00
27400-20005	676397	Common - Elec Spare_Part CNTCT BLK,2NO,LAMP.	59,50
25040-00201	676364	SmartController CX Spare_Part Connector, Terminal Block, User 24 VDC.	24,88
27400-20003	676328	Common - Elec Spare_Part Contact Block, High Power Lamp.	73,55
30356-151R	676318	Repaired or Refurbished SmartController CX Spare_Part KIT,AVI,CX VERSION.	10 520,00
40560-40260	676330	Cobra 600/800 All Spare_Part PLY,TMG,J4IDLER,115T.	695,00
30356-30000	676347	SmartMotion (sMI6 or SmartServo Kit, MB10s) Spare_Part sDIO Unit (Model 356	1 757,00
30560-12100	676354	Cobra 600/800 All Spare_Part Valve Assy, Hand, 24 VDC.	584,50
30356-151	676333	SmartController CX Spare_Part sAVI Kit (AdeptVision sAVI).	10 520,00
30562-000F	676391	Cobra 800 Spare_Part Cobra 800 IP-65 Outlink Cover.	4 080,00
40560-40280	676343	Cobra 600/800 All Spare_Part Pulley, Timing, Jt4 Ball Spline, 70T.	460,80
51001-69018	676385	Direct Drive Spare_Part SCR,M5-.8-6Gx18,SHC,PC12.9.	1,09
40562-40370	676319	Cobra 600/800 All Spare_Part Clamp Shield, Lower Bellows.	203,40
40561-30030	676369	Cobra 600/800 All Spare_Part COV,INNER LINK.	516,50
40560-40290	676314	Cobra 600/800 All Spare_Part SPCR,ENCDR DISC,UPPER.	29,21
40560-40350	676312	Cobra 600/800 All Spare_Part Stop, Hard Limit, Jt3 Lower, Rubber.	25,96

OMRON PVPR 2023

86720-001	676316	Quattro All Spare_Part Kit, Quattro, Ball Joint on Threaded Stud, 20 mm Sphere.	1 391,00
86720-112	676337	Quattro All Spare_Part KIT,QTRO,BALL JT,SPN INSRT.	595,00
90356-10358R	676414	Repaired or Refurbished SmartController CX Spare_Part KIT,FRONT PANEL,PCI C	609,00
09127-000	676597	Quattro All Spare_Part GASKET,FLANGE LINK,185DEG PLAT.	11,90
40330-11200	676590	Legacy Spare_Part FLTR,AIR,CE.	71,40
14114-200	676577	Cameras and Accessorries Spare_Part CMR,GIGE,POE,1296X996,30FPS,BW.	896,00
19600-000	676579	eAIB Family Spare_Part CONTROLLER, EMB-60R TOP LEVEL.	13 520,00
40340-00030	676574	Legacy Spare_Part AIR FLTR.	71,40
14114-100	676599	Cameras and Accessorries Spare_Part CMR,GIGE,POE,640X480,120FPS,BW.	687,50
14114-201	676578	Cameras and Accessorries Spare_Part CMR,GIGE,POE,1296X996,30FPS,CL.	940,00
07140-010	676749	Spare_Part ASSY,HARN,QUATTRO S650H,PWM.	1 440,00
09615-100	676753	Spare_Part 20 MM SPHERE, BALL, SST, GSKT.	187,20
14220-000	676743	Spare_Part ASSY, INNR ARM, HRNT S565.	882,00
02588-000	676796	Cobra 600/800 All Spare_Part COVER ASSEMBLY,J1 UPPER.	507,50
27400-20621	676789	Legacy Spare_Part ACTR,PADDLE SW,1X90,GRN LA.	64,90
09275-100	676790	Quattro 650HS Spare_Part Inner Arm Assembly, Quattro s650HS.	2 345,00
30430-30000	676799	SmartMotion (sMI6 or SmartServo Kit, MB10s) Spare_Part ASSY, PDU3.	1 956,00
10921-06600	676899	Legacy Spare_Part GRPR W TWST LCK CONN,6600.	1 082,00
10879-06600	676897	Legacy Spare_Part GRIPPER,RP SIL,MDL 6600.	577,00
200257	676898	Spare_Part swivel Gripper.	2 000,00
05728-000R	677466	Repaired or Refurbished VME Spare_Part Remanufactured ASSY, "K" AMP.	6 205,00
06764-000R	677476	Repaired or Refurbished Legacy Spare_Part SYSTEM, sDAI-HP REFURB.	7 545,00
06457-000	677470	Viper 1300 Spare_Part Motor Joint6, 100W, Vipe.	6 805,00
06470-000	677463	Viper 1300 Spare_Part Pulley, Motor, Jt 6, Vip.	352,60
06458-000	677478	Viper 1300 Spare_Part Drive, Harmonic, Jt 1, V.	3 489,00
06477-000	677519	Viper 1300 Spare_Part O-Ring, Manifold, Solenoid Val.	148,30
06461-000	677496	Viper 1300 Spare_Part Drive, Harmonic, Jts 4 and 5,.	2 323,00
06456-000	677474	Viper 1300 Spare_Part Motor Joint5, 200W, Vipe.	7 225,00
07046-000	677512	Quattro All Spare_Part Shield, Seal.	107,20
07079-456	677495	Viper 1700 Spare_Part Motor, Sigma, Jt-4,5,6, s1700.	12 080,00
07140-000	677514	Quattro 650H Spare_Part HARNESS, ASSEMBLY, QUATTRO S65.	1 783,00
06469-000	677508	Viper 1300 Spare_Part Pulley, Motor, Jt 5, Vip.	2 937,00
06476-000	677490	Viper 1300 Spare_Part O-Ring, Motor, Flange, Jt1/Jt2.	46,51

OMRON PVPR 2023

06465-000	677506	Viper 1300 Spare_Part Shim set, Joint 6, Viper.	618,00
07079-003	677517	Viper 1700 Spare_Part Motor, Sigma, Jt-3, s1700.	12 900,00
06459-000	677494	Viper 1300 Spare_Part Drive, Harmonic, Jt 2, V.	3 489,00
06464-000	677469	Viper 1300 Spare_Part Gear, Assy, Joint6, Vipe.	1 293,00
06462-000	677468	Viper 1300 Spare_Part Drive, Harmonic, Jt 6, Adept.	2 323,00
07109-000	677505	Viper 1700 Spare_Part Kit, Hard Stop Option, Adept.	1 206,00
07080-001	677483	Viper 1700 Spare_Part SPEED REDUCER, JT 1, S1700.	22 760,00
06460-000	677493	Viper 1300 Spare_Part Drive, Harmonic, Jt 3, Adept.	3 489,00
06463-000	677509	Viper 1300 Spare_Part Gear Assy, Shim set, Joint6, A.	1 644,00
06451-000	677481	Python Spare_Part Brake Replacement, L12 / L18.	1 551,00
07068-000	677465	Quattro All Spare_Part FAN, 50X50X15MM, 24VDC, 17CFM.	114,70
06992-007	677467	Viper 1700 Spare_Part Cable, Encoder 7m, Viper s1700.	3 936,00
06471-000	677500	Viper 1300 Spare_Part Belt, Timing, Joint5, Vi.	70,30
07081-002	677484	Viper 1700 Spare_Part Harness, Wiring, Jt-5,6, s1700.	1 897,00
06655-000	677482	Cobra 800 Inv Spare_Part Hard Stop, Jt 1, Left Side, Inverted Cobra s800.	70,30
06472-000	677492	Viper 1300 Spare_Part Belt, Timing, Joint6, Vi.	105,00
06468-000	677486	Viper 1300 Spare_Part Pulley, Harmonic Drive, Jt5, A.	611,50
06453-000	677513	Viper 1300 Spare_Part Motor Joint2, 750W, Vipe.	8 815,00
06654-000	677510	Cobra 800 Inv Spare_Part Hard Stop, Jt 1, Right Side, Inverted Cobra s800.	70,30
06474-000	677471	Viper 1300 Spare_Part Harness, Main, Viper1300.	1 528,00
06992-015	677464	Viper 1700 Spare_Part Cable, Encoder 15m, Viper s170.	5 010,00
28200-00044	677523	Spare Part FAN,6IN RND,230VAC,VDE.	495,40
07151-000	677584	Quattro 650H Spare_Part HARNESS, INTERNAL FAN, QUATTRO.	379,70
08319-000	677575	Quattro All Spare_Part Ball Joint on Threaded Stud, 20mm Sphere, Quattro.	268,30
08962-000	677565	Quattro All Spare_Part Machined Ring, Inner Arm, Quattro s650H.	119,00
08496-200	677577	Common - Mech Spare_Part Bolt, Shoulder, Stainless Steel.	32,45
08962-100	677570	Quattro All Spare_Part Machined Ring, Inner Arm, Quattro s650HS.	157,90
09023-000R	677582	Repaired or Refurbished Quattro All Spare_Part ASSY, PLATFORM,+/-60 DEG,RFF	6 195,00
08524-000	677576	Quattro All Spare_Part Assembly, Motor Cover, Quattro.	1 548,00
08523-000	677581	Quattro All Spare_Part Assembly, Diagnostic Display,.	1 033,00
09015-000	677564	Quattro All Spare_Part Gasket, Inner Hub Seal Ring, Quattro s650H.	9,74
30350-10352	677732	Legacy Spare_Part ASSY,MECH,CIP2.	4 687,00
06993-015	677754	Viper 1700 Spare_Part CABLE MOTOR 15M S1700.	5 010,00

OMRON PVPR 2023

10338-53200R	677753	VME Spare_Part PCA,B+ AMP SEMI-ROBOT.	4 730,00
09085-000	677816	Common - Elec Spare_Part FUSE, 1.3A, 48V AC/DC.	11,90
40320-20232	677820	Direct Drive Spare_Part FLTR, AIR, SFISH.	21,63
09228-011	678047	Cameras and Accessories Spare_Part ADAPTER,PCIE,IEEE-1394A,2PORT.	175,30
30560-20100R	678102	Cobra 600/800 All Spare_Part J1MOT/MT/SL ASSY, R.	2 969,00
60350-00013	678396	Legacy Spare_Part CA,AWC RS232,MD8-DB25.	72,50
18110-040	679148	Pieza de Repuesto Kit Jt3 motor 150W Sigma 7 Cobra 600&800 incluye Inverted	2 239,00
04860-000	679303	Cobra 800 Pieza de Repuesto KIT,ACCESSORY, COBRA S800 IP65	1 412,00
59962-3314	679411	Pieza de Repuesto SD Card, EX, eV+ 2.3 C5	1 226,00
10332-00505	679454	PCA,VME, Joint Interface enhanced Board	5 985,00
01056-402	679609	KEY, USB, ADEPT ACE OPTIONS	156,90
13486-502	679608	COVER, TIM SENSOR	669,50
05573-000	679603	Fine Calibration Fixture, Cobra s350	2 115,00
90560-16001	679620	KIT,BAS-OL HARN,800	5 810,00
12528-000	679678	ASSY,CBL,HD15DSUBM-F,SHLD, 5'	36,78
12413-000	698958	Common - Elec Spare_Part KYLCK SWTCH, 2 KYPULL POS,90D.	24,88
12730-000L	683568	Esap Jumper	74,65
14298-000	679945	Montaje Diagnóstico Display de Hornet Robot	545,50
14380-000	679940	ASSY, PLTFRM, FXD,SS,HRNT S565	3 212,00
07140-010	679933	ASSY,HARN,QUATTRO S650H,PWM	1 440,00
09015-000	679924	GASKET, INNER HUB SEAL RING	9,74
14333-000	679930	GEARBOX,7:1,PLE60, NEUGART	1 630,00
09080-000	679932	GSKT, DIAG. DISPLAY, QUATTRO	10,82
14435-000	679981	HARN,ASSY,HORNET 565	1 405,00
08962-000	679956	MACH RING,INNER ARM,QUATTRO	119,00
09564-000	679971	SEAL KIT, CA, EN, QTRO S650HS	1 011,00
09200-000	679954	SYSTEM,SMARTCONTROLLER EX	5 140,00
00000-0001	680140	Backup CompctFlash incliyendo V+ y Licencias	519,50
00000-0002	680141	Backup SD Card including eV+ y Licencias	270,40
00000-0003	680142	Backup SD Card inluyendo eV+ y Licencias	270,40
18181-030	680187	Kit, Eje 3 Sigma 7 Reemplazo Motor, Cobra 600	2 159,00
13083-350	680190	IR Backlight, Adept Flexibowl 350	1 268,00
05083-200	680271	Motor, Sigma 2, 200W, Without Brake	932,00

OMRON PVPR 2023

18181-031	680272	Kit, Eje 3 Sigma 7 Reemplazo Motor, Cobra 800	2 074,00
18228-000	680273	Montaje, HD & Moar, Inverted Cobra, J1	6 030,00
09078-101	680337	SEAL,V-RING,73MM SHAFT, V1aN	307,20
09795-000	680320	Cobra 600 Pieza de Repuesto CVR,OTRLNK,EVARIO600	568,50
18110-010	680416	Montaje, J1 Moar, 400W, Sigma 7, Cobra 600 & 800	2 590,00
18472-000	680453	Cable, Camera, GigE, Industrial, SSTP (CAT 6), 10 meter	360,20
13716-000	680470	Mobile Accesorios (Call butans, MDMI cables) Pieza de Repuesto LENS FLTR,NR	149,30
30450-60300F	680503	BK ASSY,24VDC,3IN IBF	384,00
18181-012	680678	Kit, Eje 1 Sigma 7 Reemplazo Motorr, Cobra 600 & 800, FRU	2 650,00
57000-02770	680677	O-RNG,1.3IDx.07CS,BN 70	7,21
13119-000	681439	SELF-SUPPORT KIT,QUATTRO	8 180,00
90430-30001	681463	KIT,PDU3 EXPANSION	2 113,00
40562-40380	681578	CLAMP, UPPER, BELLOW	96,30
09454-610	681968	Legacy Pieza de Repuesto CA,PWR I/O6P HRSa UNTERM, 10M	300,70
06703-000	681969	SET,TRGT,ADEPTSIGHT/HEXSIGHT	30,29
09332-000	681972	CASE, DVD, PLAIN	16,23
09332-201	681971	INSERT,DVD,ACE	3,25
18530-000	682421	BRIDGE, SX240	136,30
13555-000L	682438	Power Supply, DC-DC, 24V, 5A, 18-36 In, DIN 120	469,40
14210-000	682275	ASSY,PROFINET IO/DVCNT-G	1 653,00
14215-000	682276	ASSY,PROFIBUS DP/DVCNT-G	1 653,00
12480-052	682883	Anyfeeder Spare_Part Surface, Anyfeeder SX240, #52.	1 511,00
09638-002	682884	Quattro 650HS Spare_Part Bushing, Spring, Outer Arm.	27,04
08387-101	682885	Quattro All Spare_Part Spring, Outer Arm.	21,63
08384-106	682886	Quattro All Spare_Part Insert, Spoon.	44,35
09339-000	682887	Ball Joint, 20 mm Diameter, Stainless Steel	187,20
07140-010	682888	Spare_Part ASSY,HARN,QUATTRO S650H,PWM.	1 440,00
09074-000	682889	Quattro All Spare_Part Cap, Inner Hub, Quattro/Hornet, 80mm.	21,63
09094-000	682890	Spare_Part ASSY,FAN,MOTOR,QUATTRO.	30,29
09668-000	682891	Spare Part BELT,TIMING,GT2 TWIN,15MM WIDE.	78,95
09734-000	682892	Platform Assy, P34, +/- 185 degrees.	8 215,00
09503-000	682893	P31 Quattro Platform P31 (45 degrees)	4 709,00
09627-000	682894	Spare Part SEAL,V-RING,2.09ID X.16W BLACK.	12,36

OMRON PVPR 2023

09732-000	682895	Spare Part OAT: Quattro. Plataforma P32 (90.5 degrees)	8 170,00
09016-000	682896	Quattro 650HS Spare_Part Gasket, Motor Cover.	32,45
09730-000	682897	Spare Part OAT: Quattro. Plataforma P30 (sin rotación)	1 906,00
09566-000	682898	GSKT,HSG,FLGE,EPDM, QTRO HS	33,53
09503-200	682899	Quattro All Spare_Part ASSY, PLTFRM P31,+/-46 DEG,SS.	4 159,00
09015-000	682901	Quattro All Spare_Part Gasket, Inner Hub Seal Ring, Quattro s650H.	9,74
09567-000	682902	GSKT,HSG,AIBSIDE,EPDM, QTRO HS	20,55
09088-000	682903	Quattro All Spare_Part LAMP, LED, AMBER, HIGH POWER.	38,94
09016-100	682904	Quattro 650HS Spare_Part Gasket, Motor Cover.	22,72
08765-000	682905	Kit para sellado de cables Quattro650H	987,00
09571-000	682906	Quattro 650HS Spare_Part GSKT, AIB HEATSNK QTRO S650HS.	156,90
09573-000	682907	Quattro 650HS Spare_Part GSKT, DIAG DISP, EPDM S650HS.	11,90
09756-010	682908	Hornet ALL Spare_Part Outer Arm Assembly, Quattro s650/s650H/Hornet.	3 565,00
09732-200	682909	Quattro All Spare_Part ASSY, P32,+/-92.5 DEG, SS.	8 810,00
10052-000	682911	JUMPER,SC-EX-XMCP,RED	60,60
09564-000	682912	Kit para sellado de cables Quattro HS, USDA Accepted, IP65	1 011,00
14353-000	682913	BUMPER,40MM DIA,20MM HT,M8,NAT	27,04
08962-000	682914	Quattro All Spare_Part Machined Ring, Inner Arm, Quattro s650H.	119,00
09614-028	682915	WASHER, SEAL, 4MM BOLT, PEEK	11,90
14435-000	682916	Hornet 565 Spare_Part HARN,ASSY,HORNET 565.	1 405,00
14330-000	682917	Spare_Part MOTOR,MITSU 400W W/BRK SER ENC.	2 643,00
09078-000	682918	Quattro All Spare_Part SEAL, OIL, INNER, ARM, QUATTRO.	32,45
14331-000	682919	Spare_Part MOTOR, MITSU 200W, SER ENC.	1 485,00
14333-000	682920	Spare_Part GEARBOX,7:1,PLE60, NEUGART.	3 343,00
09618-160	682921	SCR, M16X40, FHH,SST DIN 6921	38,11
09613-128	682922	GSKT, 16MM MTG HPU S650HS	71,10
09723-081	682923	Spare_Part GASKET, 20MM SPHR, HPU, NO PSA.	22,66
14351-000	682924	END COVER,100MM DIA,10MM HT,NB	22,72
10053-000	682925	JUMPER,SC-EX-XFP,GREEN	60,60
08962-100	682926	Quattro All Spare_Part Machined Ring, Inner Arm, Quattro s650HS.	157,90
09614-039	682927	WASHER, SEAL, 6MM BOLT, PEEK	11,90
09617-073	682928	SPACER, 16MM FLGD BOLT, SST	20,55
08662-002	682929	Quattro All Spare_Part Heatsink, Short.	41,10

OMRON PVPR 2023

09572-000	682930	GSKT, MT PAD QUATTRO S650HS	11,90
08662-001	682931	Quattro All Spare_Part Heatsink, Long.	32,45
14349-000	682932	Hornet 565 Spare_Part End Cover, Motor, Joints 1/2/3, 125 mm,.	22,72
14708-601	682933	Motor, Yaskawa Sigma 5, 600W, with Brake, Smooth Shaft	2 968,00
08968-102	682934	Quattro 650HS Spare_Part Cover, Motor, Quattro s650HS.	454,30
14332-000	682935	Spare_Part GEARBOX,40:1,PLFN90, NEUGART.	2 403,00
09275-410	682936	Spare_Part Assembly, Inner Link, White, Quattro s650H & s800H, Die-Cast.	1 335,00
09335-000	682937	Quattro 650H Spare_Part CVR W/LBL,MTR,QUATTRO 650H.	659,00
14230-000	682938	Hornet 565 Spare_Part Platform Assembly, Joint 4, Electroless Nickel, Hornet.	4 442,00
14298-000	682960	Hornet 565 Spare_Part ASSY, DISPLAY, DIA, HORNET RBT.	545,50
09275-400	682939	Spare_Part Assembly, Inner Link, White, Quattro s650HS & s800HS, Die-Cast.	1 229,00
14380-000	682869	Assembly, Platform, Fixed, Stainless Steel, Hornet 565	2 812,00
02582-000	682941	Cobra 600 Spare_Part Clamp Band.	10,82
08478-000	682942	Quattro All Spare_Part Alpha Drive Assy, 50:1, Quattro.	3 230,00
09093-000	682943	Spare_Part ASSY,FAN,AIB,QUATTRO.	42,18
09575-000	682944	Quattro 650HS Spare_Part Diagnostic Window Assembly.	547,50
09730-200	682945	Quattro All Spare_Part ASSY, PLATFORM P30, FIXED,SS.	2 361,00
09756-210	682946	Hornet 565 Spare_Part ASY,OTR ARM,QTTRO,EPSILON, SST.	4 548,00
09977-000	682961	Spare Part OAT: Bateria robots eCobra 600/800, Hornet y Quattro	150,40
10840-000	682947	ASSY,DIAG WINDOW,QUATTRO	376,40
14280-000	682948	KIT, MTR GRBX, HORNET 565 RBT	3 775,00
14297-000	682949	Assy, MTR/GB, J1-3, Hornet 565	4 707,00
14347-000	682950	GASKET, COVER, HORNET 565	85,50
14870-000	682951	Hornet 565 Spare_Part ASSY,DRV SHFT, 4 BAR, J4, HRNT.	1 699,00
18273-000	682952	Quattro 650H Spare_Part Assembly, Sigma 5 Motor and Alpha Drive, Quattro.	6 220,00
19800-040	683013	eAIB Family Spare_Part SYSTEM, HORNET EAIB.	11 360,00
19800-050	683014	Spare_Part SYSTEM, QUATTRO EAIB.	11 360,00
19800-150	683015	eAIB Family Spare_Part SYSTEM, QUATTRO EAIB 650HS.	11 360,00
09074-100	682953	PLUG,80MM X 10MM,EPDM FDA BLK	27,04
09078-101	682954	Quattro All Spare_Part SEAL,V-RING,73MM SHAFT, VITON.	307,20
09734-200	682870	Platform Assy, P34, +/- 185 degrees, Stainless Steel .	8 115,00
09760-210	682956	ASSY,OTR ARM,LCKBL,1129MM, SS	4 137,00
14220-400	682957	Montaje White Inner link de Hornet Robot	805,00

OMRON PVPR 2023

15005-000	682958	Hornet 565 Spare_Part KIT,RFRB,DRV SHFT,HRNT 565.	839,50
19039-000	682976	Cable, Power Supply, 24V DC, AnyFeeder SX240, SX340	362,90
19003-000	682991	RS232 Cable, DSUB9 Male/Female, 4.5m, SX240	102,80
12480-505	682959	INTERFACE PANEL, IF2011, AF SX : 12480-505	2 181,00
18996-000	682970	Cylinder, Short Stroke, AnyFeeder SX240	170,30
18997-000	682971	Timing Belt, HTD-165 3M B9, AnyFeeder SX100, SX240, SX340	68,90
18998-000	682972	Timing Belt, HTD-177 3M B9, AnyFeeder SXM100, SXM140, SX240, SX340	68,90
18999-000	682973	Timing Belt, HTD-711 3M B9, AnyFeeder SXM100, SX240, SX340	116,80
19000-000	682974	Coupler, FlipDrive, AnyFeeder SX240	1 425,00
19002-000	682975	Coupler, DispDrive, AnyFeeder SX240	1 425,00
19040-000	682977	Block, Solenoid, AnyFeeder SX240/SX340	941,50
19041-000	682978	Cable, Internal, SX-Flip-IO (moar 1), AnyFeeder, SX240, SX340	386,80
19042-000	682979	Cable, Internal, SX Servo (moar 1 y 2), AnyFeeder SX240, SX340	339,00
19044-000	682980	Cable, Moar-IO (Moar 1 y 2), AnyFeeder, SX240, SX340	339,00
19045-000	682981	Cable, Internal, SX Disp-IO (moar 2), AnyFeeder SX240. SX340	386,80
19046-000	682867	LED Controller Module	828,00
19048-000	682982	LED Backlight, IR/8705nm, LED panel (incl. cable a LED controller module), AnyF	3 860,00
19049-000	682868	Servo motor, w. Pulley, AnyFeeder SXM100, SXM140, SX240, SX340	2 262,00
19050-000	682983	eDrive SX Single, 5mm, AnyFeeder SX240, SX340	9 050,00
19051-000	682984	LED Backlight, RED/630nm, AnyFeeder SX240	3 860,00
19055-000	682988	LED Backlight, IR/875nm, AnyFeeder SX340	5 310,00
19056-000	682989	LED Backlight, RED/630nm, AnyFeeder SX340	5 310,00
19058-000	682871	COUPLER, FEED PLATE, SX340	1 612,00
19059-000	682992	Eccentric, 2mm, AnyFeeder SX100	237,80
19060-000	682993	SM Adapter Print, AnyFeeder SXM100, SXM140	435,90
19061-000	682994	Proximity switch D6.5xL36, AnyFeeder SXM100, SXM140	118,20
19062-000	682995	Cable, Ribbon 210mm, AnyFeeder SXM100	54,85
19063-000	682996	Cable, Ribbon 520mm, AnyFeeder SXM100, SXM140	61,90
19068-000	682997	Cable, Power, 210mm, AnyFeeder SXM100	61,90
19069-000	682998	Cable, Power, 520mm, AnyFeeder SXM100, SXM140	68,90
19070-000	682969	eDrive, Dual, AnyFeeder SXM100	13 510,00
19071-000	683000	Timing Belt, HTD-336 3M B9, SXM100	64,90
19072-000	683001	eDrive, Piggyback, SXM100	4 081,00

OMRON PVPR 2023

19073-000	683002	SM Adapter Print, Straight, SXM100	335,30
19074-000	683003	LED Backlight , IR/875nm, AnyFeeder, SXM100	2 389,00
19075-000	683004	LED Backlight, RED/630nm, AnyFeeder SXM100	2 389,00
19076-000	683005	eDrive, Main, SXM100	6 310,00
19077-000	683006	Cable, Drive/Moar 1, AnyFeeder SXM100	337,50
19080-000	683007	Timing Belt, HTD-462 3M B9, SXM140	71,40
19081-000	683008	eDrive ,e=2mm, AnyFeeder, SXM140	8 440,00
19082-000	683009	eDrive ,e=3.5mm, SXM140, AnyFeeder	8 440,00
19083-000	683010	Cable, LED-controller-a-LED-bar, SXM140, AnyFeeder	109,80
19084-000	683011	Cable, Drive1/flip, SXM140, AnyFeeder	194,10
19085-000	683012	Cable, Ribbon, Short, SXM140, AnyFeeder	61,90
19159-000	682999	Cable, Power, Short, SXM140, AnyFeeder	61,90
90356-40000	682740	KIT, BRKT, 2U, SMARTCNTRLR	69,25
90356-42000	682739	KIT, BRKT, 1U, SMARTVISION	215,30
19344-000	682809	Harness, Fly-over, Cobra 450/500	916,50
19345-000	682810	Harness, Fly-over, Cobra 650	963,00
19315-000	682812	Speed Reducer, J1/A-Axis, Cobra 450, 500, 650	3 398,00
19317-000	682814	End Cap, Inner Link, Cobra 450, 500, 650	49,75
19321-000	682815	Motor Montaje, J2/B-Axis, Cobra 450, 500, 650	950,00
19322-000	682816	Speed Reducer, J2/B-Axis, Cobra 450, 500, 650	2 708,00
19323-000	682817	Cover, Outer Link, Rear, Cobra 450, 500, 650	55,20
19324-000	682818	Cover, Outer Link , Cobra 450, 500, 650	109,30
19326-000	682819	Motor, J3/Z-Axis, Cobra 450, 500, 650	1 247,00
19327-000	682820	Quill Montaje, Cobra 450, 500, 650	3 663,00
19328-000	682821	Timing Belt, J3/Z-Axis, L501 x W15, Cobra 450, 500, 650	66,00
19329-000	682822	Motor, J4/W-Axis, Cobra 450, 500, 650	810,50
19330-000	682823	Belt, Timing , J4/W-Axis Moar, Cobra 450, 500, 650	30,29
19331-000	682807	Belt,Timing, Idler a Quill, Cobra 450, 500, 650	103,90
19321-001	682802	Seal Washer, M8	7,58
09228-030R	683160	ADPTER,PCIE,IEEE-1394B,3PORT,R	114,70
09449-100	683182	CA, RJ45 10P a SOLDER, 10M	33,53
02192-000	683181	Ventilador,COBRA AIB,8.1 CFM	69,25
02253-000	683180	PLATE,J2 MOaR,AIB COBRA	204,50

OMRON PVPR 2023

04673-010	683178	HARNESS, COBRA AIB, EXPIO, EMC	1,09
09663-000	683176	CAMR, GIGE, 752X480, B/W	1 189,00
09663-010	683175	CAMR, GIGE, 1296X966, B/W	2 050,00
11044-000	683174	ASSY,EMI BOX,PA4,VIPER S1700D	3 544,00
11820-000	683171	MOTOR, SIGMA 5,JT1, S1700D	9 005,00
11820-004	683169	DRIVE, SPD RDCR, AXI 1,S1700D	9 600,00
01056-120	683156	Cámara, Firewire-b, 659 x 494, CCD, 1/2" Sensor, B/W	1 382,00
09450-100	683157	Cable, HRS 12-pin a Unterminated, 10 meter	325,60
14422-000	683158	Mount, Cámara, Tripod, Basler Scout Firewire-b	51,95
11820-005	683168	DRIV, SPD REDCR, AX 2,S1700D	9 125,00
11820-007	683167	HRNSS, INTRNL, AX 1-4,S1700D	7 095,00
13838-000	683165	ASSM,FORCE SNSR,VPR RBT	11 350,00
18181-011	683163	KIT,JT1 SIG7 RPLC MTR 800 INV	3 098,00
19400-350	683162	Montaje, EMB-40R, Cobra s350	11 790,00
01056-104	683481	CAMR, FIREWIRE 1388X1038,COLOR	1 659,00
04834-000	683482	COVER, REAR, OUTER LINK, INJ.	49,75
09228-030	683483	ADAPTER,PCIE,IEEE-1394B,3PORT	146,10
09347-000	683484	MT,CMRA TRPD,BASLER A630/A640	164,40
14359-000	683485	CA,CAT 6 SSTP,ACE,GIGE,10M	29,21
09796-000	683486	CVR,OTRLNK,EVARIO 800	741,50
07021-000	683509	Cover, Joint 2, Adept Viper, CR/IP65	272,60
07024-000	683510	Cover, Moar, Axis 3, (CR/IP65)	131,00
07025-000	683511	Cover, Joint 3, Adept Viper, CR/IP65	245,60
07026-000	683512	Cover, Housing, Fourth Axis (CR/IP65)	854,50
07034-000	683503	Cover, Housing, Fourth Axis (CR/IP65)	844,00
07035-000	683513	Housing Cover, 2nd Axis (CR/IP65)	817,00
14849-000	683516	Cover, Joint 2, Adept Viper	152,60
14544-000	683764	Hornet (J-J3) Plantilla de Calibración	901,50
14525-000	683765	Hornet (J4) Plantilla de Calibración	408,90
14324-100	683969	U-Joint Replacement Kit, Hornet	1 371,00
09968-000	683968	Kit, Quattro, Robot Actualización de muelles	1 053,00
09970-000	683967	Kit, Quattro, Robot Muelles/Bushing Replacement	477,00
86720-102	683966	Kit, Quattro, Ball Joint Spoon Inserts, Delrin w/hole	562,50

OMRON PVPR 2023

09455-000R	684304	ADEPT Pieza de repuesto KIT, SMI6, Conf. Personalizada	3 204,00
11347-000L	684322	ETHNET SWCH,5TP,10/100,24V	321,30
14637-000	684507	Magnet, ¼" OD x 1/8" ID, Nickle Plated	28,12
12464-000	684508	Screw, M2x5, FHCS, SS	7,58
19500-000	685670	Controller, eMB-40M, ap Level	11 790,00
SEP19400-000	685740	Service Exchange Part : Controller, eMB-40R, ap Level	5 895,00
05438-112	685808	Cable, Robot, 12m, Adept Viper, Hi Flex	2 496,00
18692-014	685983	Cover, Housing, 2nd Axis	178,50
18692-003	685993	Cover, Second Arm, 5th Axis Side	354,80
18692-004	685994	Cover, Second Arm, 5th Axis Side (CR/IP65)	844,00
18692-005	685995	Cover, Second Arm, 6th Axis Side	342,90
18692-006	685996	Cover, Second Arm, 6th Axis Side (CR/IP65)	848,50
19936-222F	687415	SCREW,M6L20 HEX HEAD CAP, MAT'L: SCM435	41,10
00411-000	687059	Bifurcador DB9 para robot OAT	31,93
04118-000	687058	Bifurcador DB9 para robot OAT	72,95
04120-000	687057	Bifurcador DB9 para robot OAT	72,95
09550-000	687056	Bifurcador DB9 para robot OAT	37,08
13632-045	687051	Bifurcador DB9 para robot OAT	151,50
90356-10358	687050	Bifurcador DB9 para robot OAT	811,50
05083-101	687117	Motor, Sigma 2, 100W, With Bra	2 559,00
11274-000D	688031	Fan, 60 x 60 x 10mm, 12 VDC, 16 CFM	69,25
09198-000D	688032	PCA, SmartController EX	1 036,00
05625-000D	688033	GASKET, EMI, TUBULAR, ULTRA QUICK-SHIELD, .125"OD	126,60
05701-000D	688034	HARNESS, MOTIONBLOX-40/60R POWER AND SIGNAL	656,00
11459-000D	688035	Assembly, Fan, Internal, eMB/MB 40/60	150,40
14245-010D	688036	PCA, Diagnostic Display	256,40
11002-000D	688037	PCA, HV2A Amplifier (for eAIB)	925,00
01912-000D	688038	Seal, Conductive, .125" OD, 0.045" ID Hollow O-Ring,Fluoro-Silicon w/ Silver Plat	110,40
11474-000D	688039	Harness, Cobra eAIB Motors and Teach Restrict assy	427,30
11000-000D	688040	PCA, DAP-MPC5200B	945,00
11004-000D	688041	PCA, ePMAI Teach Restrict	389,40
11001-000D	688042	PCA, HV1A Amplifier (for eAIB)	2 688,00
11003-000D	688043	PCA, ePMAI Base Board	2 194,00

OMRON PVPR 2023

CR_AS-2878	687545	1 x Calibration tool D4-HD041	697,50
CR_GEARP-41	687603	060.10.S (E)	2 122,00
04677-016	687776	CABLE,EXPIO TO IOBLOX,1.6M	102,80
19086-000	687840	LED Backlight Kit, WHITE, SXM140, AnyFeeder	2 012,00
09563-004	687841	CLAMP, BALL-SPOON, PEEK	24,88
13117-000	687842	TOOL, BAND-IT	542,50
09015-100	687777	Quattro 650HS Spare Part GASKET, INR HUB SEAL RING EPDM.	9,74
14352-000	687778	Hornet 565 Pieza de Repuesto END COVER,25MM DIA,7MM HT, NBR	22,72
14397-000	687744	Anyfeeder Pieza de Repuesto KIT,RETROFIT,IR BCKLGT,SX240	4 443,00
14399-000	687745	Kit, Retrofit, Amber Backlight, AnyFeeder SX240 (Used to replace a Gen 1 Backlig	4 443,00
ACC-ADT-RS232-RS485	688050	Converter RS232-RS485 from a 2F-85 gripper.	46,51
RS_2019_010	688056	Amplifier, Power Dual J - Refurbished	3 362,00
RS_2019_011	688057	Amplifier, Power Dual J - Refurbished	3 362,00
05845-000R	688239	MotionBlox-40R - Refurbished	9 025,00
SEP05845-000	688240	Service Exchange Part : MotionBlox-40R	6 020,00
SEP04900-000	688241	Service Exchange Part : Amplifier-In-Base (AIB) Assy	4 716,00
19800-000R	688242	System Cobra eAIB - Refurbished	8 515,00
SEP19800-000	688243	Service Exchange Part : System Cobra eAIB	5 680,00
SEP05865-000	688244	Service Exchange Part : Controller, MotionBlox 60R	6 695,00
19400-000R	688245	EMB-40R, Cobra s350 - Refurbished	8 840,00
19600-000R	688246	EMB-60R TOP LEVEL - Refurbished	10 140,00
SEP19600-000	688247	Service Exchange Part : EMB-60R TOP LEVEL	6 760,00
SEP08500-000	688248	Service Exchange Part : Amplifier-In-Base (AIB) Assy, for Quattro s650 and s650H	4 716,00
09503-000R	688249	ASSY, PLATFORM P31,+/-46 DEG - Refurbished	3 532,00
SEP09503-000	688250	Service Exchange Part : ASSY, PLATFORM P31,+/-46 DEG	2 355,00
19500-000R	688252	Controller, eMB-40M, Top Level - Refurbished	8 840,00
SEP19500-000	688253	Service Exchange Part : Controller, eMB-40M, Top Level	5 895,00
09734-000R	688254	ASSY, P34,+/-185 DEG - Refurbished	6 165,00
SEP09734-000	688255	Service Exchange Part : ASSY, P34,+/-185 DEG	4 107,00
19800-150R	688256	SYSTEM, QUATTRO EAIB 650HS - Refurbished	8 515,00
19800-050R	688258	SYSTEM, QUATTRO eAIB - Refurbished	8 515,00
SEP19800-050	688259	Service Exchange Part : SYSTEM, QUATTRO eAIB	5 680,00
09503-200R	688260	ASSY, PLTFRM P31,+/-46 DEG,SS - Refurbished	3 119,00

OMRON PVPR 2023

SEP09503-200	688261	Service Exchange Part : ASSY, PLTFRM P31,+/-46 DEG,SS	2 080,00
09732-200R	688262	ASSY, P32,+/-92.5 DEG, SS - Refurbished	6 610,00
09734-200R	688264	ASSY, P34,+/-185 DEG, SS - Refurbished	6 090,00
19800-040R	688266	System, eAIB, Hornet - Refurbished	8 515,00
SEP19800-040	688267	Service Exchange Part : System, eAIB, Hornet	5 680,00
09200-000R	689218	SmartController EX w/o frontpanel - Refurbished	3 855,00
02562-000R	689431	Motor Assy, Jt3, AIB 600 - Refurbished	2 067,00
05122-065F	689455	Motor With Brake, Axis 1, 750W, Viper 650 IP65, UL, Field Replaceable Unit	3 762,00
09557-000R	689470	SYSTEM,QUATTRO AIB, CE - Refurbished	7 130,00
SEP09557-000	689471	Service Exchange part : SYSTEM,QUATTRO AIB, CE	4 752,00
TEMP ROB 121	689511	ORSE Temporary Robot 121 -- Viper s650	22 720,00
TEMP ROB 141	689512	ORSE Temporary Robot 141 -- Viper s850	25 370,00
TEMP ROB 201	689513	ORSE Temporary Robot 201 -- Cobra VME	10 280,00
TEMP ROB 221	689514	ORSE Temporary Robot 221 -- Bundle sCobra 600	10 280,00
TEMP ROB 222	689515	ORSE Temporary Robot 222 -- Bundle sCobra 600	10 280,00
TEMP ROB 241	689516	ORSE Temporary Robot 241 -- Bundle eCobra 600	15 960,00
TEMP ROB 242	689517	ORSE Temporary Robot 242 -- Bundle eCobra 600	15 960,00
TEMP ROB 243	689518	ORSE Temporary Robot 243 -- Bundle eCobra 600	15 960,00
TEMP ROB 244	689519	ORSE Temporary Robot 244 -- Bundle eCobra 600	15 960,00
TEMP ROB 245	689520	ORSE Temporary Robot 245 -- Bundle eCobra 600	15 960,00
TEMP ROB 321	689521	ORSE Temporary Robot 321 -- Bundle sCobra 800	10 820,00
TEMP ROB 322	689522	ORSE Temporary Robot 322 -- Bundle sCobra 800	10 820,00
TEMP ROB 323	689523	ORSE Temporary Robot 323 -- Bundle sCobra 800	10 820,00
TEMP ROB 324	689524	ORSE Temporary Robot 324 -- Bundle sCobra 800	10 820,00
TEMP ROB 325	689525	ORSE Temporary Robot 325 -- Bundle sCobra 800	10 820,00
TEMP ROB 341	689526	ORSE Temporary Robot 341 -- Bundle eCobra 800	14 340,00
TEMP ROB 361	689527	ORSE Temporary Robot 361 -- Bundle Cobra 800 Inv	21 960,00
TEMP ROB 101	689533	ORSE Temporary Robot 101 -- Bundle sCobra 350	7 575,00
RS_2019_19	690019	eCobra 800 +8AIB	16 230,00
05284-501R	690178	Assembly, Motor, AnyFeeder SX240	6 615,00
05272-751	708143	MOTOR, SIGMA 2, 750W, WITH BRAKE, STD CATALOG	2 546,00
05463-000	699117	Cable, Robot, 4m, Denso, Splash Proof and Cleanroom	1 963,00
07139-000	699116	Gasket, Display, IP65	16,48

OMRON PVPR 2023

19301-010L	698957	Fuse, 5x20mm, 10A, 250V, Slow Blow. 1.5kA Interrupting current	4,12
19314-002	699115	O-Ring, J2/B Axis Speed Reducer Mount, Cobra 450/500/650	12,36
19322-003	699109	O-Ring, J2/B Axis Speed Reducer Mount, Cobra 450/500/650	7,21
46001-00250	698955	Idler Belt Cobra 800	71,10
30560-40651R	690623	Motor Assy, Jt3, with Key/Pulley (no seal), 800 - refurbished	2 544,00
TEMP ROB 401	690755	ORSE Temporary Robot 401 -- Cobra 450	12 500,00
19049-000R	690768	Servo Motor, w. Pulley, AnyFeeder SXM100, SXM140, SX240, SX340 - Refurbished	1 698,00
TEMP ROB 122	690944	ORSE Temporary Robot 122 -- Viper s650	22 720,00
08478-000R	691116	Alpha Drive, 50:1, Quattro - Refurbished	2 422,00
19070-000R	692800	eDrive, Dual, AnyFeeder SXM100	10 130,00
09732-100R	693668	ASSY, P32,+/-92.5 DEG, EN - refurbished	5 755,00
06356-000	693895	O-Ring, OL cover skirt, Cobra s800 IP65	18,54
40561-40161	694165	COV, OUTER LINK, 260MM QUILL	509,00
09130-002F	695700	Base, Painted, Quattro H	3 499,00
09130-202F	695699	Base, Quattro H, with Hard Stops	2 146,00
09275-700F	695694	Assembly, Inner Link, Quattro H, Gen 2	741,00
18524-000F	695693	Replacement Hard Stop, Quattro	57,70
02574-000R	695056	ADEPT Cobra 600/800 All Spare_Part Ball Spline Assy, Cobra AIB 600/800 - refurbished	4 810,00
02789-000R	695055	ADEPT Cobra 800 Spare_Part Motor Assy, Jt3, AIB 800 - refurbished	2 014,00
02213-000	695237	FUSE, MINI BLADE, 15A, 32VDC	7,21
09756-011F	700261	Assembly, Outer Arm Shaft, Hornet 565 & Quattro 650H	1 033,00
09756-211F	695692	Assembly, Outer Arm, Stainless Steel Spoons, Quattro s650Hs	1 437,00
12350-000R	695405	Motor Assembly Joint 2, Oil Change Version - refurbished	2 329,00
29800-000F	696161	System, Cobra iCS-ECAT	11 360,00
13322-100F	696162	Cable, eAIB XSYSTEM Adapter with ENET, 6 ft	185,40
40560-40120	696153	CA GUIDE, QUL TOWER	70,05
08605-000	698620	ePLC Connection Server Software.	898,00
10356-10500	698621	Cable panel frontal robot OAT	75,75
08462-000	698215	Common - Mech Spare_Part SCREW,HEX HEAD,STAINLESS,M3X6.	1,09
06567-000	698950	Fan Guard, 80mm Dia.	4,12
08818-000	698949	Dowel Pin, M6 x 14mm, Stainless Steel	6,18
02212-015	696473	Common - Elec Spare_Part Fuse, 2x20mm, 15A, 250V, Slow-Blow, Quattro AIB.	7,58
02073-000	698439	Legacy Spare_Part GRS FTNG,PT1/8,6AX,660/662/664.	8,66

OMRON PVPR 2023

02074-000	698214	Legacy Spare_Part GRS FTNG,MT6X1,6AX,660/662/664.	8,66
09085-000	698527	Common - Elec Spare_Part FUSE, 1.3A, 48V AC/DC.	11,90
02579-000	696472	Cobra 600/800 All Spare_Part O-Ring, Jt1 Motor Plate to Base.	12,98
02581-000	698438	Cobra 600/800 All Spare_Part O-Ring, Jt2 Motor Plate to Inner Link.	12,36
02810-000	696548	Cobra 600/800 All Spare_Part O-Ring Seal, M10 Screw.	14,06
02811-000	696549	Cobra 600/800 All Spare_Part O-Ring Seal, M8 Screw.	14,06
02812-000	698432	Cobra 600 Spare_Part O-Ring Seal, HD Alignment Plug, Jt1.	12,98
02813-000	698433	Cobra 600 Spare_Part O-Ring Seal, HD Alignment Plug, Jt2.	12,98
02912-000	698434	Cobra 600/800 All Spare_Part O-Ring Seal, Harmonic Drive to Base, Jt1.	12,98
02913-000	698435	Cobra 600/800 All Spare_Part O-Ring Seal, Harmonic Drive to Innerlink, Jt2.	12,98
02916-000	698436	Common - Mech Spare_Part Gasket, Harmonic Drive, Jt1.	12,98
04770-000	698437	AIB Family Spare_Part Label, Warning, AIB Encoder.	12,98
05942-000	698590	Viper All Spare_Part O-Ring, Motor Mount Flange, Joint 4, s650/850.	27,81
58300-00130	698431	Common - Mech Spare_Part Plug, Black Nylon, Cobra Backpanel (qty. 2 req'd).	15,15
04739-000	698948	O-Ring, Harmonic Drive CSF32-80, J1	12,36
05938-000	696547	Viper All Spare_Part O-Ring, Motor Mount Plate, Joints 1/2, s650.	16,23
14346-000	698622	Hornet 565 Spare_Part GASKET, SEAL PLATE, HORNET565.	17,31
42089-27004	698428	Cobra 600/800 All Spare_Part Bulkhead, Union, Tube, 4 mm.	23,80
42089-27006	698427	Cobra 600/800 All Spare_Part Bulkhead, Union, Tube, 6 mm.	23,80
25040-00201	698479	SmartController CX Spare_Part Connector, Terminal Block, User 24 VDC.	24,88
04738-000	698947	O-Ring, Harmonic Drive CSF25-50, J2	19,57
02928-000	698430	Cobra 600/800 All Spare_Part Cable, Serial, DB9, Male/Male, 15ft (XSLV to XSYS)	23,80
11584-000	696546	eAIB Family Spare_Part Cable, eAIB/XSLV Adapter.	21,63
14276-001	698946	Seal, Shaft, Rotary, 15 mm x 25 mm x 5 mm	20,60
40560-40350	698470	Cobra 600/800 All Spare_Part Stop, Hard Limit, Jt3 Lower, Rubber.	25,96
87103-00108	696545	ADH,SEALING,RTV	28,12
04372000398-0001	698312	Common - Mech Spare_Part HINGE,REMOVABLE(SOUTHCO P/N F6.	27,04
02780-000	698425	Cobra 600/800 All Spare_Part Robot Accessory Kit, Cobra AIB, MB40, MB60, Qua	33,53
05767-000	698311	Viper All Spare_Part Timing Belt, Joint 6.	33,53
06703-000	698540	SET,TRGT,ADEPTSIGHT/HEXSIGHT	30,29
40560-40200	698422	Cobra 600/800 All Spare_Part Spacer, Idler Pulley Assy.	38,94
57100-35970	698424	Common - Mech Spare_Part Seal, Quad Ring, 5.750 ROD.	33,53
08496-200	698524	Common - Mech Spare_Part Bolt, Shoulder, Stainless Steel.	32,45

OMRON PVPR 2023

00727-000	698309	String, Encoder, 20lb Test (Unit of Issue, FT)	36,78
02501-000	698421	Cobra 600 Spare_Part Seal, Shaft, 14x30x7mm, Jt1/Jt2 Motors.	40,02
06330-000	698307	Cobra 350 Spare_Part Pulley Set, Joint 4 Intermediate Shaft.	42,18
08495-000	698310	Common - Mech Spare_Part Spring Bushing, Quattro Outer Arm.	34,61
05771-000	698423	Viper All Spare_Part O-Ring, Cable Assy, I/O, Outerlink.	37,08
02492-000	698418	Cobra 600 Spare_Part Belt, Timing, Jt3, 179T, AIB 600.	50,85
05766-000	696544	Viper All Spare_Part Timing Belt, Joint 5.	46,51
06297-000	698452	Cobra 800 Inv Spare_Part Seal, V-Ring, 120 mm ID.	41,10
06476-000	698505	Viper 1300 Spare_Part O-Ring, Motor, Flange, Jt1/Jt2.	46,51
08404-000	698308	Quattro All Spare_Part Belt, End Effector Drive, Quattro Platform.	42,18
46001-00190	696543	Common - Mech Spare_Part Belt, Timing, Jt4 Motor Drive, 600 and AIB 600.	50,85
46001-00230	698417	Common - Mech Spare_Part Belt, Timing, Jt3 Motor Drive, 800 and 800 AIB.	50,85
46001-00240	698485	Common - Mech Spare_Part Belt, Timing, Jt4 Motor Drive, 800 and AIB 800.	50,85
18266-000	698487	Hornet 565 Spare_Part BUTTON, BRAKE RLS, WHITE.	45,43
14308-000	698945	Mount, Camera Tripod, Basler ACE Series	47,38
06346-000	696541	Cobra 350 Spare_Part Belt, Timing, Joint 3.	56,25
08384-116	698305	Quattro All Spare_Part Insert, Spoon.	64,90
10828-000	698944	Quattro All Spare_Part CLAMP.QUATTRO,MTR/GRBX.	43,26
90356-40000	696540	KIT, BRKT, 2U, SMARTCNTRLR	69,25
02144-000	698415	Legacy Spare_Part Hard Stop, Jt1.	59,50
90356-41000	698413	KIT,BRKT,1U,SMARTCNTRLR	69,25
04736-000	698414	Common - Elec Spare_Part Jumper/Bypass Plug, XUSR, 25 Pin.	66,00
06471-000	698511	Viper 1300 Spare_Part Belt, Timing, Joint5, Vi.	70,30
27400-20021	707208	Legacy Spare_Part Switch, Pushbutton, Momentary, High Power, White.	56,00
90840-41200F	698589	Direct Drive Spare_Part Ring Clamp Kit, Flange.	190,60
02583-000	698298	Cobra 600 Spare_Part Plug, Harmonic Drive Alignment, Jt1, AIB 600.	78,95
02584-000	698299	Cobra 600 Spare_Part Plug, Harmonic Drive Alignment, Jt2, AIB 600.	78,95
02690-000	698588	Cobra 600/800 All Spare_Part Harness, Encoder Signal, Internal, Joint 2.	215,30
06317-000	698455	Cobra 350 Spare_Part Belt A, Timing, Joint 4.	83,30
06370-000	698444	Cobra 800 Inv Spare_Part Hard Stop, Jt 2, Urethane, Inverted Cobra s800.	70,30
06654-000	698518	Cobra 800 Inv Spare_Part Hard Stop, Jt 1, Right Side, Inverted Cobra s800.	70,30
06655-000	698500	Cobra 800 Inv Spare_Part Hard Stop, Jt 1, Left Side, Inverted Cobra s800.	70,30
05019-000	696535	Viper 650 Spare_Part Accessory Kit, Viper.	126,60

OMRON PVPR 2023

04116-001	698301	Cobra 600 Spare_Part Cable, RS232, Null Modem, DB9F/F, 5M, Shielded.	74,65
08672-000	698943	Seal, Conductive, .125" OD, Solid O-Ring	66,95
10410-10545	698451	SmartMotion (sMI6 or SmartServo Kit, MB10s) Spare_Part Cable, 1394, 3.0m (co	102,80
06325-000	698468	Cobra 350 Spare_Part O-Ring, User I/O Wiring Connector.	91,95
18692-011	698551	Cover, Moar, Axis 3	67,10
04982-000	698408	Common - Elec Spare_Part BATTERY, LITHIUM, 3.6V, 2AH, w.	98,45
05142-000	698409	Legacy Spare_Part BATTERY, LITHIUM, DIODE & RESI.	98,45
05770-000	698410	Viper All Spare_Part O-Ring, Motor Flange, Axis 1/2 (650/850), Axis 3/4 (1300).	98,45
06322-000	698456	Cobra 350 Spare_Part Brake Adjustment Seat, Joint 3.	98,45
06472-000	698506	Viper 1300 Spare_Part Belt, Timing, Joint6, Vi.	105,00
18692-017	698552	Cover, Moar, Axis 1	70,30
06326-000	698469	Cobra 350 Spare_Part Cable, Guide B, Outerlink Cover.	103,90
30560-40070	698407	Cobra 600/800 All Spare_Part Stop, Hard Limit, Jt3 Upper.	105,00
04465-000	696537	Cable a punteras conector XIO robot OAT	136,30
07001-000	698297	COVER,JOINT 3,AV650/850	98,45
05939-000	698405	Viper All Spare_Part O-Ring, Motor Mount Plate, Joint 3, s650.	118,00
06318-000	696536	Cobra 350 Spare_Part Belt B, Timing, Joint 4.	125,50
05941-000	698404	Viper All Spare_Part O-Ring, Motor Mount Plate, Joint 4.	120,10
04387-000	698295	Spare_Part Hard Stop, Jt2, Block.	122,30
02539-000	698294	SmartController CX Spare_Part Bulkhead, Outer Link Connectors / Hand Valve.	123,30
02728-000	696538	Cobra 600 Spare_Part LED Assembly, Amber, with Cable.	123,30
02728-003	698406	Cobra 600 Spare_Part LED Assembly, Bi-Color, Red/Green, with Cable.	109,30
05944-000	698403	Viper All Spare_Part O-Ring, Harmonic Drive Plate, Joint 5.	123,30
40562-40380	698539	CLAMP, UPPER, BELLOW	96,30
07046-000	698520	Quattro All Spare_Part Shield, Seal.	107,20
00356-00100	698587	SMARTCONTROLLER USERS GUIDE	108,20
03017-000	698586	User Guide, COBRA S600/S800	108,20
04892-100	698402	Legacy Spare_Part CBL,SIGMA-2,EXTRNL,BATT,MB-10.	129,80
06273-000	698296	Connector Set, Standard Arm I/O, Adept Cobra s350 (includes connectors for CN	107,20
06345-000	698293	Cobra 350 Spare_Part Pulley, Joint 4 Motor, Cobra s350.	138,50
06937-000	698291	Cobra 800 Inv Spare_Part USR GDE,COBRA S800,INVRTD.	157,90
05936-000	698399	Viper All Spare_Part Motor Mount Plate, Joints 1/2, s650.	142,80
05943-000	698400	Viper All Spare_Part O-Ring, Cross Roller Bearing, Joint 6.	142,80

OMRON PVPR 2023

10356-10400	698450	Common - Elec Spare_Part Cable, XMCP to MCP Adaptor, 6ft.	156,90
07018-000	698942	Cover, Motor, Axis 2, Cleanroom / IP65	117,50
07024-000	698466	Cover, Moar, Axis 3, (CR/IP65)	131,00
14296-000	698623	Hornet 565 Spare_Part PLATE, SEAL,J1-3,HORNET 565.	135,30
05946-000	698398	Viper All Spare_Part Gasket, Manifold Assy, Solenoid.	150,40
40560-40230	698397	Cobra 600/800 All Spare_Part Vacuum Chamber (on outerlink).	156,90
04972-000	698390	SmartController CX Spare_Part Cable Kit, AC/DC Power, 5m.	192,60
02729-000F	698392	Cobra 600/800 All Spare_Part Fan Assy, Jt1.	178,50
05679-000	698393	SmartController CX Spare_Part Fan, Base Enclosure, 80x80x15, 24VDC, 30CFM.	178,50
06126-000	696531	Enc backup battery, COBRA 350.	182,90
06213-000	698292	Cobra 800 Inv Spare_Part Ring Plate, Sealing Surface.	143,90
06344-000	698289	Cobra 350 Spare_Part Pulley, Joint 3 Motor, Cobra s350.	174,20
06477-000	698523	Viper 1300 Spare_Part O-Ring, Manifold, Solenoid Val.	148,30
07076-000	698286	Viper 1700 Spare_Part Liquid Gasket.	190,40
07078-000	696530	Viper 1700 Spare_Part Timing Belt Jt-5, s1700.	190,40
10410-00502	696533	SmartMotion (sMI6 or SmartServo Kit, MB10s) Spare_Part Cable, 1394, 0.3m.	147,10
40560-40212	698396	Legacy Spare_Part Cover, Jt4 Encoder Disk, Plastic Molded.	163,40
13716-000	698535	Mobile Accesorios (Call butans, MDMI cables) Pieza de Repuesto LENS FLTR,NR	149,30
04892-300	698395	Legacy Spare_Part CBL,SIGMA-3,EXTRNL,BATT,MB-10.	168,80
05298-050	698290	Legacy Spare_Part CABLE, MOTOR, SIGMA3, 50-150W.	168,80
06332-000	698287	Cobra 350 Spare_Part Pulley, Joint 4 Intermediate Shaft Output.	180,70
40560-20060	698387	Cobra 600/800 All Spare_Part Stop, Hard Limit, Jt1 Right.	198,00
40560-20110	698385	Cobra 600/800 All Spare_Part Stop, Hard Limit, Jt1 Left.	198,00
40560-30110	698386	Cobra 600/800 All Spare_Part Stop, Hard Limit, Jt2.	198,00
00205-000	696534	Legacy Spare_Part Bracket Kit, Mounting, Table/Rack Mt, SmartController.	126,60
14849-000	698553	Cover, Joint 2, Adept Viper	152,60
05774-000	698394	Viper All Spare_Part Pulley, Harmonic Drive, Joint 5.	176,40
18143-000	698554	Ventilador Montaje, J1, COBRA	157,90
03722-000	698391	Cobra 600 Spare_Part Harness, DeviceNet, in Jt1 Cover Assy.	189,40
04679-014	698941	Cable, IOBLOX TO IOBLOX, 1.4m	108,20
04715-000	698388	SmartController CX Spare_Part Cable, XPANEL Adapter Cable, without Jumpers.	194,70
40562-40370	698472	Cobra 600/800 All Spare_Part Clamp Shield, Lower Bellows.	203,40
18692-012	698555	Cover, Moar, Axis 2	137,50

OMRON PVPR 2023

09615-100	698490	Spare_Part 20 MM SPHERE, BALL, SST, GSKT.	187,20
04386-000	698285	Spare_Part Hard Stop, Jt2, Arc.	207,70
05937-000	698384	Viper All Spare_Part Motor Mount Plate, Joint 3, s650.	207,70
05414-000	698382	Viper All Spare_Part Pulley, Joint 6 Motor.	215,30
05420-000	698383	Viper All Spare_Part Pulley, Harmonic Drive, Joint 6.	215,30
14337-000	698940	Flange, Joint 4, Neugart PLE60, Hornet s565	185,40
18692-007	698939	Cover, Housing, Fourth Axis, Viper s650	184,40
02357-000	698282	Cobra 600 Spare_Part Bracket, Rear Outer Link Cover, AIB 600.	249,90
06323-000	698457	Cobra 350 Spare_Part Switch, Brake Release.	243,40
10356-10370	698281	SmartController CX Spare_Part MCP Adaptor Dongle/Connector.	266,10
05237-026	698938	Harness, Sigma-II Encoder, MotionBlox Extension, 2.6 Meter, High Flex	196,80
02638-000	698283	Cobra 800 Spare_Part Spacer, Base to Jt1, AIB 800.	234,80
06331-000	698441	Cobra 350 Spare_Part Pulley, Joint 4 Intermediate Input Shaft.	249,90
05003-000	698389	Legacy Spare_Part T1 or T2 Pendant Bracket, Wall-Mount.	193,70
40561-40030	698380	Cobra 600/800 All Spare_Part BRKT,OL PLY COV.	267,20
09228-021	698624	Cámaras y Accessories Pieza de Repuesto ADAPTER, PCIE, GIGABIT ADPTR, 1P	207,10
05584-000	698381	Viper All Spare_Part Connector Set, CN20 and CN21, IP54/65 and Cleanroom.	261,80
18692-009	698625	Cover, Housing, Fourth Axis	178,50
18692-014	698556	Cover, Housing, 2nd Axis	178,50
01056-401	698284	License Spare_Part KEY, USB, ADEPTSIGHT & OPT.	230,50
05234-000	696523	Encoder backup battery pack,Viper all.	337,90
05947-000	698379	Viper All Spare_Part Shim Kit, Bevel Gear, Joint 6, s650/850.	273,70
07025-000	698467	Cover, Joint 3, Adept Viper, CR/IP65	245,60
05945-000	698378	Viper All Spare_Part Cable Assy, I/O, Outerlink.	284,50
01069-000	698279	Legacy Spare_Part TIMING,BELT,6AX,662,J6.	285,60
04209-000	696525	Cobra 600 Spare_Part Brake, Jt3, with Connector.	324,50
13200-00030	698471	Cameras and Accessorries Spare_Part Cable, Camera, w/ shield, 10m (32.8ft).	285,60
40560-40090	698377	Cobra 600/800 All Spare_Part Motor Mount, Jt3 Motor Base.	292,10
04081-000	698376	Cobra 600 Spare_Part Cable Assy, XPANEL Adapter Cable with Jumpers.	311,50
07078-100	698280	Viper 1700 Spare_Part Timing Belt Jt-6, s1700.	267,20
18472-000	698534	Cable, Camera, GigE, Industrial, SSTP (CAT 6), 10 meter	360,20
07021-000	698550	Cover, Joint 2, Adept Viper, CR/IP65	272,60
14391-000	698529	Kit, Mounting Bracket de Smart Vision MX	281,20

OMRON PVPR 2023

05412-000	698375	Viper All Spare_Part Pulley, Joint 5 Motor.	318,00
06385-120	698278	Python Spare_Part KIT, BELT SEAL, L12,L18,LG6,CR.	324,50
09450-100	698543	Cable, HRS 12-pin a Unterminated, 10 meter	325,60
90410-10018	698374	KIT,CABLE,MB-10,1.8M	326,70
90410-12018	698373	ADEPT Python Sapre_Part KIT,CABLE,SG2/3,1.8M	326,70
06383-008	698277	Python Spare_Part KIT, BELT SEAL, L08 CLEANROOM.	358,10
05739-040	698276	Viper 1300 Spare_Part CABLE ASSY, I/O VIPER SOLENOID.	372,10
03624-000	698275	SmartController CX Spare_Part XIO Termination Block, without Cable.	384,00
06327-000	696524	Cobra 350 Spare_Part Outerlink Cover, Joint 2, Cobra s350.	390,50
06470-000	698492	Viper 1300 Spare_Part Pulley, Motor, Jt 6, Vip.	352,60
90356-20100	698368	SmartController CX Spare_Part MCP Adapter Kit, MCP3 to SmartController.	390,50
02589-000	698273	Cobra 600/800 All Spare_Part Cover Assy, Outer Link, Back.	440,30
05522-000	696518	Brake rel box, Motionblox-40/60,SmartController CX.	536,00
18572-000	698626	Spare_Part ENCODER DISK, MYLAR, 2880LN.	488,90
30560-40700F	696522	Cobra 600/800 All Spare_Part Flange Assy, End-Effector Tool Mount.	475,90
06320-000	698272	Cobra 350 Spare_Part Brake Assembly, Joint 4.	455,40
06347-000	698443	Cobra 350 Spare_Part O-Ring, Flat Seal, Joint 2 Cover, Cleanroom.	428,30
06382-008	698937	Kit, Belt Seal, Python L08, 2150mm, Standard	339,90
09961-00020	698274	Spare_Part LIC,TEACH MODE CAT 3.	427,30
06384-120	698936	Kit, Belt Seal, Replacement, Python, 4700mm, L12, L18, LG6	343,00
02169-000	698269	SmartController CX Spare_Part Pulley, Timing, Jt3 Motor, 40T, AIB 800.	475,90
02267-000	698270	Cobra 600 Spare_Part Pulley, Timing, Jt3 Driven, Quill, 50T.	475,90
02281-000	698271	Cobra 600 Spare_Part Pulley, Timing, Jt3 Motor, 32T, AIB 600.	475,90
40560-40250	698366	Cobra 600/800 All Spare_Part Pulley, Timing, Jt4 Motor Drive, 20T.	460,80
40560-40280	698474	Cobra 600/800 All Spare_Part Pulley, Timing, Jt4 Ball Spline, 70T.	460,80
04302-000	696520	Cobra 600 Spare_Part Cover, Outerlink, AIB 600.	478,10
02309-000	698365	Cobra 600 Spare_Part PCA, Diagnostic Board.	498,70
30660-30000	698478	Legacy Spare_Part Brake Release Box, AdeptSix, Viper, PA-4.	460,80
05002-000	698367	Legacy Spare_Part T1 or T2 Pendant Adaptor Cable.	404,80
08773-000	698627	Kit, Compression Block, 8 Position	364,60
06468-000	698504	Viper 1300 Spare_Part Pulley, Harmonic Drive, Jt5, A.	611,50
06324-000	698330	Cobra 350 Spare_Part Wiring, User I/O.	533,00
06491-000	698445	Cobra 800 Inv Spare_Part Diagnostic Window Assembly.	727,50

OMRON PVPR 2023

04625-000	696516	Cobra 600 Spare_Part Bellows, Cobra AIB Cleanroom.	664,50
40560-40340	698935	Cobra 600/800 All Spare_Part BELLOW, COBRA.	549,00
06319-000	698267	Cobra 350 Spare_Part Brake Assembly, Joint 3.	594,00
30560-12100	698476	Cobra 600/800 All Spare_Part Valve Assy, Hand, 24 VDC.	584,50
10332-01367	698449	VME Spare_Part Cable, Camera Interface 2X, w/o Strobe, 2m (6.6').	759,00
04991-000	698363	Viper 1700 Spare_Part PCA, RSC, Viper.	599,50
05233-000	698266	Viper All Spare_Part PCA, Power Supply Conversion Board.	597,50
06125-000	698364	Cobra 350 Spare_Part PCA, Power Supply Conversion.	506,50
18692-003	698371	Cover, Second Arm, 5th Axis Side	354,80
18692-005	698372	Cover, Second Arm, 6th Axis Side	342,90
02448-100	698265	Legacy Spare_Part READHD, ENCDR, 3CH, LN DR, US DIG.	671,00
30560-40400F	696513	Cobra 600/800 All Spare_Part Encoder Reader Assy, High-Res, Jt4.	763,00
06465-000	698515	Viper 1300 Spare_Part Shim set, Joint 6, Viper.	618,00
06475-000	698519	Viper 1300 Spare_Part Tooling, Motor, Removal, Adept.	618,00
06328-000	698440	Cobra 350 Spare_Part Outerlink Cover, Joint 2, Cobra s350 Cleanroom.	734,50
02592-000	696515	Stop Kit, Adjustable Limit, Jt1/Jt2.	694,00
02632-000	698264	Base Harness, Support, Cobra AIB	735,50
01059-003	698263	Spare_Part DESKTOP 4.2 PACKAGE.	802,00
04813-000	698362	Cobra 800 Spare_Part AIB Cable Seal Kit, for Cobra AIB IP65.	870,00
01056-800	698262	License Spare_Part LIC, S/W, ADEPTSIGHT 2.X.	934,00
05967-050	698585	Python Spare_Part ASSY, MTR, SGMA2, 50W, NO BRK, MBLX.	1 416,00
07035-000	698557	Housing Cover, 2nd Axis (CR/IP65)	817,00
00212-200	696512	Bellows Kit, with Mounting Hardware, AIB Cobra.	792,50
07034-000	698549	Cover, Housing, Fourth Axis (CR/IP65)	844,00
07026-000	698558	Cover, Housing, Fourth Axis (CR/IP65)	854,50
09966-044	698260	Spare_Part LICENSE, ACE MOTION.	1 069,00
04832-150	698261	Legacy Spare_Part MOT, YASKAWA, SIGMA3, 150W.	1 033,00
09560-001	696511	Spare_Part KIT, COBRA S600/S800 J4 HR ENC.	952,00
30965-021	698361	License Spare_Part CompactFlash, V+ 15.0E1 / AIM 4.1C, 30 MB, SC.	1 252,00
09966-043	698259	LIC, ADEPT DESKaP 4.X	1 075,00
90356-20200	698628	Bloque E/S para robot OAT 32E/32S (conexión al Smartcontroller EX)	1 471,00
01056-806	698256	License Spare_Part LIC, S/W, ADEPTSIGHT, COLOR.	1 245,00
04832-160	698255	Legacy Spare_Part MOT, YASKAWA, SIGMA3, 150W, BRAKE.	1 292,00

OMRON PVPR 2023

05083-201	698257	Legacy Spare_Part MOTOR, SIGMA 2, 200W, WITH BRA.	1 142,00
07109-000	698514	Viper 1700 Spare_Part Kit, Hard Stop Option, Adept.	1 206,00
11820-008	698559	Harness, Internal, Axis 5/6, s1700D	1 198,00
07090-000	698934	Assembly, Motor, Sigma 3, 150W, MotionBlox 10	1 068,00
30967-230	698491	SmartController CX Spare_Part ASSY,CF,PROGD,V+17.2C3,SC.	1 563,00
06131-000	698251	Cobra 350 Spare_Part Motor, Joint 4.	1 524,00
06132-000	698359	Cobra 350 Spare_Part Motor, Joint 3.	1 524,00
06464-000	698494	Viper 1300 Spare_Part Gear, Assy, Joint6, Vipe.	1 293,00
06474-000	698496	Viper 1300 Spare_Part Harness, Main, Viper1300.	1 528,00
02551-000	698258	Cobra 600 Spare_Part Inner Link, Cobra AIB 600.	1 090,00
02571-000	698253	Cobra 600 Spare_Part Outer Link, Cobra AIB 600.	1 303,00
02786-000	698254	Cobra 800 Spare_Part Inner Link, Cobra AIB 800.	1 303,00
02788-000	698249	Cobra 800 Spare_Part Outer Link, Cobra AIB 800.	1 555,00
10970-000	698560	Bearing, Cross Roller, Axis 6	1 403,00
05083-400	698360	Legacy Spare_Part MOTOR, SIGMA 2, 400W, WITHOUT.	1 362,00
05083-401	698358	Legacy Spare_Part MOTOR, SIGMA 2, 400W, WITH BRA.	1 611,00
13083-350	698531	IR Backlight, Adept Flexibowl 350	1 268,00
18692-004	698561	Cover, Second Arm, 5th Axis Side (CR/IP65)	844,00
05775-000	698250	Viper All Spare_Part Manifold Assy, Solenoid Valve.	1 531,00
18692-006	698562	Cover, Second Arm, 6th Axis Side (CR/IP65)	848,50
09961-00002	700372	Spare_Part LIC,V+EXTENSIONS.	1 272,00
06133-000	698357	Cobra 350 Spare_Part Motor, Joint 2.	1 663,00
06231-000	698252	Cobra 800 Inv Spare_Part Adapter, C Shape, Cobra s800 Inverted.	1 376,00
07091-000	696508	Python Spare_Part MTR ASSY, SGA-3, 150W, BRK, MB10.	1 568,00
05020-000	698246	Viper 650 Spare_Part Cable, Robot Power/Signal, Viper, 4m.	1 622,00
07081-002	698502	Viper 1700 Spare_Part Harness, Wiring, Jt-5,6, s1700.	1 897,00
09227-000	698448	Common - Elec Spare_Part PROFIBUS/DEVICENET GATEWAY OPT.	1 447,00
30356-30000	698475	SmartMotion (sMI6 or SmartServo Kit, MB10s) Spare_Part sDIO Unit (Model 356	1 757,00
90410-10045	698933	Kit, Cable, 4.5m	1 437,00
02588-000F	698563	Cobra 600/800 All Spare_Part Cover Assy, Jt1 Upper.	1 833,00
05825-000	698538	KIT,BELLOWS,COBRA S350 CR/ESD	1 556,00
08971-000	696506	FXTR,FINE CAL,QUATTRO 650	1 902,00
18181-040	698536	Montaje, J4 Moar, 150W, Sigma 7, Cobra 600 & 800	1 912,00

OMRON PVPR 2023

06129-000	698355	Cobra 350 Spare_Part Harness, Internal, Cobra s350.	1 906,00
05043-000	698245	Viper All Spare_Part EMI Box Assy, PA-4 to Viper, w/ Interconn Harness.	1 810,00
06463-000	698517	Viper 1300 Spare_Part Gear Assy, Shim set, Joint6, A.	1 644,00
05888-000	698356	Viper 1300 Spare_Part ASSY, EMI BOX, PA4, VIPER s100.	1 881,00
06134-000	696504	Cobra 350 Spare_Part Motor, Joint 1.	2 112,00
05935-000	698354	Viper 650 Spare_Part Harness, Internal, Dust/Mist Proof, IP54/65, s650.	1 946,00
05573-000	696503	Fine Calibration Fixture, Cobra s350	2 115,00
00662-000	698353	AIB Family Spare_Part Amplifier, Power HV1A, AIB, Single Channel.	2 377,00
06478-000	698512	Viper 1300 Spare_Part Manifold, NPN,Solnd Valve Assy.	2 222,00
06479-000	698510	Viper 1300 Spare_Part Manifold, PNP,Solnd Valve Assy.	2 234,00
01075-000	698242	Legacy Spare_Part DRIVE,SPEED,RDCR,6AX,662,J6.	2 109,00
18181-030	698530	Kit, Eje 3 Sigma 7 Reemplazo Motor, Cobra 600	2 159,00
18181-031	698532	Kit, Eje 3 Sigma 7 Reemplazo Motor, Cobra 800	2 074,00
05779-000	696501	Viper All Spare_Part Harmonic Drive, Joint 6, s650/s850.	2 427,00
05780-000	696499	Viper All Spare_Part Harmonic Drive, Joints 4/5, s650/s850.	2 491,00
06461-000	698509	Viper 1300 Spare_Part Drive, Harmonic, Jts 4 and 5,.	2 323,00
06462-000	698493	Viper 1300 Spare_Part Drive, Harmonic, Jt 6, Adept.	2 323,00
05413-000	698352	Viper All Spare_Part Motor Plate, Joint 5, s650.	2 399,00
02563-000	696502	Cobra 600/800 All Spare_Part Motor Assy, Jt4.	2 320,00
12342-000	698239	HD ASSY SHIELD,J1,OIL CHG	2 924,00
30560-40501F	698564	Cobra 600/800 All Spare_Part Idler Pulley Assy, Jt4, with Timing Belt, 800/AIB 80	2 832,00
06342-000	698288	Link, Inner, Inverted Cobra 800	2 118,00
18181-020	696500	Cobra 600 Pieza de Repuesto KIT, JT2 SIG7 RPLC MTR 600/800	2 434,00
05327-000	698349	Viper 650 Spare_Part Harness Assy, Internal.	2 971,00
05828-000	698350	Viper 850 Spare_Part Internal Harness Assy, s850.	2 899,00
08420-100	698447	Viper All Spare_Part Crankshaft Kit, Joint 4, AdeptViper s650/s850.	3 306,00
18181-012	698537	Kit, Eje 1 Sigma 7 Reemplazo Motorr, Cobra 600 & 800, FRU	2 650,00
05126-000	696495	Viper All Spare_Part Motor Assy, Jt5, 80W, Brake.	3 019,00
05127-000	696494	Viper All Spare_Part Motor Assy, Jt6, 50W, Brake.	3 019,00
12337-000	696491	Cobra 600/800 All Spare_Part J1 MTR ASSY,OIL CHG,COBRA600.	3 383,00
05438-000	696498	Viper All Spare_Part Cable, Robot Power/Signal, Viper, 12m.	2 496,00
05776-000	698347	Viper 650 Spare_Part Harmonic Drive, Joint 2, s650.	3 375,00
05777-000	698346	Viper 650 Spare_Part Harmonic Drive, Joint 1, s650.	3 375,00

OMRON PVPR 2023

05778-000	698345	Viper 650 Spare_Part Harmonic Drive, Joint 3, s650.	3 375,00
05866-000	698237	Viper 850 Spare_Part Harmonic Drive, Joint 2, s850.	3 231,00
05867-000	698236	Viper 850 Spare_Part Harmonic Drive, Joint 3, s850.	3 231,00
05921-000	698238	Viper 850 Spare_Part Harmonic Drive, Joint 1, s850.	3 231,00
06321-000	698235	Cobra 350 Spare_Part Harmonic Drive, Joint 2.	3 243,00
06329-000	696490	Cobra 350 Spare_Part Harmonic Drive, Joint 1.	3 463,00
06343-000	698442	Cobra 350 Spare_Part Harness, Cleanroom, Cobra s350.	3 243,00
06469-000	698516	Viper 1300 Spare_Part Pulley, Motor, Jt 5, Vip.	2 937,00
06185-000	698344	Spare Part Viper All CA,RBT,12M,DNSO,SPL PRF,CR.	3 483,00
04800-000	698348	Cobra 800 Spare_Part Harness Assembly, Cobra AIB.	3 200,00
09963-00033	698241	License Spare_Part LIC,AIM VRSN 4.X.	2 462,00
11011-000	698932	Assembly, Cable, Encoder, 7M, Viper s1700D	2 825,00
05122-000	696489	Viper All Spare_Part Motor Assy, Jt1, 750W, No Brake.	3 708,00
05123-000	696488	Viper All Spare_Part Motor Assy, Jt2, 400W, Brake.	3 708,00
05124-000	698341	Viper All Spare_Part Motor Assy, Jt3, 200W, Brake.	3 708,00
05125-000	698340	Viper All Spare_Part Motor Assy, Jt4, 100W, Brake.	3 708,00
05934-000	698343	Viper 850 Spare_Part Motor Assy, Jt4, 100W, Brake, s850.	3 553,00
04500-000	696492	Python Spare_Part SYSTEM, MOTIONBLOX 10.	3 110,00
04965-210	698351	Legacy Spare_Part T2 Pendant Kit, 10M Cable.	2 844,00
06458-000	698498	Viper 1300 Spare_Part Drive, Harmonic, Jt 1, V.	3 489,00
06459-000	698508	Viper 1300 Spare_Part Drive, Harmonic, Jt 2, V.	3 489,00
06460-000	698507	Viper 1300 Spare_Part Drive, Harmonic, Jt 3, Adept.	3 489,00
05043-001	698342	Viper 1700 Spare_Part ASSEMBLY, EMI BOX, PA4, VIPER.	3 567,00
11044-000	698234	ASSY,EMI BOX,PA4,VIPER S1700D	3 544,00
90570-00003	696487	Cobra 600/800 All Spare_Part Harmonic Drive Kit, Joint 1, Cobra s600/s800.	3 984,00
90570-00004	698489	Cobra 600/800 All Spare_Part Harmonic Drive Kit, Joint 2, Cobra s600/s800.	3 984,00
06496-000	698446	Cobra 800 Inv Spare_Part Harness, Flyover, Cobra s800 Inverted.	4 469,00
11012-000	698931	Assembly, Cable, Motor, 7M, Viper s1700D	3 506,00
40560-40130	698339	Cobra 600/800 All Spare_Part Ball Spline Assy, NSK, for Cobra and Z-Theta II.	4 493,00
06338-000	696485	Cobra 350 Spare_Part Quill, Spline Shaft, Cobra s350.	4 737,00
01080-000	698233	Legacy Spare_Part MOT,6AX,662,100W,0.89A,J4/5/6.	5 015,00
30562-000	698629	Cobra 800 IP-65 Outlink Cover Assembly	4 080,00
30350-10352	698525	Legacy Spare_Part ASSY,MECH,CIP2.	4 687,00

OMRON PVPR 2023

05728-000	698337	VME Spare_Part ASSY, "K" AMP.	6 205,00
00628-100	696486	KIT, ADEPT SIX CAL aOL	4 091,00
13577-000	698232	Montaje, Oil Change, J1 HD & Sigma 2 Moar, Inverted Cobra	5 460,00
04510-000	698228	Cobra 600 Spare_Part Cleanroom Kit, Cobra s600 / i600 / PLC600.	6 100,00
04633-000	698229	Cobra 800 Spare_Part Cleanroom Kit, Cobra s800 / i800 / PLC800.	6 100,00
07080-005	696483	Viper 1700 Spare_Part Speed Reducer, Jt-5, s1700.	6 830,00
00603-000	698231	VME Spare_Part "ASSY,""H"" AMP".	5 475,00
00604-000	698338	VME Spare_Part ASSY, "I" AMP.	5 480,00
05005-000	703483	VME Spare_Part Amplifier, Power Dual J.	5 180,00
05015-000	698225	Legacy Spare_Part sDAI System Module, Programmed.	6 445,00
05886-000	698335	Legacy Spare_Part SYSTEM, sDAI-100W.	6 795,00
06764-000	696479	Legacy Spare_Part SYSTEM, sDAI-HP.	7 545,00
14927-000	698336	Fixed Accessory(I/O Blox, Common Cables) Spare_Part KIT, HORNET FIELD CAL.	6 950,00
04510-010	698226	Cobra 600 Spare_Part Cleanroom Kit, Cobra s600 / i600 / PLC600, ESD.	6 360,00
06457-000	698495	Viper 1300 Spare_Part Motor Joint6, 100W, Vipe.	6 805,00
07080-006	696480	Viper 1700 Spare_Part Speed Reducer, Jt-6, s1700.	7 435,00
18228-000	698533	Montaje, HD & Moar, Inverted Cobra, J1	6 030,00
06454-000	698503	Viper 1300 Spare_Part Motor Joint3, 400W, Vipe.	7 225,00
06455-000	698513	Viper 1300 Spare_Part Motor Joint4, 200W, Vipe.	6 115,00
06456-000	698497	Viper 1300 Spare_Part Motor Joint5, 200W, Vipe.	7 225,00
09272-000	698230	Quattro 650H Spare_Part Motor and Alpha Drive Assembly, Quattro s650H.	5 995,00
02574-000F	696484	Cobra 600/800 All Spare_Part Ball Spline Assy, Cobra AIB 600/800.	6 415,00
09023-000	698227	Quattro All Spare_Part Platform Assy, +/- 60 degrees.	6 195,00
07080-004	698223	Viper 1700 Spare_Part Speed Reducer, Jt-4, s1700.	8 350,00
11820-002	696481	MOTOR, SIGMA 5, JT3, S1700D	7 095,00
11820-003	696482	MOTOR, SIGMA 5, JT 4-6, S1700D	7 095,00
11820-007	698544	HRNSS, INTRNL, AX 1-4,S1700D	7 095,00
02574-001F	698526	Cobra 600/800 All Spare_Part QUILL ASSY, COBRA AIB, 260MM.	9 475,00
06452-000	698499	Viper 1300 Spare_Part Motor Joint1,1500W, Vipe.	7 640,00
11820-006	696477	DRIVE, SPEED REDUCER, AX 3,S1700D	8 950,00
06453-000	698521	Viper 1300 Spare_Part Motor Joint2, 750W, Vipe.	8 815,00
07079-001	698221	Viper 1700 Spare_Part Motor, Sigma, Jt-1, s1700.	11 390,00
07079-002	698220	Viper 1700 Spare_Part Motor, Sigma, Jt-2, s1700.	11 390,00

OMRON PVPR 2023

11820-000	698547	MOTOR, SIGMA 5,JT1, S1700D	9 005,00
11820-001	696476	MOTOR, SIGMA 5, JT2, S1700D	9 005,00
19800-000	696474	eAIB Family Spare_Part System Cobra eAIB.	11 360,00
05459-000	698219	Training Spare_Part SELF-SUPPORT KIT,COBRA,S&I.	12 090,00
01044-000	698334	VME Spare_Part Chassis, Amplifier, PA-4, CAT3, Model 336 (CE).	10 160,00
11820-004	698546	DRIVE, SPD RDCR, AXI 1,S1700D	9 600,00
11820-005	698545	DRIV, SPD REDCR, AX 2,S1700D	9 125,00
09557-000	698222	Spare_Part SYSTEM,QUATTRO AIB, CE.	9 050,00
05845-000	698332	AIB Family Spare_Part Controller, MotionBlox-40R.	12 040,00
07079-003	698522	Viper 1700 Spare_Part Motor, Sigma, Jt-3, s1700.	12 900,00
19400-000	698333	Cobra 350 Spare_Part CNTRLR,EMB-40R,TOP LEVEL.	11 790,00
19600-000	698331	eAIB Family Spare_Part CONTROLLER, EMB-60R TOP LEVEL.	13 520,00
07081-001	698218	Viper 1700 Spare_Part Harness, Wiring, Main, s1700.	14 410,00
07080-003	698217	Viper 1700 Spare_Part Speed Reducer, Jt-3, s1700.	18 220,00
07080-001	698501	Viper 1700 Spare_Part SPEED REDUCER, JT 1, S1700.	22 760,00
07080-002	698216	Viper 1700 Spare_Part Speed Reducer, Jt-2, s1700.	22 760,00
05293-000	707418	ADEPT Viper 850 Pieza de Repuesto Robot, AdeptViper s850, 5kg, con RSC Instal	28 800,00
18098-000	698548	CASTER, SWIVEL, 4", HARDENED	55,20
13718-000L	698541	CABLE,CAMERA POWER,ACUITY	59,75
12804-100	698268	Lynx All Spare_Part SKN, FRT BMPR PNEL, MTX.	461,50
19314-001	698633	Seal Washer, M10	7,58
19321-001	698634	Seal Washer, M8	7,58
19338-000	698635	Bracket, Calibration Fixture,A Cal, Cobra 450, 500, 650	41,10
19337-000	698636	Calibration Fixture,A Cal, Cobra 450, 500, 650	173,10
19336-000	698637	Calibration Fixture, Pin, B5 x 10, Cobra 450, 500, 650	7,58
19335-000	698638	Calibration Fixture, Pin, B4 x 8, Cobra 450, 500, 650	7,58
19331-000	698639	Belt,Timing, Idler a Quill, Cobra 450, 500, 650	103,90
19344-000	698640	Harness, Fly-over, Cobra 450/500	916,50
19345-000	698641	Harness, Fly-over, Cobra 650	963,00
19314-000	698642	Motor Montaje, J1/A-Axis, Cobra 450, 500, 650	1 060,00
19315-000	698643	Speed Reducer, J1/A-Axis, Cobra 450, 500, 650	3 398,00
19316-000	698607	Cap, Round, Inner Link, Cobra 450, 500, 650	49,75
19317-000	698608	End Cap, Inner Link, Cobra 450, 500, 650	49,75

OMRON PVPR 2023

19321-000	698609	Motor Montaje, J2/B-Axis, Cobra 450, 500, 650	950,00
19322-000	698610	Speed Reducer, J2/B-Axis, Cobra 450, 500, 650	2 708,00
19323-000	698611	Cover, Outer Link, Rear, Cobra 450, 500, 650	55,20
19324-000	698612	Cover, Outer Link , Cobra 450, 500, 650	109,30
19326-000	698613	Motor, J3/Z-Axis, Cobra 450, 500, 650	1 247,00
19327-000	698614	Quill Montaje, Cobra 450, 500, 650	3 663,00
19328-000	698615	Timing Belt, J3/Z-Axis, L501 x W15, Cobra 450, 500, 650	66,00
19329-000	698616	Motor, J4/W-Axis, Cobra 450, 500, 650	810,50
19330-000	698617	Belt, Timing , J4/W-Axis Moar, Cobra 450, 500, 650	30,29
18101-000	698618	Montaje, Cobra 600 Base Robot w/o AIB, Sigma 7 Moars	11 570,00
18102-000	698619	Cobra 800 Pieza de Repuesto COBRA AIB 800 RBT ASSY SIG 7	13 750,00
29600-000F	699108	System, 6 Axis, eCS-ECAT, Top Level	11 360,00
18211-000	698842	Link Outer, eCobra 800	1 695,00
SEP02324-100	699087	Service Exchange Part : System, iCobra AIB Electronics Package	4 718,00
00326-000	699225	Legacy Spare_Part PCA,DAP-MPC8241.	625,50
01056-803	699283	License Spare_Part License, S/W Option, AdeptSigh.	1 919,00
01056-830	699282	Licencia, Software, ACE AdeptSight 3 de ACE PackXpert	1 250,00
02728-002	699223	ASSY, LED y CABLE , INVERTED	142,80
02754-000	699222	Cobra 600/800 All Spare_Part SEAL,BRAKE BUTTON,.118 HT,.	16,23
03332-00200	699281	Label, Hot Surface	7,21
03562-40000	699280	Label, Caution, Outer Link Cover, Cobra 800 IP65	13,39
03862-00020	699279	Label, Blue Stripe	7,21
04624-000	699221	Cobra 600 Spare_Part COVER,INNERLINK,CLN RM AIB.	140,10
04677-003	699220	Fixed Accessory(I/O Blox, Common Cables) Spare_Part CABLE,EXPIO TO IOBLOX	105,00
04805-000	699219	Common - Elec Spare_Part BAT, 3.5V, LITHIUM, LTC-7PN-S4.	114,70
05083-100	699218	Motor, Sigma 2, 100W, Without Brake, For MotionBlox	2 457,00
05083-750	699278	Motor, Sigma 2, 750W, Without Brake, For MotionBlox.	1 553,00
05307-000	699277	Label, Generic Ground, 0.625" Diameter, Chrome Mylar/Black	25,75
05751-262	699276	Cable, Flat Ribbon Assembly, 30 Pin, 26.25 Inch	36,05
05861-000	699273	Cable, DB9F TO DB9F, 5in., Ribbon	42,23
06319-001	699272	J3 Flywheel, Cobra s350	102,00
06376-000	699214	O-Ring, Joint 1 Motor, Adept Cobra s350	41,10
07036-000	699271	Manifold Set, Solenoid Valve, Viper s650/s850,Cleanroom / IP65	1 572,00

OMRON PVPR 2023

07051-000	699270	ACTUATOR, ESTOP MUSHROOM	96,30
07053-000	699268	Actuator, Momentary Pushbutton, With Lamp	17,51
07054-000	699267	Contact Block, 1NO, Lamp	7,21
07055-000	699266	Actuator, Push Cap, Clear	21,63
07056-000	699265	Actuator, Nameplate, Blank White	7,21
07058-000	699264	Contact Block, 2NO	27,81
07116-000	699263	Bolt, AIB Hanging Fixture, Inverted Cobra	24,72
08686-045	699262	Direction Indication Label, Adept Cobra s350	15,45
09190-000	699213	Legacy Spare_Part PCA,PWR CONT,PA-4,CE.	5 665,00
09961-00013	699261	Spare_Part LIC,ENHANCED TRAJECTORY,C.	2 030,00
09961-00016	699260	Spare_Part LIC,ADEPTFTP CLIENT/SERVER.	374,20
10410-00508	699259	Cable, Firewire, 0.80 m, w/Latch	137,00
13307-000L	699257	Label, class1 invisible laser	7,21
13441-000	699256	Label, Core LED Status, LD	7,21
13768-000	699169	Mobile Accessory (Call buttons, MDMI cables) Spare_Part Camera, GigE, 659x49	1 623,00
14162-000	699255	Input Shaft, Harmonic Drive, Joint 5, Viper s650	446,00
14359-000	699254	Cable, CAT6 SSTP, ACE, GIGE, 10 m	29,21
14426-000	699212	ADEPT Viper 1700s Pieza de repuesto H-Amp	4 276,00
14426-010	699211	Montaje, I - Amplifier w/Teach Restrict	4 639,00
18029-000L	699249	Power Cord, Switzerland, IEC320/C13 --- SEV1011 (IEC Type J)	25,75
18070-000	699248	Modification, Motor Pulley, 22 Groove, Steel	502,00
18071-000	699247	Timing Belt, 5MM Pitch, 535, 15 mm Wide	111,30
18072-000	699246	Modification, Idler Pulley, 22 Groove, Steel	419,30
18213-000	699153	Link Outer, eCobra 600	1 545,00
18302-000L	699245	Actuator, Keyswitch, 1x90, L/R Removable	174,20
18609-006	699244	Cap, Arm 2, Inner, Cobra s350	35,02
18609-007	699243	Cable Guide, Arm 1/2, IP65, Cobra s350	87,55
18622-000	699242	Label, Maximum Grade Capability	7,21
18623-000	699241	Label, Caution Automatic Vechicle	7,21
20350-12250	699207	Battery, CX, Internal	13,39
30410-220	699152	SmartController CX Spare_Part ASSY,REMOTE I/O,IO-BLOX.	486,70
40340-00030	699151	Legacy Spare_Part AIR FLTR.	71,40
40561-30031	699150	Cover, Inner Link, Cleanroom	190,40

OMRON PVPR 2023

49560-25500	699149	Common - Mech Spare_Part HD GR ASSY,#25,50:1.	3 105,00
57000-02770	699148	O-RNG,1.3IDx.07CS,BN 70	7,21
69962-151	699147	Pieza de Repuesto ASSY, Micro SD, Progd, Servo 20.1 E1, de Cobra eAIB	980,50
90401-04041	699146	Cleanroom Seal Belt	273,00
90580-103	699145	Adept Cobra s350, IP65 Cover	488,30
90580-104	699144	Adept Cobra s350, Cleanroom Upper Quill Assembly, With 2 Clamps	693,50
18211-000	707290	Link Outer, eCobra 800	1 695,00
05284-302	699206	Anyfeeder Spare_Part Cable, Parallel, AnyFeeder SX2.	445,80
09275-600F	700942	Assembly, Inner Link, Quattro HS, Gen 2	952,00
09335-200F	701009	Motor Cover with Logo, Quattro H	368,80
09554-002F	700941	Base, ETFE Coated, Quattro HS, USDA	6 925,00
09554-202F	700940	Base, Quattro HS, with Hard Stops	5 000,00
19230-001	700939	Base, Finished, Hornet 565 Robot	1 360,00
19234-001	700938	Cover, Base, Finished, Hornet 565 Robot	877,00
14245-000L	701007	PCA, Diagnostic Display and RSC, Hornet	304,90
18265-000	700937	Label, Brake Release, Hornet	25,75
09564-000F	701006	Seal Kit, Cables, Electroless Nickel, Quattro HS	1 010,00
08765-000F	701005	Seal Kit, Cables, Quattro, IP65	1 154,00
05284-304	701004	Anyfeeder Spare_Part RS232 PLUG,ANYFEEDER SX240.	147,90
05284-502	701003	Anyfeeder Spare_Part Plates, Excenter, AnyFeeder SX.	3 863,00
05284-504	701001	Anyfeeder Spare_Part Clutch, Flip, AnyFeeder SX240.	3 804,00
18530-000	701000	BRIDGE, SX240	229,70
05284-601	700999	Flat spring, Anyfeeder SX240	298,70
09961-00017	699927	Multiple Adept Robots	4 536,00
20235-000F	701084	Assembly, Outer Link Controls w/ fan and Harness, i4L	1 175,00
19362-101F	701085	Assembly, J1 and HD 50:1, i4L	2 627,00
19362-201F	701086	Assembly, J2 and HD 50:1, i4L	2 321,00
19356-001F	701087	Assembly, J3 Motor, i4L w/ Belts	849,00
19357-001F	701088	Assembly, J4 Motor, i4L w/ Belts	832,50
19358-000F	701090	Assembly, Quill, i4-350/450/550L, Std	1 799,00
19358-350F	701091	Assembly, 350mm Quill, i4-550L	1 799,00
19360-016F	701092	Tool Flange, 16mm, i4L	107,20
19458-100F	701093	Cover, Outer link, i4L-350/450	120,60

OMRON PVPR 2023

20090-100F	701094	Cover, Outer Link, i4L-550	136,00
19347-002F	701095	Casting, Inner Link, i4L-350	178,20
19778-002F	701096	Casting, Inner Link, i4L-450/550	224,60
19349-002F	701097	Casting, Outer Link, i4L-350/450	164,80
19939-002F	701098	Casting, Outer Link, i4L-550	194,70
12340-255F	700454	Kit, J2, Harmonic Drive, i4H, Standard	1 779,00
12340-328F	700453	Kit, J1, Harmonic Drive, i4H, Standard	1 738,00
19005-001F	700452	Kit. Motor Brake, i4H	129,80
19098-000F	700451	Kit, J1 Motor, i4H, Standard	1 585,00
19099-001F	700450	Assembly, Quill, i4H, 210mm Stroke, Standard	3 219,00
19099-002F	700449	Assembly, Quill, i4H, 410mm Stroke, Standard	2 520,00
19101-000F	700448	Kit, J2 Motor, i4H, Standard	1 355,00
19102-000F	700447	Kit, J3 Motor, i4H	1 207,00
19104-000F	700446	Kit, J4 Motor, i4H	1 108,00
19238-000F	700445	Assembly, Battery, Encoder Backup, i4H	151,50
21373-000F	700444	Joint 1 Motor Removal Tool, i4H	1 428,00
21947-100F	700443	HD Oil, 100ml	27,81
21947-170F	700442	HD Oil, 170ml	32,96
22385-000	700441	Straight Reducer, 6 mm x 4 mm Tube OD	25,75
09970-049	700260	LIC, THREE OR MORE BELTS	389,40
19111-35000F	701099	Casting, Base, i4L	285,40
29900-000F	701100	Controller, i4H, iCS-ECAT, Standard, IP20	8 755,00
29910-000F	701101	Controller, i4H, iCS-ECAT, Inverted, IP20	8 755,00
12370-000F	700879	Oil Change Kit, Cobra/i4H	1 671,00
19740-000F	700874	Assembly, Calibration Bar, i4H/Cobra	1 437,00
TEMP ROB 342	700827	ORSE Temporary Robot 342 -- Bundle eCobra 800	14 340,00
19354-010F	702495	Controller Assembly, i4L ENET	2 575,00
92546-10358	703203	Kit, Front Panel, PCI Controller	811,50
19936-222F	701826	SCREW,M6L20 HEX HEAD CAP, MAT'L: SCM435	41,10
19356-200D	702230	Assembly, J3 Motor, i4L-350/450/550	775,00
20269-000F	702232	Battery, 3.6V, i4L, Pack of 3	13,39
29800-150F	702591	System, iX4 USDA, iCS-ECAT	11 360,00
12337-000R	702427	Motor Assembly Joint 1, Oil Change Version - Refurbished	2 537,00

OMRON PVPR 2023

CBL-COM-2065-10-HF	702607	10 m Robotiq Device Cable : Straight M12 5-pin female on one side, single ended	281,20
05284-600	703659	Plate, Support, FOV, AnyFeeder SX240	429,00
22602-040F	703658	Retainer , AnyFeeder SX240	330,20
22602-057F	703660	Bulk Container, AnyFeeder SX240	2 234,00
TEMP ROB 123	702923	ORSE Temporary Robot 123 -- Viper s650	22 720,00
TEMP ROB 102	702976	ORSE Temporary Robot 102 -- Bundle sCobra 350	7 575,00
19050-000R	703060	eDrive SX Single, 5 mm, AnyFeeder SX240, SX340 - Refurbished	6 795,00
CBL-COM-2073-10-HF	707205	10 m Robotiq Device Cable, straight M12 5-pin female on one side, single ended	446,00
09730-000R	707232	ASSY, PLATFORM P30, FIXED - Refurbished	1 430,00
04965-003R	707231	Kit, T1 Pendant 3m - Refurbished	2 228,00
05215-110R	707230	PENDANT, T2, 10M, PROGRAMMED - Refurbished	254,00
12800-000R	707229	HMI Panel Assembly, Lynx - Refurbished	1 343,00
09364-000	707401	Harness, Internal Wiring, Viper s650, Clean Room	1 449,00
02574-000F	707533	Cobra 600/800 All Spare_Part Ball Spline Assy, Cobra AIB 600/800.	6 415,00
02787-000	707534	Cobra 800 Spare_Part Cover, Outerlink, AIB 800.	712,00
04302-000	707535	Cobra 600 Spare_Part Cover, Outerlink, AIB 600.	478,10
30560-40500	707536	Cobra 800 Spare_Part Pulley Assy, Idler, Jt4 w/ Secondary Tm Belt, 600/AIB 600.	2 832,00
53202-99001	707537	Legacy Spare_Part Nut, Lock, Steel, Tubing Connection, IP65.	23,80
09977-100	708635	Montaje, Encoder Backup Battery, Li Metal, Schottky diode	208,80
30560-40700R	707527	Tooling Flange Assembly	357,00
02708-000F	707734	Connector, 2 Position Housing, 24 V	5,00
22009-000F	707733	Connector, 3 Position, Housing, 48 V	5,00
22419-000F	707732	Fuse, High Power 15 A, i4L	5,00
22420-000F	707731	Fuse, 24 V Power Supply 5 A, i4L	6,00
TEMP ROB 901	708039	ORSE Temporary Robot 901 -- i4-450L	8 595,00
11295-003D	708090	Harness Assembly, MB-60R, Amps and TR	128,80
TEMP ROB 902	708051	ORSE Temporary Robot 902 -- i4-450L	8 595,00
19167-000F	708338	Valve, Manifold, Pneumatic, SMC	94,00
22852-000F	708337	Clamp Half, Bellows, 52.4 x 7	30,00
22861-000F	708336	Bellows, 180mm Quill, 51mmID, IP50	696,00
22862-000F	708335	Bellows, 350mm Quill, 51mmID, IP50	1 044,00
22864-000F	708334	Bellows Bottom Bearing Assembly, 16mm, IP50	118,00
22920-000F	708333	Bellows Top Bearing Assembly Top, IP50	176,00

OMRON PVPR 2023

23050-000F	708332	Cable, i4L TIO to Solenoid Jumper	88,00
19113-65000F	708380	Assembly, Diagnostic Display, i4H	382,00
19464-103F	708379	Kit, Bellows Replacement, 210mm, i4H	868,00
19464-104F	708364	Kit, Bellows, Replacement, 410mm, i4H	1 171,00
19102-100F	708414	Kit, J3 Adjustment Plate, i4H	74,00
19104-100F	708392	Kit, J4 Reduction Gear, i4H	199,00
20561-000F	708418	Assembly, Fan, Outer link, i4H	67,00
20631-000F	708386	Assembly, Back Panel, i4H Standard/IP65	265,00
20631-100F	708389	Assembly, Back Panel, i4H, CR	232,00
18841-000F	708408	PCA, J4 Incremental Reflective Encoder, i4H	100,00
19170-000F	708397	PCA, i4 End of Arm	179,00
18941-000F	708381	Connector Panel, End of Arm, i4H	382,00
19781-000F	708405	J2 Inner Link Hard Stop Kit, i4H	103,00
18954-000F	708396	J1 Hard Stop Assembly, i4H	187,00
19782-000F	708419	J2 Outer Link Hard Stop Kit, i4H	67,00
19224-000F	708427	Omron Label, Base,i4H	21,00
19292-000F	708409	Outer Link Bracket, i4-750H/850H	100,00
18992-000F	708410	Outer Link Bracket, i4-650H	93,00
18820-000F	708423	Plate, Nut, Motor, Joint 4, i4 650H	41,00
21771-000F	708401	Bellow Clamp, Lower, i4H	132,00
21590-000F	708402	Bellow Clamp, Upper, i4H	132,00
19209-000F	708416	Belt, J3, i4, 750H/850H	71,00
19211-002F	708390	Cover, Outer Link, i4-650H	212,00
19211-202F	708383	Cover, Outer Link, i4-650H, CR/ESD	343,00
19464-006F	708387	Outer Link Cover, i4-650H, IP65	265,00
19227-002F	708388	Cover, Outer Link, i4-750H/850H	265,00
19227-202F	708382	Cover, Outer Link, i4-750H/850H, CR/ESD	369,00
19464-008F	708384	Outer Link Cover, i4-750H/850H, IP65	316,00
19115-000F	708420	Cap, Joint 1, i4H	63,00
19115-201F	708415	Cap, Joint 1, i4H, CR/ESD	74,00
19097-000F	708412	Cover, Joint 2, Inner Link, i4H	87,00
19097-201F	708406	Cover, Joint 2, Inner Link, i4H, CR/ESD	103,00
19212-001F	708407	Cover, Quill, Lower, i4H	103,00

OMRON PVPR 2023

19212-201F	708404	Cover, Quill, Lower, i4H, CR/ESD	119,00
18867-000F	708393	Plate, Bottom, Base, i4H	199,00
19129-000F	708400	Gasket, J1 Cap, i4H, CR/IP65	139,00
19110-000F	708351	O-Ring, J2 Cap, i4H, CR/IP65	21,00
19260-000F	708394	Gasket, Outer Link Connector Panel, i4H, CR/IP65	199,00
19163-000F	708391	Gasket, Base, Bottom, Cover, i4H, IP65	206,00
19162-000F	708395	Gasket, Display, i4-650/750/850	192,00
19992-000F	708417	Gasket, Outer Link Cover, i4-650H, IP65/CR/ESD	71,00
19993-000F	708413	Gasket, Outer Link Cover, i4-750H/850H, IP65/CR/ESD	78,00
21291-000F	708385	Upper Hard Stop, Quill, i4H, CR/IP65	284,00
21781-000F	708421	Quill Cap, Top, i4H	58,00
21290-000F	708411	Hard Stop, Quill, Upper, i4H	88,00
19099-011F	708361	Assembly, Quill, i4H, 210mm Stroke, Food Grade	3 226,00
19099-012F	708360	Assembly, Quill, i4H, 410mm Stroke, Food Grade	3 375,00
19100-001F	708371	Assembly, J1 Yoke, i4H	1 033,00
19100-000F	708370	Assembly, J2 Yoke, i4H	1 039,00
18886-012F	708372	Outer Link, i4-650H, Standard	1 033,00
19156-012F	708367	Outer Link, i4-750H/850H, Standard	1 057,00
18895-013F	708377	Inner Link, i4-650H/750H	980,00
19142-013F	708375	Inner Link, i4-850H	1 005,00
18895-014F	708378	Inner Link, i4-650H/750H, Inverted	980,00
19142-014F	708376	Inner Link, i4-850H, Inverted	1 005,00
18879-012F	708363	Base, i4H	2 365,00
18879-201F	708362	Base, i4H, CR/ESD	2 563,00
18886-201F	708366	Outer Link, i4-650H, CR/ESD	1 087,00
19156-201F	708365	Outer Link, i4-750H/850H, CR/ESD	1 115,00
18895-201F	708373	Inner Link, i4-650H/750H, CR/ESD	1 033,00
19142-201F	708368	Inner Link, i4-850H, CR/ESD	1 057,00
18895-211F	708374	Inner Link, i4-650H/750H, Inverted, CR/ESD	1 033,00
19142-211F	708369	Inner Link, i4-850H, Inverted, CR/ESD	1 057,00
19414-000F	708399	Replacement Screws, Lower Quill Cover, i4H CR/IP65	159,00
19413-000F	708398	Replacement Screws, Outer Link Cover, i4H CR/IP65	173,00
19118-000F	708403	Replacement Screws, J1 Cap, i4H CR/IP65	132,00

OMRON PVPR 2023

51000-65012F	708426	Replacement Screws, Bellows Clamp, i4H	22,00
51008-67025F	708425	Replacement Screws, J1 Cap, i4H	25,00
19064-000F	708424	J1 Motor Heat Sink, Long, i4H	41,00
19065-000F	708422	J1 Motor Heat Sink, Short, i4H	49,00
19252-000F	708349	Cover Plate, PCA, J4 Encoder, i4H	27,00
29905-065F	708428	I4H ENET Controller Spare IP65 STD	7 650,00
29915-065F	708429	I4H ENET Controller Spare IP65 INV	7 650,00
29900-065F	708430	I4H ECAT Controller IP65 STD	7 650,00
29910-065F	708431	I4H ECAT Controller IP65 INV	7 650,00
19153-000F	708352	Light Strip, RGB LED, i4H	48,00
20144-000F	708353	Assembly, Fan, Base, i4H	146,00
20669-000F	708354	Belt, J4, i4, 750H/850H	87,00
20619-000F	708355	Belt, J4 Reduction, i4H	47,00
19115-65000F	708356	Harness, Assembly, i4-650H/750H	920,00
19115-65001F	708357	Assembly, Harness, i4-850H	987,00
19150-000F	708358	J4 Encoder Jumper from EOA-PCA to J4 Encoder for i4	54,00
19140-000F	708359	Harness, EOA PCA to EOA M23 17 Pole Connector for i4	146,00
19106-000F	708350	Tool Flange, i4H, ISO Mount	353,00
01912-000D	708483	Seal, conductive, .125" OD, 0.045" ID hollow O-Ring, fluoro-silicon w/ silver plate	110,40
13322-000	708986	Cable, eAIB XSYSTEM Adapter, 6 feet	115,00
13091-000	676390	Common - Elec Spare_Part FUSE,1A,3AG,1/4X11/4,LYNXDOK.	5,15
22700-000	676588	Lynx All Spare_Part LYNX, TESTED CORE.	17 370,00
14364-000	676598	Lynx All Spare_Part KEY,MICRO-USB,UNPROGRAMMED.	136,30
04563-000	678046	Common - Elec Spare_Part FUSE,8A,5X20MM,DCKNG STN.	6,49
12170-000	678054	Common - Elec Spare_Part SFTY LSR,S300, EXPERT,270DEG.	4 394,00
09080-000	678105	Quattro All Spare_Part GSKT, DIAG. DISPLAY, QUATTRO.	10,82
09230-000L	678091	Common - Mech Spare_Part CONN,TRM BLCK,3.5MM,2P,SPRING.	3,25
12855-000	678107	Common - Mech Spare_Part PUSH LTCH, 3KG RTNG FRCE,BLCK.	53,00
12745-000	682561	Right Drive Train Montaje, 30:1, Lynx	6 840,00
12745-060	681626	Right Drive Train Montaje, 60:1, Lynx	6 405,00
12746-040	682839	Left Drive Train Montaje, 40:1, Lynx	6 970,00
12745-040	682838	Right Drive Train Montaje, 40:1, Lynx	6 970,00
12412-000	682567	Push button, Yellow, Panel Mount, Round	30,29

OMRON PVPR 2023

12746-000	682557	Left Drive Train Montaje, 30:1, Lynx	6 840,00
12800-000	682554	HMI Panel Montaje, Lynx	1 791,00
12168-000	688218	Common - Elec Spare_Part LATCH, LOCKNG, FLUS, ABS.	28,12
12410-000	698959	Common - Elec Spare_Part PSH BUTTON, GRN, PNL MNT RND.	30,29
12718-000L	683470	Lynx Todas Piezas de Repuesto CA,LYNX SICK LIDAR	326,70
12261-000	690709	Spring, Extension, Suspension Drive Train	7,58
12411-000	682556	Push button, Red, Panel Mount, Round	30,29
11714-000	681914	ADEPT Lynx All Pieza de repuesto PIEZ ULTRAS SENS,40KHZ WCABLE	21,63
12746-060	681624	ASSY,LEFT DT, LYNX, 60:1	6 405,00
11711-000	682433	Sonar Controller Montaje	638,50
12804-700	682565	Skin, Rear Panel, Lynx	757,50
14753-000	682632	Montaje, Caster, Lynx, Hardened	299,70
12417-000	683471	Lynx Todas Piezas de Repuesto CONTACT,PADL,DOK,MTX	35,69
12804-800	683895	Regular Skin, Battery Door, LD Series Mobile Robot	1 116,00
10616-000	681623	ANTENNA,WIRELESS,RVRSE SMA	70,30
13507-000L	681498	BEACON,RYG,24V,COMPACT,LED,NPN	480,20
13891-100L	682437	ASSY,PCA,OTRGR,LYNX TRNSPTR	800,50
18452-995	683017	Assy, Skin Set, ESD, LD-60	4 599,00
22735-000	683019	Tested i5 LD Core	12 500,00
09080-000	682900	Quattro All Spare_Part GSKT, DIAG. DISPLAY, QUATTRO.	10,82
09760-010	682955	Quattro 800H Spare_Part ASY,OTR ARM,LCK,1129MM,EPSILON.	4 109,00
11708-000L	683172	PCA, LYNX LIGHTING DISC	244,50
13523-000L	683166	ASSY,CABLE,LYNX,DOUBLE,TIM,2M	192,60
14106-000L	683154	ASY,LYNX GENEVA REFL BEAM SENS	247,80
14765-000	683878	Cart Pieza de Repuesto BRACKET, SENSOR, REAR, CART	218,50
13438-000	684660	Handler Spare_Part SICK TIM LASER.	3 539,00
12943-000	684683	Handler Spare_Part CBL,RPSMA PL TO JCK,BLK,19IN.	68,00
12172-310	684682	Montaje, Laser, S300, Programmed	6 385,00
12872-160	684677	Montaje, Frame, Docking Funnel, FRU	643,00
12885-030	684676	Lynx All Spare_Part KIT,USR PNL W 3FT CBLE,LYNX.	1 523,00
18234-000L	684674	Montaje, Lynx Cart Transp, Buzzer	82,20
12694-000L	684673	Cable, Lynx Wheel Lights	105,00
12528-025	684671	ASSY,CBL,HD15D,M-F,SHLD, 2.5'	48,67

OMRON PVPR 2023

12689-100L	684664	CA,LYNX BATTERY CONTROL	58,45
12172-032F	688045	Assembly, Laser OS32C FRU	3 439,00
14742-000L	687688	Assembly, Cable, Lynx Cart, Core IO	319,10
12804-200R	688555	Regular Skin, Front Top Panel, LD Series Mobile Robot - Refurbished	716,50
12804-600R	688558	Skin, I/O Cover, Lynx - Refurbished	282,40
12804-700R	688559	Skin, Rear Panel, Lynx - Refurbished	568,50
12804-800R	688560	Regular Skin, Battery Door, LD Series Mobile Robot - Refurbished	836,50
14767-000R	688561	Skin, Front Bumper Panel, Lynx, Modified for Tim Sensor - Refurbished	439,10
18452-200R	688592	ESD Skin, Front Top Panel, LD Series Mobile Robot - Refurbished	719,50
18452-350R	688562	Assembly, Skin Right, Lynx, ESD - Refurbished	966,50
18452-450R	688563	Assembly, Skin Left, Lynx, ESD - Refurbished	966,50
18452-600R	688564	Skin, Left Hatch, Lynx, ESD - Refurbished	217,50
18452-800R	688565	ESD Skin, Battery door, LD Series Mobile Robot - Refurbished	820,00
11210-000	688792	Lynx Todas Piezas de Repuesto ASSY, TIRE WHEEL,MTX	538,00
22710-000R	689118	Lynx Core - refurbished	9 720,00
22735-000R	689119	i5 LD Core – refurbished	8 925,00
TEMP ROB 801	689532	ORSE Temporary Robot 801 -- LD-60 without Battery	24 660,00
12804-500R	690540	Skin, Wheel Cover, MTX- Refurbished	107,20
18452-150R	690541	Skin, Front Bumper, Modified TiM, Lynx, ESD - Refurbished	439,10
18452-300R	690542	Skin, Right Panel, Lynx, ESD - Refurbished	914,50
18452-400R	690543	Skin, Left Panel, Lynx, ESD - Refurbished	914,50
18452-500R	690544	Skin, Wheel Cover, Lynx, ESD - Refurbished	107,20
13131-100F	690861	License Dongle, AMR FLOW	160,10
13131-000F	690875	License Dongle, AMR Legacy	183,90
22700-000R	690923	System, Adept Lynx Core - refurbished	9 375,00
12804-600	691021	Skin, I/O Cover, Lynx	376,40
12804-701	693836	Skin, Rear Panel, LD-60	637,50
12804-801	691022	Skin, Battery Door	1 172,00
12804-702	691023	Skin, Rear Panel, LD-90	637,50
12870-000	691152	Assembly, Chassis, Battery Door	117,50
12804-101	693127	Skin, Front Bumper Panel, Lynx, Modified de Tim Sensor	509,50
12804-200	692932	Regular Skin, Front ap Panel, LD Series Mobile Robot	955,00
12804-350	693128	Skin y Light Montaje (Cover), Right, Lynx	1 470,00

OMRON PVPR 2023

12804-450	693129	Skin y Light Montaje (Cover), Left, Lynx	1 470,00
12804-700	693130	Skin, Rear Panel, Lynx	757,50
12804-705	693131	Skin, Rear Panel, LD-90x	641,00
12804-800	693132	Regular Skin, Battery Door, LD Series Mobile Robot	1 116,00
SEP12745-000	692857	Service Exchange Part : Assembly, Right Drive Train, 30:1	3 762,00
SEP12745-040	692858	Service Exchange Part :Assembly, Right Drive Train, 40:1	3 833,00
SEP12745-060	692859	Service Exchange Part :Assembly, Right Drive Train, 60:1	3 521,00
SEP12746-000	692860	Service Exchange Part :Assembly, Left Drive Train, , 30:1	3 762,00
SEP12746-040	692861	Service Exchange Part :Assembly, Left Drive Train, , 40:1	3 833,00
SEP12746-060	692862	Service Exchange Part :Assembly, Left Drive Train, , 60:1	3 521,00
12745-040R	692864	Assembly, Right Drive Train, 40:1 - Refurbished	5 230,00
12746-000R	692866	Assembly, Left Drive Train, , 30:1 - Refurbished	5 130,00
12712-100L	693089	Lynx All Spare_Part CA,RIGHT LYNX MOTOR DRIVE.	74,20
12712-200L	693133	Cable, Left Lynx Moar Drive, White	74,20
TEMP ROB 802	693134	ORSE Temporary Robot 802 -- LD-130 CT without Battery	46 750,00
14767-000	693692	Skin, Front Bumper Panel, Lynx, Modified de Tim Sensor	586,00
14783-000	693693	ASSY, BUMPER, MTX	3 401,00
12872-000	693694	Lynx Todas Piezas de Repuesto ASSY,FRME,DCKING FUNNEL,MTX	637,50
12416-000	693695	ROLLER,DOK,MTX	249,90
12738-000F	693696	SHEET MTL, LSR FOV CVR, FRU	120,10
12872-160	693697	Montaje, Frame, Docking Funnel, FRU	643,00
11161-000D	693753	Gearbox, OnDrive P45-15 with Modification	1 505,00
11161-020D	693754	Gearbox, OnDrive P45-20 with Modification	1 703,00
11161-030D	693755	Gearbox, OnDrive P45-30 with Modification	1 825,00
12734-000D	693756	Motor Assembly, Lynx Brake Connector	1 040,00
11256-000D	693758	Weldment, Gearbox Cover, Drive Train, Left	221,50
11257-000D	693759	Weldment, Gearbox Cover, Drive Train, Right	230,80
11259-000D	693760	Sheet Metal, Drive Train, Bearing Retainer, Qty 10	454,30
11262-000D	693761	Drive Belt, Pitch 3mm,GT2, Width 9mm, Length 204mm	118,50
11322-000D	693762	Pulley, Drive Train, Machined, 22 Tooth, MTX	206,00
11344-000D	693763	Pulley, Drive Train, Mach, 44 Tooth, Mtx	118,50
12766-000D	693764	Key, Machine, 4mm Square, 16mm Length, Qty 30	426,50
12770-000D	693765	Ball Bearing, Flng, DblSeal, ½"ID, 1-1/8"OD, Qty 10	218,40

OMRON PVPR 2023

12771-000D	693766	Drive Train, Gearbox Gasket, Qty 10	282,30
18024-000D	693767	Damping Sheets, Gearbox, Set, Qty 10	522,50
13052-000D	693768	Jack Screw, 4-40x.187", .25" Thread, w/Nyl, Qty 20	77,25
53102-04000D	693769	Nut, Kep, Zinc Plt, 4-40, Qty 20	61,80
12750-000D	693770	Pin, Cotter, 1/16" Diameter, 1/2" Long, Qty 40	105,10
12749-000D	693771	Pin, Clevis, 1/4" Dia, 7/8" Long, 5/8" Usable Lgth, Qty 20	170,00
12261-000D	693772	Spring, Extension, Suspension Drive Train, Qty 20	363,60
12756-000D	693773	Spacer, Nylon, 1/2" OD, 5/16" L, 1/4" Screw, Qty 40	105,10
12753-000D	693774	Pin, Clevis, Adj, 1/4" Dia, 1-1/2" Long, Qty 20	232,80
11261-000D	693776	Brake Retainer, Drive Train, Hex, Machined, MTX, Qty 10	274,00
12752-000D	693778	Bump Stop, PVC Tubing 3/8" ID, 7/8" OD, x 1/4" Long, Qty 40	334,80
11687-000D	693779	Sheetmetal, Drive Train, Suspension Bearing Mounting Plate, MTX, Qty 40	1 659,00
20457-002F	693747	Cover, Side, Left, Painted with decal, LD250	425,40
20461-002F	693746	Cover, Side, Right, Paintedwith decal, LD250	425,40
20465-002F	693744	Assembly, cover, front, top LD250	527,50
20475-002F	693741	Cover, Front, Bottom, Painted, with label LD250	489,30
20492-000F	693740	Assembly, Skin, Light Ring, LD250	358,50
20381-000F	693737	Button, E-stop, LD250	87,55
22881-300F	693736	LD250 Core, Tested, FRU	11 880,00
20291-100F	693735	Assembly, Drive, Motor & Harness, Left Side, LD250	3 084,00
20290-100F	693734	Assembly, Drive, Motor & Harness, Right Side, LD250	3 084,00
21471-000F	693733	ASI Motor Brush Kit	107,20
20298-000F	693732	Spring Assy, Drive Train, LD250	240,00
20291-000F	693731	Drive wheel, Polyurethane Tread, Aluminum Core, LD250	266,80
20829-000F	693730	Motor Lift Tool, LD250	124,70
12872-250F	693729	Assembly, Frame, Docking Funnel, MTX	518,50
20301-121F	693728	Casters, wheel, LD250	106,10
20820-000F	693727	Assembly, Maintenance Panel, LD250	214,30
51918-70020F	693726	Screw, Flat Head, Torx Plus M6 x 20, SST, Black Oxide-Coated	52,55
54909-97000F	693725	Washer, Retaining, M6, Polyamide	24,72
20607-000F	693724	Assembly, Left ToF Sensor, LD250	653,50
21324-000F	693721	Lens, ToF Sensor, Center, LD250	85,50
21325-000F	693720	Lens, ToF Sensor, Side, LD250	57,70

OMRON PVPR 2023

21271-000F	693719	Cable, ToF sensor side cable, LD250	144,20
21272-000F	693718	Cable, Rear Sensor to Core, LD250	139,10
14914-000	693782	Assembly, Belt Tensioner, Lynx	2 592,00
14976-000F	695013	Kit, LD, Caster Wheel Assembly, 3 in.	301,80
21452-995F	695022	Assy, Skin Set, ESD, LD-60	4 599,00
21452-996F	695023	Assy, Skin Set, ESD, LD-90	4 599,00
21452-997F	695024	Assy, Skin Set, ESD, LD-90x, 60:1	4 599,00
21452-151F	695025	Skin, Front Bumper, ESD, FRU	683,00
21452-201F	695026	Skin, Front ap Panel, ESD, FRU	823,50
21452-350F	695027	Montaje, Skin Right, Lynx, ESD	1 289,00
21452-450F	695028	Montaje, Skin Left, Lynx, ESD	1 289,00
21452-801F	695029	Skin, Battery Door, ESD, FRU	941,00
21452-600F	695030	Skin, Left Hatch, Lynx, ESD	289,90
21452-701F	695031	Skin, Rear Panel, ESD, LD-60, FRU	1 016,00
21452-702F	695032	Skin, Rear Panel, ESD, LD-90, FRU	1 016,00
21452-705F	695033	Skin, Rear Panel, ESD, LD-90x, 60:1, FRU	1 020,00
20458-002F	695722	Cover, Plate, Top, Painted, LD250	645,00
21316-000F	695528	Nut, U-type, extruded, M6-1.0, Locking thread	47,38
12528-250F	695529	Cable, HMI-ESTOP, LD250	162,80
20841-000F	695530	Tool, Brake, Engagement, LD250	66,95
53202-74000F	695531	Nut, Hex, M12, Self Lock, Zinc	63,90
14584-250F	695532	Pin, Cotter, 7/64" Dia. X 1" LG, Steel	29,87
54020-97400F	695533	Washer, Fender, M12, Stainless Steel	36,05
20652-000F	695534	Bracket, Mounting, Laser, Toe, LD250	133,90
20276-100F	695535	Cable, Core to RIGHT Motor Panel Mount, LD250	385,30
20276-200F	695536	Cable, Core to LEFT Motor Panel Mount, LD250	385,30
12724-250F	695537	Cable, Speakers, LD250	72,10
20301-100F	695538	Assembly, Casters, LD250	158,70
12673-100F	695539	Cable, LD250 Core to Joystick Receptacle	128,80
22160-000F	696163	Safety Laser Scanner, OS32C back port, Ethernet/IP4 (Front)	3 264,00
22159-000F	696164	Safety Laser Scanner, OS32C back port, Ethernet/IP4 (Rear)	3 264,00
68160-101F	696165	Caster, 8 inch, Dual, Ultralast, HD	884,00
68160-401F	696166	Wheel Motor, 250mm DIA, 20:1, HD	2 813,00

OMRON PVPR 2023

68250-205F	696167	Cable,Motor Phase "A" Cable (Port Side), HD	142,20
68250-206F	696168	Cable,Motor Phase "B" Cable (Port Side), HD	145,30
68250-207F	696169	Cable,Motor Phase "C" Cable (Port Side), HD	119,50
68250-208F	696170	Cable,Motor Phase "A" Cable (Starboard Side), HD	121,60
68250-209F	696171	Cable,Motor Phase "B" Cable (Starboard Side), HD	128,80
68250-210F	696172	Cable,Motor Phase "C" Cable (Starboard Side), HD	128,80
68124-000F	696173	LED light strip, RGB, Addressable APA102, 40 LEDs, JST connector	31,93
21537-000F	696174	Latch, Push to Close, Slide Open, Flush	15,45
68150-000F	696175	Assembly, HMI, HD1500	2 619,00
68129-120F	696176	Brush, Contact, 150A Kit, HD	354,40
68220-400F	696177	Supplementary Laser Scanner, Ethernet	2 234,00
68122-000F	696178	PCA, HD LED Differential Receiver	158,70
68310-400F	696179	Contactor, 900VDC,200A, 24VDC Coil, Panel Mount, Bottom Mount, studs	152,50
18195-000F	696180	FUSE, Fast Acting, 80VDC, 150A	31,93
68510-001F	696181	Assembly, IPC AMR, HD1500	8 900,00
68250-401F	696182	Motor Controller, 80VDC, 200A (Port)	3 254,00
68250-402F	696183	Motor Controller, 80VDC, 200A (Starboard)	3 254,00
68910-200F	696184	HD Target Paddle and Shroud Assembly	2 435,00
68410-000F	696185	Assembly, PLC, HD1500	16 290,00
68310-207F	696160	Cable, User Power Contactor Power Jumper, HD	137,00
68310-202F	696159	Cable, Fused Bus Tap Cable, HD	89,65
68310-204F	696158	Cable, Contactor Coils, HD	64,90
68330-202F	696157	Cable, Battery Internal Harness, HD	194,70
22000-000F	696156	Switch, SNAP, SPST-NO, 100MA 30V	7,21
68160-800F	696155	Tooling, HD Rocker Guide	220,50
20476-002F	707054	Cover, Rear, Right, Painted, LD250	420,30
20474-002F	707055	Cover, Rear, Left, Painted, LD250	429,60
20818-000F	706813	Assembly, Battery Access Door, LD250	220,50
20298-000F	708862	Spring Assy, Drive Train, LD250	240,00
20481-000F	708469	Cover, I/O Port, with hinge and hardware, LD250	236,90
09229-000L	698314	Common - Mech Spare_Part CONN,TRM BLCK,3.5MM,2P,SCREW.	25,96
13091-000	698486	Common - Elec Spare_Part FUSE,1A,3AG,1/4X11/4,LYNXDOK.	5,15
18081-000	698420	Magnet, 1.0 x 2.0 x .125	40,17

OMRON PVPR 2023

12855-000	698528	Common - Mech Spare_Part PUSH LTCH, 3KG RTNG FRCE,BLCK.	53,00
13717-000L	698300	CABLE,AUX PWR SPLITTER,LYNX	78,95
18234-100L	698930	Cable, Auxillary Light Splitter, Lynx	51,50
14821-000	698416	Pad, Hook, Cart	58,75
14896-000	696539	CART, SENSOR FLAG	86,55
14185-100L	698306	HMI Luz de Run Switch	64,90
14184-000L	698303	HMI Sap Switch	71,40
14186-000L	698304	HMI Switch liberacion de frenos Switch	71,40
14181-000L	698302	HMI Key Switch	71,40
13517-000L	698483	Common - Elec Spare_Part ASSY,CBL,LYNX,RP SMA,RG58,7FT.	99,95
18080-000	698929	Shield, Magnet Mount	158,70
14519-000	698928	Flange, Sensor Mount	116,40
14765-000	698565	Cart Pieza de Repuesto BRACKET, SENSOR, REAR, CART	218,50
14364-000	698630	Lynx All Spare_Part KEY,MICRO-USB,UNPROGRAMMED.	136,30
14845-000	696529	CART CAPTURE PLATE, BRACKET	201,20
14669-100	696528	ASSY,CBL,LYNX CART,EMO SW 16MM	202,30
14520-000	698631	Cover, Side Sensor	220,70
14641-000L	698927	Assembly, Cable, LD Cart, Top Power and IO	195,70
14638-000L	698926	Assembly, Cable, LD Cart, HMI Switches	226,60
14518-000	698542	TUBE, SENSOR MOUNT	354,80
14682-000L	696526	Montaje, Cable, Lynx System, Single TiM, 1M	304,90
13507-000L	696519	BEACON,RYG,24V,COMPACT,LED,NPN	480,20
14521-000	696527	SUPPORT ROD, SIDE SENSOR	225,00
14432-000	696510	CART CAPTURE PLATE	1 179,00
75020-001	696505	ASSEMBLY, CART CASTER BRAKE	2 029,00
14401-000L	696507	PCA, Lynx, User Power and IO Distribution	1 737,00
12809-000	698632	Lynx All Spare_Part ASSY, BUMPER, MTX.	3 847,00
18673-000	696478	Assy, Service, Cart, ap Plate, Elec	8 895,00
12730-000L	698925	Esap Jumper	74,65
13408-000L	698924	Cable, Safety Bumper, Extension, Lynx	41,10
12676-000L	698923	Cable, LD Battery Power	120,10
18234-000L	698922	Montaje, Lynx Cart Transp, Buzzer	82,20
68121-105F	699430	Cover, Light Ring	76,25

OMRON PVPR 2023

68410-217F	699429	Cable, PLC, User Inputs Jumper, HD	95,80
68410-216F	699428	Cable, PLC, User Outputs Jumper, HD	121,60
68410-208F	699427	Cable, PLC Power Jumper, HD	55,65
68440-201F	699426	Cable, Speed Conversion Module Outputs, HD	159,70
68440-202F	699425	Cable, Speed Conversion Module Inputs, HD	299,80
68260-201F	699424	Cable, Brake Economizer Inputs, HD	82,40
68260-202F	699423	Cable, Brake Economizer Outputs, HD	85,50
68320-202F	699422	Cable, Power Sequencer Outputs, HD	140,10
68320-201F	699421	Cable, Power Sequencer Inputs, HD	124,70
68270-202F	699420	Cable, Audio Amplifier, IO Cable, HD	117,50
68270-216F	699419	Cable, Audio Amplifier, Speaker Jumper, HD	76,25
68915-225F	699418	Cable, Dock, DC Power Supply Cable, HD	1 593,00
68125-201F	699417	Cable, Forward Aft, Skins Light Cable to Electronics Bay	103,00
68121-201F	699416	Cable, Side Skins Light Cable to Electronics Bay	115,40
68250-213F	699415	Cable, Motor Controller to Panel, Starboard, HD	272,00
68250-214F	699414	Cable, Motor Controller to Panel, Starboard, HD	272,00
68250-215F	699413	Cable, Power, Motor Controller, External, Port, HD	118,50
68250-216F	699412	Cable, Power, Motor Controller, External, Starboard, HD	109,20
68310-405F	699411	Contactor, Connectorized, HD	335,80
22122-000F	699410	Fuse, Cartridge, 60 A, Slow Blow, 80 VDC	41,20
21946-000F	699409	Drawer Slide, 18 inch	131,90
22386-000F	699408	Fan, Blower, 75.7 x 30 mm, 24 VDC, 11.3 CFM	44,29
21887-002F	699407	Cable, Ethernet, Cat5e, UTP, Snagless, 4ft, Green	7,21
21887-001F	699406	Cable, Ethernet, Cat5e, UTP, Snagless, 4ft, White	13,39
22174-000	699405	Label, General Fuse Replacement Warning 2.75" x 1.35	7,21
22054-000	699404	Label, Electrical Hazard	7,21
21963-000F	699403	Adapter, Power over Ethernet, 19.W, DC	102,00
21993-000F	699402	DC Converter, Up to 106 V, 24 V output, 360 W	17,51
68210-401F	699401	Ethernet Switch, 10/100/1000, 8 ports, 24 VDC	281,20
21671-000F	699400	Foam Tape, 1/2" wide, 3/8" thick, Neoprene, Black	13,39
68281-000F	699399	PCA, HD Signal Distribution Top	554,50
68282-000F	699398	PCA, Signal Distribution Adapter, HD	1 096,00
68283-000F	699397	PCA, HD User Signal Distribution	1 019,00

OMRON PVPR 2023

68310-141	699396	Label, AC Power, HD1500, Charger, Black	13,39
68310-142	699395	Label, Operation, HD1500, Charger, Black	13,39
68310-143	699394	Label, DC Power, HD1500, Charger, Black	13,39
68310-144	699393	Label, Error, HD1500, Charger, Black	13,39
68310-145	699392	Label, Service, HD1500, Charger, Black	13,39
68127-801F	699391	Tooling, Connector Extractor, Low Laser, HD	218,40
68125-100F	699390	HD Front Skin	1 891,00
68126-100F	699389	HD Rear Skin	1 924,00
68121-100F	699388	HD Side Skin	571,00
68150-209F	699387	Cable, Internal Brake Button Harness, HD	138,10
68127-127F	699386	Plate, Plastic, Adjustment, OS32C, HD1500	194,70
68129-117F	699385	Blanking plate, Acuity	30,90
68110-124F	699384	Panel, Battery Door, HD1500	109,20
68910-105	699383	Bracket, HD Docking Station, Wall Mount	25,75
21282-000F	699382	LED Pilot Light, Blue, 14 mm cutout, 24 VDC	27,81
21281-000F	699381	LED, Pilot, Panel, Yellow, 24 VDC, 14 mm	21,63
21280-000F	699380	LED Pilot Light, Red, 14 mm cutout, 24 VDC	16,48
13950-000F	699379	LED, Pilot, Panel, Green, 24 VDC, 14 mm	19,57
68915-201F	699378	Cable, Dock, Power Supply AC Input Cable, HD	72,10
68915-401F	699377	Assembly, Fan, Docking Station, HD	294,60
68129-115F	699375	Bus bar, charging contacts	113,30
68125-112F	699374	Retainer, Light Strip, HD Front & Rear Skin	27,81
68330-109F	699373	Handle, Sliding, Front, Battery Pack, P1, HD1500	629,50
68330-108F	699372	Clamp, Handle, Battery Pack, P1, HD1500	156,60
22049-000	699371	Label, DC Output Label, Dock, HD	7,21
22029-000	699370	Label, AC Fuse Rating, Dock, HD	7,21
22017-000	699369	Label, Serial Number, Dock, HD	7,21
22048-000	699368	Label, DC Fuse Label, Dock, HD	7,21
22052-000	699367	Label, Remove Power Sources, Dock, HD	7,21
68160-103F	699366	Retainer, Suspension Arm, Front & Rear, HD	182,40
68121-104F	699365	Diffuser, Light Ring, Side Skin, HD	56,65
68125-110F	699364	Diffuser, Light Strip, HD Front & Rear Skin	78,30
68125-111F	699363	Mount, Light Strip, HD Front & Rear Skin	98,90

OMRON PVPR 2023

68129-118F	699362	Cover plate, Antenna, HD	41,20
68310-133F	699361	Seal, Lid, Wind Tunnel, HD1500	43,26
68310-134F	699360	Seal, Side Box, Docking Station, HD1500	35,02
68260-000F	699359	Assembly, Module, Brake Economizer, HD1500	558,50
68440-000F	699358	Assembly, Module, Speed Conversion, HD1500	948,00
68320-000F	699357	Assembly, Module, Power Sequencing, HD1500	556,50
20906-000F	699356	Adapter, U.FL Male to RP-SMA Male	16,48
68530-401F	699355	Antenna, PIFA, U.FL Connector, 2.4 GHz / 5 GHz	15,45
20873-000F	699354	End Clamp, DIN Rail, 35 mm, screw clamp, 9.5 mm	13,39
68127-105F	699353	Laser Cover Fin, Painted	486,20
68127-102F	699352	Laser Corner, Painted	2 796,00
68165-112F	699351	Rocker, Right, Drive, As Painted, HD	2 277,00
68160-112F	699350	Rocker, Left, Drive, As Painted, HD	2 277,00
68121-107F	699349	Light Ring, LED Mount	105,10
68110-130F	699348	50mm Bumper, 6mm Hole, 11mm Thick	16,48
21029-000F	699347	Magnet, 1/2 x 1/4 x 1	13,39
51361-79050F	699346	Screw, Hex Head, M16 x 50, 10.9 Grade	13,39
54122-79000F	699345	Washer, Nord Lock, M16, Zinc Coated	13,39
51352-75030F	699344	Screw, Hex Head, M12 x 30, 10.9 Grade	13,39
54002-97500F	699343	Washer, FLT, STL, ZN, M16	7,21
21842-000F	699342	Rubber, Neoprene, Adhesive Back, Shore 50A, 1.0" x .125" x 36	48,41
51023-72025F	699341	SCR, BHCS, M8X25, STL, ZP, CLS-10.9, ISO7380	7,21
68270-000F	699340	Assembly, Module, Audio Visual, HD1500	820,00
21517-000F	699339	Grommet, Rubber 1/2" Hole Diameter, 1/8" Material Thickness, 1/4" ID	7,21
68110-132F	699338	Hinge, Heavy load, Stainless Steel	32,96
68330-132F	699337	Miniature clamp lever, threaded, M6, 32 mm long, HD1500	27,81
21665-000F	699336	USB Bulkhead Dust Cover	13,39
21626-000F	699335	Seal Plug, 1 1/8" Stem Length, 1" Stem Dia	7,21
68121-102F	699334	Cover, Electronics Bay, Side Skin, HD	123,60
68121-103F	699333	Stiffener, Side Skin, HD	79,35
21615-000F	699332	Pin, Tapered, 11.50 O.D., M6	54,60
21538-000F	699331	Handle, Pull flush	13,39
13131-1500F	699330	Key, Micro-USB, Blue, HD	209,10

OMRON PVPR 2023

68940-000F	699329	Control Grip, CANOpen, Mobile Teach Device	2 203,00
68910-108F	699328	Target, Docking Station, HD1500	201,90
21993-100F	699327	Spring, Extension, 0.437in. O.D., 0.072in Wire, 3.13in Long, Stainless Steel	17,51
22421-000F	699326	Alignment Tool, Safety Lasers, HD1500	385,30
13523-000L	699170	Assembly, Cable, LD, Double TIM Laser, 2 m	192,60
14096-100L	699168	Assembly, Cable, LD PCA, 24V Distribution	58,75
14460-000	699167	Support Post, Cart HMI	1 358,00
14463-000	699166	Label, Buttons, Cart HMI	13,39
14464-000	699253	Handle, Pull, 128 mm	19,57
14558-000	699252	Spring, Extension, Anchor Stud, 6-32, 5/8 Inch Long	33,99
14563-000	699210	Spring, Extension, 1.0" Length, 0.25" OD, 0.26 Wire Diam, 2.43 lbs/in, Cart	12,36
14628-000	699165	Label, Latch, Unlatch, Cart	13,39
14637-000	699164	Magnet, ¼" OD x 1/8" ID, Nickle Plated	28,12
14640-000L	699251	Assembly, Cable, LD Cart, ESTOP	120,60
14644-000L	699209	Assembly, Cable, LD Cart, PCA Power Input	65,95
14647-100L	699163	Assembly, Cable, LD Cart Top, 5V User Panel Power, Molex	48,41
14651-000	699250	Assembly, LD Cart, Latch Motor, Brake_w_Cable	1 705,00
14653-000	699162	Assembly, Hall Effect Sensor, 12", 3 wire, Panel Mount	131,00
14654-000L	699161	Assembly, Cable, LD Cart, Motor Sensors	128,80
14658-000	699208	Cover, Actuator, Cart	386,30
14659-000	699160	Window, Bar Code Reader	42,23
14670-000L	699159	Assembly, Cable, LD Cart, Motor, Brake	128,80
14715-000L	699158	Assembly, Cable, LD Cart, Litepole	73,15
14742-000L	699157	Assembly, Cable, Lynx Cart, Core IO	319,10
14786-000	699156	GUIDE, CART CAPTURE, LYNX	680,50
14822-000	699155	Mount, Wall, Dock, Cart Puller	164,80
14860-000	699154	Assembly, Proximity Sensor, 12", 24VDC, PNP, NO	170,90
22117-000F	707670	Cable, M12 D Coded, to M12 D Coded, 2.0 m	90,00
21328-000F	699572	Kit, ASM, ToF Sensor, Center	1 428,00
20607-000F	699571	Assembly, Left ToF Sensor, LD250	653,50
20610-000F	699570	Assembly, Right ToF Sensor, LD250	653,50
22802-000F	707669	M12 5 Position A-Coded Male/Female Cable. 2.0 m	110,00
21350-000F	700440	O-Ring, Double Seal, X-Profile, 70 Shore A, 3.125 Inch	31,93

OMRON PVPR 2023

12662-000	700439	Sonar Controller Cable, DB9 Male/Female, Shielded, 1ft	35,02
12724-000L	700438	Cable, LD Speakers	49,44
11619-000	700437	CABLE, ETHERNET, CAT5E, 1FT	42,23
12856-000L	700436	Connector, Cat5e Coupler Shielded RJ45, Feed-thru Coupler	42,23
20912-000F	700435	Cable, WiFi, R/A RP-SMA Male to R/A RP-SMA Female, LMR100, 4ft	47,38
12723-000L	700434	Cable, Lynx Safety Bumper	52,55
12717-200	700432	Sheet Metal, Chassis, Core Cover, Lynx	75,20
12717-100	700431	Sheet Metal, Chassis, Core Mount, Lynx	86,55
20315-100F	700429	Sheet Metal, Toe Laser Bracket, LD250	89,65
20496-000F	700428	HAPS Mounting bracket LD250	93,75
20292-000F	700426	Steel drive wheel hub, LD250	110,30
12859-000	700262	Assembly, Maintenance Panel, LD	185,40
11288-000	707324	Hub, Wheel, Drive Train	136,30
13131-250F	700423	License Dongle, LD250, Programmed, FRU	205,00
12860-000	700420	Assembly, Frame, Top Deck	908,50
12954-000	700682	Brace, Rear Deck to Castor, MTX	236,90
TEMP ROB 810	700950	ORSE Temporary Robot 802 -- LD-250 without Battery	29 270,00
11168-200F	701648	EM2100 , Field Replacement Unit	9 480,00
14364-200F	701882	License Dongle, EM2100 FLOW	337,50
13131-210F	701881	License Dongle, EM2100 Legacy	183,90
13131-400F	701647	EM2100 Simulator Dongle	175,10
12724-250F	702195	Cable, Speakers, LD250	72,10
AMT-009-SP-400-001	702283	Roller drive (active roller, FB type)	959,50
AMT-009-SP-400-002	702284	Roller drive (active roller, FR type)	998,00
AMT-009-SP-410-001	702285	Roller (passive roller, FB type)	234,70
AMT-009-SP-410-002	702286	Roller (passive roller; FR type)	224,00
AMT-009-SP-490-001	702287	Poly V belt incl. finger protection	128,10
AMT-009-SP-420-001	702288	Drive control 20	449,10
AMT-009-SP-310-001	702289	Push button	141,10
AMT-009-SP-100-001	702290	Metal guides 400mm incl. small comp	1 687,00
AMT-009-SP-110-001	702291	Side cover standard no options	935,50
AMT-009-SP-110-002	702292	Side cover with option (acuity or beacon)	716,50
AMT-009-SP-120-001	702293	Limit bumper incl. small comp.	356,80

OMRON PVPR 2023

AMT-009-SP-310-002	702294	ODT option	1 676,00
AMT-009-SP-130-001	702295	Side laser brackets incl. small comp.	449,10
AMT-009-SP-140-001	702296	Finger protection in between the rollers	5 510,00
AMT-009-SP-140-002	702297	Finger protection front/end inc. small comp.	583,50
AMT-009-SP-150-001	702298	Limit sensor bracket	278,60
AMT-009-SP-160-001	702299	Beacon bracket	449,10
AMT-009-SP-160-002	702300	Acuity bracket	449,10
21271-000F	702912	Cable, ToF sensor side cable, LD250	144,20
12673-100F	702629	Cable, LD250 Core to Joystick Receptacle	128,80
20758-000F	703127	Jumper; LD250LOCKOUT, Tethered to Chassis	95,80
21324-000F	703093	Lens, ToF Sensor, Center, LD250	85,50
21325-000F	703092	Lens, ToF Sensor, Side, LD250	57,70
12694-000L	703091	Cable, Lynx Wheel Lights	105,00
12673-000	703090	Cable, LYNX CORE a JOYSTICK	139,60
12414-000	703126	ESTOP Push Button, Unibody, 2NC Contacts	72,10
12537-000	703162	SICK S300 mounting metal bracket	79,35
12861-000F	703160	Assembly, Chassis, Speaker Mount, MTX	216,30
13486-500	703456	ASSY, MNTNG KT,TIM SNSR,LYNX	625,00
20480-000F	703574	Assembly, I/O port, LD250	390,00
18146-000	703662	Crate, Shipping, Lynx Cart Transporter	804,00
20391-000F	707056	Cable, Encoder Feedback Loop, LD250	65,00
20292-100F	707057	Kit, Drive Assembly and Core to Motor Panel Mount Cable, Left and Right Side, L	2 812,00
12537-000R	707234	SICK S300 mounting metal bracket - refurbished	60,00
21670-000F	707281	Remote Disconnect 3 Phase Door Interlock Switch, 25 A, 3 Phase 600 VAC	133,00
11202-000D	708091	Drive Train, Suspension Guide Rod, Machined, MTX	103,00
TEMP ROB 812	708153	ORSE Temporary Robot 812 -- Docking Station	4 373,00
TEMP ROB 803	708180	ORSE Temporary Robot 801 -- LD-90 without Battery	24 660,00
14851-000L	708735	Assembly, Cable, LD System, Debug to RS232	63,90
SEP22735-000	708938	Service Exchange Part : Tested i5 LD Core	6 250,00
19936-101D	687319	PSU,SINGLE OUTPUT,48V,1000W	513,00
19936-202D	687317	PSU,SINGLE MAIN OUTPUT 48V, 85VAC~264VAC,120~350VDC,1800W	1 026,00
19936-203D	687316	PSU,MULTI MAIN OUTPUT,115VAC~230VAC,321.6W	212,00
19936-204D	687315	PSU,SINGLE OUTPUT,19VDC~72VDC,1008W	610,50

OMRON PVPR 2023

19936-205D	687314	PSU,SINGLE OUTPUT,19VDC~72VDC,504W	359,10
19936-447D	687313	FINAL ACCESSORY, TECHMAN SSD 128GB (ROHS)	285,60
19936-206F	687312	WIRE CABLE,19AWG,330MM,RED	55,20
19936-207F	687311	WIRE CABLE,19AWG,330MM,BLACK	55,20
19936-208F	687310	WIRE CABLE,19AWG,400MM,RED	56,25
19936-209F	687309	WIRE CABLE,19AWG,400MM,BLACK	56,25
19936-210F	687308	WIRE CABLE,19AWG,730MM,RED	58,45
19936-211F	687307	WIRE CABLE,19AWG,730MM,BLACK	58,45
19936-212F	687306	WIRE CABLE,21AWG,900MM,RED-BLACK	57,35
19936-402F	687305	WIRE CABLE,21AWG,260MM,RED-BLACK	74,65
19936-403F	687304	WIRE CABLE,22AWG,300MM,RED-BLACK	58,45
19936-103F	687303	WIRE CABLE,19AWG,300MM,RED	55,20
19936-104F	687302	WIRE CABLE,19AWG,300MM,BLACK	55,20
19936-105F	687301	WIRE CABLE,19AWG,340MM,RED	55,20
19936-106F	687300	WIRE CABLE,19AWG,340MM,BLACK	55,20
19936-107F	687299	WIRE CABLE,19AWG,420MM,RED	56,25
19936-108F	687298	WIRE CABLE,19AWG,420MM,BLACK	56,25
19936-109F	687297	WIRE CABLE,21AWG,580MM,RED-BLACK	67,10
19936-124F	687609	WIRE CABLE,1+B36:H38,530MM,RED	56,25
19936-125F	687610	WIRE CABLE,19AWG,530MM,BLACK	56,25
19936-126F	687611	WIRE CABLE,21AWG,700MM,RED-BLACK	67,10
19936-213F	687296	HOUSING CABLE,HOUSIN=2 L=440MM	66,00
19936-214F	687295	HOUSING CABLE,HOUSIN=2 L=440MM	66,00
19936-215F	687294	HOUSING CABLE,HOUSIN=2 L=800MM	77,90
19936-216F	687293	HOUSING CABLE,HOUSIN=2 L=970MM	82,20
19936-110F	687291	HOUSING CABLE,HOUSIN=2 L=440MM	62,75
19936-111F	687290	HOUSING CABLE,HOUSIN=2 L=420MM	62,75
19936-127F	687612	HOUSING CABL+B46:H47USIN=2 L=600MM	62,75
19936-128F	687613	HOUSING CABLE,HOUSIN=2 L=770MM	64,90
19936-112F	687289	HOUSING CABLE,HOUSIN=2 L=530MM	58,45
19936-113F	687288	HOUSING CABLE,HOUSIN=2 L=700MM	59,50
19936-218F	687286	WIRE CABLE,USB2.0 MINI MALE TO FEMALE L=1400MM	58,45
19936-219F	687285	WIRE CABLE,USB2.0 MINI MALE TO FEMALE L=850MM	57,35

OMRON PVPR 2023

19936-220F	687424	WIRE CABLE,USB2.0 MINI MALE TO MALE 90 DEGREE L=750MM	58,45
19936-115F	687423	WIRE CABLE,USB2.0 MINI MALE TO FEMALE L=1300MM	67,10
19936-221F	687420	HOUSING CABLE, 3.0MM MICRO-FIT CONNECTOR+USB2.0 TYPE A+TEMINTAL*5,	308,30
19936-404F	687418	SCREW, M3L6 TORX SOCKET HEAD CAP, MAT'L: SCM435	41,10
19936-405F	687417	SCREW, M3L12 HEX HEAD CAP, MAT'L: SCM435	41,10
19936-406F	687416	SCREW,M5L20 HEX HEAD CAP, MAT'L: SCM435	41,10
19936-407F	687414	WASHER,3.2X6X0.8T, MAT'L:SUS304	41,10
19936-408F	687413	WASHER, 5.3X9.2X1T, MAT'L:SUS304	41,10
19936-223F	687412	WASHER, 6.4X12X1.5T, MAT'L:SUS304	41,10
19936-409F	687411	SCREW, M3L5 PAN HEAD CAP, MAT'L: SCM435 WITH NYLOK	41,10
19936-410F	687410	SCREW, M3L10 SOCKET HEAD CAP, MAT'L: SCM435 WITH NYLOK	41,10
19936-411F	687409	SCREW, M3L6 SOCKET HEAD CAP, MAT'L: SCM435 WITH NYLOK	41,10
19936-413D	687407	POWER RELAY BOARD	1 887,00
19936-224D	687406	POWER CONTROL BOARD	1 644,00
19936-120D	687403	CONNECTOR BOARD for TM5	407,80
19936-414D	687402	COUPLER BOARD	273,70
19936-415D	687401	EX IO BOARD	286,70
19936-417D	687399	POWER EATER WITH FAN	376,40
19936-226F	687397	I/O Module for TM12/TM12M/TM14/TM14M	1 779,00
19936-418D	687396	HOUSING CABLE,FC-60H(3)*2H CABLE,L=300MM (PC-17072801)	53,00
19936-420D	687541	HOUSING CABLE,HOUSIN=2,DF1E-2EP-2.5C,CP-H20-02,2P,RED-BLACK,24AWG*2	51,95
19936-421D	687591	HOUSING CABLE,HOUSIN=2,DF11-10DS-2C,10P,CP-H20-02,2P,RED-BLACK-BROW	54,10
19936-422D	687590	HOUSING CABLE,HOUSIN=2,8P,28AWG*8C,L=300MM	58,45
19936-423D	687589	HOUSING CABLE,HOUSIN=3,8P/4P,CR-H423M-2X04,CR-H423M-2X02*2,RED/BLA	57,35
19936-424D	687588	HOUSING CABLE,HOUSIN=2,2031H-02,2510-02,2P,YELLOW-WHITE,26AWG*2C,L	49,75
19936-425D	687587	HOUSING CABLE,HOUSIN=1,DF60-3S-10.16C,3P,RED-BLACK,10AWG*2C,L=1200M	62,75
19936-426D	687586	HOUSING CABLE,HOUSIN=2,DF60-3EP-10.16C,DF22L-2S-7.92C,RED-BLACK,10AW	63,85
19936-427D	687585	HOUSING CABLE,HOUSIN=1,DF63-2S-3.96C,2P, SVL2-3.7*2,RED-BLACK,16AWG*	54,10
19936-428D	687584	HOUSING CABLE,TMAA,CONTROL BOX COMPLEX,TE_H6B-AG+4RJ45X530MM+T	196,90
19936-500D	687614	HOUSING CABLE,HOUSIN=2,M12A-08PFFS-SH8001,8P;H20J2-06,6P,26AWG*6C,	99,50
19936-501D	687615	HOUSING CABLE,HOUSIN=1,4P,24AWG*4C,L=450MM	62,75
19936-429D	687583	HOUSING CABLE,HOUSIN=2,11P-11P,26AWG,L=180MM	54,10
19936-430D	687582	HOUSING CABLE,HOUSIN=2,9P,24AWG*9C,L=300MM	54,10

OMRON PVPR 2023

19936-431D	687581	HOUSING CABLE,HOUSIN=1,CR-H423M-2X03,6P,18AWG*4C,L=280MM,RED/BLA	55,20
19936-432D	687580	HOUSING CABLE,HOUSIN=1,DF22-2S-7.92C,2P,RED-BLACK,12AWG*2C,L=350MM	56,25
19936-502D	687616	HOUSING CABLE,HOUSING =1,DF22L-1S-7.92C,10AWG,270MM,RED	67,10
19936-433D	687579	HOUSING CABLE,HOUSIN=2,DF22-3EP-7.92C,DF22-1S-7.92C,FDFV2-250,RED-BLA	55,20
19936-434D	687578	HOUSING CABLE,HOUSING =1,DF22-1S-7.92C,14AWG,250MM,RED	51,95
19936-435D	687577	HOUSING CABLE,HOUSING =2,DF22L-1S-7.92C,10AWG,150MM,RED	53,00
19936-436D	687576	HOUSING CABLE,HOUSIN=2,H110-02,2510-02,2P,26AWG*2C,L=390MM,YELLOW	49,75
19936-437D	687575	WIRE CABLE,14AWG*2C-460MM-RED-BLACK,18AWG*1C-220MM-GREEN/YELLO	57,35
19936-438D	687574	WIRE CABLE,14AWG*2C-200MM-RED-BLACK	55,20
19936-439D	687573	WIRE CABLE,14AWG,80MM,GREEN/YELLOW	50,85
19936-122D	687572	HOUSING CABLE,HOUSIN=1,DF22L-3S-7.92C,3P,BROWN-GREEN/YELLOW-BLUE,1	57,35
19936-440D	687571	HOUSING CABLE,HOUSIN=1,DF63-3S-3.96C,3P,BROWN-GREEN/YELLOW-BLUE,10	57,35
19936-123D	687570	HOUSING CABLE,HOUSIN=1,DF22-3S-7.92C,3P,BROWN-GREEN/YELLOW-BLUE,14	57,35
19936-441D	687569	HOUSING CABLE,HOUSIN=1,CR-H423M-2X03,6P,18AWG*6C,L=280MM,RED/BLA	55,20
19936-227D	687568	HOUSING CABLE,HOUSIN=1,DF22-3S-7.92C,3P,BROWN-GREEN/YELLOW-BLUE,14	58,45
19936-503D	687617	WIRE CABLE,12AWG,150MM,RED	70,30
19936-442D	687567	WIRE CABLE,14AWG,200MM,GREEN/YELLOW	50,85
19936-228D	687566	WIRE CABLE,14AWG,300MM,GREEN/YELLOW	50,85
19936-229D	687565	WIRE CABLE,14AWG,110MM,GREEN/YELLOW	50,85
19936-230D	687564	WIRE CABLE,14AWG*4C,460MM,RED*2,BLACK*2	66,00
19936-504F	687618	MODULE ASSY, EMO SWITCH MODULE, TMAA (ROHS)	304,00
TEMP ROB 701	689528	ORSE Temporary Robot 701 -- TM5-700	19 470,00
TEMP ROB 721	689529	ORSE Temporary Robot 721 -- TM5-900	19 470,00
TEMP ROB 741	689530	ORSE Temporary Robot 741 -- TM12	26 770,00
TEMP ROB 761	689531	ORSE Temporary Robot 761 -- TM14	28 400,00
19936-231F	690713	I/O MODULE HW3.1, TM12/14	2 312,00
19936-730F	690718	Vision Calibration Kit, TMX	1 144,00
HND-TIP-HLD-KIT	694049	Fingertip Holder Kit	77,25
19936-138F	695014	Cable, Housing, Hi-Flex, 3 m, HW3.2, TM5	457,40
19936-139F	695015	Cable, Housing, Hi-Flex, 6 m, HW3.2, TM5	837,50
19936-140F	695016	Cable, Housing, Hi-Flex, 12 m, HW3.2, TM5	1 403,00
19936-701F	695484	I/O MODULE, HW3.2, TM5X	1 171,00
19936-470F	695455	Cover, Control Box, Back	149,40

OMRON PVPR 2023

19936-469F	695454	COVER,CONTROL BOX, FRONT	149,40
19936-479F	695463	Terminal Block, 2*2P, HW3.2	48,41
19936-480F	695464	Terminal Block, 2*3P, HW3.2	49,44
19936-484F	695468	Cable, Housing, IPC, VGA, 170mm, HW3.2	53,60
19936-144F	695415	CBL, LAN, J2, J3, 530MM, HW3.2, TM5	63,90
19936-145F	695416	CBL, LAN, J1, J2, 370MM, HW3.2, TM5	58,75
19936-474F	695458	Cable, LAN, J3 to J4/J2 to J3, 740mm, HW3.2	71,10
19936-254F	695438	Cable, LAN, J3 to J4, 860mm, HW3.2, TM12/14	73,15
19936-150F	695421	Cable, Housing, PSU, Connector Board, 250mm, HW3.2	51,50
19936-485F	695469	Cable, LAN, Power Board to Box, 300mm, HW3.2	55,65
19936-486F	695470	Cable, Housing, EX IO to Power Board, 260mm, HW3.2	51,50
19936-487F	695471	Cable, Housing, Power Board, Relay Board, 400mm, HW3.2, Mobile	48,41
19936-488F	695472	Cable, Housing, Complex, 600mm, HW3.2	247,20
19936-249F	695435	Cable, LAN, Base to J1, 430mm, HW3.2, TM12/14	64,90
19936-146F	695417	Cable, LAN, Base to J1, 380mm, HW3.2, TM5	63,90
19936-489F	695473	Cable, Ribbon, IO, HW3.2	51,50
19936-250F	695436	Cable, LAN, J1 to J2, 400mm, HW3.2, TM12/14	59,75
19936-251F	695260	Cable, Power, Red, Base to J1, 330mm, HW3.2, TM12/14	51,50
19936-252F	695259	Cable, Power, Black, Base to J1, 330mm, HW3.2, TM12/14	51,50
19936-147F	695418	Cable, Power, Red, Base to J1, 300mm, HW3.2, TM5	68,00
19936-148F	695419	Cable, Power, Black, Base to J1, 300mm, HW3.2, TM5	68,00
19936-455F	695445	Cover, Joint 400, TM5	91,70
19936-473F	695457	Cable, Housing, Complex Extender, USB TO GPIIn, 300mm, HW3.2	314,20
19936-800F	695485	Handle, Mobile Work Station	76,25
19936-813F	695486	Leveling Mount, Mobile Work Station	72,10
19936-461F	695451	O-RING,O/R88.62X1.7	46,35
19936-238F	695429	O-RING,JOINT700,O/R148X2	53,60
19936-239F	695430	O-RING,JOINT700,O/R112X1.5	50,50
19936-462F	695452	O-RINGO/R 119.5X2	51,50
19936-463F	695453	O-RING,O/R62X1	48,41
19936-136F	695412	O-RING,O/R89X1	49,44
19936-235F	695426	RUBBER, RING ARM1_SIDE_A	63,90
19936-236F	695427	RUBBER, RING ARM1_SIDE_B	63,90

OMRON PVPR 2023

19936-237F	695428	RUBBER, RING ARM2	259,60
19936-452F	695443	Power Cord, ControlBox, 250V/13A, UK	64,90
19936-494F	695478	Terminal Block, 2P, HW3.0/3.1	48,41
19936-495F	695479	Terminal Block, 4P, HW3.0/3.1	48,41
19936-497F	695481	Terminal Block, 7P, HW3.0/3.1	49,44
19936-498F	695482	Terminal Block, 17P, HW3.0/3.1	52,55
19936-819F	708972	LICENSE, WIN10 FOR CPU i7	489,30
TEMP ROB 742	695686	ORSE Temporary Robot 742 -- TM12	25 500,00
TEMP ROB 722	695685	ORSE Temporary Robot 722 -- TM5-900	18 540,00
19936-819F	695777	LICENSE, WIN10 FOR CPU i7	489,30
TEMP ROB 723	699037	ORSE Temporary Robot 723 -- TM5-900	18 540,00
07052-000	699269	Contact Block, 2NC	24,72
AGC-TIP-204-085	699467	Flat Silicone Fingertip for 2F-85	169,00
TEMP ROB 743	700919	ORSE Temporary Robot 743 -- TM12	25 500,00
19936-100F	701880	MODULE ASSEMBLY, JOINT 102	3 706,00
19936-200F	701879	MODULE ASSEMBLY, JOINT 103	3 706,00
19936-300F	701878	MODULE ASSEMBLY, JOINT 104	3 706,00
19936-400F	701877	MODULE ASSEMBLY, JOINT 402	4 489,00
19936-201F	701876	MODULE ASSEMBLY, JOINT 700	8 170,00
19936-401D	701646	STICK MODULE	442,90
19936-101D	701875	PSU,SINGLE OUTPUT,48V,1000W	513,00
19936-102D	701874	PSU,SINGLE OUTPUT,24V,400W	200,20
19936-202D	701873	PSU,SINGLE MAIN OUTPUT 48V, 85VAC~264VAC,120~350VDC,1800W	1 026,00
19936-203D	701872	PSU,MULTI MAIN OUTPUT,115VAC~230VAC,321.6W	212,00
19936-204D	701871	PSU,SINGLE OUTPUT,19VDC~72VDC,1008W	610,50
19936-205D	701870	PSU,SINGLE OUTPUT,19VDC~72VDC,504W	359,10
19936-447D	701869	FINAL ACCESSORY, TECHMAN SSD 128GB (ROHS)	285,60
19936-206F	701868	WIRE CABLE,19AWG,330MM,RED	55,20
19936-207F	701867	WIRE CABLE,19AWG,330MM,BLACK	55,20
19936-208F	701866	WIRE CABLE,19AWG,400MM,RED	56,25
19936-209F	701865	WIRE CABLE,19AWG,400MM,BLACK	56,25
19936-210F	701864	WIRE CABLE,19AWG,730MM,RED	58,45
19936-211F	701863	WIRE CABLE,19AWG,730MM,BLACK	58,45

OMRON PVPR 2023

19936-212F	701862	WIRE CABLE,21AWG,900MM,RED-BLACK	57,35
19936-402F	701861	WIRE CABLE,21AWG,260MM,RED-BLACK	74,65
19936-403F	701860	WIRE CABLE,22AWG,300MM,RED-BLACK	58,45
19936-103F	701859	WIRE CABLE,19AWG,300MM,RED	55,20
19936-104F	701858	WIRE CABLE,19AWG,300MM,BLACK	55,20
19936-105F	701857	WIRE CABLE,19AWG,340MM,RED	55,20
19936-106F	701856	WIRE CABLE,19AWG,340MM,BLACK	55,20
19936-107F	701855	WIRE CABLE,19AWG,420MM,RED	56,25
19936-108F	701854	WIRE CABLE,19AWG,420MM,BLACK	56,25
19936-109F	701853	WIRE CABLE,21AWG,580MM,RED-BLACK	67,10
19936-124F	701852	WIRE CABLE,1+B36:H38,530MM,RED	56,25
19936-125F	701851	WIRE CABLE,19AWG,530MM,BLACK	56,25
19936-126F	701850	WIRE CABLE,21AWG,700MM,RED-BLACK	67,10
19936-213F	701849	HOUSING CABLE,HOUSIN=2 L=440MM	66,00
19936-214F	701848	HOUSING CABLE,HOUSIN=2 L=440MM	66,00
19936-215F	701847	HOUSING CABLE,HOUSIN=2 L=800MM	77,90
19936-216F	701846	HOUSING CABLE,HOUSIN=2 L=970MM	82,20
19936-217F	701845	HOUSING CABLE,HOUSIN=2 L=360MM	89,80
19936-110F	701844	HOUSING CABLE,HOUSIN=2 L=440MM	62,75
19936-111F	701843	HOUSING CABLE,HOUSIN=2 L=420MM	62,75
19936-127F	701842	HOUSING CABL+B46:H47USIN=2 L=600MM	62,75
19936-128F	701841	HOUSING CABLE,HOUSIN=2 L=770MM	64,90
19936-112F	701840	HOUSING CABLE,HOUSIN=2 L=530MM	58,45
19936-113F	701839	HOUSING CABLE,HOUSIN=2 L=700MM	59,50
19936-114F	701838	HOUSING CABLE,HOUSIN=2 L=360MM	57,35
19936-218F	701837	WIRE CABLE,USB2.0 MINI MALE TO FEMALE L=1400MM	58,45
19936-219F	701836	WIRE CABLE,USB2.0 MINI MALE TO FEMALE L=850MM	57,35
19936-220F	701835	WIRE CABLE,USB2.0 MINI MALE TO MALE 90 DEGREE L=750MM	58,45
19936-115F	701834	WIRE CABLE,USB2.0 MINI MALE TO FEMALE L=1300MM	67,10
19936-116F	701833	WIRE CABLE,USB2.0 MINI MALE TO FEMALE L=750MM	62,75
19936-117F	701832	WIRE CABLE,USB2.0 MINI MALE TO MALE L=750MM	69,25
19936-221F	701831	HOUSING CABLE, 3.0MM MICRO-FIT CONNECTOR+USB2.0 TYPE A+TEMINTAL*5,	308,30
19936-118F	701830	HOUSING CABLE, 3.0MM MICRO-FIT CONNECTOR+USB2.0 TYPE A+TEMINTAL*5,	292,10

OMRON PVPR 2023

19936-404F	701829	SCREW, M3L6 TORX SOCKET HEAD CAP, MAT'L: SCM435	41,10
19936-405F	701828	SCREW, M3L12 HEX HEAD CAP, MAT'L: SCM435	41,10
19936-406F	701827	SCREW,M5L20 HEX HEAD CAP, MAT'L: SCM435	41,10
19936-407F	701825	WASHER,3.2X6X0.8T, MAT'L:SUS304	41,10
19936-408F	701824	WASHER, 5.3X9.2X1T, MAT'L:SUS304	41,10
19936-223F	701823	WASHER, 6.4X12X1.5T, MAT'L:SUS304	41,10
19936-409F	701822	SCREW, M3L5 PAN HEAD CAP, MAT'L: SCM435 WITH NYLOK	41,10
19936-410F	701821	SCREW, M3L10 SOCKET HEAD CAP, MAT'L: SCM435 WITH NYLOK	41,10
19936-411F	701820	SCREW, M3L6 SOCKET HEAD CAP, MAT'L: SCM435 WITH NYLOK	41,10
19936-412D	701819	IPC Module (CPU,DDR, IPC MAIN BOARD,FAN)	1 887,00
19936-413D	701818	POWER RELAY BOARD	1 887,00
19936-224D	701817	POWER CONTROL BOARD	1 644,00
19936-119D	701816	POWER CONTROL BOARD for TM5	1 612,00
19936-225D	701815	CONNECTOR BOARD for TM12/TM14	412,20
19936-120D	701814	CONNECTOR BOARD for TM5	407,80
19936-414D	701813	COUPLER BOARD	273,70
19936-415D	701812	EX IO BOARD	286,70
19936-416D	701811	IO BOARD	512,00
19936-417D	701810	POWER EATER WITH FAN	376,40
19936-121F	701809	I/O MODULE M5/TM5M	1 779,00
19936-226F	701808	I/O Module for TM12/TM12M/TM14/TM14M	1 779,00
19936-418D	701807	HOUSING CABLE,FC-60H(3)*2H CABLE,L=300MM (PC-17072801)	53,00
19936-419D	701806	HOUSING CABLE, RJ-45 CABLE, TMAA,TM5A,CAT6 26AWG 4P 200MM	54,10
19936-420D	701805	HOUSING CABLE,HOUSIN=2,DF1E-2EP-2.5C,CP-H20-02,2P,RED-BLACK,24AWG*2	51,95
19936-421D	701804	HOUSING CABLE,HOUSIN=2,DF11-10DS-2C,10P,CP-H20-02,2P,RED-BLACK-BROW	54,10
19936-422D	701803	HOUSING CABLE,HOUSIN=2,8P,28AWG*8C,L=300MM	58,45
19936-423D	701802	HOUSING CABLE,HOUSIN=3,8P/4P,CR-H423M-2X04,CR-H423M-2X02*2,RED/BLA	57,35
19936-424D	701801	HOUSING CABLE,HOUSIN=2,2031H-02,2510-02,2P,YELLOW-WHITE,26AWG*2C,L	49,75
19936-425D	701800	HOUSING CABLE,HOUSIN=1,DF60-3S-10.16C,3P,RED-BLACK,10AWG*2C,L=1200M	62,75
19936-426D	701799	HOUSING CABLE,HOUSIN=2,DF60-3EP-10.16C,DF22L-2S-7.92C,RED-BLACK,10AW	63,85
19936-427D	701798	HOUSING CABLE,HOUSIN=1,DF63-2S-3.96C,2P, SVL2-3.7*2,RED-BLACK,16AWG*	54,10
19936-428D	701797	HOUSING CABLE,TMAA,CONTROL BOX COMPLEX,TE_H6B-AG+4RJ45X530MM+T	196,90
19936-500D	701796	HOUSING CABLE,HOUSIN=2,M12A-08PFFS-SH8001,8P;H20J2-06,6P,26AWG*6C,	99,50

OMRON PVPR 2023

19936-501D	701795	HOUSING CABLE,HOUSIN=1,4P,24AWG*4C,L=450MM	62,75
19936-429D	701794	HOUSING CABLE,HOUSIN=2,11P-11P,26AWG,L=180MM	54,10
19936-430D	701793	HOUSING CABLE,HOUSIN=2,9P,24AWG*9C,L=300MM	54,10
19936-431D	701792	HOUSING CABLE,HOUSIN=1,CR-H423M-2X03,6P,18AWG*4C,L=280MM,RED/BLA	55,20
19936-432D	701791	HOUSING CABLE,HOUSIN=1,DF22-2S-7.92C,2P,RED-BLACK,12AWG*2C,L=350MM	56,25
19936-502D	701790	HOUSING CABLE,HOUSING =1,DF22L-1S-7.92C,10AWG,270MM,RED	67,10
19936-433D	701789	HOUSING CABLE,HOUSIN=2,DF22-3EP-7.92C,DF22-1S-7.92C,FDFV2-250,RED-BLA	55,20
19936-434D	701788	HOUSING CABLE,HOUSING =1,DF22-1S-7.92C,14AWG,250MM,RED	51,95
19936-435D	701787	HOUSING CABLE,HOUSING =2,DF22L-1S-7.92C,10AWG,150MM,RED	53,00
19936-436D	701786	HOUSING CABLE,HOUSIN=2,H110-02,2510-02,2P,26AWG*2C,L=390MM,YELLOW	49,75
19936-437D	701785	WIRE CABLE,14AWG*2C-460MM-RED-BLACK,18AWG*1C-220MM-GREEN/YELLO	57,35
19936-438D	701784	WIRE CABLE,14AWG*2C-200MM-RED-BLACK	55,20
19936-439D	701783	WIRE CABLE,14AWG,80MM,GREEN/YELLOW	50,85
19936-122D	701782	HOUSING CABLE,HOUSIN=1,DF22L-3S-7.92C,3P,BROWN-GREEN/YELLOW-BLUE,1	57,35
19936-440D	701781	HOUSING CABLE,HOUSIN=1,DF63-3S-3.96C,3P,BROWN-GREEN/YELLOW-BLUE,10	57,35
19936-123D	701780	HOUSING CABLE,HOUSIN=1,DF22-3S-7.92C,3P,BROWN-GREEN/YELLOW-BLUE,14	57,35
19936-441D	701779	HOUSING CABLE,HOUSIN=1,CR-H423M-2X03,6P,18AWG*6C,L=280MM,RED/BLA	55,20
19936-227D	701778	HOUSING CABLE,HOUSIN=1,DF22-3S-7.92C,3P,BROWN-GREEN/YELLOW-BLUE,14	58,45
19936-503D	701777	WIRE CABLE,12AWG,150MM,RED	70,30
19936-442D	701776	WIRE CABLE,14AWG,200MM,GREEN/YELLOW	50,85
19936-228D	701775	WIRE CABLE,14AWG,300MM,GREEN/YELLOW	50,85
19936-229D	701774	WIRE CABLE,14AWG,110MM,GREEN/YELLOW	50,85
19936-230D	701773	WIRE CABLE,14AWG*4C,460MM,RED*2,BLACK*2	66,00
19936-443F	701772	FINAL ACCESSORY, AIR FILTER (ROHS)	46,51
19936-444F	701771	FINAL ACCESSORY, END MODULE IO CABLE M8 5PIN (ROHS)	85,45
19936-445F	701770	FINAL ACCESSORY, END MODULE IO CABLE M8 8PIN (ROHS)	85,45
19936-446F	701769	TM Calibration Plate (ROHS)	168,80
19936-504F	701768	MODULE ASSY, EMO SWITCH MODULE, TMAA (ROHS)	304,00
19936-710F	701767	I/O MODULE TM5X	1 214,00
19936-720F	701766	I/O MODULE TM12X/14X	1 214,00
19936-129F	701765	I/O MODULE HW3.1, TM5	2 289,00
19936-231F	701764	I/O MODULE HW3.1, TM12/14	2 312,00
19936-464F	701763	CBL,USB MINI TO TYP A,100MM	60,60

OMRON PVPR 2023

19936-465F	701762	CBL,USB TYP A TO TYP A,260MM	60,60
19936-466F	701761	PCB,USB EXTENDER HOST BOARD	231,50
19936-468F	701760	CASE, EXTERNAL SSD, HW3.1	76,80
19936-730F	701759	Vision Calibration Kit, TMX	1 144,00
19936-801F	701649	HW3.0 TO HW3.2 KIT, TM5	10 040,00
19936-802F	701650	HW3.0 TO HW3.2 KIT, TM5M	10 280,00
19936-803F	701651	HW3.0 TO HW3.2 KIT, TM5M SEMI	10 920,00
19936-804F	701652	HW3.0 TO HW3.2 KIT, TM12/14	10 630,00
19936-805F	701653	HW3.0 TO HW3.2 KIT, TM12/14M	10 280,00
19936-806F	701654	HW3.0 TO HW3.2 KIT, TM12/14M SEMI	10 920,00
19936-807F	701655	HW3.1 TO HW3.2 KIT, TM5	8 380,00
19936-808F	701656	HW3.1 TO HW3.2 KIT, TM5M	8 620,00
19936-809F	701657	HW3.1 TO HW3.2 KIT, TM5M SEMI	9 255,00
19936-810F	701658	HW3.1 TO HW3.2 KIT, TM12/14	8 965,00
19936-811F	701659	HW3.1 TO HW3.2 KIT, TM12/14M	8 620,00
19936-812F	701660	HW3.1 TO HW3.2 KIT, TM12/14M SEMI	9 255,00
19936-138F	701661	Cable, Housing, Hi-Flex, 3 m, HW3.2, TM5	457,40
19936-139F	701662	Cable, Housing, Hi-Flex, 6 m, HW3.2, TM5	837,50
19936-140F	701663	Cable, Housing, Hi-Flex, 12 m, HW3.2, TM5	1 403,00
19936-241F	701664	Cable, Housing, Hi-Flex, 3 m, HW3.2, TM12/14	540,00
19936-242F	701665	Cable, Housing, Hi-Flex, 6 m, HW3.2, TM12/14	842,00
19936-243F	701666	Cable, Housing, Hi-Flex, 12 m, HW3.2, TM12/14	1 405,00
19936-141F	701667	Cable, Housing, Hi-Flex, 1.5 m, HW3.2, TM5M	230,80
19936-244F	701668	Cable, Housing, Hi-Flex, 1.5 m, HW3.2, TM12M/14M	230,80
19936-143F	701669	I/O MODULE HW3.2, TM5	1 939,00
19936-701F	701670	I/O MODULE, HW3.2, TM5X	1 171,00
19936-702F	701671	I/O Module, HW3.2, TM12X/14X	1 171,00
19936-246F	701672	I/O MODULE HW3.2, TM12/14	1 944,00
19936-471F	701673	Light Module, HW3.2	252,40
19936-470F	701674	Cover, Control Box, Back	149,40
19936-469F	701675	COVER,CONTROL BOX, FRONT	149,40
19936-490F	701676	Screw, #6-32 L5, UNC FLT PAN HD, MAT: AISI1018	48,41
19936-491F	701677	Screw, #6-32 L5, UNC FLT HD, MAT: AISI1018	48,41

OMRON PVPR 2023

19936-492F	701678	Screw, M4L8 TORX SCKT HD CAP, MAT: SCM435	53,60
19936-479F	701679	Terminal Block, 2*2P, HW3.2	48,41
19936-480F	701680	Terminal Block, 2*3P, HW3.2	49,44
19936-481F	701681	Terminal Block, 2*6P, HW3.2	51,50
19936-482F	701682	Terminal Block, 2*9P, HW3.2	53,60
19936-483F	701683	Terminal Block, 2*10P, HW3.2	53,60
19936-484F	701684	Cable, Housing, IPC, VGA, 170mm, HW3.2	53,60
19936-144F	701685	CBL, LAN, J2, J3, 530MM, HW3.2, TM5	63,90
19936-145F	701686	CBL, LAN, J1, J2, 370MM, HW3.2, TM5	58,75
19936-474F	701687	Cable, LAN, J3 to J4/J2 to J3, 740mm, HW3.2	71,10
19936-254F	701688	Cable, LAN, J3 to J4, 860mm, HW3.2, TM12/14	73,15
19936-150F	701689	Cable, Housing, PSU, Connector Board, 250mm, HW3.2	51,50
19936-485F	701690	Cable, LAN, Power Board to Box, 300mm, HW3.2	55,65
19936-486F	701691	Cable, Housing, EX IO to Power Board, 260mm, HW3.2	51,50
19936-487F	701692	Cable, Housing, Power Board, Relay Board, 400mm, HW3.2, Mobile	48,41
19936-488F	701693	Cable, Housing, Complex, 600mm, HW3.2	247,20
19936-249F	701694	Cable, LAN, Base to J1, 430mm, HW3.2, TM12/14	64,90
19936-146F	701695	Cable, LAN, Base to J1, 380mm, HW3.2, TM5	63,90
19936-489F	701696	Cable, Ribbon, IO, HW3.2	51,50
19936-250F	701697	Cable, LAN, J1 to J2, 400mm, HW3.2, TM12/14	59,75
19936-251F	701698	Cable, Power, Red, Base to J1, 330mm, HW3.2, TM12/14	51,50
19936-252F	701699	Cable, Power, Black, Base to J1, 330mm, HW3.2, TM12/14	51,50
19936-147F	701700	Cable, Power, Red, Base to J1, 300mm, HW3.2, TM5	68,00
19936-148F	701701	Cable, Power, Black, Base to J1, 300mm, HW3.2, TM5	68,00
19936-247F	701702	PCBA, SAFETY CONTROL, HW3.2, TM12/14	1 822,00
19936-475F	701703	PCBA, EX IO Board, In, HW3.2	142,20
19936-476F	701704	PCBA, EX IO Board, Out, HW3.2	344,10
19936-149F	701705	PCBA, SAFETY CONTROL, HW3.2, TM5	1 903,00
19936-248F	701706	PCBA, RELAY BOARD, HW3.2, TM5M/12M/14M	395,60
19936-478F	701707	Stick Module, HW3.2	465,60
19936-477F	701708	Power Eater, w/Fan, HW3.2	380,10
19936-455F	701709	Cover, Joint 400, TM5	91,70
19936-234F	701710	COVER,JOINT700,TM12/14	102,00

OMRON PVPR 2023

19936-456F	701711	Cover, Joint 100, TM5/12/14	86,55
19936-457F	701712	Cover, Joint 100, SLVR, TM5/12/14	86,55
19936-458F	701713	Cover, Joint 400, SLVR, TM5/12/14	91,70
19936-473F	701714	Cable, Housing, Complex Extender, USB TO GPIIn, 300mm, HW3.2	314,20
19936-142F	701715	CONTROL BOX, HW3.2, TM5	13 540,00
19936-245F	701716	CONTROL BOX, HW3.2, TM12/14	14 580,00
19936-472F	701717	Control Box, HW3.2, Mobile	14 040,00
19936-505F	701718	Control Box, HW3.2, SEMI	15 250,00
19936-130F	701719	CONTROL BOX, HW3.0, TM5	9 465,00
19936-131F	701720	CONTROL BOX, HW3.1, TM5	10 670,00
19936-232F	701721	Control Box, HW3.0, TM12/TM14	10 710,00
19936-449F	701722	Control Box, HW3.0, Mobile	11 010,00
19936-233F	701723	CONTROL BOX, HW3.1, TM12/TM14	12 000,00
19936-450F	701724	CONTROL BOX, HW3.1, MOBILE	11 080,00
19936-800F	701725	Handle, Mobile Work Station	76,25
19936-813F	701726	Leveling Mount, Mobile Work Station	72,10
19936-461F	701727	O-RING,O/R88.62X1.7	46,35
19936-133F	701728	RUBBER, RING ARM2ID 300	52,55
19936-132F	701729	RUBBER, RING ARM1ID 300	52,55
19936-460F	701730	RUBBER, ANTI-DUST RING 100	50,50
19936-459F	701731	Ring, Rubber, Anti-Dust 400	50,50
19936-134F	701732	RUBBER, RING ARM1ID	53,60
19936-135F	701733	RUBBER, RING ARM2ID	53,60
19936-238F	701734	O-RING,JOINT700,O/R148X2	53,60
19936-239F	701735	O-RING,JOINT700,O/R112X1.5	50,50
19936-462F	701736	O-RINGO/R 119.5X2	51,50
19936-463F	701737	O-RING,O/R62X1	48,41
19936-136F	701738	O-RING,O/R89X1	49,44
19936-235F	701739	RUBBER, RING ARM1_SIDE_A	63,90
19936-236F	701740	RUBBER, RING ARM1_SIDE_B	63,90
19936-237F	701741	RUBBER, RING ARM2	259,60
19936-151F	701742	Screw, M3L8 SCKT HD CP, MAT: SCM435	52,55
19936-253F	701743	Screw, M4L6, SCKT HD CP, MAT: SUS 3XX	57,70

OMRON PVPR 2023

19936-493F	701744	Screw, M3L14, HX HD CP, MAT: SCM435	85,50
19936-451F	701745	Power Cord, ControlBox, 250V/16A, US	64,90
19936-452F	701746	Power Cord, ControlBox, 250V/13A, UK	64,90
19936-453F	701747	Power Cord, Control Box, 250V/16A, CN	63,90
19936-454F	701748	Power Cord, ControlBox, 250V/16A, EU	63,90
19936-494F	701749	Terminal Block, 2P, HW3.0/3.1	48,41
19936-495F	701750	Terminal Block, 4P, HW3.0/3.1	48,41
19936-496F	701751	Terminal Block, 6P, HW3.0/3.1	49,44
19936-497F	701752	Terminal Block, 7P, HW3.0/3.1	49,44
19936-498F	701753	Terminal Block, 17P, HW3.0/3.1	52,55
19936-814F	701754	CARTON, TM12	99,95
19936-815F	701755	CARTON, TM14	97,85
19936-816F	701756	CARTON, TM5A-900	90,65
19936-817F	701757	CARTON, TM5A-700	90,65
19936-818F	701758	CARTON, CE CONTROLLER BOX	88,60
19936-820F	701453	PROFINET IO Device Kit	1 602,00
TEMP ROB 744	702466	ORSE Temporary Robot 743 -- TM12X	24 970,00
AGC-TIP-420-140	702744	Flat Silicone Fingertip for 2F-140 Gripper	224,60
CBL-COM-2070-01	702806	Pigtail Device Cable for Coupling, 1 m	468,70
TEMP ROB 702	702975	ORSE Temporary Robot 702 -- TM5X-700	19 470,00
TEMP ROB 724	703043	ORSE Temporary Robot 724 -- TM5X-900	18 540,00
19936-4001F	703695	RUBBER, ANTI-DUST RING, JOINT 400 (ESD)	55,00
19936-154F	703693	RUBBER, RING ARM1, TM5-700 (ESD)	63,00
19936-155F	703692	RUBBER, RING ARM2, TM5-700 (ESD)	63,00
19936-153F	703691	RUBBER, RING ARM1, TM5-900 (ESD)	63,00
19936-152F	703690	RUBBER, RING ARM2, TM5-900 (ESD)	63,00
3FG15 RUBBER FINGER TIP-13.5	706846	3FG15 Rubber Finger Tip – Ø13,5 mm OnRobot	84,00
3FG15 RUBBER FINGER TIP-16.5	706847	3FG15 Rubber Finger Tip – Ø16,5 mm OnRobot	84,00
2FG7-TOOL CABLE GRIPPER	706848	Cable for QC and Dual QC/CB - M12to M8 (8 pin) - 5 meters from Gripper to Con	210,00
19936-825F	707350	COVER,JOINT700,FGG TM12/14	64,00
19936-826F	707349	COVER,JOINT400,FGG TM12/14	53,00
19936-827F	707348	COVER,JOINT100,FGG TM12/14	48,00
19936-828F	707347	Module Assembly,Joint 112,FGG TM12/14	9 495,00

OMRON PVPR 2023

19936-829F	707346	Module Assembly,Joint 405,FGG TM5/12/14	12 370,00
19936-832F	707345	Module Assembly,Joint 704,FGG TM12/14	16 040,00
19936-830F	707344	Module Assembly,Joint 111,FGG TM5	8 065,00
19936-831F	707343	Module Assembly,Joint 113,FGG TM12/14	8 065,00
19936-499F	708149	RUBBER, ANTI-DUST RING, JOINT 100 (ESD)	55,00
19936-4001F	708150	RUBBER, ANTI-DUST RING, JOINT 400 (ESD)	55,00
19936-256F	708214	RUBBER, RING ARM1, BIG SIDE, TM12/14 (ESD)	76,00
19936-257F	708215	RUBBER, RING ARM1, SMALL SIDE, TM12/14 (ESD)	76,00
19936-258F	708216	RUBBER, RING ARM2, TM12/14 (ESD)	72,00
19936-259F	708182	RUBBER, ANTI-DUST RING, JOINT 700 (ESD)	72,00
TEMP ROB 725	707810	ORSE Temporary Robot 725 -- TM5X-900	18 540,00
SCREWDRIVER-DIN912M3	708038	Screwdriver- Spare part kit DIN 912 M3	145,00
SCREWDRIVER-BITHOLDER A	708037	Screwdriver Bitholder A- Spare part	145,00
19936-833F	708331	PCB ASSY, I/O BOARD, HW3.2	488,00
19936-4002F	708330	HOUSING CABLE,HOUSIN=2 L=155MM+/-10MM 6P+2P	239,00
19936-4003F	708329	HOUSING CABLE,HOUSIN=1 L=130MM 5P	198,00
19936-4004F	708328	IPC MOD WIN10,(CPU,DDR,IPC BRD,FAN)	1 912,00
19936-822F	708327	Terminal Block, Mobile Work Station	407,00
19936-834F	708326	CBL, YELLOW-WHITE, L=430MM, 26AWG, HW3.1-HW3.2	50,00
GRP-CPL-062	708733	ISO 9409-1-50-4-M6 coupling for Adaptive Robot Grippers, with screws and tool	718,00
19936-835F	709293	COVER, JOINT 700, TM 12,14,16 - CNC Application	51,00
19936-836F	709292	COVER, JOINT 400, TM 12,14,16 - CNC Application	41,00
19936-837F	709291	COVER, JOINT 100, TM 12,14,16 - CNC Application	27,00
AGC-TIP-205-085	708868	Grooved Fingertip for 2-Finger Adaptive Robot Gripper 85-V4.	218,00
AGC-TIP-CONV-KIT	708867	2 x Fingertip adapters	115,00
AGC-TIP-MLD-KIT-85	708866	2 x Flat rubber overmolded fingertips	200,00
YK-BATTERY_SP	303840	Robot SCARA 1 Bateria Spare Part	150,20
90K90-51011R	351828	AC SERVO MOTOR	2 784,00
90K90-51013R	351829	Motor ASSY. 4	2 784,00
KX0-M53G3-00	352790	Robot SCARA: Spare Part KX0M53G300	220,90
KAS-M5151-10	352792	Robot SCARA: Spare Part KASM515110	1 295,00
KN3-M1314-00	352793	Cubierta 4	734,00
KN4-M1754-00	352798	Robot SCARA: KN4M175400 Spare Part	121,20

OMRON PVPR 2023

KN4-M1856-00	352799	Robot SCARA: KN4M185600 Spare Part	68,60
KR5-M5305-01	352919	Robot SCARA: Spare Part KR5M530501	478,30
R6YSPMD242	353297	Spare part PNP interface expansion 24/16 I/O	815,50
R6YSPDRT01	353299	Spare part DeviceNet interface (-DN).	1 932,00
R6YSPPR01	353300	Robot SCARA OMRON: Spare Part Profibus	1 853,00
R6YSPETN01	353301	Robot SCARA OMRON: Spare Part Ethernet	1 864,00
R6YSPTR01	353304	Robot SCARA OMRON: Spare Part Tracking	4 932,00
R6YSPCR005	353318	Robot SCARA Omron: Spare Part Cable de encoder para Tracking	472,40
R6YSPPB005E	353319	Robot SCARA OMRON: Spare Part Consola de programación	3 248,00
R6YSPSSC1	353321	Robot SCARA OMRON: Spare Part Software SCARA Studio	1 258,00
R6YSPCC005	353322	Robot SCARA OMRON: Spare Part Cable de programación (DB9)	260,00
R6YSPCX002T1	353400	Pieza de Repuesto Cable Robot 2m para 120XG, 150XG, 180XG	578,50
R6YSPCX003T1	353401	Pieza de Repuesto Cable Robot 3.5m para 120XG, 150XG, 180XG	868,00
R6YSPCX005T1	353402	Pieza de Repuesto Cable Robot 5m para 120XG, 150XG, 180XG	776,50
R6YSPCX003T2	353404	Pieza de Repuesto Cable Robot 3.5m para 220XG, 180XC, 220XC	868,00
R6YSPCX005XGX	353408	Robot SCARA OMRON: Spare Part Cable 5m para 250XH,350XH,400XH,serie XG,	2 262,00
R6YSPCX010XGX	353409	Robot SCARA OMRON: SP Cable 10m - 250XH,350XH,400XH,serie XG,1200X	3 150,00
R6YSPCX003XGS	353413	Pieza de Repuesto Cable Robot 3.5m para customizado XG-S series	868,00
KS4-M53G0-10	353771	Robot SCARA: Spare Part KS4M53G010	105,70
90990-17J001	353815	Robot SCARA: Spare Part 9099017J001	4,71
90990-17J016	353816	Robot SCARA: Spare Part 9099017J016	5,84
90990-17J030	353817	Robot SCARA: 9099017J030 Spare Part	7,89
90990-17J031	353818	Robot SCARA: 9099017J031 Spare Part	30,41
90990-17J032	353819	Robot SCARA: Spare Part 9099017J032	29,01
90990-17J034	353820	Robot SCARA: 9099017J034 Spare Part	29,09
90990-17J035	353821	Robot SCARA: Spare Part 9099017J035	25,94
90990-17J036	353822	Robot SCARA: 9099017J036 Spare Part	27,00
90990-17J037	353823	Yamaha SCARA Robot: Spare Part 90990-17J037.	30,96
90990-17J038	353824	Yamaha SCARA Robot: Spare Part 90990-17J038.	26,18
90K90-84113X	353831	Yamaha SCARA Robot: Spare Part 90K90-84113X.	2 003,00
90K94-6217FY	353834	Robot SCARA: 90K946217FY Spare Part	1 825,00
90K94-8E173X	353837	Robot SCARA: 90K948E173X Spare Part	2 892,00
KBF-M1840-00	353843	Yamaha SCARA Robot: Spare Part KBF-M1840-00.	2 408,00

OMRON PVPR 2023

KBF-M1840-10	353844	Yamaha SCARA Robot: Spare Part KBF-M1840-10.	2 767,00
KBF-M2510-00	353846	Yamaha SCARA Robot: Spare Part KBF-M2510-00.	4 530,00
KBF-M4843-00	353847	HARNESS MACHINE 2	1 405,00
KBF-M4882-00	353848	Robot SCARA: Spare Part KBFM488200	3 074,00
KBF-M4883-00	353849	Robot SCARA: Spare Part KBFM488300	2 307,00
KBP-M1750-00	353851	Robot SCARA: Spare Part KBPM175000	3 372,00
KBP-M1750-10	353852	Yamaha SCARA Robot: Spare Part KBP-M1750-10.	3 804,00
KBP-M1840-10	353856	Robot SCARA: KBPM184010 Spare Part	2 915,00
KBP-M2510-00	353858	Robot SCARA: Spare Part KBPM251000	4 941,00
KBP-M4843-10	353860	Robot SCARA: Spare Part KBPM484310	1 635,00
KBP-M4882-00	353861	Robot SCARA: KBPM488200 Spare Part	3 177,00
KBP-M4883-00	353862	Robot SCARA: KBPM488300 Spare Part	4 039,00
KN3-M1840-20	353868	Robot SCARA: Spare Part KN3M184020	1 990,00
KN3-M1895-00	353869	Yamaha SCARA Robot: Spare Part KN3-M1895-00.	6,48
KN3-M2143-00	353871	Robot SCARA: KN2M214300 Spare Part	39,84
KN3-M2159-00	353872	Robot SCARA: Spare Part KN3M215900	10,12
KN3-M2519-00	353874	Robot SCARA: Spare Part KN3M251900	7,72
KN3-M257K-00	353875	Yamaha SCARA Robot: Spare Part KN3-M257K-00.	37,37
KN4-M1750-00	353876	Robot SCARA: Spare Part KN4M175000	1 554,00
KN4-M1895-00	353883	Robot SCARA: KN4M189500 Spare Part	39,92
KN4-M1896-00	353884	Robot SCARA: KN4M189600 Spare Part	15,15
KN4-M2110-00	353885	Robot SCARA: Spare Part KN4M211000	4 940,00
KN4-M2143-00	353886	Robot SCARA: KN4M214300 Spare Part	11,38
KN4-M257K-00	353889	Robot SCARA: KN4M257K00 Spare Part	39,84
KN5-M181H-00	353891	Robot SCARA: Spare Part KN5M181H00	36,09
KN5-M1840-01	353893	Robot SCARA: Spare Part KN5M184001	3 179,00
KN5-M1840-11	353894	Robot SCARA: Spare Part KN5M184011	3 436,00
KN5-M2110-10	353896	Robot SCARA: Spare Part KN5M211010	6 450,00
KN5-M2159-00	353899	Robot SCARA: Spare Part KN5M215900	13,77
KN6-M181G-00	353901	Yamaha SCARA Robot: Spare Part KN6-M181G-00.	19,07
KN6-M1840-00	353903	SPLINE BALL	5 925,00
KN6-M1895-00	353904	Delta Robot: Spare part KN6M189500	68,55
KX0-M4400-41	353910	PNP Board (No Connecar)	725,50

OMRON PVPR 2023

KBF-M1314-00	353956	Robot SCARA: Spare Part KBFM131400	718,00
91312-050120	353967	Robot SCARA: Spare Part 91312050120	1,70
KN5-M1891-00	353969	Robot SCARA: Spare Part KN5M189100	104,30
KN5-M1887-00	353970	Robot SCARA: Spare Part KN5M188700	3,16
92A08-043060	353972	Robot SCARA: Spare Part 92A08043060	2,17
91312-030300	353973	Robot SCARA: Spare Part 91312030300	1,86
KN9-M1870-00	353974	Robot SCARA: Spare Part KN9M187000	1 095,00
KN3-M1856-00	354110	Robot SCARA: Spare Part KN3M185600	51,00
KN3-M1754-00	354111	Robot SCARA: Spare Part KN3M175400	72,10
90185-02J000	354166	Robot SCARA: Spare Part 9018502J000	30,58
K11-M1561-00	354167	Robot SCARA: Spare Part K11M156100	57,05
KN1-M2578-00	354168	Robot SCARA: Spare Part K11M257800	15,44
90K93-64212Z	354234	Robot SCARA: Spare Part 90K9364212Z	2 667,00
KD0-M1821-H0	354244	Robot SCARA: Spare Part KD0M1821H0	3 289,00
KN2-M1750-00	354245	Robot SCARA: Spare Part KN2M175000	8 185,00
KBP-M1886-00	354248	Robot SCARA: KBPM188600 Spare Part	41,30
KA1-M2273-00	354521	Robot SCARA: Spare Part KA1M227300	203,70
KN3-M1840-00	354522	Robot SCARA: Spare Part KN3M184000	2 224,00
KBP-M1314-00	354543	Robot SCARA: KBPM131400 Spare Part	1 011,00
KA2-M2656-00	354656	BELT : 100S4.5M252	73,65
KN8-M1840-00	354711	Robot SCARA: KN8M1840000 Spare Part	3 764,00
KN8-M1899-00	354712	Robot SCARA: Spare Part KN8M189900	2 128,00
KN8-M1899-10	354787	BELLOWS	2 351,00
KX0-M4650-11	355203	D.POWER BOARD ASSY	696,50
KN8-M1889-00	355595	DOG R	142,50
KBP-M1314-10	355794	Robot SCARA: KBPM131410 Spare Part	934,00
KN9-M1840-00	355841	SPLINE BALL	3 525,00
KD5-M1891-00	355965	Robot SCARA: KD5M189100 Spare Part	28,86
KN1-M1751-00	355966	PULLY 1	595,50
KN1-M1752-00	355967	PULLY 2	482,10
KN5-M1754-00	355971	BELT	142,50
KN5-M1851-00	355972	PULLY 1	245,90
KN5-M1856-00	355973	BELT 1	90,30

OMRON PVPR 2023

KN5-M4843-02	355974	Robot SCARA: Spare Part KN5M484302	1 944,00
90990-15J004	355975	Robot SCARA: 9099015J004 Spare Part	41,92
KX7-M2231-00	355976	Robot SCARA: KX7M223100 Spare Part	145,00
91312-050160	356933	Robot SCARA: Spare Part 91312050160	1,47
KBF-M1845-00	356934	Robot SCARA: Spare Part KBFM184500	365,70
KBP-M1778-00	356936	Robot SCARA: Spare Part KBPM177800	41,70
KBP-M1788-00	356937	Robot SCARA: Spare Part KBPM178800	49,30
KBF-M1314-10	356976	Robot SCARA: Spare Part KBFM131410	875,00
90933-01J807	357919	BEARING : 6807ZZ	76,00
KBK-M4578-00	359810	Robot SCARA: KBKM457800 Spare Part	917,50
CR_ART.1009	360384	Delta piezas de repuesto - configuracion de acero ball bearings	1 492,00
CR_ART.1019	360390	TCP de D4	1 491,00
CR_ART.1020	360391	Plain bearing rotation axis D4	47,03
CR_ART.1002	360396	Delta Robot: Spare part CRART1002	868,00
KN3-M1532-02	360697	Robot SCARA: Spare Part KN3M153202	1 295,00
CR_ART.1058	361752	Delta Robot: Spare part CRART1058	2 103,00
90K90-88115Y	365060	AC SERVO MOTOR	2 647,00
90K90-99113X	365061	AC SERVO MOTOR	4 223,00
90K93-6231FZ	366515	MOTOR ASSY. 3	1 963,00
R6YSPUSB005	371589	Robot SCARA OMRON: Spare Part Cable de programación USB	631,50
KN8-M1316-00	372200	COVER 6	149,70
KBG-M5395-00	373064	Robot SCARA: Spare Part Soporte para Batería	9,28
R6YSPEIP01	373272	Robot SCARA Omron: Spare Part Tarjeta opcional de Ethernet/IP	2 907,00
90185-03J000	373458	Robot SCARA: 9018503J000 Spare Part	17,25
KN5-M1314-10	373461	Robot SCARA: KN5M131410 Spare Part	1 052,00
S029-M1503-000	373897	Robot SCARA: Cable de extensión de consola 4m	945,00
S029-M1504-00	374086	Robot SCARA: Cable de extensión de consola 15m	1 068,00
CR_ART.1103	374128	TCP with gripperflange de D4	1 804,00
KN7-M1840-00	374555	SPLINE BALL	1 887,00
KBF-M135E-00	374839	EMBLEM 2	9,50
KCY-M4850-20	374877	PROXIMITY SW. ASSY	209,00
KCY-M4850-90	374879	PROXIMITY SW. ASSY.	209,00
KAS-M5382-00	374956	Robot SCARA: Spare Part KASM538200	32,29

OMRON PVPR 2023

KX0-M5163-00	374958	Robot SCARA: Spare Part KX0M516300	110,90
90933-01J022	374985	Robot SCARA: 9093301J022 Spare Part	49,87
91312-050200	374986	Robot SCARA: 91312050200 Spare Part	1,10
KBP-M1862-00	374988	Robot SCARA: KBPM186200 Spare Part	40,37
KBP-M1871-00	374989	Robot SCARA: KBPM187100 Spare Part	162,60
KX0-M533G-00	374990	Robot SCARA: KX0M533G00 Spare Part	120,70
KN5-M1754-10	375697	BELT	166,30
KCO-M261K-00	375735	WASHER 2	5,28
KN3-M137A-00	375737	SEAL LINE 1	20,19
KN3-M1532-12	375738	ARM Y	2 544,00
91312-040300	375755	Robot SCARA: Spare Part 91312040300	1,12
90K55-52323Z	375959	Robot Scara: 90K5552323Z00 Spare Part	1 999,00
KN6-M1754-00	377251	Robot SCARA: Spare Part KN6M175400	166,30
KN6-M1856-00	377252	Robot SCARA: Spare Part KN6M185600	125,90
KN6-M1751-00	377757	Pully, 1	469,00
KN6-M1752-00	377758	Pully, 2	469,00
CR_ART.1012	377813	Brazo primario set D4 1300	2 542,00
CR_ART.1091	377826	Spline part rotation axis D4 1300 Titanium	1 461,00
CR_ART.1057	377829	Brazo secundario D4 1300	926,50
CR_ART.1152	377830	Delta Robot: Spare Part CRART1152	4 311,00
90K93-41211Y	377844	AC SERVO MOTOR	1 826,00
90K93-6231EX	377845	AC SERVO MOTOR	1 963,00
KN3-M1750-01	378244	Robot SCARA: Spare Part KN3M175001	785,00
KN7-M1390-00	378735	Robot SCARA: Spare Part KN7M139000	175,60
KBE-M4880-00	378737	Motor ASSY.,1	1 776,00
KBE-M4881-00	378739	Motor ASSY.,2	1 719,00
KBE-M4850-10	378740	PROXIMIDAD SW. ASSY	312,30
KBE-M1821-00	378743	HARMONIC DRIVE ASSY.	2 367,00
90990-17J025	378744	O-RING	48,40
90990-17J024	378746	O-RING	59,40
KBE-M4883-00	378747	Motor ASSY.,4	2 849,00
R6YSPCX015XGX	378777	ROBOT cable 15m(特)	3 129,00
CR_ART.1098	378791	Robot DELTA-3 XXL con rotación 1300mm 6Kg: Calibration Tool	1 697,00

OMRON PVPR 2023

KCY-M2510-00	378822	HARMONIC DRIVE ASSY.	1 993,00
KCY-M2110-00	378823	HARMONIC DRIVE ASSY.	3 625,00
KB9-M5163-70	378994	CABLE EXTERNAL :5M	521,50
KCY-M1872-00	379037	XGL SCARA series - open eje Montaje Opción	1 015,00
KCY-M1790-00	379255	Robot SCARA: Spare Part KCYM179000	620,00
91312-030080	379351	BOLT HEX.SOCKET HEAD	1,15
KAT-M1821-00	379352	HARMONIC DRIVE ASSY	5 255,00
KAT-M2110-00	379353	HARMONIC DRIVE ASSY	5 455,00
KAT-M2510-00	379354	HARMONIC DRIVE ASSY	5 255,00
KAT-M4880-00	379355	MOTOR ASSY. 1	3 182,00
KAT-M4882-00	379356	MOTOR ASSY. 3	1 954,00
KAT-M4891-00	379357	BRAKE MAGNETIC ASSY	735,50
KAT-M4881-00	379378	MOTOR ASSY.,2 (Y)	2 951,00
91312-03014	379380	BOLT	0,70
KAT-M4883-00	379812	MOTOR ASSY.,4 (R)	3 458,00
KAT-M1750-00	380423	SCREW BALL	1 603,00
KAT-M1840-00	380424	SPLINE BALL	3 284,00
KX0-M4210-20	381586	CPU board for RCX240	2 901,00
KX0-M5810-20	381587	Driver 1 Board	3 726,00
KCY-M1840-00	384723	Robot SCARA: Spare Part KCYM184000	930,00
KDL-M152J-000	386277	Yamaha SCARA Robot: Spare Part KDL-M152J-000.	47,09
KBF-M1521-00	391886	ARM X	1 211,00
KN3-M1521-12	392157	Accesorio robot	1 924,00
KN3-M2500-00	392158	Accesorio robot	3 458,00
KBP-M1562-00	392159	Robot SCARA: Spare Part KBPM156200	645,50
KBP-M1577-00	392160	Robot SCARA: Spare Part KBPM157700	92,65
91312-040500	392244	Robot SCARA: Spare Part 91312040500	3,03
KAS-M53G0-01	392477	Robot SCARA: Spare Part KASM53G001	39,18
KN8-M1895-00	392862	Robot SCARA: Spare Part KN8M189500	7,05
KN8-M1895-10	392863	Robot SCARA: Spare Part KN8M189510	5,00
92A90-04306	392966	Robot SCARA: Spare Part 92A9004306	1,17
KBE-M2585-00	392972	Dog, 1	49,87
KBF-M1534-00	393048	Plate, 1	56,85

OMRON PVPR 2023

KCB-M4891-00	393056	Robot SCARA: Spare Part KCBM489100	317,70
98502-03030	393505	Accessory robots	2,60
95302-04600	393507	Accessory robots	0,70
92903-03600	393508	Robot SCARA: Spare Part 9290303600	0,64
KCY-M4880-001	393511	Accesorio robots	1 538,00
KCY-M1314-001	393527	Robot SCARA: Spare Part KCYM1314001	397,40
KCY-M4882-001	393532	Accessory robots	1 787,00
KCY-M1750-000	393535	Accessory robots	598,50
KCY-M1744-000	393536	Accessory robots	81,00
KCY-M1788-000	393538	Accessory robots	9,05
90112-2AJ010	393539	Accessory robots	2,32
KCY-M1712-000	393541	Accessory robots	259,20
90933-01J002	393544	Robot SCARA: 9093301J002 Spare Part	23,47
KN3-M1788-100	393545	Accesorio robots	53,45
KCY-M1821-000	393547	Accessory robots	2 333,00
KCY-M4883-000	393552	Accessory robots	2 025,00
KN3-M2144-000	393554	Accessory robots	35,60
KN5-M181H-000	393558	Accessory robots	28,16
KCY-M1886-000	393560	Accessory robots	40,83
KBF-M6211-005	393562	Accesorio robots	868,00
KBF-M6211-105	393563	Accesorio robots	1 157,00
KBF-M6211-205	393564	Accesorio robots	1 736,00
KCY-M1314-100	393571	Accessory robots	425,10
KN3-M1886-00	393611	Accesorio robots	28,50
95612-101000	393612	Accesorio robots	5,94
KN6-M1890-00	393730	Accessory robots	30,05
KBP-M1790-00	393985	Robot SCARA: Spare Part KBPM179000	553,50
KDL-M150G-11	394861	Yamaha SCARA Robot: Spare Part KDL-M150G-11.	3 898,00
KN2-M1856-00	396339	Cinturón; 15-AT5-0190E-F	578,50
KX0-M4175-00	399990	FILTER,FAN (RCX240)	62,75
KX0-M4650-01	407374	D. Placa Potencia assy	1 111,00
KDL-M152A-00	409649	Joint 1	35,41
KCB-M1840-00	410782	Robot SCARA: Spare Part KCBM184000	810,50

OMRON PVPR 2023

KDL-M1501-00	412054	Soporte assy	594,00
CR_ART.1239	417393	Robot Delta: Spare Part CRART1239 (CRUGD4XXL1300HR)	4 112,00
CR_ART.1240	417394	Robot Delta: Spare Part CRART1240 (CRUGD4XXL1300HR)	2 482,00
CR.ART.1123	417395	Robot Delta: Spare Part CRART1123 (CRUGD4XXL1300HR)	890,00
CR_ART.1124	417396	Robot Delta: Spare Part CRART1124 (CRUGD4XXL1300HR)	856,50
CR_ART.1126	417398	Delta Robot: Spare part CRART1126	2 125,00
CR_ART.1128	417400	Plain bearing D4 1300-HP	66,25
KDL-M1573-000	418925	Abrazadera, 1	120,00
KDL-M1574-000	418926	Abrazadera, 2	120,00
KN3-M1710-00	419075	Robot SCARA: Spare Part KN3M171000	315,20
KDL-M1542-00	659066	Cubierta 2	10,59
KDL-M1543-00	659067	Cubierta 3	10,59
KAT-M1798-00	659146	Brg., linear	109,30
CR_ART.1173	659248	Delta Robot: Spare part CRART1173	1 492,00
KDL-M150F-020	659262	Delta robot spare parts - ARM3 CARBON, with detachable	2 238,00
KDL-M150H-21	659364	Delta robot pieza de repuesto - ARM, CARBON ASSY	2 135,00
KDL-M150H-11	659366	Delta robot pieza de repuesto - ARM, CARBON ASSY	2 108,00
KX0-M410H-10	659577	Robot SCARA: KX0M410H10 Spare Part	106,80
91312-05040	659690	Robot SCARA: Spare Part 9131205040	0,70
KCY-M1521-20	659695	Spare part for Scara robot: ARM, X (YK400XG)	805,50
91312-06016	659696	Spare part de Scara robot: BOLT HEX.SOCKET HEAD	0,62
KCY-M1532-00	659699	Robot SCARA: Spare Part KCYM153200	447,80
91312-03016	659703	Spare part de Scara robot: BOLT HEX.SOCKET HEAD	0,64
KDU-M1541-00	667661	Robot Scara part: Y-eje Cubierta 1	941,00
KDU-M1141-00	667662	Robot Scara part: Base Cubierta 1	885,00
YK-EthernetIP_SP	667976	Spare Part Ethernet/IP para RCX340	2 308,00
KDB-M2110-00	669058	Robot SCARA: Spare Part KBPM211000	6 060,00
KN3-M1845-01	669133	Holder Ball Spline	251,80
KDL-M150G-21	669351	ARM,2 CARBON ASSY..	2 523,00
KX0-M410H-00	670459	Robot SCARA: KX0M410H00 Spare Part	72,80
S026M466000000	670460	Robot SCARA: Cable especial de 15m	7 140,00
KBF-M1790-00	670603	Robot SCARA: Spare Part KBFM179000	963,50
CR_ART.1119	670606	Robot Delta: Spare Part CRART1119 (CR_UGD2800_NR)	632,50

OMRON PVPR 2023

KCY-M1310-10	670974	Robot SCARA: KCYM131010 Spare Part	185,60
KDL-M1102-01	672268	Delta Robot: Spare part KDLM110201	1 301,00
CR_ART.1032	673419	Spring package de D4-500; Consisting of: 12 x spring 12 x springholder	1 024,00
KCY-M1532-10	673608	ARM, Y.	744,00
KCB-M2110-00	674160	Harmonic Drive Assy.	3 810,00
90200-01J160	674161	O-Ring	1,47
KCB-M1750-00	674162	Screw, Ball	1 241,00
CR_ART.1347	674214	Herramienta de calibración robot CR_UGD21500	1 695,00
CR_ART.1086	674720	Upper side rotation axis D4 titanium	1 981,00
KDL-M152M-00	674759	Spring.	15,15
KDL-M152K-00	674756	Bearing, 2.	9,20
CR_ART.1292	675007	Delta Robot: Spare part CRART1292	428,30
CR_ART.1339	675059	Herramienta de calibración robot CR_UGD2800	875,50
KDL-M1816-00	675081	Cubierta 1, Pieza de Repuesto Delta robot R6Y31110L03067NJ5	128,00
KN6-M1715-00	675129	Shaft, spare part	356,90
KBE-M1390-00	675135	Cinta	589,50
KBE-M137A-00	675134	Sellado Línea, 1	40,37
90933-02J698	675133	Cojinete	20,19
KCX-M5110-OEE	675204	Programming Box de RCX-340	3 515,00
91312-03020	675205	Robot SCARA: Spare Part 91312030200	1,62
KDL-M1822-00	675229	Delta Robot: Spare part KDLM182200	4 688,00
KDL-M1870-00	675227	Delta Robot: Spare part KDLM187000	206,90
KDL-M1811-00	675221	Delta Robot: Spare part KDLM181100	218,80
KDL-M219K-00	675222	Delta Robot: Spare part KDLM219K00	14,40
KDL-M219K-10	675226	Delta Robot: Spare part KDLM219K10	43,18
KDL-M1830-00	675223	Delta Robot: Spare part KDLM183000	284,90
91380-03010	675274	Robot SCARA: Spare Part 91380030100	0,46
CR_ART.1382	677771	Delta Robot: Spare part CRART1126	2 125,00
92012-030080	677872	Bolt, button head.	1,15
91312-030050	677874	Tornillo hex. Enchufe Cabeza	1,15
CR_ART.1206	677915	Secondary round arm CR_UGD4_HD, Consisting of: 1 x Complete secondary arm	1 226,00
KDL-M4815-00	678310	Yamaha SCARA Robot: Spare Part CABLE,TERMINAL 5	1 790,00
90990-41J114	678337	Collar	62,95

OMRON PVPR 2023

CR_ART.1328	678515	Rotation axis CR_UGD4MINI.	7 105,00
S02A-MVL07-205	678695	15m robot cable.	2 209,00
KCY-M1101-01	678764	Yamaha SCARA Spare Part KCY-M1101-01.	328,40
KBF-M1847-00	678820	Plate, 2	22,56
90185-04J000	679333	Nut U: FU04SS(M20)	31,91
KN6-M1892-00	679295	Bearing, 2:6905	58,30
KN6-M1743-00	679296	Stay	438,80
KN6-M1845-00	679297	Holder, ball spline	616,00
CR_ART.1029	679551	Delta robot piezas de repuesto - set de 12off springs de Mini series	419,90
CR_ART.1355	679626	Calibration aol CR_UGD4_XS_HD	704,00
KBG-M538F-00	679779	Pieza de Repuesto Cable USB type (5M)	328,90
KAS-M538F-10	679814	Pieza de Repuesto Cable D-Sub type 9pin-9pin (5m)	174,70
CR_ART.1577	679862	Complete head CR_UGD5_XS / CR_UGD5_S / CR_UGD5 / CR_UGD5_XL	11 680,00
CR_ART.1156	680089	Set of 6 high load springs	882,00
CR_ART.1169	680096	Set of 12 x Ball bearing cups D4 FDA	679,00
CR_ART.1028-1	680454	Pieza de Repuesto 12 x spring D4 -2 series	258,00
KDL-M152J-010	680842	BEARING	45,00
KDL-M150H-31	680909	Brazo,CARBON ASSY	783,00
KDL-M150H-41	680911	Brazo,CARBON ASSY	1 663,00
KDL-M150H-51	680908	Brazo,CARBON ASSY	1 781,00
KDL-M152F-00	680910	JOINT,3	171,70
KX0-M5840-30	680973	Driver 2 Board (de RCX240/RCX240S)	1 889,00
KX0-M5304-00	680969	POWER CPU unit 1 (24V power)	143,50
KX0-M4400-81	680974	PROFIBUS Board ASSY UNIT	1 266,00
KX0-M427G-00	681047	Ventilador Filtros (5 pcs/bag) de RCX240	25,32
KDL-M4811-00	681075	CABLE TERMINAL 1	264,50
KDL-M4812-00	681078	CABLE TERMINAL 2	284,20
KDL-M4813-00	681076	CABLE TERMINAL 3	109,80
KDL-M4814-00	681077	CABLE TERMINAL 4	104,20
KCB-M2510-00	681105	HARMONIC DRIVE ASSY	1 815,00
KCB-M4843-01	681103	HARNESS MACHINE 2	532,00
KCB-M4880-00	681102	Motor ASSY.,1	1 081,00
KCB-M4881-00	681107	Motor ASSY.,2	1 090,00

OMRON PVPR 2023

KCB-M4883-00	681104	Motor ASSY.,4	1 810,00
KBF-M1700-00	682286	Z AXIS ASSY. (Z = 200mm)	3 201,00
KBP-M1700-10	682287	Z AXIS ASSY. (Z = 300mm)	3 405,00
KDL-M2163-10	682294	Motor Cover, Assy	366,60
KDL-M2138-00	682422	Motor Cover Seal	949,50
KDL-M2165-00	682423	Cubierta, 2	200,90
KDL-M212A-00	682424	Cubierta Cable 1	64,10
KDL-M1561-01	682425	Cap, 1	32,01
KDL-M1846-00	682468	PLATE 1	43,64
KDL-M181A-01	682469	BRACKET 1	448,20
GEARB-67	682542	Wittenstein DP010F-MA2-38,5-2E1-2S	4 665,00
KDL-M182E-00	682569	COVER R AXIS	705,50
KX0-M4107-20	682559	RGU2	655,50
KX0-M4107-30	682558	RGU3	1 092,00
KK1-M6563-20	682550	Ferrite Core	43,64
KX0-M410E-10	682555	Cubierta trasera de RCX240 (Ventilador isn'tincluded)	104,80
KX0-M410F-70	682563	RCX240 Front Panel	131,10
KX0-M410A-10	682564	RCX240 Side Cover	198,10
CR_AS-2436	682566	Calibration aol D4-1300-S020	693,50
CR_ART.1407	682659	Brazo secundario D5-1100	746,50
KCE-M4843-00	683468	HARNESS MACHINE 2	2 691,00
KBE-M6211-10	683469	CABLE ROBOT	2 212,00
CR_CP-1000	683554	1 x Cojinete simple	50,90
CR_AS-2920	683555	1x Ball joint	128,50
CR_CP-1023	683556	Bearing 8	81,20
CR_AS-2934	683557	Gripper flange rotation	217,00
CR_AS-2969	683558	Rotation axis D4-500-S010-R100	5 375,00
CR_AS-2970	683559	Upper side R10X D4-500	1 073,00
CR_AS-2971	683560	R10X lower tube with cardan joint CJ7 y TCP axis D4-500	1 764,00
KN6-M1750-01	683590	SCREW BALL	1 958,00
KBP-M1315-00	683591	Scara robot: cover de Z-axis motor	75,75
CR_AS-2611	683827	Brazo secundario D2-800	1 752,00
CR_CP-1039	683829	Bearing 1	144,30

OMRON PVPR 2023

CR_CP-1022	683830	Bearing 6 de wishbone	48,46
CR_AS-2612	683831	TCP D2-500 & D2-800	882,00
CR_AS-2290	683832	Cardan joint CJ7	1 603,00
CR_AS-2987	683834	Upper side rotation axis R100 D2-800	1 154,00
CR_AS-2968	683835	R10X lower tube with cardan joint CJ7 y TCP	1 764,00
CR_PT-05418-2	683836	Gripper flange	217,00
CR_AS-2142	683837	Brazo secundario set D2-800 with spoke	2 118,00
CR_AS-00312-1	683838	Brazo secundario spring D4-S020	67,90
CR_AS-3179	683828	Spoke Brazo secundario D2-800	529,50
CR_CP-1026	683833	Bearing 2	104,30
CR_AS-2998	683917	1 x Brazo primario izquierdo	2 565,00
CR_AS-2999	683918	1 x Brazo primario derecho	2 565,00
CR_CP-1044	683919	1 x Pieza de apriete 1	176,90
CR_CP-1047	683920	1 x Pieza de apriete 2	201,20
CR_PT-05203	683921	1 x tapa del orificio del brazo	89,70
CR_AS-3005	683922	1 x Brazo secundario D2-1000 carbon	1 888,00
CR_AS-3219	683923	1 x Brazo secundario D2-1000 inox incluido cojinetes	2 294,00
CR_LS-1009	683924	1 x Varilla de reaccion larga	284,90
CR_CP-1015	683925	1 x Cojinete 3	104,30
CR_AS-2210	683926	1 x Wishbone D2-1000	1 589,00
CR_AS-3002	683927	1 x Varilla Cojinete M12 L	207,20
CR_AS-3003	683928	1 x Varilla Cojinete M12 R	207,20
CR_LS-1008	683929	1 x Varilla de reaccion corta	249,60
CR_AS-3007	683930	1 x TCP eje D2-1000	556,50
CR_PT-05215	683931	1 x Bloque giratorio	991,50
CR_PT-03278	683932	1 x placa de montaje de pinza	611,00
CR_AS-3016	683933	1 x Brazo primario izquierdo espejo	2 565,00
CR_AS-3017	683934	1 x Brazo primario derecho espejo	2 565,00
CR_AS-3006	683935	1 x Brazo secundario D2-1000 inox	1 888,00
CR_CP-1017	683936	1 x Cojinete 4	366,00
CR_CP-1043	683937	1 x acoplamiento de abrazadera TW	2 199,00
CR_AS-3021	683938	1 x Brazo primario izquierdo	2 565,00
CR_AS-3022	683939	1 x Brazo primario derecho	2 565,00

OMRON PVPR 2023

CR_AS-3023	683940	1 x Brazo secundario D2-1500	2 349,00
CR_LS-1006	683941	1 x Varilla de reaccion larga	502,00
CR_AS-2266	683942	x Cable clamp 50mm	183,10
CR_AS-2201	683943	1 x Wishbone D2-1500	1 589,00
CR_LS-1005	683944	1 x Varilla de reaccion corta	448,30
CR_AS-3027	683915	1 x TCP eje D2-1500	556,50
CR_PT-03966	683916	1 x Bloque giratorio	991,50
CR_AS-2033	684181	1 x Brazo primario D4-1600	3 204,00
CR_AS-2642	684182	1 x Brazo secundario spreader	611,00
CR_AS-2869	684183	1x Ball joint	128,50
CR_AS-2530	684184	1 x Abrazadera R201 / R300	339,30
CR_AS-2960	684185	1 x R20X Spline part D4-1600	2 498,00
CR_AS-2026	684186	1 x D4-1600 plano TCP	1 426,00
CR_PT-05031	684187	1 x Cubierta del Motor	407,10
CR_PT-05104	684188	1 x Cubierta del Motor	407,10
CR_AS-2956	684189	1 x Upper side R10X D4-1300	1 209,00
CR_PT-02129	684190	1 x Eje eje para brida de agarre	217,00
CR_PT-02130	684191	1 x brida de sujeción fija	217,00
CR_AS-2127	684192	1 x Brazo secundario D5-1300	801,50
CR_AS-2993	684193	1 x Eje de rotación D5-1300-S020-R100	4 804,00
CR_AS-2997	684194	1 x R10X tubo inferior y cardan joint D5-1300	1 833,00
CR_AS-3083	684195	1 x D5-1300-S020 conjunto incl cabeza	17 300,00
CR_AS-3073	684196	1 x Tilt part D5-S020	131,00
CR_AS-3074	684197	1 x Tilt stool	131,00
CR_AS-3075	684198	1 x cabeza de conexión D5-S020	176,90
CR_PT-05244	684199	1 x D5 cubierta de la cabeza.	176,90
CR_PR-05246	684200	1 x D5 Dome	176,90
CR_AS-2911	684201	1 x Brazo primario D4-650	2 199,00
CR_AS-2482	684202	1 x Brazo secundario D5-650	665,50
CR_AS-2990	684203	1 x Eje de rotación D5-650-S020-R100	4 641,00
CR_AS-2944	684204	1 x Lado Superior R10X D4-650	1 073,00
CR_AS-2994	684205	1 x R10X tubo inferior y cardan joint D5-650	1 670,00
CR_AS-3080	684206	1 x D5-650-S020 ensamble incl cabeza	16 970,00

OMRON PVPR 2023

CR_AS-2912	684207	Brazo primario D4-S020	2 199,00
CR_AS-2953	684208	Upper side R10X D4-1100	1 154,00
CR_AS-2122	684209	Brazo secundario D5-1100	746,50
CR_AS-2996	684210	R100 lower tube with cardan joint Cj7 D5-1100	1 779,00
CR_AS-3082	684211	D5-1100-S020 Montaje incl head	17 190,00
CR_PT-05031-2	684212	1 x Cubierta del Motor	407,10
CR_AS-2992	684180	Rotation axis D5-1100-S020-R100	4 749,00
CR_AS-2609	684877	1 x Brazo primario izquierdo	3 139,00
CR_AS-2072	684412	1 x Brazo secundario muelle	67,90
KDL-M1552-00	684506	CLIP 1	32,42
KCB-M184M-00	684564	DOG	23,69
CR_AS-2843	684565	TCP D4-S010 incl. 2-way rotary union	3 760,00
CR_PT-01841	684730	1 x Vaso de Rodamientos	50,90
CR_AS-2114	684878	1 x Brazo secundario D4-800	692,50
CR_AS-0652	684879	1 x TCP D4-800	1 420,00
CR_PT-04240	684880	1 x Cubierta del Motor D4-500	564,50
CR_AS-2949	684881	1 x Eje de rotación D4-800-R100	8 340,00
CR_AS-2950	684882	1 x Lado Superior R10X D4-800	1 100,00
CR_AS-2951	684883	1 x tubo inferior R10X con junta cardan y TCP D4-800	2 632,00
CR_AS-00859	684884	1 x Brazo primario D4-500	1 911,00
CR_AS-2224	684885	1 x Brazo secundario D4-500	939,50
CR_AS-00861	684886	1 x TCP D4-500	1 967,00
CR_AS-0312	684936	1 x Brazo secundario muelle	67,90
CR_AS-3286	684937	TCP D2-S020 including 2-way rotary union	4 085,00
CR_AS-2842	684938	TCP D4-S040 including 2-way rotary union	4 301,00
CR_AS-2841	684939	TCP D4-S020 including 2-way rotary union	4 843,00
KCY-M1874-00	685005	NUT	61,10
KCY-M1845-00	685006	HOLDER BALL SPLINE	207,00
CR_AS-2291	685043	1 x Brazo secundario muelle	84,85
CR_PT-05291	685044	1 x Ball joint cup HD	54,55
CR_PT-05158	685045	1 x Spring roll HD	42,41
CR_AS-2907	685046	1 x Ball joint HD	128,50
CR_CP-1013	685047	1 x Cojinete simple HD	42,41

OMRON PVPR 2023

CR_AS-2279	685076	1 x Herramienta de calibración HD021	697,50
KBE-M1788-00	685409	DAMPER 1	19,95
95602-08100	685410	NUT U	1,01
KBE-M1870-00	685411	SHAFT	299,30
CR_AS-00745	685488	1 x Herramienta de calibración D4-800	692,50
KDA-M4843-00	685528	HARNESS MACHINE 2 (YK500XGSW)	865,00
KDA-M4843-10	685529	HARNESS MACHINE 2 (YK600XGSW)	865,00
90112-10J030	685552	BOLT HEX.S.H.:M10x30	1,56
90172-00J040	685551	WASHER, EXTL.aOTHEd	0,45
91312-08020	685550	BOLT, HEX.SOCKET HEAD	0,69
91312-04006	685549	BOLT, HEX.SOCKET HEAD	0,45
91312-08025	685548	BOLT HEX, SOCKET HEAD	0,69
91380-05014	685547	BOLT HEX. SOCKET HEAD	0,89
97080-05008	685546	BOLT, HEXAGON	0,69
97080-06008	685545	BOLT, HEXAGON	0,45
97602-04308	685544	SCREW, PAN HEAD W/W	0,45
KDL-M1101-01	685543	BASE,1	5 530,00
KDL-M111A-00	685542	EYE BOLT	17,47
KDL-M1171-00	685541	BRACKET,1	392,80
KDL-M1521-01	685540	Brazo,x	1 371,00
KDL-M212F-00	685539	COVER,CABLE3	159,60
KDL-M212F-10	685538	COVER,CABLE3	198,40
KDL-M2163-00	685537	Cubierta ASSY	349,20
KK1-M5184-10	685536	SEAL NAME	10,48
KDL-M1173-00	685535	BRACKET,3	119,80
CR_AS-2946	685699	1 x Cardan joint CJ24 HD	1 764,00
CR_AS-2798	685700	1 x Herramienta de calibración D2-1000	697,50
CR_AS-2954	685982	1 x Tubo inferior R10X con junta cardan y TCP	2 102,00
CR_GEARP-44	686082	060.10.S (C) , - Including adapter plate 20033979	2 122,00
CR_AS-3100	686083	SP060 with spacer rotation axis S020	448,30
CR_GEARP-16	686215	010.31.S	3 732,00
CR_AS-2938	686216	Mounting clamp with cardan joint R10X	1 739,00
CR_GEARP-14	686217	060.10.S	1 929,00

OMRON PVPR 2023

CR_GEARP-09	686281	004.25.S.	4 109,00
CR_AS-3529	686280	TCP plate D2-1500-S030	720,50
CR_AS-3335	686279	TCP plate D2-1000-S030	692,50
CR_GEARP-39	686300	010.31.W	4 709,00
CR_AS-3010	687108	Spline part D4-1100-RH090	1 385,00
CR_CP-1130 5M	687107	Hose 330 60x4 (per meter).	386,60
CR_CP-1129	687106	Hose clamp RVS	52,10
CR_AS-3130	687105	Cable entry plug D4-HD	135,80
CR_GEARP-159	687104	025.38.5.W.	7 065,00
CR_PT-02435-2	687268	Filling bush S010 & S020	64,25
CR_PT-02143-1	687267	Fill ring rotation axis 15mm	266,60
CR_AS-2168	687734	Secondary arm D4-1100-HD021	909,00
KCB-M1778-00	687779	SLEEVE LOCK	183,40
KCB-M4842-00	687781	HARNESS MACHINE 1	215,90
KCB-M1314-00	687782	COVER 4	722,00
KBE-M4842-00	687783	HARNESS MACHINE	107,30
KBE-M1314-00	687784	COVER 4	1 188,00
KX0-M66F4-00	688446	CABLE CAMERA: 3.5M (Relay cable)	873,50
KX0-M66F4-10	688447	CABLE CAMERA:1M (Relay cable)	436,40
CR_AS-2080	688602	Calibration tool D5-S020 head	203,60
CR_AS-2447	688656	Calibration tool D4-650-S020	697,50
CR_AS-2435	688657	Calibration tool D4-500-S010	697,50
R6YSPDRB03X	688818	Driver 1 Board (for 4 axis)	1 928,00
R6YSPDPB00X	688819	Driver Power Board Assy.	742,00
R6YSPDBX05X	688738	DRIVER 2 BOARD(X, Z 05A)	462,60
R6YSPDBY05X	688739	DRIVER 2 BOARD(Y, R 05A)	462,60
R6YSPDBX10X	688740	DRIVER 2 BOARD(X, Z 10A)	462,60
R6YSPDBY10X	688741	Driver 2 Board (Y/R 10A)	462,60
R6YSPDBX20X	688742	DRIVER 2 BOARD(X, Z 20A)	462,60
R6YSPDBY20X	688743	Driver 2 Board (Y/R 20A)	462,60
R6YSPPB005EX	688820	Programming box - PBX-E (Cable : 5m)	2 183,00
R6YSPMD241X	688925	Optional Board - Expanded I/O NPN Board	436,40
R6YSPMD242X	688926	Optional Board - Expanded I/O PNP Board	670,00

OMRON PVPR 2023

R6YSPCCR005X	688821	Optional Board - CC-Link Board	1 311,00
R6YSPDRT01X	688822	Optional Board - DeviceNet Board	1 311,00
R6YSPEIP01X	688823	Optional Board - Ethernet-IP Board	1 311,00
R6YSPPR01X	688824	Optional Board - PROFIBUS Board	1 311,00
R6YSPYCM01X	688825	Optional Board - YC-Link/E master	329,20
R6YSPYCS01X	688826	Optional Board - YC-Link/E slave	1 311,00
R6YSPPB012EX	688827	Programming box - PBX-E (Cable : 12m)	2 512,00
R6YSPTR01X	688829	Optional Board - Tracking board	4 364,00
KCX-M5370-00	688830	Safety Connector	67,40
KCX-M427G-00	688831	Fan Filters (5 pieces / Bag)	21,21
YKBATTERYSPX	688832	Absolute Battery	67,40
R6YSPPNT01X	688833	Optional Board - PROFINET Board	1 747,00
CR_AS-3000	688916	Cable clamp 60 mm	52,10
R6YSPSD241X	688928	Optional Board - Standard I/O NPN Board	436,40
R6YSPSD242X	688929	Optional Board - Standard I/O PNP Board	670,00
CR_AS-3014	689133	Rotation axis D4-1100-RH090	4 777,00
CR_AS-2936	689134	Cardan joint CJ7HD	1 603,00
CR_AS-3150	689364	Cardan joint CJ24 15 mm	1 764,00
CR_AS-2910	689905	Primary arm D4-1300	2 199,00
CR_AS-2105	689906	Secondary arm D4-1300	801,50
CR_AS-2955	689907	Rotation axis D4-1300-R100	6 090,00
CR_AS-2957	689908	R100 D4-1300-S020 lower tube with cardan joint CJ7 and TCP axis	1 901,00
KDL-M1861-00	689951	WASHER	164,70
KDL-M212E-00	689952	COVER CABLE 2	188,40
91380-03006	689953	BOLT HEX.SOCKET HEAD	0,78
91380-03008	689954	BOLT HEX.SOCKET HEAD	0,78
91380-04008	689955	BOLT HEX.SOCKET HEAD	0,78
91380-04014	689956	BOLT HEX.SOCKET HEAD	0,78
91380-04020	689957	BOLT HEX.SOCKET HEAD	1,35
97980-04308	689958	SCREW P/H W/W (+-)	18,59
KCX-M5893-00	690095	RESISTOR ABSORBER	207,00
KCX-M6185-00	690329	FAN MOTOR ASSY	233,20
KCX-M4175-00	690330	FILTER FAN	74,85

OMRON PVPR 2023

KN3-M1847-00	690688	PLATE 2	18,71
CR_AS-2221	690689	1 x Calibration tool	697,50
CR_AS-2161	690746	1 x Primary arm D4-1300-S040	3 013,00
CR_AS-2162	690747	1 x Secondary arm D4-1300-S040	924,00
CR_AS-2959	690748	1 x R20X Spline part D4-1300-S040	2 389,00
CR_AS-3058	690749	1 x Gripper flange rotation	326,00
CR_AS-2411	690750	1 x Cardan joint CJ24	1 764,00
CR_AS-2094	690751	1 x TCP D4-S040	1 426,00
CR_AS-2169	690752	1 x TCP HD021	1 468,00
CR_AS-3062	690753	1 x Calibration tool D4-650-HD021	697,50
CR_AS-2034	690754	1 x Secondary arm D4-1600	924,00
KCY-M1778-01	690863	SLEEVE,LOCK	188,40
KBF-M1532-00	692898	ARM Y	1 663,00
98902-03008	692899	SCREW BINDING HEAD	0,78
KBF-M1316-00	692900	COVER 6	77,20
CR_PT-05372-2	693837	Seal cover D4-1100-HD	348,50
CR_AS-2797	694870	Calibration tool D2-1500-S030 / TW030	697,50
CR_AS-3079	694869	D5-S020 Head	7 435,00
CR_AS-3777	694932	Rotation axis R200 D4-1300-S040 including clamping bush and TCP	7 485,00
CR_AS-2189	695299	1 x Secondary arm D4-1300-HD021	917,50
CR_AS-3467	695363	Spline part + CJ24HD + Clamp 060 D4-1100-S020	5 870,00
CR_PT-06324	695362	TCP axis with flange	193,90
R6YSPYRCX	695728	RCX340-4-E-PS-4	9 550,00
KCY-M4843-00	695980	HARNESS MACHINE 2	1 735,00
KFR-M5163-00	696154	CABLE EXTERNAL	99,75
KBK-M531F-20	696307	RPB-E (12 m) cable	1 571,00
KBK-M531F-30	696306	RPB (12 m) cable	1 400,00
CR_AS-2905	696324	1 x Primary arm D4-HD	2 095,00
CR_GEARP-01	698709	140.35.S (SP140F-MF2-35-OEO)	5 030,00
S02F-MRE1-3101	698823	Cable , Terminal 5	2 355,00
CR_CP-1068	698821	1 x Primary arm seal	323,10
CR_PT-05393	698820	1 x Seal ring HD	39,23
CR_PT-06774	698819	1 x Primary arm cap HD	75,00

OMRON PVPR 2023

CR_CP-1130-03M	698818	Hose 330 60x4 (per meter).	221,60
CR_CP-1130-10M	698817	Hose 330 60x4 (per meter).	736,50
CR_SP-1071	698816	1 x Seal rotation RH090	271,20
CR_AS-2976	698815	1 x Gripper flange HD	206,60
CR_AS-2181	698814	1x Flat TCP HD021	1 397,00
KCY-M1102-01	698969	BASE,2	549,00
KBP-M1313-01	699030	Cover 3	168,70
KDL-M1116-01	699107	HOLDER	269,60
KDL-M1117-00	699106	HOLDER,2	186,50
KDL-M1174-10	699105	BRACKET 4	245,90
KDL-M1175-10	699104	BRACKET 5	289,80
91380-06030	699103	BOLT HEX.SOCKET HEAD	1,79
92990-08200	699102	WASHER PLAIN	0,73
KDL-M1576-00	699101	KNOB	26,12
KN5-M2199-00	699197	RING O 2	10,69
S02D-MR108-001	699694	BASE,2	1 431,00
S02F-MRE03-000	699693	AC SERVO MOTOR	3 982,00
S02F-MRE10-003	699692	CABLE, TERMINAL 1	1 479,00
S02F-MRE16-001	699691	CABLE, TERMINAL 2	662,50
S02F-MRE11-001	699697	CABLE, TERMINAL 3	374,00
SPL6-01	699696	JOINT	17,81
S02D-MR111-002	700259	CABLE,TERMINAL6	2 984,00
S02D-MR109-000	700258	CABLE,TERMINAL9	997,50
S02D-MR116-201	700257	Arm,4 CARBON	2 594,00
S02D-MR158-000	700256	BOLT ASSY	33,25
YK400XG-150WOCONTROL	700419	YK400XG-150 without controller	13 950,00
CR_AS-2833	700949	Secondary arm spring D4-1300-HD041	917,50
CR_PT-05197	700948	Ball joint cup D4-S040	50,80
KAT-M4842-00	701163	HARNESS MACHINE 1	258,90
KAT-M4842-10	701164	HARNESS MACHINE 1	269,60
KAT-M4843-00	701165	HARNESS MACHINE 2	1 091,00
CR_AS-2036	701255	Secondary arm spring D4-S040	51,95
KCF-M4751-31	701301	CABLE ROBOT 1	262,50

OMRON PVPR 2023

R6YXG220100WOCONTROL	701356	YK220X without controller	13 700,00
CR_PT-05532	701994	Cover HD021/041 body	1 299,00
CR_AS-3929	702606	Set 12 x High cup HD021	669,50
CR_PT-07160-2	702704	1x High Ball joint Cup	55,40
CR_AS-3851	703139	Set 6 x Spring D4-S020	306,90
CR_AS-3915	703202	Set 12 x Cup S010 & S020	517,00
CR_AS-2188	703526	Secondary arm D4-800-HD021	791,00
CR_AS-2239	703525	Spline part + CJ7HD D4-800-HD021-RH090	6 240,00
KBG-M4252-01	703620	BATTERY, 1 KIT	139,60
CR_PT-06360	703669	TCP axis with flange	313,60
CR_AS-3041	703670	Gripper flange rotation D4-HD041	301,30
CR_AS-3063	703671	TCP axis D4-HD021	582,50
CR_AS-3056	706986	Spline part D4-1100-S020-R200	2 208,00
CR_PT-06790-1	706985	TCP axis flange connection HD021	313,60
CR_PT-06430-1	706984	Clamping sleeve rotation axis motor D4-HD041	497,30
CR_CP-1073	706997	PS lip Gylon F, 60 x 75 x 1, Garlock	255,40
CR_AS-2810	707001	1 x Calibration tool D4-HD041	697,50
KBK-M531F-10	707342	HARNESS 103	726,00
KDL-M2138-10	708033	SEAL	67,00
CR_PT-07818	708119	Slider clamp top	181,50
CR_PT-07819-2	708118	Slider clamp bottom	171,40
KCB-M6214-11	708482	CABLE ROBOT	2 830,00
KBF-M4850-40	708501	PROXIMITY SW. ASSY	191,20
KBF-M4850-50	708500	PROXIMITY SW. ASSY	191,20
KFS-M1890-00	708916	BEARING	36,72
KBF-M4880-00	708917	AC SERVO MOTOR ASSY.	1 716,00
KBP-M4881-00	708918	MOTOR ASSY.,2	1 703,00
90990-18J040	709028	PIN PARALLEL	0,71
KBF-M1313-01	708949	COVER, 3	84,25
KBP-M1750-01	708950	SCREW, BALL	1 591,00
KBP-M1750-11	708951	SCREW, BALL	1 815,00
KBP-M1750-21	708952	SCREW, BALL	2 027,00
KBP-M1753-10	709027	FLANGE	620,00

OMRON PVPR 2023

KCX-M4990-20	708953	SOFTWARE PACKAGE	3 629,00
KCX-M5893-01	708919	RESISTOR, ABSORBER	159,90
KFS-M1577-10	709026	PIN	196,60
90K40-300090	708954	EMBLEM YAMAHA	11,88
KN8-M1840-11	708955	SPLINE BALL	3 176,00
CR_PT-05246	708863	Dome TCP D5-S020	222,90
S00W-M6209-001	709044	HARMONIC DRIVE ASSY	3 327,00
YK-RPB-E	285102	Robot SCARA: Consola de programación	3 177,00
R6YACCX005T1	353252	Cable Robot 5m para 120XG, 150XG, 180XG	1 188,00
R6YACCX010T2	353256	Robot SCARA OMRON: Cable 10m para 220XG,180XC,220XC	1 756,00
R6YACCX003XGX	353257	Robot SCARA OMRON:Cable 3.5m para 250XH,350XH,400XH,Serie XG,1200X	2 081,00
R6YACCX005XGX	353258	Robot SCARA OMRON: Cable 5m para 250XH,350XH,400XH,serie XG,1200X	2 374,00
R6YACCX010XGX	353259	Robot SCARA OMRON: Cable 10m para 250XH,350XH,400XH,serie XG,1200X	2 954,00
R6YACCX003XSXC	353260	Robot SCARA OMRON: Cable 3,5m para XS, XSH, XC, XCH	894,50
R6YACCX005XSXC	353261	Robot SCARA OMRON: Cable 5m para XS, XSH, XC, XCH	1 188,00
R6YACCX003XGS	353263	Robot SCARA OMRON: Cable 3.5m para serie XG-S	894,50
R6YACCX005XGS	353264	Robot SCARA OMRON: Cable 3.5m para serie XG-S	1 188,00
R6YACDRT01	353272	Robot SCARA Omron: Tarjeta opcional de DeviceNet	1 789,00
R6YACPRT01	353273	Robot SCARA Omron: Tarjeta opcional de Profibus	1 789,00
R6YACETN01	353274	Robot SCARA Omron: Tarjeta opcional de Ethernet	1 789,00
R6YACTR01	353277	Robot SCARA OMRON: Tracking	4 739,00
R6YACCR005	353291	Robot SCARA OMRON: Cable de encoder 5m para Tracking	444,60
R6YACPB005E	353292	Robot SCARA OMRON: Consola de programación (cable 5m)	2 954,00
R6YACPB012E	353293	Robot SCARA OMRON: Consola de programación (cable 12m)	3 400,00
R6YACSSC1	353294	Robot SCARA OMRON: Software SCARA Studio	1 188,00
R6YACCC005	353295	Robot SCARA OMRON: Cable de programación (DB9)	242,20
KN5-M1892-00	353966	Robot SCARA: Spare Part KN5M189200	209,80
KN2-M2575-00	354171	Robot SCARA: Spare Part KN2M257500	537,50
CR_ART.1003	360379	Delta Robot: Spare part CRART1003	1 181,00
CR_ART.1078	361758		63,45
CR_ART.1060	361759	Robot Mini Delta: Spare Part CRART1060	593,50
R6YACUSB005	371588	Robot SCARA OMRON: Cable de programación USB	537,50
R6YACEIP01	373271	Robot SCARA Omron: Tarjeta opcional de Ethernet/IP	2 113,00

OMRON PVPR 2023

KAS-M5151-20	375135	Robot SCARA: Spare Part KASM515120	1 446,00
R6YACXGLF	375793	Robot Scara XGL: Opción Tool Flange	584,00
R6YACXGLS	375794	Robot Scara XGL: Opción Open Shaft	444,60
R6YACCX015XGX	378775	Robot SCARA OMRON: Cable 15m para 250XH,350XH,400XH,serie XG,1200X	3 313,00
R6YACCX020XGX	378776	Robot SCARA OMRON: Cable 20m para 250XH,350XH,400XH,serie XG,1200X	3 675,00
R6YACAD01	398315	Robot Delta Wash-Down IP67 ANTICOLLISION OPTION	6 890,00
R6YACCX003XGCXGP	401128	Robot SCARA OMRON: Cable 3.5m Proof-type	754,00
CR_ART.1127	417399	Robot Delta: Spare Part CRART1127 (CRUGD4XXL1300HR)	942,00
R6YACTR01X	670302	Tracking Opcional Circuito	6 415,00
CR_ART.1383 5m	671123	Cable Manguera 5m, D4-HD robot	549,50
CR_ART.1281	674130	Calibración Herramienta D5-650 Cabeza CR_UGD5_XS	122,50
CR_ART.1043	677854	Calibration Set D2-1000.	2 137,00
R6YACPB005EX	677920	Omron Yamaha Robot Scara PB para RCX340 Controlador (5 m cable)	3 723,00
R6YACPNT01X	677921	PROFINET Interfaz para RCX-340 Controlador	2 249,00
CR_ART.1184	677997	Calibration set for CR_UGD4_XL_HD including calibration tool and casing.	1 767,00
CR_ART.1236	678502	Motor Cubierta CR_UGD4 series Omron	609,50
CR_ART.1035	679553	Delta Robot Pieza de Repuesto - Rotación eje Mini Delta Titanium	8 045,00
CR_ART.1037	679552	Delta robot Pieza de Repuestos - Inferior Rotacional eje para Mini series	2 648,00
CR_ART.1030	679554	Delta Robot Pieza de Repuestos - ranura Part Rotación eje Mini Delta Titanium	1 859,00
R6YACEIP01X	679715	SCARA Yamaha Series - EtherNet/IP tarjeta opcional - RCX340	2 167,00
R6YACMD242X	679718	SCARA Yamaha Series - PNP Interfaz expansion 24/16 I/O	1 043,00
R6YACSD242X	681108	SCARA Yamaha Series - PNP, 8/9 dedicado I/O,16/16 genérico I/O	1 000,00
R6YACPB012EX	681450	Omron Yamaha Robot Scara PB para RCX340 Controlador (12 m cable)	3 773,00
R6YACPRT01X	691161	PROFIBUS DP interface (-PB) for controller YRCX	2 358,00
R6YACSSC1XS	695574	License Dongle purple color SCARA-YRCX Studio 2020 (including simulation) for Y	4 797,00
KCX-M4400-E0	695559	YAMAHA EtherNet/IP interface for RCX-340 controller	2 111,00
KCX-M4400-A0	695560	YAMAHA EtherCAT interface for RCX-340 controller	2 111,00
KBF-M6211-20	695629	Yamaha cable SCARA KBF 10 m	1 844,00
KCX-M6586-100	695643	Yamaha License Dongle purple color SCARA-YRCX Studio 2020 (including simulat	4 812,00
92012-03008	699024	Bolt, button head.	1,36
R6YACXELOWCAP	700108	SCARA robot Hollow Cap Option for XE-series (510, 610 and 710)	39,61
R6YACXEBRAKEUNIT	700112	SCARA Robot Brake Release Option for XE series (400, 510, 610 and 710)	198,10
CABINET-CASE-I4L	702951	Cabinet Case for i4L SCARA robot	1 907,00

OMRON PVPR 2023

CABINET-CASE-I4H	702950	Cabinet Case for i4H SCARA robot	1 870,00
16500-40070	684342	Unidad Demo Accesorio, TM ROBOT TRUNK, TM5	1 934,00
16500-40071	684341	Unidad Demo Accesorio, TM CONTROL BOX TRUNK, TM5	1 934,00
16500-40004	684998	Accesorio, TM,USB DONGLE	362,40
RT6-A000004	685101	Accesorio, TM,USB DONGLE	171,70
RT6-A000009	685099	Accesorio, TM, ROBOT STAND	3 667,00
RT6-A000015	685096	Accesorio, TM, PNEUMETIC CONTROL BOX	1 019,00
AGC-OMRON-KIT-85	687101	Kit de pinza Robotiq 2F-85	4 546,00
AGC-OMRON-KIT-140	687100	Kit de pinza Robotiq 2F-140	4 698,00
HND-OMRON-KIT	687099	Kit pinza Robotiq Hand-E	3 783,00
AGC-OMRON-KIT-85-DEMO	687097	2F-85 Demo Kit for Omron	4 546,00
HND-OMRON-KIT-DEMO	687096	Hand-E Gripper Demo Kit for Omron	3 783,00
ACC-SPLIT-M12-2:1	688232	Pinza Robotiq - Kit doble - Divisor de cables	189,30
AGC-APL-159-002	688233	Pinza Robotiq - Kit doble - Placa adaptadora con forma de "Y" para colocar 2 pin	519,00
VAC-OMRON-EPICK-KIT1	688897	Epick Kit for Omron / One (1) Cup	4 636,00
VAC-OMRON-EPICK-KIT2	688898	Epick Kit for Omron / Two (2) Cups	5 005,00
VAC-OMRON-EPICK-KIT4	688899	Epick Kit for Omron / Four (4) Cups	5 250,00
VAC-OMRON-AIRPICK-KIT1	688900	Airpick Kit for Omron / One (1) Cup	3 539,00
VAC-OMRON-AIRPICK-KIT2	688901	Airpick Kit for Omron / Two (2) Cups	3 905,00
VAC-OMRON-AIRPICK-KIT4	688902	Airpick Kit for Omron / Four (4) Cups	4 149,00
VAC-SCS-TM4	688903	Kit 4 Suction Cup System for Omron - 4 Suctions Cups	1 252,00
VAC-OMRON-KIT-EPICK-DEMO	688904	Epick Demo Kit for internal use and Omron partners	2 685,00
VAC-OMRON-KIT-AIRPICK-DEMO	688905	Airpick Demo Kit for internal use and Omron partners	2 318,00
HND-OMRON-KIT-W	691033	Kit de pinza Robotiq Hand-E con kit de conexión de muñeca	3 783,00
AGC-OMRON-KIT-85-W	691034	Kit de pinza Robotiq 2F-85 con kit de conexión de muñeca	4 546,00
AGC-OMRON-KIT-140-W	691035	Gripper Robotiq 2F-140 kit with Wrist Connect Kit	4 698,00
VAC-OMRON-EPICK-KIT1-W	691036	Epick Kit for Omron / One (1) Cup with Wrist Connect Kit	4 636,00
VAC-OMRON-EPICK-KIT2-W	691037	Epick Kit for Omron / Two (2) Cups with Wrist Connect Kit	5 005,00
VAC-OMRON-EPICK-KIT4-W	691038	Epick Kit for Omron / Four (4) Cups with Wrist Connect Kit	5 250,00
VAC-OMRON-AIRPICK-KIT1-W	691039	Airpick Kit for Omron / One (1) Cup with Wrist Connect Kit	3 539,00
VAC-OMRON-AIRPICK-KIT2-W	691040	Airpick Kit for Omron / Two (2) Cups with Wrist Connect Kit	3 905,00
VAC-OMRON-AIRPICK-KIT4-W	691041	Airpick Kit for Omron / Four (4) Cups with Wrist Connect Kit	4 149,00
IO-CPL-OMRON-KIT	691042	Kit de acoplamiento de E/S	793,50

OMRON PVPR 2023

IO-CPL-OMRON-KIT-DEMO	691043	Demostración de kit de acoplamiento de E/S	384,50
AGC-PRO-KITV4	693818	Protector kit to cover the fingers of the AGC-OMRON-KIT-85 Robotiq gripper	75,75
EKI-1242IPNMS-A	693821	Modbus to PROFINET Gateway with Wide Temp.	908,00
RG2-GRIPPER	696374	RG2-Gripper OnRobot	5 090,00
RG6-GRIPPER	696383	RG6-Gripper OnRobot	6 100,00
VG10-GRIPPER	696382	VG10-Gripper OnRobot	5 725,00
GECKO-SP1-GRIPPER	696381	GECKO-SP1-Gripper OnRobot	880,50
GECKO-SP3-GRIPPER	696380	GECKO-SP3-Gripper OnRobot	880,50
GECKO-SP5-GRIPPER	696379	GECKO-SP5-Gripper OnRobot	880,50
QUICK-CHANGER-TOOL-SIDE	696377	Herramienta de cambiador rápido lado en Robot	563,00
QUICK-CHANGER-KIT	696376	Kit de cambiador rápido en Robot	1 247,00
DUAL-QUICK-CHANGER	696375	Dual Quick Changer OnRobot	2 659,00
RG2-GRIPPER-DEMO	696414	RG2-Gripper OnRobot Demo	3 963,00
RG6-GRIPPER-DEMO	696415	Demostración de RG6-Gripper OnRobot	4 752,00
VG10-GRIPPER-DEMO	696416	Demostración de VG10-Gripper OnRobot	4 130,00
QUICK-CHANGER-ROBOT-SIDE-DEMO	696417	Demostración del robot Quick Changer Side OnRobot	448,90
QUICK-CHANGER-TOOL-SIDE-DEMO	696418	Demostración de la herramienta Quick Changer Side OnRobot	448,90
QUICK-CHANGER-KIT-DEMO	696419	Kit de cambiador rápido OnRobot Demo	898,50
DUAL-QUICK-CHANGER-DEMO	696420	Demostración de Dual Quick Changer OnRobot	2 097,00
RG2-FT	699477	Glipper OnRobot RG2-FT	10 230,00
VGC10	699476	VGC10-Gripper OnRobot	3 401,00
3FG15-3-FINGER-GRIPPER	699475	3FG15-3-FINGER-GRIPPER ONROBOT	4 801,00
SG-BASE-PART	699474	Parte de base de mordaza blanda en Robot	4 310,00
SG-A-H	699473	Pinza blanda SG-A-H OnRobot	1 066,00
SG-A-S	699472	Pinza blanda SG-A-S OnRobot	1 066,00
SG-B-H	699471	Pinza blanda SG-B-H OnRobot	1 066,00
OMRON-TM-ROBOT-KIT	699469	Kit de robot OnRobot Omron TM	898,50
SCREWDRIVER	699495	Destornillador OnRobot	8 115,00
HEX-E-ETHERCAT-FLANGE-A	699516	OnRobot HEX-E con convertidor EtherCAT y brida A	5 330,00
SCREW-FEEDER-M2-M6	699515	OnRobot alimentador de tornillo m2-M6	2 335,00
RAIL-M4	699514	Carril OnRobot M4	299,30
2FG7-GRIPPER	699513	2FG7 Gripper OnRobot	4 166,00
SCREWDRIVER-ACCESSORY-KIT	699512	Kit de accesorios de destornillador OnRobot	1 377,00

OMRON PVPR 2023

ONROBOTSANDER	699527	Sander OnRobot	3 126,00
ONROBOT-SANDER-ACCESSORY-KIT	699528	Kit de accesorios para lijadoras OnRobot	1 211,00
RT6-A000020	701368	Omron TM Cobot Teach Pendant	2 833,00
RT6-A000000	701916	Accesorio, TM, ROBOT STICK Stand	41,90
RT6-A000002	701917	Accesorio, TM, Kit, Set de Calibración con Pin adicional	419,00
RT6-A000008	701918	Accesorio, TM, TM Ly MARK	8,40
RT6-A000009	701919	Accesorio, TM, ROBOT STAND	3 580,00
RT6-A000010	701920	Accesorio, TM, MOBILE WORKSTATION(MWS)	5 690,00
RT6-A000012	701921	Accesorio, TM, Kit, SSD con Cable	311,20
RT6-A000015	701922	Accesorio, TM, PNEUMETIC CONTROL BOX	994,50
RT6-A000021	702012	Accessory, OMRON LAND MARK	8,30
VGP20-GRIPPER	702228	VGP20-Gripper OnRobot	5 770,00
VGP20-EXTENDER	702227	VGP20-Extender. Only for Cobots with camera - OnRobot	142,30
MG10	702226	MG10-Gripper OnRobot	2 513,00
FTS-300-S-OMRON-KIT	702920	Kit de sensor de fuerza Robotiq FT-300	4 802,00
FTS-300-S-OMRON-KIT-DEMO	702919	FT 300 Demo Kit for Omron	4 851,00
AGC-PRO-KIT140	703661	Protector kit to cover the fingers of the AGC-OMRON-KIT-140 Robotiq gripper	75,75
RT6-A000004	707285	Accesorio, TM,USB DONGLE	171,70
VAC-CUP-KIT-EXT-1	707341	Bin Picking Extension for EPick	551,00
LIFT-100-ONROBOT	707693	Lift100 for Omron TM Cobot	13 460,00
QUICK-CHANGER-ROBOT-SIDE-NEW	707692	Lado del robot de cambiador rápido 4.5A en Robot	594,00
RAIL-M3	708034	OnRobot Rail M3	302,40
2FGP20-GRIPPER	708105	2FGP20 Gripper OnRobot	11 420,00
OMRON-DUAL-AGC-140	708889	Robotiq 2F-140 DUAL KIT for OMRON Robots	10 740,00
OMRON-DUAL-AGC-85	708888	Robotiq 2F-85 DUAL KIT for OMRON Robots	10 360,00
OMRON-DUAL-HND	708887	Robotiq HAND-E DUAL KIT for OMRON Robots	8 690,00
2FGP20-FINGER-KLT-BOXES	708886	OnRobot Accessory: 2FGP20 - Finger Set for KLT boxes	270,00
13700-000	679598	Opción Acuity con kit de nivelación para Robot Móvil	7 420,00
13700-100	679602	Opción Acuity sin kit de nivelación para Robot Móvil	6 560,00
13495-200	679604	Licencia Mobile Planner (USB) para Robot Móvil, para un PC	3 166,00
14165-000	679615	Cable de E/S para Robot Móvil	417,70
13605-000	679611	HMI 7" para Robot Móvil	3 617,00
13029-802	679614	Call/Door Box Wifi para Robot Móvil	2 240,00

OMRON PVPR 2023

13660-100	679601	Opción High Accuracy Positioning para Robot Móvil, un sensor	3 866,00
13558-000	679605	Joystick para Robot Móvil	1 061,00
12477-000	680095	Estación de carga para Robot Móvil	6 125,00
12477-050	680090	Estación de carga para Robot Móvil Cart Transporter	6 125,00
12944-000	691058	Top Plate para Robot Móvil	1 151,00
20271-800	690680	Licencia, 1 año, núcleo de espacio de trabajo de operaciones de flota, principal	1 000,00
20271-802	690668	License, 1 Yr, Fleet Operations Workspace Core, Secondary	1 000,00
20271-805	690669	Licencia, One-Shot, sistema de posicionamiento de alineación con celda (CAPS)	2 515,00
20271-806	690670	Licencia, 5 años, núcleo de espacio de trabajo de operaciones de flota, principal	6 250,00
20271-807	690671	License, 5 Yr, Fleet Operations Workspace Core, Secondary	6 250,00
20452-000	690742	Batería de robot móvil para todos los LD	4 681,00
20271-804	694788	Licencia, Fleet Simulator, licencia perpetua de Fleet Simulator para dispositivos	9 345,00
20458-002	695379	Conjunto de placa superior para LD-250	1 151,00
68910-010	695902	Estación de carga de robot móvil - paquete de carga (Fuente de alimentación y c	15 130,00
68945-010	695901	Kit de láseres laterales (incluye kit de montaje y carcasas metálicas) - para HD-15	5 860,00
68940-000L	695900	Colgante (para HD-1500)	1 598,00
68330-000	695899	Batería de robot móvil para HD-1500	18 540,00
68950-000	695898	Placa superior para HD-1500	1 811,00
68310-000	695897	Estación de carga de robot móvil - Fuente de alimentación (para HD-1500)	11 830,00
68910-000	695896	Estación de carga de robot móvil - destino de acoplamiento (para HD-1500)	3 408,00
75020-000	698321	Plataforma de Carro (Cart Transporter) para Robot Móvil	5 170,00
20271-903	701988	Paquete. Licencia de simulador de flota, dispositivo EM2100 y simulador de flota	18 020,00
20271-901	701986	Administrador de flota secundario, paquete básico EM2100, licencia temporal d	10 280,00
20271-900	701985	Administrador de flotas principal, paquete básico EM2100, licencia temporal de	10 280,00
14925-000	702960	Cinta magnética para Robot Móvil, 25mm ancho, 50m longitud	513,50
13456-000	703215	Láser laterales para Robot Móvil, Bundle	6 120,00
13456-100	703214	Láser laterales para Robot Móvil, Kit	6 655,00
21374-100	703099	Robot móvil HAPS (sistema de posicionamiento de alta precisión) opción LD-250	4 451,00
21374-000	703098	Robot móvil HAPS (sistema de posicionamiento de alta precisión) opción LD-250	5 395,00
13660-100	703097	Opción High Accuracy Positioning para Robot Móvil, un sensor	3 866,00
13660-000	703096	Opción High Accuracy Positioning para Robot Móvil, dos sensores	4 364,00
20271-701	707321	License, 1 Yr, FLOW iQ	1 000,00
LOANCARTCT500058	707337	LOAN POOL Cart for LD-250 058	19 010,00

OMRON PVPR 2023

68925-010	707921	Mobile Robot HAPS (High Accuracy Positioning System) option HD-1500 - Single	4 239,00
68925-020	707922	Mobile Robot HAPS (High Accuracy Positioning System) option HD-1500 - Double	5 135,00
68955-000	707823	Wireless Antenna Extension Kit - For HD-1500	100,00
90330-01080	670185	Cable de E/S digital, 5 m	848,00
90565-010	670214	Ki de cables de alimentación de CA	848,00
09742-000	670172	Kit encoder IP65 para controlador EX de robot OAT	1 774,00
01056-200	670188	Lente 16mm OAT	487,60
09438-000	673701	Terminales de desconexión, macho DB50, montaje en carril DIN	951,50
09447-050	673702	Cable, DB50 Macho a Hembra, 5 metros	136,00
14161-100	673727	Kit, Intelligent Force Sensing, eCobra 600/800 (estándar/pro)	14 080,00
14161-300	673729	Kit, Intelligent Force Sensing, Quattro	14 080,00
09324-000	676765	Spare_Part FILTER,DAYLIGHT,M27X0.5.	270,00
09447-020	676751	ADEPT Pieza de Repuesto CA, DB50 M/F, 2 metros	74,35
14217-000	678802	Bundle, Profibus DP/DeviceNet - Gateway.	2 783,00
90332-02000	679459	VME Pieza de Repuesto KIT PURCH MI6/3-RD50/MP6CA	2 196,00
14161-105	684357	Kit (sin sensor), Inteligente Sensor de Fuerza, eCobra 600/800 (Std/Pro)	1 259,00
14161-205	684356	Kit (sin sensor), Inteligente Sensor de Fuerza, Viper 650/850	1 300,00
14161-305	684355	Kit (sin sensor), Inteligente Sensor de Fuerza, Hornet y Quattro	1 259,00
01056-200	687074	Lente 16mm OAT	487,60
09322-000	687073	Lente, cámara, 16 mm	656,50
09323-000	687072	Objetivo, cámara, 25 mm	746,00
09323-100	687071	Objetivo, cámara, 35 mm, F1.6-16, montura C	848,00
12061-012	687070	Objetivo, Pentax M 12 mm FL, montura C	848,00
12061-050	687069	Objetivo, Pentax M 50 mm FL, montura C	848,00
12061-075	687068	Objetivo, Pentax M 75 mm FL, montura C	848,00
24114-100	687067	Kit, cámara, GigE PoE, 640 x 480, 120 fps, B/N, ACE, CCD 1/4"	1 401,00
24114-250	687063	Kit, cámara, GigE PoE, 1600 x 1200, 60 fps, B/N, ACE, CMOS 1/1,8"	1 401,00
24114-251	687062	Kit, cámara, GigE PoE, 1600 x 1200, 60 fps, color, ACE, CMOS 1/1,8"	1 401,00
24114-300	687061	Cámara GigE PoE, 2048 x 2048, 25 fps, Mono, CMOS (1-pulgada)	3 823,00
24114-301	687060	Kit, Camera, GigE PoE, 2048 x 2048, 25 fps, Color, ACE, 1" CMOS.	4 043,00
10079-000	687055	Soporte de pared para consola T20 para robot OAT	179,90
11585-000	687054	Cable eAIB XSYS para robot OAT	179,90
13323-000	687053	Cable de ensamblado eAIB XSYSTEM para robot OAT	179,90

OMRON PVPR 2023

13463-000	687052	Cable XBELTIO para robot OAT	349,90
AC1-152000	688611	Robots IPC, controlador de aplicación	4 749,00
20409-000	688612	PackXpert Software License (4.x)	3 424,00
20410-000	688613	Licencia de software ACE Sight (4.x)	5 765,00
20433-000	688614	Licencia de software PackXpert + ACE Sight (4.x)	8 340,00
19200-000	689880	SmartController EX without Front Panel	4 663,00
EKI-1524-CE	693703	Ethernet / 4-port RS-232/422/485 Serial Device Server	601,50
13323-100	699235	XSYSTEM Cable (with ENET management port), Plug and Jumpers	179,70
09187-000	698753	ACE PackXpert Licencia	3 427,00
01056-030	698752	Software de visión Adept Sight 3.0	5 780,00
09187-010	698751	Licencia software ACE PackXpert +ACE Sight Vision para robot OAT	8 350,00
04679-003	698750	IO Blox extension cable, .30M (connects IO Blox to IO Blox)	243,90
04679-030	698749	Cable de extensión bloques para robot OAT, 3m (bloque a bloque)	243,90
04677-030	698748	Cable de extensión bloques para robot OAT, 3m (bloque a robot)	243,90
09438-000	698747	Terminales de desconexión, macho DB50, montaje en carril DIN	951,50
19300-000	698746	Controlador externo de robot OAT: SmartController EX	5 120,00
09443-000	698745	Cable adaptador-Y de 3m para robot OAT	237,60
09446-050	698744	Cable de extensión de encoder de 5m para robot OAT	353,00
09324-000	698743	Spare_Part FILTER, DAYLIGHT, M27X0.5.	270,00
90565-010	698742	Ki de cables de alimentación de CA	848,00
09439-001	698741	Encoder IP65 para robot OAT	1 074,00
14161-105	698740	Kit (sin sensor), Inteligente Sensor de Fuerza, eCobra 600/800 (Std/Pro)	1 259,00
14161-205	698739	Kit (sin sensor), Inteligente Sensor de Fuerza, Viper 650/850	1 300,00
14161-305	698738	Kit (sin sensor), Inteligente Sensor de Fuerza, Hornet y Quattro	1 259,00
10046-010	698737	Consola T20 para Robot OAT con cable 10m	2 812,00
14161-100	698736	Kit, Intelligent Force Sensing, eCobra 600/800 (estándar/pro)	14 080,00
14161-200	698735	Kit, Intelligent Force Sensing, Viper	14 540,00
14161-300	698734	Kit, Intelligent Force Sensing, Quattro	14 080,00
04215-000	698733	Etiqueta, AIB FAULT CODE	1,16
27400-29006	698732	Spare Part OAT: Lámpara Front Panel	14,13
09447-050	698731	Cable, DB50 Macho a Hembra, 5 metros	136,00
09447-020	698730	ADEPT Pieza de Repuesto CA, DB50 M/F, 2 metros	74,35
10048-000	698728	Puente de conexión para consola T20 para robot OAT	122,10

OMRON PVPR 2023

09439-100	698727	Soporte para encoder para robot OAT	134,30
09747-000	698726	Bundle, SmartController EX, Digital I/O Opción	359,50
90356-40100	698725	Bloque de terminación para robot OAT, 12E/8S	604,50
90356-30100	698724	Bloque E/S para robot OAT 8E/8S (conexión al bloque anterior)	604,50
90356-30200	698723	Bloque E/S para robot OAT 8E/8S (conexión al robot)	604,50
10051-003	698722	ADEPT Cobra 600/800 Todo Pieza de Repuesto T20 Colgante Adaptador Cable	507,00
90330-01080	698721	Cable de E/S digital, 5 m	848,00
14529-103	698720	Licencia eV+ hardware para conectar el controlador EX	777,50
02853-000	698719	Spare_Part completo - Kit de válvulas Spare_Part ADEPT Cobra 600/800, 24 V CC	963,50
09742-001	698718	Kit encoder IP65 para robot OAT	1 176,00
09742-000	698717	Kit encoder IP65 para controlador EX de robot OAT	1 774,00
14529-101	698716	Licencia, eSeries Robot, Standard	6 220,00
14529-102	698715	Licencia, eSeries Robot, Professional	6 220,00
09439-001	700111	Adept TR-1 Conveyor Encoder IP65	1 002,00
09446-050	700110	Encoder Extension Cable, M12 Male to M12 Female, 8-pin, 5 m	358,20
09439-100	700109	Mounting Bracket, TR1 Encoder	120,30
21857-100	702136	Kit, Small Scanner + 3D Pick Manager License	23 700,00
21857-200	702135	Kit, Medium Scanner + 3D Pick Manager License	29 630,00
21857-300	702134	Kit, Large Scanner + 3D Pick Manager License	35 550,00
21636-000	702734	i4H Adapter Plate (available to mount the robot to a mounting surface designed	266,70
21857-900	703000	Calibration Kit 3D Pick Manager	142,30
22871-000	708319	Kit, i4L Camera Mount	161,00
22872-000	708318	Kit, Solenoid Valve, i4L	837,00
22868-000	708317	Kit, Bellows, i4L, 350mm Quill	3 095,00
22839-000	708316	Kit, Bellows, i4L, 180mm Quill	2 279,00
23912-000	708315	Kit, 24V DC Supply, 240W, 5 Meter, Fixed Accessories	243,00
23913-000	708314	Kit, 48V DC Supply, 960W, 5 Meter, Fix Accessories	875,00
19464-003F	708302	Kit, Bellows Add-on, 210mm, i4H	3 564,00
19464-004F	708303	Kit, Bellows Add-on, 410mm, i4H	4 817,00
19106-100	708313	Tool Flange, i4H, Legacy Mount	334,80
18908-000	708312	Bracket, Camera, Mount, I4H SCARA	740,00
22295-000	708311	Adapter, Camera, Mount, I4H-SCARA	189,00
19165-000	708310	Solenoid Valve Kit, i4H	902,00

OMRON PVPR 2023

20089-000	708309	Bracket, Wall Mount, i4H	1 210,00
18823-100	708308	Cable, USER to Wire Lead, 1.5m	313,20
19140-100	708307	Cable, TIO to Wire Lead, 1.5m	270,00
AMT-00X-FB800-LNNNN-0001	708943	AMR TOP; LD60_90 base; Front Belt, 800 mm; Side lasers	19 880,00
05284-101	682872	Superficie de Anyfeeder, POM, plana, blanca, SX240	449,30
05284-102	682873	Superficie de Anyfeeder, POM, plana, negra, SX240	534,00
05284-103	682861	Superficie de Anyfeeder, POM, plana, marrón claro, ESD, SX240	2 191,00
05284-104	682862	Superficie de Anyfeeder, POM, plana, negra, ESD, SX240	2 121,00
05284-105	682863	Superficie de Anyfeeder, PVC, plana, gris, SX240	534,00
09725-101	682876	Superficie de Anyfeeder, POM, plana, blanca, SXM100	308,90
09725-102	682877	Superficie de Anyfeeder, POM, plana, negra, SXM100	337,00
09725-103	682878	Superficie de Anyfeeder, POM, plana, negra, ESD, SXM100	604,00
09725-104	682865	Superficie de Anyfeeder, POM, plana, marrón claro, ESD, SXM100	786,50
09725-301	682842	Superficie de Anyfeeder, POM, plana, blanca, SXM140	351,00
09725-302	682843	Superficie de Anyfeeder, POM, plana, negra, SXM140	351,00
09725-303	682844	Superficie de Anyfeeder, POM, plana, marrón claro, ESD, SXM140	899,00
09725-304	682845	Superficie de Anyfeeder, PVC, plana, gris, SXM140	948,00
14269-003	682882	Superficie de Anyfeeder, POM, plana, blanca, SX340	856,50
14269-004	682848	Superficie de Anyfeeder, POM, plana, negra, SX340	1 124,00
14269-005	682849	Superficie de Anyfeeder, POM, plana, marrón claro, ESD, SX340	2 387,00
14269-006	682850	Superficie de Anyfeeder, POM, plana, negra, ESD, SX340	997,00
14269-010	682855	Superficie Anyfeeder, POM, Plano, Negro, SX340	2 205,00
05284-115	682856	Superficie Anyfeeder, POM-C, Texturado Bloque, Blanco, no ESD, SX240	2 205,00
05284-107	682857	Superficie de Anyfeeder, POM-C, textura aterciopelada, blanca, SX240	1 938,00
05284-108	682858	Superficie de Anyfeeder, POM-C, textura aterciopelada, negra, SX240	1 938,00
14269-007	682859	Superficie de Anyfeeder, POM-C, textura ID161, blanca, sin ESD, SX340	4 704,00
09725-305	682860	Superficie Anyfeeder, POM-C, Textura ID161, Blanco, No ESD, SXM140	2 289,00
05284-110	695044	Anyfeeder Surface, POM-C, Fine Bumps, White, no ESD, SX240	2 654,00
05284-109	708261	Anyfeeder Surface, Flat Matte, White, SX240	772,50
05284-110	708272	Anyfeeder Surface, POM-C, Fine Bumps, White, no ESD, SX240	2 654,00
05284-111	708273	Anyfeeder Surface, POM-C, Medium Bumps, White, no ESD, SX240	2 654,00
05284-112	702627	Anyfeeder Surface, POM-C, Coarse Bumps, White, no ESD, SX240	1 798,00
14269-008	708274	Anyfeeder Surface, POM-C, Flat Matte, White, no ESD, SX340	2 654,00

OMRON PVPR 2023

14269-012	702768	Anyfeeder Surface, POM, Grooves, White, SX340	4 592,00
05284-116	702580	Anyfeeder Surface, POM, Fine Lines, White, no ESD, SX240	1 601,00
05284-206	682874	Retroiluminación de Anyfeeder: rojo 630 nm, SX240	4 128,00
05284-208	682875	Retroiluminación de Anyfeeder: IR 875 nm, SX240	4 732,00
09725-201	682866	Retroiluminación de Anyfeeder: rojo 630 nm, SXM100	2 317,00
09725-202	682879	Retroiluminación de Anyfeeder: IR 875 nm, SXM100	2 317,00
14269-001	682880	Retroiluminación de Anyfeeder: IR 875 nm, SX340	5 970,00
14269-002	682881	Retroiluminación de Anyfeeder: rojo 630 nm, SX340	5 970,00
14630-000	682852	Retroiluminación de Anyfeeder, IR, repuesto, SXM140	2 331,00
14630-001	682853	Retroiluminación de Anyfeeder, rojo, repuesto, SXM140	2 542,00
19052-000	682985	Anyfeeder Backlight - LED, White, SX240	5 535,00
19053-000	682986	Anyfeeder Backlight - LED, Blue 470 nm, SX240	5 860,00
19054-000	682987	Anyfeeder Backlight - LED, Amber 590 nm, SX240	5 860,00
19057-000	682990	Anyfeeder Backlight - LED, White, SX340	7 810,00
05284-204	682864	Opción ESD, Anyfeeder SX240	5 680,00
MX-Z2000H-V1	692759	Laser Marker, Fiber laser Wavelength 1062 nm, 20 W Fiber laser transmitter out	50 050,00
MX-Z2050H-V1	692758	Laser Marker, Fiber laser Wavelength 1062 nm, 20 W Fiber laser transmitter out	50 050,00
MX-Z2055H-V1	692757	Laser Marker for Resins and Plastic films, Fiber laser Wavelength 1062 nm, 20 W	50 050,00
MX-9022 H-HEAD FAN	695918	Replacement fan for laser head MXZ20xx	240,70
MX-9150	688294	Camera Attachment for Finder Option for MX-Z2000H-V1	2 829,00
MX-9031	693705	Cover Glass for MX-Z2xxH Laser Head	228,10
MX-9034	693706	Cover Glass Bracket for MX-Z2xxH Laser Head, black	87,40
MX-915A-FZ	688293	Camera Mount for Finder Option	257,20
MX-915A-S5M2	695922	Camera mount for Laser Marker Vision Finder option	152,10
MX-9190	688292	Laser Marker Masking Set, compatible with machine instructions (2006/42/EC) B	257,20
MX-9230	688291	Laser Marker Energy Enhanced Mode activation key	1 931,00
MX-9151	694973	Camera attachment for finder option for MX-Z2050H-V1 and MX-Z2055H-V1	2 829,00
MX-9032	693707	Cover Glass Bracket Releaser for Laser Head	164,70
MX-9023 H-CONT FAN	695917	Replacement fan for controller MXZ20xx	202,80
MX-9011	695916	Replacement air filter for MXZ20xx controller	24,07
MX-9302	688295	Laser Marker Controller power supply cable (VDE,AS) plug type F, length 2.9 m	154,50
MX-9160-5M	707297	MX-Z2000H Series, external control cableRS-232C (connected to CJ series)	207,50
MX-9161	707296	Interlock conversion cable for MX-Z2000H series	374,90

OMRON PVPR 2023

01257-000	675450	Common - Mech Spare_Part GRS,HD,SK-1A,A6AX,600/2000.	363,40
01260-000	675466	Common - Mech Spare_Part GRS,HD,ALVANIA EP,A6X,600/2000.	95,20
06316-000	675898	Cobra 350 Consumable Grease, Silicon, 2 Kg.	727,50
09072-000	682910	Quattro All Consumable GREASE,FDA,EXTREME PRESSURE.	72,50
02109-000	682940	Legacy Consumable Thermal Grease.	38,94
02915-000	696550	LOCTITE 243	14,06
04562-000	698426	Cobra 600/800 All Consumable Oil, Harmonic Drive, Jt1/Jt2, 80cc Packet.	25,96
04693-000	698313	Cobra 600/800 All Tool Oil Dye, Fluorescent Leak Detector Dye.	25,96
85304-00000	698419	grease, O-Ring	43,26
14336-000	696542	Grease, FDA, EXTREME PRESSURE	55,20
06315-000	698453	Cobra 350 Consumable Grease, EPINOC AP-1, 2.5 Kg.	83,30
01260-000	698411	Common - Mech Spare_Part GRS,HD,ALVANIA EP,A6X,600/2000.	95,20
85130-00042	698488	Cobra 600/800 All Consumable Grease, Harmonic Drive, 500 g Can.	135,30
01256-000	698401	Common - Mech Spare_Part GRS,HD,MLYWHT RE 00,400G TUBE.	129,80
90401-04029	696532	Legacy Consumable Grease, Ball Spline/Screw, LG2, 50 cc.	165,60
01257-000	698369	Common - Mech Spare_Part GRS,HD,SK-1A,A6AX,600/2000.	363,40
60554-00050	696521	Grease, Silicon (Shin-Etsu KS-63W) (Unit of Issue - gr) (Packaging 1 kg can)	477,00
06316-000	698454	Cobra 350 Consumable Grease, Silicon, 2 Kg.	727,50
20950-000F	700878	Quill Grease, THK, i4L	50,50
CR_MOBIL-SHC	702512	Grease Polyrex 222 380g	59,00
REBATE SENSOR	354053		1,29
REBATE ICD	354054		1,29
HMI PRODUCT DISCOUNT	703647	HMI Product Discount	0,03
CONTROLLERS DISCOUNT	703646	Controllers Product Discount	0,03
I/O UNITS PRODUCT DISCOUNT	703645	I/O Units Product Discount	0,02
SERVO PRODUCT DISCOUNT	703644	Servo Product Discount	0,03
INVERTERS PRODUCT DISCOUNT	703643	Inverters Product Discount	0,03
ROBOTS PRODUCT DISCOUNT	703642	Robots Product Discount	0,02
SOFTWARE DISCOUNT	703641	Automation Software Product Discount	0,02
AUTOMATION GENERAL DISCOUNT	703640	Automation General Discount	0,02
PROX PRODUCT DISCOUNT	703639	PROX Product Discount	0,02
PES PRODUCT DISCOUNT	703638	PES Product Discount	0,02
VISION PRODUCT DISCOUNT	703637	Vision Product Discount	0,02

OMRON PVPR 2023

SPECIAL SENSORS DISCOUNT	703636	Special Sensors Discount	0,03
SAFETY PRODUCT DISCOUNT	703635	Safety Product Discount	0,03
TIMER PRODUCT DISCOUNT	703634	Timer Product Discount	0,02
POWER SUPPLY DISCOUNT	703633	Power Supply Product Discount	0,02
TEMP CONTROLLER DISCOUNT	703632	Temp Controller Product Discount	0,02
INDUSTRIAL RELAYS DISCOUNT	703631	Industrial Relays Product Discount	0,02
COUNTER&MON&PANEL DISCOUNT	703630	Counter & Monitor & Panel Ind Product Discount	0,02
OTHER COMPONENTS DISCOUNT	703629	Other Components Product Discount	0,02
COMPONENTS GENERAL DISCOUNT	703628	Components General Discount	0,02
S&S GENERAL DISCOUNT	703627	S&S General Discount	0,02
ECB (OCB) PRODUCT DISCOUNT	703626	ECB (OCB) Product Discount	0,02
OTHER DIVISIONS DISCOUNT	703625	Other Product Divisions Discount	0,02
SERVICE DISCOUNT	707067	Service Divisions Discount	0,01
ZUV-C40H-D	707821	Multi-function controller for UV-Light curing systems, without AC adapter	1 512,00
ZUV-HN20MD 2M	707822	ZUV curing system for MD series: Standard head for focusing, fiber length 2 m, s	486,00
ZUV-XC2B	230740	Cable extensión controlador - cabezal 2m	377,60
ZUV-XC10B	262068	Cable extensión controlador - cabezal 10m	651,50
ZUV-XC5B	392992	Cable extensión controlador - cabezal 5m	398,90
ZUV-L10H	262067	Lente puntual 10mm para cabezal	491,60
ZUV-L2H	377168	Lente puntual 2mm para cabezal	400,30
ZUV-L4H	379390	Lente puntual 4mm para cabezal	435,90
ZUV-L8H	379391	Lente puntual 8mm para cabezal	435,90
ZUV-L12L	379392	Lente lineal 12mm para cabezal	813,50
ZUV-L6H	379393	Lente puntual 6mm para cabezal	435,90
ZUV-L12H	379394	Lente difusora 12mm para cabezales de difusión	475,00
ZUV-L3H	379419	Lente puntual 3mm para cabezal	435,90